

LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS



STATE OF CALIFORNIA

The Resources Agency

Department of Water Resources

BULLETIN No. 130-67

HYDROLOGIC DATA: 1967

Volume V: SOUTHERN CALIFORNIA

Appendix A: CLIMATOLOGICAL DATA

Appendix B: SURFACE WATER MEASUREMENTS

Appendix C: GROUND WATER MEASUREMENTS

JULY 1969

UNIVERSITY OF CALIFORNIA
DAVIS

OCT 20 1969

LIBRARY

NORMAN B. LIVERMORE, JR.

Secretary for Resources
The Resources Agency

RONALD REAGAN

Governor
State of California

WILLIAM R. GIANELLI

Director
Department of Water Resources

LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS

STATE OF CALIFORNIA
The Resources Agency
Department of Water Resources

BULLETIN No. 130-67

HYDROLOGIC DATA: 1967

Volume V: SOUTHERN CALIFORNIA

Appendix A: CLIMATOLOGICAL DATA

Appendix B: SURFACE WATER MEASUREMENTS

Appendix C: GROUND WATER MEASUREMENTS

Copies of this bulletin at \$4.00 each may be ordered from:

Office of Procurement
DOCUMENTS SECTION
P.O. Box 20191
Sacramento, California 95820

Make checks payable to STATE OF CALIFORNIA.
California residents add 5 percent sales tax.

JULY 1969

NORMAN B. LIVERMORE, JR.
Secretary for Resources
The Resources Agency

RONALD REAGAN
Governor
State of California

WILLIAM R. GIANELLI
Director
Department of Water Resources

FOREWORD

The data collection programs of the Department of Water Resources have been designed to supplement the activities of other agencies to satisfy specific needs of the State. Bulletin No. 130-67 presents useful, comprehensive, accurate, and timely hydrologic data which are prerequisites for effective planning, design, construction, and operation of water facilities.

The Bulletin No. 130 series is published annually in five volumes. Each volume presents hydrologic data for one of five reporting areas of the State. These areas are delineated on the map to the left.



William R. Gianelli, Director
Department of Water Resources
The Resources Agency
State of California

METRIC CONVERSION TABLE

ENGLISH UNIT	EQUIVALENT METRIC UNIT	
Inch (in)	2.54	Centimeters
Foot (ft)	0.3048	Meter
Mile (mi)	1.609	Kilometers
Acre	0.405	Hectare
Square mile (sq. mi.)	2.590	Square kilometer
U. S. gallon (gal)	3.785	Liters
Acre foot (acre-ft)	1,233.5	Cubic meters
U. S. gallon per minute (gpm)	0.0631	Liters per second
Cubic feet per second (cfs)	1.7	Cubic meters per minute

TABLE OF CONTENTS

	<u>Page</u>
AREAL COVERAGE OF VOLUMES	ii
FOREWORD	iii
METRIC CONVERSION TABLE	iv
ORGANIZATION	viii
ACKNOWLEDGMENTS	ix
ABSTRACT	x

APPENDIXES

Appendix A: CLIMATOLOGICAL DATA	1
---	---

FIGURES

A Representative Precipitation Characteristics	
A-1 for San Luis Obispo	4
A-2 for Los Angeles	5
A-3 for San Diego	6
A-4 for Barstow	7

TABLES

A-1 Index of Climatological Stations	8
A-2 Precipitation Data	24
Central Coastal Drainage Province (T)	25
Los Angeles Drainage Province (U)	27
Lahontan Drainage Province (W)	34
Colorado River Basin Drainage Province (X)	36
Santa Ana Drainage Province (Y)	38
San Diego Drainage Province (Z)	41
A-3 Air Temperature Data	43
Central Coastal Drainage Province (T)	44
Los Angeles Drainage Province (U)	46
Lahontan Drainage Province (W)	51
Colorado River Basin Drainage Province (X)	55
Santa Ana Drainage Province (Y)	58
San Diego Drainage Province (Z)	61
A-4 Evaporation Data	64
Central Coastal Drainage Province (T)	65
Los Angeles Drainage Province (U)	66
Lahontan Drainage Province (W)	68
Colorado River Basin Drainage Province (X)	68
Santa Ana Drainage Province (Y)	69
San Diego Drainage Province (Z)	70

	<u>Page</u>
Appendix B: SURFACE WATER MEASUREMENTS	71

FIGURES

B-1 Net Diversions of Water to California from the Colorado River	86
B-2 Historical Importations of Water to Coastal Southern California	87

TABLES

B-1 Annual Unimpaired Runoff at Selected Stations	73
B-2 Daily Mean Discharge	75
West Fork of Mojave River Below Cedar Springs	76
East Fork of West Fork of Mojave River Above Cedar Springs	77
West Fork of Mojave River Above Cedar Springs	78
Las Flores Diversion From West Fork of Mojave River Below Cedar Springs	79
Piru Creek Above Frenchmans Flat	80
Canada De Los Alamos Below Apple Canyon	81
Elizabeth Lake Canyon Creek Above Castaic	82
Necktie Canyon Creek	83
Elderberry Canyon Creek	84
Castaic Creek Above Cordova Ranch	85
B-3 Monthly Water Content of Selected Surface Reservoirs in or Supplying Water to Southern California, October 1, 1966 to September 30, 1967	88
Appendix C: GROUND WATER MEASUREMENTS	89

FIGURES

C Names and Areal Code Numbers of Hydrologic Areas	
C-1 Central Coastal Drainage Province (T)	93
C-2 Los Angeles Drainage Province (U)	95
C-3 Lahontan Drainage Province (W)	97
C-4 Colorado River Basin Drainage Province (X)	99
C-5 Santa Ana Drainage Province (Y)	101
C-6 San Diego Drainage Province (Z)	103
C-7 Fluctuation of Water Level in Wells	104

TABLES

	<u>Page</u>
C-1 Ground Water Levels at Wells	117
Central Coastal Drainage Province (T)	118
Los Angeles Drainage Province (U)	138
Lahontan Drainage Province (W)	316
Colorado River Basin Drainage Province (X)	332
Santa Ana Drainage Province (Y)	353
San Diego Drainage Province (Z)	417
C-2 Ground Water Replenishment in Southern California During the 1966-67 Water Year	449
Appendix D: SURFACE WATER QUALITY))	
Appendix E: GROUND WATER QUALITY) (Published Separately))	
Appendix F: WASTE WATER DATA)	

State of California
The Resources Agency
DEPARTMENT OF WATER RESOURCES

RONALD REAGAN, Governor, State of California
NORMAN B. LIVERMORE, JR., Secretary for Resources
WILLIAM R. GIANELLI, Director, Department of Water Resources
JOHN R. TEERINK, Deputy Director

This volume was prepared in the Southern District

James J. Doody District Engineer
Jack J. Coe Chief, Planning Branch

under the direction of

Robert Y. D. Chun Chief, Water Resources Evaluation Section
D. C. Gildersleeve Program Manager

by

Charles L. McKelvey Water Resources Technician II

assisted by

Eugene Ramstedt Assistant Engineer, W.R.

Data Processed by
Machine Computing Section
Southern District

Reviewed and Coordinated by
Division of Resources Development
Water Resources Evaluation Section

ACKNOWLEDGMENTS

In the preparation of this report, valuable assistance and contributions were received from many public and private agencies. Special mention is made of the following agencies whose cooperation is gratefully acknowledged.

City of Long Beach Water Department
City of Los Angeles Department of Water and Power
City of San Diego Utilities Department
Coachella Valley County Water District
Imperial Irrigation District
Los Angeles County Flood Control District
Orange County Flood Control District
Riverside County Flood Control and Water Conservation District
San Bernardino County Flood Control District
San Bernardino Valley Water Conservation District
San Diego County Department of Special District Services
San Luis Obispo County Flood Control and Water
Conservation District
Santa Barbara County Flood Control and Water Conservation District
The Metropolitan Water District of Southern California
United States Army Corps of Engineers
United States Geological Survey
United States Weather Bureau
Ventura County Flood Control District

ABSTRACT

This report contains data on precipitation, evaporation, air temperature, surface water flow, reservoir storage, ground water levels, and ground water recharge activities in Southern California during the 1966-67 water year. Figures show location of hydrologic areas within drainage provinces, representative precipitation characteristics, imported water, and fluctuation of water level in wells.

Appendix A
CLIMATOLOGICAL DATA

Appendix A

CLIMATOLOGICAL DATA



This appendix summarizes monthly precipitation, air temperature, and evaporation data for Southern California from July 1, 1966, through September 30, 1967 (Tables A-2, A-3, and A-4).

Cooperators and cooperating agencies supplied data from 675 precipitation stations, 101 air temperature stations, and 53 evaporation stations. The U. S. Weather Bureau supplied data from 250 precipitation stations, 125 air temperature stations, and 9 evaporation stations. These climatological stations are listed in the Index (Table A-1). Daily and hourly data for some stations are available in the files of the Southern District of the Department of Water Resources. Representative precipitation characteristics for four stations are shown in Figures A-1 through A-4.



To ensure accuracy, the stations are inspected periodically by the responsible agency to see that equipment is properly maintained and that observations are taken in accordance with their standards.

Each station in this appendix has been assigned an identification number. The first character denotes the drainage province. The second and third characters represent the hydrologic unit. (Figures C-1 through C-6, pages 92 through 103, in Appendix C show the locations and code numbers of the hydrologic subdivisions in each drainage province.) The remaining characters denote the alphabetical sequence of the station.

Figure A-1





REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR SAN LUIS OBISPO





REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR LOS ANGELES

Figure A-3



REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR SAN DIEGO



REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR BARSTOW

TABLE A-1 INDEX OF CLIMATOLOGICAL STATIONS

An explanation of the column headings and the code symbols follows:

40-Acre Tract – This denotes the location of the station within the section in which it is located. The letter code is derived from the diagram to the right.

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Base and Meridian – The code for this column is as follows:

- M – Mount Diablo Base and Meridian, or
- S – San Bernardino Base and Meridian

Cooperator Number – This number is assigned from the following list:

000	Private Cooperators
004	Southern California Edison Company
011	Southern Pacific Company
014	California-American Water Company
016	Temescal Water Company
017	Gage Canal Company
018	Corona Foothill Mutual Lemon Company
405	City of Los Angeles, Department of Water and Power
406	City of San Diego
410	Los Angeles County Flood Control District
411	Marin County Engineer
415	Orange County Flood Control District
416	Ventura County Flood Control District
417	The Metropolitan Water District of Southern California
428	San Diego County
429	San Bernardino County Flood Control District
430	San Luis Obispo County Flood Control and Water Conservation District
431	Riverside County Flood Control and Water Conservation District
432	Vista Irrigation District
433	Helix Irrigation District
435	Montecito County Water District
436	City of San Bernardino Water Department
808	State Division of Forestry
813	State Department of Water Resources
900	United States Weather Bureau (Published records)
906	Agriculture Research Service
907	United States Weather Bureau, State Climatologist, (Unpublished records)
913	United States Army Corps of Engineers, Los Angeles District
914	United States Marine Corps, Camp Pendleton
915	United States Weather Bureau, Washington, D. C , (Unpublished records)
916	United States Geological Survey

Cooperator's Index Number – This is the number assigned to the station by the agency responsible for, or handling the records of the station. The U.S. Weather Bureau number is only shown in this column when it differs from the alpha order number.

County – This is a standard code for California counties and adjacent areas as shown below:

Imperial	13	Monterey	27	San Diego	90
Inyo	14	Orange	30	San Luis Obispo	40
Kern	15	Riverside	33	Santa Barbara	42
Los Angeles	70	San Bernardino	36	Ventura	56
Mono	26				

TABLE A-1
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U03-0014-00	ACTON ESCONDIDO CNYN	2920	05N	13W	30		S	34	29	31	118	16	30	410	F 2618	1897			70
U03-0014-01	ACTON ALISO CANYON	3900	04N	12W			S	34	24	02	118	05	33	410	F 423A	1937			70
U03-0014-02	ACTON ALISO CNYN BLU	2900	04N	12W			S	34	27	33	118	09	20	410	F 341	1932			70
U03-0014-03	ACTON CAMP 2	2625	04N	13W			S	34	27	02	118	11	55	410	F 2500	1930			70
U03-0014-04	ACTON-COLOMBO RANCH	3000	04N	13W			S	34	25	41	118	11	52	410	F 420C	1927			70
U03-0014-05	ACTON HUBBARD RCH	3490	05N	13W	16		S	34	31	31	118	13	58	410	F 2748	1897			70
W28-0024-00	AOELANTO	2845	06N	05W	21	N	S	34	35	21	117	24	50	900	SB 89A	1945			36
X22-0044-00	AGUA CALIENTE SPG PK							32	57	00	116	17	27	428	517-5	1966			90
W03-0050-51	ALABAMA HILLS	3725	15S	36E			M	36	40	15	118	05	40	405					14
U03-0072-15	ALAMO MT STORAGE GAG	6675	07N	20W	25		S	34	40	11	118	57	08	416	V 211	1959			56
U05-0084-50	ALCAZAR FLOOD CONTRD	400						34	03	46	118	11	54	410	F 1918	1929			70
U05-0085-00	ALDER CRK PARADISE	2330	03N	14W			S	34	19	48	118	19	03	410	F 705	1941			70
U05-0102-02	ALHAMBRA-CITY HALL	0533					S	34	06	05	118	07	52	410	F 1108	1927			70
Y01-0114-51	ALISO CANYON COOK	1080	06S	07W			S	33	40	59	117	37	12	415	O 151A				30
U05-0115-00	ALISO CANYON OAT MTN	2367	03N	16W	28		S	34	18	53	118	33	25	410	F 446	1939			70
Z07-0136-00	ALPINE	1740	15S	02E	27		S	32	50	00	116	46	00	900		1952			90
U05-0140-01	ALTA CANYON	2020						34	13	39	118	12	40	410	F 1758	1919			70
U05-0144-00	ALTADENA	1125	01N	12W			S	34	10	55	118	08	15	410	F 176	1921			70
U05-0144-04	ALTADENA GOLF	1186						34	10	48	118	07	01	410	F 611C	1899			70
Y01-0145-05	ALTA LOMA-FORNEY	1865	01N	07W	27		S	34	07	25	117	36	27	429	SB175	1953			36
U03-0179-10	AMERICAN C SUGAR CO	60	01N	21W			S	34	12	17	119	04	04	416	V 3	1902			56
Y01-0192-01	ANAHEIM AUTOMATIC		04S	10W			S	33	49	12	117	54	48	415	O 167				30
Y01-0193-00	ANAHEIM CARROLL RCH	105	04S	10W			S	33	49	54	117	57	54	415	O 91	1924			30
Y01-0194-00	ANAHEIM WATER WORKS	150	04S	10W	15		S	33	49	46	117	54	42	415	O 33	1880			30
W26-0195-07	ANAVERDE LEONA VLY	2875	06N	13W			S	34	35	22	118	12	15	410	F11088	1955			70
U05-0208-11	ANGELES CREST G S	2300						34	14	05	118	11	00	410	F 7268	1945			70
U05-0208-12	ANGELES CREST HWY	2800						34	15	21	118	11	45	410	F 498	1945			70
U05-0208-20	ANGELES CRE HWY GRIZ	3050	02N	13W			S	34	15	33	118	11	32	410	F*x30	1957			70
T09-0215-00	ANNETTE	2150	26S	17E	16		M	35	39	00	120	11	00	430	L 130	1951			70
W26-0222-01	ANTELOPE VLY FLD STA	2450	07N	14W			S	34	42	12	118	18	32	410	F1106	1955			70
Z02-0235-00	ANZA	3915	07S	03E	21	B	S	33	33	00	116	40	30	900		1947			33
T12-0239-00	APACHE CAMP	4965	09N	23W	16		S	34	52	00	119	20	00	416	V 161	1940			56
W28-0244-00	APPLE VALLEY	2935	05N	03W	17		S	34	31	25	117	12	52	900	SB 136	1958			36
U05-0251-01	ARCADIA ARBORETUM	0565	01N	11W			S	34	08	48	118	02	59	410	F1037E	1950			70
U05-0251-02	ARCADIA PP 1	611					S	34	09	32	118	02	02	410					70
Y01-0264-00	ARLINGTON	830	03S	05W	08		S	33	55	07	117	26	01	431	R P1	1963			33
Y01-0264-01	ARLNGTN MKNGBRD GCCO	1007	03S	05W	21	E	S	33	53	49	117	24	54	417	R P1	1938			33
W28-0310-00	ARROWHEAD RANGER STA	5593	02N	03W	27		S	34	14	20	117	11	25	429	SB107				36
T10-0320-00	ARROYO GRANDE	0110	32S	13E	21		M	35	07	24	120	34	24	900		1939			40
T10-0320-20	ARROYO GRANDE NO 5	135	32S	13E	28		M	35	07	10	120	35	25	430	L 147	1956			40
U05-0327-00	ARROYO SECO R S	1220	02N	12W	31		S	34	12	33	118	10	12	410	F 508C	1917			70
U05-0331-11	ARTESIA	52						33	51	48	118	04	58	410	F 2088	1917			70
U05-0339-00	ASCOT COVERED RES	0605	01S	13W	13		S	34	04	44	118	11	16	405		1939			70
U05-0355-00	ASSOC OIL ANAHEIM 1	340	03S	10W	13		S	33	54	37	117	52	41	900		1941	1966		30
T09-0358-05	ATASCADERO LAKE	915	28S	12E	27	B	M	35	28	00	120	40	20	430	L 167	1964			40
T09-0359-00	ATASCADERO PUMP STA	1205	28S	13E	04		M	35	31	30	120	34	30	430	L 133	1951			40
T09-0360-01	ATASCADERO 50H	0950	28S	12E	23		M	35	29	00	120	39	30	430	L 145	1954			40
T09-0360-20	ATASCADERO 1 NW	920	28S	12E	16		M	35	29	45	120	11	20	430	L 160	1962			40
T09-0361-01	ATASCADERO AMWC	835	28S	12E	10		M	35	30	06	120	39	36	430	L 34	1913			40
U03-0372-11	ATHORE MEADOW	4325	07N	16W			S	34	41	18	118	36	16	410	F1119B	1956			70
U06-0395-00	AVALON PLEASURE PIER	0000						33	21	00	118	20	00	900		1931			70
T10-0406-00	AVILA	0115	31S	12E	36		M	35	10	48	120	43	18	430	L 55	1931			40
U05-0410-00	AZUSA CITY PARK	612	01N	10W	35	D	S	34	08	03	117	54	17	410	F 1438	1928			70
U05-0410-01	AZUSA FOOTHILL RCH	0615						34	07	57	117	53	32	410	F 998	1913			70
U05-0410-02	AZUSA GRFTH VLY W CO	585						34	06	53	117	53	23	410	F 1788	1955			70
U05-0410-04	AZUSA PLT-GIC	0682						34	08	54	117	54	48	410	F 3128	1930			70
U05-0431-01	BAILEY DEBRIS DAM	1180						34	10	25	118	03	38	410	F 1796	1958			70
W28-0436-00	BAKER	0940	14N	09E	30		S	35	16	00	116	04	00	900	SB160	1953			36
W28-0437-00	BAKER 9 NNW	1045	15N	08E	15		S	35	23	00	116	07	00	900	SB 161	1953			36
U03-0450-10	BALCOM CYN HUMPHREY	800						34	18	51	118	58	21	416	V 206	1960			56
U05-0453-01	BALDWIN HILLS	0392						34	00	08	118	22	32	410	F 461	1940			70
U05-0453-02	BALDWIN HILLS RES	460						34	00	25	118	21	47	410	F 799				70
U05-0455-00	BALDWIN PARK	386	01S	10W	09		S	34	05	36	117	57	40	410	F 347E	1931			70
Z07-0465-00	BALLENA							33	04	00	116	43	30	428	600-1	1951			90
X19-0489-00	BANNING	2315	03S	01E	09		S	33	55	43	116	52	33	431	R	1913			33
U03-0495-00	BARD RESERVOIR	1030	02N	19W	06	E	S	34	14	04	118	49	05	416	V 227	1966			56
U03-0506-11	BARDSDALE YOUNG RCH	400						34	21	54	118	56	42	416	V 96	1932			56
U05-0507-11	BARLEY FLAT	5525						34	16	40	118	04	40	410	F1121	1956			70
U05-0508-11	BARLOW SANITARIUM	0450						34	04	31	118	14	46	410	F 774	1947			70
U05-0509-00	BARNESON PARK	575	03S	09W	05		S	33	56		117	51		900			1966		30
U02-0513-11	BARRET OJAI RANCH	800						34	26	28	119	13	13	416	V 153				56
Z11-0514-00	BARRETT DAM	1623	17S	03E	22		S	32	41		116	40		406		1916			90
W28-0519-00	BARSTOW	2142	09N	01W	06		S	34	54		117	01		900	SB 112	1916			36
W28-0519-02	BARSTOW-2	2150	09N	02W	01		S	34	54		117	47		429	SB100	1958			36
W28-0519-06	BARSTOW COUNTY YARD	2120	10N	01W	32		S	34	56	00	117	01	26	429	SB219				36
W28-0519-15	BARSTOW SHERIFF DEPT	2280	09N	02W	06		S	34	53	40	117	01	25	429	SB234				36
T12-0543-00	BATES RIDGE S.G.	5165	10N	28W	32		S	34	55	00	119	55	00	900		1946			42
U05-0563-12	BEAR CANYON FC1112	4025						34	17	04	117	51	58	410	F1112				

TABLE A-1
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U05-0625-00	BELL CYN RUSHWORTH	0925	01N	17W	04		S	34	11	37	118	39	27	410	F 735F				70
U05-0626-01	BELL FIRE STA	0145						33	58	45	118	11	16	410	F 192C	1928			70
W26-0630-00	BELLVIEW	2880						34	37	23	118	13	55	410	F 722C	1948			70
W03-0684-00	BENTON INSPECTION ST	5460	01S	32E	29		M	37	50	00	118	29	00	900		1959			26
X19-0699-00	BERMUDA DUNES	100	05S	07E	07		S	33	44	38	116	17	15	431	R	1964			33
T10-0718-05	BETTENCOURT	745	31S	14E	05		M	35	15	15	120	29	45	430	L 153	1959			40
U05-0722-11	BEVERLY HILLS	0290						34	04	27	118	23	57	410	F 2288	1925			70
Y01-0741-00	BIG BEAR LAKE	6750						34	15	00	116	55	00	900					36
Y01-0741-01	BIG BEAR LAKE F D	6780	02N	01E	19		S	34	14	40	116	54	24	429	S8 90	1950			36
Y01-0742-00	BIG BEAR LAKE DAM	6815	02N	01W	22		S	34	14		116	58		900	S8 32	1892			36
Y01-0743-01	BIG BEAR CITY	6775	02N	01E	14		S	34	15	43	116	50	36	429	S8 91A	1942			36
U05-0758-00	BIG DALTON DAM	1575	01N	09W	15		S	34	10	06	117	48	36	410	F 2238	1930			70
U05-0758-01	BIG DALTON-MONROE	1825						34	10	34	117	48	26	410	F 7248	1939			70
W03-0776-00	BIG PINE POWER PLT 3	5400	09S	33E	25		M	37	07	30	118	19	21	405		1925			14
W28-0779-00	BIG PINES PARK	6860	03N	08W	02		S	34	22	45	117	41	28	410	F 838	1926			70
U05-0785-01	BIG SANTA ANITA DAM	1400	01N	11W	10		S	34	11	03	118	01	12	410	F 63C	1927			70
U05-0785-02	BIG SANTA ANITA R S	2175						34	11	46	118	01	20	410	F10468	1950			70
U05-0798-00	BIG TUJUNGA DAM	2315	02N	13W	01		S	34	17	31	118	11	15	900	460 E	1917	04		70
U05-0818-00	BIRMINGHAM HOSPITAL	0724						34	11	22	118	30	25	410	F 7258	1944			70
W03-0819-00	BISHOP CREEK INTAKE	8150	08S	31E	16		M	37	15	00	118	35	00	900					26
W03-0822-00	BISHOP WB AIRPORT	4108	07S	33E	05		M	37	22	00	118	22	00	900		1899			14
W03-0824-00	BISHOP UNION CARBIDE	9390	07S	30E	05		M	37	22	00	118	43	00	900		1957			14
U03-0871-11	BLACK STOCK	855						34	15	31	118	45	13	416	V 155				56
U03-0877-11	BLANCHARD INV CO	0277						34	21	23	119	04	25	416	V 48	1896			56
U03-0884-00	BLOOD RANCH	3225	08N	18W	28	8	S	34	45	26	118	47	18	813		1967			70
Y01-0887-00	BLOOMINGTON	1100	01S	05W	22		S	34	04	08	117	23	49	429	S8106	1952			36
Z07-0889-00	BLOSSOM VALLEY	1000	15S	01E	15		S	34	51	32	116	51	22	428	500	1953			90
X22-0892-00	BORREGO CO RD STA							33	12	40	116	20	00	428	540-5	1963			90
Y01-0900-11	BLUE CUT	2560	02N	06W	13		S	34	15	32	117	28	03	429	S8103				36
W28-0900-52	BLUE JAY WEST	5440						34	14	28	117	13	06	429	S8209				36
U05-0904-10	BLUE RIDGE CAMP	8450						34	20	57	117	40	23	410	F*X26	1957			70
X15-0924-00	BLYTHE	0266	06S	23E	32		S	33	36	45	114	35	45	900		1931			33
X15-0927-00	BLYTHE CAA AIRPORT	0390	06S	22E	31		S	33	37	00	114	43	00	900		1940			33
X15-0927-05	BLYTHE AIR BASE		06S	23E	33		S												33
X15-0928-00	BLYTHE F C STA		06S	23E	32		S							431	R				33
U05-0930-00	BOBCAT CANYON	4720						34	16	49	118	00	08	410	F11028	1955			70
Z09-0968-00	BONITA	0105	17S	02W			S	32	40		117	02		900		1899			90
U03-0978-51	BORGSTROM	200						34	16	47	119	15	27	416	V 67				56
X22-0983-00	BORREGO DESERT PARK	765	10S	05E	25		S	33	16		116	25		900		1943			90
X22-0986-00	BORREGO SPRINGS 3NNE	625	10S	06E	21		S	33	17		116	21		900		1945	1967		90
X22-0986-01	BORREGO TUBB CANYON							33	12	30	116	24	30	428	501-5	1964			90
X22-1009-00	BOULEVARD	3350	17S	07E	28	C	S	32	40	00	116	17	00	900		1924			90
U03-1013-00	BOUQUET CANYON F124	3055	06N	14W	28	8	S	34	35	14	118	21	45	405	F 1248				70
U03-1013-01	BOUQUET CANYON FC110	1760						34	30	35	118	27	00	410	F1104	1955			70
T09-1018-30	BOWMAN RANCH	1880	29S	16E	36		M	35	21	30	120	13	00	430	L 163	1962			40
U05-1028-11	BRADBURG DEBRIS BASI	0935	93K					34	09	23	117	57	58	410	F10808	1955			70
T09-1034-00	BRADLEY	0540	24S	11E	08		M	35	52	00	112	48	00	900		1946			27
U05-1043-41	BRAND DEBRIS BASIN	925						34	11	04	118	16	32	410	F 1988	1928		3	70
U05-1043-51	BRAND PARK	1250						34	11	18	118	16	20	410	F 2108	1928			70
X23-1048-00	BRAWLEY 2 SW	0100	14S	14E	07		S	32	57	00	115	33	00	900		1909			13
U05-1056-00	BREA CITY	0350						33	55	00	117	54	00	900	PN8119	1957			30
U05-1057-00	BREA DAM	0275	03S	10W	21		S	33	53	26	117	55	36	900					30
U05-1057-01	BREA UNION OIL	0375						33	55	46	117	54	53	410	F1094	1924			30
U05-1087-10	BRIGDEN RES NO 1	1020						34	10	15	118	06	40	410	F1151	1961			70
U05-1090-11	BRIGGS TERRACE	2225					S	34	14	17	118	13	27	410	F 3738	1933			70
Y01-1129-11	BRUSH CANYON	1475	01N	04W	10			34	10	46	117	17	11	429	S8133	1957			36
U05-1148-02	BUCKHORN FLAT	6760						34	20	44	117	55	08	410	F1062	1953			70
T09-1149-20	BUCKHORN R																		

TABLE A-1
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
T10-1444-00	CAMP SAN LUIS OBISPO	0625	30S	12E	09		M	35	21		120	41		900		1941			40
Y01-1451-11	CAMP SILVERADO	2000					S	33	44	42	117	40	40	415	O 78				30
U05-1468-11	CAMP VALCREST	5900					S	34	20	40	117	58	41	410	F1007C	1946			70
U03-1471-19	CAMULOS RANCH	720						34	24	20	118	45	20	416	V 170	1956			56
U02-1472-11	CANADA LARGA	800						34	22	25	119	13	42	416	V 85				56
U05-1484-00	CANOGA PARK PIERCE C	794	01N	16W	08		S	34	10	53	118	34	23	410	F1051	1949			70
W25-1488-00	CANTIL	2010	30S	37E	23		M	35	18	00	117	58	00	900		1955			15
T09-1498-15	CANYON RANCH	1200	27S	15E	35		M	35	32	00	120	20	00	430	L 138	1952			40
Z01-1506-00	CAPISTRANO							33	25	00	117	40	00	428	800	1928			90
Z01-1507-00	CAPISTRANO BEACH	20						33	27	56	117	41	12	415	O 164				30
U05-1518-00	CARBON CANYON GILMAN	1625	03S	09W	12		S	33	56	00	117	47	00	900	S8 41	1949			30
Y01-1557-31	CASA COLINA	680	02S	08W	16			33	59	30	117	43	10	429	S8 20C				36
U02-1558-00	CASITAS DAM	0369	03N	23W	06		S	34	22	00	119	20	00	907		1959			56
U02-1558-12	CASITAS RANCH	400						34	22	06	119	20	12	416	V 4	1927			56
U02-1559-00	CASITAS RESERVOIR		04N	23W	29		S	34	24	00	119	18	00	907		1959			56
U03-1562-11	CASTAIC PATROL STA	1066						34	27	54	118	36	57	410	F 451B	1957			70
U03-1562-21	CASTAIC JUNCTION	1001						34	26	23	118	36	20	410	F1012	1947			70
X19-1587-05	CATHEDRAL CITY F.C.S	320	04S	05E	33		S	33	46	53	116	27	52	431	R	1948			33
T11-1595-10	CAVANAUGH RANCH	2000	29S	18E	33		M	35	23	00	120	02	30	430	L 78	1938			40
U05-1613-01	CEDAR SPRINGS	6780						34	21	21	117	52	34	410	F 402F	1936			70
W28-1613-10	CEDAR SPRINGS R EVAP	3275						34	17	03	117	19	47	813		1962			36
U05-1663-11	CHAPMAN WELLS	635						34	08	47	118	04	03	410	F 171B				70
U05-1665-02	CHARTER OAKS WALKER	705						34	06	25	117	51	40	410	F1131B				70
U05-1680-00	CHATSWORTH F C 24 D	957	02N	16W	18	M	S	34	15	23	118	36	19	900	F 24D	1928			70
U05-1682-00	CHATSWORTH RESERVOIR	912	02N	17W	25		S	34	13	34	118	36	58	900	F 23E	1948			70
U05-1682-11	CHATSWORTH PAT STA	1254						34	16	39	118	36	13	410	F 259C	1930			70
Y01-1698-01	CHERRY VALLEY S O F	2860	02S	01W	22		S	33	58	32	116	58	20	431	R P2				33
Y01-1698-02	CHERRY VALLEY-LEE RN	2820	02S	01W	27		S	33	58	19	116	58	24	431	R P1	1955	1965		33
U03-1718-01	CHIEF PEAK	5000						34	31	04	119	10	50	416	V 179				56
W26-1724-01	CHILAO HMS	5280						34	19	02	118		30	410	F 492B	1944			70
U05-1725-00	CHILAO RANGER STA	5155	03N	11W	22		S	34	19	42	118	01	00	410	F 440C	1939			70
T11-1726-60	CHIMINEAS RANCH	2600	32S	19E	08		M	35	09	00	119	58	00	430	L 158	1961			40
Y01-1732-02	CHINO-IMBACH	642	02S	07W	27		S	33	58	32	117	35	36	429	S8 79	1930			36
Y01-1732-03	CHINO S C E CO	675	02S	08W	13		S	33	39	52	117	01	17	004	S8 67				36
Y01-1732-07	CHINO FIRE STATION		02S	08W	11		S	34	40	00	117	41	56	429	S8262	1891			36
Y01-1732-08	CHINO FIRE STATION 2	655	02S	08W	16		S	33	59	48	117	42	58	429	S8 20C	1961			36
Z08-1747-00	CHOLLAS RESERVOIR	0400	16S	02W	35		S	32	44	00	117	03	00	406		1914			90
U03-1754-00	CHUCHUPATE R S	5260	08N	20W	04		S	34	48	00	119	01	00	900		1941			56
Z10-1758-00	CHULA VISTA	0009						32	36	00	117	06	00	900		1931			90
Z09-1758-02	CHULA VISTA 2	0025						32	37	57	117	05	39	913					90
Z09-1758-40	CHULA VISTA S D G+E							32	38	15	117	05	15	428	802-3	1927			90
W26-1767-11	CIMA MESA	4325						34	26	50	117	57	12	410	F1123				70
Z08-1773-50	CIVIC CENTER S D							32	42	30	117	10	10	428	S14-2	1961			90
Y01-1777-01	CLAREMONT FIRE STA	1180	01S	08W	09		S	34	05	45	117	42	57	410	F 93B	1927			70
U05-1777-02	CLAREMONT INDIAN HIL	1403						34	07	22	117	43	11	410	F 91	1927			70
U05-1777-03	CLAREMONT SLAUGHTER	1350						34	07	35	117	43	55	410	F 497	1945			70
Y01-1779-00	CLAREMONT POMONA COL	1185	01S	08W	10		S	34	05	48	117	42	33	410	F 92	1894			70
U05-1798-11	CLEAR CREEK SCHOOL	3150						34	16	38	118	10	12	410	F 47D	1925			70
U05-1799-10	CLEAR CREEK R S	3625						34	16	15	118	09	11	410	F1152	1961			70
U05-1883-00	COGSWELL DAM	2330	02N	10W	19		S	34	14	37	117	57	35	410	F 334B	1947			70
U05-1896-00	COLBYS FC 53D	3675	03N	12W	35		S	34	18	02	118	06	39	900	PN8290	1897			70
U04-1901-00	COLD CREEK	1318						34	05	37	118	39	22	410	F 489	1943			70
U05-1906-01	COLDWATER CANYON	3960						34	15	49	117	42	41	410	F 486B	1943			70
Y01-1941-01	COLTON HWY YARDS	1220	01S	04W	19		S	34	04	10	117	20	32	429	S8204	1959			36
Y01-1941-02	COLTON F. D.	980	01S	04W	20		S	34	04	00	117	19	23	429	S8 27A	1924			36
Y01-1941-03	COLTON SCE CO	940	01S	04W	29			34	03	22	117	19	08	004	S8185	1929			36
Y01-1941-04	COLTON SPRR	0973						34	03	54	117	19	19	907	S8 68	1877			36
U05-1954-11	COMPTON FIRE STA	0078																	

TABLE A-1
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Y01-2162-05	CRESTLINE S E	5160	02N	04W	27		S	34	41		117	21		429	SB181	1958			36
W28-2163-00	CRESTLINE LK GREGORY	4530	02N	04W	23	Q	S	34	14		117	16		900	SB 45	1953	1966		36
W28-2164-00	CRESTLINE FIRE STA 2	4900	02N	04W	22		S	34	15	00	117	15	00	900		1966			36
U05-2198-00	CRYSTAL LAKE FC 283C	5370	03N	09W	29		S	34	18	58	117	50	30	900		1959			70
Y01-2210-01	CUCAMONGA	1210	01S	07W	22		S	34	06	26	117	34	32	429	SB 69	1925			36
Y01-2210-02	CUCAMONGA RES 2	1018						34	04	39	117	35	39	813	SB192				36
Y01-2210-05	CUCAMONGA WATER CO.	1225	01S	07W	03		S	34	07	28	117	35	36	429	SB	1938			36
U05-2214-00	CULVER CITY	75						34	01	18	118	23	17	410	F 246B	1930			70
T12-2236-00	CUYAMA	2240	10N	26W	25		S	34	56	00	119	37	00	900		1944			42
Z07-2239-00	CUYAMACA	4650						32	59		116	35		433		1888			90
W28-2255-00	DAGGETT 1 ENE	1975	09N	01E	15		S	34	51	57	116	52	07	900	SB153	1953			36
W28-2257-00	DAGGETT FAA AP	1922	09N	02E	20		S	34	52	00	116	47	00	900	SB113	1943			36
X09-2265-00	DALE DRY LAKE	1220	01N	12E	17	Q	S	34	09	55	115	44	30	429	SB245	1964			36
X12-2275-00	DANBY DRY LAKE		02N	17E	12		S							429	SB237				36
U03-2303-11	DAVIS RANCH	20					S	34	09	26	119	04	39	416	V 177				56
U05-2304-11	DAWN MINE	2950					S	34	13	30	118	07	47	410	F 730	1945			70
W26-2305-11	DAWSON SADDLE	7900					S	34	22	08	117	48	10	410	F1120	1956			70
Y01-2307-51	DAY CANYON	2576	01N	06W	17			34	10	30	117	32	11	429	SB 28	1947			36
W09-2319-00	DEATH VALLEY	019M	27N	01E	16	J	S	36	28		116	52		900		1961			14
Y01-2325-51	DECLEZ	1107	01S	06W	13			34	04	40	117	28	14	429	SB 58	1946			36
X19-2327-00	DEEP CANYON LABORATO	1200	06S	06E	17		S	33	39	00	116	23	00	900					33
W05-2331-00	DEEP SPRINGS COLLEGE	5225	07S	36E	01		M	37	22	00	117	59	00	900		1948			14
U05-2333-00	DEER DEBRIS BASIN	1200						34	11	33	118	14	28	410	F1081	1955			70
T09-2359-10	DELLAGANNA RANCH	1280	27S	10E	35		M	35	32	00	120	51	30	430	L 139	1952			40
Z05-2361-70	DEL MAR S D G+E							32	58	45	117	15	00	428	803-1	1931			90
Y01-2370-03	DEL ROSA COWAN	1460	01N	04W	24	G	S	34	09	42	117	14	58	429	SB180	1957			36
Y01-2370-11	DEL ROSA RANGER	1580	01N	04W	13			34	09	57	117	15	05	429	SB 15	1946			36
U02-2399-00	DENNISON RCH	1250	04N	22W	09	N	S	34	26	10	119	11	36	416	V 64	1901			56
U05-2401-20	DEPR W P E VALLEY	780						34	12	30	118	24	35	410	F1126	1958			70
U05-2404-00	DESCANSO GARDENS	1325						34	12	07	118	12	06	410	F1071B	1953			70
X17-2404-10	DESERT CENTER SNE	0555	05S	16E	05		S	33	46	01	115	20	06	813		1966			33
X19-2405-00	DESERT HOT SPRINGS	1080	02S	05E	30		S	33	57	42	116	30	06	431	R	1948			33
Z09-2406-00	DESCANSO R S	3500	15S	03E	24		S	32	51		116	37		900		1930			90
U05-2406-51	DESOTO RESERVOIR	1127						34	16	17	118	35	12	410	F 797				70
Y01-2407-01	DEVIL CANYON GATE	1880	01N	04W	06	H	S	34	12	06	117	19	58	436	SB 71	1912		10	36
U05-2409-00	DEVILS GATE DAM	1090						34	11	08	118	10	19	410	F 453C	1939			70
Y01-2412-00	DEVORE	2435	02N	05W	28		S	34	14	03	117	24	24	429	SB 11E	1919			36
Y01-2412-01	DEVORE ST. FOR.	2280	02N	05W	33	B	S	34	13		117	24		429	SB118	1951			36
Y01-2432-00	DIAMOND BAR HORSE CP	0748	02S	09W	21		S	33	58	41	117	49	58	410	F 269C	1930			70
U05-2465-32	DOMINGUEZ WATER CO	0030						33	49	54	118	13	30	410	F1113	1936			70
W26-2479-10	DORR CANYON	7280						34	22	16	117	46	51	410	F*X23	1957			70
U03-2492-50	DOUBLE H N RANCH	600						34	23	42	118	51	06	416	V 94A	1948			56
U03-2493-05	DOUGLAS WHT OAK PARK	1120						34	17	00	118	40	08	410	F1175	1966			56
T15-2493-11	DOULTON TUNNEL	1000						34	27	54	119	42	30	435	V 57				42
U05-2494-00	DOWNEY FIRE DEPT	130						33	56	18	118	08	03	410	F 107C	1925			70
U03-2516-00	DRY CANYON RESERVOIR	1520	05N	16W	35		S	34	28	55	118	31	40	900	F 127	1922			70
U05-2523-01	DUARTE	0548						34	08	26	117	58	02	410	F 172B	1925			70
U05-2523-02	DUARTE FIRE STA	580						34	08	25	117	56	47	410	F1136		1965		70
W28-2570-00	DUNN SING	1610	11N	05E	15		B	35	03		116	26		900		1959			36
U05-2571-11	DUNSMORE CANYON-UPPE	4425	02N	13W	15		S	34	15	38	118	13	47	410	F*X21B	1956			70
U05-2571-21	DUNSMUIR DEBRIS BAS	2275						34	14	52	118	15	06	410	F1082	1954			70
U05-2592-20	EAGLE DEBRIS BASIN	1890						34	14	07	118	14	12	410	F*X33	1959			70
X17-2598-00	EAGLE MOUNTAIN	0973	04S	15E	30		S	33	48		115	27		900		1934			33
T09-2602-10	EAGLE RANCH	1315	29S	12E	03		M	35	25	30	120	40	30	430	L 148	1956			40
U05-2605-01	EAGLE ROCK SCEC	0950						34	09	02	118	10	57	410	F 672	1934			70
U05-2605-02	EAGLE ROCK RES	963	01N	13W	25		S	34	08	47	118	11	22	405	F 802B				70
Y01-2618-02	E HIGHLAND GOLD	1348	01S	03W				34	06	47</									

TABLE A-1
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Z04-2840-01	E RES VISTA IV	0752	11S	03W	16		S	33	13	00	117	13	00		407-7	1936			90
Z04-2862-00	ESCONDIDO	0660	12S	02W	22		S	33	07		117	05		900		1894			90
Z04-2862-04	ESCONDIDO VALLEY PAR		80					33	09	00	117	04	23	000					90
U04-2867-01	ESCONDIDO CANYON G S	1050	01S	18W	7		S	34	02	55	118	46	25	410 F	28	1927			70
Z04-2871-50	ESCONDIDO S D G+E							33	08	15	117	07	45	428	805-1	1927			90
X10-2882-05	ESSEX STATE HWY YARD	1700	07N	16E	01	A	S	34	43	00	115	15	00	429	S8257	1962			36
Y01-2895-00	ETIWANDA	1390	01N	06W	32		S	34	07	31	117	31	30	900	S8119	1938			36
Z09-2906-50	EUCALYPTUS COUNTY PK							32	45	35	117	00	00	428	S03-3	1963			90
T09-2908-15	EUREKA RANCH	850	28S	12E	14		M	35	30	00	120	39	00	430 L	137	1952			40
U05-2918-11	EVERETT RANCH	730						34	14	52	118	50	26	416 V	147				56
W26-2941-00	FAIRMONT	3060	07N	15W	11		S	34	42	15	118	27	20	410 F	1105	1955			70
W26-2942-10	FAIRMONT RESERVOIR	3036						34	42	15	118	25	40	410 F	S42E	1908			70
U05-2950-00	FAIR OAKS DEB POND	1585						34	12	15	118	08	18	410 F	433C	1938			70
Z03-2958-20	FALLBROOK FIRE STA							33	22	00	117	15	00	428	830-7	1960			90
U05-2961-11	FALLING SPRINGS	4010						34	18	06	117	50	20	410 F	51	1928			70
W26-3018-00	FENNER CANYON	5380						34	23	25	117	46	27	410 F	1167	1965			70
U05-3023-00	FERN CANYON	5200						34	11	48	117	41	45	410 F	740B	1936			70
U03-3036-15	FERNDALF RCH S PAULA	960	04N	21W	16		S	34	25	40	119	05	26	416 V	173	1956			56
U03-3050-00	FILLMORE 1 WNW	0435	04N	20W	25	G	S	34	24	12	118	55	33	900		1952			56
U03-3050-11	FILLMORE CITRUS ASSN	450						34	23	54	118	55	06	416 V	129				56
U03-3050-13	FILLMORE FISH HATCH	470	04N	19W	28	N	S	34	23	37	118	53	06	416 V	171				56
U03-3067-10	FISH CREEK	1670	06N	17W	15		S	34	36	10	118	39	36	813		1966			70
U05-3068-10	FISH CANYON	2600						34	12	23	117	56	43	410 F	1133	1958			70
Z07-3090-00	FLINN SPG CO PARK							32	50	50	116	51	30	428	S42-2	1963			90
U05-3091-00	FLINTRIDGE F S	1345						34	10	57	118	11	47	410 F	280B	1930			70
Y01-3117-01	FONTANA B + D	1319	01S	05W	08		S	34	06	23	117	25	36	429	S8 18	1911			36
Y01-3117-03	FONTANA HERALD NEWS	1285	01S	05W	08		S	34	06	03	117	26	04	429	S8218				36
Y01-3117-04	FONTANA UNION WC	1280	01S	05W	08		S	34	06		117	26	04	019	S8194	1917			36
Y01-3117-05	FONTANA CO YOS	1275	01S	05W	24		S	34	05	59	117	37	36	429	S8206	1959			36
Y01-3117-06	FONTANA POWERHOUSE 2	1588	01N	05W	22		S	34	09	20	117	23	48	004	S8 73	1927			36
Y01-3118-00	FONTANA S N	1972	01N	05W	18		S	34	10	57	117	26	32	900	S8 17	1927			36
Y01-3120-00	FONTANA KAISER	1090	01S	06W	15		S	34	05		117	30		900	S8138	1950			36
Y01-3121-00	FONTANA SEWAGE	960	01S	06W	36		S							429	S8236				36
Y01-3129-60	FOREST FALLS	7120	01S	01W	18	B	S	34	04		116	49		429	S8173A	1960			36
W24-3233-02	FREEMAN STATION	3310						35	35	40	117	55	04	405					15
Z09-3265-00	FROSTLESS ACRES							32	47	00	116	53	00	428	430-3	1952			90
U05-3279-00	FULLERTON ARROUES RN	330	03S	10W	15		S	33	54		117	55		900		1948	1966		30
U05-3285-00	FULLERTON DAM	0340	03S	10W	24		S	33	54		117	53		900		1948			30
U05-3288-00	FULLERTON HILLCRST R	0340						33	52		117	54	13	900		1934			30
U05-3288-01	FULLERTON KNOWLTON	195						33	52	15	117	54	24	415 O	28A				30
U05-3289-02	FULLERTON PUMP PLANT	150						33	50	54	117	55	26	415 O	93				30
U05-3289-03	FULLERTON A P	94						33	52	13	117	58	34	415 O	126A				30
U05-3289-20	FULLERTON OCFCD YARD	0163						33	52	05	117	54	10	415 O	172	1960			30
U04-3315-05	GARAPITO CREEK	1850						34	07	33	118	33	20	410 F	1165	1963			70
Y01-3336-15	GARDEN GROVE-CITY	0120	04S	10W	33	P	S	33	47	00	117	56	00	415 O	120				30
Y01-3336-21	GARDEN GROVE CO YD	90						33	46	13	117	56	03	415 O	116				30
U04-3345-11	GARRAPATA CYN	1415						34	07	44	118	34	42	410 F	1023B	1948			70
W01-3369-00	GEM LAKE	8970	02S	26E	19		M	37	45	07	119	08		900		1924			26
T14-3402-00	GIBRALTAR DAM 2	1550	05N	27W	11		S	34	31	24	119	41	18	900		1957			42
Z07-3410-00	GILLESPIE FIELD	0370						32	49		116	58		900		1959			90
U05-3430-00	GIRARD BRANT RANCH	876						34	10	16	118	35	56	410 F	21	1912			70
U05-3430-11	GIRARD RESERVOIR	986						34	09	07	118	36	36	410 F	20B	1927			70
W03-3434-11	GLACIER LODGE	8200						37	07	31	118	25	58	405					14
Y01-3438-20	GLEN AVON FIRE DEPT	253	02S	06W	10	P	S	34	00	43	117	29	37	431 R		1962			33
U05-3450-00	GLENDALE STAPENHORST	530	01N	13W			S	34	09	07	118	15	40	410 F	295G	1910			70
U05-3450-01	GLENDALE-JONES	0615					S	34	09	54	118	15	01	410 F	216	1926			70
U05-3450-02	GLENDALE-MCINTYRE	0603					S	34	09	00	118	14	27	410 F	703	1940			70
U05-3452-00	GLENDORA WEST FC 185	822					S	34	0										

TABLE A-1
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U05-3724-10	HAMILTON BOWL LONG 8	0040						33	47	31	118	10	16	410	F 437	1937			70
Y01-3748-11	HANFORD PLANT	1030	01S	04W	10			34	06	09	117	17	28	436	SB 86	1932			36
U05-3751-00	HANSEN DAM	1110	02N	14W	18		S	34	16	08	118	23	59	410	F 436C	1940			70
T13-3787-00	HARRIS GAGING STN	0320	08N	34W	23		S	34	46	00	120	25	00	900		1941			42
U03-3812-11	HASLEY CANYON	1725						34	28	44	118	41	04	410	F1022	1948			70
U05-3851-20	HAY DERRIS BASIN	1925						34	13	28	118	12	17	410	F*x32	1957			70
X18-3855-00	HAYFIELD PUMP PLANT	1370	05S	13E	28		S	33	42		115	38		900		1933			33
U05-3874-51	HEADWORKS PUMP PLT	0470						34	09	21	118	18	02	410	F 2720	1930			70
T10-3888-00	HEARST RANCH	0150	26S	07E	23		M	35	39	30	121	11	12	430	L 69	1938			40
T10-3888-02	HEARST CASTLE	1800	26S	07E	12		M	35	41	12	121	10	12	430	L 112	1946			40
Y02-3896-00	HEMET	1630	05S	01W	11	P	S	33	45	00	116	57	00	900		1911			33
U05-3910-00	HENNINGFR FLATS	2550	01N	12W	01		S	34	11	36	118	05	17	410	F 235C	1930			70
Z03-3914-00	HENSHAW DAM	2700	11S	02E	10		S	33	14		116	46		900		1912			90
Z03-3914-10	HENSHAW F 36 EVAP PA	2700						33	14	00	116	45	18	432		1923			90
Z03-3914-20	HENSHAW L 36 EVAP PA	2650						33	14	18	116	45	42	432		1922			90
W28-3935-00	HESPERIA	3305	04N	04W	21	8	S	34	25	16	117	18	12	900	S8 92	1904		20	36
W28-3935-01	HESPERIA FFS	3175	04N	04W	21		S	34	25	15	117	18	01	429	S8195	1956			36
U05-3947-11	HIDDEN SPRINGS	2850					S	34	19	04	118	07	58	410	F1076	1954			70
Y01-3951-11	HIGH GROVE	940	02S	04W	07		S	34	00	56	117	19	49	429	S8222				33
T09-3951-35	HIGHLAND FARM	2100	26S	16E	33		M	35	37	30	120	15	30	430	L 122	1948			40
U05-3953-52	HIGHLAND PK	850					S	34	07	57	118	10	27	410	F 3848				70
U05-3953-53	HIGHLAND PK-LINDSAY	0620					S	34	07	06	118	10	39	410	F 394	1935			70
U05-3971-00	HILLCREST COUNTRY CB	185						34	02	54	118	24	06	410	F 4628	1951			70
W28-3990-20	HINKLEY 5N	2055	11N	03W	28	F	S	35	01	00	117	11	50	429	S8231	1962			36
W26-4005-11	HI VISTA-CARD	3075						34	44	04	117	46	50	410	F*x158	1951			70
Z05-4014-00	HODGES DAM	320	13S	02W	18		S	33	03		117	08		406		1919			90
U05-4017-00	HOEGEES FC 60A	2650	02N	11W	33		S	34	12	30	118	02	00	410	F 60A	1931			70
Z05-4020-01	HOLDREDGE RANCH	3480	11S	02E	22		S	33	12	16	116	45	43	913	9P117	1935			90
U05-4021-15	HOLIDAY HILL	8130						34	21	29	117	40	54	410	F*x288	1957			70
U05-4031-11	HOLLYWOOD	305					S	34	05	28	118	19	30	410	F 1368				70
U05-4032-11	HOLLYWOOD DAM	0750					S	34	07	04	118	19	55	410	F 238	1929			70
Y02-4062-05	HOMELAND IN SEC 17	1600	05S	02W	17	P	S	33	44	33	117	06	27	431	R	1960			33
Z02-4133-00	HOWELL RANCH	1300	07S	04W	03		S	33	35	41	117	16	47	431	R	1965			33
Z07-4143-50	HUAL-CU-CUSH							32	58	30	116	35	00	428	504-2	1964			90
T09-4144-01	HUASNA	0770	12N	33W	29		M	35	06	00	120	23	17	430	L 51	1929			40
Y01-4173-11	HUNTINGTON BEACH	35						33	39	39	117	59	57	415	O 45				30
Y01-4173-21	HUNTINGTON BEACH RCH	70						33	40	45	118	00	02	415	O 135				30
U05-4180-11	HUNTINGTON PARK	0175					S	33	59	00	118	13	47	410	F 1990	1927			70
W26-4181-11	HUNT CANYON	3263						34	30	48	118	03	37	410	F1000	1945			70
X19-4185-51	HURLEY FLT TWIN PINE	3440	03S	02E	32		S	33	51	58	116	47	28	431	R	1919			33
X19-4211-00	IDYLLWILD R S	5397	05S	03E	07		S	33	44	46	116	42	48	900		1943			33
X23-4223-00	IMPERIAL	0060	15S	14E	18		S	32	50	57	115	34	06	900		1902			13
X23-4224-00	IMPERIAL FAA AP	0060	15S	14E	19		S	32	50	09	115	34	22	900					13
W03-4232-00	INDEPENDENCE	3950	13S	35E	18		M	36	48		118	12		900		1866			14
W03-4235-00	INDEPENDENCE ONION V	9175						36	46		118	20		900					14
X19-4258-11	INDIO S D F	8	05S	07E	26		S	33	42	47	116	13	24	431	R P1	1958			33
X19-4259-00	INDIO US DATE GARDEN	0011	05S	07E	16		S	33	44	00	116	15	00	900		1913			33
U05-4260-11	INGLEWOOD FS	0135						33	57	54	118	21	15	410	F 1160	1919			70
W24-4278-00	INYOKERN	2440	26S	39E	30		M	35	39	00	117	49	00	900		1937			15
W24-4280-00	INYOKERN ARMITAGE	2218	26S	40E	09		M	35	41	00	117	41	00	900		1944			15
U05-4296-03	IRON MOUNTAIN	5320						34	21	06	118	13	46	410	F1162	1963			70
X12-4297-00	IRON MOUNTAIN SB 114	0922	01N	18E	30		S	34	08		115	08		900	S8114	1935			36
Y01-4300-01	IRVINE CO AUTOMATIC	197						33	40	37	117	45	34	415	O 125				30
Y01-4300-02	IRVINE CO HARKEL	100						33	40	32	117	47	54	415	O 54				30
Y01-4300-03	IRVINE CO HOME RCH	130						33	43	52	117	46	54	415	O 61	1877			30
Y01-4300-04	IRVINE CO JOHNSON	320						33	39	13	117	42	53	415	O 56				30
Y01-4300-05	IRVINE CO LAMBERT	470	05S	08W	34		S	33	41	41	117	42	38	414					

TABLE A-1
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
W26-4607-05	KRAITKA SKI LIFT	6810						34	21	08	117	53	46	410	F1153	1961	1965		70
U05-4621-01	LA CANADA	1260						34	12	14	118	11	40	410	F 177F	1912			70
U05-4621-11	LA CANADA ARROY SECO	1155						34	11	52	118	11	05	410	F 508	1927			70
U05-4628-00	LA CRESCENTA FC 251	1565	02N	13W	28		S	34	13		118	15		410	F 251	1927			70
U05-4628-11	LA CRESC CO RU DEPT	1410						34	13	27	118	15	23	410	F1048B	1951			70
U05-4628-20	LA CRESC GREG 0.9ENE	1885						34	13	52	118	13	50	410	F1161	1963			70
U05-4640-00	LA FRESA S C E CO	65	03S	14W			S	33	52	07	118	19	55	410	F1008E	1946			70
Z01-4647-00	LAGUNA BEACH	0056	07S	09W	24		S	33	32	00	117	47	00	900		1931			30
Z01-4647-01	LAGUNA BEACH HARDWAR	30						33	32	36	117	46	54	415	O 99				30
U05-4647-11	LAGUNA BELL SS	0140						33	58	37	118	08	48	410	F 289	1930			70
U05-4659-11	LA HABRA	315						33	55	58	117	56	38	415	O 152A				30
U05-4659-31	LA HABRA MTS MW CO	0445						33	56	55	117	57	51	410	F1088B	1955			30
Z06-4662-12	LA JOLLA NO 2	0100	15S	04W	23		S	32	51	00	117	16	00		513-2	1927			90
W28-4671-00	LAKE ARROWHEAD	5250	02N	03W	22		S	34	15		117	12		429	S8 140	1891			36
W28-4684-50	LAKE GREGORY DAM	4535	02N	04W	23	M	S	35	14	24	117	16	14	429	S8221	1961			36
Y02-4686-51	LAKELAND VILLAGE	1319	06S	05W	13		S	33	38	13	117	20	44	431	R	1955			33
Z09-4687-51	LAKE LOVELAND	1400	16S	02E	17		S	32	46	52	116	47	38	011		1944			90
Y01-4689-51	LAKE MATHEWS 1	1375	04S	05W	07		S	33	50	35	117	26	47	417	MWD				33
Y01-4689-52	LAKE MATHEWS 2	1440	04S	05W	10		S	33	50	25	117	23	04	417	MWD				33
Y01-4689-53	LAKE MATHEWS 3	3160	04S	06W	01		S	33	50	48	117	27	16	417	MWD				33
Z02-4694-00	LAKE O NEILL	150	10S	04W	05		S	33	19	00	117	19	00	914					90
W03-4705-00	LAKE SARRINA	9070	08S	31E	31		M	37	12	50	118	36	48	405		1925			14
Z04-4705-50	LAKE SAN MARCUS							33	07	30	117	12	30	428	901-1	1963			90
U04-4706-11	LAKE SHERWOOD	0960						34	08	26	118	52	31	410	F 377F	1912			56
Z07-4710-00	LAKESTIDE 2 E	0692	15S	01E	20		S	32	51	00	116	53	00	900		1967			90
Z07-4711-00	LAKESTIDE 2 ENÉ	0450	15S	01E	19		S	32	52	00	116	54	00	900		1908		37	90
Z04-4726-00	LAKE WOHLFORD	1500	11S	01W	32		S	33	10	12	116	59	47	900		1948			90
U05-4727-11	LAKEWOOD	55						33	51	45	118	07	43	410	F1118B	1956	1965		70
Y01-4729-00	LAMBERT RES AUTOMATI	470	05S	08W	34		S	33	41	41	117	42	38	415	O 146	1945			30
U05-4732-11	LA MIRADA	0086						33	53	13	118		56	410	F 156	1923			70
Z08-4735-00	LA MESA	528	16S	01W	19		S	32	46		117	01		900		1934			90
W26-4747-00	LANCASTER	2395	07N	12W	24		S	34	41	00	118	07	00	900		1927			70
W26-4747-02	LANCASTER HMS	2395					S	34	40	57	118	08	02	410	F 455	1940			70
W26-4747-03	LANCASTER MCCARGAR	2315					S	34	46	20	118	01	40	410	F1056				70
W26-4747-04	LANCASTER WILEY	2470					S	34	40	45	117	57	14	410	F 490C	1944			70
U05-4749-21	LANKERSHIM P P	0717					S	34	11	39	118	23	17	410	F 222C	1929			70
U05-4777-11	LA PUENTE	0460						34	01	00	117	55	15	410	F1125	1958			70
U04-4803-11	LAS FLORES CANYON	0050					S	34	02	18	118	38	56	410	F 447C	1939			70
Y01-4814-11	LA SIERRA F S	720	03S	06W	10		S	33	55	07	117	29	11	431	R PI	1955			33
U04-4827-00	LATIGO CANYON BEACH	1700	01S	19W			S	34	05	35	118	48	52	410	F 443B	1953			70
U05-4833-00	LATUNA CANYON	1160						34	14	13	118	19	37	410	F1107D	1955			70
U05-4839-11	LA VERNE POL DEPT	1050						34	06	03	117	46	12	410	F 196B	1947			70
U05-4839-58	LA VIDA SPRINGS	670						33	55	53	117	47	43	410	F1096				30
U05-4839-65	LAWDALE F S	60						33	53	53	118	20	35	410	F1155	1962			70
U05-4840-00	LA VERN HTS FC 56B	1235						34	07	00	117	45	00	900					70
U04-4867-00	LECHUZA PATROL STN	1600	01S	19W	16		S	34	04	38	118	52	47	900	352B	1933			70
X19-4882-11	LA QUINTA	0085	06S	07E	06		S	33	40	25	116	17	27	431	R	1952			33
Z09-4891-05	LEMON GROVE FIRE DEP							32	44	15	117	01	45	428	831-3	1962			90
Y01-4892-11	LEMON HGTS SPRINGER	350						33	45	24	117	46	48	415	O 142				30
W26-4904-01	LEONIS VALLEY	3200						34	37	12	118	17	08	410	F 122F	1927			70
U03-4943-00	LIMONEIRA RANCH	335						34	19	55	119	07	48	416	V 18	1904			56
Z07-4952-80	LINDA VISTA-RIEDY							32	46	15	117	10	10	428	506-2	1962			90
T09-4963-00	LINN RANCH	0800	26S	12E	07	F	M	35	41	06	120	43	24	430	L 45	1925			40
T10-4973-10	LITTLE CAYUCOS WARRE	440	28S	10E	07		M	35	30	00	120	55	30	430	L 173	1964			40
U03-4975-01	LITTLE GLEASON	5600						34	22	43	118	08	57	410	F1074	1954			70
W24-4979-02	LITTLE LAKE	3510						35	57	07	117	55	31	405					14
Y02-4979-40	LITTLE LAKE VLY VISF	1695	05S	01W	13		S	33	44	42	116	55	53	431	R	1960			33
X01-4979-80	LITTLE PINE FLAT	5940	03N																

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U05-5111-01	LA CITY COLLEGE	0340						34	05	14	118	17	26	410	F 3558	1932			70
U05-5111-02	LA-CLARK LIBRARY	0203						34	02	00	118	18	46	410	F 2788	1930			70
U05-5111-03	LA CO SURVEYOR	0121						33	56	56	118	15	17	410	F 291	1930			70
U05-5111-04	LA DUCOMMON ST	0306						34	03	09	118	14	13	410	F 716	1942			70
U05-5111-06	LA MAC QUEEN	0225						34	04	13	118	19	23	410	F10398	1951			70
U05-5111-07	LA-2ND + HILL	385						34	03	09	118	14	46	410	F 139B		1965		70
U05-5111-08	LA WEST 8TH ST	173						33	57	58	118	18	24	410	F 676				70
W03-5111-09	L A AQUEDUCT INTAKE	3841	11S	34E	24	0	M							405		1919			14
U05-5111-17	LOS ANGELES HANCOCK	0175						34	03	50	118	21	25	410	F 213F	1929			70
U05-5111-20	LA-730 W TEMPLE ST	375						34	03	32	118	14	50	410	F1156	1962	1965		70
U05-5114-00	LOS ANGELES WB AP	0099						33	56	30	118	23	12	900					70
U05-5115-00	L. A. CIVIC CENTER	0270	01S	13W			S	34	03	00	118	14	00	900		1877			70
U03-5146-00	LOS PINETOS NIKE STE	3925						34	21	14	118	24	45	410	F*X38	1966			70
T14-5147-00	LOS PRIETOS R S	1030	05N	28W	03		S	34	32	42	119	47	06	900		1941			42
Z09-5154-00	LOVELAND DAM	1400	16S	02E	17		S	32	46	52	116	47	48	014		1944			90
U05-5159-00	LOWER FRANKLIN RES	585	01S	15W	12		S	34	05	43	118	24	40	405	F 794				70
U03-5159-50	LOWER HUNGRY VALLEY	3054	07N	18W	07		S	34	22	50	118	49	44	416	V 228	1966			56
Z10-5162-00	LOWER OTAY RESERVOIR	0500	18S	01W	13	A	S	32	36	30	116	55	38	900		1906			90
X01-5182-00	LUCERNE VALLEY	2957	04N	01W	13		S	34	27	00	116	57	00	900		1949			36
X01-5182-11	LUCERNE VALLEY 2 W	2975	04N	01W	09		S	34	27	00	116	59	00	429	S8141	1959			36
U05-5190-20	LUKENS DISPOSAL AREA	3250						34	14	15	118	11	43	410	F*X31	1957			70
U05-5193-30	LUNADA RAY	250						33	46	37	118	25	15	410	F1135B	1958			70
Z09-5203-00	LYNWOOD HILLS							32	38	36	117	03	00	428	518-3	1966			90
Y01-5212-00	LYTLE CR FOOTHILL BL	1160	01S	04W	06		S	34	07		117	20		900	S8159	1947			36
Y01-5212-01	LYTLE CREEK SB 197	2360	01N	05W	06		S	34	12	16	117	26	57	429	S8197	1927			36
Y01-5212-02	LYTLE CREEK SB 198	1225	01N	04W	31		S	34	07	26	117	20	53	436	S8198	1928			36
Y01-5215-00	LYTLE CREEK PH 1	2225	01N	05W	06		S	34	12	07	117	27	00	900	S8142	1906			36
Y01-5218-00	LYTLE CREEK R S	2760	02N	06W	26		S	34	14		117	29		900	S8 37	1930			36
U05-5230-01	MADDOCK DEBRIS BAS	0905						34	09	17	117	57	05	410	F1083	1955			70
U03-5256-00	MAGIC MOUNTAIN	4450						34	23	45	118	17	12	900		1948			70
U04-5269-00	MALIBU-DIV HDQTS	800	01N	18W	27		S	34	08	08	118	45	08	410	F 434	1938			70
U04-5269-02	MALIBU RCH-DUNNE	0160						34	02	00	118	42	42	410	F1025	1949			70
W03-5284-01	MAMMOTH	8930						37	35	56	118	59	58	405					26
U05-5296-11	MANDEVILLE CANYON	1225						34	07	12	118	30	12	410	F 767	1947			70
U05-5296-12	MANDEVILLE FR RD 24	1625						34	07	38	118	30	03	410	F 766	1947			70
U05-5296-31	MANHATTAN BEACH	0182						33	53	00	118	23	19	410	F1070	1953			70
U05-5355-01	MARKHAM SADDLE	5300						34	14	21	118	05	55	410	F 793	1947			70
Z11-5366-01	MARRON VALLEY	0550	18S	02E	33		S	32	34	03	116	46	40		301-4	1889			90
U05-5382-21	MAR VISTA - SCWC	0092						34	49		118	25	32	410	F 463B	1940			70
U02-5408-01	MATILIJA DAM	1040						34	29	05	119	18	25	416	V 134				56
U02-5408-02	MATILIJA RCH	650						34	25	42	119	18	48	416	V 20	1925			56
U03-5408-03	MATILIJA RES	1150						34	29	34	119	19	37	416	V 149	1952			56
U02-5408-06	MATILIJA FORKS CYN	1540						34	30	24	119	22	36	416	V 207	1960			56
U05-5452-11	MC CLURE DEBRIS BAS	1010						34	12	42	118	19	36	410	F1085	1955			70
T09-5486-11	MC MILLAN CANYON	1650	25S	15E	32		M	35	43	02	120	22	23	915	L 93				40
T09-5488-10	MC NEIL RANCH	1560	30S	14E	23		M	35	17	30	120	27	00	430	L 128	1951		08	40
X19-5502-00	MECCA 2 SE	17N	07S	09E	21		S	33	33		116	03		900		1931			33
X19-5502-01	MECCA S D F	19v	07S	09E	08		S	33	34	17	116	04	40	431	R PI	1958			33
U03-5507-21	MEHER MTN	2570						34	24	44	119	10	08	416	V 163				56
Y01-5531-31	MENTONE FS SB 120	1765	01S	02W	20		S	34	04	12	117	07	27	429	S8120	1952			36
Y01-5531-32	MENTONE SB 199	1650	01S	02W	19		S	34	04	02	117	08	02	813	S8199	1929			36
Y01-5531-34	MENTONE GREEN SPOT	2019	01S	02W	21	F	S	34	04	00	117	05	50	429	S8212	1958			36
W26-5569-20	MESCAL CREEK FT TEJO	3570						34	29	05	117	44	10	410	F 442C	1939			70
W26-5618-20	MILE HIGH	5200						34	24	40	117	46	07	410	F1166	1964			70
Y01-5629-00	MILL CREEK NO 2	2940	01S	02W	13		S	34	05	00	117	02	00	900	S8143	1903			36
Y01-5632-00	MILL CREEK INTAKE	4945	01S	01W	13	C	S	34	05	20	116	56	19	900	S8155	1930			36
Y01-5632-01	MILL CREEK INTAKE 3	4958						34	05	20	116	56	19						36
Y01-5635-20</																			

SOUTHERN CALIFORNIA

See page 8 for key to terms & abbreviations

TABLE A-I

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Z06-6586-11	PACIFIC BEACH	35						32	47	55	117	15	17	913	80 20				90
W26-6598-51	PACIFIC MOUNTAIN	6880						34	21	40	118	01	44	410	F10388	1950			70
U05-6599-61	PACIFIC PALISADES	0320						34	02	38	118	31	36	410	F 4918	1944			70
U05-6601-21	PACOIMA CANYON	2075						34	20	51	118	22	20	410	F 422G	1937			70
U05-6601-22	PACOIMA CYN-CITY RD	3175						34	21	42	118	18	25	410	F 728	1945			70
U05-6601-24	PACOIMA CNYN DUTCH	3220	03N	14W			S	34	21	07	118	20	38	410	F 466B	1941			70
U05-6601-61	PACOIMA RAODATZ	902						34	14	57	118	26	40	410	F 278	1925			70
U05-6601-71	PACOIMA WAREHOUSE	0955						34	15	21	118	24	24	410	F 219	1929			70
U05-6602-00	PACOIMA DAM FC 33A E	1500	03N	15W	24		S	34	19	48	118	23	59	900		1931			70
Y01-6605-11	PADUA HILLS PS	1800						34	08	52	117	41	55	410	F1020B	1948			70
W26-6624-00	PALMOALE	2655	06N	12W	26		S	34	35	00	118	07	00	900	F3510	1931			70
W26-6624-01	PALMDALE HMS	2662	06N	12W	26	Q	S	34	34	25	118	06	45	410	F 4410	1939			70
W26-6626-05	PALMDALE-CIRCLE C	2880						34	32	11	118	03	48	410	F1073B	1953			70
W26-6627-00	PALMDALE FAA AP	2517	06N	11W	07		S	34	36	59	118	05	02	900		1943			70
Y01-6628-11	PALMER CANYON	2120						34	09	36	117	42	07	410	F1010B	1946			70
X19-6633-01	PALM DESERT	263	05S	06E	19		S	33	43	08	116	23	33	431	R	1958			33
W26-6634-30	PALM ROCK RANCH	2615						34	35	40	117	58	10	410	F1154	1961			70
X19-6635-00	PALM SPRINGS	0411	04S	04E	13		S	33	49	34	116	32	41	900		1931			33
X19-6639-10	PALM SPRINGS N SDF	875	03S	04E	10		S	33	55	28	116	32	44	431	R	1958			33
X19-6640-00	PALM SPRINGS TRAMWAY	8505	04S	03E	23		S	33	42		116	33		900		1965			33
U04-6649-11	PALO COMADO CYN	1175						34	09	45	118	44	16	410	F1016	1948			70
Z04-6650-60	PALOMAR AIRPORT							33	07	00	117	16	00	428	515-1	1959			90
Z02-6657-00	PALOMAR MTN OBSERV	5560	09S	01E	27		S	33	21	00	116	51	00	900		1942			90
U05-6663-00	PALOS VERDES ESTATES	216	04S	14W			S	33	48	02	118	23	26	410	F 43D	1927			70
U05-6663-01	PALOS VERDES	0400						33	46	47	118	20	35	410	F 444F	1929			70
U05-6663-12	PALOS VERDES HILLS F	1275						33	45	25	118	21	11	410	F1011B	1955			70
U05-6663-14	PALOS VERDES HILLS H	1200						33	45	40	118	22	20	410	F1139	1959		1	70
Y01-6680-01	PANORAMA	3760						34	13	35	117	18	29	429	S8130				36
U05-6689-51	PARAMOUNT-CO FS	0070						33	53	30	118	09	36	410	F 388C	1935			70
X14-6699-00	PARKER RESERVOIR	738	02N	27E	05		S	34	17		114	10		900	S8 64	1934			36
T09-6703-10	PARKFIELD	1590	23S	14E	23		M	35	55	00	120	26	00	430	L 127	1950			27
U05-6719-00	PASADENA	0864						34	08	54	118	08	36	900		1931			70
U05-6719-02	PASADENA CAL TECH	0800						34	08	14	118	07	25	410	F 303F	1930			70
U05-6719-03	PASADENA CHLOHINE PL	1181						34	12	27	118	10	00	410	F 612	1916			70
U05-6719-06	PASADENA-GLEN	1400						34	10	54	118	04	42	410	F 696				70
U05-6719-08	PASADENA-HURLBURT FS	0780						34	07	48	118	09	12	410	F 613B	1939			70
U05-6719-09	PASADENA-CITY HALL	0985						34	10	03	118	07	17	410	F 610B				70
U05-6719-10	PASADENA JOURDAN	0705						34	08	52	118	05	14	410	F 795	1949			70
U05-6719-14	PASADENA MET STA	0918						34	09	48	118	09	27	410	311B	1938			70
U05-6719-18	PASADENA-SHELUON RES	1052						34	10	39	118	09	56	410	F 678	1938			70
U05-6727-01	PASEO MIRAMAR	0700						34	03	34	118	33	25	411	F 770B				70
T09-6730-00	PASO ROBLES	0700	26S	12E	33		M	35	38	00	120	41	00	900		1887			40
T09-6732-01	PASO ROBLES GERST	1500	26S	10E	14		M	35	40	00	120	51	30	430	L 44	1925			40
T09-6742-00	PASO ROBLES FAA AP	0803	26S	12E	13		M	35	40	00	120	38	00	900		1944			40
T09-6743-10	PASO ROBLES(SUH)	0720	26S	12E	28		M	35	38	00	120	41	00	430	L 144	1954			40
Y01-6754-11	PATTON	1370	01N	03W	29			34	08		117	12		429	S8170A	1959			36
W26-6760-01	PAUL	3390						34	29	13	117	50	02	410	F 564C	1915			70
U05-6760-53	PAULARINO-SHIFTER	47						33	40	55	117	53	26	415	O 47				30
Z04-6772-00	PECHSTEIN DAM							33	11	00	117	10	45	428	400-7	1954			90
Y01-6776-21	PEOLEY FIRE STA	710	02S	06W	26		S	33	58	31	117	29	07	431	R	1954			33
Z07-6779-25	PEERLESS-RASP							32	50	00	116	57	00	428	507-2	1963			90
Y02-6816-00	PERRIS	1470						33	47	00	117	14	00	900					33
T10-6816-10	PEROZZI	470	31S	13E	06		M	35	15	40	120	37	20	430	L 129	1951			40
Y01-6818-11	PERRIS S D F	1452	04S	03W	30		S	33	47	15	117	13	45	431	R P1				33
Y02-6818-12	PERRIS MILL	1280	01N	04W	36		S	34	08		117	16		436	S8163	1935			33
Y02-6818-16	PERRIS RES EVAP	1448						33	50	04	117	11	59	813		1963			33
W28-6848-01	PHELAN	4160	04N	07W	24			34	25		117	34		429	S8205	1958			36
U05-6850-01	PICKENS DERRIS BAS	1600																	

TABLE A-1
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Y01-7050-12	POMONA-RIVIERA	820						34	01	34	117	46	06	410	F 263F	1956			70
T11-7057-10	PONU RANCH NO 2	1300	28S	16E	03		M	35	31	00	120	13	40	430	L 911	1939			40
U03-7080-00	PORT HUENEME	20	01N	22W	20			34	08	40	119	12	30	416	V 17	1891			56
Z11-7100-01	POTRERO	2390	18S	04E	06	N	S	32	37	51	116	37	10		607-4	1914			90
U03-7102-41	POTRERO CANYON	1150						34	23	50	118	38	18	410	F1040	1951			70
U05-7103-51	POTRERO HEIGHTS	0285						34	02	34	118	04	50	410	F 1700	1926			70
Z06-7110-10	POWAY CO RD STA							32	57	00	117	03	45	428	545-1	1962			90
Z06-7110-15	POWAY-HENSHAW							32	57	52	117	03	35	428	508-1	1962			90
Z06-7111-00	POWAY VALLEY	0440	14S	02W	12		S	32	57		117	04		900		1879			90
Y01-7123-01	PRADO DAM EVAP STA	575	03S	07W	20	P	S	33	53	24	117	38	09	415	O 23B	1930			33
U05-7123-11	PRAIRIE FORKS	5640						34	20	20	117	41	30	410	F 80R	1926			70
Z10-7155-75	PROCTOR VALLEY JAMUL							32	42	30	116	53	00	428	608-4	1951			90
U05-7160-01	PUDDINGSTONE DAM	1030	01S	09W	15		S	34	05	30	117	48	22	410	F 96B	1927			70
U05-7161-02	PUENTE-FERRERO	0380						34		12	117	56	19	410	F 254B	1930			70
U05-7161-03	PUENTE HILLS-WEISEL	0645						33	57	08	117	55	26	410	F 2650	1925			70
U05-7161-06	PUENTE HILLS	0840						33	59	40	117	59	31	410	F 201B	1924			70
U05-7161-08	PUENTE-N WHITTIER	0314						34	01	14	117	58	40	410	F 679	1935			70
Z03-7162-01	PUERTA LA CRUZ	3000	10S	03E	07		S	33	19	00	116	42	00		405-7	1961			90
W26-7163-31	PUNCH BOWL RANCH	4760						34	24	48	117	51	25	410	F1111C	1964			70
W26-7164-40	PUZZLE SPRINGS RANCH	4130						34	26	34	117	40	25	410	F1130	1958	1965		70
U03-7170-55	PYRAMID RESERVOIR	2495	07N	18W	27	D	S	34	40	30	118	46	55	813		1967			70
X08-7177-00	QUAIL CANYON	3448	01S	06E	12		S	34	05	35	118	30	00	429	S823B				36
Y02-7178-70	QUAIL VALLEY	1590	05S	03W	30	P	S	33	42	22	117	14	07	808	R	1958			33
Y02-7221-01	RAILROAD CANYON DAM	1390	06S	04W	02		S	33	40	36	117	16	31	016	R	1927			33
Z02-7222-03	RAINBOW CONSERVATION							33	25	40	117	07	00	428	330-7	1949			90
Z05-7231-00	RAMONA SPAULDING	1470	13S	01W	02		S	33	04	00	116	51	00	900		1949			90
Z05-7243-25	RNCH HSE RHD GUIJITO							33	09	45	116	57	15	428	521-1	1965			90
Z03-7244-00	RANCHITA	4110	11S	04E	23		S	33	14		116	32		900		1942			90
T09-7244-10	RANCHITA SLO	655	31S	13E	25		M	35	12	00	120	26	00	430	L 100	1943			40
U05-7247-51	RANCHO LOS AMIGOS	0090						33	55	18	118	09	44	410	F 270C	1930			70
U02-7247-72	RANCHO MATILAJA EVAP	0600						34	25	45	119	18	35	416	V-150				56
Z05-7249-51	RANCHO SANTA FE	240	13S	03W	21		S	33	01	12	117	12	06	913	8P129B				90
U03-7249-61	RANCHO SESPE	430						34	23	00	118	57	52	416	V 39	1907			56
W25-7253-00	RANDSHURG	3522	29S	40E	35		M	35	22	00	117	39	00	900		1937			15
U04-7255-51	RATTLESNAKE CANYON	1290						34	05	00	118	51	55	410	F1068	1953			70
Z11-7283-00	REAM FIELD NAS							32	34	00	117	07	00	428	310-4	1955			90
Y01-7284-01	RECHE CANYON	1750	02S	03W	18		S	33	59	42	117	13	52	431	S8 9A	1953			33
U05-7293-20	RED BOX GAP	4625						34	15	30	118	06	18	410	F1124B	1957			70
Y01-7306-01	REDLANDS ROTH	1239	01S	03W	32		S	34	02	02	117	12	32	429	S8 23	1935			36
Y02-7306-02	REDLANDS SB 101	1194	01S	03W	20		S	34	03	30	117	12	57	429	S8101	1930			36
Y01-7306-03	REDLANDS DAILY FACTS	1318	01S	03W	27		S	34	03		117	11		429	S8144	1899			36
Y01-7311-00	REDLANDS COUNTRY CLU	2080	02S	03W	12		S	34	01	09	117	08	55	429	S8239				36
U05-7324-00	REDONDO BEACH	0070						33	50	43	118	23	20	410	F 42C	1918			70
U03-7375-10	REYNOLDS RANCH							34	44	12	118	53	18	416	V 145	1952	1955		56
Z07-7383-05	RHD ARROLEDA							32	49	00	116	55	00	428	516-2	1949			90
Y01-7384-08	RIALTO	1246	01S	05W	02			34	06	24	117	21	50	429	S8 4A	1943			36
Y01-7384-09	RIALTO ADAMS	1175	01S	05W	15			34	05	19	117	22	59	813	S8191	1940			36
Y02-7391-41	RICE RANCH RIV CO	1980	04S	05W	33		S	33	47	05	117	23	59	417	MWD				33
U02-7391-51	RICE RANCH VEN CO	0750						34	27	29	119	17	41	416	V 156				56
U03-7403-11	RICHFIELD OIL	1560						34	26	08	119	08	02	416	V 65				56
U03-7425-01	RIDGE ROUTE MAINT ST	2505	07N	18W	27		S	34	40	34	118	46	47	410	F 409	1936			70
U05-7441-11	RIO MONDO SPREAD GRN	0155	02S	12W			S	33	59	25	118	06	33	410	F10140	1927			70
X15-7447-65	RIPLEY F.C. STA.	0250	07S	22E	35		S	33	31	30	114	39	00	431	R				33
Y01-7469-01	RIVERSIDE C.F.C.+W.C	0875	02S	05W	14		S	33	58	43	117	22	29	431	R				33
Y01-7470-00	RIVERSIDE FIRE STN 3	0820	02S	05W	34		S	33	57	00	117	24	00	900	S8145	1931			33
Y01-7473-00	RIVERSIDE CITRUS EXP	1015	02S	04W	30	K	S	33	58	00	117	20	05	900	S8 61	1948			33
U05-7491-11	ROBERTA CANYON	4100						34	13	30	117	55	15	410	F 73				

TABLE A-1
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Z08-7740-00	SAN DIEGO WB AP	0019						32	44	00	117	10	00	900		1931			90
Z04-7744-00	SAN DIEGUITO CO PARK							33	00	00	117	14	00	428	509-1	1963			90
705-7744-01	SAN DIEGUITO DAM	250	13S	03W	16		S	33	02		117	12		406		1924			90
U05-7746-02	SAN DIMAS CYN E FK	2765						34	11	41	117	44	26	410 F	741	1934			70
U05-7748-01	SAN DIMAS DAM	1350	01N	09W	24		S	34	09	10	117	46	17	410 F	89B	1924			70
U05-7749-00	SAN DIMAS FC 95	0955	01S	09W	11		S	34	06	26	117	48	19	900	S8154	1931			70
U05-7749-01	SAN DIMAS EXP STA	3100	01N	09W	01		S	34	06		117	46		907		1933			70
U05-7749-03	SAN DIMAS R S	1485					S	34	10	04	117	46	02	410 F	87C	1925			70
U05-7749-04	SAN DIMAS-STEVENSON	1110					S	34	07	39	117	47	42	410 F	134	1928			70
U05-7750-00	SAN DIMAS TANBARK	2745	01N	08W	06		S	34	12	20	117	45	40	900	S8157	1929			70
U05-7759-00	SAN FERNANDO	0965	02N	15W	09		S	34	16	22	118	27	50	900		1931			70
U05-7760-10	SAN FND0 VLY STATE C	857						34	14	17	118	31	48	410 F	1157	1962			70
U05-7762-00	SAN FERNANDO PH NO 3	1248						34	18	49	118	29	30	900		1948			70
U05-7762-11	SAN FERNANDO VET HOS	1730						34	19	35	118	24	44	410 F	1054	1952			70
U03-7773-00	SAN FRANCISQUITO 2	1580	05N	16W	14		S	34	32	02	118	31	27	410 F	372	1929			70
U05-7775-30	SAN GABRIEL BRUINGTO	472						34	06	18	118	06	32	410 F	2270	1953			70
U05-7775-45	SAN GABRIEL C EFK DO	2050					S	34	14	28	117	45	36	410 F	10648	1953			70
U05-7775-50	SAN GABRIEL C EFK TU	2775					S	34	16	58	117	44	48	410 F	1069	1953			70
U05-7775-51	SAN GABRIEL CYN EFK	1600					S	34	14	09	117	48	18	410 F	379B	1934			70
U05-7775-55	SAN GABRIEL CYN HELI	3200						34	15	02	118	01	30	410 F	1160	1962			70
U05-7776-00	SAN GABRIEL CYN PH	744	01N	10W	22		S	34	09	20	117	54	28	900 F	627	1917			70
U05-7779-00	SAN GABRIEL DAM	1481	01N	09W	06		S	34	12	19	117	51	40	410 F	4258	1917			70
U05-7779-01	SAN GABRIEL DAM CAMP	1500					S	34	13	33	117	50	48	410 F	768	1937			70
U05-7785-00	SAN GABRIEL FIRE OPT	450	01S	12W			S	34	06	11	118	05	56	900 F	742C	1939			70
U05-7785-15	SAN GABRIEL NO FORK	2200						34	15	43	117	50	40	410 F	1144	1960			70
Y02-7810-00	SAN JACINTO	1550	04S	01W	27		S	33	48	00	116	59	00	900		1886			33
Y02-7811-00	SAN JACINTO RES MND	1500	04S	01W	29		S	33	47	30	116	59	50	431 R	P1	1952			33
Y02-7813-00	SAN JACINTO RS - SDF	1555	04S	01W	35		S	33	47	12	116	57	30	431 R	P2	1940			33
Y01-7818-01	SAN JOAQUIN FRUIT CO	0197					S	33	42	55	117	45	43	415 O	60				30
U05-7826-10	SAN JOSE HILLS GALSI	0440						34	03	00	117	54	53	410 F	11488	1961			70
Z01-7836-51	SAN JUAN CAPISTRANO	0150						33	30	42	117	38	29	415 O	86				30
Z01-7836-52	S JUAN CPSTRN SUBSTA	150						33	30	44	117	39	58	415 O	92A	1923			30
T10-7850-00	S L OBISPO TANK FARM	0118	31S	12E	11		M	35	15	20	120	39	30	430 L	54	1931			40
T10-7851-00	SAN LUIS OBISPO POLY	0300	30S	12E	23		M	35	18	00	120	40	00	900		1869			40
T10-7851-50	SAN LUIS OBISPO (SDH)	150	30S	12E	34		M	35	16	00	120	40	30	430 L	143	1954			40
T10-7854-00	SAN LUIS OBISPO SDF	0330	30S	12E	22		M	35	18	00	120	41	00	430 L	96	1943			40
Z04-7857-03	SAN LUIS REY S D G+E							33	12	45	117	20	00	428	811-7	1952			90
Z04-7858-03	SAN MARCOS CO RD STA							33	08	30	117	10	45	428	547-1	1962			90
U05-7862-46	SAN MARINO-HUNTINGTO	0670						34	07	38	118	06	48	410 F	275	1920			70
T09-7868-01	SAN MIGUEL SP MILL	620	25S	12E	16		M	35	45	00	120	41	00	430 L	125	1949			40
T14-7869-41	SAN MIGUELITO CYN	1000					S	34	35	20	120	29	40	913 S0	50				42
Z01-7871-35	SAN ONOFRE							33	22	30	117	34	00	428	820-7	1955			90
U05-7876-11	SAN PEDRO HILLS	1240						33	46	30	118	22	58	410 F	2730	1955	1965		70
U05-7876-21	SAN PEDRO RES	0150						33	44	37	118	17	47	410 F	1006	1944			70
U05-7876-26	SAN PEDRO 2	85						33	43	15	118	16	17	410 F	629C				70
Y01-7887-11	SAN TIMOTEO	1603	02S	02W	14			33	58	10	117	07	30	429 S8	2A	1953			33
Y01-7888-00	SANTA ANA USWB FR DP	115	05S	10W	13	A	S	33	44	39	117	52	02	900 O	191	1889			30
Y01-7888-01	SANTA ANA DCFCO	125						33	45	00	117	52	12	415 O	1210	1908			30
Y01-7891-00	SANTA ANA RIVER PH 3	1980	01S	02W	04		S	34	06	30	117	06	55	004 S8	162	1906			36
Y01-7894-00	SANTA ANA RIVER PH 1	2765	01N	02W	26		S	34	09	00	117	04	00	900	S8147	1904			36
Y01-7895-00	SANTA ANA-SCUDDER	99						33	45	06	117	53	22	415 O	161				30
U05-7897-00	SANTA ANITA FERN LGE	2035	01N	11W	03		S	34	12	30	118	01	00	410 F	432	1938			70
U05-7898-20	SANTA ANITA CN HELIP	2575						34	12	52	118	01	05	410 F	1146	1960			70
U05-7898-40	SANTA ANITA SPRING C	4655						34	12	52	117	58	56	410 F	4770	1958			70
T15-7902-00	SANTA BARBARA	0100	04N	27W	22		S	34	25	00	119	42	00	900		1867			42
T15-7905-00	SANTA BARBARA FAA AP	0009	04N	28W	17		S	34	26	00	119	50	06	900		1940			42>

TABLE A-1
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U03-8014-03	SAUGUS EDISON STA	1096						34	25	21	118	34	26	410 F	200	1928			70
U03-8014-0R	SAUGUS-NEWHALL	1150					S	34	24	56	118	32	51	410 F	475	1941			70
W26-8020-01	SAWMILL MTN RCH	3700						34	43	15	118	35	00	410 F	277	1931			70
U05-8022-12	SAWPIT CYN DEER PK	2690						34	11	38	117	57	52	410 F	304	1930			70
U05-8022-14	SAWPIT DAM NO 2	1378						34	10	34	117	59	14	410 F	688	1926			70
U05-8023-01	SAWTELLE	0250						34	02	43	118	26	55	410 F	140C	1928			70
U05-8023-03	SAWTELLE SOLDIER HOM	0396						34	03	27	118	27	37	410 F	119F	1896			70
U03-8036-00	SCHAFFER RCH FRAZ PK	5800						34	49	59	119	04	12	416 V	146	1952			56
U05-8038-51	SCHOLL NEHRIS BAS	987					S	34	09	13	118	12	01	410 F	1110	1956			70
Z04-8050-51	SCOTT RANCH	170						33	03	45	117	15	15	913 8P	133				90
Y01-8063-00	SEAL HOUSE		04S	05W	10		S							431 R					33
U02-8085-01	SELBY RANCH STANDARD	750	04N	24W	14	J	S	34	25	28	119	21	15	416 V	44	1927			56
U02-8085-02	SELBY RANCH AUTOMATI	750					S	34	25	28	119	21	15	416 V	166	1956			56
U04-8088-01	SEMINOLF HOT SPGS	975	04N	24W	14	J	S	34	06	20	118	47	29	410 F	38	1927			70
U05-8092-00	SEPULVEDA DAM	740						34	10	02	118	28	06	900 F	465C	1939			70
U05-8092-01	SEPULVEDA AND HAYEN	828						34	13	52	118	28	04	410 F	98	1928			70
U05-8092-03	SEPULVEDA CANYON	0570						34	04	50	118	28	12	410 F	778B	1947			70
U05-8092-04	SEPULVEDA CANYON 19	1300						34	06	25	118	28	26	410 F	763B	1947			70
U05-8092-05	SEPULVEDA DAM	0683						34	10	06	118	28	11	410 F	465C	1957			70
U05-8092-11	SEPULVEDA-MULHOLLAND	1425						34	07	51	118	29	26	410 F	17	1928			70
T09-8110-05	SEVEN-X RANCH	1200	27S	10E	08		M	35	36	00	120	55	00	430 L	59	1930		1	40
T09-8126-01	SHANDON DIV OF HWYS	1090	26S	15E	20		M	35	39	30	120	22	30	430 L	73	1937			40
T09-8126-01	SHANDON UNION OIL CO	1091	26S	15E	02		M	35	41	00	120	20	30	430 L	53	1931			40
U05-8158-00	SHELL ABSORPTION PLT	680	02S	10W	35		S	33	57	00	117	54		900		1948	1966		70
U05-8190-20	SHORTCUT CYN W FORK	4425						34	15	55	118	04	08	410 F	1159	1965			70
U05-8210-01	SIERRA MADRE DAM	1100						34	10	34	118	02	32	410 F	144	1928			70
U05-8210-06	SIERRA MADRE MM PP	985					S	34	10	11	118	02	51	410 F	2948	1930			70
U05-8210-07	SIERRA MADRE PEGL	658					S	34	09	27	118	02	36	410 F	66	1925			70
U05-8211-00	SIERRA MADRE PUMP ST	700						34	09	47	118	02	21	410 F	169E	1927			70
U05-8211-11	SIERRA MADRE USFS	0935						34	10	15	118	01	54	410 F	681A	1937			70
U05-8230-00	SIGNAL HILL FC 415	100						33	47	49	118	10	03	410 F	415	1937			70
Y01-8243-01	SILVERADO CANYON	1500						33	44	55	117	38	27	415 O	180				30
U05-8252-11	SILVER LAKE RES	0455	01S	13W	09		S	34	06	08	118	15	54	405 F	336	1930			70
U03-8256-00	SIMI	0770						34	17	00	118	58	00	416 V	184	1956			56
U03-8258-00	SIMI 3 E	920	02N	18W	11	L	S	34	16	18	118	44	24	416 V	193	1956	1966		56
U03-8258-10	SIMI FORSON RANCH	1100						34	15	44	118	39	32	416 V	93	1931			56
U03-8258-50	SIMI OAK RIDGE SUMMT	2680						32	22	00	118	44	05	416 V	226	1966	1967		56
T11-8259-01	SIMMLER DIV OF HWYS	2047	30S	19E	06		M	35	21	00	119	59	00	430 L	71	1937			40
Y02-8261-11	SIMMS RANCH	2140	04S	01E	27		S	33	47	49	116	52	22	417 MWD					33
Y01-8263-00	SINGLETON RANCH		02S	02W	25		S							431					33
X19-8317-00	SNOW CREEK UPPER	1940	03S	03E	33	D	S	33	52	00	116	41	00	900		1939		02	33
T11-8326-00	SODA LAKE	1975	31S	19E	10		M	35	14	47	119	55	09	430 L	47	1925			40
U03-8338-02	SOLEDAD CYN-ECKLES	2150						34	26	23	118	17	33	410 F	405B	1936			70
U03-8338-06	SOLEDAD PASS	3520						34	29	35	118	05	28	410 F	1063	1953			70
U03-8338-10	SOLEDAD CYN-BERMITE	1200						34	24	50	118	31	25	410 F	1142	1960			70
U03-8338-50	SOLEDAD CYN HUNRY	1270						34	25	13	118	30	08	410 F	X37	1966	1967		70
U03-8347-00	SOMIS 2 NNW BARD RCH	510	02N	20W	05		S	34	16	58	119	00	22	900 V	190	1955	1958		56
U03-8347-01	SOMIS SNYDER RCH	0300	02N	20W	17		S	34	15	47	118	59	46	416 V	54	1892			56
U03-8347-02	SOMIS	290						34	15	21	118	59	45	416 V	212	1961			56
U03-8348-00	SOMIS 3 NE	485	02N	20W			S	34	17		118	58		900		1955	1966		56
U03-8349-00	SOMIS 3 NW	0510	02N	21W			S	34	17		119	00	30	416 V	190	1955			56
U03-8350-00	SOMIS 5 NNW	0520	02N	21W	03		S	34	17	07	119	04	20	900		1955	1958		56
U03-8350-02	SOMIS AGGEN RCH	375	02N	21W	12		S	34	16	08	119	02	04	416 V	2	1904			56
U02-8365-51	SOPERS RANCH	0870						34	28	58	119	17	37	416 V	151				56
T10-8374-05	SOTO RANCH NR CAMBRI	440	27S	09E	22		M	35	34	30	120	59	00	430 L	169	1963			40
U05-8377-01	SOUTH GATE	0130						33	57	16	118	12	43	410 F	4748	1941			70
U05-8379-45	SOUTH HAWKINS	7720						34	18	46	117	48	32	410 F	10598	1953		</	

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U03-8700-00	SUSANA KNOLLS	1090						34	16		118	40		900		1956			56
Z05-8707-01	SUTHERLAND DAM	1900					S	33	07		116	47		406					90
Z09-8726-01	SWEETWATER DAM	300	17S	01W	17		S	32	41	33	117	00	30	014					90
W26-8727-01	SYCAMORE CAMP	4000						34	25	02	117	58	13	410 F10608	1953				70
U05-8728-11	SYLMAR	1250						34	18	37	118	28	15	405 F 391	19				70
W26-8748-00	TARLE MOUNTAIN	7420	03N	08W	02			34	22	56	117	40	39	410 F 82F	1928				70
U05-8783-51	TANBARK FLATS	2750						34	12	20	117	45	40	410 F 158	1929				70
U03-8784-01	TAPO CITRUS ASSN	1010						34	17	12	118	43	09	416 V 124					56
U03-8784-06	TAPO WATER CO	1080						34	17	53	118	43	16	416 V 62					56
Z02-8840-01	TEMECULA F S	1018	08S	03W	12		S	33	29	48	117	08	57	431 R		1955			33
U05-8848-01	TEMPLE CITY	0404						34	06	31	118	03	25	410 F 4808	1948				70
T09-8849-00	TEMPLETON	0800	27S	12E	29		M	35	32	56	120	42	21	430 L 43	1886				40
T12-8864-01	TEPUSQUET CYN	3248						34	54	36	120	11	08	913 50 318					42
U03-8877-11	TEVIOT ST	540						34	05	58	118	15	25	410 F 806					70
U02-8879-00	THACHER SCHOOL	1360	05N	22W			S	34	27	58	119	10	49	416 V 59	1915				56
X19-8892-00	THERMAL FAA AIRPORT	12v	06S	08E	20		S	33	38	05	116	09	51	900 R P2	1950				33
X19-8892-01	THERMAL AIR BASE SDF	110	06S	08E	20		S	33	38	05	116	10	16	431 R P1	1950				33
U03-8905-00	THOUSAND OAKS FC 718	0810	01N	19W	11	N	S	34	10	43	118	50	59	416 V 128	1943				56
U04-8907-00	THOUSAND OAKS WTR PL	900	01N	19W	14	Q	S	34	09	50	118	50	11	416 V 169					56
X19-8908-20	THOUSAND PALMS	240	04S	06E	18		S	33	49	12	116	23	34	431 R		1958			33
W03-8930-00	TINEMAHA RES	3865	10S	34E	26	F	M	37	03	10	118	13	39	405		1933			14
U03-8961-10	TOPA TOPA	2900						34	34	03	119	02	26	416 V 197	1958				56
U05-8963-03	TOPANGA CYN OUTLET	0075					S	34	02	58	118	34	46	410 F1089D	1955				70
U04-8967-00	TOPANGA PAT S FC 6B	747	01S	16W	18		S	34	05	03	118	35	57	410 F 68	1931				70
U05-8973-00	TORRANCE	0100						33	48	00	118	20	00	900		1932			70
U05-8973-03	TORRANCE AIRPORT	0102						33	47	59	118	20	08	410 F1158	1958				70
Z01-8992-01	TRABUCO CANYON	1250					S	33	39	28	117	34	12	415 O 81					30
U04-9003-01	TRANCAS BEACH	0025						34	01	52	118	50	30	410 F 306F	1930				70
U04-9027-21	TRIUNTO CANYON	0800						34	07	20	118	47	10	410 F 476F	1941				70
W21-9035-00	TRONA	1695	25S	43E	08		M	35	47	00	117	23	00	900 58111	1920				36
U05-9048-03	TUJUNGA CN AB GOLD	1650						34	18	00	118	16	06	410 F1013B	1947				70
U05-9048-07	TUJUNGA CYN-SOLOMON	1400						34	16	40	118	17	53	410 F1053B	1952				70
U05-9048-10	TUJUNGA CYN-VOGEL	1850						34	17	12	118	13	32	410 F 695B	1939				70
U03-9048-15	TUJUNGA-MILL CR SUM	4970						34	23	25	118	04	50	410 F1029	1949				70
U03-9049-00	TUJUNGA MILL CREEK	4600	04N	12W	36		S	34	23	09	118	05	25	410 F 470	1948				70
U05-9082-01	TURNBULL DERRIS BAS	0495						33	59	18	118	01	30	410 F1086	1954				70
Y01-9086-10	TUSTIN AUTOMATIC	106						33	44	18	117	48	00	415 O 166	1958				30
X09-9099-00	TWENTYNINE PALMS NPS	1980	01N	09E	29		S	34	08		116	35	00	900 58 48A	1935				36
X09-9099-05	TWENTY NINE PALMS C	1895	01N	09E	20	R	S	34	09	00	116	03	00	429 58216	1960				36
X09-9099-10	TWENTY NINE PALMS Q	1520	01N	10E	14	R	S	34	10	00	115	54	00	429 58232	1961				36
T12-9111-00	TWITCHFIL DAM	0582	11N	33W	35		S	34	59	00	120	19	00	900		1959			42
U05-9138-00	UNION OIL STEARNS	0710	03S	09W	06		S	33	56		117	52		900		1941			30
Z06-9151-50	UNIVERSITY CTY STELL							32	51	10	117	12	30	428 511-2	1963				90
U05-9152-00	U C L A	0430	01S	15W			S	34	04	18	118	27	00	900		1933			70
U05-9152-01	UNIV SO CAL	0208						34	01	14	118	17	15	410 F 482	1942				70
Y01-9156-10	UPLAND	1605						34	07	57	117	38	38	410 F1145	1959				70
Y01-9158-00	UPLAND 3 N	1605	01N	07W	31		S	34	07	58	117	38	26	900 58 88	1932				36
Y01-9160-01	UPLAND-CADNUM	1508					S	34	07	08	117	40	45	410 F 342B	1931				36
Y01-9160-02	UPLAND CO YDS	1215	01S	07W	09		S	34	05	43	117	37	42	429 58 98	1959				36
Y01-9160-12	UPLAND CHAPPEL	1609	01N	08W	35		S	34	44	00	117	37	47	429 58 19A				36	
Y01-9160-20	UPLAND FIRE STATION	1275	01S	07W	07		S	35	05	55	117	38	53	429 58165					36
U05-9165-05	UPPER FRANKLIN RES	867						34	07	14	118	24	38	410 F 11					70
T10-9179-00	UPPER MORRO CREEK	1050	28S	11E	35		M	35	27	18	120	45	12	000		1951			40
Z10-9182-10	UPPER OTAY							32	39	00	116	55	45	428 613-4	1951				90
U05-9187-11	UPPER STONE CYN	0943						34	07	27	118	27	15	410 F 762	1947				70
Z02-9213-11	VAIL LAKE	1450						33	29	32	116	58	36	916		1952			33
Z03-9228-00	VALLEY CENTER 3 NE	1615	10S	01W	31		S	33	16	00	117	01	00	900		1924			

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Z05-9379-35	VISTA IN WARNER RCH							33	09	15	116	39	15	428	401-7	1961			90
Z03-9379-39	VISTA IN WEST FORK							33	17	15	116	44	30	428	402-7	1961			90
Z04-9379-42	VISTA S D G+E							33	12	00	117	14	00	428	812-1	1954			90
T10-9392-05	VORTAC SBP	1461	31S	11E	02		M	35	15	06	120	45	35	430	L 172	1964			40
T10-9395-05	VULTURE ROCK	2635	26S	09E	28		M	35	38	30	121	01	00	430	L 168	1963			40
T10-9401-05	WADHAMS	0100	31S	12E	16		M	35	13	30	120	41	30	430	L 166	1963			40
T12-9408-12	WAGON WHEEL CAMP 1 S	4990						34	43	49	119	11	01	416	V 202	1959			56
U05-9427-51	WALNUT FRUIT GROWERS	0533						34		13	117	51	09	410	F 339	1929			70
U05-9431-00	WALNUT PATROL STN	488	02S	09W	18	D	S	34	00	12	117	52	14	410	F 102B	1926			70
U05-9438-20	WALTERIA LAKE PUMP S	90						33	48	35	118	21	05	410	F 1164	1964			70
Z03-9447-00	WARNER SPRINGS	3180	10S	03E	26		S	33	17	00	116	38	00	900		1931			90
U05-9464-01	WATERMAN G S	3290						34	15	58	118	08	37	410	F 52C				70
U05-9464-23	WATERMAN MTN	7960						34	20	23	117	56	21	410	F 1031B	1949			70
U03-9485-00	WAYSIDE H R EVAP	1060	04N	17W	01	G	S	34	29	41	118	36	44	813	DWR	1963			70
X02-9487-00	W C SHEHORN JOHNSON	2794	04N	04E	19		S	34	25	00	116	37	00	429	SB502				36
W26-9531-02	WEST ANTELOPE	3110	09N	15W	03		S	34	53	48	118	27	12	405		1921			15
U05-9531-51	WEST ARCADIA	0547					S	34	07	42	118	04	22	410	F 1090	1925			70
U05-9531-71	WEST AZUSA	0505					S	34	06	53	117	54	56	410	F 406C	1936			70
U05-9533-10	WEST BURBANK	615					S	34	10	47	118	20	07	410	F 1127	1958			70
T14-9536-00	WEST BIG PINE LOOKOT	6280	07N	27W	12		S	34	42	00	119	40	00	900		1942			42
U05-9547-05	WEST COVINA KELLER R	0350						34	03	54	117	57	20	410	F 1010	1959			70
U05-9558-20	WEST FORK H S	3100						34	14	45	118	02	55	410	F 1001B	1945			70
Y01-9569-11	WESTMINSTER	38					S	33	45	08	117	59	17	415	O 162				33
Y02-9586-00	WEST PORTAL RIVERSDE		04S	01W	15		S							431	R				33
Y01-9587-01	WEST RIVERSIDE	900	02S	05W	07		S	34	00	44	117	26	48	431	R	1948			33
T10-9603-10	WHALE ROCK DAM	250	28S	10E	34	F	M	35	26	48	120	53	06	813		1963			40
U02-9615-00	WHEELER SPRINGS 2 SS	0850	05N	23W	28		S	34	28	59	119	17	38	900		1940			56
U02-9615-01	WHEELER SPRINGS 2 SW	950	05N	23W	28		S	34	28	55	119	17	30	416	V 107	1932			56
U03-9618-00	WHEELER SPRINGS 7 N	4150						34	35	50	119	19	30	900	V 63	1927	1965		56
X01-9631-00	WHITE MOUNTAIN	7260	03N	01W	20		S	34	20	00	117	00	00	813	9635	1966			36
W05-9632-00	WHITE MOUNTAIN 1	0150	05S	35E	19		M	37	30	00	118	11	00	900		1955			26
W03-9633-00	WHITE MOUNTAIN 2	2470	04S	34E	20		M	37	35	00	118	14	00	900		1955			26
U05-9660-00	WHITTIER CITY HALL	320	02S	11W	28		S	33	58	30	118	01	57	410	F 1060	1928			70
U05-9660-02	WHITTIER-CATE	0280					S	34		20	118	03	30	410	F 1099	1955			70
U05-9660-08	WHITTIER-WOOD	0280					S	33	59	52	118	03	10	410	F 1035	1950			70
U05-9666-01	WHITTIER NARROWS	0230					S	34	02	02	118	02	40	410	F 1057B	1953			70
U05-9666-05	WHITTIER NARROWS DAM	0250	02S	11W	04		S	34	01	15	118	04	00	410	F 1114B				70
W20-9671-00	WILDROSE RANGER STA	4100	19S	44E	23		M	36	15	00	117	14	00	900		1966			14
Y01-9675-51	WILD ROSE RANCH-EARL	875					S	33	47	25	117	29	54	813	DWR				33
T10-9679-05	WILLIAMS RANCH	50	25S	06E	15		M	35	45	30	121	18	30	430	L 1710	1964			40
W26-9699-50	WILLOW SPRINGS	3800	10N	15W	23		S	34	56	54	118	29	24	813	DWR	1929			15
U05-9701-02	WILMINGTON-2	0040					S	33	47	27	118	15	30	410	F 118C	1955			70
W26-9710-11	WILSONA	2910					S	34	34	50	117	43	10	410	F *X12B	1951			70
U05-9710-21	WILSON CANYON	3175					S	34	21	17	118	27	00	410	F 363B	1933			70
Z05-9724-40	WINDMILL RHO GUIJITO							33	12	00	116	54	30	428	520-1	1965			90
Y01-9748-04	WINTERSBURG-SLATER	25						33	42	49	117	59	56	415	O 43				30
U05-9765-01	WOLFSKILL CYN-UPPER	3625						34	10	13	117	43	16	410	F 1075	1937			70
Y01-9774-20	WOODCREST PHENOA UAM	1580	03S	05W	25		S	33	53	50	117	19	47	431	R	1956			33
T11-9813-10	WHEDEN	2080	29S	17E	11		M	35	25	00	120	06	00	430	L 121	1948			40
W28-9819-31	WRIGHTWOOD	6038	03N	07W	08		S	34	22	17	117	29		429	SB 33	1959			36
U05-9819-33	WRIGHTWOOD FIRE STA	5960						34	21	34	117	37	57	410	F 112B	1958			70
W28-9836-75	YERMO INSPECTION STA	1912						34	55	30	116	48	10	429	SB233	1962			36
U05-9847-00	YORBA LINDA	0405	03S	09W	22		S	33	54	00	117	49	00	900		1931			30
U05-9847-21	YORBA RESERVOIR	320					S	33	52	23	117	48	29	415	O 163				30
T10-9850-05	YORK MTN SANTA RITA	1274	27S	10E	35		M	35	32	05	120	51	40	430	L 161	1962			40
Y01-9875-02	YUCAIPA SB 127	2880	02S	02W	10		S	34	02		117	02		429	SB127	1949			36
Y01-9875-03	YUCAIPA-BLANKE	2800					S	34	00	41	117	00	59	429	SB126A				36
Y01-9875-04	YUCAIPA CO YDS	2120	01S	02W	04		S	34	01	59	117	06	08	429	SB 99	1959			36
Y01-9875-05	YUCAIPA FFS	2810	01S	02W	36		S	34	01	58	117	02	11	429	SB129				36
Y01-9875-07	YUCAIPA WATER CO	2740	01S	02W	36		S	34	02		117	02	26	429	SB132	1954			36
X08-9881-06	YUCCA VALLEY	3420	01N	05E	34		S	34	07	38	116	27	10	429	SB102A	1959			36
U04-9990-11	ZUMA CYN-OAKLEY	1500					S	34	04	58	118	49	38	410	F 386C	1934			70
U04-9990-12	ZUMA CYN PS	0115					S	34	01	10	118	47	46	410	F 458	1940			70

TABLE A-2
PRECIPITATION DATA

The definition of terms and abbreviations used in connection with this table are as follows:

- No record or record incomplete.
- * Amount included in the following measurement. Time distribution unknown.
- E Wholly or partially estimated.
- T Trace, an amount too small to measure.
- V Includes total from previous month.
- RB Record begins.
- RE Record ends.

Precipitation values are shown to the nearest hundredth (.01) of an inch, except where Fischer & Porter recording rain gages are used, these values are shown to the nearest tenth (.1) of an inch.

TABLE A-2 PRECIPITATION DATA SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
CENTRAL COASTAL DRAINAGE PROVINCE T																	
SALINAS HYDROLOGIC UNIT T09																	
ATASCADERO LAKE	33.14	0.06	0.00	0.26	0.00	3.61	9.45	5.26	0.70	7.23	6.12	0.19	0.26	0.00	0.00	0.95	33.77
ATASCADERO PUMP STA	26.93	0.00	0.00	0.13	0.00	2.10	8.72	4.64	0.66	5.31	5.37	0.00	0.00	0.00	0.00	0.67	27.47
ATASCADERO SDH	32.54	0.04	0.00	0.29	0.00	3.17	9.93	5.18	0.70	6.74	6.19	0.09	0.21	0.00	0.00	0.70	32.91
ATASCADERO AMWC	30.26	0.00	0.00	0.13	0.00	3.06	9.27	5.90	0.61	5.43	5.71	0.05	0.10	0.00	0.00	0.76	30.89
BRADLEY	15.55	0.15	0.00	0.06	0.00	1.40	3.98	2.75	0.30	2.68	4.13	0.10	0.00	T	0.00	0.35	15.69
BUCKHORN RANCH	40.40	0.00	0.00	1.80	0.00	4.40	12.50	4.45	0.50	5.35	11.05	0.35	0.00	0.00	0.00	0.70	39.30
CAMP ROBERTS	22.29	0.32	0.00	0.38	0.00	2.54	8.00	2.32	0.30	3.43	4.89	0.11	0.00	0.00	0.00	0.55	22.14
CANYON RANCH	13.33	0.00	0.00	0.13	0.00	1.30	3.58	1.74	0.33	2.06	4.11	0.08	0.00	0.00	0.00	0.00	13.20
DELLAGANNA RANCH	53.92	0.00	0.00	0.00	0.00	7.86	18.00	9.44	1.11	8.89	8.62	0.00	0.00	0.00	0.00	0.00	53.92
EAGLE RANCH	46.82	0.00	0.00	0.40	0.00	5.18	12.67	6.85	1.18	10.48	9.51	0.25	0.30	0.00	0.00	1.30	47.72
EUREKA RANCH	31.94	0.00	0.00	0.00	0.00	3.12	11.30	5.66	0.50	5.63	5.56	0.17	0.00	0.00	0.00	1.12	33.06
GOODWIN RANCH	35.63	0.00	0.00	1.60	0.03	3.20	12.80	4.55	0.65	7.35	5.45	0.00	0.00	0.00	0.00	0.90	34.93
HIGHLAND FARM	17.27	0.14	0.00	0.50	0.00	1.51	4.69	1.51	0.59	2.73	5.30	0.21	0.09	0.00	0.00	0.53	17.16
IVERSON RANCH(ED)	24.99	0.10	0.00	0.59	0.00	1.82	7.25	3.39	0.55	4.68	6.40	0.18	0.03	0.00	0.00	0.63	24.93
LINN RANCH	24.60	0.10	0.00	0.08	0.00	2.71	7.64	4.15	0.31	5.57	4.01	0.03	0.00	0.02	0.00	0.68	25.12
MC MILLAN CANYON	14.90	0.21	0.00	0.22	0.00	1.67	2.28	2.01	0.36	3.62	4.53	0.00	0.00	0.00	0.00	0.50	14.97
MC NEIL RANCH	44.96	0.00	0.00	1.65	0.00	4.37	13.82	7.81	0.86	7.40	8.70	0.22	0.13	0.00	0.00	0.90	44.21
NACIMIENTO DAM	25.56	0.30	0.00	0.27	0.00	2.76	7.90	4.22	0.45	4.62	4.94	0.08	0.02	0.07	0.00	0.48	25.54
PASO ROBLES	23.95	0.08	0.00	0.11	0.00	2.43	8.60	3.93	0.35	3.99	4.41	0.03	0.02	T	0.00	0.79	24.55
PASO ROBLES GERST	46.18	0.00	0.00	0.00	0.00	4.89	15.80	9.01	0.80	7.57	7.98	0.13	0.00	0.00	0.00	0.74	46.92
PASO ROBLES FAA AP	21.18	0.17	T	0.16	0.00	2.77	6.79	3.12	0.33	3.32	4.51	0.01	T	0.02	0.00	0.28	21.15
PASO ROBLES(SDH)	27.60	0.07	0.00	0.08	0.00	3.30	8.56	4.71	0.99	4.23	5.59	0.03	0.04	0.00	0.00	1.08	28.53
RANCHITA SLO	42.62	0.07	0.00	0.92	0.00	4.88	11.95	9.48	0.73	6.78	7.46	0.20	0.15	0.00	0.00	1.55	43.18
RUNITZ RANCH	24.40	0.00	0.00	0.00	0.32	2.38	7.87	4.13	0.45	4.56	4.69	0.00	0.00	0.00	0.00	0.79	25.19
SALINAS DAM	35.89	0.05	0.00	1.13	0.00	3.23	10.61	6.32	0.94	6.38	6.68	0.15	0.40	0.00	0.00	1.11	35.82
SANTA MARGARITA 2 SW	50.45	0.13	0.00	0.67	0.03	5.75	14.93	8.87	0.97	8.59	9.73	0.33	0.45	0.00	0.00	1.21	50.86
SANTA MARGARITA BSTR	51.60	0.14	0.00	0.61	0.01	5.56	15.94	8.92	0.98	8.79	9.93	0.29	0.43	T	0.00	1.32	52.17
SANTA MARGARITA NO3	48.40	0.15	0.00	0.60	0.00	5.00	15.62	6.80	1.23	8.65	9.55	0.35	0.45	0.00	0.00	1.25	48.90
SANTA MARGARITA P 5T	32.99	0.15	0.00	0.60	0.00	2.99	11.27	4.61	0.75	6.19	5.89	0.23	0.31	0.00	0.00	0.75	32.99
SANTA RITA CR TEMPLT	44.7E	0.10	0.00	0.00	0.00	6.00	14.0E	9.10	0.80	7.00	7.50	0.10	0.10	0.00	0.00	0.40	45.0E
SHANDON DIV OF HWYS	14.56	0.15	0.00	0.15	0.00	1.28	4.69	1.60	0.27	2.58	3.76	0.02	0.06	0.00	0.00	0.43	14.69
SHANDON UNION OIL CO	16.00	0.00	0.00	0.61	0.32	0.98	5.14	1.72	0.00	2.91	4.32	0.00	0.00	0.00	0.00	0.66	16.05
TEMPLETON	26.06	0.04	0.00	0.10	0.00	3.32	9.86	5.20	0.56	4.68	2.25	0.05	0.00	0.00	0.00	0.62	26.54
SAN LUIS OBISPO HYDROLOGIC UNIT T10																	
ARROYO GRANDE	21.66	0.00	0.12	0.77	0.00	3.29	3.82	3.86	0.63	3.58	5.28	0.22	0.09	0.00	0.00	0.78	21.55
ARROYO GRANDE NO 5	21.98	0.11	T	0.80	1.64	2.44	3.54	3.56	0.63	3.66	5.20	0.27	0.13	0.00	0.00	0.83	21.90
AVILA	21.49	0.20	0.00	0.00	0.00	3.36	3.51	3.23	0.47	3.98	6.40	0.34	0.00	0.00	0.00	0.16	21.45
CAMBRIA HWY MAINT	23.47	0.14	0.03	0.03	0.00	3.91	5.67	4.40	0.47	3.41	5.30	0.07	0.04	0.00	0.00	0.24	23.51
CAMP SAN LUIS OBISPO	32.11	0.13	T	0.75	0.01	4.03	7.65	7.11	0.57	5.22	6.04	0.30	0.30	0.00	0.00	1.09	32.32
EDNA (STORNETTA)	32.19	0.15	0.00	0.84	0.00	3.79	7.79	5.70	0.72	5.47	7.14	0.37	0.22	0.00	0.00	0.85	32.05
HEARST RANCH	27.04	0.00	0.00	0.00	0.00	4.43	7.20	4.13	0.90	4.55	5.13	0.60	0.10	0.00	0.00	0.25	27.29
HEARST CASTLE	61.51	0.00	0.00	0.00	0.00	9.84	20.00	12.66	1.05	11.17	5.89	0.50	0.40	0.00	0.00	0.05	61.56
MORRO BAY FIRE DEPT	20.37	0.52	0.02	0.61	0.00	3.45	3.56	2.43	0.42	3.99	5.11	0.13	0.13	0.00	0.00	0.87	20.09
MORRO BAY	23.08	0.18	0.03	0.64	0.00	4.32	4.56	3.23	0.45	4.18	5.14	0.13	0.22	0.00	0.00	0.92	23.15
MORRO BAY 3 N	22.38	0.20	0.00	0.52	0.00	3.75	4.90	3.60	0.34	3.68	5.26	0.13	T	0.00	0.00	0.84	22.50
PEROZZI	30.93	0.00	0.00	1.31	0.00	3.92	6.95	5.22	0.61	5.76	6.47	0.40	0.29	0.00	0.00	1.29	30.91
PISMO BEACH	21.33	0.00	0.00	1.05	0.00	2.94	3.37	3.30	0.98	3.40	5.76	0.48	0.05	0.00	0.00	0.61	20.89
PT PIEDRAS BLANCAS	26.70	0.09	0.04	0.11	0.00	3.82	6.32	5.17	0.70	4.74	4.82	0.63	0.26	0.00	0.00	0.23	26.69
SAN BERNARDO RANCH	37.80	0.00	0.00	0.00	0.60	6.80	9.05	6.50	0.45	5.90	8.00	0.35	0.15	0.00	0.00	0.60	38.40
S L OBISPO TANK FARM	31.23	0.02	0.00	0.99	0.00	4.64	8.66	5.16	0.65	4.32	6.74	0.00	0.05	0.00	0.00	0.77	30.99
SAN LUIS OBISPO POLY	33.75	0.15	0.00	1.11	0.00	4.40	7.70	6.04	0.58	6.38	6.90	0.36	0.13	0.00	0.00	1.20	33.69
SAN LUIS OBISPO (SDH)	31.50	0.00	0.22	0.94	0.00	4.15	7.54	5.21	0.55	5.74	6.71	0.31	0.13	0.00	0.00	0.87	31.21
SAN LUIS OBISPO SDF	32.76	0.00	T	T	0.00	4.17	7.86	6.90	0.64	6.70	6.13	0.30	0.06	0.00	0.00	0.80	33.56
SOTO RANCH NR CAMBRI	37.19	0.00	0.00	0.00	0.00	5.67	9.42	7.35	1.02	7.07	6.66	0.00	0.00	--	--	--	--
VORTAC 58P	--	0.01	0.01	--	0.0E	5.48	8.82	8.51	0.87	8.35	8.09	0.37</					

See page 24 for key to terms & abbreviations

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
CENTRAL COASTAL DRAINAGE PROVINCE T																	
SANTA MARIA-CUYAMA HYDROLOGIC UNIT T12																	
OZENA G S	18.36	0.00	0.00	0.09	0.13	3.08	5.30	2.38	0.07	1.50	5.48	0.11	0.22	0.00	0.00	0.34	18.61
SANTA MARIA WB AP	15.67	0.16	T	0.16	0.02	2.04	2.86	3.53	0.51	2.31	3.63	0.22	0.23	T	T	0.18	15.53
SUEY RANCH	19.56	0.09	0.00	0.35	0.00	2.56	4.08	3.63	0.43	2.90	4.81	0.34	0.37	0.00	0.00	0.17	19.29
TWITCHELL DAM	23.76	0.07	0.00	0.33	0.02	2.84	5.75	4.04	0.41	3.05	6.63	0.32	0.30	0.00	0.00	0.49	23.85
SAN ANTONIO HYDROLOGIC UNIT T13																	
LOS ALAMOS	17.3E	0.00	0.00	0.09	0.00	2.02	2.6E	4.67	0.31	2.30	4.98	0.15	0.15	0.00	T	0.28	17.5E
SANTA YNEZ HYDROLOGIC UNIT T14																	
CACHUMA DAM	23.07	0.01	0.00	0.10	0.12	3.76	3.02	5.66	0.38	4.23	5.53	0.13	0.13	T	0.00	0.28	23.24
GIBRALTAR DAM 2	39.19	T	0.00	T	0.04	7.48	9.38	8.22	0.00	6.86	7.15	0.06	0.00	0.00	0.00	0.12	39.31
JUNCAL DAM	46.32	0.01	0.00	0.02	0.10	7.23	12.45	9.40	0.71	7.43	8.93	0.04	0.00	0.00	0.00	1.19	47.48
LOMPOC AIRPORT	12.89	0.00	0.00	0.00	0.09	1.73	1.62	3.26	0.45	1.01	4.26	0.21	0.26	0.00	0.00	0.21	13.10
LOS PRIETOS R S	32.27	0.02	0.00	0.05	0.04	4.18	6.91	7.42	0.53	6.00	6.73	0.19	0.20	0.00	0.00	0.29	32.49
SALSIPUEDES GAGING S	22.05	0.04	0.01	0.10	0.00	2.97	4.20	6.01	0.54	2.37	5.56	0.17	0.08	0.00	0.00	0.00	21.90
SANTA BARBARA TV PK	42.3E	T	0.00	T	T	4.81	7.25	11.40	1.04	7.80	10.0E	0.00	0.00	0.00	0.00	0.10	42.4E
SANTA BARBARA HYDROLOGIC UNIT T15																	
DOULTON TUNNEL	--	0.00	0.00	--	0.00	6.94	14.43	9.61	0.66	5.61	7.81	0.00	0.00	0.00	0.00	0.44	45.50
MONTECITO OFFICE	29.26	0.00	0.00	0.00	0.07	3.66	7.94	8.56	0.54	3.28	5.21	0.00	0.00	0.00	0.00	0.18	29.44
SANTA BARBARA	24.89	0.01	T	0.04	0.04	3.31	5.63	7.61	0.50	2.57	5.18	T	T	T	T	0.23	25.07
SANTA BARBARA FAA AP	21.19	T	T	0.02	0.04	3.76	5.11	5.51	0.58	1.82	4.30	0.05	T	T	0.05	0.07	21.29

TABLE A-2 PRECIPITATION DATA SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION	NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
			JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																		
VENTURA RIVER HYDROLOGIC UNIT U02																		
BARRET OJAI RANCH		29.72	0.00	0.00	0.09	0.03	5.32	8.36	5.68	0.22	3.63	6.39	0.00	0.00	0.00	0.00	0.23	29.86
CANADA LARGA		28.43	0.00	0.00	0.10	0.05	5.56	8.51	5.91	0.28	2.75	5.22	0.03	0.02	0.00	0.00	0.33	28.66
CASITAS DAM		34.34	0.00	0.00	0.05	0.00	4.36	10.18	9.29	0.24	3.87	6.35	T	0.00	0.00	0.00	0.14	34.43
CASITAS RESERVOIR		32.16	0.00	0.00	0.21	0.02	4.80	9.71	7.80	0.27	3.53	5.82	0.00	0.00	0.00	0.00	0.35	32.30
KINGSTON RES		25.47	0.00	0.00	0.10	0.00	3.42	8.25	6.60	0.20	2.20	4.70	0.00	0.00	0.00	0.00	0.10	25.47
MATILILJA DAM		--	--	--	--	--	--	--	11.44	0.54	9.00	8.02	T	0.00	0.00	0.00	0.24	--
MATILILJA RCH		32.06	0.00	0.00	0.10	0.06	4.27	9.76	7.41	0.28	4.07	6.11	T	0.00	0.00	0.00	0.36	32.32
MATILILJA FORKS CYN		47.34	0.00	0.00	0.07	0.02	9.69	12.45	9.13	0.62	7.08	8.28	0.00	0.00	0.00	0.00	0.58	47.85
OAKVIEW		27.07	0.00	0.00	0.16	0.00	4.04	8.75	4.46	0.24	3.53	5.89	T	T	0.00	0.00	0.33	27.24
OJAI		31.66	0.00	0.00	0.07	0.03	5.33	10.03	5.67	0.30	3.91	6.31	T	0.01	0.00	0.00	0.37	31.96
RANCHO MATILILJA EVAP		32.03	0.00	0.00	0.08	0.06	4.53	9.74	7.39	0.28	3.86	6.09	0.00	0.00	0.00	0.00	0.36	32.31
SELBY RANCH STANDARD		--	--	--	--	0.00	5.13	9.84	8.15	0.27	3.37	5.66	0.00	0.00	0.00	0.00	0.22	32.64
SOPERS RANCH		40.73	0.00	0.00	0.04	0.12	5.51	12.43	8.35	0.48	6.20	7.60	0.00	0.00	0.00	0.00	0.20	40.89
STEWART CAN DEB POND		30.12	0.00	0.00	0.05	0.02	4.54	9.97	5.07	0.27	4.34	5.86	0.00	0.00	0.00	0.00	0.08	30.15
VENTURA		14.25	0.00	0.00	0.02	0.02	2.47	3.91	2.44	0.11	1.22	4.06	T	0.00	0.00	0.00	0.28	14.51
VENTURA CH		16.41	0.00	0.00	0.02	0.00	2.89	4.30	4.42	0.10	0.95	3.73	T	0.00	0.00	0.00	0.32	16.71
SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT U03																		
ACTON ESCONDIDO CNYN		12.65	0.00	0.00	0.38	0.04	2.61	2.71	1.66	0.04	1.45	3.51	0.25	0.00	0.00	0.37	0.52	13.16
ACTON ALISO CANYON		29.25	0.04	0.00	0.58	0.16	4.55	7.18	4.63	0.35	4.18	7.33	0.19	0.06	0.09	1.65	0.55	30.92
ACTON ALISO CNYN BLU		10.23	0.00	T	0.46	0.00	2.11	1.65	1.50	0.02	1.19	3.16	0.10	0.04	T	0.73	0.70	11.20
ACTON CAMP 2		10.70	T	0.00	0.33	0.03	2.22	2.02	1.73	0.00	1.38	2.93	0.06	T	0.00	0.25	0.62	11.24
ACTON-COLOMBO RANCH		16.2E	0.00	0.00	0.41	0.00	2.95	2.80	3.00	0.00	1.66	5.35	0.0E	0.00	0.00	0.2E	0.62	16.6E
ACTON HUBBARD RCH		15.31	0.00	0.00	0.65	0.10	2.82	3.65	1.78	0.12	1.67	4.52	0.00	0.00	0.00	0.10	0.41	15.17
AMERICAN C SUGAR CO		13.46	T	0.00	0.03	0.03	2.33	4.08	2.38	0.22	1.12	3.09	0.18	0.00	0.00	0.00	0.87	14.30
ATHORE MEADOW		42.2E	0.00	0.00	0.2E	0.00	8.54	7.48	9.21	0.73	6.59	9.33	0.15	T	T	T	0.47	42.50
BALCOM CYN HUMPHREY		21.92	0.00	0.00	0.02	0.00	3.91	6.98	4.58	0.31	1.45	4.63	0.04	0.00	0.00	0.00	0.00	21.90
BARD RESERVOIR		19.38	0.00	0.00	0.08	0.16	4.55	5.18	3.12	0.21	2.17	3.68	0.23	0.00	0.00	0.00	0.28	19.58
BARSDALE YOUNG RCH		25.27	0.00	0.00	0.03	0.28	5.45	5.71	5.55	0.26	2.16	5.83	0.00	0.00	0.00	0.00	0.56	25.80
BOUQUET CANYON F124		26.27	0.00	0.00	0.25	0.01	3.37	5.17	5.39	0.42	5.19	6.21	0.21	0.05	0.00	0.00	0.14	26.16
BOUQUET CANYON FC110		20.36	0.00	0.00	0.30	0.00	3.38	5.67	3.24	0.30	2.98	4.16	0.33	0.00	0.00	0.00	0.05	20.11
BUCK CK GUARD STA		12.90	0.00	0.00	0.20	0.00	5.01	2.73	2.52	0.02	0.00	2.20	0.02	0.20	0.00	0.00	1.23	13.93
CAMARILLO 2 SE		14.48	0.00	0.00	0.00	0.00	2.15	4.08	2.89	0.22	1.22	3.81	0.11	0.00	0.00	0.00	0.00	14.48
CAMULOS RANCH		23.11	0.00	0.00	0.07	0.38	6.24	5.14	4.80	0.32	1.61	4.53	0.02	0.00	0.00	0.00	0.55	23.59
CASTAIC PATROL STA		16.4E	0.00	0.00	0.08	0.50	3.64	4.60	2.81	0.50	1.20	3.11	0.0E	0.00	0.00	0.00	0.31	16.7E
CASTAIC JUNCTION		16.31	0.00	0.00	0.13	0.24	3.53	4.19	3.15	0.43	1.40	3.21	0.03	0.00	0.00	0.00	0.20	16.38
DAVIS RANCH		--	0.00	0.00	0.00	0.00	1.87	3.14	2.27	0.28	1.08	--	--	--	0.00	0.00	0.15	--
DOUBBLE H N RANCH		23.93	0.00	0.00	0.00	0.42	5.43	5.80	4.90	0.35	1.92	5.04	0.07	0.00	0.00	0.00	0.43	24.36
DRY CANYON RESERVOIR		16.30	0.00	T	0.28	0.11	3.42	4.19	2.70	0.47	1.69	3.35	0.05	0.04	0.00	0.00	0.29	16.31
ELIZABETH LAKE 128B		37.98	0.00	0.00	0.35	T	7.65	6.70	8.25	0.65	5.90	8.35	0.13	T	T	T	0.42	38.05
FERNDALE RCH S PAULA		--	--	--	0.05	0.00	4.75	10.89	6.42	--	--	5.41	0.00	0.00	0.00	0.00	0.08	--
FILLMORE 1 WNW		27.55	T	0.01	0.06	0.42	5.61	6.99	5.00	0.30	3.45	5.66	0.05	T	0.03	0.00	0.35	27.86
FILLMORE FISH HATCH		23.64	0.00	0.00	0.05	0.43	6.10	5.70	4.53	0.29	1.82	4.65	0.07	0.00	0.00	0.00	0.03	23.62
FISH CREEK													R8	0.00	0.00	0.00	--	--
GORMAN		11.31	0.00	0.00	0.00	0.00	3.38	2.07	1.55	0.00	0.38	3.73	0.20	0.00	0.00	0.00	0.82	12.13
HALL CANYON RES		18.76	0.00	0.00	0.03	0.00	2.73	4.79	4.25	0.12	1.10	5.74	0.00	0.00	0.00	0.00	0.15	18.88
HASLEY CANYON		26.8E	0.00	0.00	0.1E	0.73	5.36	7.17	5.12	0.48	2.75	5.13	0.00	0.00	0.00	T	0.47	27.21
LIMONEIRA RANCH		22.89	0.00	0.00	0.07	0.09	3.21	6.93	5.37	0.24	2.27	4.68	0.03	0.00	0.00	0.00	0.31	23.13
LITTLE GLEASON		40.90	0.00	0.00	0.89	0.08	4.22	15.00	5.37	0.28	5.98	8.29	0.58	0.21	0.00	1.00	0.64	41.65
LOCKWOOD VALLEY		15.72	0.00	0.66	0.25	0.02	3.57	3.10	2.15	0.20	1.97	3.51	0.26	0.03	0.00	0.39	0.55	15.75
LOS PINETOS NIKE STE		--	--	--	--	0.1E	4.8E	10.76	6.26	0.26	6.54	6.18	0.94	0.11	0.00	0.00	0.43	36.5E
LOWER HUNGRY VALLEY		--	0.00	0.00	0.18	0.00	4.20	1.71	1.52	0.17	--	--	--	--	--	--	--	--
MATILILJA RES		44.78	0.00	0.00	T	0.08	7.44	13.60	5.56	0.70	8.83	8.57	0.00	0.00	--	--	--	--
MEHER MTN		40.04	0.00	0.00	1.20	0.00	8.89	10.18	7.23	0.42	4.59	7.40	0.04	0.09				

TABLE A-2 PRECIPITATION DATA SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT U03																	
PIRU 2 ESE HQTRS	24.13	T	0.00	0.16	0.43	6.36	5.33	4.96	0.38	1.80	4.71	T	T	T	0.00	0.88	24.85
PIRU CITRUS ASSN	--	--	--	--	0.41	5.02	6.22	5.12	0.40	1.22	4.85	0.00	0.00	0.00	0.00	1.80	25.04
PLACERITA CANYON	28.51	0.00	0.01	0.17	0.00	5.72	5.60	6.62	0.00	4.34	5.76	0.09	0.20	0.00	0.00	0.10	28.43
PORT HUENEME	15.36	0.00	0.00	0.00	0.02	1.97	3.00	2.70	0.17	0.86	6.57	0.07	0.00	0.00	0.00	0.68	16.04
POTRERO CANYON	21.89	0.00	0.00	0.14	0.35	4.43	4.89	4.56	0.39	2.59	4.42	0.12	0.00	0.00	0.00	0.26	22.01
PYRAMID RESERVOIR									RB	2.14	5.10	0.20	0.00	T	0.00	0.71	8.15
RANCHO SESPE	25.53	0.00	0.00	0.05	0.27	5.06	5.96	5.13	0.22	3.08	5.70	0.06	0.00	0.00	0.00	0.57	26.05
REYNOLDS RANCH	12.93	0.00	0.00	0.40	0.00	3.87	3.14	1.29	0.04	0.87	2.97	0.15	0.20	0.00	0.06	0.66	13.25
RIDGE ROUTE MAINT ST	22.12	0.00	0.00	0.25	0.00	6.50	3.60	3.80	0.36	1.81	5.60	0.20	0.00	0.00	0.00	0.60	22.47
SALT CANYON	34.67	0.00	0.00	0.17	0.17	8.03	10.14	6.28	0.52	2.94	5.97	0.18	0.27	0.00	0.00	T	34.50
SAND CYN PLCRITA CYN	34.6E	0.00	T	0.17	0.00	4.34	6.65	7.24	0.23	8.00	7.7E	0.0E	0.2E	0.00	0.00	0.41	34.8E
SANDBERG PATROL STN	23.7E	0.01	T	0.22	0.01	6.29	1.52	5.10	0.28	2.56	7.01	0.7E	T	0.00	0.00	1.01	24.54
SANDBERG WB	16.44	T	T	0.03	T	5.46	1.68	2.44	0.26	2.10	4.11	0.36	0.00	T	T	0.95	17.36
SAN FRANCISCOUITO 2	23.30	0.00	0.00	0.30	0.21	4.99	5.09	4.45	0.41	3.14	4.58	0.03	0.10	0.00	T	0.18	23.18
SANTA FELICIA RES	30.48	0.00	0.00	0.15	0.09	7.10	9.73	6.45	0.71	0.05	6.11	0.05	0.04	0.00	0.00	1.40	31.73
SANTA PAULA	23.1E	0.00	0.00	0.10	0.15	3.72	6.68	4.3E	T	2.91	5.22	0.11	0.00	0.00	0.00	0.12	23.2E
SANTA PAULA CO AGRI	--	--	--	--	0.13	3.81	5.75	4.36	0.27	2.50	5.20	0.10	0.00	0.00	0.00	0.21	22.33
SANTA SUSANA DEVIL C	30.83	0.00	0.00	0.24	0.15	7.12	8.99	5.57	0.46	2.61	5.29	0.16	0.24	0.00	0.00	0.40	30.99
SATICOY-DEL MAR	19.49	0.00	0.00	0.07	0.07	2.54	5.57	4.74	0.20	1.62	4.63	0.05	0.00	0.00	0.00	0.71	20.13
SATICOY FIRE STATION	19.01	0.00	0.00	0.00	0.00	3.01	5.00	4.44	0.00	1.64	4.86	0.06	0.00	0.00	0.00	0.35	19.36
SAUGUS POWER PLANT 1	25.99	0.00	0.00	0.59	0.00	4.46	5.57	4.86	0.22	4.57	5.32	0.27	0.13	0.00	0.00	0.51	25.91
SAUGUS EDISON STA	15.89	0.00	0.00	0.19	0.16	3.82	3.52	3.44	0.22	1.38	3.08	0.08	0.00	0.00	0.00	0.37	16.07
SAUGUS-NEWHALL	18.33	0.00	0.00	0.18	0.17	4.86	2.94	5.11	0.14	1.60	3.33	0.00	0.00	0.00	0.00	0.25	18.40
SCHAFFER RCH FRAZ PR	--	--	--	--	4.35	0.00	6.34	0.77	0.00	0.40	2.92	0.00	0.00	0.00	0.91	0.99	16.68
SOLEDAD CYN-ECKLES	20.29	0.03	0.00	0.29	0.00	4.52	2.89	3.74	T	3.39	5.08	0.35	0.00	T	0.01	0.30	20.28
SOLEDAD PASS	9.56	T	0.00	0.61	0.00	2.55	1.18	1.34	0.03	0.90	2.79	0.16	0.00	0.12	0.27	1.09	10.43
SOLEDAD CYN-BERMITE	18.53	0.00	0.00	0.12	0.00	4.49	3.79	4.07	0.24	1.94	3.88	0.00	0.00	0.00	0.00	0.3E	18.7E
SOLEDAD CYN HONBY	15.18	0.00	0.00	0.10	0.10	4.04	3.20	3.23	0.09	1.63	2.79	0.00	0.00	0.00	0.00	0.3E	15.4E
SOMIS 2 NNW BARD RCH	20.10	0.00	0.00	0.02	0.02	3.03	6.27	4.30	0.21	1.80	4.40	0.05	0.00	0.00	0.00	0.15	20.23
SOMIS SNYDER RCH	18.81	0.00	0.00	0.09	0.00	2.82	5.60	4.09	0.00	1.77	4.44	0.00	0.00	0.00	0.00	0.06	18.78
SOMIS	18.73	0.00	0.00	0.00	0.08	2.77	5.82	3.74	0.32	1.39	4.43	0.18	0.00	0.00	0.00	0.32	19.05
SOMIS 3 NW	22.01	0.00	0.00	0.08	0.08	3.26	6.50	4.79	0.30	2.06	4.88	0.06	0.00	0.00	0.00	0.35	22.28
SOMIS 5 NNW	19.79	0.00	0.00	0.00	0.06	3.05	6.13	4.08	0.17	1.88	4.42	0.00	0.00	0.00	0.00	0.00	19.79
SOMIS AGGEN RCH	20.36	0.00	0.00	0.09	0.00	3.23	5.37	4.57	0.29	1.81	5.00	0.00	0.00	0.00	0.00	0.15	20.42
SPRING CYN	13.92	0.00	0.00	0.25	0.00	2.68	1.85	2.07	0.00	2.32	4.56	0.19	0.00	0.00	0.00	0.2E	13.9E
SUSANA KNOLLS	23.08	0.00	0.00	0.12	0.00	6.49	4.57	4.37	0.29	2.39	4.69	0.16	0.00	0.00	0.00	0.21	23.17
THOUSAND OAKS FC 718	21.13	T	0.00	0.05	0.03	5.43	4.20	4.31	0.15	2.77	4.12	0.07	0.00	0.00	0.00	0.74	21.82
TUJUNGA-MILL CR SUM	25.51	T	0.00	0.90	0.00	3.71	7.71	4.01	T	3.93	5.25	0.00	T	0.2E	2.47	0.38	27.7E
TUJUNGA MILL CREEK	27.02	0.00	0.00	0.87	0.02	4.36	10.21	3.14	0.26	2.77	5.08	0.31	0.00	0.26	0.00	0.81	27.22
VINCENT FIRE STN	7.63	0.00	0.00	0.41	0.03	1.88	1.12	1.10	0.00	0.76	2.19	0.14	0.00	0.00	1.37	0.52	9.11
MALIBU HYDROLOGIC UNIT U04																	
COLO CREEK	36.4E	0.07	T	0.16	0.02	9.55	6.69	10.15	0.24	3.23	6.25	0.06	0.0E	0.0E	0.0E	0.5E	36.6E
ESCONDIDO CANYON G S	26.11	0.00	0.00	0.21	0.00	3.53	8.56	6.98	0.00	4.02	2.81	0.00	0.00	0.00	0.00	0.51	26.41
GARAPITO CREEK	23.37	0.00	0.00	0.08	T	5.44	3.89	5.90	0.24	3.18	4.64	0.00	0.00	0.00	0.00	0.32	23.61
GARRAPATA CYN	25.87	T	0.00	0.10	0.00	5.09	5.26	6.70	0.18	3.60	4.92	0.02	0.00	0.00	0.00	0.36	26.13
LAKE SHERWOOD	28.55	0.00	0.00	0.06	0.04	5.48	6.59	6.69	0.21	3.73	5.63	0.12	0.00	T	0.00	0.70	29.19
LAS FLORES CANYON	20.52	T	0.00	0.07	0.05	3.69	6.04	5.46	0.16	1.95	3.10	0.00	0.00	0.00	0.00	0.30	20.75
LATIGO CANYON BEACH	42.88	0.02	0.01	0.09	0.05	9.12	10.53	11.33	0.29	4.38	6.91	0.15	0.00	0.00	0.00	0.64	43.40
LECHUZA PATROL STN	32.82	T	0.00	0.11	0.08	7.96	7.46	8.75	0.20	2.77	5.47	0.02	T	0.00	0.00	0.73	33.44
MALIBU-DIV HQOTS	22.31	0.00	0.00	0.05	0.00	5.97	4.32	4.64	0.14	2.65	4.44	0.10	0.00	0.00	0.00	0.68	22.94
MALIBU BCH-DUNNE	18.37	0.00	0.00	0.04	0.05	3.84	5.53	4.32	0.14	1.63	2.80	0.02	0.00	0.00	0.00	0.12	18.45
MONTE NIDO	32.53	0.10	0.00	0.17	0.00	6.03	8.49	9.29	0.31	3.16	4.98	0.00	0.00	0.00	0.00	0.45	32.71
NICHOLAS CYN	13.71	0.00	0.00	0.08	0.04	3.27	2.40	2.87	0.12	1.48	3.43	0.02	0.00	0.02	0.00	0.38	14.03
OLD TOPANGA	37.15	0.10	0.00	0.25	0.05	7.08	6.18	12.47	0.22	4.41	6.31	0.0					

TABLE A-2 PRECIPITATION DATA SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
ALTADENA GOLF	28.89	0.00	0.00	0.56	0.04	3.70	8.37	5.69	0.09	4.30	5.24	0.42	0.48	0.00	0.00	0.20	28.53
ANGELES CREST G S	39.48	0.00	0.00	0.83	0.01	4.07	14.15	6.74	0.23	6.07	6.61	0.74	0.03	0.00	0.00	0.19	38.84
ANGELES CREST HWY	43.39	0.00	0.00	0.74	0.00	4.01	14.59	6.90	0.28	7.68	8.04	1.07	0.08	0.00	0.00	0.53	43.18
ARCADIA ARBORETUM	29.33	T	0.00	0.46	0.04	3.35	8.13	7.86	0.09	3.28	5.58	0.26	0.28	0.00	0.00	0.09	28.96
ARCADIA PP 1	31.4E	T	0.00	0.53	0.0E	3.28	8.27	7.68	0.01	5.45	5.47	0.40	0.33	0.00	0.00	0.04	30.9E
ARROYO SECO R S	34.34	0.00	0.00	1.13	0.10	4.34	9.65	6.90	0.23	4.68	6.13	0.48	0.70	0.00	0.00	0.05	33.26
ARTESIA	15.8E	0.00	0.00	0.02	0.00	1.96	5.09	4.17	0.00	1.28	3.35	0.00	0.0E	0.00	0.00	0.30	16.1E
ASCOT COVERED RES	23.40	T	0.00	0.30	0.07	4.04	5.36	6.15	0.14	2.54	4.73	0.03	0.04	T	0.00	0.68	23.78
AZUSA CITY PARK	24.50	0.00	0.00	0.24	0.05	2.75	7.61	5.13	0.01	2.84	5.06	0.44	0.37	0.00	0.00	1.35	25.61
AZUSA FOOTHILL RCH	29.13	0.00	0.00	0.12	0.05	2.88	9.18	7.00	0.03	3.11	5.94	0.53	0.29	0.00	0.00	1.45	30.46
AZUSA GRFTH VLY W CO	24.53	0.00	0.00	0.10	0.00	2.60	7.47	5.89	0.03	2.71	5.30	0.30	0.13	0.00	0.00	0.78	25.21
AZUSA PLT-GIC	31.12	0.00	0.00	0.12	0.03	2.90	10.38	8.08	0.05	3.56	5.02	0.55	0.43	0.00	T	1.13	32.13
BAILEY DEBRIS DAM	34.00	0.00	0.00	0.63	0.04	3.77	9.74	7.26	0.04	4.85	6.02	0.85	0.80	0.00	0.00	0.17	33.54
BALDWIN HILLS	17.4E	0.00	0.00	0.26	0.08	3.52	4.16	3.40	0.1E	2.60	3.34	0.00	0.00	0.00	0.00	0.3E	17.5E
BALDWIN HILLS RES	17.1E	0.00	0.00	0.3E	0.05	2.98	4.11	3.61	0.12	2.36	3.57	0.01	0.00	0.00	0.00	0.37	17.18
BALDWIN PARK	24.69	0.00	0.00	0.12	0.11	3.03	6.25	6.61	0.19	2.92	5.07	0.26	0.13	0.00	0.00	0.37	24.94
BARLEY FLAT	44.47	T	0.00	1.11	0.38	6.28	12.78	6.73	0.46	6.54	9.79	0.39	0.01	0.00	T	0.94	44.30
BARLOW SANITARIUM	21.11	0.00	0.00	0.66	0.10	3.72	4.77	5.42	0.12	2.54	3.78	0.00	0.00	0.00	0.00	0.45	20.90
BEAR CR CRYSTAL LAKE	--	0.00	0.00	1.37	--	--	--	--	--	--	11.72	0.63	0.20	0.00	0.25	0.79	--
BEL AIR FC 108	23.91	0.00	0.00	0.14	0.00	3.47	7.01	5.85	0.10	3.51	3.83	0.00	0.00	0.00	0.00	0.75	24.52
BELL FIRE STA	18.57	0.00	0.00	0.18	0.09	2.95	5.11	4.85	0.11	1.86	3.40	0.02	0.00	0.00	0.00	0.77	19.16
BEVERLY HILLS	23.39	T	0.00	0.20	0.06	4.26	5.99	5.34	0.16	2.66	4.72	T	0.00	0.00	0.00	0.55	23.74
BIG DALTON DAM	43.85	0.00	0.00	0.24	0.08	3.47	17.81	7.68	0.05	4.78	7.89	1.08	0.77	0.00	0.00	1.24	44.85
BIG SANTA ANITA DAM	37.93	0.00	0.00	0.74	0.02	4.04	12.03	7.63	0.15	4.76	6.38	1.22	0.96	0.00	0.00	0.19	37.38
BIG SANTA ANITA R S	47.39	0.00	0.00	0.57	0.05	4.43	19.04	7.83	0.20	6.46	7.55	0.61	0.65	0.00	0.00	0.20	47.02
BIG TUJUNGA DAM	44.21	0.00	0.00	0.67	T	5.23	12.84	7.50	0.28	7.46	9.86	0.37	T	0.00	0.02	0.52	44.08
BIRMINGHAM HOSPITAL	16.79	0.10	0.00	0.13	0.00	5.04	2.40	3.60	0.10	2.38	3.04	0.00	0.00	0.00	0.00	0.41	16.97
BLUE RIDGE CAMP	--	--	--	--	0.02	1.15	3.49	8.8E	0.2E	2.1E	2.59	0.16	0.00	0.87	2.3E	0.9E	22.9E
BOBCAT CANYON	--	0.00	0.00	0.40	--	--	--	--	--	11.24	12.27	0.75	0.00	0.00	0.00	0.33	--
BRADBURY DEBRIS BASI	31.69	0.00	0.00	0.70	0.05	3.25	9.38	7.19	0.05	3.84	5.97	0.70	0.56	0.00	0.00	0.62	31.61
BRAND DEBRIS BASIN	20.10	0.00	0.00	0.42	0.03	3.91	3.30	4.47	0.15	2.95	4.67	0.16	0.04	0.00	T	0.32	20.00
BRAND PARK	22.90	0.00	0.00	0.50	0.02	4.50	3.75	5.48	0.17	3.29	5.00	0.19	0.00	0.00	0.00	0.35	22.75
BREA CITY	17.82	0.00	0.00	0.10	0.02	2.08	5.39	4.58	0.00	2.16	3.32	0.02	0.15	0.00	0.00	0.28	18.00
BRIGDEN RES NO 1	27.73	0.00	0.00	0.43	0.04	3.31	7.07	6.55	0.11	4.23	5.19	0.33	0.47	0.00	0.00	0.10	27.40
BRIGGS TERRACE	40.60	0.00	0.01	0.90	0.70	5.03	11.61	7.12	0.30	6.85	6.90	0.78	0.40	0.00	0.00	0.66	40.35
BUCKHORN FLAT	45.7E	0.05	0.27	0.6E	0.0E	4.9E	11.56	10.41	0.00	9.68	7.71	0.45	0.00	0.00	0.74	0.19	45.7E
BUENA PARK	13.26	0.00	0.00	T	T	1.52	3.63	3.53	0.00	3.31	1.17	0.00	0.10	0.00	0.00	0.45	13.71
BURBANK FIRE DEPT	19.41	0.00	T	0.33	0.05	3.78	2.24	4.28	0.10	4.16	4.43	0.04	0.00	0.00	0.00	1.56	20.64
BURBANK VLY PMP PLT	19.9E	0.0E	T	0.4E	0.02	4.75	2.94	3.99	0.07	3.08	4.64	T	T	T	0.00	0.54	20.03
CALABASAS	20.12	0.00	0.00	0.15	0.00	4.80	3.79	4.20	0.39	2.74	3.95	0.10	0.00	0.00	0.00	0.32	20.29
CAMP JOSEPHO	34.44	0.05	0.00	0.28	0.10	5.86	10.24	8.13	0.18	3.13	6.39	0.05	0.03	0.00	0.00	0.93	35.04
CAMP RINCON	48.92	T	0.00	0.27	0.00	4.27	16.68	9.72	0.28	8.38	8.95	0.06	0.31	0.00	0.00	0.17	48.82
CAMP VALCREST	33.18	0.04	0.00	0.38	0.05	5.12	9.89	3.96	0.33	5.31	7.78	0.32	0.00	0.05	0.55	0.10	33.46
CANOGA PARK PIERCE C	16.28	0.01	0.00	0.28	0.00	4.09	3.08	3.32	0.02	2.24	3.17	0.07	0.00	0.00	0.00	0.24	16.23
CEDAR SPRINGS	46.62	0.17	0.00	0.55	0.14	4.22	13.58	8.55	0.50	8.03	9.93	0.93	0.02	0.00	0.58	0.34	46.82
CHATSWORTH F C 24 D	20.12	T	0.00	0.10	0.00	4.21	4.59	4.59	0.22	2.38	4.03	0.00	0.00	0.00	0.00	0.35	20.37
CHATSWORTH RESERVOIR	18.7E	T	0.00	.1E	0.02	4.25	5.08	3.91	0.24	2.09	2.91	0.11	0.01	0.00	0.00	0.38	19.00
CHATSWORTH PAT STA	23.70	0.00	0.00	0.22	0.02	5.35	6.58	4.95	0.30	2.35	3.74	0.19	T	0.00	0.00	0.36	23.84
CHILAO RANGER STA	28.98	0.00	0.00	0.49	0.07	5.54	7.77	4.20	0.25	3.89	6.62	0.12	0.03	0.00	0.58	0.14	29.21
CLAREMONT INDIAN HIL	--	0.00	0.00	0.06	--	--	--	6.15	0.00	3.28	5.66	0.46	0.37	0.00	0.00	0.12	--
CLAREMONT SLAUGHTER	29.07	0.00	0.00	0.06	0.13	2.34	10.94	5.69	0.03	3.33	5.69	0.47	0.39	0.00	0.00	0.14	29.15
CLEAR CREEK SCHOOL	54.4E	0.00	0.01	0.1E	0.00	5.28	17.85	8.78	0.43	10.41	10.56	0.83	0.13	0.00			

TABLE A-2 PRECIPITATION DATA SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
DUARTE	27.94	0.00	0.00	0.18	0.08	3.13	7.98	7.01	T	3.67	5.25	0.30	0.34	T	0.00	0.97	28.73
DUNSMORE CANYON-UPPE	32.59	0.00	0.00	0.68	0.00	5.25	5.83	6.91	0.18	6.83	5.96	0.95	T	0.00	0.00	0.48	32.39
DUNSMUIR DEBRIS BAS	33.15	0.00	0.00	0.58	0.03	4.64	8.13	6.01	0.21	5.96	6.75	0.63	0.21	0.00	0.00	1.07	33.64
EAGLE DEBRIS BASIN	33.54	0.00	0.00	0.54	0.02	4.59	10.31	6.01	0.22	5.24	6.00	0.47	0.14	0.00	0.00	1.13	34.13
EAGLE ROCK SCEC	27.08	0.00	0.00	0.88	0.00	4.46	6.04	6.50	0.14	3.70	5.18	0.15	0.03	0.00	0.00	0.42	26.62
EAGLE ROCK RES	25.03	T	0.00	0.88	0.05	4.09	5.78	5.90	0.13	3.35	4.70	0.06	0.09	0.00	0.00	0.32	24.47
EATON WASH DAM	28.70	0.00	0.00	0.47	0.02	3.58	7.70	6.50	0.12	4.26	5.19	0.43	0.43	0.00	0.00	0.15	28.38
ECHO PARK-LA	22.85	0.00	0.00	0.66	0.00	4.32	5.36	6.34	0.08	2.56	3.53	0.00	0.00	0.00	0.00	0.40	22.59
EL CABALLERO CON CLU	23.04	0.05	0.00	0.04	0.00	6.22	3.58	5.27	0.15	3.03	4.70	0.00	0.00	0.00	0.00	0.66	23.61
ELDER RANCH	36.40	0.00	0.00	0.07	0.14	2.57	15.09	6.64	0.03	4.53	6.38	0.58	0.37	0.00	0.00	0.33	36.66
EL MONTE FIRE STA	25.05	T	0.00	0.58	0.11	2.80	5.74	7.67	0.09	3.15	4.82	0.06	0.03	0.00	0.00	0.72	25.19
EL PRIETO CANYON	34.09	0.00	0.00	1.33	0.18	3.54	11.15	5.40	0.24	5.28	6.28	0.67	0.02	0.00	0.00	0.45	33.21
EL SEGUNDO	12.98	0.00	0.00	0.33	0.02	1.59	4.36	2.55	T	1.37	2.72	0.04	0.00	0.00	0.00	0.53	13.18
ELYSIAN PARK FS	19.56	0.00	0.00	0.61	0.10	3.27	4.34	5.46	0.15	2.43	3.20	0.00	0.00	0.00	0.00	0.32	19.27
ENCINO RESERVOIR	24.00	0.07	0.00	0.14	0.00	6.61	3.45	5.51	0.15	3.07	5.00	T	0.00	0.00	0.00	0.41	24.20
EVERETT RANCH	20.95	0.00	0.00	0.00	0.00	5.09	5.83	3.79	0.26	1.97	4.01	0.00	0.00	0.00	0.00	0.36	21.31
FAIR OAKS DEB POND	32.96	0.00	0.00	1.06	0.43	3.75	9.58	6.39	0.07	4.77	5.75	0.62	0.54	0.00	0.00	0.25	32.15
FALLING SPRINGS	49.37	T	0.00	0.51	0.14	5.33	15.44	7.74	0.31	8.13	10.44	0.87	0.46	0.00	0.33	0.50	49.69
FERN CANYON	52.31	0.00	0.00	0.19	0.13	4.20	17.39	8.56	0.17	8.53	12.00	0.83	0.31	0.00	0.00	0.81	52.93
FISH CANYON	--	--	--	--	0.10	5.73	23.91	9.96	0.29	4.57	9.40	0.29	0.31	0.00	T	0.19	54.75
FLINTRIDGE F S	27.25	0.00	0.00	0.78	0.08	4.61	5.63	6.59	0.19	3.93	5.17	0.20	0.07	0.00	0.00	0.18	26.65
FULLERTON HILLCRST R	16.7E	0.00	0.00	0.11	0.01	2.33	4.99	4.10	0.00	2.0E	3.07	0.02	0.03	0.00	0.00	0.69	17.3E
FULLERTON KNOWLTON	17.93	T	0.00	0.11	0.00	2.59	5.62	3.96	T	2.09	3.53	0.03	T	0.00	0.00	0.75	18.57
FULLERTON PUMP PLANT	16.87	0.00	0.00	0.00	0.01	2.45	5.28	4.00	0.00	1.77	3.31	0.03	0.02	0.00	0.00	0.55	17.42
FULLERTON A P	14.59	0.00	0.00	0.02	T	1.74	4.47	3.82	T	1.57	2.88	0.02	0.07	0.00	0.00	0.47	15.04
FULLERTON OCFCD YARD	17.17	0.00	0.00	0.06	0.00	2.55	5.30	4.12	0.00	1.79	3.34	0.01	T	0.00	0.00	0.62	17.73
GIRARD BRANT RANCH	14.2E	0.00	0.00	0.20	0.00	2.65	2.13	3.06	0.3E	2.38	3.45	0.0E	0.00	0.00	0.00	0.19	14.2E
GIRARD RESERVOIR	21.53	0.01	0.00	0.17	0.00	5.47	3.41	4.82	0.30	2.88	4.43	0.04	0.00	0.00	0.00	0.17	21.52
GLENDALE STAPENHORST	25.31	T	T	0.49	0.01	4.16	5.31	6.26	0.18	3.49	5.30	0.09	0.02	0.00	0.00	0.43	25.25
GLENDALE-JONES	22.12	0.00	T	0.40	0.04	3.89	4.23	5.46	0.18	3.22	4.60	0.09	0.01	0.00	0.00	0.49	22.21
GLENDALE-MCINTYRE	23.41	0.00	0.00	0.44	0.04	3.71	5.35	5.60	0.17	3.36	4.67	0.05	0.02	0.00	0.00	0.36	23.33
GLENDORA WEST FC 185	31.92	T	0.00	0.15	0.06	3.63	9.92	7.21	0.04	3.51	6.52	0.55	0.33	0.00	0.00	1.78	33.55
GLENDORA-ENGLEWLD RC	36.31	0.00	0.00	0.22	0.04	3.09	12.68	7.80	0.05	3.77	7.40	0.72	0.54	0.00	T	2.07	38.16
GLENDORA-MCICO	29.60	0.00	0.00	0.12	0.05	2.98	9.07	7.09	0.02	3.17	6.41	0.38	0.31	0.00	T	1.75	31.23
GLENDORA-WARREN	--	0.00	0.00	0.1E	--	--	--	--	--	--	--	--	--	--	--	--	--
GRANADA PUMP PLT	26.42	0.03	0.00	0.34	0.02	5.91	7.20	5.61	0.23	2.67	4.17	0.24	0.00	T	T	0.50	26.55
GRIFFITH PK NURSERY	24.58	0.00	0.00	0.42	0.04	4.28	5.46	6.73	0.00	2.68	4.93	0.04	0.00	0.00	0.00	0.10	24.26
GRIFFITH FERN DELL	23.6E	0.00	0.00	0.4E	0.10	3.73	5.54	6.03	0.20	2.81	4.84	0.00	0.00	0.00	0.00	0.25	23.50
GRIFFITH LIT CN	25.69	0.00	0.00	0.50	0.03	4.03	6.27	6.56	0.13	3.19	4.98	0.00	0.00	0.00	0.00	0.66	25.85
GRIFFITH LWR MINERAL	26.96	0.00	0.00	0.38	0.07	4.44	6.08	7.29	0.20	2.82	5.68	0.00	0.00	0.00	0.00	0.32	26.90
GRIFFITH LOWER SPRG	27.15	0.00	0.00	0.48	0.03	4.28	6.60	7.05	0.25	3.16	5.30	0.00	0.00	0.00	0.00	0.49	27.16
GUFFY CAMP	31.75	0.08	0.06	0.36	0.00	2.52	8.03	3.75	0.30	6.29	9.90	0.46	0.00	2.62	2.7E	1.1E	37.6E
HAINES CANYON LOWER	39.26	T	0.00	0.66	0.05	5.77	8.10	6.90	0.20	8.10	8.72	0.63	0.13	0.00	0.00	0.70	39.30
HAINES CANYON UPPER	43.36	T	0.00	0.65	0.05	6.10	10.57	7.39	0.20	8.39	9.19	0.67	0.15	0.00	0.00	0.70	43.41
HAMILTON BOWL LONG B	11.8E	0.00	0.00	0.04	0.00	1.34	3.36	3.33	0.04	1.28	2.32	0.0E	0.0E	0.00	0.00	0.64	12.4E
HANSEN DAM	20.89	0.00	0.00	0.36	0.00	3.66	4.85	3.69	0.10	3.67	4.41	0.15	0.00	0.00	0.00	1.49	22.02
HEADWORKS PUMP PLT	23.32	0.00	0.00	0.34	0.01	4.93	4.36	5.19	0.16	3.13	5.16	0.00	0.04	0.00	0.00	0.53	23.51
HENNINGER FLATS	36.58	0.00	0.00	0.84	0.03	4.20	11.94	6.05	0.11	5.75	5.70	1.13	0.83	0.01	0.00	0.48	36.23
HIDDEN SPRINGS	33.6E	0.00	0.00	0.87	0.00	4.17	9.10	5.33	0.3E	5.94	7.6E	0.24	T	0.00	0.0E	0.8E	33.5E
HIGHLAND PK-LINDSAY	25.13	0.00	0.00	0.32	0.06	4.47	5.62	6.65	0.11	2.94	4.90	0.05	0.01	0.00	0.00	0.37	25.18
HILLCREST COUNTRY CB	22.82	0.00	0.00	0.00	0.04	3.52	6.42	4.33	0.22	3.64	4.65	0.00	0.00	0.00	0.00	1.55	23.37.

TABLE A-2 PRECIPITATION DATA SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
LITTLE TUJUNGA RS	21.89	0.00	0.00	0.62	0.04	3.97	5.49	3.19	0.10	3.75	4.40	0.32	0.01	0.00	0.00	1.02	22.29
LIVE OAK CYN DAM	32.08	0.00	0.00	0.11	0.23	2.64	12.77	5.94	0.03	3.60	5.77	0.53	0.46	0.00	0.00	0.16	32.13
LONG BEACH	15.78	T	T	0.07	0.02	1.36	5.30	4.58	0.05	1.36	2.98	0.03	0.03	0.00	T	0.73	16.44
LB-ALAMITOS LAND CO	10.8E	0.00	0.00	0.05	0.02	1.2E	3.10	2.95	0.03	1.07	2.37	T	0.00	0.00	0.00	0.27	11.0E
LB-CITY AUTOMATIC	11.7E	0.00	0.00	0.0E	0.01	1.48	3.56	3.32	T	1.10	2.1E	0.0E	0.0E	0.00	0.00	0.5E	12.2E
LB NO 1	13.5E	0.00	0.00	0.0E	0.00	1.15	4.23	3.86	T	1.09	3.08	0.0E	0.0E	0.00	0.09	0.60	14.2E
LB SAN ANSELINE	14.9E	0.00	0.00	0.00	T	1.78	4.31	4.59	T	1.30	2.9E	0.00	0.0E	0.00	0.00	0.45	15.3E
LB-60TH + LINDEN	15.5E	0.00	0.00	0.01	0.03	2.74	4.17	3.90	T	1.51	3.1E	0.00	0.0E	0.00	0.00	0.05	15.5E
LB-37TH + GAVIOTA	--	0.00	0.00	0.0E	T	1.46	4.12	3.49	T	--	--	--	--	--	--	--	--
LB-VETS MEM BLDG	11.2E	0.00	0.00	0.01	0.00	1.25	3.56	3.03	T	1.27	2.02	0.0E	0.0E	0.00	0.00	0.41	11.6E
LB-WOODRUFF AVE	12.3E	0.00	0.00	0.00	0.00	1.32	4.10	3.52	T	0.94	2.45	0.0E	0.0E	0.00	0.00	0.4E	12.8E
LONG BEACH WB AP	13.33	T	T	0.01	0.01	1.78	3.91	3.77	0.03	1.51	2.29	0.02	T	T	T	0.53	13.85
LOOMIS RNCH ALDER CR	22.2E	0.03	0.00	0.9E	0.00	3.67	7.86	2.45	0.14	2.31	4.61	0.20	0.00	0.00	0.23	1.13	22.60
LOPEZ CYN GO STA	23.8E	0.00	0.00	0.4E	0.00	2.70	6.11	4.14	0.00	5.54	4.59	0.28	0.00	0.00	0.00	2.10	25.46
LOS ALAMITOS	14.31	0.00	0.00	0.00	0.00	1.52	4.23	4.17	0.01	1.33	3.03	0.00	0.02	0.00	0.00	0.40	14.71
LOS ALAMITOS R B AUT	11.72	0.00	0.00	0.00	0.02	1.08	3.83	2.97	T	1.03	2.79	0.00	0.00	0.00	0.00	0.48	12.20
LA CITY COLLEGE	25.43	T	T	0.41	0.10	5.72	5.12	6.48	0.13	2.93	4.51	0.03	0.00	0.00	0.00	0.48	25.50
LA-CLARK LIBRARY	22.29	0.02	0.00	0.46	0.06	3.31	5.58	5.54	0.09	2.15	5.05	0.03	0.00	0.00	0.00	0.52	22.33
LA CO SURVEYOR	17.97	0.00	0.00	0.15	0.00	2.99	5.21	5.08	0.08	1.30	3.05	0.11	0.00	0.00	0.00	0.65	18.47
LA DUCOMMON ST	22.07	T	0.00	0.29	0.05	4.05	5.33	5.90	0.12	2.51	3.81	0.01	T	0.00	T	1.06	22.84
LA MAC QUEEN	23.60	0.00	0.00	0.14	0.05	3.80	5.87	6.58	0.17	2.93	4.06	0.00	0.00	0.00	0.00	0.6E	24.1E
LOS ANGELES HANCOCK	23.35	0.00	0.00	0.18	0.09	4.30	6.12	4.99	0.18	2.99	4.39	T	0.11	0.00	0.00	0.67	23.84
LOS ANGELES WB AP	13.54	0.01	T	0.19	0.04	2.69	3.67	2.71	0.05	1.47	2.68	0.03	T	T	0.00	0.44	13.78
L. A. CIVIC CENTER	22.00	T	T	0.30	0.06	4.07	5.26	5.93	0.11	2.50	3.76	0.01	0.00	0.00	T	1.02	22.72
LOWER FRANKLIN RES	23.43	0.01	0.00	0.22	0.04	4.09	5.37	6.11	0.08	2.97	4.53	T	0.01	0.00	0.00	0.36	23.56
LUNADA BAY	9.9E	T	0.00	0.10	0.0E	1.00	2.87	2.31	T	0.97	2.66	0.0E	0.0E	0.00	0.00	0.44	10.2E
MADDOCK DEBRIS BAS	32.79	0.00	0.00	0.46	0.00	3.40	10.62	7.48	0.11	4.14	5.59	0.35	0.64	0.00	0.00	0.75	33.08
MANDEVILLE CANYON	33.33	0.00	0.00	0.51	0.15	5.56	8.48	8.68	0.15	3.30	6.50	0.00	0.00	0.00	0.7E	0.62	34.1E
MANDEVILLE FR RD 24	27.44	0.00	0.00	0.19	0.04	6.01	5.76	7.08	0.10	2.88	5.38	0.00	0.00	0.00	0.6E	0.44	28.3E
MANHATTAN BEACH	13.52	0.01	0.00	0.10	0.00	1.64	4.28	2.48	0.00	1.45	3.56	0.00	0.00	0.00	0.00	0.50	13.91
MARKHAM SADDLE	49.6E	0.00	0.00	1.2E	0.04	5.00	17.10	7.78	0.3E	10.90	6.48	0.75	T	0.00	0.00	0.27	48.6E
MAR VISTA - SCWC	18.4E	T	T	0.1E	0.00	2.38	6.05	3.35	0.12	3.04	3.33	0.00	0.00	0.00	T	0.59	18.86
MC CLURE DEBRIS BAS	19.19	0.00	0.00	0.49	0.05	4.22	3.30	3.30	0.11	3.29	4.35	0.08	0.00	0.00	0.00	0.52	19.22
MONROVIA F.S.	31.62	0.00	0.00	0.50	0.06	3.96	8.36	9.09	0.00	3.86	5.22	0.32	0.25	0.00	0.00	0.39	31.51
MONROVIA-SPTS	34.74	0.00	0.00	0.88	0.03	3.53	10.99	7.76	0.12	4.42	5.73	0.61	0.67	0.00	0.00	0.23	34.09
MONTANA RANCH	13.0E	0.00	0.00	0.0E	0.00	2.05	2.87	4.33	0.12	1.72	1.89	0.00	0.0E	0.00	0.00	0.61	13.6E
MONTEBELLO FD	21.13	T	T	0.45	0.07	2.94	5.08	5.97	0.10	2.15	4.26	0.04	0.07	0.00	0.00	0.57	21.25
MONTEREY PARK FS	21.26	0.00	0.00	0.29	0.18	3.37	5.31	5.66	0.12	1.92	4.32	0.02	0.07	0.00	0.00	0.35	21.32
MORRIS DAM	41.87	0.00	0.00	0.23	0.04	3.74	16.83	8.57	0.13	4.94	6.30	0.77	0.32	0.00	0.00	0.57	42.21
MT DISAPPOINTMENT	49.20	0.00	0.00	1.41	0.07	6.62	15.51	8.38	0.37	9.82	6.29	0.73	T	0.00	0.00	1.05	48.84
MT ISLIP	70.15	0.00	0.00	0.92	0.40	7.81	15.90	4.90	0.73	19.23	19.24	0.77	0.25	0.00	0.27	1.55	71.05
MT LOWE	58.47	0.00	0.00	0.53	0.05	7.36	21.35	8.44	0.33	9.13	10.66	0.54	0.08	0.00	0.00	1.07	59.01
MT LUKENS	37.1E	0.00	0.00	0.49	0.00	4.99	11.35	6.61	0.21	6.4E	6.48	0.54	T	0.00	0.00	0.71	37.3E
MT SAN ANTONIO COL	23.50	0.00	0.00	0.04	0.15	2.80	7.72	5.80	T	2.41	4.37	0.15	0.06	0.00	0.00	0.31	23.77
MT ST MARYS COL	29.14	0.00	0.00	0.07	0.06	4.33	8.59	6.84	0.18	3.43	5.60	0.04	0.00	0.00	0.00	1.32	30.39
MT WILSON OBSERVATOR	55.59	0.00	0.00	0.33	0.04	7.74	21.18	7.00	0.30	8.34	9.90	0.67	0.09	T	T	0.69	55.95
MT WILSON FC 338B	49.97	T	0.00	0.48	0.04	6.37	16.88	7.31	0.29	8.83	9.23	0.47	0.07	0.00	0.00	1.28	50.77
MULHOLLAND FS	27.87	0.00	0.00	0.15	0.04	5.33	5.63	6.57	0.14	3.06	6.95	0.00	0.00	0.00	0.00	0.22	27.94
NEWCOMB PASS	62.91	0.00	0.00	0.54	0.08	7.46	23.38	9.66	0.25	10.09	10.22	0.00	1.23	0.00	0.00	0.18	62.55
NICHOLS DAM BASIN	26.08	0.00	0.00	0.17	0.09	4.91	6.11	6.42	0.16	3.11	5.07	0.04	0.00	0.00	0.00	0.28	26.19
NORTH HOLLYWOOD	24.17	0.00	0.00	0.37	0.02	5.23	3.64	5.86	0.08	3.68	5.28	0.01	0.00	0.00	0.00	0.25	24.05
NORTHRIDGE	17.68	0.03	0.00	0.55	0.00	4.85	3.96	3.17	0.22	1.95	2.83</						

TABLE A-2 PRECIPITATION DATA SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
PASADENA-SHELDON RES	28.15	0.00	0.00	0.90	0.14	3.63	7.18	6.39	0.15	3.90	5.52	0.20	0.14	0.00	0.00	0.09	27.34
PASEO MIRAMAR	20.63	0.00	0.00	0.15	0.12	3.43	6.53	4.77	0.07	1.43	4.13	0.00	0.00	0.00	0.00	0.28	20.76
PAULARINO-SHIFTER	10.86	0.00	0.00	0.00	0.00	1.38	5.00	1.93	0.00	0.60	1.95	0.00	0.00	0.00	0.00	0.03	10.89
PICKENS DEBRIS BAS	36.54	0.00	0.00	0.66	0.04	4.74	11.75	6.65	0.21	5.44	6.56	0.40	0.09	0.00	0.00	0.54	36.42
PINE MOUNTAIN	54.9E	0.04	0.00	0.2E	0.18	6.50	16.62	10.1E	0.39	9.90	9.8E	1.00	0.02	0.00	0.00	0.42	55.0E
PLACENTIA AUW CO	14.96	0.00	0.00	0.05	0.01	2.03	4.51	3.36	0.00	1.62	3.35	0.03	0.00	0.00	0.00	0.64	15.55
PLACENTIA MUT ORANGE	17.98	0.00	0.00	0.06	0.01	2.36	6.68	4.15	0.00	1.94	2.78	0.00	0.00	0.00	0.00	0.45	18.37
POINT VICENTE L H	10.49	0.00	0.00	0.06	0.05	1.12	2.75	2.35	0.02	1.38	2.76	0.00	0.00	0.00	0.00	0.68	11.11
POMONA	23.64	T	0.00	0.04	0.14	2.57	8.64	5.09	T	2.24	4.62	0.25	0.05	T	T	0.29	23.89
POTRERO HEIGHTS	23.62	0.00	0.00	0.42	0.22	2.96	5.79	6.59	0.09	2.68	4.73	0.09	0.05	0.00	0.00	0.60	23.80
PRAIRIE FORKS	36.27	0.00	0.00	0.26	0.04	3.01	12.21	5.26	0.34	6.65	8.25	0.25	0.00	1.44	2.35	0.96	40.76
PUDDINGSTONE DAM	24.03	0.00	0.00	0.06	0.08	1.96	7.77	6.09	T	2.69	4.90	0.28	0.20	0.00	0.00	0.19	24.16
PUENTE-FERRERO	21.8E	T	0.00	0.2E	0.10	2.59	6.35	6.40	T	2.09	4.07	T	0.00	0.00	0.00	0.2E	21.8E
PUENTE HILLS-WEISEL	22.23	0.00	0.00	0.17	0.07	2.23	7.81	5.28	0.00	2.11	4.41	0.15	0.00	0.00	0.00	0.37	22.43
PUENTE HILLS	24.71	0.00	0.00	0.17	0.10	3.00	8.16	5.78	0.02	1.88	5.25	0.31	0.04	0.01	0.00	0.39	24.94
PUENTE-N WHITTIER	26.88	0.00	0.00	0.28	0.34	3.37	7.53	6.67	0.03	2.42	6.08	0.16	0.00	0.00	0.00	0.33	26.93
RANCHO LOS AMIGOS	15.6E	0.00	0.00	0.07	0.10	2.98	4.16	3.18	0.15	1.28	3.6E	0.04	0.09	0.00	0.04	0.56	16.1E
RED BOX GAP	58.11	0.00	0.00	0.63	0.00	6.50	16.67	9.80	0.51	10.34	12.93	0.43	0.30	0.00	0.00	0.89	58.37
REDONDO BEACH	13.52	0.00	0.00	0.17	0.00	1.58	4.34	2.34	0.02	1.66	3.34	0.07	0.00	0.00	0.00	0.34	13.69
RIO MONDO SPREAD GRN	20.01	0.00	0.00	0.37	0.15	2.73	4.59	5.16	0.06	2.35	4.56	0.00	0.04	0.00	0.00	0.45	20.09
ROBERTA CANYON	63.53	0.04	0.00	0.25	0.21	7.52	19.24	11.77	0.45	11.46	11.41	1.16	0.02	0.00	0.00	0.49	63.73
ROGERS CANYON	36.60	0.00	0.00	0.28	0.02	3.28	13.47	8.25	0.08	4.04	6.03	0.70	0.45	0.00	0.00	0.92	37.24
ROSCOE MERRILL	20.51	T	T	0.99	0.06	4.33	3.71	3.19	0.14	2.83	5.15	0.06	0.05	T	0.00	0.70	20.22
ROSEMEAD	23.65	0.00	0.00	0.42	0.08	2.76	5.98	7.13	0.09	2.51	4.60	0.06	0.02	0.00	0.00	0.43	23.66
RUBIO DEBRIS DAM	30.61	0.00	0.00	0.76	0.08	3.47	9.35	5.33	0.11	4.51	5.68	0.68	0.64	0.00	0.00	0.20	30.05
RUSTIC CANYON	23.4E	0.00	0.00	0.1E	0.10	3.80	7.12	5.25	0.07	2.85	4.12	0.00	0.00	0.00	0.00	0.66	23.97
SAN ANTONIO DAM	38.07	0.00	0.00	0.06	0.15	2.42	17.15	6.59	0.00	4.75	5.97	0.96	0.02	0.00	0.00	0.30	38.31
SAN DIMAS CYN E FK	43.67	0.00	0.00	0.18	0.09	3.17	16.19	7.41	0.10	5.67	9.12	1.01	0.73	0.00	0.00	0.49	43.98
SAN DIMAS DAM	38.42	0.00	0.00	0.07	0.08	2.47	16.74	6.86	0.06	4.25	6.83	0.59	0.47	0.00	0.00	0.47	38.82
SAN DIMAS FC 95	25.83	0.00	0.00	0.10	0.09	2.54	8.54	5.68	T	2.86	5.34	0.42	0.26	0.00	0.00	0.23	25.96
SAN DIMAS R S	41.1E	0.00	0.00	0.15	0.0E	2.7E	19.31	7.48	0.0E	4.35	6.36	0.30	0.28	0.00	0.00	0.4E	41.4E
SAN DIMAS-STEVENS	29.0E	0.00	0.00	0.11	0.13	2.49	10.75	6.09	T	3.05	5.59	0.44	0.3E	0.00	0.00	0.76	29.6E
SAN FERNANDO	20.26	0.07	0.00	0.34	T	4.14	4.92	3.68	0.19	2.89	3.82	0.21	0.00	0.00	0.00	0.95	20.80
SAN FND VLY STATE C	16.4E	0.0E	0.00	0.37	0.00	4.92	3.60	3.06	0.20	1.74	2.47	0.10	0.00	0.00	0.00	0.45	16.54
SAN FERNANDO VET HOS	30.22	0.00	0.00	0.57	0.08	3.38	8.43	6.59	0.18	4.67	5.56	0.76	0.00	0.00	0.00	1.58	31.23
SAN GABRIEL BRUINGTO	26.66	0.00	0.00	0.50	0.14	3.37	5.71	8.71	0.08	3.10	4.98	0.02	0.05	0.00	0.00	0.30	26.46
SAN GABRIEL C EFK DO	39.9E	0.00	0.00	0.0E	0.00	3.45	12.41	7.78	0.10	7.05	8.58	0.37	0.13	0.00	0.00	0.00	39.87
SAN GABRIEL C EFK TU	40.45	0.00	0.00	0.08	0.00	3.48	12.54	7.90	0.10	7.15	8.70	0.37	0.13	0.00	0.00	0.00	40.37
SAN GABRIEL CYN EFK	40.12	T	0.00	0.08	0.00	3.50	12.57	7.88	0.10	6.98	8.51	0.37	0.13	0.00	0.00	0.11	40.15
SAN GABRIEL CYN MELI	56.06	0.00	0.00	0.40	0.07	6.47	18.70	10.84	0.32	7.85	11.00	0.41	0.00	0.00	0.00	0.18	55.84
SAN GABRIEL CYN PH	33.74	0.00	0.00	0.25	0.04	3.18	11.09	8.30	0.12	3.75	5.73	0.75	0.53	0.00	0.00	1.50	34.99
SAN GABRIEL DAM	47.48	T	0.00	0.26	0.02	3.92	19.04	8.82	0.15	6.13	8.21	0.59	0.34	0.00	T	0.20	47.42
SAN GABRIEL DAM CAMP	46.20	0.02	0.00	0.27	0.03	3.88	17.03	8.90	0.24	7.00	8.15	0.52	0.16	0.00	0.00	0.22	46.13
SAN GABRIEL FIRE DPT	25.87	0.00	0.00	0.53	0.03	3.27	6.19	8.11	0.07	2.92	4.63	0.07	0.05	0.00	0.00	0.30	25.64
SAN GABRIEL NO FORK	43.93	0.00	0.00	0.21	0.00	4.45	13.84	8.42	0.26	7.52	8.70	0.53	0.00	0.00	0.00	0.06	43.78
SAN JOSE HILLS GALST	20.99	0.00	0.00	0.08	0.17	2.41	5.92	5.39	0.02	1.97	4.88	0.15	0.00	0.00	0.00	0.28	21.19
SAN MARINO-HUNTINGTO	29.70	0.00	0.00	0.50	0.00	4.16	7.70	7.83	0.15	3.56	5.55	0.09	0.16	0.00	0.00	0.21	29.41
SAN PEDRO RES	14.60	0.00	0.00	0.02	0.05	1.41	5.81	3.34	0.05	1.18	2.74	0.00	0.00	0.00	0.00	0.26	14.84
SANTA ANITA FERN LGE	52.23	0.00	0.00	0.55	0.01	5.23	19.42	9.21	0.18	8.24	7.89	1.08	0.42	0.00	T	0.25	51.93
SANTA ANITA CN HELIP	51.3E	0.00	0.00	0.54	0.00	5.0E	18.92	8.55	0.22	8.38	8.09	1.14	0.39	0.00	0.00	0.23	51.0E
SANTA ANITA SPRING C	50.86	0.00</															

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
SOUTH PASADENA	25.92	0.00	0.00	0.39	0.02	4.35	6.30	7.02	0.12	2.90	4.72	0.05	0.05	0.00	0.00	0.22	25.75
SPADRA PACIFIC COLON	22.17	0.00	0.00	0.04	0.11	2.60	7.29	5.20	T	2.19	4.54	0.18	0.02	0.00	0.00	0.26	22.39
STONE CNYN RIAL SELK	24.6E	0.00	0.00	0.1E	0.03	4.17	5.37	6.70	0.14	3.33	4.7E	0.00	0.0E	0.00	0.00	0.76	25.2E
STONE CANYON RES	29.59	0.03	0.00	0.14	0.03	4.21	7.68	7.67	0.17	3.92	5.72	0.01	0.01	0.00	0.00	0.79	30.21
STOUGH PARK	20.19	T	T	0.44	0.00	4.99	3.07	3.71	0.14	3.38	4.36	0.10	T	0.00	0.00	0.52	20.27
STUDIO CITY-GOODLAND	24.8E	0.00	0.00	0.1E	T	5.62	4.57	6.75	0.08	3.21	4.41	0.00	0.00	0.00	0.00	0.08	24.72
STURTEVANT CAMP	65.25	0.00	0.00	0.52	0.00	7.53	22.73	12.60	0.34	11.14	8.66	1.31	0.42	0.00	0.00	0.48	65.21
SULLIVAN CANYON	33.6E	0.00	0.00	0.11	0.04	7.12	6.79	9.28	0.0E	3.61	6.58	0.00	0.00	0.00	0.5E	0.39	34.4E
SUNLAND-TUJUNGA USWB	--	--	T	0.26	0.01	7.31	5.36	5.53	0.13	4.86	7.05	0.19	0.06	0.00	0.00	0.55	31.05
SUNSET DAM	23.58	0.00	0.00	0.54	0.04	3.75	4.85	4.76	0.16	3.88	5.27	0.26	0.07	0.00	0.00	0.35	23.39
SUNSET R S	30.87	0.00	0.00	1.18	0.19	3.06	9.50	4.84	0.19	5.55	5.74	0.54	0.08	0.00	0.00	0.15	29.84
SYLMAR	28.53	T	0.00	0.58	0.16	4.72	8.41	6.03	0.26	3.35	4.67	0.20	0.15	0.00	0.00	1.02	28.97
TANBARK FLATS	45.46	T	T	0.22	0.06	2.92	18.28	7.53	0.10	5.98	9.22	0.69	0.46	0.00	0.00	0.37	45.61
TEMPLE CITY	23.99	0.00	0.00	0.56	0.03	2.72	5.62	7.74	0.09	2.32	4.78	0.08	0.05	0.00	0.10	0.23	23.76
TOPANGA CYN OUTLET	23.05	0.04	0.00	0.00	0.00	3.23	7.91	5.45	0.12	1.73	4.57	0.00	0.00	0.00	0.00	0.37	23.38
TORRANCE	14.97	T	T	0.11	0.02	1.70	4.44	3.65	0.03	1.64	3.33	0.05	0.00	0.00	0.00	0.54	15.40
TORRANCE AIRPORT	14.97	T	T	0.11	0.02	1.70	4.44	3.65	0.03	1.64	3.33	0.05	0.00	0.00	0.00	0.54	15.40
TUJUNGA CYN-SOLOMON	24.04	T	0.00	0.45	0.04	4.47	5.00	3.75	0.14	3.72	6.28	0.17	0.02	0.00	0.00	0.45	24.04
TUJUNGA CYN-VOGEL	39.5E	0.00	0.00	0.6E	0.00	6.38	11.51	7.94	0.00	9.04	3.21	0.85	0.00	0.00	0.00	0.00	38.93
TURNBULL DEBRIS BAS	19.03	0.00	0.00	0.17	0.11	1.97	5.77	4.74	0.03	2.02	4.08	0.13	0.01	0.00	0.00	0.04	18.90
UNION OIL STEARNS	20.2E	0.00	0.00	0.1E	0.00	2.30	7.01	4.85	0.00	2.23	3.59	0.1E	0.0E	0.0E	T	0.25	20.3E
U C L A	21.17	0.02	T	0.24	0.05	3.16	5.55	5.09	0.08	2.95	3.90	0.13	T	0.00	0.00	0.90	21.81
UNIV SO CAL	21.0E	T	0.00	0.4E	0.04	4.02	5.10	5.57	0.21	2.14	3.51	T	0.00	0.00	0.00	0.56	21.15
UPPER FRANKLIN RES	26.90	0.00	0.00	0.34	0.05	5.05	5.79	6.65	0.06	3.81	5.14	0.01	0.00	0.00	0.00	0.25	26.81
UPPER STONE CYN	26.49	0.00	0.00	0.15	0.05	4.35	5.82	6.78	0.15	3.39	5.80	0.00	0.00	0.00	0.00	1.24	27.58
VAN NORMAN LK LWR DA	25.78	T	0.00	0.57	0.03	4.94	6.83	4.70	0.22	3.39	4.70	0.31	0.09	0.00	0.00	0.91	26.12
VAN NUYS FC 158	18.40	0.01	0.00	0.49	0.01	3.91	3.35	3.78	0.11	2.16	4.58	0.00	0.00	0.00	0.00	1.15	19.05
VENICE F S	16.15	T	0.00	0.20	0.03	2.05	4.83	3.05	0.08	2.32	3.59	0.00	0.00	0.00	0.00	0.50	16.45
VERDUGO MT HILLCREST	23.27	0.00	0.00	0.37	0.02	4.17	4.59	5.72	0.14	3.04	5.08	0.09	0.05	0.00	0.00	0.24	23.14
VERDUGO PUMP STA	20.83	0.00	0.00	0.61	0.02	4.20	3.99	3.15	0.10	3.33	5.27	0.16	T	0.00	0.00	0.92	21.14
VINCENT GULCH	51.0E	0.00	0.00	0.75	0.00	4.16	21.46	5.35	0.3E	7.12	11.58	0.2E	0.00	1.5E	3.0E	1.23	56.0E
WALNUT FRUIT GROWERS	24.97	0.00	0.00	0.00	0.19	2.85	7.45	6.61	0.00	2.57	5.06	0.24	0.00	0.00	0.00	0.28	25.25
WALNUT PATROL STN	22.72	0.00	0.00	0.05	0.16	2.66	6.33	6.04	0.01	2.28	4.90	0.29	0.00	0.00	T	0.24	22.91
WALTERIA LAKE PUMP S	9.4E	0.00	0.00	0.02	0.00	1.55	3.12	2.1E	0.00	0.62	2.04	0.01	0.00	0.00	0.00	0.71	10.1E
WATERMAN G S	44.9E	0.00	0.00	0.96	0.03	5.22	13.0E	7.17	0.27	8.86	9.47	0.00	0.00	0.00	0.00	1.03	45.0E
WATERMAN MTN	34.9E	0.04	0.00	0.35	0.05	4.84	9.43	4.64	0.00	7.04	8.18	0.4E	0.00	0.00	0.6E	0.1E	35.4E
WEST ARCADIA	26.44	0.00	0.00	0.46	0.03	3.40	6.55	7.60	0.06	3.07	4.95	0.13	0.19	0.00	0.00	0.66	26.64
WEST AZUSA	26.14	0.00	0.00	0.21	0.08	2.85	7.49	6.78	0.03	2.83	5.34	0.36	0.17	0.00	0.00	1.12	27.05
WEST BURBANK	23.40	0.00	0.00	0.43	0.05	5.74	3.45	5.12	0.03	3.60	4.95	0.03	0.00	0.00	0.00	0.52	23.49
WEST COVINA KELLER R	22.2E	0.00	0.00	0.02	0.1E	2.3E	5.7E	6.50	0.00	2.50	4.7E	0.30	0.00	0.00	0.00	0.3E	22.5E
WEST FORK R S	75.03	1.13	0.00	0.79	0.93	8.76	22.32	12.03	0.63	12.44	14.93	0.64	0.43	0.00	0.23	2.24	75.58
WHITTIER CITY HALL	18.39	0.00	0.00	0.15	0.08	2.01	5.15	4.73	0.02	1.85	4.25	0.15	T	0.00	0.00	0.42	18.66
WHITTIER-CATE	20.54	0.00	0.00	0.15	0.19	2.94	5.08	5.33	0.05	2.49	4.20	0.09	0.02	0.00	0.00	0.44	20.83
WHITTIER-WOOD	19.44	0.00	0.00	0.15	0.20	2.42	5.24	5.07	0.04	2.13	4.05	0.12	0.02	0.00	0.00	0.45	19.74
WHITTIER NARROWS	21.56	T	0.00	0.09	0.21	2.37	5.48	5.64	0.03	2.65	4.98	0.10	0.01	0.00	T	0.46	21.93
WHITTIER NARROWS DAM	21.05	0.00	0.00	0.36	0.16	2.77	5.30	5.54	0.05	2.40	4.42	0.05	0.00	0.00	0.00	0.64	21.33
WILMINGTON-2	11.7E	0.00	0.00	0.0E	0.00	1.43	2.39	3.53	0.00	1.23	3.15	0.00	0.00	0.00	0.05	0.25	12.03
WILSON CANYON	43.88	0.00	0.00	1.13	0.00	6.87	12.76	9.22	0.30	5.57	7.13	0.90	0.00	0.00	0.00	0.37	43.12
WOLFSKILL CYN-UPPER	54.24	0.00	0.00	0.13	0.06	4.06	23.00	8.85	0.10	6.85	8.49	1.56	1.14	0.00	0.00	0.38	54.49
WRIGHTWOOD FIRE STA	25.08	T	0.25	0.15	0.08	1.94	8.47	4.17	0.61	2.60	6.42	0.39	0.00	0.60	1.72	0.66	27.66
YORBA LINDA	19.42	T	T	0.11	0.05	2.32	6.91	3.98	T	2.32	3.67	0.05	0.01	0.00	T	0.40	19.71
YORBA RESERVOIR	18.66	0.00	0.00	0.02	0.03	2.33	6.77	3.76	T	2.13	3.60	0.02	0.00	0.00	0.00	0.30	18.94
SAN PEDRO CHANNEL ISLANDS HYDROLOGIC UNIT U06																	
AVALON PLEASURE PIER	16.57	0.00	0.00	T	0.08	1.00	10.01	2.65	0.00	0.99	1.75	0.09	0.00	0.00	0.00	0.02	16.59

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LAHONTON DRAINAGE PROVINCE W																	
MONO HYDROLOGIC UNIT #01																	
CAIN RANCH	15.22	0.06	1.23	0.49	0.03	2.01	5.51	2.10	0.02	2.28	1.35	0.11	0.03	0.47	1.08	1.91	16.90
ELLERY LAKE	30.32	0.12	0.40	0.50	0.12	4.15	7.56	7.35	0.32	5.24	3.54	0.78	0.24	1.10	0.88	1.74	33.02
GEM LAKE	29.56	0.28	1.94	0.46	0.08	3.74	4.16	4.80	0.58	7.00	5.36	0.98	0.18	0.98	0.88	1.48	30.22
MONO LAKE	18.21	0.10	0.45	0.28	T	2.33	6.16	3.92	T	2.93	1.43	0.60	0.01	1.27	0.19	1.25	20.09
OWENS HYDROLOGIC UNIT #03																	
ALABAMA HILLS	8.08	0.06	0.04	0.08	0.00	0.17	6.44	0.58	T	0.01	0.24	0.05	0.41	0.09	T	1.22	9.21
BENTON INSPECTION ST	11.51	0.15	T	0.54	0.00	0.51	5.71	3.16	0.10	0.29	0.55	0.26	0.24	1.32	0.46	0.24	12.84
BIG PINE POWER PLT 3	18.00	T	0.00	0.38	0.07	0.70	11.03	4.64	0.12	0.53	0.52	0.01	T	0.27	0.03	0.68	18.60
BISHOP CREEK INTAKE	19.56	0.00	0.00	0.56	0.00	1.30	8.70	3.88	0.16	3.06	1.16	0.58	0.16	0.20	1.06	1.28	21.54
BISHOP WB AIRPORT	8.97	T	0.10	0.18	0.00	0.27	5.79	1.64	T	0.50	0.47	0.02	T	0.62	0.03	0.26	9.60
BISHOP UNION CARBIDE	--	0.32	0.34	--	T	--	--	--	--	--	--	0.11	T	T	T	--	--
COTTONWOOD GTD TRT C	21.40	0.70	0.65	0.15	0.10	2.35	9.20	1.45	0.20	3.10	2.05	0.60	0.85	1.15	1.95	2.80	25.80
COTTONWOOD GATES	13.18	0.09	0.10	0.13	T	0.92	9.39	1.44	T	0.19	0.67	0.03	0.22	0.16	0.11	2.05	15.18
GLACIER LODGE	26.60	0.05	0.00	0.20	0.00	3.00	9.60	6.15	0.35	4.15	2.20	0.65	0.25	0.40	0.40	1.60	28.75
HAIWEE	9.25	0.14	0.19	T	0.00	0.54	6.50	1.00	0.00	0.01	0.46	0.09	0.32	1.05	0.12	0.80	10.89
INDEPENDENCE	12.76	0.03	0.07	0.13	0.00	0.38	9.90	1.73	0.00	0.03	0.30	0.12	0.07	0.01	0.18	0.33	13.05
LAKE SABRINA	16.94	0.20	0.50	0.32	0.04	2.38	2.68	3.30	0.46	3.48	2.66	0.66	0.26	0.66	0.40	1.98	18.96
LOVE PINE	7.53	0.07	0.06	0.08	T	0.26	5.00	0.77	0.02	T	0.20	0.15	0.92	0.11	0.04	1.12	8.59
LONG VALLEY RES	14.03	0.07	T	0.35	0.00	1.15	6.65	3.16	0.23	1.32	0.93	0.16	0.01	0.22	0.02	0.88	14.73
L A AQUEDUCT INTAKE	13.29	0.00	0.02	0.03	0.00	0.57	10.49	1.83	0.00	0.00	0.25	0.10	T	0.13	0.50	0.21	14.08
MAMMOTH	39.50	0.20	0.00	0.95	0.10	4.45	10.20	7.70	0.80	7.50	5.40	1.75	0.45	1.80	0.70	2.55	43.40
NORTH HAIWEE RES	--	0.12	0.23	0.00	0.54	--	6.50	1.00	0.00	0.01	0.46	0.09	0.32	1.05	0.12	0.80	--
ROCK CREEK LADWP	21.55	0.25	0.15	0.40	0.00	1.85	7.15	5.25	0.35	2.40	2.55	0.90	0.30	1.05	0.85	2.20	24.85
SOUTH LAKE USWB	28.02	0.10	0.16	0.60	0.02	3.08	8.38	6.28	0.46	5.44	2.10	0.96	0.44	0.66	0.88	2.10	30.80
TINEMAHUA RES	12.72	T	0.17	0.05	0.00	0.48	8.75	2.37	0.00	0.15	0.45	0.20	0.10	T	0.09	0.74	13.33
WHITE MOUNTAIN 2	51.9E	T	2.82	0.7E	0.00	2.30	19.55	13.03	2.00	6.08	4.14	0.4E	0.73	4.50	1.89	3.18	57.8E
DEEP SPRINGS HYDROLOGIC UNIT #05																	
DEEP SPRINGS COLLEGE	8.4E	0.01	T	0.48	0.00	0.08	3.68	2.1E	T	0.03	1.80	0.16	0.05	1.12	0.35	1.85	11.2E
WHITE MOUNTAIN 1	29.2E	T	1.77	0.09	0.03	1.21	18.25	3.65	1.08	0.60	2.21	0.33	0.0E	4.02	2.30	3.61	37.3E
AMARGOSA HYDROLOGIC UNIT #09																	
DEATH VALLEY	0.79	0.42	0.10	0.05	0.00	0.02	0.08	T	0.00	T	0.10	0.00	0.02	0.13	0.00	0.42	0.77
IVANPAH HYDROLOGIC UNIT #12																	
IVANPAH COUNTY YARD	3.91	1.74	0.23	0.05	0.43	0.15	0.91	0.35	0.00	0.00	0.05	0.00	0.00	2.77	1.39	0.25	6.30
SEARLES HYDROLOGIC UNIT #21																	
SOUTH TRONA	1.82	0.00	0.10	0.06	0.00	0.08	0.41	0.82	0.00	0.00	0.35	0.00	0.00	0.10	0.04	0.43	2.23
TRONA	2.81	T	0.05	0.07	T	0.40	0.85	0.89	T	0.01	0.52	0.02	T	0.03	0.08	0.35	3.15
INDIAN WELLS HYDROLOGIC UNIT #24																	
FREEMAN STATION	3.11	T	0.00	0.00	0.00	0.38	1.95	0.39	0.00	T	0.37	0.00	0.02	0.06	0.99	1.31	5.47
HAIWEE POWERHOUSE	7.45	0.10	0.22	T	0.00	0.62	5.36	0.48	0.00	0.02	0.44	0.04	0.17	0.38	0.02	0.58	8.11
INYO KERN	2.69	T	0.00	0.00	0.00	0.33	1.29	0.57	0.00	0.00	0.46	0.00	0.04	0.58	0.31	0.81	4.39
INYO KERN ARMITAGE	0.88	0.00	0.03	T	T	0.12	0.37	0.22	0.00	0.00	0.14	0.00	0.00	0.54	T	1.18	2.57
LITTLE LAKE	8.03	0.05	0.02	0.00	0.00	0.67	5.28	1.39	T	0.02	0.31	0.16	0.13	0.42	0.11	0.89	9.38
FREMONT HYDROLOGIC UNIT #25																	
CANTIL	3.35	T	T	0.09	0.00	0.81	1.05	0.93	0.00	0.10	0.37	0.00	0.00	0.10	0.61	0.64	4.61
RANDBURG	5.60	0.00	T	0.10	0.01	0.84	1.31	1.38	0.00	0.22	1.74	0.00	T	0.04	0.54	0.41	6.49
ANTELOPE HYDROLOGIC UNIT #26																	
ANAVEROE LEONA VLY	20.3E	0.00	0.00	0.17	0.2E	2.85	5.35	4.25	0.10	2.39	4.73	0.25	T	0.00	0.07	1.30	21.5E
ANTELOPE VLY FLD STA	11.0E	0.00	0.00	0.19	0.00	2.54	1.53	2.76	0.18	1.66	2.1E	0.00	0.00	0.00	0.2E	2.1E	13.1E
BEAR GULCH	42.06	0.14	0.11	0.62	0.00	3.07	12.39	6.42	0.43	8.46	10.17	0.25	0.00	1.57	2.81	1.14	46.71
BELLVIEW	13.60	0.00	0.00	0.36	0.04	2.49	2.54	2.61	0.10	1.86	3.60	0.00	0.00	0.00	0.00	1.63	14.87
BURKHART RCH LEWIS	16.73	0.14	0.00	0.16	0.00	3.22	4.08	3.82	0.06	1.36	3.89	0.00	0.00	0.00	0.43	0.94	17.80
CHILAO HMS	31.6E	0.00	0.00	0.4E	0.00	8.14	8.63	3.60	0.33	5.1E	5.35	0.00	0.00	0.00	0.10	0.74	31.9E

See page 24 for key to terms & abbreviations

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LAHONTON DRAINAGE PROVINCE W																	
ANTELOPE HYDROLOGIC UNIT W26																	
DAWSON SADDLE	33.94	0.14	0.00	0.44	0.06	4.28	9.78	4.34	0.21	4.54	9.96	0.19	0.00	1.10	0.92	0.39	35.77
DORR CANYON	37.20	0.12	0.09	0.53	0.00	5.42	10.15	4.87	0.35	5.50	10.03	0.14	0.00	0.80	2.31	0.94	40.51
FAIRMONT	22.56	T	T	0.30	T	4.74	2.75	5.44	0.43	3.07	5.75	0.05	0.03	0.00	0.30	0.96	23.52
FAIRMONT RESERVOIR	22.54	T	0.00	0.28	T	4.74	2.75	5.44	0.43	3.07	5.75	0.05	0.03	0.00	0.30	0.89	23.45
FENNER CANYON	22.81	0.00	0.00	0.75	0.00	3.31	6.60	3.25	0.05	3.72	4.71	0.37	0.05	0.60	2.80	1.10	26.56
GRASSY HOLLOW	22.61	0.00	0.00	0.20	0.00	2.23	9.67	2.48	0.40	2.48	5.05	0.10	0.00	0.59	2.15	0.88	26.03
HI VISTA-CARD	3.33	0.00	0.04	0.34	0.00	0.56	0.25	0.85	0.00	0.17	1.12	0.00	0.00	0.09	0.38	0.85	4.27
HUNT CANYON	8.83	0.00	0.00	0.66	0.00	2.11	1.10	1.39	0.00	0.46	3.11	0.00	0.00	0.00	0.30	0.12	8.59
ISLIP SADDLES	49.37	0.19	0.00	0.63	0.11	4.90	12.04	9.38	0.49	8.15	11.79	1.65	0.04	0.00	0.89	0.52	49.96
LANCASTER	6.34	0.00	0.00	0.26	0.03	1.84	0.73	1.36	T	0.54	1.58	0.00	0.00	0.00	0.63	0.49	7.20
LANCASTER HMS	5.78	0.00	0.00	0.21	0.00	1.56	0.78	1.25	0.00	0.63	1.35	0.00	0.00	0.00	0.00	0.56	6.13
LANCASTER WILEY	--	0.0E	0.1E	0.21	--	--	0.8E	0.8E	0.00	0.23	1.3E	--	--	--	0.05	0.01	--
LEONIS VALLEY	20.76	0.12	0.00	0.41	0.09	3.43	4.23	4.07	0.25	2.94	4.91	0.27	0.04	0.00	0.04	1.25	21.52
LITTLE ROCK	5.1E	0.00	0.00	0.40	0.00	1.51	0.69	0.66	0.01	0.17	1.57	0.1E	0.00	0.00	0.22	0.90	5.8E
LITTLE ROCK CREEK	9.06	0.04	T	0.44	0.00	1.97	1.26	1.10	0.01	0.75	3.37	0.12	0.00	T	0.51	0.78	9.87
MESCAL CREEK FT TEJO	6.83	0.15	0.30	0.60	0.00	1.57	1.49	0.80	0.00	0.07	1.85	0.00	0.00	0.00	1.56	0.44	7.78
MILE HIGH	15.6E	0.00	0.15	0.60	0.00	2.26	4.86	3.04	0.00	1.3E	3.46	0.00	0.00	0.21	1.28	--	--
MOJAVE (USWB)	6.36	T	T	0.45	0.06	1.07	1.15	1.54	0.00	0.58	1.51	0.00	0.00	0.01	T	0.67	6.59
MOJAVE LADW+P	5.57	0.00	0.00	0.66	0.02	1.07	0.94	1.14	0.00	0.47	1.27	T	0.00	0.34	T	0.66	5.91
MOJAVE 2 ESE	6.33	0.00	0.00	0.40	0.05	0.74	1.17	1.40	0.00	0.50	2.07	0.00	0.00	0.00	0.00	0.00	5.93
MT BALDY	61.85	0.00	0.00	0.00	0.94	5.44	19.61	10.83	0.23	8.17	15.99	0.64	0.00	0.29	0.82	2.22	65.18
MUNZ VALLEY RCH	12.85	0.00	0.00	0.33	0.00	2.89	1.72	3.13	0.19	1.87	2.72	0.00	0.00	0.00	0.25	1.36	14.13
PACIFIC MOUNTAIN	--	0.03	0.00	1.04	--	--	--	--	--	0.86	8.41	0.37	0.00	0.00	0.42	2.06	--
PALMDALE	7.17	0.00	0.00	0.40	T	1.82	1.58	1.28	T	0.27	1.80	0.00	0.02	T	0.28	0.42	7.47
PALMDALE HMS	9.38	0.00	0.00	0.63	0.00	2.05	1.87	1.68	0.03	0.46	2.44	0.22	0.00	0.00	0.05	0.49	9.29
PALMDALE-CIRCLE C	8.67	T	0.00	0.86	0.02	1.90	1.38	1.21	0.02	0.58	2.60	0.10	T	0.00	0.09	1.06	8.96
PALMDALE FAA AP	5.85	T	0.00	0.33	0.01	1.60	0.71	1.35	T	0.33	1.52	T	T	0.04	0.36	0.24	6.16
PAUL	3.4E	0.24	0.1E	0.18	0.00	1.30	0.55	0.60	0.00	0.00	0.40	0.00	0.00	0.14	0.67	0.33	3.99
PINE CANYON G S	36.06	0.00	0.00	0.34	0.00	6.40	4.74	7.39	0.60	7.13	9.44	0.02	0.00	0.00	0.00	1.79	37.51
PIUTE BUTTE	4.48	0.02	0.16	0.30	0.00	0.96	0.92	0.84	T	0.11	1.17	0.00	0.00	0.36	0.37	0.32	5.05
PLEASANT VIEW	10.17	0.28	0.26	0.43	0.00	1.85	2.05	1.89	0.00	0.27	3.14	0.00	0.00	0.00	0.30	0.54	10.04
PUNCH BOWL RANCH	20.83	0.05	0.29	0.37	0.00	3.31	4.92	3.99	0.09	2.63	5.18	0.00	0.00	0.18	1.13	0.72	22.15
SANTIAGO CYN	16.41	0.00	0.00	0.26	0.00	3.15	2.72	2.46	0.19	1.68	5.61	0.34	0.00	T	0.92	0.68	17.75
SANTIAGO CREEK	8.96	0.00	0.00	0.24	0.00	1.81	1.57	1.27	0.10	0.87	2.90	0.20	0.00	T	0.54	0.40	9.66
SAWMILL MTN RCH	32.6E	0.00	0.00	T	0.00	6.96	4.7E	5.97	0.51	6.02	7.80	0.63	0.00	0.00	T	2.58	35.2E
SYCAMORE CAMP	14.60	0.00	0.00	0.21	0.00	1.84	5.79	2.35	0.00	0.80	3.61	0.00	T	0.00	0.43	0.32	15.14
TABLE MOUNTAIN	30.37	0.19	0.88	0.52	0.00	2.48	10.03	3.92	0.51	4.29	7.30	0.25	0.00	1.82	2.02	0.82	33.44
VALYERMO R S	9.78	0.94	0.14	0.22	0.02	1.84	1.63	1.52	0.01	0.32	3.12	0.00	0.02	0.16	0.97	0.48	10.09
WEST ANTELOPE	8.70	0.00	0.00	0.25	0.10	3.00	1.08	1.51	0.00	0.56	2.18	0.02	0.00	0.01	0.08	1.67	10.21
WILLOW SPRINGS	12.65	0.48	0.00	0.28	0.00	3.12	2.72	1.33	0.00	1.22	3.41	0.09	T	0.34	0.09	1.68	14.00
MOJAVE HYDROLOGIC UNIT W28																	
ADELANTO	2.74	0.05	0.00	0.19	0.02	0.34	1.03	0.34	0.00	0.01	0.76	0.00	0.00	0.50	0.22	0.14	3.36
APPLE VALLEY	2.53	T	0.00	0.03	0.14	0.63	0.61	0.21	T	0.01	0.90	0.00	0.00	0.00	0.50	0.36	3.36
ARROWHEAD RANGER STA	79.25	0.04	0.00	0.09	0.88	3.87	34.27	9.43	0.00	9.75	16.76	2.86	1.30	0.00	0.00	1.53	80.65
BAKER 9 NNW	2.20	0.35	0.00	0.04	0.21	0.26	0.33	0.43	0.00	T	0.58	T	0.00	0.22	0.38	0.27	2.68
BARSTOW	2.35	0.05	0.00	0.10	0.13	0.33	0.48	0.66	0.00	0.06	0.54	T	0.00	0.41	0.04	1.27	3.92
BARSTOW-2	--	0.19	0.00	0.08	0.15	0.35	0.47	0.00	0.00	T	0.16	--	--	0.20	0.00	0.10	--
BARSTOW COUNTY YARD	1.84	0.00	0.00	0.00	0.00	0.24	0.54	0.61	0.00	0.00	0.45	0.00	0.00	0.18	0.26	0.28	2.56
BIG PINES PARK	39.11	0.13	0.10	0.58	0.04	3.20	12.99	5.59	0.36	7.07	8.78	0.27	0.00	1.53	2.50	1.02	43.35
CEDAR SPRINGS R EVAP	55.10	0.00	0.00	0.57	0.70	3.50	15.76	9.62	0.09	12.09	12.25	0.49	0.03	0.00	0.29	--	--
DAGGETT FAA AP	1.58	0.06	0.00	0.12	T	0.15	0.30	0.44	0.00	T	0.51	T	0.00	0.20	0.83	0.54	2.97
DUNN SIDING	2.65	0.54	T	0.11	T	T	1.01	0.38	T	0.01	0.60	T	0.00	1.11	0.06	1.21	4.38
EL MIRAGE VISAN O F	--	0.70	0.13	0.21	0.00	1.69	0.64	0.00	0.00	0.09	0.64	0.00	--	0.29	0.54	0.08	--
GREEN VALLEY LAKE	--	--	--	--	1.00	3.20	21.10	6.51	T	7.15	11.71	0.84	T	0.02	0.87	2.07	54.47
HESPERIA	5.99	0.04	0.00	0.23	0.13	0.77	1.18	1.12	0.01	0.44	2.07	T	0.00	T	0.17	0.51	6.40
HESPERIA FFS	3.48	0.04	0.00	0.06	0.09	0.00	0.00	0.91	0.00	0.20	2.18	T	0.00	0.00	0.00	0.00	3.38
JOBS PEAK	--	0.00	0.00	0.37	0.78	3.18	17.62	3.01	0.00	5.50	--	--	--	--	--	--	--
KELSO	2.56	0.32															

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
COLORADO RIVER BASIN DRAINAGE PROVINCE X																	
LUCERNE HYDROLOGIC UNIT X01																	
KAISER PERMANENTE P	7.84	2.20	0.23	0.00	0.09	0.58	2.07	0.90	0.00	0.41	1.36	0.00	0.00	2.81	1.09	1.01	10.32
LUCERNE VALLEY	3.5E	0.19	0.0E	0.07	0.20	0.52	0.77	0.27	0.00	T	1.48	0.00	0.00	0.51	0.53	0.59	4.87
JOHNSON HYDROLOGIC UNIT X02																	
W C SHEHORN JOHNSON	2.34	0.64	0.21	0.03	0.01	0.14	0.94	0.17	0.00	0.00	0.17	0.03	0.00	0.28	1.18	1.23	4.15
EMERSON HYDROLOGIC UNIT X05																	
KEE RANCH	6.10	0.00	0.00	0.15	0.15	1.14	1.40	1.68	0.00	0.00	1.58	0.00	0.00	0.00	0.12	1.07	7.14
JOSHUA TREE HYDROLOGIC UNIT X08																	
JOSHUA TREE	2.79	0.18	0.02	0.11	0.61	0.18	0.96	0.23	0.00	0.01	0.49	0.00	0.00	1.28	1.15	0.89	5.80
QUAIL CANYON	--	0.00	0.18	0.00	0.30	0.60	--	--	--	--	--	--	--	--	--	--	--
YUCCA VALLEY	5.13	0.01	0.00	0.09	0.78	0.52	2.23	0.48	0.00	0.00	1.02	0.00	0.00	0.00	0.38	1.06	6.47
DALE HYDROLOGIC UNIT X09																	
DALE DRY LAKE	--	--	0.25	--	0.11	0.00	0.23	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.59	0.71	1.67
TWENTYNINE PALMS NPS	1.04	0.00	0.14	0.06	0.19	0.12	0.38	0.08	0.00	0.00	0.07	0.00	0.00	1.68	2.18	1.21	5.91
TWENTY NINE PALMS C	2.02	0.91	0.23	0.09	0.13	0.09	0.37	0.12	0.00	0.00	0.08	0.00	0.00	0.57	1.99	1.12	4.47
TWENTY NINE PALMS Q	1.49	0.10	0.86	0.00	0.04	T	0.30	0.16	0.00	0.00	0.03	0.00	0.00	0.00	0.00	1.21	1.74
BRISTOL HYDROLOGIC UNIT X10																	
ESSEX STATE HWY YARD	--	0.00	--	0.13	0.10	0.15	2.12	0.76	--	--	--	--	--	--	--	--	--
GOFFS-KOGER	2.53	0.68	0.00	0.12	0.48	0.20	0.41	0.40	0.00	0.00	0.24	0.00	0.00	0.82	0.78	0.43	3.76
MITCHELL CAVERNS	4.77	0.74	0.24	0.09	0.50	1.35	0.97	0.40	0.00	T	0.48	T	0.00	1.05	1.05	0.73	6.53
WARD HYDROLOGIC UNIT X12																	
IRON MOUNTAIN SB 114	2.53	T	0.13	0.17	1.47	0.22	0.14	0.12	0.00	0.08	0.20	0.00	0.00	0.23	1.69	0.65	4.80
PIUTE HYDROLOGIC UNIT X13																	
NEEDLES CO YD	2.21	0.38	0.00	0.23	0.10	0.44	0.67	0.22	0.00	0.03	0.14	0.00	0.00	0.00	0.31	0.35	2.26
NEEDLES FAA AP	2.78	0.17	0.09	0.04	0.66	0.40	0.89	0.19	0.00	0.01	0.32	0.01	0.00	0.20	0.10	0.77	3.55
NEEDLES PUMPING PLAN	3.15	0.06	1.03	T	0.34	0.45	1.26	0.00	T	0.00	0.00	0.01	0.00	0.20	0.28	0.00	2.54
CHEMEHUEVIS HYDROLOGIC UNIT X14																	
PARKER RESERVOIR	3.12	0.27	0.02	0.28	0.40	0.99	0.20	0.47	0.00	0.24	0.25	0.00	T	0.04	0.77	0.71	4.07
COLORADO HYDROLOGIC UNIT X15																	
BLYTHE	2.56	0.03	0.10	T	1.05	0.58	0.18	0.25	0.00	0.30	0.07	0.00	0.00	0.02	1.25	0.78	4.48
BLYTHE CAA AIRPORT	2.70	0.61	0.13	0.18	1.09	0.02	0.19	0.26	0.00	0.22	T	0.00	0.00	T	1.16	1.04	3.98
BLYTHE AIR BASE	2.39	0.60	0.13	0.18	1.09	T	0.12	0.25	0.00	0.00	0.02	0.00	0.00	T	0.56	1.01	3.05
BLYTHE F C STA	2.58	0.03	0.10	T	1.05	0.58	0.18	0.25	0.00	0.32	0.07	0.00	0.00	0.02	1.29	0.74	4.50
RIPLEY F.C. STA.	3.40	0.26	0.07	0.26	1.72	0.25	0.35	0.19	0.00	0.22	0.08	0.00	0.00	0.04	1.21	0.94	5.00
CHUCKWALLA HYDROLOGIC UNIT X17																	
EAGLE MOUNTAIN	2.07	T	0.63	0.10	0.91	0.06	0.24	0.05	0.00	0.00	0.08	0.00	0.00	T	0.88	1.19	3.41
HAYFIELD HYDROLOGIC UNIT X18																	
HAYFIELD PUMP PLANT	1.24	0.05	0.00	0.15	0.50	0.00	0.33	0.21	0.00	0.00	T	0.00	0.00	0.05	0.30	1.28	2.67
WHITEWATER HYDROLOGIC UNIT X19																	
BANNING	21.86	0.00	0.00	0.13	0.65	1.10	10.22	3.09	0.00	1.56	4.38	0.52	0.21	T	T	1.82	23.55
BERMUDA OUNES	2.95	0.69	0.38	0.08	0.65	0.53	0.30	0.30	0.00	0.00	0.02	0.00	0.00	T	1.41	1.45	4.66
CABAZON	17.13	0.06	0.00	0.11	0.65	1.48	6.26	2.50	0.00	1.45	4.44	0.18	0.00	0.02	0.34	0.86	18.18

See page 24 for key to terms & abbreviations

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
COLORADO RIVER BASIN DRAINAGE PROVINCE X																	
WHITEWATER HYDROLOGIC UNIT X19																	
CATHEDRAL CITY F.C.S	3.05	0.04	0.05	0.09	0.26	0.49	1.50	0.52	0.00	0.00	0.10	0.00	0.00	0.00	3.33	1.23	7.43
DEEP CANYON LABORATO	4.03	1.37	0.54	0.14	0.25	0.46	0.66	0.33	0.00	0.00	0.28	0.00	0.00	0.02	1.55	0.18	3.73
DESERT HOT SPRINGS	5.01	0.07	T	0.03	0.87	0.55	2.71	0.43	0.00	0.00	0.35	0.00	0.00	0.09	0.62	0.87	6.49
HURLEY FLT TWIN PINE	38.01	0.04	0.03	0.38	0.78	2.04	16.06	5.52	T	4.08	8.72	0.28	0.08	0.07	0.33	1.88	39.84
IDYLLWILLO R S	35.2E	0.29	0.08	0.57	0.82	1.51	18.0E	4.04	T	4.43	4.94	0.47	0.05	2.00	1.95	1.51	39.7E
INDIO S D F	1.77	0.06	0.00	0.11	0.74	0.28	0.23	0.32	0.00	T	0.03	0.00	0.00	0.00	0.84	1.38	3.82
INDIO US DATE GARDEN	2.04	0.17	0.10	0.14	0.73	0.41	0.16	0.33	0.00	T	T	0.00	0.00	0.00	1.27	0.82	3.72
LA QUINTA	3.14	1.51	0.27	0.09	0.46	0.35	0.28	0.11	0.00	0.00	0.07	0.00	0.00	0.09	2.13	0.61	4.10
MECCA 2 SE	1.58	T	T	0.11	1.00	0.13	0.07	0.27	0.00	0.00	T	0.00	0.00	0.00	0.97	0.83	3.27
MECCA S D F	1.94	T	T	0.34	1.10	0.20	0.08	0.22	0.00	0.00	T	0.00	0.00	T	2.26	0.68	4.54
MORONGO VALLEY	10.93	0.05	0.00	0.05	0.54	0.95	6.02	1.79	0.00	0.16	1.37	0.00	0.00	0.00	0.90	1.09	12.82
NIGHTINGALE	11.75	2.62	0.95	0.25	0.92	1.08	3.13	1.14	0.00	0.39	1.16	0.11	0.00	1.15	3.21	0.98	13.27
NORTH SHORE	1.52	0.02	0.00	0.04	0.93	0.29	0.01	0.23	0.00	T	0.00	0.00	0.00	0.00	0.78	0.30	2.54
OAK GLEN SB 174	40.02	1.03	0.00	0.13	0.87	2.21	20.46	4.76	0.00	3.81	5.52	0.78	0.45	1.55	0.70	2.62	43.73
OASIS	1.14	0.02	0.00	0.06	0.56	0.26	0.05	0.19	0.00	0.00	T	0.00	0.00	0.00	1.87	0.94	3.87
PALM DESERT	2.79	0.74	0.15	0.11	0.39	0.28	0.80	0.23	0.00	T	0.09	0.00	0.00	T	0.91	0.81	3.51
PALM SPRINGS	6.05	0.10	0.23	0.11	0.42	0.72	3.03	0.63	0.00	0.16	0.65	0.00	0.00	0.04	1.11	0.93	7.69
PALM SPRINGS N SDF	5.28	0.05	0.01	0.05	0.51	0.75	2.89	0.51	0.00	T	0.51	0.00	0.00	0.00	0.25	0.51	5.93
SNOW CREEK UPPER	15.88	0.40	0.05	0.05	0.89	1.48	7.34	1.74	0.00	0.70	3.23	0.00	0.00	0.00	0.76	0.81	16.95
THERMAL FAA AIRPORT	1.31	T	0.00	T	0.68	0.31	0.04	0.28	0.00	0.00	T	0.00	0.00	0.00	0.31	0.72	2.34
THERMAL AIR BASE SDF	1.50	T	0.00	0.07	0.79	0.32	0.06	0.26	0.00	0.00	T	0.00	0.00	0.00	0.29	0.99	2.71
THOUSAND PALMS	1.89	0.13	0.06	0.06	0.36	0.40	0.64	0.22	0.00	0.00	0.02	T	0.00	0.00	0.56	0.61	2.81
ANZA-BORREGO HYDROLOGIC UNIT X22																	
AGUA CALIENTE SPG PK	2.33	0.20	0.02	0.13	0.63	0.11	0.30	0.35	0.00	0.04	0.48	0.07	0.00	0.04	0.13	0.89	3.04
BORREGO CO RD STA	2.08	0.81	0.00	0.00	0.52	0.34	0.12	0.18	0.00	0.00	0.09	0.02	0.00	0.03	0.25	0.22	1.77
BORREGO DESERT PARK	4.84	1.26	0.00	0.03	0.62	0.83	1.27	0.24	0.00	0.00	0.59	0.00	0.00	0.14	1.85	0.28	5.82
BORREGO SPRINGS 3NNE	2.27	0.35	T	0.02	0.44	0.60	0.57	0.20	0.00	0.00	0.09	0.00	0.00	0.02	0.71	--	--
BORREGO TUBB CANYON	6.59	2.40	0.00	0.00	1.05	0.81	0.93	0.27	0.00	0.03	1.10	0.00	0.00	0.89	1.06	0.30	6.44
BOULEVARD	11.8E	0.10	0.10	0.00	1.35	0.75	4.76	1.15	0.00	0.67	2.51	0.3E	0.1E	0.86	0.31	1.96	14.8E
MOUNT LAGUNA	31.51	0.90	1.05	0.05	1.44	2.04	10.44	1.58	0.02	1.94	11.36	0.66	0.03	0.71	0.73	2.57	33.52
OCOTILLO WELLS	1.43	0.03	0.00	0.02	1.02	0.06	0.03	0.19	0.00	T	0.08	0.00	0.00	0.04	0.98	0.30	2.70
IMPERIAL HYDROLOGIC UNIT X23																	
BRAWLEY 2 SW	2.14	T	0.00	0.85	0.70	0.06	T	0.38	0.00	0.15	0.00	0.00	0.00	T	1.65	1.15	4.09
CALEXICO 2 NE	1.81	0.07	0.00	0.53	0.88	0.06	0.03	0.12	0.00	0.12	T	0.00	0.00	0.07	0.08	1.59	2.95
COYOTE WELLS	0.80	0.06	0.00	0.09	0.09	0.00	0.09	0.47	0.00	0.00	0.00	0.00	0.00	0.01	0.21	1.29	2.16
EL CENTRO 2 SSW	1.47	0.00	0.00	0.13	0.82	0.06	T	0.26	0.00	0.20	0.00	0.00	0.00	0.00	0.00	1.47	2.81
IMPERIAL	1.47	0.00	0.00	0.47	0.48	0.06	0.00	0.34	0.00	0.12	T	0.00	0.00	0.00	0.21	1.31	2.52
IMPERIAL FAA AP	1.33	T	T	0.30	0.54	0.06	T	0.29	T	0.14	T	0.00	0.00	0.00	0.25	0.95	2.23
NILAND	1.42	0.00	0.00	0.00	0.85	0.17	0.00	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.08	1.05	2.55
AMOS-OGILBY HYDROLOGIC UNIT X26																	
GOLD ROCK RANCH	2.23	0.00	0.71	0.70	0.68	0.05	0.04	0.00	0.00	0.05	0.00	0.00	0.00	T	0.27	1.95	3.04

TABLE A-2 PRECIPITATION DATA SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SANTA ANA DRAINAGE PROVINCE Y																	
SANTA ANA RIVER HYDROLOGIC UNIT Y01																	
ALISO CANYON COOK	24.80	0.00	0.00	0.19	0.42	1.63	11.26	4.90	0.00	2.43	3.11	0.86	0.00	0.00	0.00	0.00	24.61
ALTA LOMA-FORNEY	--	--	--	0.19	0.10	2.39	15.07	6.68	0.01	4.57	5.81	0.45	0.16	0.00	0.00	0.91	36.15
ANAHEIM AUTOMATIC	17.28	0.00	0.00	0.07	0.02	2.68	5.85	3.75	T	1.67	3.23	0.01	T	0.00	0.00	0.42	17.63
ANAHEIM CARROLL RCH	14.13	0.00	0.00	0.02	T	1.73	4.51	3.28	0.00	1.43	3.09	0.01	0.06	0.00	0.00	0.47	14.58
ANAHEIM WATER WORKS	17.23	0.00	0.00	0.10	0.06	2.74	5.68	3.58	0.00	1.82	3.25	T	T	0.00	0.00	0.50	17.63
ARLINGTON	11.29	T	0.00	0.04	0.29	0.81	4.42	2.15	0.00	0.77	2.81	T	T	0.29	0.24	0.20	11.98
ARLNGTN MKNGBRD GCCO	10.14	0.00	0.00	0.02	0.36	0.71	3.77	1.98	0.00	0.45	2.85	T	T	0.00	1.00	0.16	11.28
BEAUMONT 1 E	24.6E	0.00	0.00	0.2E	0.44	1.20	10.88	3.61	T	2.51	4.79	0.71	0.32	T	0.16	0.98	25.60
BEAUMONT S O F	23.15	T	0.00	0.01	0.49	1.21	10.20	3.60	T	1.94	4.65	0.70	0.35	0.04	0.08	1.65	24.91
BIG BEAR LAKE	37.55	0.44	0.14	0.18	0.37	1.48	19.07	4.86	0.00	3.61	7.01	0.39	0.00	0.55	1.07	1.33	39.74
BIG BEAR LAKE F D	43.50	0.44	0.14	0.18	0.37	1.48	19.07	4.86	5.89	3.61	7.07	0.39	0.00	0.55	1.07	1.33	45.69
BIG BEAR LAKE DAM	58.57	0.86	0.33	0.44	0.50	3.13	22.40	9.24	T	7.30	13.64	0.67	0.06	0.05	1.49	1.8E	60.3E
BIG BEAR CITY	15.39	0.54	0.24	0.29	0.55	0.77	8.00	2.24	0.00	0.58	2.12	0.06	0.00	0.60	3.52	2.65	21.09
BLOOMINGTON	19.14	0.00	0.00	0.06	1.07	1.71	6.19	4.39	0.00	1.87	3.73	0.07	0.05	T	0.07	0.36	19.51
BRUSH CANYON	--	0.00	0.00	0.20	0.54	2.14	11.48	6.18	0.00	3.12	4.91	1.04	--	--	--	--	--
CAJALCO 1	9.89	T	0.00	0.07	0.35	0.87	3.58	1.61	0.00	0.93	2.44	0.04	0.00	T	0.08	0.47	10.37
CAJON JUNCTION	23.29	0.00	0.00	0.19	0.26	2.94	6.30	5.00	0.03	3.12	5.45	0.00	0.00	0.03	0.46	0.67	24.26
CALIMESA C D F	21.59	0.08	0.00	0.16	0.60	1.10	9.91	3.71	T	1.51	3.73	0.55	0.24	0.00	0.43	0.52	22.30
CHERRY VALLEY S D F	28.42	0.02	0.00	0.26	0.54	1.46	11.71	4.43	T	2.49	5.58	0.96	0.97	0.24	0.22	1.37	29.97
CHINO-IMBACH	16.38	0.00	0.00	0.00	0.23	1.54	5.45	4.01	0.00	1.47	3.66	0.02	0.00	0.00	0.25	0.07	16.70
CHINO S C E CO	--	0.00	0.00	0.01	--	--	--	--	--	--	--	--	--	--	--	--	--
CHINO FIRE STATION	18.82	0.00	0.00	0.06	0.23	1.92	6.26	4.96	0.00	1.80	3.53	0.06	T	0.00	0.05	0.06	18.87
CHINO FIRE STATION 2	22.34	0.00	0.00	0.06	0.01	2.48	7.72	5.73	0.00	2.19	4.11	0.04	0.00	0.00	T	0.25	22.53
CLAREMONT FIRE STA	27.05	0.00	0.00	0.04	0.08	2.65	10.06	5.68	0.00	2.95	4.82	0.43	0.34	0.00	T	0.19	27.20
CLAREMONT POMONA COL	25.48	0.00	0.00	0.07	0.07	2.31	9.49	5.22	T	2.77	4.93	0.35	0.27	0.00	0.00	0.25	25.66
COLTON HWY YARDS	19.41	0.00	0.00	0.09	0.51	1.43	7.90	3.85	0.00	1.71	3.80	0.03	0.09	0.00	0.21	0.27	19.80
COLTON F. D.	11.09	0.00	0.00	0.08	0.43	0.70	7.07	0.00	0.00	0.75	1.95	0.11	0.00	0.00	0.29	0.19	11.49
CORONA	13.91	0.00	0.00	0.01	0.25	1.05	6.14	2.68	0.00	1.08	2.70	0.00	0.00	0.00	0.47	0.18	14.55
CORONA DEL MAR	13.65	0.00	0.00	0.00	0.01	1.95	5.00	2.55	0.01	1.05	3.01	0.02	0.05	0.00	0.00	0.46	14.11
CORONA S D F	12.50	0.00	0.00	0.01	0.23	0.88	4.66	2.81	0.00	1.32	2.59	T	0.00	0.00	0.61	0.11	13.21
CORONA LEMON CO 1	20.51	0.00	0.00	T	0.36	1.60	8.96	3.83	T	0.87	4.89	T	T	0.00	0.43	0.24	21.18
CORONA LEMON CO 2	26.23	0.00	0.00	T	0.26	1.74	11.99	4.92	T	1.18	6.14	T	T	0.00	0.26	0.20	26.69
CORONA LEMON CO 3	19.94	0.00	0.00	T	0.27	1.46	8.88	3.59	T	1.03	4.71	T	T	0.00	0.74	0.04	20.72
COSTA MESA	14.81	0.00	0.00	0.03	0.05	2.05	5.72	2.67	0.02	1.43	2.83	0.00	0.01	0.00	0.00	0.24	15.02
COSTA MESA DODGE	12.52	0.00	0.00	0.02	0.02	1.55	4.65	2.34	0.00	1.73	2.15	0.03	0.03	0.00	0.00	0.30	12.80
CRAFTON SCHNEIDER	20.07	T	0.00	0.49	0.00	0.85	10.21	3.65	0.08	2.11	2.40	0.28	0.00	0.00	0.97	0.07	20.62
CREST FORREST C OF C	68.33	0.00	0.00	0.20	0.58	3.71	25.73	9.40	0.05	12.41	14.35	1.37	0.53	0.00	0.18	1.24	69.55
CRESTLINE SB 176	54.85	0.00	0.00	0.36	0.85	2.88	24.15	6.28	0.05	9.38	7.95	1.69	1.26	0.00	0.15	0.92	55.56
CRESTLINE S E	61.05	T	0.00	0.26	0.72	3.74	24.60	8.39	0.06	10.03	11.16	1.49	0.60	0.00	0.35	1.00	62.14
OEL ROSA COWAN	25.19	0.00	0.00	0.00	0.52	1.64	10.35	4.17	0.00	2.59	4.77	0.59	0.56	0.00	0.02	0.48	25.69
DEL ROSA RANGER	39.08	0.01	0.00	0.27	0.48	2.03	18.18	8.90	0.00	2.69	5.07	0.95	0.50	0.00	0.30	0.46	39.56
DEVORE ST. FOR.	45.60	0.00	0.00	0.07	0.59	2.78	21.14	5.82	0.00	6.10	7.46	1.08	0.56	0.00	0.02	0.40	45.95
DIAMOND BAR HORSE CP	23.34	0.00	0.00	0.04	0.10	2.79	7.52	6.01	0.00	2.31	4.41	0.16	0.00	0.00	0.00	0.01	23.31
E HIGHLAND ORANGE	24.48	0.05	0.00	0.22	0.54	1.00	11.15	3.94	0.00	2.78	3.71	0.62	0.47	0.00	0.44	0.22	24.87
EDGEMONT FIRE ST SDF	13.95	T	0.00	0.12	0.77	0.68	5.57	2.52	0.00	0.86	3.34	0.07	0.02	T	0.67	0.30	14.80
EL CERRITO	12.60	T	0.00	0.01	0.19	1.14	5.68	1.82	0.00	1.00	2.69	0.05	0.02	0.00	0.55	0.05	13.19
EL TORO INDUSTRIAL	14.71	0.00	0.00	0.04	0.11	1.68	5.64	3.29	0.00	1.76	2.11	0.06	0.02	0.00	0.00	0.35	15.02
EL TORO LOS ALISO RN	16.57	0.00	0.00	0.00	0.00	1.45	7.15	3.62	0.00	1.53	2.71	0.11	T	0.00	0.00	0.49	17.06
ETIWANDA	23.81	0.00	0.00	0.04	0.00	0.00	10.87	5.40	0.00	2.28	4.75	0.29	0.18	0.00	T	0.46	24.23
FONTANA HERALD NEWS	21.02	0.00	0.00	0.16	1.30	1.89	7.75	4.21	0.00	1.96	3.49	0.11	0.15	0.00	0.00	0.13	20.99
FONTANA CO YDS	20.03	0.00	0.00	0.00	0.00	1.66	8.00	4.37	0.00	1.95	3.94	0.11	0.00	0.00	0.00	0.00	20.03
FONTANA S N	37.21	0.00	0.00	0.12	0.33	2.62	15.26	7.54	0.00								

TABLE A-2 PRECIPITATION DATA SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SANTA ANA DRAINAGE PROVINCE Y																	
SANTA ANA RIVER HYDROLOGIC UNIT Y01																	
LAMBERT RES AUTOMATI	15.19	0.00	0.00	0.06	0.06	1.91	5.72	2.64	0.01	1.85	2.86	0.04	0.04	--	--	1.00	--
LA SIERRA F S	11.99	0.00	0.00	0.00	0.26	0.94	4.27	2.39	0.00	1.20	2.88	0.05	0.00	0.00	0.18	0.08	12.25
LEMON HGTS SPRINGER	16.38	T	0.00	0.09	0.14	1.67	6.17	3.24	0.00	1.45	3.54	0.07	0.01	0.00	0.00	T	16.29
LOMA LINDA	17.20	T	T	0.10	0.69	0.98	7.23	2.70	0.00	1.46	3.78	0.18	0.08	0.00	0.05	0.24	17.39
LYTLE CREEK PH 1	50.07	0.00	0.00	0.23	0.54	2.91	21.87	10.00	0.00	5.24	7.84	0.84	0.60	0.00	0.00	--	--
LYTLE CREEK R 5	45.59	0.00	0.00	0.24	0.14	4.50	15.38	7.08	0.03	9.01	8.75	0.35	0.11	0.00	0.03	0.45	45.83
MENTONE FS S8 120	16.96	T	0.00	0.37	0.47	0.74	9.51	1.75	0.00	1.34	2.35	0.43	0.00	0.00	0.03	0.12	16.74
MENTONE GREEN SPOT	--	0.00	0.00	0.49	0.47	0.77	8.19	1.79	--	--	--	--	--	--	--	--	--
MILL CREEK NO 2	32.45	0.02	0.00	0.30	0.79	1.27	16.92	4.17	0.00	2.79	5.03	0.76	0.40	0.00	1.42	--	--
MILL CREEK RANGER ST	26.11	0.06	0.00	0.31	0.67	1.12	11.43	4.05	0.00	2.41	4.58	0.83	0.65	0.00	1.61	0.79	28.14
MONTE VISTA	23.46	0.00	0.00	0.04	0.15	2.05	8.50	4.99	0.00	2.46	4.14	1.05	0.08	0.00	0.00	0.12	23.54
MODJESKA-MCARTHUR	33.56	0.00	0.00	0.20	0.23	2.04	16.36	6.35	0.00	2.82	4.77	0.42	0.37	0.00	0.00	0.17	33.53
MT BALDY FC 85F	54.86	0.00	0.00	0.14	0.11	4.66	21.43	7.62	0.13	8.29	11.80	0.46	0.22	0.00	0.13	1.21	56.06
MT BALDY NOTCH	53.8E	0.00	0.00	T	0.80	4.65	16.74	9.25	0.20	7.9E	13.66	0.55	0.00	0.25	0.70	1.90	56.6E
MUSCOY FIRE DEPT	21.94	0.00	0.00	0.07	0.38	2.41	9.45	2.88	0.00	2.24	4.01	0.34	0.16	0.00	0.30	0.15	22.32
NEWMARK RES	25.95	0.00	0.00	0.09	0.55	2.13	9.97	5.41	0.00	2.71	4.31	0.54	0.24	0.00	0.01	0.33	26.20
NEWPORT BEACH HARBOR	13.15	T	0.00	0.05	0.01	1.68	4.44	2.51	0.00	1.02	3.36	0.03	0.05	T	0.00	0.44	13.54
NORCO	12.71	0.00	0.00	0.00	0.38	0.92	4.52	2.74	0.00	1.40	2.74	0.01	0.00	0.00	0.19	0.03	12.93
NUVIEW	11.70	T	0.00	0.12	0.49	0.95	4.10	2.26	T	1.16	2.53	0.07	0.02	T	0.09	2.25	13.92
OAK GLEN SB 122	32.88	0.34	0.00	0.10	0.00	1.79	15.52	4.62	0.00	3.30	6.06	0.82	0.33	0.18	0.42	1.45	34.49
OLIVE HEIGHTS	20.20	0.00	0.00	0.03	0.01	2.91	7.34	4.22	0.00	2.05	3.64	0.00	0.00	0.00	0.00	0.60	20.77
ONTARIO F S	26.26	0.00	0.00	0.02	0.16	2.13	11.06	5.19	0.00	2.76	4.62	0.27	0.05	0.00	0.00	0.20	26.44
ONTARIO SHERIFF DEPT	18.21	0.00	0.00	T	1.80	0.06	10.22	0.00	0.00	2.24	3.67	0.00	0.22	0.00	0.00	0.00	18.21
ORANGE	19.29	0.00	0.00	T	0.04	3.90	7.16	3.10	0.00	2.05	3.04	T	T	0.00	0.00	0.75	20.04
PADUA HILLS PS	35.20	0.00	0.00	0.14	0.10	3.28	15.39	4.11	0.00	4.50	6.24	0.81	0.63	0.00	0.00	0.40	35.46
PALMER CANYON	33.8E	0.00	0.00	0.1E	0.08	2.64	13.11	6.84	0.05	5.03	5.55	0.0E	0.3E	0.00	0.00	0.29	33.9E
PANORAMA	53.32	0.00	0.00	0.34	0.67	3.28	22.01	8.33	0.00	8.08	7.18	1.91	1.52	0.00	0.11	0.49	53.58
PATTON	25.36	0.03	T	0.12	0.31	1.55	10.29	4.43	0.00	2.53	4.89	0.68	0.53	--	0.00	0.19	--
PEDLEY FIRE STA	14.11	0.00	0.00	0.02	0.31	1.20	5.23	2.86	0.00	1.33	3.16	T	0.00	T	T	0.26	14.35
PERRIS S D F	11.40	0.01	0.00	T	0.35	0.96	3.75	2.38	0.00	0.78	2.98	0.09	0.10	0.08	0.03	0.77	12.27
PINE 2	18.64	0.00	0.00	0.00	0.22	1.38	7.35	4.61	0.00	1.84	3.24	0.00	0.00	0.00	0.24	0.30	19.18
POMONA FIRE STATION	22.15	0.00	0.00	0.02	0.08	2.55	8.01	5.08	0.00	2.13	4.13	0.15	0.00	0.00	0.00	0.21	22.34
PRADO DAM EVAP STA	18.83	0.00	0.00	0.01	0.22	1.41	7.55	3.40	0.15	1.75	4.25	0.09	0.00	0.00	0.37	0.17	19.36
RECHE CANYON	20.01	0.01	0.00	0.21	0.33	0.80	9.87	3.22	0.00	1.97	3.38	0.17	0.05	0.00	0.10	0.17	20.06
REDLANDS ROTH	17.59	0.00	0.00	0.27	0.33	0.82	7.93	2.92	0.00	2.11	2.80	0.28	0.13	0.00	0.49	0.14	17.95
REDLANDS DAILY FACTS	17.52	0.02	0.00	0.27	0.52	0.70	8.07	2.85	0.00	1.99	2.60	0.33	0.17	0.00	0.51	0.32	18.06
REDLANDS COUNTRY CLU	18.33	0.00	0.00	0.35	0.25	0.79	8.31	3.34	0.00	1.36	3.35	0.40	0.18	0.00	0.11	0.34	18.43
RIALTO	20.37	0.00	0.00	0.06	0.52	1.73	8.08	4.24	0.00	1.63	3.90	0.07	0.14	0.00	0.00	0.11	20.42
RIVERSIDE C.F.C.+W.C	15.05	0.00	0.00	0.04	1.05	0.95	6.09	2.63	0.00	1.26	3.00	0.03	T	0.00	0.14	0.38	15.53
RIVERSIDE FIRE STN 3	11.98	0.00	0.04	0.04	0.40	0.86	4.88	2.09	0.00	1.01	2.63	0.03	0.00	0.00	0.43	0.06	12.39
RIVERSIDE CITRUS EXP	13.59	0.00	0.00	0.04	0.66	0.85	5.53	2.19	0.00	1.15	3.07	0.07	0.03	0.00	0.61	0.19	14.35
RUBIDOUX LAB USDA	--	--	--	--	0.32	0.79	5.50	2.40	0.00	1.20	2.65	T	T	0.00	0.19	0.07	13.12
RUBIDOUX FIRE DEPT.	--	--	--	--	1.20	1.02	6.57	2.82	0.00	1.27	3.15	0.00	0.00	0.00	0.00	0.26	16.29
SAN ANTONIO CNYN MTH	47.64	0.00	0.00	0.23	0.17	2.86	21.14	7.42	0.07	6.85	8.26	0.33	0.31	0.00	0.00	0.3E	47.7E
SAN ANTONIO CANYON	52.80	0.00	0.00	T	0.80	4.65	16.74	9.25	0.20	6.95	13.66	0.55	0.00	0.25	0.70	1.90	55.65
SAN ANTONIO HTS	39.43	0.00	0.00	0.24	0.15	2.49	17.67	6.57	0.00	5.10	6.12	0.46	0.63	0.00	0.00	0.54	39.73
SAN BERNARDINO HOSP	22.50	0.01	0.00	0.12	0.44	1.48	9.14	4.39	0.00	2.07	4.24	0.40	0.21	0.00	0.39	0.20	22.96
SAN BERNARDINO CO FC	18.24	0.00	0.00	0.03	0.33	0.96	8.23	3.63	0.00	1.45	3.42	0.14	0.05	0.00	0.06	0.09	18.36
SAN JOAQUIN FRUIT CO	16.52	0.00	0.00	0.00	0.00	2.08	6.28	2.69	0.00	1.63	3.84	0.00	0.00	0.00	0.00	1.52	18.04
SAN TIMOTEO	19.10	0.10	0.00	0.20	0.24	1.33	9.25	3.21	T	1.61	2.79	0.20	0.17	--	0.32	0.21	--
SANTA ANA USWB FR DP	16.11	0.00	0.00	0.04	0.05	2.54	6.21	2.99	0.00	1.97	2.31	0.00	T	0.00	0.00	0.27	16.34
SANTA ANA OCFCD	15.41	0.00	0.00	0.01	0.04	2.38	5.50	2.88	0.00	1.66	2.92	0.01	0.01	0.00	0.00	0.46	15.86
SANTA ANA RIVER PH 1	--	0.01	0.00	0.28	0.46	1.41	17.04	--	0.00	2.02	7.13	RE	RE	0.00	0.00	0.35	16.82
SANTA ANA-SCUDDER																	

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967								TOTAL OCT. 1 THROUGH SEPT. 30	
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SANTA ANA DRAINAGE PROVINCE Y																	
SAN JACINTO VALLEY HYDROLOGIC UNIT Y02																	
BEAUMONT	24.09	T	0.00	0.07	0.45	1.31	10.33	3.57	0.00	2.22	5.18	0.63	0.33	T	0.09	1.82	25.93
BEAUMONT PUMPING PL	29.04	0.10	0.00	0.31	0.82	1.42	12.50	4.77	0.00	2.25	5.17	0.75	0.95	0.29	0.12	1.84	30.88
BUNDY CANYON ROAD	17.48	0.00	0.00	T	0.65	1.44	5.63	3.64	0.00	1.60	4.40	0.12	0.00	0.06	0.64	0.19	18.37
ELSINORE	16.49	0.02	0.00	0.10	0.23	1.14	8.67	2.35	T	1.13	2.83	0.02	T	0.01	0.00	0.03	16.41
HEMET	13.39	0.00	0.00	T	0.55	0.79	5.61	2.20	T	0.95	3.09	0.14	0.06	0.15	0.93	2.35	16.82
HOMELAND IN SEC 17	13.91	T	0.00	T	0.64	1.22	4.80	2.34	0.42	0.86	3.53	0.05	0.05	0.00	T	0.67	14.58
JUNIPER FLATS	14.31	0.00	0.00	0.01	0.49	1.16	4.87	2.70	0.00	1.45	3.30	0.21	0.12	0.00	0.00	0.62	14.92
LAKELAND VILLAGE	20.13	T	0.00	T	0.31	1.10	8.36	3.61	T	1.83	4.89	0.03	T	0.00	0.00	0.08	20.21
LITTLE LAKE VLY VISF	13.38	T	0.00	0.04	0.47	0.93	5.51	2.35	T	0.95	2.77	0.28	0.08	0.19	0.23	2.81	16.57
PERRIS	10.70	0.01	0.00	T	0.32	0.95	3.67	2.38	0.00	0.49	2.79	0.09	0.00	0.00	0.02	0.60	11.31
PERRIS RES EVAP	10.14	0.00	0.00	T	0.38	0.82	3.57	2.47	0.00	0.46	2.41	T	0.03	0.00	T	0.03	10.17
QUAIL VALLEY	12.36	T	0.00	0.05	0.45	1.21	5.00	2.63	0.00	0.89	2.08	0.05	0.00	0.30	0.47	0.60	13.68
RYAN FIELD	12.06	T	0.00	0.01	0.57	0.95	4.89	1.58	0.01	0.90	3.07	0.08	T	0.11	0.09	0.87	13.12
SAN JACINTO	13.73	T	0.00	T	0.51	0.88	4.69	2.45	0.00	1.46	3.35	0.33	0.06	0.02	T	1.76	15.51
SAN JACINTO RES MWD	15.39	0.00	0.00	T	0.48	1.08	5.84	2.70	0.00	1.17	3.90	0.18	0.04	0.00	0.00	1.12	16.51
SAN JACINTO RS - SDF	13.74	T	0.00	0.01	0.44	0.83	5.16	2.43	T	0.95	3.52	0.33	0.07	T	0.08	2.00	15.81
SUNNYMEAD	14.02	T	0.00	0.11	0.34	0.72	6.24	2.36	0.00	1.03	3.11	0.05	0.06	T	0.79	0.53	15.23

TABLE A-2 PRECIPITATION DATA SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SAN DIEGO DRAINAGE PROVINCE 2																	
SAN JUAN HYDROLOGIC UNIT Z01																	
CAPISTRANO BEACH	13.07	0.00	0.00	T	0.04	1.89	4.65	2.59	0.00	1.07	2.74	0.09	0.00	0.00	0.00	0.35	13.42
EL TORO	16.71	T	0.00	0.15	0.09	1.79	6.35	3.92	T	1.25	3.12	0.04	T	0.00	0.00	0.63	17.19
LAGUNA BEACH	13.54	T	0.00	0.10	0.03	2.13	4.77	2.80	T	1.16	2.32	0.12	0.11	0.01	0.00	0.48	13.93
LAGUNA BEACH HARDWAR	12.56	0.00	0.00	0.05	0.02	1.55	4.57	2.73	0.00	1.00	2.49	0.08	0.07	0.00	0.12	0.25	12.88
SAN CLEMENTE POLICE	15.11	0.00	0.00	0.07	0.10	1.11	6.35	2.73	0.00	1.71	2.79	0.25	0.00	0.00	0.00	0.20	15.24
SAN JUAN CAPISTRANO	16.77	0.00	0.00	T	0.11	1.31	6.61	3.86	0.00	1.15	3.58	0.15	0.00	0.00	0.00	0.29	17.06
S JUAN CPSTRN SUBSTA	19.64	0.00	0.00	T	0.06	1.75	8.33	3.94	0.00	1.48	3.79	0.29	0.00	0.00	0.00	0.15	19.79
SANTIAGO PEAK	--	0.00	0.00	0.03	0.07	2.08	29.78	7.72	0.00	5.17	8.56	0.04	--	0.00	0.02	0.48	--
TRABUCO CANYON	22.02	0.00	0.00	T	0.10	1.34	10.03	4.15	0.00	1.76	4.27	0.37	0.00	0.00	0.05	0.12	22.19
SANTA MARGARITA HYDROLOGIC UNIT Z02																	
ANZA	17.6E	0.51	0.55	0.11	0.61	1.08	7.39	2.39	0.00	1.03	3.6E	0.39	0.03	1.3E	2.75	4.19	24.8E
HOWELL RANCH	--	0.01	--	0.07	0.29	1.54	7.02	3.08	0.00	1.21	3.19	0.00	0.00	0.00	0.12	0.09	16.54
OCEANSIDE PENDLETON	13.46	T	0.00	0.03	0.37	2.10	3.46	2.60	0.00	2.36	2.41	0.06	0.07	T	0.00	0.11	13.54
PALOMAR MTN OBSERV	45.50	T	0.00	0.07	0.79	2.91	23.73	5.46	0.00	4.55	7.72	0.22	0.05	0.09	0.47	0.58	46.57
RAINBOW CONSERVATION	28.48	0.00	0.00	0.05	0.43	1.95	12.27	5.07	0.01	3.11	4.94	0.31	0.34	T	T	0.26	28.69
SAGE F C STA	14.86	0.00	0.00	0.08	0.45	1.33	5.30	2.19	T	1.63	3.38	0.48	0.02	0.97	0.23	0.66	16.64
SAN DIEGO CANAL COT	12.15	0.00	0.00	0.00	0.05	1.21	3.43	2.60	0.00	1.68	3.08	0.07	0.03	0.00	0.02	0.60	12.77
TEMECULA F S	20.72	T	0.00	0.02	0.47	1.33	8.09	3.80	T	2.26	4.49	0.17	0.09	T	0.01	0.15	20.86
SAN LUIS REY HYDROLOGIC UNIT Z03																	
FALLBROOK FIRE STA	19.37	0.00	0.00	0.02	0.50	1.71	7.63	4.41	T	2.10	2.97	0.00	0.03	T	0.02	0.34	19.71
HENSHAW DAM	31.98	0.06	0.00	0.04	1.41	2.57	13.42	3.80	T	2.42	7.80	0.29	0.17	0.12	1.23	0.26	33.49
PUERTA LA CRUZ	20.20	0.00	0.51	0.03	1.62	1.40	9.07	2.63	0.00	0.90	3.69	0.35	T	0.55	2.37	1.40	23.98
RANCHITA	--	0.85	--	--	--	--	--	--	--	--	--	0.05	0.00	1.21	0.78	1.88	--
VALLEY CENTER 3 NE	19.82	T	0.00	T	0.70	1.14	7.77	3.50	0.00	1.85	4.43	0.28	0.15	T	0.01	0.17	20.00
VISTA ID SHOP	15.58	0.09	0.00	0.05	0.72	1.38	6.87	1.96	0.00	0.79	3.43	0.19	0.10	0.18	1.01	1.30	17.93
VISTA ID 10 FT WEIR	22.13	0.00	0.00	0.03	1.25	1.80	9.42	2.32	0.00	1.40	5.45	0.20	0.26	0.30	0.67	0.90	23.97
VISTA ID V-NOTCH	22.53	0.50	0.00	0.03	1.25	1.80	10.10	2.35	0.00	1.55	4.73	0.22	0.00	0.55	1.70	0.94	25.19
VISTA ID WEST FORK	32.90	0.05	0.00	0.08	1.40	2.30	15.62	3.30	0.00	2.45	7.05	0.50	0.15	0.43	0.11	0.57	33.88
WARNER SPRINGS	16.72	0.37	0.08	0.07	0.90	1.39	6.53	2.33	0.00	1.15	3.70	0.00	0.20	0.95	3.36	1.24	21.75
CARLSBAD HYDROLOGIC UNIT Z04																	
ENCINITAS CO RD STA	10.96	0.00	0.00	0.00	0.36	0.97	3.03	2.23	0.00	1.82	2.27	0.12	0.16	0.11	0.00	0.05	11.12
E RES VISTA ID	14.13	0.00	0.00	0.03	0.35	1.06	4.86	2.54	0.00	1.49	3.61	0.09	0.10	0.01	0.00	0.05	14.16
ESCONDIDO	18.34	T	0.00	0.16	0.77	1.27	7.65	2.54	0.01	1.83	3.78	0.07	0.26	0.09	0.42	0.50	19.19
ESCONDIDO S D G+E	22.41	0.00	0.00	0.02	0.47	1.35	10.54	3.05	0.00	1.84	4.95	0.06	0.13	0.05	0.48	0.06	22.98
LAKE WOHLFORD	--	0.00	0.00	0.05	--	--	--	--	--	--	--	--	--	--	--	--	--
PALOMAR AIRPORT	14.49	0.00	0.00	0.02	0.32	1.56	3.92	2.69	0.00	1.92	3.81	0.02	0.23	0.03	T	0.00	14.50
SAN DIEGUITO CO PARK	11.61	0.00	0.00	0.00	0.40	0.77	3.51	2.09	0.00	1.48	3.35	0.01	0.00	0.07	0.04	0.03	11.75
SAN LUIS REY S D G+E	13.74	0.00	0.00	0.01	0.39	1.33	3.75	2.82	0.00	1.65	3.66	0.04	0.09	T	0.00	0.01	13.74
SAN MARCOS CO RD STA	15.10	0.00	0.00	0.00	0.19	0.96	6.10	2.15	0.00	2.44	2.54	0.69	0.03	0.00	0.00	0.00	15.10
VISTA GREEN	16.86	0.00	0.00	0.12	0.41	1.55	5.82	3.18	T	1.85	3.73	0.04	0.16	0.00	0.01	0.04	16.79
VISTA S D G+E	15.69	0.00	0.00	0.10	0.39	1.35	5.74	2.74	0.00	1.31	3.89	0.05	0.12	0.00	0.00	0.00	15.59
SAN DIEGUITO HYDROLOGIC UNIT Z05																	
OEL MAR S D G+E	10.64	0.00	0.00	0.00	0.37	0.69	3.16	1.92	0.00	1.10	3.22	0.08	0.10	0.07	0.01	0.05	10.77
HODGES DAM	14.58	0.00	0.00	T	0.18	1.28	5.38	2.25	0.00	1.80	3.46	0.02	0.21	0.07	0.37	0.00	15.02
RAMONA SPAULDING	19.00	T	0.00	0.22	0.98	2.10	7.72	2.25	T	1.65	3.81	0.08	0.19	0.18	0.14	0.08	19.18
SAN DIEGUITO DAM	14.73	0.00	0.00	T	0.52	0.95	5.15	2.39	0.00	1.41	3.97	0.07	0.27	0.17	0.24	0.03	15.17
SUTHERLAND DAM	27.07	0.10	0.00	0.20	0.79	2.38	12.39	2.89	0.00	2.45	4.79	0.63	0.45	0.45	0.24	0.28	27.74
VINEYARD RANCH	25.32	0.00	0.00	0.11	0.66	1.75	11.67	3.82	0.00	2.68	4.57	0.06	0.00	0.32	0.32	0.19	26.04
VISTA ID WARNER RCH	17.75	0.80	0.00	0.03	1.30	1.90	6.53	2.13	0.00	1.10	3.69	0.27	T	0.44	2.53	1.77	21.66
PENASQUITA HYDROLOGIC UNIT Z06																	
LA JOLLA NO 2	--	0.00	0.00	T	--	--	--	--	--	--	--	--	--	--	--	--	--
MIRAMAR	13.57	0.00	0.00	0.00	0.82	1.56	4.90	2.15	0.00	1.38	2.54	0.05	0.17	0.08	0.00	0.22	13.87
POWAY CO RD STA	12.54	0.00	0.00	0.00	0.58	1.58	4.99	2.00	0.00	1.25	2.04	0.02	0.08	0.12	0.11	0.04	12.81
POWAY-HENSHAW	12.90	0.03	0.00	0.00	0.05	1.59	5.05	2.11	0.00	1.28	2.59	0.00	0.20	0.15	0.23	0.06	13.31
POWAY VALLEY	14.82	T	0.00	T	0.83	1.96	5.76	2.08	T	1.49	2.62	0.01	0.07	0.16	0.19	0.03	15.20
UNIVERSITY CTY STELL	12.25	0.00	0.00	0.00	1.18	1.51	3.90	2.32	0.00	1.06	1.93	0.24	0.11	0.00	0.00	0.03	12.28

See page 24 for key to terms & abbreviations

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SAN DIEGO DRAINAGE PROVINCE Z																	
SAN DIEGO HYDROLOGIC UNIT Z07																	
ALPINE	20.46	T	0.00	0.19	0.84	1.93	8.64	2.43	T	1.87	4.11	0.21	0.24	0.15	0.01	0.15	20.58
BLOSSOM VALLEY	16.56	T	0.00	0.10	0.74	1.72	6.60	2.24	0.00	1.68	3.10	0.16	0.22	0.28	0.06	0.20	17.00
CUYAMACA	44.38	0.05	0.06	0.42	1.29	3.12	18.07	4.14	0.00	4.78	11.94	0.19	0.32	0.19	0.11	2.89	47.04
EL CAJON SDGE	15.13	0.00	0.00	0.00	0.54	1.13	6.25	2.66	0.00	0.85	3.57	0.03	0.10	0.04	0.01	0.00	15.18
EL CAPITAN DAM	20.41	T	0.00	0.16	0.61	1.76	9.85	2.33	T	0.99	4.24	0.13	0.34	0.12	0.00	0.03	20.40
FLINN SPG CO PARK	16.38	0.00	0.00	0.07	0.81	1.84	5.61	2.36	0.00	1.83	3.55	0.17	0.14	0.13	0.06	0.19	16.69
GILLESPIE FIELD	12.06	T	0.00	T	0.52	1.34	4.43	2.29	T	0.84	2.54	0.03	0.07	0.04	0.06	0.01	12.17
JULIAN WYNOLA	32.52	1.37	0.00	0.17	1.69	3.38	12.72	2.90	T	2.95	6.32	0.52	0.50	0.41	1.97	1.35	34.71
LAKE SIDE 2 E							RB	2.62	0.01	0.81	3.56	0.14	0.16	0.06	0.17	0.12	7.65
LAKE SIDE 2 ENE	--	0.00	0.00	0.12	0.77	2.05	6.26	--	--	--	--	--	--	--	--	--	--
LINDA VISTA-RIEDY	11.71	0.01	0.00	0.02	0.62	1.08	3.37	2.92	0.00	0.82	2.76	0.09	0.02	0.10	T	0.05	11.83
MISSION SUB STA SDGE	12.78	0.00	0.00	0.00	0.86	0.91	3.61	2.99	0.00	0.93	3.28	0.10	0.10	0.30	0.30	0.01	13.39
MURRAY DAM	13.36	0.00	0.00	0.00	0.73	0.81	5.29	2.66	0.00	0.85	2.90	0.06	0.06	0.03	0.00	0.02	13.41
PEERLESS-RASP	14.14	0.00	0.00	0.03	0.51	1.62	5.10	2.53	0.00	0.80	3.32	0.08	0.15	0.08	0.11	0.02	14.32
RHO ARBOLEDA	17.01	T	0.00	0.07	0.57	1.66	5.45	2.89	T	2.30	3.73	0.08	0.26	0.16	0.05	0.05	17.20
SAN VICENTE RES	15.61	0.00	0.00	0.06	0.85	1.58	5.55	2.84	0.00	0.97	3.58	0.06	0.12	0.22	0.50	0.12	16.39
CORONADO HYDROLOGIC UNIT Z08																	
CABRILLO NAT MON	12.04	0.02	T	0.01	1.82	1.30	2.74	2.09	0.02	1.23	2.52	0.06	0.23	0.00	T	0.05	12.06
CHOLLAS RESERVOIR	11.53	T	0.00	0.00	0.59	0.82	4.53	2.10	0.00	0.82	2.31	0.20	0.16	0.04	0.01	0.09	11.67
LA MESA	13.78	0.00	0.00	0.00	0.93	0.98	4.96	2.53	0.00	1.11	3.02	0.10	0.15	0.08	0.11	0.01	13.98
POINT LOMA SDCFCD	8.63	0.00	0.00	0.04	0.55	1.27	1.99	2.06	0.00	0.22	2.40	0.03	0.07	0.00	0.01	0.05	8.65
SAN DIEGO WB AP	10.63	T	0.00	T	0.80	0.82	3.22	2.20	0.00	1.14	2.24	0.05	0.16	0.01	0.14	0.08	10.86
SWEETWATER HYDROLOGIC UNIT Z09																	
BONITA	11.9E	T	0.00	T	0.61	1.21	4.04	1.89	0.00	0.8E	3.19	0.03	0.07	0.05	T	0.06	12.0E
CHULA VISTA S D G+E	10.38	0.00	0.00	0.00	0.66	0.86	2.22	1.55	0.00	1.35	3.55	0.08	0.11	0.07	T	0.00	10.45
DESCANSO R S	32.41	0.00	0.00	0.20	0.83	2.60	14.24	3.03	0.01	3.68	7.37	0.23	0.22	0.60	1.10	0.49	34.40
EUCALYPTUS COUNTY PK	15.03	0.00	0.00	0.03	1.08	1.07	6.18	2.28	0.00	1.37	2.82	0.04	0.16	0.06	0.05	0.02	15.13
FROSTLESS ACRES	15.00	0.00	0.00	0.00	0.42	1.62	6.17	2.05	0.00	0.82	3.72	0.02	0.18	0.05	0.13	0.01	15.19
LAKE LOVELAND	20.65	0.00	0.00	0.08	0.82	1.71	8.87	2.27	0.03	1.84	4.72	0.20	0.11	0.33	0.24	0.07	21.21
LEMON GROVE FIRE DEP	14.71	0.00	0.00	0.02	0.89	0.94	6.11	2.11	0.00	1.57	2.91	0.10	0.06	0.06	0.01	--	--
LYNWOOD HILLS	11.48	0.05	0.00	T	0.54	1.16	3.75	1.82	T	0.96	3.06	T	0.14	0.05	T	T	11.48
SPRING VALLEY FD	14.33	T	0.00	0.00	0.88	1.27	5.78	1.90	0.00	1.41	2.81	0.07	0.21	0.10	0.00	0.00	14.43
SWEETWATER DAM	13.66	0.00	0.00	T	0.71	1.04	5.31	1.87	T	0.94	3.52	0.06	0.21	0.10	0.03	0.07	13.86
OTAY HYDROLOGIC UNIT Z10																	
CHULA VISTA	9.96	0.09	0.00	0.01	0.68	1.58	2.12	1.67	T	0.46	3.22	0.04	0.09	0.06	T	0.05	9.97
LOWER OTAY RESERVOIR	11.53	0.00	0.00	0.00	0.70	0.64	4.27	1.86	0.00	1.18	2.55	0.08	0.25	0.11	0.00	0.00	11.64
TIAJUANA HYDROLOGIC UNIT Z11																	
BARRETT DAM	19.54	T	0.00	0.02	0.43	1.03	9.78	2.39	0.00	1.21	4.19	0.38	0.11	0.36	0.08	0.20	20.16
CAMPO	--	0.39	0.19	0.20	0.46	0.83	--	1.42	T	1.03	3.54	0.48	0.06	0.34	0.49	0.82	--
MARRON VALLEY	19.93	0.00	0.00	0.01	0.35	0.59	11.27	2.45	0.00	1.43	3.56	0.14	0.13	0.14	0.00	0.00	20.06
MORENA DAM	22.00	0.16	0.18	0.21	0.43	6.19	7.39	1.91	0.00	1.43	3.75	0.20	0.15	0.21	1.21	0.68	23.55
POTRERO	--	0.00	0.00	--	0.37	0.76	7.12	2.36	T	1.34	4.39	0.23	0.18	0.51	0.58	0.25	18.09
REAM FIELD NAS	10.86	0.02	0.00	T	0.54	1.54	2.58	1.93	T	1.41	2.66	0.06	0.12	0.07	0.04	T	10.95

TABLE A-3

AIR TEMPERATURE DATA

The definition of terms and abbreviations used in connection with this table are as follows:

Max	The highest temperature of record for the month.
Min	The lowest temperature of record for the month.
Av Max	The arithmetical average of daily maximum temperatures for the month.
Av Min	The arithmetical average of daily minimum temperatures for the month.
Avg	The arithmetical average of daily maximum and minimum temperatures for the month.
--	No record or record incomplete.
M	One or more days of record missing; if average value is entered, less than ten days of record is missing.
RB	Record begins.
RE	Record ends.

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
CENTRAL COASTAL DRAINAGE PROVINCE T																
SALINAS HYDROLOGIC UNIT T09																
NACIMIENTO DAM	MAX	105	109	102	95	94	70	72	74	75	66	98	103	109	108	98
	MIN	44	42	40	36	36	27	26	31	32	32	36	42	44	50	50
	AV MAX	93.3	98.6	85.2	81.5	66.3	58.3	61.5	64.5	63.0	57.3	79.5	83.8	99.1	101.3	91.8
	AV MIN	48.6	51.4	49.2	44.5	43.9	38.8	36.4	38.7	40.8	39.3	46.8	49.3	55.2	56.3	56.1
	AVG	71.0	75.0	67.2	63.0	55.1	48.6	49.0	51.6	51.9	48.3	63.2	66.6	77.2	78.8	74.0
PASO ROBLES	MAX	105	105	98	95	95	70	74	77	75	68	99	103	106	106	99
	MIN	39	40	35	28	25	22	22	26	29	31	36	39	47	45	45
	AV MAX	92.1	95.0	87.0	83.1	66.8	59.1	62.6	67.4	64.6	60.7	80.9	82.4	97.0	98.5	91.5
	AV MIN	47.1	49.0	46.8	40.2	40.8	35.7	32.4	34.4	39.1	37.5	44.4	47.6M	52.3	51.4	51.6
	AVG	69.6	72.0	66.9	61.7	53.8	47.4	47.5	50.9	51.9	49.1	62.7	65.0M	74.7	75.0	71.6
PASO ROBLES FAA AP	MAX	109	110	104	98	98	69	71	77	74	68	103	107	110	110	101
	MIN	46	48	43	31	34	28	25	28	30	31	36	40	51	50	50
	AV MAX	94.1	98.3	87.2	82.4	65.7	58.2	61.6	65.3	63.5	59.4	81.3	84.7	99.3	100.7	91.0
	AV MIN	52.3	54.7	51.1	45.1	44.1	38.1	35.0	35.8	41.3	39.4	47.1	50.6	56.7	56.3	55.7
	AVG	73.2	76.5	69.2	63.8	54.9	48.2	48.3	50.6	52.4	49.4	64.2	67.7	78.0	78.5	73.4
SAN LUIS OBISPO HYDROLOGIC UNIT T10																
MORRO BAY FIRE DEPT	MAX	68	76	101	95	85	70	75	74	71	66	93	68	76	72	84
	MIN	46	48	44	42	39	33	34	38	35	36	37	44	50	50	52
	AV MAX	64.2	65.5	70.3	71.4	65.4	61.2	62.2	63.9	60.7	58.5	66.0	63.6	67.1	66.7	70.4
	AV MIN	50.6	52.3	51.4	51.9	48.9	42.3	41.3	43.4	43.2	41.9	47.3	50.6	53.4	54.5	55.9
	AVG	57.4	58.9	60.9	61.7	57.2	51.8	51.8	53.7	52.0	50.2	56.7	57.1	60.3	60.6	63.2
PISMO BEACH	MAX	75	78	100	92	89	69	76	75	69	67	91	71	90	77	82
	MIN	45	49	45	45	40	32	35	39	34	38	41	44	50	52	53
	AV MAX	68.2	67.4	73.2	73.1	66.3	61.5	63.3	65.6	62.5	60.8	69.5	65.3	70.0	69.4	73.2
	AV MIN	51.1	53.5	53.7	52.2	49.9	43.7	42.6	43.3	44.4	42.9	48.7	50.7	53.6	55.7	57.0
	AVG	59.7	60.5	63.5	62.7	58.1	52.6	53.0	54.5	53.5	51.9	59.1	58.0	61.8	62.6	65.1
PT PIEDRAS BLANCAS	MAX	70	68	74	77	75	75	68	69	65	64	71	68	75	70	73
	MIN	47	49	47	46	45	41	40	41	38	39	43	45	47	50	49
	AV MAX	65.3	65.5	66.8	66.8	63.5	61.4	60.4	61.6	59.0	58.2	62.2	63.1	65.5	65.8	68.2
	AV MIN	50.3	52.6	52.7	51.5	51.2	47.0	46.4	45.9	45.5	43.1	47.9	49.7	51.4	53.4	54.8
	AVG	57.8	59.1	59.8	59.2	57.4	54.2	53.4	53.8	52.3	50.7	55.1	56.4	58.5	59.6	61.5
SAN LUIS OBISPO POLY	MAX	86	89	98	94	98	75	77	76	73	66	97	79	95	89	94
	MIN	46	46	44	42	40	34	32	38	36	35	40	41	48	51	51
	AV MAX	75.6	79.4	77.6	77.5	67.6	62.7	64.4	66.6	62.2	57.6	71.5	68.6	80.6	80.2	80.3
	AV MIN	50.0	52.5	52.1	51.4	47.4	41.6	41.5	43.6	41.9	40.5	47.0	48.4	52.7	54.6	56.1
	AVG	62.8	66.0	64.9	64.5	57.5	52.2	53.0	55.1	52.1	49.1	59.3	58.5	66.7	67.4	68.2
WHALE ROCK DAM	MAX	--	82	--	94	91	70	75	70	73	65	91	74	80	75	88
	MIN	--	52	--	50	45	38	38	41	39	40	42	48	52	55	54
	AV MAX	--	67.4	--	73.4	65.4	60.9	62.5	63.1	61.5	57.7	67.6	63.8M	68.3	66.6	72.3
	AV MIN	--	55.0	--	56.7	53.2	48.5	47.9	48.7	46.1	44.7	50.3	52.3M	55.3	56.4	58.2
	AVG	--	61.2	--	65.1	59.3	54.7	55.2	55.9	53.8	51.2	59.0	58.1M	61.8	61.5	65.3
SANTA MARIA-CUYAMA HYDROLOGIC UNIT T12																
CUYAMA	MAX	100	103	97	89	87	70	76	76	80	63	97	101	103	104	102
	MIN	40	41	37	30	24	16	17	18	21	23	27	32	50	49	48
	AV MAX	91.6	95.1	84.0	77.3	64.8	59.1	61.0	63.3	63.4	54.3	77.1	82.7	97.2	98.7	87.6M
	AV MIN	50.0	52.8	46.8	39.8	36.9	30.3	28.4	29.1	33.1	31.3	41.9	45.0	56.5	57.3	52.4M
	AVG	70.8	74.0	65.4	58.6	50.9	44.7	44.7	46.2	48.3	42.8	59.5	63.9	76.9	78.0	70.0M
SANTA MARIA WB AP	MAX	80	80	98	96	92	73	74	75	67	65	94	74	86	83	91
	MIN	45	49	43	37	33	23	29	30	31	33	37	40	47	49	49
	AV MAX	71.7	73.3	74.6	75.3	66.7	62.2	64.1	66.5	61.2	58.5	68.8	67.7	75.1	74.9	75.5
	AV MIN	50.5	53.8	52.2	47.5	45.8	37.5	38.0	37.2	40.6	38.3	45.5	49.7	52.5	53.7	54.2
	AVG	61.1	63.6	63.4	61.4	56.3	49.9	51.1	51.9	50.9	48.4	57.2	58.7	63.8	64.3	64.9
TWITCHELL DAM	MAX	86	88	98	97	97	77	78	79	69	67	97	80	102	92	93
	MIN	44	47	40	40	35	30	34	38	35	34	38	42	48	47	50
	AV MAX	77.6M	79.4M	80.3M	81.5M	69.3M	64.1M	65.7M	69.7M	62.9M	59.6M	74.2M	71.3M	82.8M	82.1M	81.8M
	AV MIN	49.3M	51.9M	51.3M	49.5M	46.2M	42.8M	42.1M	43.3M	42.4M	40.0M	47.8M	49.3M	53.3M	53.8M	56.1M
	AVG	63.5M	65.7M	65.8M	65.5M	57.8M	53.5M	53.9M	56.5M	52.7M	49.8M	61.0M	60.3M	68.1M	68.0M	69.0M
SANTA YNEZ HYDROLOGIC UNIT T14																
CACHUMA DAM	MAX	98	101	97	96	96	76	81	82	79	68	99	93	102	103	100
	MIN	45	47	42	40	33	28	29	30	34	34	36	41	49	51	49
	AV MAX	86.8	92.5	85.2	83.2	69.5	64.5	66.0	69.5	64.9	59.5	76.5	77.5	94.5	95.5	88.2
	AV MIN	50.6	52.7	52.6	50.2	46.5	40.3	39.0	40.6	42.0	39.9	47.8	49.5	53.7	54.6	56.3
	AVG	68.7	72.6	68.9	66.7	58.0	52.4	52.5	55.1	53.5	49.7	62.2	63.5	74.1	75.1	72.3

See page 43 for key to terms & abbreviations

TABLE A-3
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
CENTRAL COASTAL DRAINAGE PROVINCE T																
SANTA BARBARA HYDROLOGIC UNIT T15																
SANTA BARBARA	MAX	82	87	89	92	94	75	75	80	73	70	97	74	85	92	87
	MIN	52	55	50	46	41	34	36	39	40	39	45	46	55	59	59
	AV MAX	74.7	77.2	76.1	76.6	67.5	65.2	65.3	67.2	63.4	62.0	70.3	68.9	74.6M	79.9	74.9
	AV MIN	56.2	59.4	58.0M	52.7	49.7	43.2	42.1	43.9	45.9	44.5	51.5	53.6	58.4M	61.3	61.1
	AVG	65.5	68.3	67.1M	64.7	58.6	54.2	53.7	55.6	54.7	53.3	60.9	61.3	66.5M	70.6	68.0
SANTA BARBARA FAA AP	MAX	80	80	84	89	91	72	71	75	69	72	91	78	81	84	84
	MIN	49	51	46	40	38	31	33	34	35	39	42	43	56	55	56
	AV MAX	74.2	75.7	74.7	74.2	67.1	63.6	63.1	65.0	62.4	61.3	69.4	68.6	72.8	76.8	74.2
	AV MIN	55.5	58.9	55.7	49.6	47.9	41.5	40.7	41.6	44.7	42.4	50.5	52.0	58.6	60.8	59.6
	AVG	64.9	67.3	65.2	61.9	57.5	52.6	51.9	53.3	53.6	51.9	60.0	60.3	65.7	68.8	66.9

See page 43 for key to terms & abbreviations

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LOS ANGELES DRAINAGE PROVINCE U																
VENTURA RIVER HYDROLOGIC UNIT U02																
CASITAS DAM	MAX	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	82.3	83.7	83.5	81.7	69.7	68.0	67.7	71.8	65.5	62.1	74.2	73.1	81.2	87.8	81.2
	AV MIN	51.0	55.9	53.2	49.6	46.0	38.3	37.0	38.4	42.4	38.2	48.1	49.0	55.7	59.1	57.8
	AVG	66.7	69.8	68.4	65.7	57.9	53.2	52.4	55.1	54.0	50.2	61.2	61.1	68.5	73.5	69.5
CASITAS RESERVOIR	MAX	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	85.2	87.2	82.7	81.1	68.6	66.7	66.7	70.7	64.6	60.3	74.0	73.2	84.9	90.3	81.8
	AV MIN	51.3	56.5	52.3	47.2	44.4	36.9	34.6	35.8	40.7	37.1	47.1	48.2	56.2	59.9	57.2
	AVG	68.3	71.9	67.5	64.2	56.5	51.8	50.7	53.3	52.7	48.7	60.6	60.7	70.6	75.1	69.5
OJAI	MAX	100	100	103	98	96	79	82	86	85	74	101	92	101	110	101
	MIN	49	50	46	40	33	27	28	30	33	32	37	39	53	57	52
	AV MAX	91.7	92.4	87.7	84.7	70.2	67.3	68.7	74.2	68.1	64.0	78.9	79.0	92.6	96.4	86.2
	AV MIN	54.1	57.8	54.0	48.8	44.5	37.9	36.6	37.5	41.5	38.3	49.3	49.9	57.9	62.3	58.9
	AVG	72.9	75.1	70.9	66.8	57.4	52.6	52.7	55.9	54.8	51.2	64.1	64.5	75.3	79.4	72.6
SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT U03																
ACTON ESCONDIDO CNYN	MAX	96	98	95	86	84	68	76	76	76	64	97	101	102	103	90
	MIN	44	40	35	39	30	25	27	25	24	24	29	28	49	47	44
	AV MAX	88.2	89.8	83.8	74.3M	62.4M	55.5	57.1	62.1	59.2	53.0	71.9	77.5	93.0	94.6	84.6
	AV MIN	52.2	54.4	50.0	47.8M	39.9M	36.7	36.1	36.8	32.9	28.9	43.5	43.5	57.5	59.4	51.9
	AVG	70.2	72.1	66.9	61.1M	51.2M	46.1	46.6	49.5	46.1	41.0	57.7	60.5	75.3	77.0	68.3
ACTON ALISO CANYON	MAX	--	--	--	78	80	--	--	--	70	--	--	--	--	100	--
	MIN	--	--	--	32	26	16	--	--	20	28	--	--	--	46	--
	AV MAX	--	--	--	72.6	60.5	--	--	--	56.2M	--	--	--	--	97.0M	--
	AV MIN	--	--	--	42.0M	41.0	34.1M	--	--	36.0M	32.0M	--	--	--	62.4M	--
	AVG	--	--	--	57.3M	50.8	--	--	--	46.1M	--	--	--	--	79.7M	--
DRY CANYON RESERVOIR	MAX	99	103	103	93	90	77	80	79	82	72	103	98	105	108	100
	MIN	46	50	42	38	33	25	29	28	28	31	34	33	50	55	50
	AV MAX	92.5	94.8	88.3	81.8	68.8	63.2	64.2	68.4	65.8	59.3	77.2	78.7	95.6	98.6	89.6M
	AV MIN	53.4	56.7	50.2	47.2	41.2	37.6	37.4	36.4	38.7	36.4	46.5	47.0	57.4	59.8	55.7M
	AVG	73.0	75.8	69.3	64.5	55.0	50.4	50.8	52.4	52.3	47.9	61.9	62.9	76.5	79.2	72.7M
MOORPARK	MAX	--	--	--	98	98	80	84	85	85	71	100	84	90	100	98
	MIN	--	--	--	38	32	26	31	27	29	31	37	39	47	52	48
	AV MAX	--	--	--	81.9	70.6M	68.3	69.1M	72.0	68.0	62.7	76.4	74.5	84.5	88.2	83.6
	AV MIN	--	--	--	48.4	44.5M	41.6	42.3M	39.3	40.5	38.4	46.1	47.5	54.5	58.6	56.4
	AVG	--	--	--	65.2	57.6M	55.0	55.7M	55.7	54.3	50.6	61.3	61.0	69.5	73.4	70.0
OXNARD	MAX	78	79	84	93	96	76	79	80	71	67	97	71	84	82	85
	MIN	48	51	48	44	40	33	35	38	35	35	42	43	54	55	55
	AV MAX	72.5	75.5	74.9	75.5	68.7	66.9	66.1	69.5	64.4	62.0	70.2	68.1	73.8	75.9	76.3
	AV MIN	53.6	57.9	55.9	52.3	48.3	43.7	42.4	42.9	44.9	40.8	49.5	51.4	56.9	59.7	59.5
	AVG	63.1	66.7	65.4	63.9	58.5	55.3	54.3	56.2	54.7	51.4	59.9	59.8	65.4	67.8	67.9
PYRAMID RESERVOIR	MAX	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	--	--	--	--	--	--	--	--	--	--	--	RB	94.0	96.0	86.0
	AV MIN	--	--	--	--	--	--	--	--	--	--	--	--	58.0	58.0	54.0
	AVG	--	--	--	--	--	--	--	--	--	--	--	--	76.0	77.0	70.0
SANDBERG WB	MAX	91	96	90	79	74	61	66	64	71	58	86	94	95	98	84
	MIN	50	45	40	36	30	22	24	25	21	22	30	30	57	57	49
	AV MAX	82.8	86.2	77.6	68.8	54.9	47.8	49.2	54.0	49.8	41.9	63.5	71.8	86.4	89.1	75.7
	AV MIN	62.0	65.0	58.0	51.6	42.3	36.2	35.9	38.9	34.6	27.7	45.5	49.3	64.9	66.5	57.1
	AVG	72.4	75.6	67.8	60.2	48.6	42.0	42.6	46.5	42.2	34.8	54.5	60.6	75.7	77.8	66.4
SAN FRANCISQUITO 2	MAX	98	102	100	93	91	73	80	77	81	72	105	101	107	108	100
	MIN	52	52	45	39	34	26	32	30	31	33	34	38	54	56	0
	AV MAX	92.7	94.8	87.8	81.5	68.4	62.4	63.7	67.9	65.5	58.1	78.5	79.5	97.6	99.1	86.3
	AV MIN	57.5	60.3	54.1	49.7	43.1	40.5	40.5	37.9	40.3	37.3	48.3	50.0	61.1	64.3	56.3
	AVG	75.1	77.6	71.0	65.6	55.8	51.5	52.1	52.9	52.9	47.7	63.4	64.8	79.4	81.7	71.3
SANTA PAULA	MAX	83	90	96	96	94	80	--	85	86	70	101	80	90	93	95
	MIN	42	50	47	39	37	29	--	36	33	34	41	41	53	55	54
	AV MAX	79.1M	82.1	80.7M	81.1M	71.6M	68.7M	--	74.6M	68.5	64.7	75.7M	73.6	81.1	84.6	80.7
	AV MIN	50.8M	57.4	54.3M	52.7M	47.2M	42.9M	--	42.4M	43.5	38.8	49.6M	50.3	57.1	60.0	59.1
	AVG	65.0M	69.8	67.5M	66.9M	59.4M	55.8M	--	58.5M	58.0	51.8	62.7M	62.0	69.1	72.3	69.9
SAUGUS EDISON STA	MAX	--	108	105	96	94	79	85	86	86	76	106	102	107	112	100
	MIN	--	50	40	33	30	21	26	23	29	30	33	35	51	55	47
	AV MAX	--	98.0	93.0	85.3	71.5	66.3	67.5	74.2	69.7	63.4	82.1	83.1	99.3	102.1	88.4
	AV MIN	--	57.7	51.3	45.4	41.8	36.2	34.3	33.7	40.1	36.5	46.8	48.1	58.1	61.8	55.4
	AVG	--	77.9	72.2	65.4	56.7	51.3	50.9	54.0	54.9	50.0	64.5	65.6	78.7	82.0	71.9

See page 43 for key to terms & abbreviations

TABLE A-3
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LOS ANGELES DRAINAGE PROVINCE U																
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																
ALDER CRK PARADISE	MAX	93	96	95	88	86	--	76	78	78	64	93	90	96	--	--
	MIN	50	48	47	46	38	--	35	34	34	32	38	38	53	--	--
	AV MAX	86.1	87.8	81.5	77.7	56.6M	--	62.0	66.9	60.2M	54.8M	72.5M	72.9	87.8M	--	--
	AV MIN	59.8	61.4	57.5	54.0	46.8M	--	42.0	43.6	41.2M	35.9M	52.6M	50.0	62.0M	--	--
	AVG	73.0	74.6	69.5	65.9	51.7M	--	52.0	55.3	50.7M	45.4M	62.6M	61.5	74.9M	--	--
ARCADIA ARBORETUM	MAX	93	93	98	100	102	83	80	89	89	76	101	91	96	109	101
	MIN	56	61	54	41	33	30	32	33	32	41	42	47	59	67	64
	AV MAX	87.0	88.9	84.9	83.3	69.3	66.5	66.3	73.0	68.3	64.8	77.5	77.4	91.2	97.7	89.8
	AV MIN	61.5M	65.4	62.0	52.1	44.2	40.0	38.1	39.2	46.9	45.4	54.8	56.7	64.2	70.8	69.6
	AVG	74.3M	77.2	73.5	67.7	56.8	53.3	52.2	56.1	57.6	55.1	66.2	67.1	77.7	84.3	79.7
ASCOT COVERED RES	MAX	90	92	95	93	97	80	79	83	85	72	99	86	91	101	99
	MIN	53	56	52	49	42	36	39	40	38	37	42	46	56	60	55
	AV MAX	84.0	86.1	81.9	79.0	69.6	67.2	68.0	71.5	67.6	62.0	75.2	72.5	84.8	87.5	83.5
	AV MIN	57.8	61.6	58.0	55.9	50.1	46.3	44.6	45.7	46.6	42.8	52.5	53.1	60.1	63.9	62.3
	AVG	70.9	73.9	70.0	67.5	59.9	56.8	56.3	58.6	57.1	52.4	63.9	62.8	72.5	75.7	72.9
AZUSA CITY PARK	MAX	--	96	99	97	86	80	80	87	86	76	100	91	95	106	94
	MIN	--	53	46	43	35	30	32	35	32	34	40	43	52	56	55
	AV MAX	--	89.8	86.9	82.7	69.8	67.6	68.6	73.4	67.8	63.1	76.3	76.5	89.7	93.5	84.7
	AV MIN	--	58.2	55.9	51.5	45.7	40.8	39.7	41.4	43.4	38.8	49.3	50.8	57.6	62.0	59.7
	AVG	--	74.0	71.4	67.1	57.8	54.2	54.2	57.4	55.6	51.0	62.8	63.7	73.7	77.8	72.2
BIG DALTON DAM	MAX	97	97	99	96	98	79	83	84	87	74	101	90	97	106	94
	MIN	50	50	48	48	38	34	37	37	34	35	37	43	56	57	55
	AV MAX	89.5M	90.9	87.5	82.2	70.4	65.9	67.1	73.3	67.2	60.8	77.7	75.4	91.5	94.2	85.1
	AV MIN	59.6M	61.6	58.1	56.6	48.9	44.9	43.4	47.0	44.9	40.1	51.7	51.8	61.4	65.9	60.5
	AVG	74.6M	76.3	72.8	69.4	59.7	55.4	55.3	60.2	56.1	50.5	64.7	63.6	76.5	80.1	72.8
BIG SANTA ANITA DAM	MAX	90	96	94	92	92	78	78	82	82	80	100	87	92	102	93
	MIN	51	55	52	50	42	38	40	40	37	35	42	44	52	56	56
	AV MAX	84.3	86.3	82.9	78.4	67.6	64.7	64.6	69.6	64.0	66.6	73.3	72.5	87.2	90.8	81.9
	AV MIN	60.8	63.5	60.0	58.7	51.9	48.0	47.1	48.8	47.5	40.4	53.0	52.1	61.2	66.0	61.2
	AVG	72.6	74.9	71.5	68.6	59.8	56.4	55.9	59.2	55.8	53.5	63.2	62.3	74.2	78.4	71.6
BIG TUJUNGA DAM	MAX	100	103	100	94	93	79	84	83	86	71	101	99	106	125	99
	MIN	55	56	48	44	37	30	33	32	31	32	39	40	51	56	50
	AV MAX	93.4	94.6	88.8	82.4	69.8	65.8	67.2	70.8	64.8	57.6	76.0	79.3	96.0	100.1	86.8
	AV MIN	62.5	65.3	59.6	55.5	47.0	42.7	42.8	44.3	42.4	37.7	51.1	52.8	64.7	69.8	61.7
	AVG	78.0	80.0	74.2	69.0	58.4	54.3	55.0	57.6	53.6	47.7	63.6	66.1	80.4	85.0	74.3
BURBANK VLY PMP PLT	MAX	--	--	--	96	97	78	81	87	88	75	100	90	97	109	99
	MIN	--	--	--	44	37	31	32	36	36	37	40	43	57	61	58
	AV MAX	--	--	--	83.9	70.8	67.2	67.8	74.9	69.4	64.8	79.5	78.7	91.6	95.0	86.0
	AV MIN	--	--	--	52.7	47.1	41.5	39.0	42.5	46.6	42.1	52.9	53.2	61.9	65.5	63.4
	AVG	--	--	--	68.3	59.0	54.4	53.4	58.7	58.0	53.5	66.2	66.0	76.8	80.3	74.7
CANOGA PARK PIERCE C	MAX	101	104	104	96	93	78	84	86	87	76	100	96	102	109	96
	MIN	48	52	41	40	33	32	29	32	31	33	37	38	53	57	55
	AV MAX	94.1	95.1	90.0	85.2	71.6	67.4	68.5	75.6	69.7	64.5	80.4	81.2	95.1	98.4	87.7
	AV MIN	55.4	59.7	55.5	49.4	45.0	40.2	38.4	40.0	42.3	38.1	49.0	50.6	59.3	62.9	60.6
	AVG	74.8	77.4	72.8	67.3	58.3	53.8	53.5	57.8	56.0	51.3	64.7	65.9	77.2	80.7	74.2
CHATSORTH RESERVOIR	MAX	102	105	105	99	97	84	84	87	86	75	100	96	103	108	97
	MIN	52	56	35	40	39	37	36	37	36	37	43	43	55	61	58
	AV MAX	96.0	97.3	91.6	87.3	72.8	69.4	69.4	75.6	69.7	62.3	77.8	79.9	95.0	97.5M	87.6
	AV MIN	60.0	61.4	56.0	53.4	48.0	43.8	42.8	44.2	44.2	41.6	52.7	52.5	61.2	65.2M	62.7
	AVG	78.0	79.4	73.8	70.4	60.4	56.6	56.1	59.9	57.0	52.0	65.3	66.2	78.1	81.4M	75.2
CULVER CITY	MAX	82	86	87	94	100	80	82	89	82	69	97	76	--	98	93
	MIN	56	59	54	50	44	35	37	41	41	41	45	47	--	63	61
	AV MAX	76.4	79.4M	78.1M	78.6	71.6M	70.4M	67.7M	73.1M	67.2	63.7M	73.1M	69.8M	--	84.9M	80.6
	AV MIN	59.7	63.4M	60.8M	56.2	52.5M	47.6M	45.0M	46.7M	49.5	45.8M	53.6M	54.9M	--	65.9M	64.8
	AVG	68.1	71.4M	69.5M	67.4	62.1M	59.0M	56.4M	59.9M	58.4	54.8M	63.4M	62.4M	--	75.4M	72.7
COGSWELL DAM	MAX	99	102	99	90	89	69	75	79	80	70	100	98	104	105	93
	MIN	46	48	44	38	30	25	29	29	28	30	36	37	50	56	50
	AV MAX	91.8	93.5	86.6	78.8	66.4	60.9	62.6	68.3	62.9	57.0	73.8	79.0	95.7	97.2	85.3
	AV MIN	55.9	57.8	54.0	49.2	42.0	36.6	35.3	36.1	39.2	35.0	47.6	49.0	59.5	63.5	57.5
	AVG	73.9	75.7	70.3	64.0	54.2	48.8	49.0	52.2	51.1	46.0	60.7	64.0	77.6	80.4	71.4
COLDWATER CANYON	MAX	93	96	99	90	88	72	--	--	--	--	--	98	106	103	93
	MIN	45	41	39	36	28	24	--	--	--	--	--	32	51	47	46
	AV MAX	86.2	87.9	85.6	77.4	66.7	60.0	--	--	--	--	--	77.1	94.6	96.3	84.4
	AV MIN	55.2	57.2	52.8	46.0	39.3	36.5	--	--	--	--	--	43.9	59.4	59.7	52.9
	AVG	70.7	72.6	69.2	61.7	53.0	48.3	--	--	--	--	--	60.5	77.0	78.0	68.7
EAGLE ROCK RES	MAX	92	97	97	94	94	78	80	85	86	73	100	88	93	103	98
	MIN	54	55	52	48	44	32	40	40	40	38	44	46	56	60	58
	AV MAX	87.7	89.8	84.2	80.3	69.3	65.6	66.6	72.5	66.3	61.0	76.2	75.4	88.7	92.3	84.5
	AV MIN	59.3	61.5	59.1	57.2	51.5	46.5	45.0	47.1	46.6	42.7	52.1	53.5	60.7	64.7	62.3
	AVG	73.5	75.7	71.7	68.8	60.4	56.1	55.8	59.8	56.5	51.9	64.2	64.5	74.7	78.5	73.4
EL CABALLERO CON CLU	MAX	112	118	119	108	108	84	88	95	94	85	111	107	113	116	93
	MIN	51	52	45	42	36	29	32	33	32	33	38	41	51	57	55
	AV MAX	104.1	106.0	100.6	96.8	77.1	71.0	72.0	81.5	73.4	68.8	85.7	88.0	96.6	96.7	84.4
	AV MIN	56.6	60.7	55.0	49.5	44.3	41.1	38.7	40.7	42.8	39.0	49.6	51.1	58.9	61.6	59.3
	AVG	80.4	83.4	77.8	73.2	60.7	56.1	55.4	61.1	58.1	53.9	67.7	69.6	77.8	79.2	71.9

See page 43 for key to terms & abbreviations

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LOS ANGELES DRAINAGE PROVINCE U																
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																
EL SEGUNDO	MAX	75	78	76	84	93	74	74	75	69	62	86	70	78	82	86
	MIN	61	64	61	57	50	47	47	50	48	48	52	57	62	66	66
	AV MAX	70.5	73.8	72.0	72.3	67.0	64.8	62.0	65.1	61.5	59.0	66.5	67.3	71.1	74.2	73.8
	AV MIN	64.2	66.9	65.1	62.9	58.0	53.9	51.9	52.9	53.7	50.3	59.0	61.5	65.6	68.7	68.1
	AVG	67.4	70.4	68.6	67.6	62.5	59.4	57.0	59.0	57.6	54.7	62.8	64.4	68.4	71.5	71.0
ENCINO RESERVOIR	MAX	101	104	104	98	97	78	84	85	87	72	102	98	100	111	96
	MIN	57	58	54	49	45	42	43	40	42	40	46	45	57	60	59
	AV MAX	91.2	92.7	87.8	84.3	70.4	67.2	68.2	73.3	66.1	60.2	75.9	77.8	93.0	96.8	85.5
	AV MIN	61.6	63.8	60.6	58.7	52.3	49.5	47.5	48.9	48.4	44.2	54.9	54.5	63.2	67.6	64.3
	AVG	76.4	78.3	74.2	71.5	61.4	58.4	57.9	61.1	57.3	52.2	65.4	66.2	78.1	82.2	74.9
GLENDALE-JONES	MAX	92	92	93	88	90	72	73	82	82	76	92	87	92	98	94
	MIN	56	60	52	49	42	36	38	40	40	41	48	46	59	63	60
	AV MAX	88.1M	88.2M	83.2	79.0M	68.6	65.6	66.5	72.4M	69.3M	66.0M	79.6M	77.2	88.1	89.9	82.8M
	AV MIN	61.9M	64.9M	60.6	56.4M	50.8	45.7	44.0	44.9M	48.2M	45.2M	56.0M	56.2	64.2	67.8	65.6M
	AVG	75.0M	76.6M	71.9	67.7M	59.7	55.7	55.3	58.7M	58.8M	55.6M	67.8M	66.7	76.2	78.9	74.2M
HENNINGER FLATS	MAX	91	93	95	89	89	74	75	80	80	66	94	86	96	102	89
	MIN	52	49	48	46	29	32	33	35	32	32	38	40	53	56	50
	AV MAX	83.7	84.7	80.9	75.5	65.0	62.1	61.6	66.6	60.0	54.0	70.3	69.1	86.9	90.1	80.2
	AV MIN	58.8	60.8	56.5	54.2	45.4	42.6	41.9	43.1	41.9	36.3	49.0	51.1	62.9	66.0	58.9
	AVG	71.3	72.8	68.7	64.9	55.2	52.4	51.8	54.9	51.0	45.2	59.7	60.1	74.9	78.1	69.6
HILLCREST COUNTRY CB	MAX	89	96	88	102	100	70	--	82	78	70	102	89	94	98	93
	MIN	56	56	50	40	52	28	--	32	40	38	40	49	49	57	57
	AV MAX	86.3	89.9	84.7	89.2	75.1M	67.1	--	72.3	69.9	65.7	84.7	78.7M	86.1	93.3	85.6M
	AV MIN	58.1	59.1	54.0	53.4	55.1M	42.6	--	41.3	48.9	45.7	53.4	51.7M	54.8	61.6	60.7
	AVG	72.2	74.5	69.4	71.3	65.1M	54.9	--	56.8	59.4	55.7	69.1	65.2M	70.5	77.5	73.2M
INGLEWOOD FS	MAX	80	88	86	92	98	78	77	85	77	--	96	78	88	93	92
	MIN	57	59	54	51	47	37	37	42	43	--	47	48	58	62	62
	AV MAX	76.5	78.8	76.7	76.4	68.8	66.1	63.9	70.3	64.9	--	70.8	69.0	76.1	80.0	77.1
	AV MIN	60.5	63.4	61.2	58.1	52.2	46.4	45.1	47.2	50.3	--	53.9	55.8	61.4	65.6	64.7
	AVG	68.5	71.1	69.0	67.3	60.5	56.3	54.5	58.8	57.6	--	62.4	62.4	68.8	72.8	70.9
LA CRESC GREG 0.9ENE	MAX	--	--	100	94	96	78	81	87	91	74	98	93	101	108	97
	MIN	--	--	53	51	41	37	39	41	38	37	44	44	58	60	57
	AV MAX	--	--	87.5	82.3	69.0	65.3	66.5	73.8	66.8	61.0	76.6	77.3	94.6	96.7	84.8
	AV MIN	--	--	61.0	59.3	50.8	46.8	46.5	49.0	47.1	41.4	54.0	53.8	64.8	68.3	61.6
	AVG	--	--	74.3	70.8	59.9	56.1	56.5	61.4	57.0	51.2	65.3	65.6	79.7	82.5	73.2
LA FRESA S C E CO	MAX	88	88	88	97	100	81	80	87	78	72	99	78	91	96	96
	MIN	53	58	51	47	39	33	33	36	39	40	46	46	12	62	50
	AV MAX	79.1M	81.0	78.7	78.6	71.3M	68.9M	67.4M	73.1	67.8	64.4M	74.6M	71.7	79.8M	81.8	80.3M
	AV MIN	59.6M	63.7	60.2	55.1	52.7M	44.3M	42.1M	43.9	47.6	44.7M	53.5M	57.8	59.0M	65.1	63.9M
	AVG	69.4M	72.4	69.5	66.9	62.0M	56.6M	54.8M	58.5	57.7	54.6M	64.1M	64.8	69.4M	73.5	72.1M
LA MIRADA	MAX	94	95	100	96	99	80	81	88	87	75	103	91	97	103	98
	MIN	52	56	49	43	39	33	32	36	35	38	44	45	57	61	57
	AV MAX	87.9	88.9	85.5	83.2M	71.7	69.3	68.7	75.4	70.8	66.6	78.5	78.0	87.8	91.7	84.3
	AV MIN	59.3	62.5	58.0	52.4M	48.2	41.4	40.2	41.4	46.1	43.2	53.6	55.6	62.4	65.4	63.4
	AVG	73.6	75.7	71.8	67.8M	60.0	55.4	54.5	58.4	58.5	54.9	66.1	66.8	75.1	78.6	73.9
LONG BEACH	MAX	89	93	95	95	98	79	80	86	83	74	99	83	94	99	96
	MIN	56	60	55	53	45	39	42	44	44	45	48	51	59	65	63
	AV MAX	82.7	84.0	81.3	80.2	70.9	67.4	66.8	71.5	67.7	64.2	73.6	73.1	80.7	86.4	80.0
	AV MIN	61.9	65.0	61.4	57.6	53.5	49.1	47.6	48.8	51.3	48.2	55.8	57.7	63.1	67.0	66.3
	AVG	72.3	74.5	71.4	68.9	62.2	58.3	57.2	60.2	59.5	56.2	64.7	65.4	71.9	76.7	73.2
LONG BEACH WB AP	MAX	91	92	99	97	101	77	78	84	83	73	103	85	97	105	100
	MIN	56	60	53	50	41	34	35	38	38	39	42	47	61	66	62
	AV MAX	84.8	86.5	83.1	81.5	71.1	67.1	66.1	71.4	67.7	64.7	76.0	74.2	85.2	90.3	82.5
	AV MIN	62.4	66.0	61.7	56.8	51.8	45.4	43.1	43.6	48.5	44.4	54.5	56.3	65.5	69.8	68.5
	AVG	73.6	76.3	72.4	69.2	61.5	56.3	54.6	57.5	58.1	54.6	65.3	65.3	75.4	80.1	75.5
LA CITY COLLEGE	MAX	88	90	94	95	98	83	81	87	86	73	100	81	90	100	96
	MIN	57	58	53	52	44	37	39	41	41	39	47	47	57	61	61
	AV MAX	81.7	83.8	81.4	80.5	71.9	69.3	69.3	73.7	67.4	62.2	74.3	71.8	82.1	86.2	82.3
	AV MIN	60.7	63.9	61.0	58.2	52.8	48.0	45.1	47.1	49.3	44.6	54.8	54.7	61.8	66.0	65.2
	AVG	71.2	73.9	71.2	69.4	62.4	58.7	57.2	60.4	58.4	53.4	64.6	63.3	72.0	76.1	73.8
LOS ANGELES WB AP	MAX	79	83	83	93	101	76	79	84	76	70	96	72	88	91	90
	MIN	58	62	55	55	45	40	41	44	44	45	48	50	60	64	64
	AV MAX	75.0	78.3	76.1	77.8	70.1	66.4	64.9	69.9	65.7	62.9	71.6	68.4	75.3	78.7	77.3
	AV MIN	61.4	65.5	63.0	61.1	54.9	48.6	48.2	49.2	52.8	49.1	57.0	57.3	63.3	66.9	66.6
	AVG	68.2	71.9	69.6	69.5	62.5	57.5	56.6	59.6	59.3	56.0	64.3	62.9	69.3	72.8	72.0
L. A. CIVIC CENTER	MAX	91	92	96	95	100	83	80	87	88	74	102	85	92	103	100
	MIN	61	63	57	52	46	42	40	45	43	44	49	51	62	66	65
	AV MAX	84.4	86.1	82.4	81.0	71.9	69.8	69.5	74.8	69.0	63.9	76.5	74.1	85.5	88.5	82.5
	AV MIN	64.3	67.1	64.3	61.4	55.3	51.5	48.8	50.9	52.9	48.3	58.1	58.4	65.8	69.9	67.8
	AVG	74.4	76.6	73.4	71.2	63.6	60.7	59.2	62.9	61.0	56.1	67.3	66.3	75.7	79.2	75.2
LOWER FRANKLIN RES	MAX	84	88	93	92	97	78	80	85	83	68	96	79	88	98	95
	MIN	49	56	53	48	42	37	36	40	42	38	44	46	55	59	59
	AV MAX	79.4	81.5	79.6	78.0	68.5	67.7	67.2	70.3	65.1	60.6	71.9	69.8	80.5	83.8	78.1
	AV MIN	58.1	62.1	58.7	55.6	50.7	47.6	43.5	45.5	48.0	42.8	52.4	52.7	60.6	64.8	63.0
	AVG	68.8	71.8	69.2	66.8	59.6	57.7	55.4	57.9	56.6	51.7	62.2	61.3	70.6	74.3	70.6

See page 43 for key to terms & abbreviations

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LOS ANGELES DRAINAGE PROVINCE U																
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																
MONTANA RANCH	MAX	90	92	95	93	96	78	78	85	82	75	101	88	94	106	102
	MIN	58	60	54	50	42	37	39	41	42	44	43	50	60	64	62
	AV MAX	85.4	86.7	82.5	80.7	71.3	67.8	67.0	72.9	70.1	66.5	77.2	76.7	85.6	93.3	88.7
	AV MIN	63.1	65.6	61.6	56.0	51.6	45.9	44.9	46.0	50.7	47.3	56.7	58.4	64.8	67.9	67.0
	AVG	74.3	76.2	72.1	68.4	61.5	56.9	56.0	59.5	60.4	56.9	67.0	67.6	75.2	80.6	77.9
MT WILSON FC 3388	MAX	85	88	85	77	75	67	67	72	69	55	86	89	91	89	79
	MIN	49	39	36	35	27	22	24	26	22	20	32	30	54	59	46
	AV MAX	77.9	82.1	75.0	68.6	56.1	53.1	54.3	57.9	51.9	42.3	63.2	68.8	82.5	84.0	74.0
	AV MIN	57.8	58.8	50.7	46.9	42.0	39.0	39.5	39.9	35.9	27.8	47.3	50.9	64.5	65.5	55.4
	AVG	67.9	70.5	62.9	57.8	49.1	46.1	46.9	48.9	43.9	35.1	55.3	59.9	73.5	74.8	64.7
OPIDS CAMP FC 578E	MAX	94	99	91	78	75	61	65	68	71	61	93	99	97	99	86
	MIN	52	44	46	40	30	28	31	30	29	25	33	35	52	58	52
	AV MAX	87.7	88.6	81.5	70.8	56.3	51.6	53.3	58.6	55.7	48.4	70.5	75.4	90.1	91.0	79.8
	AV MIN	60.7	63.3	56.9	51.4	41.1	38.9	39.4	40.5	38.2	31.9	47.9	51.2	64.9	67.3	59.0
	AVG	74.2	76.0	69.2	61.1	48.7	45.3	46.4	49.6	47.0	40.2	59.2	63.3	77.5	79.2	69.4
PACOIMA DAM FC 33A E	MAX	100	101	102	96	94	82	84	88	88	73	103	97	100	108	94
	MIN	53	55	52	50	43	39	42	42	38	38	44	45	50	58	54
	AV MAX	91.7	91.7	88.0	82.5	69.0	65.7	67.5	73.3	65.4	59.2	77.7	77.7	93.9	96.2	83.6
	AV MIN	63.1	63.3	62.2	60.7	53.3	51.8	51.9	53.6	48.6	43.2	56.3	54.3	64.3	68.6	62.1
	AVG	77.4	77.5	75.1	71.6	61.2	58.8	59.7	63.5	57.0	51.2	67.0	66.0	79.1	82.4	72.9
PASADENA	MAX	94	97	98	97	97	82	83	87	88	75	100	89	95	104	97
	MIN	55	56	51	46	40	35	37	40	37	38	42	44	57	62	59
	AV MAX	88.2	90.2	87.6	83.5	72.0	68.8	69.5	75.9	69.3	64.1	78.1	76.6	89.7	93.4	86.3
	AV MIN	60.2	62.8	59.5	54.9	49.3	44.7	42.9	45.2	47.5	43.1	53.7	54.3	62.5	67.0	64.1
	AVG	74.2	76.5	73.6	69.2	60.7	56.8	56.2	60.6	58.4	53.6	65.9	65.5	76.1	80.2	75.2
POMONA	MAX	99	101	103	99	97	80	84	88	88	75	100	93	99	109	99
	MIN	48	55	46	41	36	29	30	32	33	36	38	41	56	60	57
	AV MAX	92.8	94.4	90.9	85.7	72.9	68.1	69.5	75.4	70.1	64.3	78.4	79.5	93.4	97.4	88.3
	AV MIN	57.7	62.1	57.5	51.5	46.9	40.1	38.6	39.2	44.9	40.4	50.4	52.8	61.2	65.1	63.7
	AVG	75.3	78.3	74.2	68.6	59.9	54.1	54.1	57.3	57.5	52.4	64.4	66.2	77.3	81.3	76.0
PUDDINGSTONE DAM	MAX	98	101	102	97	93	77	80	83	87	73	104	92	97	108	97
	MIN	52	54	42	44	37	32	33	35	34	35	39	41	53	56	54
	AV MAX	92.5	94.4	88.1	83.0	69.9	64.8	66.0	71.3	66.7	60.9	76.7	76.9	91.7	94.6	84.3
	AV MIN	57.0	59.4	56.3	51.7	47.5	42.2	39.9	41.3	44.0	39.4	49.4	50.6	58.1	62.1	60.4
	AVG	74.8	76.9	72.2	67.4	58.7	53.5	53.0	56.3	55.4	50.2	63.1	63.8	74.9	78.4	72.4
RIO MONDO SPREAD GRN	MAX	--	98	99	98	--	--	78	83	86	78	101	84	92	99	99
	MIN	--	55	49	44	--	--	32	40	38	40	43	46	53	60	60
	AV MAX	--	90.4M	84.6M	82.8M	--	--	66.6M	70.7	68.6M	63.8M	76.2M	72.0M	84.9M	88.1	82.4
	AV MIN	--	61.0M	56.6M	53.3M	--	--	41.0M	44.5	47.1M	43.6M	53.5M	54.2M	60.2M	64.2	63.7
	AVG	--	75.7M	70.6M	68.1M	--	--	53.8M	57.6	57.9M	53.7M	64.9M	63.1M	72.6M	76.2	73.1
SAN DIMAS DAM	MAX	101	102	102	95	94	77	82	85	87	76	100	96	104	108	98
	MIN	50	52	49	48	40	36	38	37	36	36	42	44	52	56	54
	AV MAX	94.4	94.4	91.3	83.7	69.3	64.7	65.7	72.9	68.3	63.3	79.1	80.3	94.6	98.4	86.7
	AV MIN	60.3	62.8	59.5	56.8	49.4	45.7	44.4	46.3	46.0	41.1	51.0	53.9	60.6	66.8	61.6
	AVG	77.4	78.6	75.4	70.3	59.4	55.2	55.1	59.6	57.2	52.2	65.1	67.1	77.6	82.6	74.2
SAN FERNANDO	MAX	98	102	104	98	97	76	85	85	88	73	101	95	100	110	96
	MIN	51	53	48	44	35	36	35	38	36	35	44	42	55	59	55
	AV MAX	91.5	93.3	89.3	84.8	72.0	66.8	68.8	74.8	69.3	64.0	79.9	80.6	94.4	97.7	87.4
	AV MIN	56.9	60.6	56.3	54.2	48.6	49.1	46.7	48.5	45.8	41.3	53.5	51.7	60.8	65.1	61.6
	AVG	74.2	77.0	72.8	69.5	60.3	58.0	57.8	61.7	57.6	52.7	66.7	66.2	77.6	81.4	74.5
SAN FERNANDO VET MOS	MAX	102	104	104	96	96	80	84	86	88	76	104	100	103	110	98
	MIN	52	54	50	50	42	38	40	40	38	34	42	42	53	50	56
	AV MAX	95.9	97.0M	92.6	83.9	70.9	65.9	67.5	74.7	68.8	63.4	80.2	81.2	96.9	99.3	87.0
	AV MIN	62.5	63.2M	59.4	59.9	52.5	49.2	48.1	50.4	46.6	41.0	53.7	52.9	60.7	65.8	61.3
	AVG	79.2	80.1M	76.0	71.9	61.7	57.6	57.8	62.6	57.7	52.2	67.0	67.1	78.8	82.6	74.2
SAN GABRIEL DAM	MAX	98	96	--	94	94	77	80	82	84	72	98	90	97	104	96
	MIN	54	57	--	49	39	33	37	37	36	36	41	44	57	57	53
	AV MAX	88.4	89.7	--	80.5	68.6	65.0M	65.6	70.6	64.3	58.5	74.1	74.9	90.0	93.3	83.3
	AV MIN	61.4	64.0	--	55.7	48.3	43.8	42.5	44.8	45.2	41.6	52.5	54.0	63.6	67.1	60.8
	AVG	74.9	76.9	--	68.1	58.5	54.4M	54.1	57.7	54.8	50.1	63.3	64.5	76.8	80.2	72.1
SAN GABRIEL FIRE DPT	MAX	94	95	98	97	96	81	80	88	89	76	101	90	94	104	98
	MIN	50	56	47	44	38	31	34	35	36	38	41	44	57	61	59
	AV MAX	88.9	90.2	87.4	84.0	72.4	69.1	69.6	75.5	70.3	65.8	78.9	77.4	89.5M	92.8	86.0
	AV MIN	58.6	62.5	58.3	53.5	47.9	42.8	41.2	42.3	47.3	42.5	52.9	54.3	62.2M	66.0	64.3
	AVG	73.8	76.4	72.9	68.8	60.2	56.0	55.4	58.9	58.8	54.2	65.9	65.9	75.9M	79.4	75.2
SAN PEDRO RES	MAX	87	88	94	94	98	78	78	82	84	71	100	83	90	101	96
	MIN	58	0	58	56	44	42	42	42	45	42	50	53	59	65	63
	AV MAX	81.8	82.3	79.3	79.1	69.0	65.9	66.2	70.9	65.1	60.6	72.9	70.8	80.5	85.2	78.7
	AV MIN	62.0	63.6	61.8	60.1	54.8	50.9	48.1	49.6	51.8	48.3	57.0	57.9	63.5	67.3	66.2
	AVG	71.9	73.0	70.6	69.6	61.9	58.4	57.2	60.3	58.5	54.5	65.0	64.4	72.0	76.3	72.5
SANTA ANITA FERN LGE	MAX	91	91	90	92	94	68	73	77	8						

See page 43 for key to terms & abbreviations

TABLE A-3
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LOS ANGELES DRAINAGE PROVINCE U																
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																
SANTA MONICA PIER	MAX	73	74	80	85	100	78	79	75	78	62	78	65	75	79	84
	MIN	58	61	57	56	48	42	43	40	45	44	47	51	56	63	57
	AV MAX	68.5	71.2	71.1	71.5	68.3	67.4	64.7	67.3	62.5	58.0	64.6	62.9	68.2	73.1	72.9
	AV MIN	61.1	65.2	62.2	59.8	55.5	51.8	49.3	50.5	52.1	48.1	55.7	56.0	60.8	66.1	64.8
	AVG	64.8	68.2	66.7	65.7	61.9	59.6	57.0	58.9	57.3	53.1	60.2	59.5	64.5	69.6	68.9
SIERRA MADRE PUMP ST	MAX	95	98	98	97	97	80	81	87	87	75	101	90	96	105	96
	MIN	53	57	50	47	40	35	39	39	38	37	44	44	57	61	56
	AV MAX	89.7	90.9	86.2	82.8	70.7	67.8	67.8	73.9	67.8	63.2	80.3M	76.4	90.5	93.6	85.0
	AV MIN	59.2	62.0	58.2	55.5	50.3	44.7	43.2	45.6	46.8	42.6	53.0M	54.2	61.9	65.9	62.7
	AVG	74.5	76.5	72.2	69.2	60.5	56.3	55.5	59.8	57.3	52.9	66.7M	65.3	76.2	79.8	73.9
SILVER LAKE RES	MAX	88	88	93	95	96	82	82	88	86	70	98	82	88	97	94
	MIN	56	60	52	48	42	35	38	42	40	40	43	46	56	62	60
	AV MAX	80.7	82.7	80.2	79.3	70.0	68.3	68.7	73.9	65.6	60.7	73.2	70.9	81.5	84.2	80.0
	AV MIN	60.2	63.8	59.5	56.0	50.7	45.7	43.3	45.4	46.7	44.4	53.8	55.4	62.1	66.2	64.2
	AVG	70.5	73.3	69.9	67.7	60.4	57.0	56.0	59.7	56.2	52.6	63.5	63.2	71.8	75.2	72.1
TANBARK FLATS	MAX	99	99	102	92	92	--	--	80	83	--	--	95	102	106	98
	MIN	40	48	44	39	33	--	--	32	29	--	--	37	52	57	50
	AV MAX	89.5M	91.7	87.5M	79.4M	69.9M	--	--	68.9M	67.4M	--	--	76.0M	92.0M	95.1M	85.8M
	AV MIN	55.2M	60.9	56.7M	51.0M	44.9M	--	--	40.1M	40.5M	--	--	48.7M	61.3M	65.6M	57.6M
	AVG	72.4M	76.3	72.1M	65.2M	57.4M	--	--	54.5M	54.0M	--	--	62.4M	76.7M	80.4M	71.7M
TORRANCE	MAX	84	88	88	94	98	77	78	83	78	70	95	76	88	96	94
	MIN	52	57	52	49	41	36	38	40	37	40	44	46	56	61	60
	AV MAX	78.3	80.5	77.8M	78.2	69.4	67.1	65.5	71.8	66.5	62.8	72.9	70.3	78.0	82.6	79.7
	AV MIN	59.1	62.9	59.9M	56.2	51.8	45.9	44.7	45.3	46.8	42.5M	52.0	54.7M	61.5	65.7	64.6
	AVG	68.7	71.7	68.9M	67.2	60.6	56.5	55.1	58.6	56.7	52.7M	62.5	62.5M	69.8	74.2	72.2
U C L A	MAX	79	83	83	86	94	74	74	79	78	67	92	77	84	98	98
	MIN	60	62	60	55	52	42	46	48	47	45	50	52	58	63	63
	AV MAX	74.9	76.4	75.0	74.7	68.6	64.6	64.6	69.8	65.1	61.4	72.3	69.9	77.7	81.3	78.7
	AV MIN	62.9	66.1	64.1	62.6	57.5	54.6	52.6	54.6	52.8	48.8	58.7	56.7	62.1	67.2	66.1
	AVG	68.9	71.3	69.6	68.7	63.1	59.6	58.6	62.2	59.0	55.1	65.5	63.3	69.9	74.3	72.4
UPPER FRANKLIN RES	MAX	93	94	96	92	93	74	74	82	84	74	102	88	95	104	96
	MIN	50	52	48	38	36	32	32	34	34	34	38	42	52	58	56
	AV MAX	86.7	86.9	82.9	79.2	66.4	64.1	64.0	70.6	65.9	61.9	76.9M	76.7	88.1	90.7	81.8
	AV MIN	55.1	59.2	55.8	51.1	46.3	42.9	40.1	41.9	44.0	40.0	49.6M	51.1	58.0	62.4	62.5
	AVG	70.9	73.1	69.4	65.2	56.4	53.5	52.1	56.3	55.0	51.0	63.3M	63.9	73.1	76.6	72.2
VAN NUYS FC 158	MAX	100	--	104	--	--	--	82	--	--	--	98	89	98	111	--
	MIN	59	--	54	--	--	--	34	--	--	--	35	44	58	50	--
	AV MAX	92.5	--	89.6M	--	--	--	68.6M	--	--	--	74.5	74.8	90.2	94.6	--
	AV MIN	66.1	--	63.3M	--	--	--	45.4M	--	--	--	53.6	54.2	63.8	71.0	--
	AVG	79.3	--	76.5M	--	--	--	57.0M	--	--	--	64.1	64.5	77.0	82.8	--
WHITTIER NARROWS	MAX	--	94	96	94	96	76	78	84	85	78	100	89	96	102	100
	MIN	--	52	45	41	37	30	28	31	33	36	39	39	51	57	55
	AV MAX	--	88.8M	84.6	82.8	72.5M	65.9	67.3	73.0	67.9M	64.7	76.5	76.8	88.4	91.3M	85.5
	AV MIN	--	60.0M	56.1	51.0	45.0M	41.8	38.0	39.5	43.9M	41.1	49.8	52.4	59.1	62.9M	62.8
	AVG	--	74.4M	70.4	66.9	58.8M	53.9	52.7	56.3	55.9M	52.9	63.2	64.6	73.8	77.1M	74.2
YORBA LINDA	MAX	96	98	100	98	98	--	83	89	86	76	101	92	97	104	99
	MIN	49	54	48	47	--	33	34	38	34	37	40	43	53	59	56
	AV MAX	89.8M	91.3	87.8	83.5M	--	--	68.8	74.6	69.8	66.1	78.6M	78.3	89.7	92.6	84.7
	AV MIN	56.9M	60.9	56.9	53.6M	--	--	43.3	43.5	46.4	41.4	52.3M	52.7	59.9	63.3	62.9
	AVG	73.4M	76.1	72.4	68.6M	--	--	56.1	59.1	58.1	53.8	65.5M	65.5	74.8	78.0	73.8
SAN PEDRO CHANNEL ISLANDS HYDROLOGIC UNIT U06																
AVALON PLEASURE PIER	MAX	74	86	82	84	88	73	72	75	67	65	88	75	85	89	90
	MIN	58	61	55	55	48	44	44	46	44	46	49	54	63	65	64
	AV MAX	69.9	72.7	72.4	73.0	66.3	64.2	62.4	64.4M	62.4	60.8	67.4	68.2	73.8	77.0	76.0
	AV MIN	61.7	65.3	62.7	60.3	54.8	50.9	49.5	49.5M	52.4	49.7	57.1	60.1	66.5	69.8	67.9
	AVG	65.8	69.0	67.6	66.7	60.6	57.6	56.0	57.0M	57.4	55.3	62.3	64.2	70.2	73.4	72.0

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LAHONTON DRAINAGE PROVINCE W																
MONO HYDROLOGIC UNIT W01																
MONO LAKE	MAX	95	94	88	79	69	55	54	60	64	58	84	91	92	92	82
	MIN	38	43	30	23	16	10	9	12	14	16	20	25	43	46	38
	AV MAX	84.6	85.9	76.9	67.2	53.9	43.7	44.0	47.7	48.9	46.3	67.5	73.6	84.8	84.1	74.7
	AV MIN	47.4	50.4	42.6	33.8	29.8	23.0	22.2	20.7	25.7	24.1	35.6	39.5	50.0	50.6	44.2
	AVG	66.0	68.2	59.8	50.5	41.9	33.4	33.1	34.2	37.3	35.2	51.6	56.6	67.4	67.4	59.5
OWENS HYDROLOGIC UNIT W03																
BISHOP WB AIRPORT	MAX	104	106	96	87	82	65	69	71	76	69	97	103	105	102	92
	MIN	46	44	36	22	20	13	15	16	20	21	30	29	51	52	42
	AV MAX	96.5	98.1	88.4	79.2	63.5	53.5	55.0	61.0	63.5	58.4	79.7	86.5	97.9	97.5	86.0
	AV MIN	54.7	56.5	45.8	37.5	29.4	26.2	24.6	26.1	31.4	31.3	43.8	49.2	59.0	58.2	50.2
	AVG	75.6	77.3	67.1	58.4	46.5	39.9	39.8	43.6	47.5	44.9	61.8	67.9	78.5	77.9	68.1
BISHOP UNION CARBIDE	MAX	81	83	75	69	62	55	52	56	54	45	86	79	89	82	85
	MIN	37	39	32	23	0	3	5	5	7	7	9	19	45	47	35
	AV MAX	69.4M	74.4M	66.0M	58.7	47.3M	41.0M	41.6M	45.6	40.8	34.6	55.4	61.7	73.7M	73.2	64.0
	AV MIN	49.9M	54.5M	44.6M	--	25.6M	22.6M	21.6M	21.0M	22.3	14.5M	27.8	39.0	52.5M	52.2	44.5
	AVG	59.7M	64.5M	55.3M	--	36.5M	31.8M	31.6M	33.3M	31.6	24.6M	41.6	50.4	63.1M	62.7	54.3
HAIWEE	MAX	101	103	95	83	80	64	68	73	77	69	98	98	103	104	98
	MIN	58	55	45	35	30	23	27	24	25	28	35	42	61	63	55
	AV MAX	94.1	96.2	86.3	75.6	62.1	53.1	53.9	59.4	63.5	57.8	78.5	84.0	96.1	96.8	83.9
	AV MIN	64.3M	66.2	57.0M	47.8M	38.6	33.3M	31.7M	32.2	37.2	35.1M	50.6	56.1M	66.9	67.5	59.4
	AVG	79.2M	81.2	71.7M	61.7M	50.4	43.2M	42.8M	45.8	50.4	46.5M	64.6	70.1M	81.5	82.2	71.7
INDEPENDENCE	MAX	103	104	96	88	84	63	67	71	75	73	98	101	107	103	94
	MIN	52	50	43	30	24	18	20	21	24	23	31	38	58	57	50
	AV MAX	--	98.5M	86.3M	--	--	--	--	60.9M	66.7M	--	81.4M	85.2M	--	98.2M	--
	AV MIN	--	63.3M	52.3M	--	--	--	--	29.1M	35.6M	--	48.6M	54.0M	--	64.1M	--
	AVG	--	80.9M	69.3M	--	--	--	--	45.0M	51.2M	--	65.0M	69.6M	--	81.2M	--
WHITE MOUNTAIN 2	MAX	64	64	55	48	50	36	37	38	35	27	53	58	68	62	56
	MIN	30	24	14	12	-5	-8	-4	-5	-9	-9	-5	2	32	34	26
	AV MAX	55.4	56.4	45.9	40.7	32.0	27.2M	27.8	27.8	25.6	18.3	36.6	39.9	55.7	55.5	46.4
	AV MIN	36.5	38.3	30.8	27.0	19.3	11.3M	9.9	10.8	6.4	1.2	18.0	23.1	39.3	40.6	32.6
	AVG	46.0	47.4	38.4	33.9	25.7	19.3M	18.9	19.3	16.0	09.8	27.3	31.5	47.5	48.1	39.5
DEEP SPRINGS HYDROLOGIC UNIT W05																
DEEP SPRINGS COLLEGE	MAX	98	99	89	82	72	58	62	60	69	63	91	98	100	98	89
	MIN	46	45	38	--	--	10	1	9	18	22	26	31	49	50	42
	AV MAX	90.5	91.6	82.7	--	57.1	48.4M	46.5	52.6	58.4	52.8	73.5	80.9M	91.8	92.2	79.7
	AV MIN	56.8	57.3	46.6	37.3M	--	23.7M	18.8	22.4	29.9	28.1	42.8	48.5M	59.8	58.5M	50.9M
	AVG	73.7	74.5	64.7	--	--	36.1M	32.7	37.5	44.2	40.5	58.2	64.7M	75.8	75.4M	65.3M
WHITE MOUNTAIN 1	MAX	70	73	62	55	54	47	46	48	44	44	59	66	79	--	66
	MIN	26	22	13	16	-14	-13	-8	-9	-5	-7	-1	25	31	30	23
	AV MAX	64.4	65.3	55.2	47.6	39.3	33.3	32.6	35.6	35.4	31.8	41.3	54.9	68.4	64.4M	56.2M
	AV MIN	35.4	35.9	29.9	22.0	14.0	9.1	10.4	10.9	11.4	7.6	16.7M	32.2	38.2	39.0	33.3
	AVG	49.9	50.6	42.6	34.8	26.7	21.2	21.5	23.3	23.4	19.7	29.0M	43.6	53.3	51.7M	44.8M
AMARGOSA HYDROLOGIC UNIT W09																
DEATH VALLEY	MAX	119	121	113	102	97	82	77	87	92	89	115	122	123	122	110
	MIN	76	74	63	47	37	28	31	38	44	42	55	59	78	79	64
	AV MAX	113.5	114.2	106.1	92.3M	76.2	67.0M	66.8	76.8	82.4	78.7	98.5	104.9	117.1	117.1	104.8
	AV MIN	86.5	87.0	75.6M	60.1M	50.7	40.9M	39.3	46.6	58.2M	53.5M	70.8	76.5	89.1	89.0	77.7
	AVG	100.0	100.6	90.9M	76.2M	63.5	54.0M	53.1	61.7	70.3M	66.1M	84.7	90.7	103.1	103.1	91.3
IVANPAH HYDROLOGIC UNIT W12																
IVANPAH COUNTY YARD	MAX	110	112	104	90	83	74	73	--	87	81	106	114	115	111	--
	MIN	64	60	52	38	29	21	20	--	31	32	37	42	65	66	--
	AV MAX	103.7M	104.0M	95.7M	82.2M	70.6M	58.0M	61.5M	--	74.3M	71.3M	88.4M	94.4M	105.6M	103.8M	--
	AV MIN	72.2M	73.3M	63.7M	51.0M	42.2M	34.0M	30.1M	--	42.7M	39.1M	54.7M	59.5M	74.0M	72.8M	--
	AVG	88.0M	88.7M	79.7M	66.6M	56.4M	46.0M	45.8M	--	58.5M	55.2M	71.6M	77.0M	89.8M	88.3M	--
SEARLES HYDROLOGIC UNIT W21																
SOUTH TRONA	MAX	--	118	105	94	90	70	--	--	84	--	--	--	114	114	102
	MIN	--	68	60	46	46	31	--	--	48	--	50	--	74	74	64
	AV MAX	--	107.0M	95.4M	86.8M	69.6M	57.3M	--	--	76.2M	--	--	--	107.5M	108.6M	96.6M
	AV MIN	--	79.0M	70.3M	58.0M	52.1M	40.7M	--	--	55.7M	--	66.1M	--	79.7M	80.5M	71.3M
	AVG	--	93.0M	82.9M	72.4M	60.9M	49.0M	--	--	66.0M	--	--	--	93.6M	94.6M	84.0M

See page 43 for key to terms & abbreviations

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LAHONTON DRAINAGE PROVINCE W																
SEARLES HYDROLOGIC UNIT W21																
TRONA	MAX	110	113	105	94	90	75	71	78	84	78	107	109	114	112	102
	MIN	59	56	50	34	28	21	23	26	31	34	40	43	66	68	56
	AV MAX	103.9	106.0	96.2M	85.2M	70.9M	59.7	60.1	69.2	74.1	67.1	88.3	92.8	106.8	107.4	95.5
	AV MIN	67.4M	71.4	61.7M	48.9M	39.9M	32.1	30.4	33.6	42.5	39.9	55.2	58.6	74.2	73.7	64.2
	AVG	85.7M	88.7	79.0M	67.1M	55.4M	45.9	45.3	51.4	58.3	53.5	71.8	75.7	90.5	90.6	79.9
INDIAN WELLS HYDROLOGIC UNIT W24																
INYOKERN	MAX	107	110	101	91	86	72	74	78	84	74	104	109	111	110	98
	MIN	50	51	42	29	23	17	17	19	27	24	28	38	61	60	52
	AV MAX	100.7	103.4	93.2	83.3	68.9	59.7	60.7	68.3	70.3	64.7	86.3	91.9	104.1	104.0	91.8
	AV MIN	62.2	63.9	55.4	45.1	36.7	28.9	29.1	31.1	38.7	35.6M	50.7	55.9	70.2	69.5M	61.3
	AVG	81.5	83.7	74.3	64.2	52.8	44.3	44.9	49.7	54.5	50.2M	68.5	73.9	87.2	86.8M	76.6
FREMONT HYDROLOGIC UNIT W25																
CANTIL	MAX	109	112	103	92	86	71	72	78	84	76	105	111	111	114	100
	MIN	53	57	44	30	26	15	17	20	25	28	34	39	63	59	48
	AV MAX	101.5	103.5	94.0	83.7	69.2	60.5	61.5	68.8	70.5	63.5	85.7	91.3	105.4	105.7	93.6
	AV MIN	66.7	69.4	58.4	45.7	39.4	30.6	29.5	31.6	40.6	39.9	55.6	61.3	73.9	70.0	63.0
	AVG	84.1	86.5	76.2	64.7	54.3	45.6	45.5	50.2	55.6	51.7	70.7	76.3	89.7	87.9	78.3
RANDSBURG	MAX	104	107	98	84	77	65	67	72	77	69	101	108	107	107	97
	MIN	59	56	50	42	33	25	26	28	27	29	36	40	64	64	56
	AV MAX	97.3	98.8	88.9	76.4M	62.1M	54.7	55.9	63.4M	64.4	58.5	80.1	88.2	101.0	100.2	87.8M
	AV MIN	68.9	70.1	61.0	53.9M	43.9M	37.5	37.7	40.2M	41.7	35.6	54.3	58.6	70.4	69.5	62.4M
	AVG	83.1	84.5	75.0	65.2M	53.0M	46.1	46.8	51.8M	53.1	47.1	67.2	73.4	85.7	84.9	75.1M
ANTELOPE HYDROLOGIC UNIT W26																
FAIRMONT	MAX	95	102	95	84	80	68	73	70	75	65	95	100	102	104	93
	MIN	55	52	47	38	33	26	25	28	29	20	32	40	65	63	55
	AV MAX	87.8	92.1	84.0	74.4	60.7	53.5	55.1	59.0	58.4	51.2	72.2	76.3	93.5	95.3	83.7
	AV MIN	65.4	68.2	58.1	51.2	44.0	37.1	36.4	38.0	38.9	35.7	51.0	54.7	70.9	71.1	62.8
	AVG	76.6	80.2	71.1	62.8	52.4	45.3	45.8	48.5	48.7	43.5	61.6	65.5	82.2	83.2	73.3
LANCASTER	MAX	103	109	101	91	86	68	74	75	80	73	101	105	106	106	96
	MIN	52	54	41	29	21	15	17	19	26	31	32	38	58	58	50
	AV MAX	96.1	98.3	90.6	80.8	67.0	56.0	59.4	65.8	65.9	60.0	80.4	86.1	99.7	101.0	89.3
	AV MIN	61.3	63.9	54.5	43.0	36.7	28.5	27.0	29.4	38.3	36.4	49.5	53.4	66.4	65.8	57.9
	AVG	78.7	81.1	72.6	61.9	51.9	42.3	43.2	47.6	52.1	48.2	65.0	69.8	83.1	83.4	73.6
LANCASTER HMS	MAX	104	109	--	86	85	70	74	--	84	73	105	105	110	114	--
	MIN	50	52	--	30	26	17	18	--	24	30	39	39	58	60	--
	AV MAX	98.5M	99.9M	--	80.7M	67.1M	58.4M	60.3M	--	69.7M	62.3M	84.0M	87.6M	104.2M	104.7M	--
	AV MIN	60.6M	64.6M	--	43.8M	39.2M	32.5M	29.1M	--	38.4M	36.2M	50.0M	54.4M	65.7M	65.5M	--
	AVG	79.6M	82.3M	--	62.3M	53.2M	45.5M	44.7M	--	54.1M	49.3M	67.0M	71.0M	85.0M	85.1M	--
MOJAVE (USWB)	MAX	102	107	99	88	86	65	--	--	82	72	100	106	107	108	95
	MIN	52	55	44	35	29	19	22	23	22	28	35	38	61	62	54
	AV MAX	94.2	98.4	89.7	79.2	66.3M	57.2	--	--	65.9	59.9M	79.8M	86.8	--	--	88.7
	AV MIN	66.1M	70.9	56.6	47.1M	40.3M	32.0M	30.5M	32.6M	37.9M	36.7M	52.7M	59.1	73.1	71.1	62.3
	AVG	80.2M	84.7	73.2	63.2M	53.3M	44.6M	--	--	51.9M	48.3M	66.3M	73.0	--	--	75.5
MOJAVE 2 ESE	MAX	104	109	100	88	86	68	76	73	79	72	101	107	110	108	96
	MIN	51	47	44	33	25	18	20	25	32	28	38	38	65	62	53
	AV MAX	97.1	100.2	91.4	79.7	69.4	59.4	61.0	63.3	65.0	59.9	80.4	88.4	102.3	102.6	89.3
	AV MIN	63.0	63.5	54.8	46.3	39.2	31.3	32.4	33.4	39.7	--	54.7	59.5	72.6	67.3	58.6
	AVG	80.1	81.9	73.1	63.0	54.3	45.4	46.7	48.4	52.4	--	67.6	74.0	87.5	85.0	74.0
PALMDALE	MAX	102	108	99	89	83	68	73	76	81	70	100	105	105	106	96
	MIN	53	50	39	37	28	20	18	23	27	30	32	35	59	55	51
	AV MAX	94.3	96.6	90.1	80.2	65.6	56.9M	59.5	65.3	66.0	58.8	79.1M	85.5M	98.8	100.1	89.7
	AV MIN	62.0	66.0M	54.9	46.8	40.8	32.7M	32.3	32.6	39.5	36.0	49.2M	53.0M	66.7	66.8	58.1
	AVG	78.2	81.3M	72.5	63.5	53.2	44.8M	45.9	49.0	52.8	47.4	64.2M	69.3M	82.8	83.5	73.9
PALMDALE HMS	MAX	104	109	98	86	--	68	74	--	84	68	100	104	109	110	107
	MIN	52	21	40	36	--	20	20	--	25	28	32	40	60	61	52
	AV MAX	94.5M	97.9M	86.8M	78.0M	--	57.3M	59.7M	--	69.1M	59.8M	82.0M	86.6M	103.5M	104.0M	92.4M
	AV MIN	61.0M	68.3M	52.6M	46.6M	--	30.7M	31.5M	--	38.4M	34.5M	47.8M	53.8M	64.4M	66.2M	58.0M
	AVG	77.8M	83.1M	69.7M	62.3M	--	44.0M	45.6M	--	53.8M	47.2M	64.9M	70.2M	84.0M	85.1M	75.2M
PALMDALE FAA AP	MAX	104	109	101	89	82	69	72	75	83	74	102	108	109	109	98
	MIN	50	49	38	29	27	15	16	20	23	31	30	37	60	61	50
	AV MAX	97.5	100.0	90.6	79.6	65.2	56.9	59.3	64.9	66.2	60.3	81.5	87.8	102.1	102.5	89.3
	AV MIN	60.4	64.7	53.7	43.5	38.4	29.4	28.8	28.9	37.5	35.9	48.4	53.4	68.9	67.5	58.6
	AVG	79.0	82.4	72.2	61.6	51.8	43.2	44.1	46.9	51.9	48.1	65.0	70.6	84.5	85.0	74.0
PIUTE BUTTE	MAX	106	110	101	90	85	70	77	84	87	77	105	195	110	110	100
	MIN	20	56	40	33	29	19	24	24	28	30	33	35	60	59	54
	AV MAX	94.5	100.6M	90.9	81.5	67.1	60.2	62.3	69.4	69.6M	62.1M	82.5	151.5	102.9	103.9	91.6
	AV MIN	60.2	67.9M	56.7	46.9	41.4	34.3	33.1	35.3	38.1M	36.7M	51.4	54.1	68.7	68.8	60.8
	AVG	77.4	84.3M	73.8	64.2	54.3	47.3	47.7	52.4	53.9M	49.4M	67.0	102.8	85.8	86.4	76.2

See page 43 for key to terms & abbreviations

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967									
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
LAHONTON DRAINAGE PROVINCE W																	
ANTELOPE HYDROLOGIC UNIT W26																	
VALYERMO R 5	MAX	99	102	95	84	79	70	--	75	78	66	95	101	102	99	90	
	MIN	39	38	33	24	20	11	18	17	20	21	20	--	49	50	42	
	AV MAX	92.8M	95.7M	87.3	76.0M	64.9M	57.5	--	63.3M	63.2M	58.0M	76.2M	84.8M	95.9M	96.4M	85.2M	
	AV MIN	52.5M	55.1M	47.6M	38.4M	32.6M	24.9	25.8M	25.8M	29.3M	25.7M	39.6M	--	57.0M	57.6M	50.2M	
	AVG	72.7M	75.4M	67.5M	57.2M	48.8M	41.2	--	44.6M	46.3M	41.9M	57.9M	--	76.5M	77.0M	67.7M	
WILLOW SPRINGS	MAX	--	--	--	--	75	64	72	73	78	66	93	94	94	94	84	
	MIN	--	--	--	--	31	24	26	26	28	23	35	36	64	65	52	
	AV MAX	--	--	--	--	58.4	53.5	55.9	61.4	59.7	52.0	72.2	75.8	88.2	89.6	77.4	
	AV MIN	--	--	--	--	43.3	34.6	35.4	37.3	38.6	32.1	49.9	54.7	69.6	69.9	60.9	
	AVG	--	--	--	--	50.9	44.1	45.7	49.4	49.2	42.1	61.1	65.3	78.9	79.8	69.2	
MOJAVE HYDROLOGIC UNIT W28																	
ADELANTO	MAX	107	110	102	90	86	68	76	80	87	75	102	106	112	108	100	
	MIN	50	52	43	30	26	16	16	17	24	28	32	43	60	60	52	
	AV MAX	99.0	102.0	92.5	82.2	68.1	59.1	62.3	68.2	68.8	62.4	83.9	90.2	102.4	102.7	91.0	
	AV MIN	61.5	64.4	55.3	45.3	38.4	31.0	29.0	30.5	37.7	35.3	49.2	54.4	68.5	68.5	59.2	
	AVG	80.3	83.2	73.9	63.8	53.3	45.1	45.7	49.4	53.3	48.9	66.6	72.3	85.5	85.6	75.1	
APPLE VALLEY	MAX	--	--	--	90	83	70	75	78	83	73	100	105	107	107	96	
	MIN	--	--	--	25	22	13	15	14	20	23	26	33	53	56	45	
	AV MAX	--	--	--	82.4	68.3	60.8M	63.4M	68.7M	70.2	61.0	81.1M	88.3M	99.9M	101.3M	89.9M	
	AV MIN	--	--	--	41.4	36.3	29.0M	25.4M	26.1M	34.5	33.8	45.3M	48.9M	62.1M	62.6M	55.2M	
	AVG	--	--	--	61.9	52.3	44.9M	44.4M	47.4M	52.4	47.4	63.2M	68.6M	81.0M	82.0M	72.6M	
ARROWHEAD RANGER STA	MAX	89	88	87	82	80	70	72	71	70	59	102	88	92	90	90	
	MIN	50	48	44	26	29	18	24	22	23	22	29	32	58	50	38	
	AV MAX	80.6M	80.5M	74.3M	71.4M	59.5M	55.2M	54.5M	56.6M	54.2M	45.5M	65.3M	65.9M	81.2M	84.5M	76.8M	
	AV MIN	56.8M	60.4M	51.1M	44.9M	39.6M	33.9M	34.4M	34.2M	34.7M	28.0M	39.7M	46.0M	60.9M	60.3M	49.2M	
	AVG	68.7M	70.5M	62.7M	58.2M	49.6M	44.6M	44.5M	45.4M	44.5M	36.8M	52.5M	56.0M	71.1M	72.4M	63.0M	
BAKER 9 NNW	MAX	113	116	109	97	90	78	76	78	88	84	110	115	119	116	104	
	MIN	67	67	59	44	34	26	25	31	35	39	50	53	73	74	63	
	AV MAX	107.2	108.5	99.6	85.9	72.8	61.1	62.8	70.1	76.2	71.4	91.4	98.1	110.0	109.4	96.7	
	AV MIN	76.5	78.5	69.2	55.3	45.9	36.5	35.5	40.2	47.5	45.6	62.1	68.2	81.1	80.4	69.8	
	AVG	91.9	93.5	84.4	70.6	59.4	48.8	49.2	55.2	61.9	58.5	76.8	83.2	95.6	94.9	83.3	
BARSTOW	MAX	107	110	104	90	84	74	74	79	85	79	103	108	110	107	98	
	MIN	50	--	36	30	24	16	19	22	27	28	36	41	57	64	52	
	AV MAX	101.5	103.5	94.7	83.7	70.5	61.6	63.6	70.3	73.8	67.2	85.5	91.6	103.3	103.8	91.6	
	AV MIN	63.4	--	54.2M	43.6	36.4	29.9	29.8	32.5	39.9	37.2	52.5	56.4	70.0	69.4	61.8	
	AVG	82.5	--	74.5M	63.7	53.5	45.8	46.7	51.4	56.9	52.2	69.0	74.0	86.7	86.6	76.7	
DAGGETT FAA AP	MAX	108	110	101	90	83	74	72	77	83	79	105	108	111	108	98	
	MIN	62	63	53	42	32	21	21	30	36	36	43	48	68	71	61	
	AV MAX	100.8	102.9	93.1	81.4	68.7	59.9	61.4	67.0	70.7	66.8	85.0	92.2	103.5	103.0	90.4	
	AV MIN	71.0	74.3	64.1	52.9	44.8	35.4	36.0	39.4	46.4	43.4	58.9	63.6	75.7	76.0	67.1	
	AVG	85.9	88.6	78.6	67.2	56.8	47.7	48.7	53.2	58.6	55.1	72.0	77.9	89.6	89.5	78.8	
EL MIRAGE VISA O F	MAX	--	111	102	92	82	69	70	78	82	74	103	103	109	107	103	
	MIN	--	48	39	27	24	15	16	17	23	26	30	34	56	56	47	
	AV MAX	--	102.2	90.9	80.2	65.7	57.4	58.8	64.6	68.7	62.9	83.4	88.7	104.1	101.3	88.5	
	AV MIN	--	61.2	50.3	40.8	35.1	28.0	26.6	28.1	34.4	32.8	47.5	52.1	65.2	64.2	56.6	
	AVG	--	81.7	70.6	60.5	50.4	42.7	42.7	46.4	51.6	47.9	65.5	70.4	84.7	82.8	72.6	
MESPERIA	MAX	105	109	102	91	86	72	76	80	86	76	102	108	110	110	98	
	MIN	54	54	44	34	30	24	22	23	27	30	32	40	60	60	54	
	AV MAX	97.3	99.9	92.8	83.1	69.2	60.0	63.2	68.8	67.8	61.5	82.3	88.4	100.5	102.7	90.7	
	AV MIN	64.0	66.9	58.9	48.3	41.8	34.1	34.1	34.5	40.3	37.5	49.9	55.3	67.0	69.2	61.4	
	AVG	80.7	83.4	75.9	65.7	55.5	47.1	48.7	51.7	54.1	49.5	66.1	71.9	83.8	86.0	76.1	
MESPERIA FFS	MAX	100	104	100	90	--	--	74	78	82	72	104	--	--	--	--	
	MIN	56	52	47	36	--	--	22	20	27	22	30	--	--	--	--	
	AV MAX	92.9M	95.3	89.1M	80.6	--	--	60.1	65.6M	65.8	59.6	79.5	--	--	--	--	
	AV MIN	65.1M	66.1	58.7M	50.7	--	--	32.7	32.9M	38.9	34.2	49.6	--	--	--	--	
	AVG	79.0M	80.7	73.9M	65.7	--	--	46.4	49.3M	52.4	46.9	64.6	--	--	--	--	
LAKE ARROWHEAD	MAX	85	89	86	76	70	57	60	65	68	57	87	91	95	91	80	
	MIN	50	46	43	32	24	19	22	19	22	23	25	33	52	51	45	
	AV MAX	78.4	80.5	76.1	68.2	53.7	46.1	47.7	52.5	52.4	45.5	65.1	71.1	84.0	85.1	74.6	
	AV MIN	57.9	58.2	52.2	42.5	35.4	31.0	30.3	30.1	32.8	28.5	40.8	45.0	58.5	58.7	51.4	
	AVG	68.2	69.4	64.2	55.4	44.6	38.6	39.0	41.3	42.6	37.0	53.0	58.1	71.3	71.9	63.0	
PHELAN	MAX	99	102	98	87	86	76	68	72	82	76	--	102	106	100	90	
	MIN	51	47	44	36	28	22	20	24	26	24	--	32	56	58	48	
	AV MAX	90.7M	93.0M	86.4M	79.8	68.1M	60.6	56.4	63.3	64.8	58.1	--	87.3	97.0M	93.9M	84.1	
	AV MIN	62.1M	64.9M	56.8M	48.4	42.3M	35.7	33.0	33.4	37.0	30.6	--	50.2	66.7M	66.2M	58.8	
	AVG	76.4M	79.0M	71.6M	64.1	55.2M	48.2	44.7	48.4	50.9	44.4	--	68.8	81.9M	80.1M	71.5	
PILOT ROCK EVAP	MAX	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	AV MAX	--	91.4	--	72.9	61.5	52.2	55.1	60.3	60.0	52.6	72.2	74.6	87.5	88.2	78.6	
	AV MIN	--	58.1	--	42.0	36.8	32.9	31.8	31.7	37.7	34.1	43.1	44.1	54.5	55.1	47.6	
	AVG	--	74.8	--	57.5	49.2	42.6	43.5	46.0	48.9	43.4	57.7	59.4	71.0	71.7	63.1	

TABLE A-3
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LAHONTON DRAINAGE PROVINCE W																
MOJAVE HYDROLOGIC UNIT W28																
SQUIRREL INN 2	MAX	83	89	83	73	70	58	64	64	68	50	82	87	88	88	77
	MIN	54	45	43	33	25	17	20	19	20	20	25	30	58	56	48
	AV MAX	76.0	78.9	72.0	64.3	53.4	47.3	47.9	50.6	48.6	39.0	61.5	67.5	80.0	80.8	71.2
	AV MIN	60.5	62.0	55.8	46.0	37.6	32.9	31.9	31.8	32.9	26.2	41.6	46.7	63.4	64.0	55.5
	AVG	68.3	70.5	63.9	55.2	45.5	40.1	39.9	41.2	40.8	32.6	51.6	57.1	71.7	72.4	63.4
VICTORVILLE PUMP PLT	MAX	103	106	100	88	86	71	75	82	85	84	101	102	107	106	96
	MIN	52	53	44	31	23	18	19	21	27	30	33	43	58	59	49
	AV MAX	95.9	99.1M	90.5	81.7	70.7	60.1	62.6	68.1	73.4	67.7	85.7	89.1	100.2	101.2	89.0
	AV MIN	60.0	61.8	55.1	44.4	38.5	30.8	30.1	32.0	39.6	36.5	48.9	53.1	65.7	66.1	57.7
	AVG	78.0	80.5M	72.8	63.1	54.6	45.5	46.4	50.1	56.5	52.1	67.3	71.1	83.0	83.7	73.4
WRIGHTWOOD	MAX	93	92	87	72	68	57	58	--	--	--	--	--	--	--	--
	MIN	47	50	42	27	20	15	16	--	--	--	--	--	--	--	--
	AV MAX	85.6M	84.8	75.0	64.3	53.0	46.8M	49.0M	--	--	--	--	--	--	--	--
	AV MIN	56.6M	58.5	52.3	40.1	35.0	29.3M	30.2M	--	--	--	--	--	--	--	--
	AVG	71.1M	71.7	63.7	52.2	44.0	38.1M	39.6M	--	--	--	--	--	--	--	--
YERMO INSPECTION STA	MAX	106	109	100	89	82	71	70	73	80	76	102	106	109	108	98
	MIN	65	59	53	43	35	25	26	29	36	32	43	46	69	72	61
	AV MAX	99.4	101.4	91.3	79.5	66.9	56.9	58.1	63.6	68.4	63.9	82.4	90.1	102.3	101.2	89.1
	AV MIN	74.3	77.6	66.7	55.5	46.9	37.1	37.3	40.3	44.7	40.4	59.4	63.7	79.9	79.6	68.6
	AVG	86.9	89.5	79.0	67.5	56.9	47.0	47.7	52.0	56.6	52.2	70.9	76.9	91.1	90.4	78.9

See page 43 for key to terms & abbreviations

TABLE A-3
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
COLORADO RIVER BASIN DRAINAGE PROVINCE X																
LUCERNE HYDROLOGIC UNIT X01																
LUCERNE VALLEY	MAX	103	--	99	--	--	--	71	78	83	76	101	106	107	107	95
	MIN	51	--	46	--	--	--	19	17	21	29	32	41	56	48	47
	AV MAX	97.5	--	89.8	--	--	--	61.5	66.7	70.7	64.4	82.5	88.3	100.3M	100.3M	88.7M
	AV MIN	63.8	--	56.1	--	--	--	31.0	29.6	36.9	35.9	50.7	54.2	67.4M	66.8M	59.7M
	AVG	80.7	--	73.0	--	--	--	46.3	48.2	53.8	50.2	66.6	71.3	83.9M	83.6M	74.2M
JOSHUA TREE HYDROLOGIC UNIT X08																
QUAIL CANYON	MAX	108	108	102	86	84	--	--	--	--	--	--	--	--	--	--
	MIN	60	60	58	40	34	--	--	--	--	--	--	--	--	--	--
	AV MAX	101.0	101.1M	91.9M	78.8M	70.4M	--	--	--	--	--	--	--	--	--	--
	AV MIN	71.5	74.6M	66.7M	52.2M	45.4M	--	--	--	--	--	--	--	--	--	--
	AVG	86.3	87.9M	79.3M	65.5M	57.9M	--	--	--	--	--	--	--	--	--	--
YUCCA VALLEY	MAX	101	103	100	86	83	70	72	78	80	72	98	100	106	106	92
	MIN	49	48	50	36	24	22	22	24	27	29	39	38	59	62	48
	AV MAX	94.9	95.4	88.5M	77.5	67.8	58.1	60.0	65.2	66.3M	60.0	78.8	85.1	95.9	96.9	84.8
	AV MIN	62.2	65.3	59.8M	46.5	39.6	33.7	32.4	35.3	41.0M	36.9	49.0	51.3	66.9	67.2	56.9
	AVG	78.6	80.4	74.2M	62.0	53.7	45.9	46.2	50.3	53.7M	48.5	63.9	68.2	81.4	82.1	70.9
DALE HYDROLOGIC UNIT X09																
TWENTYNINE PALMS NPS	MAX	110	112	105	90	88	75	77	80	92	84	106	110	116	110	100
	MIN	59	58	56	37	32	22	23	29	32	31	40	43	64	63	55
	AV MAX	104.5	105.0M	97.0	84.8	72.6	63.1	65.5	72.1	77.0	72.4	89.8	96.0	106.0	104.3	93.1
	AV MIN	69.8	71.7M	62.6M	50.1	42.8	36.5	33.8	39.3	43.9	40.0	55.4	60.1	73.1	71.8	63.3
	AVG	87.2	88.4M	79.8M	67.5	57.7	49.8	49.7	55.7	60.5	56.2	72.6	78.1	89.6	88.1	78.2
TWENTY NINE PALMS C	MAX	111	111	105	90	80	72	72	--	86	82	--	110	110	111	100
	MIN	63	59	60	46	35	27	24	--	31	31	--	46	68	68	58
	AV MAX	105.0M	105.6M	92.8M	82.1M	69.1M	61.7M	62.6M	--	75.5M	69.2M	--	95.0M	105.6M	104.7M	91.8M
	AV MIN	71.2M	74.8M	63.6M	56.0M	43.9M	38.8M	35.4M	--	43.1M	40.3M	--	63.1M	76.0M	75.6M	66.1M
	AVG	88.1M	90.2M	78.2M	69.1M	56.5M	50.3M	49.0M	--	59.3M	54.8M	--	79.1M	90.8M	90.2M	79.0M
TWENTY NINE PALMS O	MAX	108	110	106	97	92	74	74	78	85	84	104	110	112	--	--
	MIN	64	60	59	42	34	27	26	33	35	34	42	48	70	--	--
	AV MAX	103.1	103.3	95.6	85.5	72.1	61.8	62.9	70.5	73.9	70.7	87.7	94.5	104.8	--	--
	AV MIN	73.8	76.1	66.8	54.6	45.5	38.5	36.7	41.1	45.7	42.8	58.7	65.0	78.1	--	--
	AVG	88.5	89.7	81.2	70.1	58.8	50.2	49.8	55.8	59.8	56.8	73.2	79.8	91.5	--	--
BRISTOL HYDROLOGIC UNIT X10																
MITCHELL CAVERNS	MAX	98	101	93	82	78	68	68	71	76	72	96	102	104	101	88
	MIN	67	58	59	47	34	24	26	32	35	27	40	48	61	65	61
	AV MAX	91.3	93.2	85.2	74.6	63.0	56.3	57.4	61.9	63.7	59.6	78.1	83.8	93.9	94.5	83.0
	AV MIN	72.0M	74.2	67.8	57.7M	47.0	39.2	39.0	42.8M	44.3M	38.5M	57.8M	62.5M	73.1	73.5	64.8
	AVG	81.7M	83.7	76.5	66.2M	55.0	47.8	48.2	52.4M	54.0M	49.1M	68.0M	73.2M	83.5	84.0	73.9
WARD HYDROLOGIC UNIT X12																
IRON MOUNTAIN SB 114	MAX	115	116	111	95	93	80	81	81	91	89	110	111	119	121	105
	MIN	73	69	68	52	40	36	34	38	40	41	49	56	76	61	68
	AV MAX	107.2	107.8	100.8	87.8	76.5	66.6	66.2	72.5	77.5	75.7	92.1	98.1	109.6	110.4	97.9
	AV MIN	81.4	82.5	73.7	60.7	51.1	45.5	43.0	45.7	51.2	50.1	66.1	72.6	83.9	82.3	75.0
	AVG	94.3	95.2	87.3	74.3	63.8	56.1	54.6	59.1	64.4	62.9	79.1	85.4	96.8	96.4	86.5
PIUTE HYDROLOGIC UNIT X13																
NEEDLES CO YD	MAX	--	116	--	96	94	83	83	90	98	92	112	115	118	118	108
	MIN	--	72	--	46	40	34	30	36	40	42	46	58	76	76	64
	AV MAX	--	110.9M	--	90.4M	80.0M	69.0M	70.3M	81.1M	86.5M	82.0M	97.1M	102.0M	111.1M	110.3	102.3M
	AV MIN	--	81.8M	--	58.2M	49.5M	44.9M	42.5M	43.8M	50.3M	51.0M	63.4M	68.6M	80.9M	79.8	72.3M
	AVG	--	96.4M	--	74.3M	64.8M	57.0M	56.4M	62.5M	68.4M	66.5M	80.3M	85.3M	96.0M	95.1	87.3M
NEEDLES FAA AP	MAX	117	119	112	95	90	79	76	83	90	87	112	116	122	115	106
	MIN	73	74	68	51	38	31	32	34	39	41	46	60	76	75	69
	AV MAX	108.1	108.2	101.4	86.5	74.4	63.8	65.0	72.2	77.8	75.5	93.5	100.6	109.3	109.5	98.6
	AV MIN	82.6	84.3	76.1	60.1	50.2	43.7	41.5	44.9	52.4	50.5	65.6	73.2	85.0	83.5	75.4
	AVG	95.4	96.3	88.8	73.3	62.3	53.8	53.3	58.6	65.1	63.0	79.6	86.9	97.2	96.5	87.0

See page 43 for key to terms & abbreviations

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
COLORADO RIVER BASIN DRAINAGE PROVINCE X																
CHEMEHUEVIS HYDROLOGIC UNIT X14																
PARKER RESERVOIR	MAX	114	113	111	98	91	79	78	86	93	87	110	111	120	115	104
	MIN	75	75	69	54	43	33	35	39	43	43	51	62	80	77	68
	AV MAX	107.1	106.9	101.1	88.2	76.7	65.9	65.3	73.3	78.4	75.7	92.3	98.3	108.2	108.5	99.1
	AV MIN	82.8	83.7	77.9	62.7	53.8	45.5	42.8	46.9	54.5	52.9	67.0	73.2	84.9	84.5	75.0
	AVG	95.0	95.3	89.5	75.5	65.3	55.7	54.1	60.1	66.5	64.3	79.7	85.8	96.6	96.5	87.1
COLORADO HYDROLOGIC UNIT X15																
BLYTHE	MAX	114	113	110	96	92	82	78	83	91	90	108	112	115	113	105
	MIN	65	--	59	42	35	29	28	30	34	39	43	54	73	70	57
	AV MAX	107.9	107.6M	101.7	89.6	77.6	68.1M	68.3	76.7	80.3	78.8	94.3	100.2	108.6	108.3	98.9
	AV MIN	75.5	76.9M	67.3	54.5	45.4	39.0M	37.0	40.9	47.4	47.3	58.8	64.3	78.3	77.8	69.0
	AVG	91.7	92.3M	84.5	72.1	61.5	53.6M	52.7	58.8	63.9	63.1	76.6	82.3	93.5	93.1	84.0
BLYTHE CAA AIRPORT	MAX	116	114	111	97	93	81	79	84	92	90	110	115	118	114	105
	MIN	70	70	64	51	39	31	29	35	38	41	48	55	80	74	66
	AV MAX	108.9	108.4	102.0	89.1	76.6	68.0	67.5	75.3	79.3	77.5	94.3	100.7	109.3	108.2	98.4
	AV MIN	81.2	83.0	74.2	60.1	49.6	42.3	39.3	44.5	49.9	49.7	63.4	69.1	84.9	82.4	74.3
	AVG	95.1	95.7	88.1	74.6	63.1	55.2	53.4	59.9	64.6	63.6	78.9	84.9	97.1	95.3	86.4
CHUCKWALLA HYDROLOGIC UNIT X17																
EAGLE MOUNTAIN	MAX	112	111	107	92	93	78	77	80	87	85	106	110	118	112	103
	MIN	72	70	66	54	46	35	36	43	43	42	52	57	81	74	70
	AV MAX	104.5	104.4	97.6	85.4	75.3	66.7	66.0	72.5	76.2	72.6	89.7	95.3	106.2	106.2	94.9
	AV MIN	80.5	82.2	74.4	62.1	53.4	46.1	44.0	49.3	53.7	50.4	67.0	72.1	84.9	83.8	75.2
	AVG	92.5	93.3	86.0	73.8	64.4	56.4	55.0	60.9	65.0	61.5	78.4	83.7	95.6	95.0	85.1
HAYFIELD HYDROLOGIC UNIT X18																
HAYFIELD PUMP PLANT	MAX	112	110	108	92	92	79	79	83	90	83	107	109	115	111	102
	MIN	58	59	57	45	33	28	25	30	34	36	39	50	70	71	60
	AV MAX	103.8	103.6	97.1	85.4	75.6	67.9	67.1	72.5	76.4	72.0	88.5	93.9	104.7	105.4	94.7
	AV MIN	74.9	76.4	67.1	56.0	45.2	40.6	37.9	43.5M	45.3	43.6	57.3	62.4	77.5	77.0	67.4
	AVG	89.4	90.0	82.1	70.7	60.4	54.3	52.5	58.0M	60.9	57.8	72.9	78.2	91.1	91.2	81.1
WHITewater HYDROLOGIC UNIT X19																
IDYLLWILD R S	MAX	93	95	90	83	80	72	72	74	75	64	90	93	98	90	78
	MIN	36	35	30	22	12	15	19	20	14	17	23	24	46	47	36
	AV MAX	85.6	88.2	78.7M	72.7	62.4M	55.7M	59.0M	61.6M	58.1M	49.3M	68.7M	75.5M	85.6M	83.3M	72.3M
	AV MIN	45.5	47.6	40.5M	31.4	27.7M	28.3M	28.7M	28.3M	29.3M	23.0M	36.0M	41.4M	53.0M	51.6M	44.0M
	AVG	65.6	67.9	59.6M	52.1	45.1M	42.0M	43.9M	45.0M	43.7M	36.2M	52.4M	58.5M	69.3M	67.5M	58.2M
INDIO US DATE GARDEN	MAX	115	114	114	103	101	85	88	85	94	89	112	117	113	116	107
	MIN	67	65	56	42	36	27	27	33	37	40	47	56	65	72	65
	AV MAX	106.6	106.7	101.4	92.1	81.7	74.4	73.0M	78.4	80.5	76.8	92.7	97.3	106.8	107.1	99.3
	AV MIN	77.0M	78.0	70.7	57.4	48.3	40.3	36.1	43.5	50.3	50.6	63.1	68.3	79.3	78.5	72.2
	AVG	91.8M	92.4	86.1	74.8	65.0	57.4	54.6M	61.0	65.4	63.7	77.9	82.8	93.1	92.8	85.8
MECCA 2 SE	MAX	114	114	112	101	98	95	80	85	94	87	108	119	111	113	106
	MIN	60	58	54	46	37	28	28	33	36	39	47	52	68	71	61
	AV MAX	106.4	106.1	101.3	90.5	80.6	73.7M	70.6	78.8	80.5	77.4	94.4	99.1	106.7	107.1	98.7
	AV MIN	73.7	76.6	68.6	56.6	47.9	39.8	37.2	43.6	47.8	47.4	61.5	64.3	77.8	78.5	71.0
	AVG	90.1	91.4	85.0	73.6	64.3	56.8M	53.9	61.2	64.2	62.4	78.0	81.7	92.3	92.8	84.9
MORONGO VALLEY	MAX	101	99	96	84	80	73	74	78	87	80	97	101	105	100	90
	MIN	54	52	52	44	32	25	27	35	30	31	34	38	55	61	50
	AV MAX	93.0	92.9	86.7	77.1	68.0	60.0	61.2	69.9	72.0	68.2	81.5	84.0	94.6	93.9	83.8
	AV MIN	64.2	65.6	62.3	52.0	41.3	36.8	37.3	42.8	41.1	38.1	50.5	48.4	65.2	65.4	56.0
	AVG	78.6	79.3	74.5	64.6	54.7	48.4	49.3	56.4	56.6	53.2	66.0	66.2	79.9	79.7	69.9
OAK GLEN SB 174	MAX	93	95	88	76	76	62	64	--	70	64	91	96	97	96	93
	MIN	55	50	48	40	30	23	25	--	24	24	32	34	57	56	52
	AV MAX	86.8M	86.3M	79.0M	68.6	59.1M	51.2M	53.1M	--	54.5M	49.1	69.5M	74.1M	88.2	88.1M	78.4M
	AV MIN	63.2M	64.4M	57.6M	50.0	42.3M	38.4M	37.1M	--	38.2M	30.9	48.1M	49.5M	65.6	64.6M	58.5M
	AVG	75.0M	75.4M	68.3M	59.3	50.7M	44.8M	45.1M	--	46.4M	40.0	58.8M	61.8M	76.9	76.4M	68.5M
PALM SPRINGS	MAX	118	116	113	102	98	80	86	88	94	89	113	116	119	120	108
	MIN	62	59	51	46	35	30	32	31	35	38	43	50	68	71	60
	AV MAX	110.0	109.6	103.4	92.8	79.8	70.0	70.7	79.7	80.0	76.0	93.5	99.2	110.7	110.3	100.0
	AV MIN	71.3	74.7	67.4	56.1	49.1	42.5	39.8	44.3	47.5	45.3	59.5	62.0	78.1	78.3	68.4
	AVG	90.7	92.2	85.4	74.5	64.5	56.3	55.3	62.0	63.8	60.7	76.5	80.6	94.4	94.3	84.2
THERMAL FAA AIRPORT	MAX	115	113	112	101	97	85	85	85	94	89	111	116	112	115	105
	MIN	64	66	54	43	35	27	26	30	36	40	45	55	68	72	62
	AV MAX	106.4	106.1	101.5	91.4	79.7	72.9	71.6	78.2	79.1	76.6	93.3	98.3	107.1	107.6	98.7
	AV MIN	76.7	77.0	69.0	57.4	47.8	39.8	35.9	42.7	50.5	49.3	61.4	66.0	77.2	78.1	71.8
	AVG	91.6	91.6	85.3	74.4	63.8	56.4	53.8	60.5	64.8	63.0	77.4	82.2	92.2	92.9	85.3

See page 43 for key to terms & abbreviations

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
COLORADO RIVER BASIN DRAINAGE PROVINCE X																
ANZA-BORREGO HYDROLOGIC UNIT X22																
BORREGO SPRINGS 3NNE	MAX	114	111	111	95	97	81	84	83	90	88	111	112	117	111	--
	MIN	59	61	51	44	37	28	25	32	36	37	41	48	67	71	--
	AV MAX	105.5M	105.7	98.6	88.3	77.3	69.8	69.9	75.8	78.6	74.0	90.4	94.8	106.9	105.0	--
	AV MIN	71.1M	73.4	64.1	53.8	47.4	40.3	36.5	40.0	47.9	45.7	57.0	60.9	75.1	75.0	--
	AVG	88.3M	89.6	81.4	71.1	62.4	55.1	53.2	57.9	63.3	59.9	73.7	77.9	91.0	90.0	--
IMPERIAL HYDROLOGIC UNIT X23																
BRAWLEY 2 SW	MAX	115	114	112	97	96	87	80	82	91	88	108	112	113	114	105
	MIN	63	65	58	43	36	26	25	32	35	40	46	52	71	70	62
	AV MAX	106.0	106.8	101.2	89.4	79.6	72.0	69.1	75.4	79.7	76.0	92.0	97.3	105.5	105.8	97.6
	AV MIN	74.6	76.7	68.2	55.0	45.7	39.2	36.8	41.6	48.7	47.8	58.9	63.3	77.1	77.7	70.0
	AVG	90.3	91.8	84.7	72.2	62.7	55.6	53.0	58.5	64.2	61.9	75.5	80.3	91.3	91.8	83.8
EL CENTRO 2 SSW	MAX	118	115	113	97	94	95	82	85	93	89	107	112	115	117	107
	MIN	60	59	59	46	37	29	26	34	30	37	39	50	72	64	60
	AV MAX	107.7	108.5	102.1	91.5	80.4	72.5	70.9	77.1	80.6	77.2	93.6	99.5	108.7	109.1	99.1
	AV MIN	73.5	75.1	67.6	55.8	47.7	41.2	37.1	40.7	46.5	46.0	55.3	62.3	77.1	77.0	68.7
	AVG	90.6	91.8	84.9	73.7	64.1	56.9	54.0	58.9	63.6	61.6	74.5	80.9	92.9	93.1	83.9
IMPERIAL	MAX	115	111	109	95	94	82	81	85	91	88	107	111	113	113	104
	MIN	71	70	62	49	43	32	30	38	42	45	48	57	75	74	65
	AV MAX	106.4	105.8	100.2	88.9	78.4	70.3	69.8	75.5	79.2	75.7	91.6	97.8	106.6	106.5	97.4
	AV MIN	78.5	79.5	72.1	60.3	51.9	44.5	41.0	45.0	52.7	50.9	61.4	67.7	80.1	80.5	73.5
	AVG	92.5	92.7	86.2	74.6	65.2	57.4	55.4	60.3	66.0	63.3	76.5	82.8	93.4	93.5	85.5
IMPERIAL FAA AP	MAX	118	114	112	98	95	83	84	85	93	90	109	112	116	115	107
	MIN	69	68	62	45	40	28	27	34	37	42	43	56	73	71	64
	AV MAX	107.9	108.0	102.0	90.1	79.7	71.5	71.0	76.7	80.2	77.5	94.0	99.7	108.3	107.8	98.6
	AV MIN	77.3	78.2	71.0	57.1	48.8	41.7	37.7	41.4	49.2	48.5	59.5	65.9	79.3	79.6	72.1
	AVG	92.6	93.1	86.5	73.6	64.3	56.6	54.4	59.1	64.7	63.0	76.8	82.8	93.8	93.7	85.4
AMOS-OGILBY HYDROLOGIC UNIT X26																
GOLD ROCK RANCH	MAX	112	110	111	97	92	82	81	83	91	87	109	111	113	113	104
	MIN	74	69	64	53	42	37	36	41	42	44	50	55	77	55	67
	AV MAX	105.6	104.1	100.1	88.1	78.0	68.9	68.9	75.2	78.7	77.8	93.2	97.9	107.2	107.6	97.8
	AV MIN	80.9	81.1	74.3	61.9	54.2	48.1	44.9	48.4	49.4	48.2	61.1M	67.2	82.7	81.1	73.9
	AVG	93.3	92.6	87.2	75.0	66.1	58.5	56.9	61.8	64.1	63.0	77.2M	82.6	95.0	94.4	85.9

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
SANTA ANA DRAINAGE PROVINCE Y																
SANTA ANA RIVER HYDROLOGIC UNIT Y01																
BEAUMONT 1 E	MAX	102	105	102	91	83	71	75	77	81	74	101	98	105	106	96
	MIN	50	52	50	38	30	26	30	29	26	31	32	36	54	59	52
	AV MAX	95.6	97.0	--	80.5	68.6	60.0	61.9	67.8	66.6	60.2	--	81.9	97.2	98.8	87.0
	AV MIN	58.2	61.5	--	51.2	44.5	42.6	40.2	38.9	40.4	36.1	--	49.5	63.0	65.6	59.0
BIG BEAR LAKE	AVG	76.9	79.3	--	65.9	56.6	51.3	51.1	53.4	53.5	48.2	--	65.7	80.1	82.2	73.0
	MAX	86	88	82	78	70	60	60	62	66	55	81	87	89	86	79
	MIN	35	37	32	22	11	7	13	12	14	11	18	25	40	41	33
	AV MAX	79.2	80.6	73.1	65.3M	55.0	48.5	50.2	52.5	51.1	44.9	63.7	71.1	81.4	80.5M	70.4
BIG BEAR LAKE F D	AV MIN	45.5	47.1	40.6	28.9M	26.0	22.7	20.4	20.2	26.3	21.4	33.3	36.8	49.7	49.0M	43.0
	AVG	62.4	63.9	56.9	47.1M	40.5	35.6	35.3	36.4	38.7	33.2	48.5	54.0	65.6	64.8M	56.7
	MAX	86	88	82	78	70	60	60	62	66	55	81	87	89	86	79
	MIN	35	37	32	22	11	11	13	12	14	11	18	25	40	41	33
BIG BEAR CITY	AV MAX	79.2	80.5	72.8	64.5M	55.1	47.7	49.8	51.3	49.3	44.2	62.7	70.7	81.1M	80.3M	69.9
	AV MIN	45.6	47.1	40.6	28.9M	26.0	23.1	20.4	20.6	26.4	21.5M	33.8M	37.3	51.5M	49.0M	43.8
	AVG	62.4	63.8	56.7	46.7M	40.6	35.4	35.1	36.0	37.9	32.9M	48.3M	54.0	66.3M	64.7M	56.9
	MAX	94	90	85	76	70	58	62	68	75	62	86	92	95	90	80
BLOOMINGTON	MIN	30	36	30	18	12	5	12	10	12	12	14	20	38	46	32
	AV MAX	84.2	84.3	76.6M	66.4	55.7	48.2M	51.0M	54.9M	55.1	49.0M	70.1M	77.6	85.5M	82.9	73.3
	AV MIN	44.8	46.9	40.3M	28.0M	24.8	22.6	20.4	19.4M	24.0M	21.4	32.0M	34.9M	48.8M	49.6	42.4
	AVG	64.5	65.6	58.5M	47.2M	40.3	35.4M	35.7M	37.2M	39.6M	35.2M	51.1M	56.3M	67.2M	66.3	57.9
BRUSH CANYON	MAX	--	97	100	95	92	78	78	80	84	78	97	90	99	103	100
	MIN	--	57	50	42	36	33	36	36	31	37	40	44	60	56	58
	AV MAX	--	91.2	86.3	80.6	68.7	64.8	67.2	72.1	68.1	62.5	76.8	77.2	91.4M	93.0	84.5
	AV MIN	--	64.1	58.9	55.0	48.9	44.4	42.8	49.6	44.6	43.3	54.2	55.4	64.5M	67.7	64.1
CAJON JUNCTION	AVG	--	77.7	72.6	67.8	58.8	54.6	55.0	60.9	56.4	52.9	65.5	66.3	78.0M	80.4	74.3
	MAX	101	102	--	95	93	80	83	85	87	76	103	--	--	--	--
	MIN	60	61	--	51	43	40	41	41	39	39	45	--	--	--	--
	AV MAX	94.9	96.2	--	82.5	72.0	66.7	68.8	74.6	68.6	61.5	79.4	--	--	--	--
CHINO FIRE STATION	AV MIN	65.7	67.7	--	59.6	52.7	48.3	47.7	48.8	48.7	45.3	55.1	--	--	--	--
	AVG	80.3	82.0	--	71.1	62.4	57.5	58.3	61.7	58.7	53.4	67.3	--	--	--	--
	MAX	98	100	102	92	87	74	80	82	80	74	104	104	102	106	100
	MIN	44	50	42	38	27	29	29	30	28	32	36	38	52	22	56
CHINO FIRE STATION 2	AV MAX	92.5	92.4	90.1	80.7	67.3	61.9	64.7M	72.3M	61.6M	55.8M	75.5M	78.4M	94.8M	96.8M	86.4
	AV MIN	55.3	60.8	53.8M	47.0	41.6	37.3	35.7M	39.3	38.8M	35.9M	47.0M	49.3M	61.7M	66.0M	60.9
	AVG	73.9	76.6	72.0M	63.9	54.5	49.6	50.2M	55.8M	50.2M	45.9M	61.3M	63.9M	78.3M	81.4M	73.7
	MAX	--	--	--	--	--	--	82	88	89	75	106	96	102	115	102
CLAREMONT POMONA COL	MIN	--	--	--	--	--	--	25	28	26	30	34	38	54	58	54
	AV MAX	--	--	--	--	--	--	66.7	73.2	67.6	62.1	78.5	78.5	95.6	100.2	88.7
	AV MIN	--	--	--	--	--	--	33.7	34.3	40.4	35.7	48.2M	50.3	59.6	64.5	61.9
	AVG	--	--	--	--	--	--	50.2	53.8	54.0	48.9	63.4M	64.4	77.6	82.4	75.3
COLTON F. D.	MAX	98	100	99	90	90	78	74	79	80	78	101	94	98	106	100
	MIN	50	55	50	40	33	28	30	30	30	34	39	42	56	60	56
	AV MAX	91.9	92.0	85.3	80.2	69.1	63.1	64.7	69.5	68.7	66.1	80.8	80.5	92.9	95.2	84.9
	AV MIN	58.8	62.5	56.5	50.7	44.7	38.5	36.3	36.9	43.0	40.6	50.2	52.7	61.2	65.0	62.9
CORONA	AVG	75.4	77.3	70.9	65.5	56.9	50.8	50.5	53.2	55.9	53.4	65.5	66.6	77.1	80.1	73.9
	MAX	--	--	98	95	95	77	79	81	85	73	98	90	95	105	98
	MIN	52	55	--	45	38	32	34	35	32	35	40	42	55	59	49
	AV MAX	--	--	--	80.7	68.4	66.6M	67.1	70.4	66.6	61.5	75.7	75.0	90.9M	92.9	84.3
CREST FORREST C OF C	AV MIN	58.2M	61.2M	--	53.0	47.4	41.8M	40.5	42.0	45.0	41.3	50.0	51.5	62.0M	66.4	61.8
	AVG	--	--	--	66.9	57.9	54.2M	53.8	56.2	55.8	51.4	62.9	63.3	76.5M	79.7	73.1
	MAX	102	102	101	96	94	77	79	87	87	76	104	96	102	108	96
	MIN	53	55	47	43	34	33	31	31	32	35	40	42	58	60	58
E HIGHLAND ORANGE	AV MAX	95.6	96.0	91.1	83.9	70.4	65.3	66.5	74.5	68.7	64.1	80.8	81.7	95.8	97.9	87.8
	AV MIN	59.9	64.0	58.7	52.7	47.2	41.7	40.5	41.9	46.1	42.0	51.8	53.5	63.8	67.1	63.2
	AVG	77.8	80.0	74.9	68.3	58.8	53.5	53.5	58.2	57.4	53.1	66.3	67.6	79.8	82.5	75.5
	MAX	99	101	102	96	95	78	83	85	85	78	101	92	98	107	99
FONTANA 5 N	MIN	49	54	47	40	34	31	31	33	32	36	37	42	55	60	55
	AV MAX	92.5	93.9	89.5	83.9M	71.1	66.6	67.8	73.6	69.4	65.0	79.5	79.8	92.8	95.3	87.5
	AV MIN	57.3	61.4	57.1	51.6M	46.5	42.5	41.0	41.0	43.6	40.6	50.5	52.7	60.8	64.0	61.8
	AVG	74.9	77.7	73.3	67.8M	58.8	54.6	54.4	57.3	56.5	52.8	65.0	66.3	76.8	79.7	74.7
FONTANA 5 N	MAX	84	90	85	72	70	55	60	63	65	54	85	90	90	90	79
	MIN	50	44	41	30	25	22	24	22	24	24	27	33	51	54	46
	AV MAX	78.3	79.8	73.5	64.3	51.9	44.2	46.5	51.8	48.9	42.8	63.2	66.9	81.6	83.3	72.6
	AV MIN	56.5	57.9	51.1	42.4	35.7	30.2	30.7	31.8	33.8	29.6	41.1	45.0	59.3	59.2	53.2
FONTANA 5 N	AVG	67.4	68.9	62.3	53.4	43.8	37.2	38.6	41.8	41.4	36.2	52.2	56.0	70.5	71.3	62.9
	MAX	109	106	106	94	93	77	81	83	88	78	110	101	107	113	98
	MIN	49	49	42	39	32	27	28	30	31	35	35	39	51	55	50
	AV MAX	99.1	99.5	92.7	81.2	68.5	64.7	67.0	71.9	67.9	63.9	82.8	84.7	99.6	101.0	88.9
FONTANA 5 N	AV MIN	55.5	57.2	51.8	48.3	44.8	39.3	38.7	39.4	44.0	39.9	48.0	51.0	59.0	62.1	58.5
	AVG	77.3	78.4	72.3	64.8	56.7	52.0	52.9	55.7	56.0	51.9	65.4	67.9	79.3	81.6	73.7
	MAX	101	102	105	93	93	78	80	83	85	73	105	97	105	110	97
	MIN	50	53	49	49	39	32	36	36	33	33	40	42	52	57	54
FONTANA 5 N	AV MAX	94.1	95.6	91.6	81.4	68.9	63.8	65.3	70.3	65.1	59.4	76.2	79.3	96.1	98.9	87.7
	AV MIN	59.5	62.0	58.2	57.7	48.9	48.0	47.2	48.6	43.6	38.2	51.2	50.1	62.0	65.9	59.6
	AVG	76.8	78.8	74.9	69.6	58.9	55.9	56.3	59.5	54.4	48.8	63.7	64.7	79.1	82.4	73.7

See page 43 for key to terms & abbreviations

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
SANTA ANA ORAINAGE PROVINCE Y																
SANTA ANA RIVER HYDROLOGIC UNIT Y01																
FONTANA KAISER	MAX	99	101	102	97	96	81	84	87	87	77	105	97	103	110	99
	MIN	56	59	51	51	43	37	42	40	40	41	46	44	59	63	58
	AV MAX	93.9	94.8	90.2	87.8	70.2	69.5	70.1	76.9	71.8	65.2	81.9	82.3	97.4	100.0	88.1
	AV MIN	63.8	66.0	59.5	61.0	50.7	49.7	48.5	51.4	49.9	45.8	55.8	56.4	66.9	70.9	63.8
	AVG	78.9	80.4	74.9	74.4	60.5	59.6	59.3	64.2	60.9	55.5	68.9	69.4	82.2	85.5	76.0
FOREST FALLS	MAX	96	88	84	70	68	62	58	62	68	62	88	94	92	88	78
	MIN	50	46	40	28	26	18	20	24	18	16	24	26	50	37	46
	AV MAX	80.5	79.1	75.1	63.7	51.7	44.6	47.2	51.4	50.9	44.3	63.7	72.7	82.3	79.9	71.1
	AV MIN	57.2	58.5	51.6	42.8	35.6	32.9	31.2	31.3	31.4	25.1	40.8	45.8	58.9	57.1	51.0
	AVG	68.9	68.8	63.4	53.3	43.7	38.8	39.2	41.4	41.2	34.7	52.3	59.3	70.6	68.5	61.1
LOMA LINDA	MAX	100	99	99	90	90	74	78	88	90	78	102	96	102	106	99
	MIN	--	58	50	42	38	32	32	34	34	34	38	44	58	60	56
	AV MAX	92.5M	93.6	88.6	80.6	68.1	63.7	65.8	77.7	72.0M	66.4	81.2	81.9M	96.7	98.1M	86.3
	AV MIN	--	64.5	59.9	54.2	49.3	43.6	40.2	40.7	45.0M	43.4	52.6	54.4M	63.9	67.8M	62.1
	AVG	--	79.1	74.3	67.4	58.7	53.7	53.0	59.2	58.5M	54.9	66.9	68.2M	80.3	83.0M	74.2
MENTONE FS S8 120	MAX	--	--	--	--	102	--	78	82	89	--	106	99	118	112	108
	MIN	--	--	--	--	35	--	28	32	32	--	42	41	44	44	41
	AV MAX	--	--	--	--	73.0M	--	65.3M	72.4M	69.6M	--	81.9M	85.7M	104.4M	103.0	91.5M
	AV MIN	--	--	--	--	47.6M	--	40.8M	44.7M	43.0M	--	53.8M	55.4M	60.6M	65.2	62.1M
	AVG	--	--	--	--	60.3M	--	53.1M	58.6M	56.3M	--	67.9M	70.6M	82.5M	84.1	76.8M
MILL CREEK NO 2	MAX	98	99	98	91	88	75	75	77	81	70	99	--	--	--	--
	MIN	54	46	50	44	36	29	33	33	31	32	35	--	--	--	--
	AV MAX	92.7	93.6	88.5	78.9	68.4	61.7M	63.3	67.8	--	--	--	--	--	--	--
	AV MIN	63.4	65.2	60.9	55.0	47.6	43.6M	43.2	44.5	--	--	--	--	--	--	--
	AVG	78.1	79.4	74.7	67.0	58.0	52.7M	53.3	56.2	--	--	--	--	--	--	--
MONTE VISTA	MAX	--	98	97	88	92	73	71	80	80	72	94	99	96	103	100
	MIN	--	58	52	48	40	35	38	37	38	38	44	47	59	62	59
	AV MAX	--	89.4	84.0	78.7	68.3	64.4	64.7	70.1	67.5	63.3	75.9	77.2	89.2	92.5	84.6
	AV MIN	--	65.1	60.7	56.8	51.1	46.7	45.1	44.4	46.8	43.9	55.1	55.5	64.0	68.4	65.7
	AVG	--	77.3	72.4	67.8	59.7	55.6	54.9	57.3	57.2	53.6	65.5	66.4	76.6	80.5	75.2
MT BALDY NOTCH	MAX	82	83	76	68	58	55	60	56	56	50	74	82	85	84	70
	MIN	48	38	34	25	18	10	12	18	14	10	20	20	48	48	40
	AV MAX	74.2	75.5	66.9	57.2	46.2	45.0	45.2	47.0	40.3	35.7	56.1	62.9	78.0	76.9	63.2
	AV MIN	53.1	53.7	47.0	39.8	31.4	29.4	28.1	27.7	26.6	18.8	36.2	40.3	56.0	55.6	45.1
	AVG	63.7	64.6	57.0	48.5	38.8	37.2	36.7	37.4	33.5	27.3	46.2	51.6	67.0	66.3	54.2
NEWPORT BEACH HARBOR	MAX	75	80	78	84	90	71	68	77	72	64	90	69	80	80	82
	MIN	56	61	53	49	44	40	36	41	37	39	43	48	58	62	60
	AV MAX	71.8	74.9	72.6	71.8	66.5	63.7	61.6	66.1	63.3	60.6	67.4	66.3	72.0	75.1	74.8
	AV MIN	60.9	64.8	60.4	55.9	52.9	46.8	44.3	46.0	49.5	46.1	53.5	56.1	61.8	65.0M	64.6
	AVG	66.4	69.9	66.5	63.9	59.7	55.3	53.0	56.1	56.4	53.4	60.5	61.2	66.9	70.1M	69.7
PATTON	MAX	103	105	107	102	98	85	87	89	92	79	109	99	105	111	99
	MIN	49	44	47	41	34	30	27	32	30	33	35	40	53	54	44
	AV MAX	97.8M	97.8	94.0M	87.3M	73.1	69.8	71.4	78.7M	69.5M	64.4	81.9M	82.8M	99.9M	101.5M	91.5M
	AV MIN	57.0M	59.6	55.6M	51.4M	46.2	40.3	37.8	39.8M	40.5M	39.3	49.7M	51.0M	59.8M	62.7M	59.5M
	AVG	77.4M	78.7	74.8M	69.4M	59.7	55.1	54.6	59.3M	55.0M	51.9	65.8M	66.9M	79.9M	82.1M	75.5M
REDLANDS ROTH	MAX	103	104	104	98	95	80	83	86	88	75	107	99	106	110	96
	MIN	50	53	45	39	34	30	30	31	30	34	36	39	54	57	55
	AV MAX	96.5	97.0	91.2	83.6	71.7	67.6	69.0	73.8	68.6	63.5	80.1	81.8	98.4	99.9	88.2
	AV MIN	58.0	60.4	56.6	52.1	45.7	40.9	38.9	39.5	43.2	39.9	49.4	51.2	61.1	64.7	60.3
	AVG	77.3	78.7	73.9	67.9	58.7	54.3	54.0	56.7	55.9	51.7	64.8	66.5	79.8	82.3	74.3
REDLANDS DAILY FACTS	MAX	103	103	103	97	92	78	80	84	86	76	105	98	105	109	96
	MIN	54	55	48	43	36	31	31	34	33	37	38	42	57	60	55
	AV MAX	96.0M	96.5	91.1	83.0	70.3	65.7	66.8	73.4	67.5	62.9	79.1	80.9	97.5	99.7	87.9
	AV MIN	59.8M	62.5	57.6	52.4	47.0	41.8	39.8	41.6	44.9	41.8	51.4	53.2	63.3	66.3	61.9
	AVG	77.9M	79.5	74.4	67.7	58.7	53.8	53.3	57.5	56.2	52.4	65.3	67.1	80.4	83.0	74.9
RIVERSIDE FIRE STN 3	MAX	99	101	103	97	95	81	84	88	88	76	102	97	101	109	98
	MIN	51	55	49	42	35	32	30	33	33	36	39	45	58	60	57
	AV MAX	93.9	95.4	91.2	84.8	72.3	67.5	68.9	75.5	70.0	64.9	80.9	84.1M	95.5	98.7M	88.6M
	AV MIN	58.8	62.4	57.1	51.6	46.7	41.8	39.1	40.7	45.6	41.5	51.2	53.5	62.6	65.7	63.2
	AVG	76.4	78.9	74.2	68.2	59.5	54.7	54.0	58.1	57.8	53.2	66.1	68.8M	79.1	82.2M	75.9M
RIVERSIDE CITRUS EXP	MAX	100	101	102	95	96	84	85	85	91	77	103	97	103	109	103
	MIN	49	50	44	37	41	34	33	34	32	38	42	44	54	61	57
	AV MAX	93.4	95.4	89.4	82.5	71.6	68.9	69.8	74.6	70.5	64.0	80.8	80.9	96.2	97.8	88.7
	AV MIN	56.3	58.2	53.0	47.8	48.2	43.1	40.6	42.4	44.5	42.5	51.9	53.3	62.4	66.7	63.5
	AVG	74.9	76.8	71.2	65.2	59.9	56.0	55.2	58.5	57.5	53.3	66.4	67.1	79.3	82.3	76.1
SAN ANTONIO CNYN MTH	MAX	96	97	100	92	93	77	79	80	82	69	100	94	101	104	--
	MIN	53	51	49	49	31	32	33	35	33	31	33	42	--	--	--
	AV MAX	89.7	91.3	88.8	80.7	68.4	64.5	65.0	70.8	65.7M	57.6M	--	78.9M	--	--	--
	AV MIN	61.4	63.2	59.1	56.5	47.3	46.0	44.1	45.6	43.4M	37.2M	--	51.4M	--	--	--
	AVG	75.6	77.3	74.0	68.6	57.9	55.3	54.6	58.2	54.6M	47.4M	--	65.2M	--	--	--
SAN ANTONIO CANYON	MAX	82	83	76	68	58	55	60	56	56	50	74	82	85	84	70
	MIN	48	38	34	25	18	10	12	18	14	10	20	20	48	48	40
	AV MAX	73.8	75.5	65.5	55.4	44.9	43.5	43.1	45.0	38.7	34.2	54.9	62.1	77.6	76.1</	

See page 43 for key to terms & abbreviations

TABLE A-3
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
SANTA ANA DRAINAGE PROVINCE Y																
SANTA ANA RIVER HYDROLOGIC UNIT Y01																
SAN ANTONIO HTS	MAX	--	--	84	84	--	--	--	--	--	--	--	--	--	102	94
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	62	58
	AV MAX	--	--	68.7	63.0	--	--	--	--	--	--	--	--	--	91.7M	83.0
	AV MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	69.3M	63.2
SAN BERNARDINO HOSP	AVG	--	--	--	--	--	--	--	--	--	--	--	--	--	80.5M	73.1
	MAX	105	105	107	97	96	80	84	86	88	77	106	98	105	110	98
	MIN	52	55	46	39	34	30	31	32	33	35	38	42	57	60	54
	AV MAX	97.7	99.2	94.1	84.9	71.6	66.8	68.7	74.3	69.6	63.4	79.9	82.1	98.3	100.4	89.5
SANTA ANA USWB FR DP	AV MIN	58.6	62.4	57.3	51.1	45.9	39.5	36.6	41.4	44.7	41.6	51.5	53.8	63.4	66.2	62.6
	AVG	78.2	80.8	75.7	68.0	58.8	53.2	52.7	57.9	57.2	52.5	65.7	68.0	80.9	83.3	76.1
	MAX	88	93	93	94	101	79	83	88	84	73	98	83	92	100	96
	MIN	56	58	51	49	43	31	39	41	39	40	45	48	59	63	60
UPLAND 3 N	AV MAX	82.6	84.7	83.6	82.0	72.3	68.3	68.2M	74.9M	68.8	65.0	76.6	74.1	82.7	87.8	83.1
	AV MIN	61.0	65.0	60.8	56.4	51.8	45.8	45.3M	46.0M	49.4	45.2	54.5	56.4	63.0	66.6	66.2
	AVG	71.8	74.9	72.2	69.2	62.1	57.1	56.8M	60.5M	59.1	55.1	65.6	65.3	72.9	77.2	74.7
	MAX	102	104	105	95	92	75	80	87	87	78	104	97	102	106	92
UPLAND CHAPPEL	MIN	46	50	44	40	35	30	33	35	31	32	35	38	52	55	50
	AV MAX	95.2	96.2	91.3	83.5	69.1	64.4	65.9	73.4	68.6	63.2	80.4	81.1	94.9	94.7	85.8
	AV MIN	55.5	57.6	53.8	49.1	44.5	41.9	40.1	41.4	43.4	37.3	48.5	49.7	60.0	63.6	59.3
	AVG	75.4	76.9	72.6	66.3	56.8	53.2	53.0	57.4	56.0	50.3	64.5	65.4	77.5	79.2	72.6
YUCAIPA FFS	MAX	--	97	103	95	92	77	86	86	89	79	99	--	93	105	98
	MIN	--	54	49	42	37	30	33	35	31	33	37	--	54	56	54
	AV MAX	--	91.0M	86.3M	80.6	67.9M	65.9M	68.3M	73.1M	68.3	60.4	73.9	--	88.4M	91.5	81.6
	AV MIN	--	61.6M	56.9M	52.8	46.3M	41.3M	39.5M	41.7M	42.6	37.9	49.5	--	62.2M	64.6	59.7
SAN JACINTO VALLEY HYDROLOGIC UNIT Y02	AVG	--	76.3M	71.6M	66.7	57.1M	53.6M	53.9M	57.4M	55.5	49.2	61.7	--	75.3M	78.1	70.7
	MAX	99	100	95	85	83	69	72	76	78	72	102	95	104	103	91
	MIN	52	52	34	41	34	27	30	32	30	30	36	40	56	60	52
	AV MAX	94.1M	92.2M	87.0	75.3	65.6	59.6	60.1	66.5	62.6	57.6	76.4M	79.4	94.6M	95.5	84.1
BEAUMONT PUMPING PL	AV MIN	60.6	63.9M	59.3M	52.9	45.7	40.4	39.4	40.8	42.6	37.4	49.5M	51.6	65.5M	67.6	60.0
	AVG	77.4M	78.1M	73.2M	64.1	55.7	50.0	49.8	53.7	52.6	47.5	63.0M	65.5	80.1M	81.6	72.1
	MAX	98	102	101	92	96	81	79	76	79	81	100	97	103	109	97
	MIN	48	43	40	35	26	24	26	28	28	27	32	34	53	54	45
EL SINORE	AV MAX	93.3	95.7	89.3	81.2	70.8	62.3M	62.2	67.0	--	--	76.3	76.8	94.3	96.5	85.7
	AV MIN	56.6	58.5	53.7	47.1	40.9	37.0M	36.2	37.2	35.8	31.7	43.4	46.1	59.3	62.3	54.0
	AVG	75.0	77.1	71.5	64.2	55.9	49.7M	49.2	52.1	--	--	59.9	61.5	76.8	79.4	69.9
	MAX	105	106	105	95	93	78	81	85	86	77	100	101	107	110	102
PERRIS	MIN	50	50	45	38	30	26	28	28	30	31	35	37	52	53	--
	AV MAX	98.4	99.7	93.1M	83.8M	71.8M	67.2M	68.1	73.1	70.3M	64.7	80.8M	84.2	99.3M	102.1M	91.4M
	AV MIN	58.1	61.1	55.9M	47.9M	43.0M	37.8M	35.6	38.1	42.6M	37.8	46.4M	48.7	59.1M	64.0M	--
	AVG	78.3	80.4	74.5M	65.9M	57.4M	52.5M	51.9	55.6	56.5M	51.3	63.6M	66.5	79.2M	83.1M	--
PERRIS RES EVAP	MAX	104	103	103	96	94	76	80	83	85	76	106	100	107	110	98
	MIN	48	49	41	29	27	26	26	29	27	31	34	37	47	57	52
	AV MAX	96.5	97.5	91.7	84.4	71.5	66.5M	66.9	72.7	69.2	63.0	80.6	83.8	98.9	100.9	89.1
	AV MIN	56.5	59.2	54.0	45.5	41.2	35.5M	35.5	34.8	41.3	36.5	46.7	47.2	59.5	62.7	57.6
SAN JACINTO	AVG	76.5	78.4	72.9	65.0	56.4	51.0M	51.2	53.8	55.3	49.8	63.7	65.5	79.2	81.8	73.4
	MAX	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	--	--	--	81.1	70.4	64.9	65.9	69.9	67.0	61.1	79.5	81.4	96.9	98.5	86.7
SAN JACINTO	AV MIN	--	--	--	43.7	39.4	35.1	32.6	32.5	39.2	34.9	44.3	47.3	58.2	61.7	55.8
	AVG	--	--	--	62.4	54.9	50.0	49.3	51.2	53.1	48.0	61.9	64.4	77.6	80.1	71.3
	MAX	109	108	108	97	95	77	82	85	87	75	109	103	110	114	101
	MIN	43	45	40	33	27	22	23	28	25	32	33	31	50	55	48
SAN JACINTO	AV MAX	101.3	101.8	95.7	86.5	72.7	66.5	67.8	72.4	67.9	63.9	82.6	87.2	102.3	104.4	92.6
	AV MIN	54.2	57.1	52.5	45.8	40.9	35.6	32.9	33.8	41.5	37.4	46.3	47.9	60.1	62.7	57.9
	AVG	77.8	79.5	74.1	66.2	56.8	51.1	50.4	53.1	54.7	50.7	64.5	67.6	81.2	83.6	75.3

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
SAN DIEGO DRAINAGE PROVINCE Z																
SAN JUAN HYDROLOGIC UNIT Z01																
LAGUNA BEACH	MAX	80	82	88	88	93	73	75	78	75	67	92	71	84	98	87
	MIN	49	54	47	42	39	32	32	35	34	40	40	43	55	58	58
	AV MAX	74.7	77.7M	76.7M	76.2M	68.9M	65.6M	64.0	68.8M	65.2M	61.9	69.9M	68.2M	74.9M	80.1M	77.3M
	AV MIN	57.0	61.9M	57.9M	52.1M	48.6M	42.6M	40.7	41.9M	46.4M	43.1M	51.7M	54.2M	61.5M	64.1M	64.3M
	AVG	65.9	69.8M	67.3M	64.2M	58.8M	54.1M	52.4	55.4M	55.8M	52.5M	60.8M	61.2M	68.2M	72.1M	70.8M
SANTA MARGARITA HYDROLOGIC UNIT Z02																
OCEANSIDE PENDLETON	MAX	79	83	85	87	96	78	79	80	79	67	84	73	82	85	89
	MIN	55	62	49	47	42	35	32	40	38	41	43	46	58	63	60
	AV MAX	77.0	80.2M	78.1M	75.9M	70.2	66.6	64.8	68.1M	65.9M	63.9M	69.9	69.9M	75.9M	79.1M	79.0M
	AV MIN	61.4	65.0M	60.2M	56.1M	51.7	46.7	42.3	44.5M	49.6M	45.4M	53.8	56.3M	63.1M	66.4M	65.7M
	AVG	69.2	72.6M	69.2M	66.0M	61.0	56.7	53.6	56.3M	57.8M	54.7M	61.9	63.1M	69.5M	72.8M	72.4M
PALOMAR MTN OBSERV	MAX	90	94	93	84	80	66	69	73	74	65	88	90	93	94	84
	MIN	51	46	42	37	26	21	20	27	23	22	29	28	51	56	45
	AV MAX	83.9M	87.6M	83.2	73.2M	62.2M	55.4M	57.9	62.2M	58.9	50.9	69.2	74.9M	85.0M	87.4M	78.7M
	AV MIN	59.1M	61.2M	54.1	47.0M	39.5M	35.0M	35.4	36.4M	35.3	28.3	44.4	47.0M	61.3M	62.4M	53.5M
	AVG	71.5M	74.4M	68.7	60.1M	50.9M	45.2M	46.7	49.3M	47.1	39.6	56.8	61.0M	73.2M	74.9M	66.1M
SAN LUIS REY HYDROLOGIC UNIT Z03																
HENSHAW DAM	MAX	97	98	98	89	88	78	78	76	81	71	96	98	100	104	92
	MIN	40	46	36	30	27	25	21	22	25	28	31	35	45	55	47
	AV MAX	91.0	92.9	86.4	76.9	67.2	61.1	61.5	64.9	63.2	56.0	73.2	76.9	92.7	95.5	84.3
	AV MIN	52.5	57.2	48.3	40.8	36.7	32.9	29.6	29.7	36.8	34.2	42.5	46.7	58.6	60.9	53.5
	AVG	71.8	75.1	67.4	58.9	52.0	47.0	45.6	47.3	50.0	45.1	57.9	61.8	75.7	78.2	68.9
WARNER SPRINGS	MAX	99	100	100	87	85	73	76	75	80	71	99	101	102	104	90
	MIN	37	38	35	27	21	22	24	20	21	26	25	27	42	53	44
	AV MAX	92.6	94.0	88.5	79.1	67.4	60.2	61.4	66.9	64.0	58.1	76.0	79.7	94.6	95.8	84.2
	AV MIN	49.7	53.2	47.0	41.2	33.8M	--	31.0	30.9	35.4	31.6	41.8	42.9	56.7	59.4	51.2
	AVG	71.2	73.6	67.8	60.2	50.6M	--	46.2	48.9	49.7	44.9	58.9	61.3	75.7	77.6	67.7
CARLSBAD HYDROLOGIC UNIT Z04																
ESCONDIDO	MAX	95	95	92	92	93	78	79	85	84	71	97	91	93	101	94
	MIN	49	57	45	41	35	29	29	33	34	35	38	41	53	60	56
	AV MAX	86.9	88.4	84.1	79.4	70.4	66.7	67.3	71.9	67.1	63.8	77.3	76.1	87.9	90.3	83.3
	AV MIN	57.7	62.3	57.4	52.4	46.7	41.1	37.8	38.9	46.0	42.1	50.5	53.3	60.6	63.8	62.8
	AVG	72.3	75.4	70.8	65.9	58.6	53.9	52.6	55.4	56.6	53.0	63.9	64.7	74.3	77.1	73.1
LAKE WOHLFORD	MAX	96	98	99	96	95	80	84	88	87	72	95	90	94	108	97
	MIN	48	49	47	38	35	29	31	34	32	35	37	40	51	57	53
	AV MAX	89.2	91.4	85.2	81.8	72.6	68.9	69.6	72.9	67.8	62.0	76.8	74.4	88.8	92.8	84.6
	AV MIN	55.4	58.1	54.9	49.6	44.6	40.9	39.2	39.3	43.2	39.8	47.9	49.0	58.8	61.9	58.7
	AVG	72.3	74.8	70.1	65.7	58.6	54.9	54.4	56.1	55.5	50.9	62.4	61.7	73.8	77.4	71.7
SAN DIEGUITO HYDROLOGIC UNIT Z05																
MOOGES DAM	MAX	90	93	94	100	100	78	80	86	90	70	98	86	92	98	98
	MIN	50	56	43	38	33	28	29	30	34	38	39	42	55	60	57
	AV MAX	82.0	84.7	81.8	81.0	72.8	68.8	68.3	72.4	67.8	63.2	74.2	71.9	82.0	85.0	82.4
	AV MIN	57.6	61.6	55.7	49.1	44.6	39.9	36.5	37.5	44.8	42.7	49.9	53.0	60.6	63.9	62.8
	AVG	69.8	73.2	68.8	65.1	58.7	54.4	52.4	55.0	56.3	53.0	62.1	62.5	71.3	74.5	72.6
RAMONA SPAULDING	MAX	100	100	102	97	94	77	80	81	85	72	98	95	100	110	96
	MIN	40	41	38	30	29	20	27	27	25	30	30	31	46	55	47
	AV MAX	93.6	94.8	90.1	82.9	71.6	65.9	66.9	71.4	66.7	62.0	79.0	80.0	94.1	97.7	87.3
	AV MIN	51.7	54.8	51.4	48.6	42.1	39.3	37.0	35.3	39.3	35.5	43.1	46.1	56.3	61.4	58.2
	AVG	72.7	74.8	70.8	65.8	56.9	52.6	52.0	53.4	53.0	48.8	61.1	63.1	75.2	79.6	72.8
SUTHERLAND DAM	MAX	96	96	98	92	90	80	80	80	82	68	96	90	96	104	92
	MIN	46	50	42	36	30	28	30	30	29	32	36	38	52	56	48
	AV MAX	88.3	90.4	84.3	77.4	69.0	63.6	63.9	67.9	64.2	58.4	73.0	72.9	88.9	92.2	82.5
	AV MIN	55.7	59.0	53.6	47.4	43.0	40.0	37.2	35.9	39.8	37.5	46.8	47.4	59.9	63.3	55.9
	AVG	72.0	74.7	69.0	62.4	56.0	51.8	50.6	51.9	52.0	48.0	59.9	60.2	74.4	77.8	69.2
PENASQUITA HYDROLOGIC UNIT Z06																
MIRAMAR	MAX	88	93	90	94	97	79	82	83	84	70	97	87	92	98	96
	MIN	50	60	56	54	46	38	40	43	42	41	46	49	56	64	60
	AV MAX	81.3	84.6	80.7	79.1	71.8	68.6	67.9	71.0	68.1	63.1	74.6	72.6	82.6	85.7	81.9
	AV MIN	60.0	64.7	61.1	60.9	54.2	49.6	46.0	47.8	50.8	48.1	54.9	55.9	62.4	67.1	65.4
	AVG	70.7	74.7	70.9	70.0	63.0	59.1	57.0	59.4	59.5	55.6	64.8	64.3	72.5	76.4	73.7

See page 43 for key to terms & abbreviations

TABLE A-3 AIR TEMPERATURE DATA SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
SAN DIEGO DRAINAGE PROVINCE Z																
SAN DIEGO HYDROLOGIC UNIT Z07																
ALPINE	MAX	97	98	100	94	92	75	79	83	85	72	102	93	96	107	97
	MIN	45	50	45	43	37	30	34	35	34	36	40	40	55	57	53
	AV MAX	92.0	92.7	89.4	82.2	71.0	65.1	66.7	72.5	67.7	62.0	77.9	78.0	91.5	95.2	85.9
	AV MIN	59.6	61.0	57.3	54.1	49.0	43.8	43.1	43.6	45.0	40.7	51.4	51.6	62.9	66.5	60.9
	AVG	75.8	76.9	73.4	68.2	60.0	54.5	54.9	58.1	56.4	51.4	64.7	64.8	77.2	80.9	73.4
CUYAMACA	MAX	92	93	93	82	83	68	68	69	72	65	87	94	97	--	84
	MIN	37	43	35	25	20	20	22	22	26	25	28	32	44	49	38
	AV MAX	86.5	88.5	82.5	71.7	60.9	52.1	52.8	56.7	55.9	49.6	66.7	72.6	88.5	--	--
	AV MIN	53.8	55.8	48.0	39.5	34.6	33.1	31.6	31.2	34.6	30.1	41.3	44.0	56.1	--	--
	AVG	70.2	72.2	65.3	55.6	47.8	42.6	42.2	44.0	45.3	39.9	54.0	58.3	72.3	--	--
EL CAPITAN DAM	MAX	100	101	103	98	98	81	84	86	89	75	102	96	99	110	98
	MIN	49	53	51	43	41	35	32	35	38	40	42	46	50	58	54
	AV MAX	93.1	95.1	89.6	84.7	75.5	69.5	70.1	74.1	70.6	64.7	79.7	79.3	93.5	97.3	89.3
	AV MIN	56.7	61.2	56.9	53.7	49.2	44.5	40.8	42.2	46.1	42.7	50.8	52.5	59.1	63.9	62.1
	AVG	74.9	78.2	73.3	69.2	62.4	57.0	55.5	58.2	58.4	53.7	65.3	65.9	76.3	80.6	75.7
GILLESPIE FIELD	MAX	95	96	95	96	96	80	83	87	88	74	99	92	96	104	97
	MIN	51	59	46	40	35	26	27	28	35	38	39	42	55	62	56
	AV MAX	87.4	88.6	85.6	82.7	74.2	69.5	70.4	74.8	69.4	65.4	77.3	76.0	87.3	91.7	85.3
	AV MIN	60.2	64.8	59.9	52.1	47.9	40.5	36.8	37.7	46.6	43.0	51.7	55.6	62.7	66.2	65.1
	AVG	74.9	76.7	72.8	67.4	61.1	55.0	53.6	56.3	58.0	54.2	64.5	65.8	75.0	79.0	75.2
JULIAN WYNOLA	MAX	96	96	97	85	80	73	74	73	77	67	92	93	98	100	89
	MIN	42	41	41	32	25	22	28	25	23	28	29	33	49	55	45
	AV MAX	90.4	90.5	83.8	73.9	63.5	57.2M	57.0	62.4	56.1M	52.9	70.3M	73.3	91.1	92.6	80.7
	AV MIN	54.1	57.0	51.7	44.0	38.3	39.7M	35.2	32.9	35.6M	33.4	42.0M	44.3	58.2	60.5	52.1
	AVG	72.3	73.8	67.8	59.0	50.9	48.5M	46.1	47.7	45.9M	43.2	56.2M	58.8	74.7	76.6	66.4
MURRAY DAM	MAX	97	94	90	85	89	77	74	76	79	74	92	86	96	96	94
	MIN	57	60	57	51	43	37	22	42	40	42	46	48	56	62	60
	AV MAX	83.7	87.0	79.4	74.2	67.6	63.3	63.4	65.2	64.7	62.3	73.2	72.1	82.9	86.8	81.4
	AV MIN	60.7	64.3	60.0	56.5	52.0	47.3	42.7	45.7	48.6	45.5	53.0	55.1	61.4	65.0	63.8
	AVG	72.2	75.7	69.7	65.4	59.8	55.3	53.1	55.5	56.7	53.9	63.1	63.6	72.2	75.9	72.6
SAN VICENTE RES	MAX	100	100	100	98	94	80	84	86	88	76	100	94	96	108	96
	MIN	50	54	44	44	36	26	26	30	32	36	38	40	50	58	54
	AV MAX	90.8	92.3M	87.7M	82.7	72.3M	67.6M	68.9M	72.9M	68.1M	63.6M	77.8M	76.9M	90.4M	93.7M	85.3M
	AV MIN	56.4	60.9	55.6	50.5	45.1	39.7	36.2	36.9	42.5	39.9	47.3	50.7	57.0	61.7M	60.7
	AVG	73.6	76.6M	71.7M	66.6	58.7M	53.7M	52.6M	54.9M	55.3M	51.8M	62.6M	63.8M	73.7M	77.7M	73.0M
CORONADO HYDROLOGIC UNIT Z08																
CABRILLO NAT MON	MAX	77	80	79	87	94	73	71	75	78	65	89	72	78	81	89
	MIN	58	62	57	50	46	41	43	41	44	45	47	52	56	61	54
	AV MAX	73.4	76.3	73.0	73.0	67.2	62.9	61.7	65.4	64.0	61.6	68.1	67.9	73.1	75.2	76.5
	AV MIN	61.1	64.8	61.3	59.4	54.5	50.6	48.7	48.9	51.5	48.2	54.5	54.7	59.2	64.1	63.5
	AVG	67.3	70.6	67.2	66.2	60.9	56.8	55.2	57.2	57.8	54.9	61.3	61.3	66.2	69.7	70.0
CHOLLAS RESERVOIR	MAX	92	97	92	94	97	78	82	82	89	78	98	90	94	100	96
	MIN	60	60	54	52	44	38	38	42	42	42	45	48	55	63	62
	AV MAX	84.0M	84.5M	80.2M	81.6M	74.4M	67.8M	69.2M	71.9M	70.9M	66.0M	77.0M	74.0M	82.8M	84.4M	82.9M
	AV MIN	63.0M	65.3M	61.8M	59.8M	55.3M	49.4M	48.2M	48.3M	51.6M	47.0M	55.6M	56.7M	62.3M	67.9M	66.8M
	AVG	73.5M	74.9M	71.0M	70.7M	64.9M	58.6M	58.7M	60.1M	61.3M	56.5M	66.3M	65.4M	72.6M	76.2M	74.9M
LA MESA	MAX	89	94	93	94	97	79	82	85	82	72	97	90	94	104	95
	MIN	57	60	51	50	41	34	36	38	39	41	43	47	57	59	60
	AV MAX	82.4	84.2	82.6M	80.1M	72.6M	67.9	68.7	72.7	67.6	64.3	75.0	73.0M	82.6	87.3	82.8
	AV MIN	60.6	64.3	60.4M	56.5	51.4M	45.7M	43.4	45.4	49.7	45.9	53.5	55.3M	62.6	65.4M	64.5
	AVG	71.5	74.3	71.5M	68.3M	62.0M	56.8M	56.1	59.1	58.7	55.1	64.3	64.2M	72.6	76.4M	73.7
SAN DIEGO WB AP	MAX	78	83	84	89	97	75	77	80	80	67	91	77	86	87	88
	MIN	60	65	56	52	45	38	38	41	44	46	48	51	62	64	65
	AV MAX	74.4	77.9	75.9	75.5	69.2	65.7	64.5	68.2	65.4	63.1	70.0	68.8	75.8	78.7	76.9
	AV MIN	64.0	67.2	63.8	59.7	54.5	48.7	45.5	47.3	52.6	49.9	57.0	58.3	64.9	67.5	67.1
	AVG	69.2	72.6	69.9	67.6	61.9	57.2	55.0	57.8	59.0	56.5	63.5	63.6	70.4	73.1	72.0
SWEETWATER HYDROLOGIC UNIT Z09																
BONITA	MAX	85	89	90	94	97	80	80	86	87	71	97	83	91	99	99
	MIN	52	56	44	39	35	25	28	32	32	35	35	39	52	60	55
	AV MAX	79.7	81.7	80.2	79.7	72.3	68.5	68.7	73.0	--	65.4	74.1	71.8	78.5	83.8	82.2
	AV MIN	57.6	61.6	56.4	49.4	45.5	39.4	36.1	36.4	--	39.7	48.1	50.1	58.5	64.5	62.7
	AVG	68.7	71.7	68.3	64.6	58.9	54.0	52.4	54.7	--	52.6	61.1	61.0	68.5	74.2	72.5
LAKE LOVELAND	MAX	97	99	100	98	97	82	84	86	88	73	100	94	96	107	102
	MIN	46	45	48	36	35	29	32	34	32	34	36	38	50	56	50
	AV MAX	89.7	91.7	87.5	84.5M	74.0	68.6	70.0	73.2	68.8	61.7	76.8	76.0	89.8	94.0	86.5
	AV MIN	57.4	58.6	56.3	53.0M	47.8	43.7	42.4	42.1	43.8	40.1	48.7	49.7	59.7	63.8	60.3
	AVG	73.6	75.2	71.9	68.8M	60.9	56.2	56.2	57.7	56.3	50.9	62.8	62.9	74.8	78.9	73.4
SWEETWATER DAM	MAX	90	93	94	95	98	80	82	85	87	73	98	88	93	103	99
	MIN	57	60	51	49	41	33	35	36	40	42	43	46	57	64	61
	AV MAX	82.3M	84.0	82.1	80.7	73.2	68.5	69.0	72.0	69.4	64.2	74.6	72.6	81.6	86.6	83.7
	AV MIN	61.8M	66.0	61.5	56.7	52.4	45.8	42.5	43.7	49.3	46.3	54.7	56.9	64.0	67.5	66.6
	AVG	72.1M	75.0	71.8	68.7	62.8	57.2	55.8	57.9	59.4	55.3	64.7	64.8	72.8	77.1	75.2

See page 43 for key to terms & abbreviations

TABLE A-3
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1966						1967								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
SAN DIEGO DRAINAGE PROVINCE 2																
OTAY HYDROLOGIC UNIT Z10																
CHULA VISTA	MAX	74	78	79	85	96	71	72	74	82	69	85	70	79	80	96
	MIN	58	61	51	48	42	35	36	39	41	43	43	47	60	64	61
	AV MAX	71.5M	74.0	72.4	72.4	67.9	64.0M	63.0	65.0	64.3	60.4	66.3M	64.8	70.5M	73.9	75.3
	AV MIN	62.1M	66.9M	61.2	56.9	51.2	46.0M	42.6	44.5	50.3	47.3	54.3M	56.9	63.9M	66.8	66.7
	AVG	66.8M	70.5M	66.8	64.7	59.6	55.0M	52.8	54.8	57.3	53.9	60.3M	60.9	67.2M	70.4	71.0
LOWER OTAY RESERVOIR	MAX	86	96	91	95	98	82	80	86	87	74	100	90	95	102	98
	MIN	50	60	51	48	40	34	36	40	40	40	44	50	58	62	57
	AV MAX	79.7M	87.2	82.0	79.0	73.7	69.1	69.1	71.9	71.1	65.5	79.2	74.5	84.6	88.7	84.7
	AV MIN	58.2M	63.8	59.1	55.7	50.7	45.4	41.5	44.7	47.9	45.0	54.5	55.7	61.8	65.1	63.6
	AVG	69.0M	75.5	70.6	67.4	62.2	57.3	55.3	58.3	59.5	55.3	66.9	65.1	73.2	76.9	74.2
TIAJUANA HYDROLOGIC UNIT Z11																
BARRETT DAM	MAX	100	102	103	93	92	82	80	81	85	73	96	94	100	106	95
	MIN	46	47	43	33	29	24	25	25	28	31	33	37	51	57	50
	AV MAX	93.4	95.2	88.8	80.4M	71.5	65.9	66.5	69.7	66.8M	60.9	76.8	78.5	93.5	97.1	86.8
	AV MIN	55.7	58.9	52.7	44.3	40.1	35.4	31.8	31.9	38.1M	38.5	45.8	48.9	59.9	62.9	56.8
	AVG	74.6	77.1	70.8	62.4M	55.8	50.7	49.2	50.8	52.5M	49.7	61.3	63.7	76.7	80.0	71.8
CAMPO	MAX	99	99	100	90	86	--	75	81	84	72	97	96	103	103	93
	MIN	39	42	38	29	22	--	22	19	21	24	27	30	48	52	44
	AV MAX	92.8	94.1	87.8	79.4	69.9	--	62.6	66.9	66.2	59.7	76.0	80.1	94.7	96.9	85.3
	AV MIN	52.1	55.2	49.9	43.2	39.3	--	32.8	30.3	36.1	34.3	40.7	43.3	57.3	60.0	52.3
	AVG	72.5	74.7	68.9	61.3	54.6	--	47.7	48.6	51.2	47.0	58.4	61.7	76.0	78.5	68.8
MORENA DAM	MAX	96	97	99	89	88	75	78	80	88	78	97	92	100	104	94
	MIN	40	40	38	25	22	20	20	18	20	24	26	34	42	49	42
	AV MAX	91.1	92.4	86.1	77.5	69.5	63.2	63.9	65.0	66.4	60.9	75.2	76.2	92.9	95.3	84.5
	AV MIN	53.5	56.0	50.0	41.4	38.9	35.2	32.6	31.5	34.3	33.0	41.6	43.5	56.3	59.2	49.7
	AVG	72.3	74.2	68.1	59.5	54.2	49.2	48.3	48.3	50.4	47.0	58.4	59.9	74.6	77.3	67.1

TABLE A-4
EVAPORATION DATA

The definition of terms and the abbreviations used in connection with this table are as follows:

Evap	The total amount of water evaporated from the pan for the month.
Wind	The amount of movement of air over the pan in miles for the month.
Temp-Max	Arithmetical average of daily maximum water temperature for the month.
Temp-Min	Arithmetical average of daily minimum water temperature for the month.
--	No record.
E	Wholly or partially estimated.
M	One or more days of record missing; if average value is entered, less than ten days of record is missing.
RB	Record begins.
RE	Record ends.

Wind and water temperature data are not available at all evaporation stations.

TABLE A-4
EVAPORATION DATA
SOUTHERN CALIFORNIA

EVAPORATION IN INCHES			WIND IN TOTAL MILES					AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT									
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30
	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.		
CENTRAL COASTAL DRAINAGE PROVINCE T																	
SALINAS HYDROLOGIC UNIT T09																	
NACIMIENTO DAM																	
EVAP	66.01E	11.07	11.03	7.82	5.42	2.66E	1.43E	1.73E	1.97	3.23E	3.72E	7.36E	8.57	11.25	10.77	7.37	65.48E
SANTA MARIA-CUYAMA HYDROLOGIC UNIT T12																	
TWITCHELL DAM																	
EVAP	--	--	8.83	6.93	6.95	2.57	2.61E	3.68	4.03	3.86	3.71E	7.17	6.05	8.64	8.66	6.77	64.70E
WIND	--	-	1660	1574	1849	1377	1986E	2210	1901	1817	1546	1765	1476	1626	1581	1352	20486E
TEMP-MAX	--	--	86.5	83.1	78.0	66.7	61.9	62.1	68.9	69.9	70.4	82.7	81.0	88.8	88.0	85.5	
TEMP-MIN	--	--	58.4	56.5	53.1	50.2	44.7	43.4	45.0	46.6	44.9	53.6	55.3	59.7	60.6	61.1	
SANTA YNEZ HYDROLOGIC UNIT T14																	
CACHUMA DAM																	
EVAP	64.49	8.97	9.30	6.72	6.00	2.86	2.13	2.76	3.32	3.85	4.12	7.34	7.12	9.61	9.13	6.79	65.03
WIND	17320	1311	1339	1084	1434	1306	1696	1576	1348	1594	1718	1613	1301	968	925	942	16421
TEMP-MAX		85.0	87.1	80.7	73.1	62.1	56.1	56.5	63.6	65.0	64.6	77.7	80.3	89.2	89.2	82.5	
TEMP-MIN		56.1	58.0	55.0	50.2	46.4	40.4	39.4	40.8	44.0	41.9	51.1	53.5	59.5	60.3	58.7	
LOMPOC AIRPORT																	
EVAP	52.59	6.58	6.91	5.16	4.74	2.56	1.99	3.17	2.72	3.36	3.92	6.40	5.08	7.38	6.24	5.46	53.02
WIND	28043	2893	2597	2554	2186	1909	2099	2119	1882	2419	2323	2279	2783	2688	2727	2140	27554

TABLE A-4

EVAPORATION DATA

SOUTHERN CALIFORNIA

		EVAPORATION IN INCHES						WIND IN TOTAL MILES		AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT								
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30	
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.		
LOS ANGELES DRAINAGE PROVINCE U																		
VENTURA RIVER HYDROLOGIC UNIT U02																		
CASITAS DAM																		
EVAP	58.05	8.67	8.29	6.57	5.40	2.44	1.63	1.71	3.04	3.51	4.24	6.49	6.06	7.44	8.18	4.89	55.03	
WIND	10046	1253	1161	896	818	547	615	653	696	798	834	888	887	1116	1026	701	9579	
CASITAS RESERVOIR																		
EVAP	53.15	9.41	8.32	6.28	5.35	1.98	1.32	1.30	2.20	2.73	3.05	5.41	5.80	7.98	8.43	5.33	50.88	
WIND	12806	1421	1338	1131	1091	767	775	714	818	1017	1272	1205	1257	1250	1366	1084	12616	
SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT U03																		
ACTON ESCONDIDO CNYN																		
EVAP	77.84E	11.85	13.05	8.90	7.77	3.66E	4.06	3.53	4.25	3.60E	2.74E	6.63	7.80	12.18	11.96	7.62	75.80E	
BOUQUET CANYON F124																		
EVAP	--	--	--	--	7.65	3.61	3.27	3.52	4.66	3.84	3.07	7.24	7.10	11.83	11.60	8.45	75.84	
FISH CREEK																		
EVAP													RB	12.46	12.84	--	--	
NEWHALL U S RS																		
EVAP	64.30E	10.65	8.85	6.55	5.74	3.38E	2.47E	3.25E	3.36	2.52	4.76	5.62	7.15	4.14	--	--	--	
PINE CANYON PAT STN																		
EVAP	--	--	11.68	8.14	5.63	2.80	2.10	2.28E	2.80	3.89E	2.78	6.03E	7.41E	10.68	9.55	6.72	62.67E	
PYRAMID RESERVOIR																		
EVAP									RB	4.32	3.42	10.96	7.75	7.80	8.88	6.49	49.62	
TEMP-MAX										--	--	--	--	--	91.0	84.0		
TEMP-MIN										--	--	--	--	--	56.0	53.0		
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																		
ARCADIA ARBORETUM																		
EVAP	44.14E	7.08	6.64	5.18	3.96	2.22E	1.82	1.74	2.32	2.57E	2.53	4.09	3.99	6.63	6.68	4.73	43.28E	
BALDWIN PARK																		
EVAP	48.17E	7.40	8.04	5.53	4.12	1.86	1.28E	1.28E	2.30	3.31	2.49	5.36	5.20	8.06	8.60	8.71	52.57E	
BIG DALTON DAM																		
EVAP	49.18E	8.48	7.89	5.86	4.94	2.20	1.85	2.02	2.89	2.27E	2.12E	4.66	4.00	7.70	7.78	4.38	46.81E	
BIG SANTA ANITA DAM																		
EVAP	59.73E	8.01	7.06	6.42	6.49	4.04E	3.70	3.45	4.06	3.84	2.72	5.42	4.52	7.61E	8.75	5.93	60.53E	
BIG TUJUNGA DAM																		
EVAP	70.63E	10.65	10.33	8.50	7.28	3.82E	3.32E	4.00	4.61	3.86E	2.66	5.77	5.83	9.90	10.70	7.47	69.22E	
CHATSWORTH RESERVOIR																		
EVAP	62.44	12.80	9.86	6.05	5.63	2.02	2.50	2.67	2.49	2.31	3.67	6.40	6.04	8.89	10.23	6.68	59.53	
DESCANSO GARDENS																		
EVAP	53.92E	8.39	8.90	6.47	5.21	2.76	2.10	2.11	3.17	2.90	2.45	5.02E	4.44	7.41	7.26	5.12	49.95E	
COGSWELL DAM																		
EVAP	61.28	10.84	9.79	7.85	5.65	2.86	1.95	2.16	3.15	2.89	2.40	5.81	5.93	9.80	10.11	6.97	59.68	
EAGLE ROCK RES																		
EVAP	65.68	9.03	8.12	6.58	6.05	3.55	3.73	3.82	4.54	4.44	4.00	6.36	5.46	8.70	9.25	5.84	65.74	
ENCINO RESERVOIR																		
EVAP	67.17	9.84	9.11	7.31	5.65	3.12	3.05	3.43	4.11	4.04	4.39	6.75	6.37	9.00	9.44	6.72	66.07	
FULLERTON A P																		
EVAP	65.78	9.40	8.50	6.92	5.65	2.76	2.40	4.34	3.37	4.12	4.70	7.84	5.78	8.79	8.55	5.01	63.31	

See page 64 for key to terms & abbreviations

TABLE A-4
EVAPORATION DATA
SOUTHERN CALIFORNIA

		EVAPORATION IN INCHES						WIND IN TOTAL MILES		AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT									
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30		
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.			
LOS ANGELES DRAINAGE PROVINCE U																			
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																			
LA FRESA S C E CO																			
EVAP	43.53E	5.98	6.01	4.74	3.69	2.04	1.52E	1.72	2.09	2.73	3.41	4.90	4.70	6.20	5.83	4.69	43.52E		
LOWER FRANKLIN RES																			
EVAP	69.08	9.16	8.58	7.34	6.79	3.61	3.78	3.77	4.37	4.50	4.28	6.40	6.50	8.23	9.04	6.66	67.93		
MORRIS DAM																			
EVAP	55.44	9.36	8.62	6.70	5.28	2.47	1.88	1.99	3.18	3.04	2.51	5.30	5.11	8.62	8.56	5.57	53.51		
OPIDS CAMP FC 578E																			
EVAP	--	--	7.71	4.87	2.82	0.73E	--	--	--	1.10E	--	4.89	5.47	8.25	7.73	4.37	--		
PACOIMA DAM FC 33A E																			
EVAP	71.12E	9.25	8.08	7.76	7.52	4.24	4.68E	4.88E	6.00	4.19E	3.31	5.74	5.25	7.70	8.88	6.06	68.67E		
PALOS VERDES																			
EVAP	49.68E	6.45	7.05	5.08	5.53	2.38	1.78E	1.90	2.15	3.05	3.44	5.77E	5.10	6.60	7.37	5.02	50.09E		
PUDDINGSTONE DAM																			
EVAP	54.13E	8.04	7.38	5.96	4.69	2.64E	2.69	2.57	3.37	3.25E	3.00	5.36	5.18	8.57	8.91	5.91	56.14E		
RIO HONDO SPREAD GRN																			
EVAP	--	6.80	6.20	5.30	4.18	--	--	2.45	2.88	3.65	1.53	5.60	4.84E	6.57	7.65	5.18	--		
SAN DIMAS DAM																			
EVAP	48.98E	8.27	7.59	5.86	4.60	2.22	1.58	1.73E	2.68	2.59	2.45	4.99	4.42	7.69	7.87	4.84	47.66E		
SAN GABRIEL DAM																			
EVAP	70.55E	10.29	8.80	7.85	7.28	4.17E	3.34	3.68	4.78	4.07	3.77	6.53	5.99	9.43	9.70	6.36	69.10E		
SILVER LAKE RES																			
EVAP	52.11	8.40	7.69	5.97	0.89	2.31	2.52	2.48	3.26	3.81	3.74	5.64	5.40	7.46	7.82	5.51	50.84		
STONE CANYON RES																			
EVAP	71.58	8.31	7.77	6.70	12.65	3.14	5.02	4.14	4.77	3.98	2.89	6.43	5.78	7.69	8.38	5.74	70.61		
VAN NORMAN LK LWR DA																			
EVAP	73.45	9.42	8.70	7.15	7.85	3.53	5.64	6.03	5.27	4.27	3.60	6.58	5.41	8.52	7.49	6.07	70.26		

TABLE A-4
EVAPORATION DATA
SOUTHERN CALIFORNIA

		EVAPORATION IN INCHES				WIND IN TOTAL MILES				AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT											
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30				
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.					
LAHONTON DRAINAGE PROVINCE W																					
AMARGOSA HYDROLOGIC UNIT W09																					
DEATH VALLEY																					
EVAP	161.57E	26.15E	19.88	16.55	10.52	6.23	4.51	4.96	7.96	12.55	12.81E	18.63	20.82	23.24	22.47	15.45	160.15E				
WIND	28303E	3349	2461	1901	1290	1142	1441	1635	1985	3799	3762	2763	2775E	2392	2327	2282	27593E				
TEMP-MAX		97.6	97.4	91.3	83.2	67.5	61.3	59.4	68.8	76.9	80.0	93.5	97.2	104.5	104.0	96.5					
TEMP-MIN		68.4	69.9	65.1	56.3	49.0	42.3	41.1	44.5	52.1	51.3	62.2	66.5	75.6	75.9	70.7					
ANTELOPE HYDROLOGIC UNIT W26																					
FAIRMONT RESERVOIR																					
EVAP	106.50	18.65	18.75	12.32	9.52	4.09	2.74	3.33	4.08	5.52	4.38	10.47	12.65	17.25	15.47	9.76	99.26				
MOJAVE (USW8)																					
EVAP	--	18.82E	18.84	11.13E	7.74	4.39	--	--	--	--	--	--	14.88	18.52	16.26	10.89	--				
WIND	--	1504	1435	696	758	-	-	-	-	-	-	4596E	3742	3295	2603	2395	--				
TEMP-MAX		88.8	90.2	83.9	75.4	65.2	--	--	--	--	--	--	86.9	94.8	95.0	85.4					
TEMP-MIN		57.8	59.5	56.7	49.0	43.0	--	--	--	--	--	--	54.3	62.8	63.5	59.0					
PALMDALE HMS																					
EVAP	100.18E	19.24	19.70	12.03	7.35	3.40	2.43E	1.63E	3.03	5.83	6.02	10.54	8.98	12.10	10.93	8.05	80.29E				
MOJAVE HYDROLOGIC UNIT W28																					
CEDAR SPRINGS R EVAP																					
EVAP	65.88	11.90	10.48	7.43	4.78	3.73	1.81	1.62	2.55	3.61	4.07	6.56	7.34	9.44	8.02	--	--				
PILOT ROCK EVAP																					
EVAP	64.73	10.66	10.22	7.50	5.13	2.56	1.51	2.27	3.05	4.10	2.74	7.33	7.66	10.62	9.69	6.16	62.82				
WIND	--	--	--	--	--	--	--	--	--	--	--	--	1834	1475	1339	1248	--				
TEMP-MAX		--	63.4	--	45.8	43.4	37.7	36.6	37.0	44.1	43.4	52.4	56.2	66.8	66.9	59.1					
TEMP-MIN		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--					

TABLE A-4
EVAPORATION DATA
SOUTHERN CALIFORNIA

		EVAPORATION IN INCHES				WIND IN TOTAL MILES				AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT											
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967									TOTAL OCT. 1 THROUGH SEPT. 30				
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.					
COLORADO RIVER BASIN DRAINAGE PROVINCE X																					
WHITEWATER HYDROLOGIC UNIT X19																					
INDIO US DATE GARDEN																					
EVAP	97.09	14.64	13.17	10.22	6.52	3.49	1.97	2.37	4.96	7.05	7.83	11.49	13.38	13.45	11.96	8.77	93.24				
WIND	7116	725	533	480	316	215	212	163	451	725	969	1091	1236	432	341	434	6585				
TEMP-MAX		106.4	108.4	99.6	88.1	74.4	65.0	64.5	75.6	82.6	83.8	95.9	99.1	106.7	106.3	98.0					
TEMP-MIN		72.5	74.5	68.4	59.2	52.7	45.8	43.5	47.9	54.3	53.0	62.8	65.4	76.5	77.4	71.4					

TABLE A-4
EVAPORATION DATA
SOUTHERN CALIFORNIA

		EVAPORATION IN INCHES						WIND IN TOTAL MILES				AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT									
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1966						1967										TOTAL OCT. 1 THROUGH SEPT. 30			
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.					
SAN DIEGO DRAINAGE PROVINCE 2																					
SAN JUAN HYDROLOGIC UNIT Z01																					
EL TORO																					
EVAP	68.15	10.07	9.50	7.54	6.33	3.12	1.95	2.94	3.68	4.41	4.57	7.26	6.78	9.50	8.47	6.21	65.22				
SAN DIEGUITO HYDROLOGIC UNIT Z05																					
HODGES DAM																					
EVAP	62.38	8.85	9.11	7.06	5.32	3.46	2.07	2.55	3.31	3.67	4.11	6.78	6.09	8.70	8.52	6.23	60.81				
SAN DIEGUITO DAM																					
EVAP	57.79	8.21	8.04	6.39	5.39	3.08	2.45	2.30	2.87	3.58	4.01	5.98	5.49	7.87	7.80	5.68	56.50				
SUTHERLAND DAM																					
EVAP	69.53	10.27	9.66	7.35	6.07	3.44	4.73	3.83	4.38	3.30	3.34	6.80	6.36	9.47	9.77	6.11	67.60				
PENASQUITA HYDROLOGIC UNIT Z06																					
MIRAMAR																					
EVAP	73.57	9.69	10.58	8.18	6.55	3.47	3.03	3.13	4.31	4.45	4.94	8.23	7.01	10.34	10.75	7.15	73.36				
SAN DIEGO HYDROLOGIC UNIT Z07																					
EL CAPITAN DAM																					
EVAP	76.87	11.07	11.16	8.83	7.65	4.29	2.85	3.45	4.42	4.08	3.72	7.60	7.75	10.72	11.29	8.18	76.00				
LAKESIDE 2 E																					
EVAP							RB	3.55	4.32	4.64	5.41	7.19	7.25	10.39	10.05	6.99	59.79				
LAKESIDE 2 ENE																					
EVAP	--	10.05	9.47	7.53	5.87	3.10	2.20	--	--	--	--	--	--	--	--	--	--				
MURRAY DAM																					
EVAP	57.17	9.09	8.09	6.45	4.87	2.58	1.93	1.93	2.86	3.40	3.08	6.60	6.29	7.71	7.32	5.56	54.13				
SAN VICENTE RES																					
EVAP	53.99	8.36	8.18	7.07	5.03	2.84	1.73	1.85	2.74	3.04	2.59	5.32	5.24	8.40	8.45	6.28	53.51				
OTAY HYDROLOGIC UNIT Z10																					
CHULA VISTA																					
EVAP	64.64E	7.59	8.47	6.52	5.37'	3.62	2.44E	2.80	3.50	5.10	5.71	7.23	6.29	7.44	7.30	6.28	63.08E				
WIND	31624	3066	3064	2802	2157	1853	2174	1693	1756	2859	3388	3381	3431	3157	3090	2988	31927				
TEMP-MAX		81.7	85.2	79.5	75.9	69.3	62.0	62.0	66.9	67.6	67.9	73.3	73.7	--	--	83.1					
TEMP-MIN		60.9	63.8	57.5	53.8	50.6	43.6	40.0	41.7	47.6	45.6	52.1	55.6	--	--	65.2					
LOWER OTAY RESERVOIR																					
EVAP	57.21	8.34	8.21	6.36	5.47	2.92	2.46	2.03	2.49	3.20	3.75	6.06	5.92	7.94	8.08	6.67	56.99				
TIAJUANA HYDROLOGIC UNIT Z11																					
BARRETT DAM																					
EVAP	54.02	8.78	8.53	6.28	4.59	2.25	1.25	1.93	2.60	2.93	2.89	5.84	6.15	8.76	8.82	5.52	53.53				
MORENA DAM																					
EVAP	52.91	9.12	8.27	5.94	4.07	1.90	1.13	2.44	2.53	2.67	2.33	5.97	6.54	8.38	7.20	5.08	50.24				

See page 64 for key to terms & abbreviations

Appendix B
SURFACE WATER MEASUREMENTS

Appendix B

SURFACE WATER MEASUREMENTS

This appendix presents surface water data for Southern California from October 1, 1966 through September 30, 1967. These data consist of summary tables of annual unimpaired runoff from major streams (Table B-1), daily mean discharge (Table B-2), diversions from the Colorado River (Figure B-1), imported water (Figure B-2), and monthly water content of major reservoirs (Table B-3).

Each station in this appendix has been assigned an identification number.

TABLE B-1 - ANNUAL UNIMPAIRED RUNOFF
AT SELECTED STATIONS

Unimpaired runoff is defined as the flow that occurs naturally at a point in a stream if there were: (1) no upstream controls such as dams or reservoirs; (2) no artificial diversions or accretions; and, (3) no change in ground water storage resulting from development. The computed natural, or unimpaired, runoff values are considered to be the flows that would occur if no impairments were upstream from the measurement points.

TABLE B - I

ANNUAL UNIMPAIRED RUNOFF AT SELECTED STATIONS

In percent of average

Water Year	Owens R. below Long Valley	Big Rock Cr. near Valyermo	Sespe Cr. near Fillmore**	Arroyo Seco near Pasadena	Santa Ana R. near Mentone	Murrieta Cr. at Temecula	Arroyo Grande at Arroyo Grande
Average Annual Runoff*	141,680	11,662	72,613	5,653	55,860	7,401	15,494
1915-16	145	293	198	299	447	815	281
1916-17	147	111	101	99	126	74	188
1917-18	121	117	270	99	151	55	316
1918-19	120	33	40	27	68	51	27
1919-20	104	161	56	64	145	58	84
1920-21	106	104	45	56	93	39	20
1921-22	141	334	344	449	341	279	240
1922-23	119	115	55	56	113	60	33
1923-24	77	36	14	15	65	43	7
1924-25	82	25	15	19	51	51	14
1925-26	87	105	149	109	86	38	148
1926-27	107	137	143	120	202	357	190
1927-28	80	47	27	22	35	46	55
1928-29	70	33	26	24	47	27	21
1929-30	71	53	25	28	62	30	14
1930-31	52	37	23	26	39	37	5
1931-32	97	135	114	94	154	178	210
1932-33	82	51	44	48	47	13	37
1933-34	66	41	72	52	39	6	47
1934-35	91	153	115	159	83	27	10
1935-36	99	43	73	64	67	32	71
1936-37	113	194	236	211	270	294	254
1937-38	174	283	329	387	345	426	334
1938-39	105	91	63	83	106	67	57
1939-40	102	74	45	70	75	87	62
1940-41	117	312	517	446	188	423	423
1941-42	124	60	58	44	76	21	138
1942-43	114	264	235	376	138	424	295
1943-44	92	207	197	243	93	101	100
1944-45	118	90	75	103	115	64	78
1945-46	109	125	89	88	88	38	35
1946-47	88	138	62	105	62	18	22
1947-48	79	40	11	21	40	9	11
1948-49	72	36	13	22	55	9	17
1949-50	78	29	23	27	42	8	32
1950-51	86	12	5	10	26	6	25
1951-52	128	150	207	204	140	332	237
1952-53	89	41	31	26	47	17	64
1953-54	88	60	46	54	92	44	46
1954-55	94	51	24	23	47	13	28
1955-56	121	41	41	38	33	8	112
1956-57	99	38	33	21	45	13	21
1957-58	127	215	312	200	155	192	302
1958-59	90	44	44	28	35	9	37
1959-60	75	18	18	14	34	6	28
1960-61	63	15	12	14	21	4	13
1961-62	101	122	247	117	71	18	124
1962-63	112	29	23	32	25	24	37
1963-64	72	25	19	25	32	4	15
1964-65	104	33	36	39	43	5	36
1965-66	87	211	217	258	118	73	33
1966-67	148	171	216	301	200	25	239

* Average unimpaired runoff in acre-feet computed from the 50-year period October 1915 through September 1965

** Data prior to October 1927 from D.W.R. Bulletin No. 1. Listed as "Sespe Creek near Sespe."

TABLE B-2

DAILY MEAN DISCHARGE

The discharge figures in this table have been rounded off as follows:

1. Daily flows - second-feet

0.0	- 9.9	nearest	Tenth
10	- 999	"	Unit
1,000	- 9,999	"	Ten
10,000	- 99,999	"	Hundred
100,000	- 999,999	"	Thousand

2. Monthly means - second-feet

0.0	- 99.9	nearest	Tenth
100	- 9,999	"	Unit
10,000	- 99,999	"	Ten
100,000	- 999,999	"	Hundred

3. Yearly totals - acre-feet

0.0	- 9,999	nearest	Unit
10,000	- 99,999	"	Ten
100,000	- 999,999	"	Hundred
1,000,000	- 9,999,999	"	Thousand

TABLE B-2
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	V-9-2200	WEST FORK OF MOJAVE RIVER BELOW CEDAR SPRINGS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	0.7	17	48	39	124	58	17	8.9	5.1	4.3	1
2		0.0	0.7	17	48	37	143	54	16	8.4	5.0	4.4	2
3		0.0	6.8	18 *	47	45	134	52	15	7.8	5.0	4.3	3
4		0.0	86 *	21	42	52	207	49	15	7.7	5.0	4.2	4
5		0.0	262	20	42	51	192	48	15	7.6	5.0	4.2	5
6		0.0	2220 *	19	46	49	146 *	43	15	7.5	5.0	5.1	6
7		0.5	566 *	19	47	53	174	41	14	7.4	4.9	5.3	7
8		0.7	167 *	21	47	56	137	40	14	7.2	4.9	6.2	8
9	N	0.5	86 *	22	44	54	115	42	14	7.0	4.9	6.8	9
10		0.6	66	23	43	42	100	47	14	6.8	4.7	6.8	10
11	O	0.6	61	24	43	68	191	41	14	6.6	4.7	6.7	11
12		0.6	45 *	22	47	523	146	35	14	6.5 *	4.7	6.4	12
13		0.6	34	22	45	1080 *	141	31	15	6.3	4.7	5.5	13
14	F	0.6	26	21	42	512	136 *	29	14	6.3	4.6	5.3	14
15		0.6	22	22	43	260 *	129	26	14	6.3	4.6	5.0	15
16	L	0.6	22	23	48	197	101	25	13	6.3	4.5	5.0	16
17		0.6	19	24	53	161	86	23	13	6.1	4.5	5.1	17
18		0.5	17	25	51	140	117	20	13	6.2	4.4	5.3	18
19	O	0.5	17	26	48	135	129	19	12	6.9	4.4	5.2	19
20		0.6	16	27	41	119	105	18	12	7.6	4.3	4.9	20
21	W	0.6	16	27	45	101	142	17	12	7.4	4.3	4.3	21
22		0.6	16	114	45	99	260	17	11	6.9	4.3	4.1	22
23		0.6	16	157 *	42	93	128	17	11	5.6	4.4	4.0	23
24		0.6	16	518	41	89	110	16	11	5.6	4.5	4.0	24
25		0.6	17	244	51	91	94	16	10	5.4	4.5	3.9	25
26		0.6	16	84 *	49	90	96	16	10	5.3	4.4	3.9	26
27		0.6	16	70	43	91	91	16	10	5.3	4.8	3.9	27
28		0.6	17	62	43	87	82	16	10	5.2	4.6	3.9	28
29		0.7	17	59		96	75	16	10	5.2	4.3	3.9	29
30		0.7	17	62		86	65	16	9.4	5.2	4.2	4.1	30
31			17	59		103		18		5.1	4.2		31
MEAN		0.5	126	60.9	45.5	151	129	29.7	12.9	6.6	4.6	4.9	MEAN
MAX.		0.7	2220	518	53.0	1080	260	58.8	17.1	8.9	5.1	6.8	MAX.
MIN.		0.0	0.7	17.0	41.0	37.0	65.4	16.2	9.4	5.1	4.2	3.9	MIN.
AC. FT.		28	7778	3747	2527	9320	7728	1829	768	404	284	290	AC. FT.

E - ESTIMATED
NR - NO RECORD
* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
- E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
46.0	9180	9.44	12	06	1730	0.0	0.00	10	01	0000	34,700

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 18.4'	117° 18.9'	NE32 3W 4N	10200	10.90	12/29/65	Jan 61-Date	Jan 61-Date	1/61		3159.2	U.S.G.S.
<p>Station is located 2 miles NE of Cedar Springs on left bank of West Fork of Mojave River at State Highway 118 Crossing.</p> <p>Drainage area is 34.5 square miles.</p>											

TABLE B-2
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	V-9-2250	EAST FORK OF WEST FORK OF MOJAVE RIVER ABOVE CEDAR SPRINGS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	0.1	0.6	5.5	28 *	7.7 *	22	55	19	4.9	1.4	0.9	1
2	0.0	0.1	0.7	5.8	24	8.3	27	52	17 *	4.8	1.3	1.2	2
3	0.1	0.1	39	9.1*	21	8.8	27	50	16	4.5	1.3	1.1	3
4	0.2	0.1	8.0*	14	20	11	45	49	16	4.3	1.3	0.9	4
5	0.1	0.1	123	9.1	19	11	54	47	15	4.2	1.2	4.4	5
6	0.1	0.1	633 *	7.0	18	12	46	45	14	4.0	1.2	10	6
7	0.1	4.1	216	6.0	16	20	54	42	14	3.9	1.2	10	7
8	0.0	1.8*	52 *	5.4	15	24	51	42	14	3.6	1.3	10	8
9	0.0	0.8	27 *	5.3	15	19	45	44	13	3.6	1.2	10	9
10	0.1	0.6	28	5.2	14	18	42	50	13	3.4	1.1	10	10
11	0.1	0.5	26	5.0	13	36	60	44	13	3.3	1.0	10	11
12	0.1	0.5	20 *	4.8	13	119	55	40	13	2.1 *	1.0	10	12
13	0.1	0.4	14	4.3	12	282 *	56	37	16	1.8	0.9	10	13
14	0.0	0.4	12	4.2	14	138 *	58	35	17	1.8	0.9	10	14
15	0.1	0.4	13	4.2	12	80 *	58	33	16	1.7	0.9	10	15
16	0.1	0.4	15	4.0	12	57	51	31	15	1.7	0.9	10	16
17	0.1	0.4	9.7	4.0	13	50	50	26	13	1.6	0.9	9.9	17
18	0.1	0.4	8.5	4.0	12	44	58	23	13	1.6	0.8	9.8	18
19	0.1	0.4	8.3	3.7	11	40	61	23	12	1.6	0.7	9.8	19
20	0.1	0.4	8.3	3.5	11	34	57	22	11	1.5	0.7	5.2	20
21	0.1	0.5	7.6	3.4	11	28	66	22	11	1.5	0.7	0.7	21
22	0.1	0.5	7.4	29	9.6	27	92	21	10	1.4	0.7	0.6	22
23	0.1	0.5	7.4	47 *	9.3	26	73	21	10	1.4	0.7	0.6	23
24	0.1	0.5	7.4	128	9.0	24	68	21	11	1.5	0.9	0.5	24
25	0.1	0.5	7.4	151 *	8.2	24	65	20	10	1.5	0.8	0.5	25
26	0.1	0.5	6.8	79	8.0	24	68	19	10	1.4	0.8	0.5	26
27	0.0	0.5	6.6	58	7.9	23	69 *	18	9.9	1.4	0.6	0.6	27
28	0.0	0.6	6.2	45	7.7	21	68	18	9.6	1.4	0.6	1.2	28
29	0.1	0.6	6.3	38		20	63	19	8.2	1.5	0.5	0.9	29
30	0.1	0.6	6.0	36		20	58	18	5.2	1.4	0.5	0.7	30
31	0.1		5.8	36		20		21		1.4	0.6		31
MEAN	0.1	0.6	43.1	24.7	13.7	41.2	55.6	32.5	12.8	2.4	0.9	5.3	MEAN
MAX.	0.2	4.1	633	151	28.0	282	92.0	55.1	19.4	4.9	1.4	10.9	MAX.
MIN.	0.0	0.1	0.6	3.4	7.7	7.7	22.3	18.5	5.2	1.4	0.5	0.5	MIN.
AC. FT.	5	35	2652	1516	761	2532	3306	1999	763	150	57	317	AC. FT.

E - ESTIMATED
NR - NO RECORD
* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
- E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
19.5	1180	7.00	12	06	1700	0.0	0.00	10	01	0000	14095

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B.&M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 16.3'	117° 17.5'	SW10 2N 4W	5110	7.10	12/29/65	Mar 61-Date	Mar 61-Date	3/61		3580.3	U.S.G.S.
<p>Station is located 2.2 miles east of Cedar Springs on the right bank of the East Fork of the West Fork of Mojave River.</p> <p>Drainage area is 11.5 square miles.</p>											

TABLE B-2
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	V-9-2300	WEST FORK OF MOJAVE RIVER ABOVE CEDAR SPRINGS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.1	0.2	0.4	1.7	8.1	2.2	12	20	5.7	3.0	1.6	1.2	1
2	0.1	0.2	0.7	1.7	6.8	2.1	15	12	5.4	2.9	1.5	1.3	2
3	0.1	0.2	32	1.7 *	6.0	1.9	15	7.1	5.3	2.8	1.5	1.2	3
4	0.2	0.1	4.9 *	1.6	5.6	1.7	33	5.2	5.4	2.8	1.5	1.1	4
5	0.2	0.1	30 *	1.5	5.1	1.6	30	5.2	5.2	2.8	1.4	1.0	5
6	0.2	0.1	93 *	1.5	5.1	1.5	21	5.2	5.1	2.7	1.5	1.0	6
7	0.2	1.8	17	1.3	5.1	1.4	32	8.9	5.0	2.7	1.5	0.9	7
8	0.2	0.6 *	14	1.3	4.9	1.3	27	13	5.0	2.6	1.5	0.9	8
9	0.2	0.4	9.2	1.2	4.7	1.2	21	14	5.1	2.5	1.4	0.9	9
10	0.2	0.3	7.6	1.1	4.3	1.2	15	12	5.1	2.4	1.4	0.9	10
11	0.2	0.3	5.9	1.0	4.0	2.7	29	11	5.0	2.4	1.3	0.9	11
12	0.2	0.2	6.0 *	1.0	3.9	70	26	12	5.1	2.5	1.2	0.8	12
13	0.2	0.2	5.1	1.0	3.7	106	25	11	5.5	2.6	1.2	0.8	13
14	0.2	0.2	4.4	0.9	3.4	50 *	24	10	5.1	2.6	1.2	0.8	14
15	0.2	0.2	3.8	0.8	3.2	33	24	9.6	4.8	2.5	1.2	0.8	15
16	0.2	0.2	3.4	0.8	3.0	27	19	9.5	4.6	2.4	1.2	0.8	16
17	0.2	0.2	3.2	0.7	2.9	27	11	9.2	4.4	2.3	1.2	0.8	17
18	0.2	0.2	3.0	0.7	2.9	24	18	8.8	4.3	2.3	1.1	0.9	18
19	0.2	0.2	2.7	0.7	2.8	21	24	8.0	4.1	2.2	1.1	0.9	19
20	0.2	0.2	2.6	0.6	2.7	19	22	7.8	4.0	2.2	1.1	0.8	20
21	0.2	0.3	2.7	0.6	2.6	18	32	7.3	3.8	2.1	1.1	0.8	21
22	0.2	0.3	2.6	11 *	2.8	16	59	6.9	3.6	2.0	1.0	0.8	22
23	0.2	0.3	2.6	18	2.8	15	38	5.6	3.5	1.9	1.1	0.8	23
24	0.2	0.3	2.4	48	2.7	14	33	6.2	3.5	1.9	1.1	0.8	24
25	0.2	0.3	2.3	38 *	2.6	13	30	5.9	3.4	1.9	1.1	0.8	25
26	0.2	0.3	2.2	20	2.5	12	29	5.5	3.3	1.8	1.0	0.8	26
27	0.2	0.3	2.1	14	2.4	11	27 *	5.6	3.3	1.8	1.0	0.8	27
28	0.2	0.4	2.0	11	2.3	11	26	5.7	3.2	1.8	0.9	1.0	28
29	0.2	0.4	2.0	9.0		11	24	5.6	3.2	1.7	0.8	0.9	29
30	0.2	0.4	2.0	8.3		10	23	5.8	3.1	1.7	0.9	0.9	30
31	0.2		1.9	9.3		11		6.1		1.6	1.0		31
MEAN	0.2	0.3	8.8	6.8	3.9	17.3	25.5	8.6	4.4	2.3	1.2	0.9	MEAN
MAX.	0.2	1.8	93.0	48.0	8.1	106	59.5	20.6	5.7	3.0	1.6	1.3	MAX.
MIN.	0.1	0.1	0.4	0.6	2.3	1.2	11.8	5.2	3.1	1.6	0.8	0.8	MIN.
AC. FT.	12	19	543	417	216	1067	1515	527	264	142	75	54	AC. FT.

E — ESTIMATED
NR — NO RECORD
* — DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
— E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
6.7	214	5.28	01	24	1930	0.1	3.40	10	01	0000	4849

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 17.1'	117° 22.5'	SW2 2N 5W	612	5.68	11/22/65	Feb 61-Date	Feb 61-Date	2/61		3552.3	U.S.G.S.
Station is located 2.6 miles west of Cedar Springs on the left bank of the West Fork of Mojave River. Drainage area is 3.2 square miles.											

TABLE B-2
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	V-9-2902	LAS FLORES DIVERSION FROM WEST FORK OF MOJAVE RIVER BELOW CEDAR SPRG.

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	0.0	0.0	5.6	8.4	0.0	6.6	7.0	4.5	5.6	2.6	1
2		0.0	0.0	0.0	3.3	8.7	0.0	7.0	7.7	4.9	5.0	4.0	2
3		0.0	0.0	0.0	1.6	8.9	0.0	5.7	7.8	8.3	4.2	3.7	3
4		0.0	0.0	0.0	4.7	8.5	0.0	6.6	7.7	8.0	6.6	3.1	4
5		0.0	0.0	0.0	6.6	7.7	2.4	7.2	6.8	7.2	7.3	4.2	5
6		0.0	0.0	0.0	6.6	8.3	2.4	7.9	6.1	6.8	6.2	8.3	6
7		0.0	0.0	0.0	6.9	8.3	2.4	7.6	6.5	6.3	4.9	8.5	7
8	N	2.0	0.0	0.0	6.7	7.3	2.7	6.9	8.4	5.8	3.7	5.3	8
9		0.6	1.5	0.0	7.1	8.1	5.7	7.6	8.2	6.2	3.9	2.4	9
10	O	0.2	4.0	0.0	7.1	8.1	6.9	5.0	6.1	7.5	4.3	2.4	10
11		0.1	3.1	0.3	7.5	4.1	4.2	5.9	6.2	6.9	4.6	2.4	11
12		0.1	2.7	4.2	7.4	5.2	2.4	7.4	7.4	7.2	4.7	3.9	12
13	F	0.1	2.8	5.9	7.5	9.0	2.4	7.0	6.6	7.8	4.6	6.5	13
14		0.1	3.9	5.3	6.8	4.5	2.8	6.6	6.0	7.9	4.7	7.5	14
15	L	0.1	4.9	4.6	7.2	0.0	2.6	7.3	6.7	8.1	4.9	8.3	15
16	O	0.1	5.3	5.4	7.7	0.0	4.5	6.7	6.6	7.4	5.1	8.5	16
17		0.2	5.0	4.1	7.5	0.0	7.8	5.7	5.7	6.9	4.5	8.6	17
18	W	0.2	4.6	4.0	7.5	0.0	6.1	5.9	5.9	6.6	4.1	8.5	18
19		0.2	4.7	3.5	7.6	0.0	2.4	7.8	5.3	4.3	3.7	8.4	19
20		0.2	4.9	3.6	7.6	0.0	2.4	8.3	6.0	2.4	4.1	6.6	20
21		0.2	4.5	4.6	7.3	0.0	2.8	8.3	8.0	2.4	4.2	2.4	21
22		0.2	4.4	0.0	7.5	0.0	0.0	7.3	8.1	3.6	4.3	2.4	22
23		0.3	6.4	0.0	7.1	0.0	0.0	7.9	8.3	6.5	5.3	2.4	23
24		0.3	4.5	0.0	7.1	0.0	0.0	7.5	7.7	6.8	6.7	2.4	24
25		0.3	2.6	0.0	5.8	0.0	0.0	7.7	6.7	6.2	6.4	2.4	25
26		0.3	5.0	0.0	6.3	0.0	3.6	8.1	7.8	6.1	7.8	2.4	26
27		0.3	6.0	0.7	7.2	0.0	6.0	7.8	8.0	5.5	8.9	2.4	27
28		0.3	3.9	1.2	8.0	0.0	7.2	8.0	7.6	5.5	4.3	2.9	28
29		0.3	2.7	1.3		0.0	6.7	7.7	5.7	5.9	2.4	2.9	29
30		0.3	0.4	4.6		0.0	6.7	7.7	4.7	4.8	2.4	2.6	30
31			0.0	5.9		0.0		7.4		4.4	2.4		31
MEAN		0.2	2.8	1.9	6.7	3.4	3.1	7.2	6.9	6.1	4.9	4.6	MEAN
MAX.		2.0	6.4	5.9	8.0	9.0	7.8	8.3	8.4	8.3	8.9	8.6	MAX.
MIN.		0.0	0.0	0.0	1.6	4.1	2.4	5.0	4.7	2.4	2.4	2.4	MIN.
AC. FT.		14	174	117	371	208	185	441	411	374	301	276	AC. FT.

E — ESTIMATED
NR — NO RECORD
* — DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
H — E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
4.0	9	3.51	07	03	0215	0.0	0.00	10	01	0000	2872

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S. B. B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 17.2'	117° 19.6'	SW5 2N 4W	9.0	3.51	7-03-67	Mar 61-Date	Mar 61-Date	3/61		3247.3	U.S.G.S.
Station is located 0.5 miles NE of Cedar Springs on right bank of the West Fork of Mojave River.											

TABLE B-2

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	Z-2-3750	PIRU CREEK ABOVE FRENCHMANS FLAT

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	0.8 *	8.4	16	82 *	20	73	154	46	19	6.1	2.6	1
2	0.0	0.6	142 *	16	66	20	73	148	44	17	6.1	3.8	2
3	0.0	1.0	446 *	15	55	20	82	146	42	16	5.5	4.3	3
4	0.0	1.2	96 *	14	46	20	100 *	148 *	40	15	5.5	3.4	4
5	0.0	1.6	154 *	12	39	19	119	146	40	14	4.9	2.9 *	5
6	0.0	2.2	2498	12	36	16 *	130 *	139	40	15	4.9	3.4	6
7	0.0	60	1400 *	11	34	16	151	139	39	15 *	4.9	2.9	7
8	0.0	72	461	11	32	14	165	143	37	14	5.5	2.9	8
9	0.0	43	303	12 *	32	12	140	152	37	12	6.8	3.8	9
10	0.0	24 *	181	17	30	10	132	139	36	12	6.8	4.3	10
11	0.0	17	94	19	30	19	141 *	117	36	11	5.5	4.3	11
12	0.0	11	44	17	28	180	113	102	32	10	4.9	4.3	12
13	0.0	9.3	40	12	28	825 *	143	90	31 *	11	4.3	3.8	13
14	0.0	7.6	39	19	26	399 *	108	85	30	22	4.3	3.8	14
15	0.0	8.4	30	16	24	178 *	100	78	30	20	4.9 *	3.8	15
16	0.0	7.7	22	15	31	190	100	78	30	17	8.4	3.8	16
17	0.0	7.6	18	15	31	257	102 *	75	30	15	6.1	3.8	17
18	0.0	5.2	16	16	28	167	162	73	28	14	4.3	4.9	18
19	0.1	5.5	16	12	28	116	172	70 *	28	11 *	4.3	15	19
20	0.1	14	17	14	26	91	132	70	31	7.6	3.8	6.1	20
21	0.2	12	23	16	24	78	226	64	31	5.5	3.4	3.4	21
22	0.1	11	35	86 *	24	70	228	62	31	4.3	3.4	3.4	22
23	0.7	8.4	27	99 *	24	62	236	57	31	2.9	2.9	3.8	23
24	0.7	7.6	19	297	24	59	232 *	53	31	6.7	2.6	3.8	24
25	0.5	6.8	14	484	30	49	234	51	28	7.6 *	2.9	3.8	25
26	0.6	7.6	15	185	30	46	233	49 *	26	6.1	5.5	3.8	26
27	0.6	7.6	16	141	22	42	258	49	26	6.1	4.9	3.4	27
28	0.6	6.8	15	115	20	37	223	48	26	7.6	4.3	3.4	28
29	0.6	7.6	15	104		37 *	196	48	24	7.6	3.4	3.8 *	29
30	1.0	8.4	17 *	113		42	176	46	24	6.7	2.9	3.8	30
31	0.8		17	114		55		44		6.1	2.2		31
MEAN	0.2	14	201	66	33	102	153	92	35	11	4.9	4.1	MEAN
MAX.	1.0	72	2498	484	82	825	258	154	46	22	8.4	15	MAX.
MIN.	0.0	0.6	8.4	11	20	10	73	44	24	2.9	2.2	2.6	MIN.
AC. FT.	13	835	12352	4049	1841	6269	9122	5669	2089	703	299	246	AC. FT.

E - ESTIMATED

NR - NO RECORD

* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW

- E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
59.6	6251	5.26	12	06	1915	0.0	0.54	10	01	0015	43,490

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S. B. B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34°37.8'	118°44.8'	NW11 6N 18W	10,160	6.34	11-24-65	Dec. '63-date	Dec. '63-date	12/63	Date	0.50	USGS
Station is located 13 miles north of Castaic on Golden State Highway Route 99, (Interstate 5), on the right embankment of the highway (east embankment) at the beginning of a concrete flume.											

TABLE B-2
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	Z-2-3770	CANADA DE LOS ALAMOS BELOW APPLE CANYON

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.7	0.6*	1.3	1.6	2.6*	1.2	3.2	1.6	1.5	1.0	0.9*	1.1	1
2	1.8	0.8	1.3	1.6	2.2	1.2	2.1	1.6*	1.5	1.0	1.0	1.2	2
3	1.5	0.8	4.1*	1.3	2.2	1.2	1.7	1.6	1.5	0.9	0.9	1.0	3
4	1.1*	0.8	1.7	1.2	2.2	1.3	8.4*	1.6	1.3	1.0	0.9	0.9	4
5	0.8	1.3	8.9	1.2	2.2	1.3	2.4	1.6	1.5	1.1	0.8	1.0*	5
6	0.9	1.6	20	1.3	1.8	1.2*	1.7	1.3	1.5	1.2	1.0	0.9	6
7	0.8	52	2.6*	1.6	1.8	1.2	2.0	1.2	1.4	1.1*	1.0	1.0	7
8	1.3	4.7	2.1	1.6	1.8	1.1	1.7	1.2	1.4	1.0	1.3	1.1	8
9	1.6	2.2	2.0	1.3*	1.8	1.1	1.7	1.2	1.5	1.0	1.0	1.0	9
10	1.5	1.5*	2.0	1.2	1.8	1.3	1.7	1.3	1.6	1.0	0.9	1.1	10
11	1.6	1.0	2.0	1.3	1.8	1.9	3.4	1.3	1.6	0.9	0.9	1.1	11
12	0.4	4.7	1.8	1.3	1.7	2.8	1.8	1.2	1.6	1.0	0.8	1.3	12
13	0.5	1.4	1.0	1.2	1.6	1.6	1.6	1.2	1.6*	1.1	0.8	1.3	13
14	0.2	1.4	1.4	1.5	1.6	1.5	1.6	1.2	1.5	1.1	0.8	1.1	14
15	0.4	1.4	1.5	1.6	1.6	1.4	1.6	1.2	1.4	1.1	0.9	1.1	15
16	0.9	1.4	1.5	1.3	1.4	1.4	1.4	1.2	1.5	1.0	1.0	1.2	16
17	0.6	1.4	1.7	1.2	1.5	1.5	1.3*	1.2	1.5	1.0	1.0	1.2	17
18	0.2	1.2	1.7	1.2	1.6	1.4	2.1	1.2	1.5	1.0	0.9	1.5	18
19	0.4	1.3	1.5	1.3	1.5	1.4	1.5	1.2*	1.5	1.0	0.8	2.4	19
20	1.3	3.8	1.4	1.3	1.4	1.4	1.4	1.1	1.4	1.0*	0.8	1.5	20
21	0.7	1.6	1.4	1.5	1.3	1.4	3.9	1.1	1.3	0.9	0.9	1.5	21
22	0.6	1.4	1.4	5.1*	1.2	1.4	2.2	1.1	1.3	0.8	0.9	1.5	22
23	0.9	1.3	1.4	1.7*	1.4	1.4	1.5	1.1	1.3	1.0	0.9	1.5	23
24	0.6	1.4	1.6	7.9*	1.3	1.4	1.5	1.1	1.3	1.0	1.0	1.5	24
25	0.9	1.5	1.7	2.8	1.6	1.5	1.6	1.2	1.2	0.9	1.0	1.5	25
26	0.9	1.5	1.7	2.8	1.4	1.5	1.5	1.3*	1.2	0.9	0.9	1.5	26
27	0.5	1.5	1.5	2.8	1.1	1.5	1.5	1.4	1.2	1.0	0.8	1.4	27
28	0.5	1.4	1.3	2.7	1.2	1.6	1.7	1.3	1.1	1.1	0.8	1.6	28
29	1.3	1.3	1.2	2.7		1.5	1.6	1.4	1.2	1.0	0.9	1.6*	29
30	1.5	1.2	1.2	2.7		1.5	1.5	1.4	1.1	1.0	0.9	1.6	30
31	1.1		1.5	2.7		2.7*		1.5		0.9	0.8		31
MEAN	0.9	3.3	2.5	2.0	1.7	1.5	2.1	1.3	1.4	1.0	0.9	1.3	MEAN
MAX.	1.8	52	20	7.9	2.6	2.8	8.4	1.6	1.6	1.2	1.3	2.4	MAX.
MIN.	0.2	0.6	1.0	1.2	1.1	1.1	1.3	1.1	1.1	0.8	0.8	0.9	MIN.
AC. FT.	57	194	153	124	92	91	125	79	83	61	56	78	AC. FT.

E - ESTIMATED
NR - NO RECORD
* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
- E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
1.7	130	3.82	11	07	0930	0.2	2.27	10	14	0015	1193

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S. B. B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34°40'44"	118°47'01"	SW22 7N 18W	200	1.91	11-16-65	Mar. 65-date	Mar. 65-date	3/65	Date	0.40	Local

Station is located 0.5 miles south of the intersection of Apple Canyon and Canada de los Alamos and 200 feet west of U.S. Highway 99 (Interstate 5).

TABLE B-2
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	Z-3-2330	ELIZABETH LAKE CANYON CREEK ABOVE CASTAIC

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	2.4	5.8	39	10	41	62	31	9.1	2.4	0.6	1
2		0.0	7.2	6.0	26	9.8 *	43	67	29 *	8.7	3.0	1.0	2
3		0.0	69 *	6.0	18	10	29 *	70	27	8.3	2.4	1.6	3
4		0.0	20 *	6.2	15	9.5	40	67	25	8.3	3.0	1.4	4
5		0.0	66 *	6.6	14	7.8	42 *	64 *	24	8.2 *	2.4	1.2	5
6		0.0	218 *	5.9 *	15	6.6	30	61	23	7.8	2.4	1.1 *	6
7		101 *	112 *	5.6	15	7.0	45 *	57	21	7.2	2.5	1.0	7
8	M	4.0	54	5.6	13	7.2	33	56	22	6.7	2.9	1.0	8
9		0.4 *	37 *	5.4	13	7.2	26	54	23	6.2	2.5	1.0	9
10	O	0.4	25	5.6	12	6.6	22	55	22	5.7	2.2	1.1	10
11		0.3	19	5.6	11	13	78 *	53	20	5.2	1.8	1.3	11
12		0.4	16 *	5.6	11	77 *	64 *	50	21	5.0	1.5	1.1	12
13	F	0.7	16	5.4	11	142 *	55	49	22	5.1	1.3	1.1	13
14		1.0	18	5.4	11	91 *	53 *	47	21	5.1	1.2	1.0	14
15	L	1.1	18	5.6	11	61 *	52	45 *	18 *	5.1	1.1	0.9	15
16		1.1	18	5.0	10	43	48	43	17	4.8	1.2	0.8	16
17		1.0	18	5.0	10	37	46	41	16	4.7	1.3 *	0.9	17
18	W	1.2	18	4.9	9.8	33	132	40	16	4.9 *	1.2	1.3	18
19		1.4	13	4.7	9.8	30	164	39	14	4.8	1.1	2.2	19
20		3.9	10	4.9	9.8	30	145	37	14	4.6	1.1	1.6	20
21		2.6	8.3	4.9	9.8	30	200	35	12	4.6	1.1	1.4	21
22		3.5	8.1	104 *	9.8	28	314	34	11	4.5	1.3	1.6	22
23		2.7	8.3	90 *	9.5	28	244	34	11	4.2	1.2	1.4	23
24		2.2	7.8	416 *	9.5	27	152 *	33	10	4.2	1.0	1.6	24
25		2.0	7.6	221 *	14	26	101	33	9.8	3.9	1.0	1.8	25
26		2.0	7.4	100	11	26	78	33	10 *	3.8	0.9	1.6	26
27		1.7	7.2	72	10	25	65	34	9.7*	3.8	0.9	1.2	27
28		1.8	7.2	63	10	24	60	32	8.9	3.9	0.7	1.5 *	28
29		2.0	7.0	54		23	58	30	8.7	3.7	0.7	1.8	29
30		2.2	6.0 *	54		22	58	30	9.5	3.7	0.6	2.0	30
31	*		5.4	48 *		44 *		31		3.1 *	0.4		31
MEAN		4.7	28	43	13	30	84	46	18	5.4	1.6	1.3	MEAN
MAX.		101	218	416	39	142	314	70	31	9.1	3.0	2.2	MAX.
MIN.		0.0	2.4	4.9	9.5	6.6	22	30	8.7	3.1	0.4	0.6	MIN.
AC. FT.		279	1696	2653	730	1868	4994	2809	1044	335	96	78	AC. FT.

E - ESTIMATED
NR - NO RECORD
* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
- E AND *

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET	
23		1326	3.41	01	24	1615	0	0.14	10	01	0015	16,580	

NOTE: Data below are for 1966 water year. When Bulletin No. 130-66 was published, these data were not available.

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	24	456	24	11	6.5	2.7	2.2 *	0.1	*		1
2		0.0	17	286	22	11	7.0	2.4	2.0	0.1			2
3		0.0	13 *	160	18	10	7.6	2.4	2.2	0.1			3
4		0.0	13	102	16 *	11	7.6	2.4 *	1.6	0.1			4
5		0.0	13	77	15	11	9.7 *	3.3	1.4	0.0			5
6		0.0	13	93	49	11	11	4.0	1.4	0.0			6
7		0.0	11	93	29	10	11	5.8	1.3	0.0			7
8		0.0	10 *	92	21	9.8	13	5.4	1.1	0.0			8
9		0.0	9.5	67	18	10	13	5.1	1.1	0.0			9
10	N	0.0	9.5	45	20	10	12	4.7	1.0	0.0	N	N	10
11	O	0.0	9.0	40	17	10	11	4.4	0.9	0.0	O	O	11
12		0.0	11	35	15	12	9.3	4.4	0.9	0.0			12
13		0.0	10	34	14	16	8.4	4.0	0.8	0.0			13
14		0.0	9.5	31	14	12	8.3	3.9	0.6	0.0			14
15	F	0.0	8.5	30	13	13	6.9	3.7	0.6	0.0	F	F	15
16	L	0.0	8.5	28	13 *	11	6.6	3.4	0.6	0.0	L	L	16
17		144	8.0	23	13	11	6.5	3.2 *	0.5 *	0.0			17
18	O	80	7.1	23	12	10	6.4	2.9	0.4	0.0	O	O	18
19		34	6.2	23	13	9.3	6.3	2.7	0.3	0.0			19
20	W	15	6.6	22	14	9.1	6.4	2.4	0.3	0.0 *	W	W	20
21		9.1	6.6	22	13	10	5.3	2.4 *	0.3	0.0			21
22		189 *	7.1 *	24	12	8.9	4.7	2.4	0.3	0.0			22
23		153	5.5	22	11	8.9	4.4	2.2	0.3	0.0			23
24		624	4.5	22	11	7.6	4.0	2.2	0.3	0.0			24
25		455	3.7	20	11 *	6.2	3.9	2.4	0.3	0.0			25
26		132	2.7	21	11	5.2	3.7	2.4	0.2	0.0			26
27		26	2.0	22	11	5.3	3.4	2.2	0.2	0.0			27
28		27	1.4	22	11	5.8	3.3	2.4	0.1	0.0		*	28
29		29	1039	22		7.3	3.2	2.9	0.1	0.0			29
30		28	710	40		8.1 *	2.9	3.4	0.1 *	0.0			30
31			580	27		7.1		2.7		0.0			31
MEAN		65	83	65	16	9.6	7.1	3.2	0.8	0.0			MEAN
MAX.		624	1039	456	49	16	13	5.8	2.2	0.1			MAX.
MIN.		0.0	1.4	20	11	5.2	2.9	2.2	0.1	0.0			MIN.
AC. FT.		3858	5117	4015	914	592	423	200	46	1			AC. FT.

E - ESTIMATED
NR - NO RECORD
* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
- E AND *

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET	
21		3127	6.36	12	29	1330	0	2.15	10	01	0015	15,170	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FRDM	TO		
34° 33.7'	118° 34.2'	SW34 6N 16W	3127	6.36'	12/29/65	Jan. 62-date	Jan. 62-date	1/62	1/63	1.82	Local
								2/63	6/65	2.15	Local
								7/65	11/66	0.35'	Local
								12/66	date	0.14'	Local

Station is located 3.9 miles north of intersection of Castaic Canyon Road and Elizabeth Lake Canyon Road on left bank of stream at Canyon Christian Camp.

Drainage area is 45.7 square miles.

TABLE B-2
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	2-3-2340	NECKTIE CANYON CREEK

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1					1.7	0.3	1.4	1.9	0.3				1
2					1.3	0.3	2.0	1.6	0.2*				2
3					1.1	0.3	1.4*	1.4	0.2				3
4					0.9	0.3	2.0	1.3	0.2				4
5					0.9	0.2	2.3	1.3	0.2				5
6					0.7	0.2	1.6	1.2	0.2	*			6
7					0.7*	0.2	2.1	1.2	0.2				7
8					0.4	0.2	1.8	1.1	0.2				8
9					0.5	0.2	1.4	1.1	0.2				9
10					0.5	0.2	1.3	1.1	0.2				10
11					0.5	0.3	4.5	0.9	0.2				11
12					0.5	4.8	3.5	0.8	0.2	N	N	N	12
13					0.6	5.5*	2.7	0.8	0.2				13
14					0.5	3.1	2.3*	0.7	0.2	O	O	O	14
15					0.5	1.9	2.0	0.6*	0.1				15
16	RECORD BEGINS JANUARY 27, 1967				0.5	1.5	1.7	0.6	0.1*				16
17					0.5	1.2	1.5	0.5	0.1	F	F	F	17
18					0.5	1.0	4.6	0.5	0.1				18
19					0.5	0.8	5.6	0.5	0.1	L	L	L	19
20					0.5	0.7	5.3	0.4	0.1	O	O	O	20
21					0.4	0.6	11	0.4	0.0				21
22					0.4	0.5	28	0.3	0.0	W	W	W	22
23					0.4	0.5	12	0.3	0.0*				23
24					0.4	0.5	8.2	0.3	0.0				24
25					0.6	0.4	5.7	0.3	0.0				25
26					0.4	0.4	4.3	0.3	0.0				26
27					0.4	0.4	3.5*	0.3	0.0				27
28				3.2	0.3	0.4	3.0	0.3	0.0				28
29				2.4		0.4	2.5	0.3	0.0				29
30				2.2		0.4	2.1	0.3	0.0				30
31				2.2		0.9		0.3					31
MEAN					0.6	0.9	4.3	0.7	0.1				MEAN
MAX.					1.7	5.5	28	1.9	0.3				MAX.
MIN.					0.3	0.2	1.3	0.3	0.0				MIN.
AC. FT.					34	57	260	45	7				AC. FT.

E — ESTIMATED
NR — NO RECORD
* — DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
— E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S. B. B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34°33'37.5"	118°36'51"	SE31 6N 17W	138.47	2.03'	11/30/67	Feb. 67-date	Feb. 67-date	2/67	date	0.14'	Local
Station is located bottom of Necktie Canyon 2.0 miles northeast (upstream) of confluence of Necktie Canyon Creek and Castaic Canyon Creek.											

TABLE B-2
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	Z-3-2345	ELDERBERRY CANYON CREEK

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	0.0	0.1	1.8	0.1	0.8	1.2	0.1*				1
2		0.0	0.5	0.1	1.4	0.0	1.7	1.0	0.1				2
3		0.0	12 *	0.1	1.1	0.0	0.9*	0.8	0.0				3
4		0.0	2.3	0.1	1.0	0.0	2.2	0.8	0.0				4
5		0.0	16	0.0	0.9	0.0	2.0	0.7*	0.0	*		*	5
6		0.0	33 *	0.0	0.7	0.0	1.1	0.6	0.0				6
7		14	14 *	0.0	0.6*	0.0*	2.0	0.6	0.0				7
8		1.6	6.1	0.0	0.5	0.0	1.4	0.5	0.0				8
9	N	0.2	3.7	0.0	0.5	0.0	0.9	0.5	0.0	N	N	N	9
10	O	0.1	2.3	0.0	0.4	0.0	0.8	0.5	0.0	O	O	O	10
11		0.0	1.7	0.0	0.4	0.1	4.3	0.5	0.0				11
12		0.0	1.3	0.0	0.3	5.9*	2.8	0.5	0.0				12
13		0.0	0.9	0.0	0.3	5.8*	2.0	0.4	0.0				13
14	F	0.0	0.7	0.0	0.2	2.8	1.6	0.3	0.0	F	F	F	14
15	L	0.0*	0.6	0.0	0.2	1.6*	1.4	0.3*	0.0	L	L	L	15
16		0.0	0.5	0.0	0.2	1.1	1.1	0.3	0.0*				16
17	O	0.0	0.4	0.0	0.2	0.8	0.9	0.2	0.0	O	O	O	17
18	*	0.0	0.3	0.0	0.2	0.6	4.6	0.2	0.0				18
19	W	0.0	0.3	0.0	0.1	0.5	4.3	0.2	0.0	W	W	W	19
20		0.4	0.3	0.0	0.1	0.3	3.8	0.1	0.0				20
21		0.4	0.2	0.0	0.1	0.3	11	0.1	0.0				21
22		0.2	0.2	26	0.1	0.2	20	0.1	0.0				22
23		0.3	0.2	10 *	0.1	0.2	9.5	0.1	0.0				23
24		0.1	0.2	31	0.1	0.1	6.5	0.1	0.0				24
25		0.1	0.1	17	0.3	0.1	4.6	0.1	0.0				25
26		0.0	0.1	8.2	0.1	0.1	3.5	0.1	0.0				26
27		0.0	0.1	5.2	0.1	0.1	2.8	0.1	0.0				27
28		0.0	0.1	3.9	0.1	0.1	2.3	0.1	0.0				28
29		0.0	0.1	2.9		0.1	1.9	0.1	0.0			*	29
30		0.0	0.1	2.9		0.1	1.5	0.1	0.0				30
31			0.1	2.8		0.5		0.1		*			31
MEAN		0.6	3.2	3.6	0.4	0.7	3.5	0.4	0.0				MEAN
MAX.		14	33	26	1.8	5.9	20	1.2	0.1				MAX.
MIN.		0.0	0.0	0.0	0.1	0.0	0.8	0.1	0.0				MIN.
AC. FT.		35	195	219	24	43	207	22	0				AC. FT.

E — ESTIMATED
NR — NO RECORD
* — DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
— E AND °

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
1.0	77.7	2.85	12	06	1545	0.0	0.84	10	01	0015	745

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34°34'16"	118°37'31"	NE36 6N 17W	77.7	2.85	12/06/66	Oct '66-date	Oct '66-date	10/66	date	0.75'	Local
Station is located 0.5 miles north east of the old Castaic Canyon Road in Elderberry Canyon.											

TABLE B-2
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	Z-3-2360	CASTAIC CREEK ABOVE CORDOVA RANCH

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	0.1	2.0	28	5.7	31	63	12	2.0			1
2		0.0	2.1	1.9	25	5.4	35	56 *	11	1.9			2
3		0.0	37 *	1.7	22	5.4 *	31	52	11	1.8			3
4		0.0	9.7 *	1.6	20	5.3	48	50	9.9	1.7			4
5		0.0	29	1.6	18	4.8	51 *	50	9.7	1.6			5
6		0.0	125 *	1.7	16	4.2	40	44	9.1	1.4 *			6
7		96 *	76 *	1.8	15	3.9	45	42	8.7	1.2			7
8		9.8	32	1.7	14	3.4	39	39	8.7	1.1			8
9	N	0.0	19	1.8	13	3.2	34	39	9.1	0.9	N	N	9
10	O	0.0	15	1.7	13	3.1	33	38	8.9	0.8	O	O	10
11		0.0	12	1.8	12	7.7	66 *	37	8.4	0.5			11
12		0.0	9.3 *	1.7	11	79 *	50	34	8.6	0.3			12
13		0.0	6.5	1.6	10	112 *	43	33	8.9	0.2			13
14	F	0.0	3.9	1.6	9.4	59	40 *	31	8.6	0.2	F	F	14
15	L	0.0	3.3	1.5	9.3	38 *	39	29 *	8.0 *	0.2	L	L	15
16		0.0	3.5	1.4	8.6	31	37	27	7.6	0.1			16
17	O	0.0	3.1	1.4	7.9	28	35	25	7.2	0.1 *	O	O	17
18		0.0	2.9	1.5	7.4	26	80	23	6.8	0.0			18
19	W	0.0	2.6	1.3	7.2	23	80	21	6.3	0.0	W	W	19
20		2.51	2.4	1.3	6.5	22	71	19	6.0	0.0			20
21		0.3	3.9	1.4	6.3	19	184	18	5.8	0.0			21
22		0.0	3.3	113 *	6.1	18	248	17	5.3	0.0			22
23		0.2	3.3 *	69 *	6.0	16	164	16	5.1	0.0			23
24		0.1	3.2	228 *	5.8	15	150 *	15	4.9	0.0			24
25		0.1	3.0	123	11	14	134	15	4.4	0.0			25
26		0.1	3.0	74 *	7.6	14	119	15	3.7	0.0			26
27		0.1	2.8	57	6.2	14	105	15	3.4	0.0			27
28		0.1	2.5	45	5.8	13	98	14	3.0	0.0			28
29		0.1	2.8	39		13	87	13	2.7	0.0		*	29
30		0.1	2.4 *	35		13	74	12	2.5	0.0			30
31			1.9 *	33 *		25 *		13 *		0.0 *			31
MEAN		3.6	13.8	27.4	11.7	20.8	76.4	29.5	7.2	0.5			MEAN
MAX.		96	125	228	28	112	248	63	12	2.0			MAX.
MIN.		0.0	0.1	1.3	5.8	3.1	31	12	2.5	0.0			MIN.
AC. FT.		217	846	1686	651	1278	4544	1815	427	32			AC. FT.

E - ESTIMATED
NR - NO RECORD
* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
- E AND *

MEAN	MAXIMUM				MINIMUM				TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	DISCHARGE	GAGE HT.	MO.	DAY	ACRE FEET
15.9	599	1.98	01	24	0	0.23	10	01	11,500
				1630				0015	

NOTE: Data below are for 1966 water year. When Bulletin No. 130-66 was published, these data were not available.


DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	13	45.0	12.0	6.8	2.1	0.3					1
2		0.0	12	38.0	12.0	7.6	2.1	0.3					2
3		0.0	9.3	29.0 *	11.0 *	8.5	2.1	0.3					3
4		0.0	7.6	24.0	10.0	8.5	2.1	0.2 *					4
5		0.0	6.8	18.0	10.0	8.5	2.1 *	0.2					5
6		0.0	5.8	14.0	66.0	7.6	2.1	0.1					6
7		0.0	5.3	14.0	29.0 *	6.8	2.1	0.0					7
8		0.0	5.8 *	16.0	21.0	6.3	1.9	0.1					8
9		0.0	6.8	17.0	18.0	5.8	1.9	0.3					9
10	N	0.0	6.3	17.0	17.0	5.3	2.1	0.7	N	N	N	N	10
	O								O	O	O	O	
11		0.0	5.3	14.0	15.0	5.3	1.9	0.5					11
12	F	0.0	6.3	13.0	14.0	5.3	1.9	0.3	F	F	F	F	12
13	L	0.0	6.3	12.0	13.0	5.3	1.6	0.1	L	L	L	L	13
14	O	0.0	5.8	11.0	13.0	4.9	1.4	0.1	O	O	O	O	14
15	W	0.0	5.3	11.0	14.0	4.4	1.4	0.0	W	W	W	W	15
16		60.0	4.9	10.0	14.0 *	4.4	1.0	0.0 *					16
17		227.0	4.4	9.3	14.0	3.9	0.9	0.0					17
18		92.0 *	3.9	8.5	14.0	3.4	1.2	0.0					18
19		31.0 *	3.9	8.5	13.0	3.4	1.2	0.0					19
20		14.0 *	3.9	7.6	13.0	3.4	1.0	0.0					20
21		7.6	3.4	6.8	12.0	3.0	1.0	0.0					21
22		146.0	3.0	6.8	11.0	2.5	0.9	0.0					22
23		295.0	2.5	6.3	11.0	3.0	0.9	0.0					23
24		855.0	2.0	5.8	11.0	3.4	0.7	0.0					24
25		127.0	2.0	5.8	11.0	3.9	0.6	0.0					25
26		61.0	2.0	5.3	10.0	4.4	0.5	0.0					26
27		37.0	1.8	5.3	10.0	4.4	0.4	0.0					27
28		25.0	2.0	5.3	10.0	3.9	0.4	0.0					28
29		20.0	582.0	5.8		3.4	0.4	0.0					29
30		16.0	183.0 *	54.0		3.4 *	0.4	0.0					30
31			89.0 *	14.0		3.0		0.0					31
MEAN		67.1	32.3	14.8	32.0	7.9	1.3	0.1					MEAN
MAX.		855.0	582.0	54.0	66.0	8.5	2.1	0.7					MAX.
MIN.		0.0	1.8	5.3	10.0	3.0	0.4	0.0					MIN.
AC. FT.		3986.9	1982.8	907.0	1776.3	482.0	79.8	6.9					AC. FT.

E - ESTIMATED
NR - NO RECORD
* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
- E AND *


MEAN	MAXIMUM				MINIMUM				TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	DISCHARGE	GAGE HT.	MO.	DAY	ACRE FEET
13.0	1652	2.73	11	24	0.00				9,222
				0800					

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34°36.7'	118°39.8'	NE22 6N 17W	4960	4.53	12/29/65	Jan. 62-Date	Jan. 62-Date	1/62	2/62	2.10	Local
								3/62	2/63	1.53	Local
								2/63	9/65	2.23	Local
								10/65	5/66	2.05	Local
								6/66	10/66	0.03	Local
								11/66	date	0.19	Local
Station is located 6.7 miles west of Elizabeth Lake Canyon Road on Castaic Canyon Road on left bank.											
Drainage area is 65.0 square miles.											

Figure B-1



NET DIVERSIONS OF WATER TO CALIFORNIA
FROM THE COLORADO RIVER



HISTORICAL IMPORTATIONS OF WATER TO COASTAL SOUTHERN CALIFORNIA

TABLE B - 3

**MONTHLY WATER CONTENT OF SELECTED SURFACE RESERVOIRS
IN OR SUPPLYING WATER TO SOUTHERN CALIFORNIA
OCTOBER 1, 1966 TO SEPTEMBER 30, 1967**

Drainage province and stream	Reservoir	Active capacity in acre-feet	Water in storage on first day of month, in acre-feet											
			October	November	December	January	February	March	April	May	June	July	August	September
Central Coastal														
Old Creek	Whale Rock	40,000	12,376	12,203	12,203	14,197	15,396	15,823	16,872	18,940	18,959	19,406	19,406	19,108
Santa Ynez River	Gibraltar	14,777	9,813	8,914	9,461	13,453	13,705	13,534	13,610	12,896	13,753	13,762	13,479	12,793
Santa Ynez River	Cachuma	204,900	168,926	165,955	165,203	204,598	205,558	205,496	205,714	205,652	205,589	204,998	200,398	195,210
Cuyama River	Twitchell	250,000	0	0	0	46,339	53,651	57,173	63,864	96,623	96,665	85,562	71,822	54,906
Los Angeles														
Matilija Creek	Matilija	3,200	1,243	,281	,975	1,261	858	2,392	3,787	3,883	827	827	860	827
Coyote Creek	Casitas	248,000	78,733	78,168	78,303	95,765	108,243	110,187	116,352	130,018	138,458	138,884	137,402	135,131
Piru Creek	Lake Piru	100,000	13,565	13,196	10,633	22,628	28,575	30,118	38,676	56,604	63,915	64,747	57,344	38,500
Bouquet Creek	Bouquet Canyon	36,510	29,850	8,090	9,802	18,418	23,454	31,624	36,255	35,880	33,847	31,694	29,280	27,686
San Gabriel River	San Gabriel	43,830	4,868	2,323	3,274	7,834	6,643	7,988	6,323	10,149	14,128	8,057	1,486	3,216
Lahontan														
Rush Creek	Grant Lake	47,530	28,380	26,585	28,289	31,350	35,420	39,556	46,110	35,618	35,519	48,954	49,507	46,761
Owens River	Lake Crowley	183,470	116,564	122,602	118,576	131,079	124,736	116,164	128,096	119,793	107,571	138,060	173,626	167,597
Owens River	Haiwee	58,530	43,816	50,439	47,234	31,362	36,913	41,961	39,763	41,109	40,910	43,215	50,364	54,424
Colorado River Basin														
Colorado River	Lake Mead	27,207,000	15,004*	15,092*	15,231*	15,481*	15,629*	15,617*	15,523*	14,530*	14,506*	14,395*	14,233*	14,196*
Colorado River	Lake Mojave	1,810,000	1,387*	1,382*	1,493*	1,574*	1,639*	1,662*	1,677*	1,673*	1,753*	1,666*	1,592*	1,497*
Colorado River	Lake Havasu	619,000	565*	556*	545*	538*	548*	534*	553*	599*	605*	612*	571*	562*
Santa Ana River														
Bear Creek	Bear Valley	72,170	19,842	19,583	19,583	32,453	33,325	34,198	36,290	39,431	43,465	43,664	42,867	42,270
San Jacinto River	Lake Hemet	13,400	4,930	4,767	4,798	7,441	7,874	7,935	8,687	8,742	8,769	8,769	8,734	8,456
San Jacinto River	Railroad Canyon**	14,700	1,368	975	850	5,224	6,023	5,837	5,157	5,851	7,744	7,183	6,151	5,282
Cajalco Creek	Lake Mathews**	182,000	84,159	67,770	80,677	126,789	158,174	164,879	165,641	179,213	173,735	177,459	177,924	174,032
Santiago Creek	Santiago**	25,000	5,900	4,960	5,070	17,775	21,165	22,005	22,475	24,850	25,600	24,375	22,860	21,260
San Diego														
Temecula Creek	Vail	49,500	5,040	4,995	5,043	10,232	11,083	11,294	11,739	14,180	14,185	13,952	13,439	13,242
San Luis Rey River	Lake Henshaw	194,320	4,696	4,466	4,596	14,667	16,241	16,268	16,899	20,386	19,675	17,759	14,469	11,524
Santa Ysabel Creek	Sutherland	29,700	1,853	1,824	1,828	6,450	2,397	2,340	2,558	4,004	2,811	2,219	2,195	2,130
San Dieguito River	Lake Hodges**	33,550	188	114	121	8,390	8,594	8,590	8,500	8,466	7,496	6,600	5,280	4,850
San Vicente Creek	San Vicente Lake**	90,230	54,777	51,500	52,498	58,976	63,161	69,678	69,630	76,071	80,765	82,522	79,451	75,812
Boulder Creek	Cuyamaca	11,600	0	0	0	2,447	2,586	2,586	2,733	3,979	2,268	0	0	0
Quail Canyon Creek	Lake Jennings**	10,500	6,512	6,648	6,745	6,884	6,731	6,745	6,594	6,621	6,773	6,759	6,787	6,717
San Diego River	El Capitan Lake**	112,800	16,714	16,527	16,478	28,520	28,370	26,452	24,352	25,658	25,257	24,986	21,943	18,973
Sweetwater River	Lake Loveland	25,250	392	397	410	3,206	419	670	992	2,196	296	541	546	546
Sweetwater River	Sweetwater (Main)**	27,150	2,336	2,292	2,186	3,877	6,112	5,753	4,921	4,418	5,389	4,510	4,510	2,667
Otay River	Lower Otay Lake**	56,520	6,478	5,693	5,109	10,781	11,448	12,243	12,742	12,365	11,558	10,684	9,732	8,845
Cottonwood Creek	Morena	50,210	501	476	476	1,362	1,415	1,426	1,447	1,534	1,512	1,447	1,383	1,331
Cottonwood Creek	Barrett	44,750	799	790	796	3,459	2,758	1,717	858	1,532	1,745	1,759	1,706	1,649

*In 1,000 acre-feet

**Includes imported Colorado River water

Appendix C
GROUND WATER MEASUREMENTS


Appendix C

GROUND WATER MEASUREMENTS

This appendix contains ground water level measurements (Table C-1) for approximately 8,000 wells for the period October 1, 1966, through September 30, 1967. It also contains hydrographs of selected wells (Figure C-7) and a tabulation of ground water replenishment (Table C-2).


Two numbering systems are used by the Department to facilitate processing of water level measurement data. The two systems are the *Areal Designation* and the *State Well Numbering System* as described below.

The *Areal Designation System* comprises a series of major drainage provinces which are further subdivided into hydrologic units, hydrologic subunits, and hydrologic subareas. A coding system of the form U-04.A2 has been developed as follows:



Figures C-1 through C-6 show the location and code number of each hydrologic subdivision in each drainage province, as well as the location of wells for which hydrographs are shown in Figure C-7.

The *State Well Numbering System* is based on township, range, and section subdivisions of the Public Land Survey. The number of a well, assigned in accordance with this system, is referred to as the *State Well Number*, as illustrated below:



This number identifies and locates the well. In the example, the well is in Township 39 North, Range 13 East, Tract K of Section 8, located in the Mount Diablo Base and Meridian. A section is divided into 40-acre tracts as shown:

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Sequence numbers in a tract are generally assigned in chronological order. The example designates the fourth well to be assigned a number in Tract K.

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
CENTRAL COASTAL DRAINAGE PROVINCE

T-09.00	SALINAS HYDROLOGIC UNIT
T-09.H0	Paso Robles Hydrologic Subunit
T-09.I0	Pozo Hydrologic Subunit
T-10.00	SAN LUIS OBISPO HYDROLOGIC UNIT
T-10.A0	Cambria Hydrologic Subunit
T-10.A1	San Carpoforo Hydrologic Subarea
T-10.A2	Arroyo De La Cruz Hydrologic Subarea
T-10.A3	San Simeon Hydrologic Subarea
T-10.A4	Santa Rosa Hydrologic Subarea
T-10.A5	Villa Hydrologic Subarea
T-10.A6	Cayucos Hydrologic Subarea
T-10.A7	Old Hydrologic Subarea
T-10.A8	Toro Hydrologic Subarea
T-10.B0	San Luis Obispo Hydrologic Subunit
T-10.B1	Morro Hydrologic Subarea
T-10.B2	Chorro Hydrologic Subarea
T-10.B3	Los Osos Hydrologic Subarea
T-10.B4	San Luis Obispo Creek Hydrologic Subarea
T-10.B5	Point San Luis Hydrologic Subarea
T-10.B6	Pismo Hydrologic Subarea
T-10.C0	Arroyo Grande Hydrologic Subunit
T-10.C1	Arroyo Grande Hydrologic Subarea
T-10.C2	Nipomo Mesa Hydrologic Subarea
T-11.00	CARRIZO PLAIN HYDROLOGIC UNIT
T-12.00	SANTA MARIA-CUYAMA HYDROLOGIC UNIT
T-12.A0	Santa Maria Hydrologic Subunit
T-12.B0	Sisquoc Hydrologic Subunit
T-12.C0	Cuyama Valley Hydrologic Subunit
T-13.00	SAN ANTONIO HYDROLOGIC UNIT
T-14.00	SANTA YNEZ HYDROLOGIC UNIT
T-14.A0	Lompoc Hydrologic Subunit
T-14.E0	Santa Rita Hydrologic Subunit
T-14.C0	Buellton Hydrologic Subunit
T-14.D0	Santa Ynez Hydrologic Subunit
T-14.E0	Headwater Hydrologic Subunit
T-15.00	SANTA BARBARA HYDROLOGIC UNIT
T-15.A0	Arguello Hydrologic Subunit
T-15.C0	South Coast Hydrologic Subunit
T-15.C1	Goleta Hydrologic Subarea
T-15.C2	Santa Barbara Hydrologic Subarea
T-15.C3	Montecito Hydrologic Subarea
T-15.C4	Carpinteria Hydrologic Subarea



NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS CENTRAL COASTAL DRAINAGE PROVINCE (T)

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
LOS ANGELES DRAINAGE PROVINCE

U-01.00	RINCON CREEK HYDROLOGIC UNIT	U-04.C0	Point Dume Hydrologic Subunit
U-02.00	VENTURA RIVER HYDROLOGIC UNIT	U-04.C1	Corral Canyon Hydrologic Subarea
U-02.A0	Lower Ventura River Hydrologic Subunit	U-04.C2	Solstice Canyon Hydrologic Subarea
U-02.B0	Upper Ventura River Hydrologic Subunit	U-04.C3	Latigo Canyon Hydrologic Subarea
U-02.C0	Ojai Hydrologic Subunit	U-04.C4	Escondido Canyon Hydrologic Subarea
U-02.C1	Upper Ojai Hydrologic Subarea	U-04.C5	Ramera Canyon Hydrologic Subarea
U-02.C2	Ojai Hydrologic Subarea	U-04.C6	Zuma Canyon Hydrologic Subarea
		U-04.C7	Trancas Canyon Hydrologic Subarea
U-03.00	SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT	U-04.D0	Camarillo Hydrologic Subunit
U-03.A0	Oxnard Plain Hydrologic Subunit	U-04.D1	Encinal Canyon Hydrologic Subarea
U-03.A1	Oxnard Hydrologic Subarea	U-04.D2	Los Alisos Canyon Hydrologic Subarea
U-03.A2	Pleasant Valley Hydrologic Subarea	U-04.D3	Nicholas Canyon Hydrologic Subarea
U-03.B0	Santa Paula Hydrologic Subunit	U-04.D4	Arroyo Sequit Hydrologic Subarea
U-03.B1	Santa Paula Hydrologic Subarea	U-04.D5	Little Sycamore Canyon Hydrologic Subarea
U-03.B2	Sisar Hydrologic Subarea	U-04.D6	Deer Canyon Hydrologic Subarea
U-03.C0	Sespe Hydrologic Subunit	U-04.D7	Big Sycamore Canyon Hydrologic Subarea
U-03.C1	Fillmore Hydrologic Subarea	U-04.D8	La Jolla Valley Hydrologic Subarea
U-03.C2	Sespe Hydrologic Subarea		
U-03.D0	Piru Hydrologic Subunit	U-05.00	LOS ANGELES-SAN GABRIEL RIVER HYDROLOGIC UNIT
U-03.D1	Piru Hydrologic Subarea	U-05.A0	Coastal Plain of Los Angeles County Hydrologic Subunit
U-03.D2	Upper Piru Hydrologic Subarea	U-05.A1	Palos Verdes Hydrologic Subarea
U-03.D3	Hungry Valley Hydrologic Subarea	U-05.A2	West Coast Hydrologic Subarea
U-03.D4	Stauffer Hydrologic Subarea	U-05.A3	Santa Monica Hydrologic Subarea
U-03.E0	Upper Santa Clara River Hydrologic Subunit	U-05.A4	Hollywood Hydrologic Subarea
U-03.E1	Eastern Hydrologic Subarea	U-05.A5	Central Hydrologic Subarea
U-03.E2	Bouquet Hydrologic Subarea	U-05.B0	San Fernando Hydrologic Subunit
U-03.E3	Mint Canyon Hydrologic Subarea	U-05.B1	San Fernando Hydrologic Subarea
U-03.E4	Sierra Pelona Hydrologic Subarea	U-05.B2	Sylmar Hydrologic Subarea
U-03.E5	Acton Hydrologic Subarea	U-05.B3	Tujunga Hydrologic Subarea
U-03.F0	Calleguas-Conejo Hydrologic Subunit	U-05.B4	Verdugo Hydrologic Subarea
U-03.F1	West Las Posas Hydrologic Subarea	U-05.B5	Eagle Rock Hydrologic Subarea
U-03.F2	East Las Posas Hydrologic Subarea	U-05.C0	Raymond Hydrologic Subunit
U-03.F3	Arroyo Santa Rosa Hydrologic Subarea	U-05.C1	Pasadena Hydrologic Subarea
U-03.F4	Conejo Valley Hydrologic Subarea	U-05.C2	Monk Hill Hydrologic Subarea
U-03.F5	Tierra Rejada Valley Hydrologic Subarea	U-05.C3	Santa Anita Hydrologic Subarea
U-03.F6	Gillibrand Hydrologic Subarea	U-05.D0	San Gabriel Valley Hydrologic Subunit
U-03.F7	Simi Valley Hydrologic Subarea	U-05.D1	Main San Gabriel Hydrologic Subarea
U-03.F8	Thousand Oaks Hydrologic Subarea	U-05.D2	Lower Canyon Hydrologic Subarea
		U-05.D3	Upper Canyon Hydrologic Subarea
U-04.00	MALIBU HYDROLOGIC UNIT	U-05.D4	Foothill Hydrologic Subarea
U-04.A0	Topanga Hydrologic Subunit	U-05.E0	Spadra Hydrologic Subunit
U-04.A1	Topanga Canyon Hydrologic Subarea	U-05.E1	Spadra Hydrologic Subarea
U-04.A2	Tuna Canyon Hydrologic Subarea	U-05.E2	Pomona Hydrologic Subarea
U-04.A3	Pena Canyon Hydrologic Subarea	U-05.E3	Live Oak Hydrologic Subarea
U-04.A4	Piedra Gorda Canyon Hydrologic Subarea	U-05.F0	Anaheim Hydrologic Subunit
U-04.A5	Las Flores Canyon Hydrologic Subarea	U-05.F1	Anaheim Hydrologic Subarea
U-04.A6	Carbon Canyon Hydrologic Subarea	U-05.F2	La Habra Hydrologic Subarea
U-04.B0	Malibu Creek Hydrologic Subunit	U-05.F3	Yorba Linda Hydrologic Subarea
U-04.B1	Malibu Creek Hydrologic Subarea		
U-04.B2	Las Virgenes Canyon Hydrologic Subarea		
U-04.B3	Lindero Canyon Hydrologic Subarea		
U-04.B4	Triunfo Canyon Hydrologic Subarea		
U-04.B5	Russell Valley Hydrologic Subarea		
U-04.B6	Sherwood Hydrologic Subarea		

LEGEND

	DRAINAGE PROVINCE BOUNDARY
	HYDROLOGIC UNIT BOUNDARY
	HYDROLOGIC SURUNIT BOUNDARY
	HYDROLOGIC SUBAREA BOUNDARY

10.A4

AREAL CODE NUMBER
(SEE PAGE TO THE LEFT)

WATER BEARING SEDIMENTS

ION/35W-7FI ● WELL AT WHICH WATER LEVEL
FLUCTUATION IS SHOWN



**NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
LOS ANGELES DRAINAGE PROVINCE (U)**

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
LAHONTAN DRAINAGE PROVINCE

W-01.00	MONO HYDROLOGIC UNIT	W-20.00	PANAMINT HYDROLOGIC UNIT
W-02.00	ADOBE HYDROLOGIC UNIT	W-20.A0	Wingate Pass Hydrologic Subunit
W-03.00	OWENS HYDROLOGIC UNIT	W-20.B0	Wild Rose Hydrologic Subunit
W-03.A0	Long Hydrologic Subunit	W-20.B1	White Sage Hydrologic Subarea
W-03.B0	Upper Owens Hydrologic Subunit	W-20.B2	Wild Rose Hydrologic Subarea
W-03.C0	Lower Owens Hydrologic Subunit	W-20.C0	Lee Flat Hydrologic Subunit
W-03.D0	Centennial Hydrologic Subunit	W-20.D0	Santa Rosa Flat Hydrologic Subunit
W-04.00	FISH LAKE HYDROLOGIC UNIT	W-20.D1	Santa Rosa Flat Hydrologic Subarea
W-05.00	DEEP SPRINGS HYDROLOGIC UNIT	W-20.D2	Rainbow Hydrologic Subarea
W-06.00	EUREKA HYDROLOGIC UNIT	W-20.D3	Silver Dollar Hydrologic Subarea
W-06.A0	Marble Bath Hydrologic Subunit	W-20.E0	Darwin Hydrologic Subunit
W-06.B0	Eureka Hydrologic Subunit	W-20.F0	Panamint Hydrologic Subunit
W-07.00	SALINE HYDROLOGIC UNIT	W-20.G0	Brown Hydrologic Subunit
W-07.A0	Saline Hydrologic Subunit	W-20.H0	Robbers Hydrologic Subunit
W-07.B0	Cameo Hydrologic Subunit	W-21.00	SEARLES HYDROLOGIC UNIT
W-08.00	RACE TRACK HYDROLOGIC UNIT	W-21.A0	Searles Hydrologic Subunit
W-08.A0	Race Track Hydrologic Subunit	W-21.B0	Salt Wells Hydrologic Subunit
W-08.B0	Hidden Valley Hydrologic Subunit	W-21.C0	Pilot Knob Hydrologic Subunit
W-08.C0	Ulida Hydrologic Subunit	W-22.00	COSO HYDROLOGIC UNIT
W-08.D0	Sand Flat Hydrologic Subunit	W-22.A0	Wild Horse Hydrologic Subunit
W-09.00	AMARGOSA HYDROLOGIC UNIT	W-22.B0	Coso Hydrologic Subunit
W-09.A0	Death Valley Hydrologic Subunit	W-23.00	UPPER CACTUS HYDROLOGIC UNIT
W-09.A1	Death Valley Hydrologic Subarea	W-24.00	INDIAN WELLS HYDROLOGIC UNIT
W-09.A2	Harrisburgh Hydrologic Subarea	W-24.A0	Rose Hydrologic Subunit
W-09.A3	Wingate Wash Hydrologic Subarea	W-24.B0	Indian Wells Hydrologic Subunit
W-09.B0	Valjean Hydrologic Subunit	W-25.00	FREMONT HYDROLOGIC UNIT
W-09.B1	Avawatz Hydrologic Subarea	W-25.A0	Dove Springs Hydrologic Subunit
W-09.B2	Red Pass Hydrologic Subarea	W-25.B0	Kelso Landis Hydrologic Subunit
W-09.B3	Valjean Hydrologic Subarea	W-25.C0	East Tehachapi Hydrologic Subunit
W-09.B4	Shadow Hydrologic Subarea	W-25.D0	Koehn Hydrologic Subunit
W-09.C0	Furnace Creek Hydrologic Subunit	W-26.00	ANTELOPE HYDROLOGIC UNIT
W-09.C1	Furnace Creek Hydrologic Subarea	W-26.A0	Antelope Hydrologic Subunit
W-09.C2	Greenwater Hydrologic Subarea	W-26.A1	Chafee Hydrologic Subarea
W-09.D0	Amargosa Hydrologic Subunit	W-26.A2	Gloster Hydrologic Subarea
W-09.D1	Calico Hydrologic Subarea	W-26.A3	Willow Springs Hydrologic Subarea
W-09.D2	Amargosa Hydrologic Subarea	W-26.A4	Neenach Hydrologic Subarea
W-09.D3	Chicago Hydrologic Subarea	W-26.A5	Lancaster Hydrologic Subarea
W-09.D4	California Hydrologic Subarea	W-26.A6	North Muroc Hydrologic Subarea
W-10.00	PAHRUMP HYDROLOGIC UNIT	W-26.A7	Buttes Hydrologic Subarea
W-11.00	MESQUITE HYDROLOGIC UNIT	W-26.A8	Rock Creek Hydrologic Subarea
W-12.00	IVANPAH HYDROLOGIC UNIT	W-27.00	CUDDEBACK HYDROLOGIC UNIT
W-13.00	OWLSHEAD HYDROLOGIC UNIT	W-28.00	MOJAVE HYDROLOGIC UNIT
W-13.A0	Lost Lake Hydrologic Subunit	W-28.A0	El Mirage Hydrologic Subunit
W-13.B0	Owlshead Hydrologic Subunit	W-28.B0	Upper Mojave Hydrologic Subunit
W-14.00	LEACH HYDROLOGIC UNIT	W-28.C0	Middle Mojave Hydrologic Subunit
W-15.00	NELSON HYDROLOGIC UNIT	W-28.D0	Harper Hydrologic Subunit
W-15.A0	McLean Hydrologic Subunit	W-28.D1	Grass Valley Hydrologic Subarea
W-15.B0	Nelson Hydrologic Subunit	W-28.D2	Harper Hydrologic Subarea
W-16.00	BICYCLE HYDROLOGIC UNIT	W-28.E0	Lower Mojave Hydrologic Subunit
W-17.00	GOLDSTONE HYDROLOGIC UNIT	W-28.F0	Troy Hydrologic Subunit
W-18.00	COYOTE HYDROLOGIC UNIT	W-28.F1	Kane Wash Hydrologic Subarea
W-19.00	SUPERIOR HYDROLOGIC UNIT	W-28.F2	Troy Hydrologic Subarea
		W-28.G0	Afton Hydrologic Subunit
		W-28.G1	Caves Hydrologic Subarea
		W-28.G2	Cronese Hydrologic Subarea
		W-28.G3	Langford Hydrologic Subarea
		W-28.H0	Baker Hydrologic Subunit
		W-28.H1	Silver Lake Hydrologic Subarea
		W-28.H2	Soda Lake Hydrologic Subarea
		W-28.I0	Kelso Hydrologic Subunit
		W-29.00	BROADWELL HYDROLOGIC UNIT



NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS LAHONTAN DRAINAGE PROVINCE (W)


AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
COLORADO RIVER BASIN DRAINAGE PROVINCE

X-1.00	LUCERNE HYDROLOGIC UNIT	X-19.00	WHITEWATER HYDROLOGIC UNIT
X-2.00	JOHNSON HYDROLOGIC UNIT	X-19.A0	Morongo Hydrologic Subunit
X-3.00	BESSEMER HYDROLOGIC UNIT	X-19.B0	Shavers Hydrologic Subunit
X-4.00	MEANS HYDROLOGIC UNIT	X-19.C0	San Gorgonio Hydrologic Subunit
X-5.00	EMERSON HYDROLOGIC UNIT	X-19.C1	Beaumont Hydrologic Subarea
X-6.00	LAVIC HYDROLOGIC UNIT	X-19.C2	San Gorgonio Hydrologic Subarea
X-7.00	DEADMAN HYDROLOGIC UNIT	X-19.D0	Coachella Hydrologic Subunit
X-8.00	JOSHUA TREE HYDROLOGIC UNIT	X-19.D1	Garnet Hill Hydrologic Subarea
X-8.A0	Warren Hydrologic Subunit	X-19.D2	Mission Creek Hydrologic Subarea
X-8.B0	Copper Mountain Hydrologic Subunit	X-19.D3	Miracle Hill Hydrologic Subarea
X-9.00	DALE HYDROLOGIC UNIT	X-19.D4	Sky Valley Hydrologic Subarea
X-9.A0	Twentynine Palms Hydrologic Subunit	X-19.D5	Fargo Canyon Hydrologic Subarea
X-9.B0	Dale Hydrologic Subunit	X-19.D6	Thousand Palms Hydrologic Subarea
X-10.00	BRISTOL HYDROLOGIC UNIT	X-19.D7	Indio Hydrologic Subarea
X-10.A0	Bristol Hydrologic Subunit	X-20.00	CLARK HYDROLOGIC UNIT
X-10.B0	Fenner Hydrologic Subunit	X-21.00	WEST SALTON SEA HYDROLOGIC UNIT
X-11.00	CADIZ HYDROLOGIC UNIT	X-22.00	ANZA-BORREGO HYDROLOGIC UNIT
X-12.00	WARD HYDROLOGIC UNIT	X-22.A0	Borrego Hydrologic Subunit
X-13.00	PIUTE HYDROLOGIC UNIT	X-22.A1	Terwilliger Hydrologic Subarea
X-13.A0	Lanfair Hydrologic Subunit	X-22.A2	Collins Hydrologic Subarea
X-13.B0	Piute Hydrologic Subunit	X-22.A3	Borrego Hydrologic Subarea
X-13.C0	Needles Hydrologic Subunit	X-22.B0	Ocotillo-Lower San Felipe Hydrologic
X-14.00	CHEMEHUEVIS HYDROLOGIC UNIT	X-22.C0	Mescal Bajada Hydrologic Subunit
X-15.00	COLORADO HYDROLOGIC UNIT	X-22.D0	San Felipe Hydrologic Subunit
X-15.A0	Vidal Hydrologic Subunit	X-22.E0	Mason Hydrologic Subunit
X-15.B0	Big Wash Hydrologic Subunit	X-22.F0	Vallecito-Carrizo Hydrologic Subunit
X-15.C0	Quien Sabe Hydrologic Subunit	X-22.F1	Carrizo Hydrologic Subarea
X-15.D0	Palo Verde Hydrologic Subunit	X-22.F2	Vallecito Hydrologic Subarea
X-15.E0	Arroyo Seco Hydrologic Subunit	X-22.F3	Canebrake Hydrologic Subarea
X-16.00	RICE HYDROLOGIC UNIT	X-22.G0	Jacumba Hydrologic Subunit
X-17.00	CHUCKWALLA HYDROLOGIC UNIT	X-22.G1	McCain Hydrologic Subarea
X-17.A0	Ford Hydrologic Subunit	X-22.G2	Jacumba Hydrologic Subarea
X-17.B0	Palen Hydrologic Subunit	X-23.00	IMPERIAL HYDROLOGIC UNIT
X-17.C0	Pinto Hydrologic Subunit	X-23.A0	Imperial Hydrologic Subunit
X-17.D0	Pleasant Hydrologic Subunit	X-23.B0	Coyote Wells Hydrologic Subunit
X-18.00	HAYFIELD HYDROLOGIC UNIT	X-24.00	DAVIES HYDROLOGIC UNIT
		X-25.00	EAST SALTON SEA HYDROLOGIC UNIT
		X-26.00	AMOS-OGILBY HYDROLOGIC UNIT
		X-27.00	YUMA HYDROLOGIC UNIT

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1969

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
SANTA ANA DRAINAGE PROVINCE

Y-01.00	SANTA ANA RIVER HYDROLOGIC UNIT
Y-01.A0	Lower Santa Ana River Hydrologic Subunit
Y-01.A1	East Coastal Plain Hydrologic Subarea
Y-01.A2	Santiago Hydrologic Subarea
Y-01.A3	Santa Ana Narrows Hydrologic Subarea
Y-01.B0	Middle Santa Ana River Hydrologic Subunit
Y-01.B1	Chino Hydrologic Subarea
Y-01.B2	Harrison Hydrologic Subarea
Y-01.B3	Claremont Heights Hydrologic Subarea
Y-01.B4	Cucamonga Hydrologic Subarea
Y-01.B5	Temescal Hydrologic Subarea
Y-01.B6	Arlington Hydrologic Subarea
Y-01.B7	Riverside Hydrologic Subarea
Y-01.C0	Lake Methews Hydrologic Subunit
Y-01.C1	Coldwater Hydrologic Subarea
Y-01.C2	Bedford Hydrologic Subarea
Y-01.C3	Cajalco Hydrologic Subarea
Y-01.C4	Lee Lake Hydrologic Subarea
Y-01.C5	Terra Cotta Hydrologic Subarea
Y-01.D0	Colton-Rialto Hydrologic Subunit
Y-01.D1	Upper Lytle Hydrologic Subarea
Y-01.D2	Lower Lytle Hydrologic Subarea
Y-01.D3	Upper Colton-Rialto Hydrologic Subarea
Y-01.D4	Colton-Rialto Hydrologic Subarea
Y-01.D5	Reche Hydrologic Subarea
Y-01.E0	Upper Santa Ana River Hydrologic Subunit
Y-01.E1	Cajon Hydrologic Subarea
Y-01.E2	Bunker Hill Hydrologic Subarea
Y-01.E3	Redlands Hydrologic Subarea
Y-01.E4	Mentone Hydrologic Subarea
Y-01.E5	Reservoir Hydrologic Subarea
Y-01.E6	Crafton Hydrologic Subarea
Y-01.E7	Santa Ana Canyon Hydrologic Subarea
Y-01.E8	Mill Creek Hydrologic Subarea
Y-01.E9	Sycamore Hydrologic Subarea
Y-01.F0	San Timoteo Hydrologic Subunit
Y-01.F1	Yucaipa Hydrologic Subarea
Y-01.F2	San Timoteo Hydrologic Subarea
Y-01.F3	Cherry Valley Hydrologic Subarea
Y-01.F4	Chicken Hill Hydrologic Subarea
Y-01.F5	Gateway Hydrologic Subarea
Y-01.F6	Oak Glen Hydrologic Subarea
Y-01.F7	South Mesa Hydrologic Subarea
Y-01.F8	Triple Falls Creek Hydrologic Subarea
Y-01.F9	Nobie Creek Hydrologic Subarea
Y-01.G0	San Bernardino Mountain Hydrologic Subunit
Y-01.G1	Bear Valley Hydrologic Subarea
Y-01.G2	Seven Oaks Hydrologic Subarea
Y-01.G3	Baldwin Hydrologic Subarea
Y-02.00	SAN JACINTO VALLEY HYDROLOGIC UNIT
Y-02.A0	Perris Hydrologic Subunit
Y-02.A1	Perris Valley Hydrologic Subarea
Y-02.A2	Menifee Hydrologic Subarea
Y-02.A3	Winchester Hydrologic Subarea
Y-02.A4	Lakeview Hydrologic Subarea
Y-02.A5	Hemet Hydrologic Subarea
Y-02.B0	San Jacinto Hydrologic Subunit
Y-02.B1	San Jacinto Hydrologic Subarea
Y-02.B2	Hemet Lake Hydrologic Subarea
Y-02.B3	Bautista Hydrologic Subarea
Y-02.C0	Elsinore Hydrologic Subunit
Y-02.C1	Elsinore Hydrologic Subarea
Y-02.C2	Railroad Hydrologic Subarea



**AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
SAN DIEGO DRAINAGE PROVINCE**


Z-01.00 SAN JUAN HYDROLOGIC UNIT		Z-05.D0 Santa Maria Valley Hydrologic Subunit	
Z-01.A0	Laguna Hydrologic Subunit	Z-05.D1	Ramona Hydrologic Subarea
Z-01.A1	San Joaquin Hydrologic Subarea	Z-05.D2	Lower Hatfield Hydrologic Subarea
Z-01.A2	Laguna Hydrologic Subarea	Z-05.D3	Wash Hollow Hydrologic Subarea
Z-01.A3	Aliso Hydrologic Subarea	Z-05.D4	Upper Hatfield Hydrologic Subarea
Z-01.A4	Dana Point Hydrologic Subarea	Z-05.D5	Ballena Hydrologic Subarea
Z-01.B0	San Juan Hydrologic Subunit	Z-05.D6	East Santa Teresa Hydrologic Subarea
Z-01.C0	San Clemente Hydrologic Subunit	Z-05.D7	West Santa Teresa Hydrologic Subarea
Z-01.D0	San Mateo Hydrologic Subunit	Z-05.E0	Santa Ysabel Hydrologic Subunit
Z-01.E0	San Onofre Hydrologic Subunit	Z-05.E1	Boden Hydrologic Subarea
Z-01.E1	San Onofre Hydrologic Subarea	Z-05.E2	Pamo Hydrologic Subarea
Z-01.E2	Las Pulgas Hydrologic Subarea	Z-05.E3	Sutherland Hydrologic Subarea
Z-01.E3	Stuart Hydrologic Subarea	Z-05.E4	Santa Ysabel Hydrologic Subarea
Z-02.00 SANTA MARGARITA HYDROLOGIC UNIT		Z-06.00 PENASQUITOS HYDROLOGIC UNIT	
Z-02.A0	Ysidora Hydrologic Subunit	Z-06.A0	Soledad Hydrologic Subunit
Z-02.A1	Ysidora Hydrologic Subarea	Z-06.B0	Poway Hydrologic Subunit
Z-02.A2	Chapco Hydrologic Subarea	Z-06.C0	Scripps Hydrologic Subunit
Z-02.A3	Upper Ysidora Hydrologic Subarea	Z-06.D0	Miramar Hydrologic Subunit
Z-02.B0	De Luz Hydrologic Subunit	Z-06.E0	Tecolote Hydrologic Subunit
Z-02.B1	De Luz Hydrologic Subarea	Z-07.00 SAN DIEGO HYDROLOGIC UNIT	
Z-02.B2	Gavilan Hydrologic Subarea	Z-07.A0	Lower San Diego Hydrologic Subunit
Z-02.B3	Vallecitos Hydrologic Subarea	Z-07.A1	Mission San Diego Hydrologic Subarea
Z-02.C0	Murrieta Hydrologic Subunit	Z-07.A2	Santee Hydrologic Subarea
Z-02.C1	Wildomar Hydrologic Subarea	Z-07.A3	El Cajon Hydrologic Subarea
Z-02.C2	Murrieta Hydrologic Subarea	Z-07.A4	Coches Hydrologic Subarea
Z-02.C3	French Hydrologic Subarea	Z-07.A5	El Monte Hydrologic Subarea
Z-02.C4	Lower Domenigoni Hydrologic Subarea	Z-07.B0	San Vicente Hydrologic Subunit
Z-02.C5	Domenigoni Hydrologic Subarea	Z-07.B1	San Vicente Hydrologic Subarea
Z-02.C6	Diamond Hydrologic Subarea	Z-07.B2	Kimball Hydrologic Subarea
Z-02.D0	Auld Hydrologic Subunit	Z-07.B3	Gower Hydrologic Subarea
Z-02.D1	Auld Hydrologic Subarea	Z-07.B4	Barona Hydrologic Subarea
Z-02.D2	Gertrudis Hydrologic Subarea	Z-07.C0	El Capitan Hydrologic Subunit
Z-02.D3	Lower Tualota Hydrologic Subarea	Z-07.C1	El Capitan Hydrologic Subarea
Z-02.D4	Tualota Hydrologic Subarea	Z-07.C2	Glen Oaks Hydrologic Subarea
Z-02.E0	Pechanga Hydrologic Subunit	Z-07.C3	Alpine Hydrologic Subarea
Z-02.E1	Pauba Hydrologic Subarea	Z-07.D0	Cuyamaca Hydrologic Subunit
Z-02.E2	Pechanga Hydrologic Subarea	Z-07.D1	Inaja Hydrologic Subarea
Z-02.F0	Wilson Hydrologic Subunit	Z-07.D2	Spencer Hydrologic Subarea
Z-02.F1	Lancaster Valley Hydrologic Subarea	Z-07.D3	Cuyamaca Hydrologic Subarea
Z-02.F2	Lewis Hydrologic Subarea	Z-08.00 CORONADO HYDROLOGIC UNIT	
Z-02.F3	Wilson Hydrologic Subarea	Z-08.A0	Point Loma Hydrologic Subunit
Z-02.G0	Anza Hydrologic Subunit	Z-08.B0	San Diego Mesa Hydrologic Subunit
Z-02.G1	Lower Coahuila Hydrologic Subarea	Z-08.B1	Lindbergh Hydrologic Subarea
Z-02.G2	Upper Coahuila Hydrologic Subarea	Z-08.B2	Chollas Hydrologic Subarea
Z-02.G3	Anza Hydrologic Subarea	Z-08.C0	Paradise Hydrologic Subunit
Z-02.G4	Burnt Hydrologic Subarea	Z-08.C1	El Toyon Hydrologic Subarea
Z-02.H0	Aguanga Hydrologic Subunit	Z-08.C2	Paradise Hydrologic Subarea
Z-02.H1	Vail Hydrologic Subarea	Z-09.00 SWEETWATER HYDROLOGIC UNIT	
Z-02.H2	Devils Hole Hydrologic Subarea	Z-09.A0	Lower Sweetwater Hydrologic Subunit
Z-02.H3	Redec Hydrologic Subarea	Z-09.A1	Telegraph Hydrologic Subarea
Z-02.H4	Aguanga Hydrologic Subarea	Z-09.A2	Sweetwater Hydrologic Subarea
Z-02.I0	Oakgrove Hydrologic Subunit	Z-09.B0	Middle Sweetwater Hydrologic Subunit
Z-02.I1	Lower Culp Hydrologic Subarea	Z-09.B1	Jamacha Hydrologic Subarea
Z-02.I2	Oakgrove Hydrologic Subarea	Z-09.B2	Hillsdale Hydrologic Subarea
Z-02.I3	Dodge Hydrologic Subarea	Z-09.B3	Dehesa Hydrologic Subarea
Z-02.I4	Chihuahua Hydrologic Subarea	Z-09.B4	Galloway Hydrologic Subarea
Z-03.00 SAN LUIS REY HYDROLOGIC UNIT		Z-09.B5	Sequan Hydrologic Subarea
Z-03.A0	Bonsall Hydrologic Subunit	Z-09.B6	Alpine Heights Hydrologic Subarea
Z-03.A1	Mission Hydrologic Subarea	Z-09.C0	Upper Sweetwater Hydrologic Subunit
Z-03.A2	Bonsall Hydrologic Subarea	Z-09.C1	Loveland Hydrologic Subarea
Z-03.A3	Moosa Hydrologic Subarea	Z-09.C2	Japattul Hydrologic Subarea
Z-03.A4	Valley Center Hydrologic Subarea	Z-09.C3	Viejas Hydrologic Subarea
Z-03.A5	Woods Hydrologic Subarea	Z-09.C4	Descanso Hydrologic Subarea
Z-03.A6	Rincon Hydrologic Subarea	Z-09.C5	Garnet Hydrologic Subarea
Z-03.B0	Monserate Hydrologic Subunit	Z-10.00 OTAY HYDROLOGIC UNIT	
Z-03.B1	Pala Hydrologic Subarea	Z-10.A0	Coronado Hydrologic Subunit
Z-03.B2	Pauma Hydrologic Subarea	Z-10.B0	Otay Hydrologic Subunit
Z-03.B3	San Luis Rey Hydrologic Subarea	Z-10.C0	Dulzura Hydrologic Subunit
Z-03.C0	Warner Hydrologic Subunit	Z-10.C1	Savage Hydrologic Subarea
Z-03.C1	Warner Hydrologic Subarea	Z-10.C2	Proctor Hydrologic Subarea
Z-03.C2	Combs Hydrologic Subarea	Z-10.C3	Jamul Hydrologic Subarea
Z-04.00 CARLSBAD HYDROLOGIC UNIT		Z-10.C4	Lee Hydrologic Subarea
Z-04.A0	Loma Alta Hydrologic Subunit	Z-10.C5	Lyon Hydrologic Subarea
Z-04.B0	Vista Hydrologic Subunit	Z-10.C6	Dulzura Hydrologic Subarea
Z-04.B1	Carlsbad Hydrologic Subarea	Z-10.C7	Engineer Springs Hydrologic Subarea
Z-04.B2	Vista Hydrologic Subarea	Z-11.00 TIA JUANA HYDROLOGIC UNIT	
Z-04.C0	Agua Hedionda Hydrologic Subunit	Z-11.A0	Tia Juana Hydrologic Subunit
Z-04.C1	Agua Hedionda Hydrologic Subarea	Z-11.A1	Tia Juana Hydrologic Subarea
Z-04.C2	Buena Hydrologic Subarea	Z-11.A2	San Ysidro Hydrologic Subarea
Z-04.D0	Encinas Hydrologic Subunit	Z-11.B0	Potrero Hydrologic Subunit
Z-04.E0	San Marcos Hydrologic Subunit	Z-11.B1	Marron Hydrologic Subarea
Z-04.E1	Batiquitos Hydrologic Subarea	Z-11.B2	Bee Canyon Hydrologic Subarea
Z-04.E2	San Marcos Hydrologic Subarea	Z-11.B3	Barrett Hydrologic Subarea
Z-04.E3	Twin Oaks Hydrologic Subarea	Z-11.B4	Round Potrero Hydrologic Subarea
Z-04.F0	Escondido Hydrologic Subunit	Z-11.B5	Potrero Hydrologic Subarea
Z-04.F1	San Elijo Hydrologic Subarea	Z-11.C0	Barrett Lake Hydrologic Subunit
Z-04.F2	Escondido Hydrologic Subarea	Z-11.D0	Monument Hydrologic Subunit
Z-04.F3	Lake Wohlford Hydrologic Subarea	Z-11.D1	Pine Hydrologic Subarea
Z-05.00 SAN DIEGUITO HYDROLOGIC UNIT		Z-11.D2	Monument Hydrologic Subarea
Z-05.A0	San Dieguito Hydrologic Subunit	Z-11.E0	Morena Hydrologic Subunit
Z-05.A1	San Dieguito Hydrologic Subarea	Z-11.F0	Cottonwood Hydrologic Subunit
Z-05.A2	La Jolla Hydrologic Subarea	Z-11.G0	Cameron Hydrologic Subunit
Z-05.B0	Hodges Hydrologic Subunit	Z-11.H0	Campo Hydrologic Subunit
Z-05.B1	Hodges Hydrologic Subarea	Z-11.H1	Tecate Hydrologic Subarea
Z-05.B2	Green Hydrologic Subarea	Z-11.H2	Campo Hydrologic Subarea
Z-05.B3	Felicita Hydrologic Subarea	Z-11.H3	Clover Flat Hydrologic Subarea
Z-05.B4	Bear Hydrologic Subarea	Z-11.H4	Hill Hydrologic Subarea
Z-05.C0	San Pasqual Hydrologic Subunit	Z-11.H5	Hipass Hydrologic Subarea
Z-05.C1	Highland Hydrologic Subarea		
Z-05.C2	San Pasqual Hydrologic Subarea		
Z-05.C3	Reed Hydrologic Subarea		
Z-05.C4	Hidden Hydrologic Subarea		
Z-05.C5	Guejito Hydrologic Subarea		
Z-05.C6	Vineyard Hydrologic Subarea		



**NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
SAN DIEGO DRAINAGE PROVINCE (Z)**


PASO ROBLES HYDROLOGIC SUBUNIT (T-09.HO)

WELL 26S/12E-9M2, M. D. B. & M.



ARROYO GRANDE HYDROLOGIC SUBUNIT (T-10.CO)


WELL 32S/13E-28G1, M. D. B. & M.




SANTA MARIA HYDROLOGIC SUBUNIT (T-12.AO)

WELLS 10N/34W-14E3, 14E2, 14E5, S.B. B. & M.

GROUND SURFACE ELEV. 221'



WELL 10N/35W-7F1, S. B. B. & M.



NOTE: LOCATION OF WELLS SHOWN ON PAGE

YEAR

FLUCTUATION OF WATER LEVEL IN WELLS

DATUM

U. S. G. S.

FEET


IN

ELEVATION

CUYAMA VALLEY HYDROLOGIC SUBUNIT (T-12.CO)

WELLS 10N/25W-30FI, 30PI, S. B. B. & M.


GROUND SURFACE ELEV. 2340'



LOMPOC HYDROLOGIC SUBUNIT (T-14.A0)

WELLS 7N/35W-26J3, 26J4, S. B. B. & M.


GROUND SURFACE



SANTA YNEZ HYDROLOGIC SUBUNIT (T-14.D0)

WELL 6N/30W-6A1, S.B.B.&M.

GROUND SURFACE ELEV. 665'



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 93

YEAR

FLUCTUATION OF WATER LEVEL IN WELLS



D A T U M

U. S. G. S.

F E E T

I N

E L E V A T I O N




NOTE: LOCATION OF WELLS
SHOWN ON PAGE 93


FLUCTUATION OF WATER LEVEL IN WELLS

OXNARD PLAIN HYDROLOGIC SUBUNIT (U-03.A0)


WELL IN/22W- 3F4,3F3,S.B.B.&M.




WELL IN/22W-23J1, 23Q1, S.B.B. & M.



WELL 2N/21W-6P1, S.B. B. & M.




WELLS 2N/22W-23D1, 23H3, 23G1, S.B.B. & M.




NOTE: LOCATION OF WELLS
SHOWN ON PAGE 95

FLUCTUATION OF WATER LEVEL IN WELLS


COASTAL PLAIN OF LOS ANGELES COUNTY HYDROLOGIC SUBUNIT (U-05.A0)
WELLS 4S/13W-21H3, 21H2, S.B.B. & M.



WELLS 3S/14W-29N1, 29D3, S.B.B. & M.




WELL 2S/13W-10A1, S.B.B. & M.



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 95

WELLS 2S/11W-18M2, 18K3, S.B.B. & M.




FLUCTUATION OF WATER LEVEL IN WELLS

SAN FERNANDO HYDROLOGIC SUBUNIT (U-05.B0)

WELL IN/15W-6N1, S.B.B.&M.

GROUND SURFACE ELEVATION 743'

DATUM



RAYMOND HYDROLOGIC SUBUNIT(U-05.CO)


WELL IN/12W-20B1, S.B.B.&M.

GROUND SURFACE ELEVATION 917'

U S G S


FEET

ELEVATION



WELLS IN/11W-21C4, 21C6, S.B.B.&M.

GROUND SURFACE ELEVATION, C4-675', C6-705'



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 95

YEAR


FLUCTUATION OF WATER LEVEL IN WELLS

D
A
T
U
M

SAN GABRIEL VALLEY HYDROLOGIC SUBUNIT (U-05.DO)

WELLS 1S/10W-18A1, 7R2, S.B.B.&M.

GROUND SURFACE ELEVATION




E
L
E
V
A
T
I
O
N

ANAHEIM HYDROLOGIC SUBUNIT (U-05.FO)

WELL 3S/10W-27N1, S.B.B.&M

GROUND SURFACE ELEV. 176'



NOTE: LOCATION OF WELL
SHOWN ON PAGE 9


FLUCTUATION OF WATER LEVEL IN WELLS

ANTELOPE HYDROLOGIC SUBUNIT (W-26.A0)

WELL 11N/13W-29MI, S.B.B. & M.

GROUND SURFACE ELEV. 3391'


D A T U M



WELLS 7N/11W-24CI, 7N/10W-19DI, S. B. B. & M.

GROUND SURFACE ELEV. 2446'


U. S. G. S.
F E E T
I N



WELL 7N/12W-15F1, 15F2, S. B. B. & M.

GROUND SURFACE ELEV. 15F1 2348', 15F2 2354'

E L E V A T I O N




NOTE: LOCATION OF WELLS
SHOWN ON PAGE 97

FLUCTUATION OF WATER LEVEL IN WELLS


DATUM
U.S.G.S.
FEET
IN
ELEVATION

UPPER MOJAVE HYDROLOGIC SUBUNIT (W-28.B0)

WELLS 4N/3W-6A1,6D1,6D2,S.B.B.&M.




WELL 7N/4W-30C1,S.B.B.&M




MIDDLE MOJAVE HYDROLOGIC SUBUNIT (W-28.CO)

WELL 10N/2W-19P1,S.B.B.&M.




LOWER MOJAVE HYDROLOGIC SUBUNIT (W-28.E0)

WELL 9N/1E-13E2,S.B.B.&M.



WELLS 9N/3E-12G1,9N/4E-7M2,S.B.B.&M



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 97

YEAR


FLUCTUATION OF WATER LEVEL IN WELLS

COACHELLA HYDROLOGIC SUBUNIT (X-19.DO)

WELL 4S/5E-17LI S.B.B.&M.

GROUND SURFACE ELEV. 375'

DATUM




U.S.G.S.

WELL 5S/7E-21F2 S.B.B.&M.

GROUND SURFACE ELEV. 40'

FEET




IN

BORREGO HYDROLOGIC SUBUNIT (X-22.AQ)

WELL 10S/6E-21A1 S.B.B.&M.

GROUND SURFACE ELEV. 640'

ELEVATION

NOTE: LOCATION OF WELLS
SHOWN ON PAGE 99


YEAR

FLUCTUATION OF WATER LEVEL IN WELLS

LOWER SANTA ANA RIVER HYDROLOGIC SUBUNIT (Y—OI.AO)

WELLS 4S/10W-22L1, 15B2, 22L2, 27C2, S.B.B.&M.


GROUND SURFACE ELEV. 129'



MIDDLE SANTA ANA RIVER HYDROLOGIC SUBUNIT (Y—OI.B0)


WELL 2S/8W-4PI, S.B.B.&M

GROUND SURFACE



WELL 1S/5W-16C1, S.B.B.&M.

GROUND SURFACE ELEV. 1227'




NOTE: LOCATION OF WELLS SHOW ON PAGE 1


FLUCTUATION OF WATER LEVEL IN WELLS

UPPER SANTA ANA RIVER HYDROLOGIC SUBUNIT (Y-01.E0)

WELL IN/4W-35LI, S.B.B. & M.




WELLS 1S/3W-17C1, 17C3, S.B.B. & M.



PERRIS HYDROLOGIC SUBUNIT (Y-02.A0)

WELL 4S/2W-3PI, S.B.B. & M.



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 101

FLUCTUATION OF WATER LEVEL IN WELLS

E
L
E
V
A
T
I
O
N

I
N


F
E
E
T

U.
S.
G.
S.

D
A
T
U
M


MURRIETA HYDROLOGIC SUBUNIT (Z-02.CO)

WELLS 7S/3W-17P4,17P7&17P8, S.B.B.&M.




BONSALL HYDROLOGIC SUBUNIT (Z-03.AO)

WELL 11S/4W-9E1, S.B.B.&M.




WELL 10S/3W-11G1, S.B.B.&M.



TIA JUANA HYDROLOGIC SUBUNIT (Z-11.AO)

WELLS 19S/2W-4A13,4A6,5J1, S.B.B.&M.



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 103

FLUCTUATION OF WATER LEVEL IN WELLS

TABLE C - 1 GROUND WATER LEVELS AT WELLS

An explanation of the column headings and the code symbols follows:

State Well Number — Refer to the explanation at the beginning of Appendix C.

Ground Surface Elevation — The numbers in this column are the elevation in feet above mean sea level (USGS Datum) of the ground surface at the well. Elevations are usually taken from topographic maps and the accuracy is controlled by topographic standards.

Date — The date shown in the column is the date when the depth measurement given in the next column was made.

Ground Surface to Water Surface — This is the measured depth in feet from the ground surface to the water surface in the well; certain of the depth measurements in the column may be followed by a number in parentheses to indicate a questionable measurement. The code applicable to these "questionable measurements" is as follows:

- | | |
|--------------------------------------|--|
| (1) Pumping | (6) Other |
| (2) Nearby pump operating | (7) Recharge operation at or near well |
| (3) Casing leaking or wet | (8) Oil in casing |
| (4) Pumped recently | (9) Caved or deepened |
| (5) Air or pressure gage measurement | |

When a measurement was attempted, but could not be obtained, then only a number in parentheses is shown in the column. The code applicable to these "no measurements" is as follows:

- | | |
|-------------------------------|-------------------------------|
| (1) Pumping | (6) Well has been destroyed |
| (2) Pump house locked | (7) Special |
| (3) Tape hung up | (8) Casing leaking or wet |
| (4) Cannot get tape in casing | (9) Temporarily inaccessible |
| (5) Unable to locate well | (0) Measurements discontinued |

The words *flow* and *dry* are shown in this column to indicate a flowing or dry well, respectively. A minus preceding the number in this column indicates that the static water level in the well is this distance in feet above the ground surface.

Water Surface Elevation — This is the elevation in feet above mean sea level (USGS Datum) of the water surface in the well. It was derived by subtraction of the depth measurement from the ground surface elevation.

Agency Supplying Data — Each number in this column is the code number for the agency supplying data for that measurement. The agencies supplying data for this report and the code numbers assigned to them are as follows:

Agency code	Agency name	Agency code	Agency name
005	United States Bureau of Reclamation	402	Ramona Municipal Water District
010	United States Geological Survey	404	Santa Maria Valley Water Conservation District
015	United States International Boundary and Water Commission	405	Vista Irrigation District
050	State Department of Water Resources	408	Fallbrook Public Utilities District
051	Patton State Hospital	411	United Water Conservation District
061	State Department of Water Resources, Watermaster Service, West Coast Basin	412	Metropolitan Water District of Southern California
062	State Department of Water Resources, Watermaster Service, Raymond Basin	420	Helix Irrigation District
100	San Bernardino County Flood Control District	700	Palm Springs Water Company
101	Los Angeles County Flood Control District	701	Corona Foothill Mutual Lemon Company
102	Orange County Flood Control District	702	Cucamonga County Water District
103	Riverside County Flood Control and Water Conservation District	703	California-American Water Company
104	East San Bernardino County Water District	704	Mr. E. J. Ebersole
117	San Luis Obispo County Flood Control and Water Conservation District	706	Fontana Union Water Company
121	Ventura County Flood Control District	708	Vail Company
124	West San Bernardino County Water District	709	Irvine Company
131	Coachella Valley County Water District	710	Green Mutual Water Company
200	City of Los Angeles Department of Water and Power	711	Escondido Mutual Water Company
201	City of Colton Water Department	713	W. P. Rowe & Son
202	City of Oceanside Water Department	715	Santa Ana Valley Irrigation Company
203	City of Redlands Water Department	716	South Elsinore Mutual Water Company
204	City of Riverside Water Department	717	Temescal Water Company
205	Carlsbad Municipal Water District	718	A. A. Webb & Associates
206	City of Long Beach Water Department	719	West End Consolidated Water Company
209	City of Oxnard Water Department	720	Riverside Water Company
210	City of Anaheim Water Department	721	Francis Mutual Water Company
225	Santa Paula Water Works, LTD.	723	Pine Valley Mutual Water Company
228	City of Ontario Water Department	727	Julian Mutual Water Company
229	City of San Diego Water Department	733	San Gabriel Valley Protective Association
230	City of San Bernardino Water Department	742	Yorba Linda County Water District
235	City of Upland Water Department	748	San Antonio Water Company
272	City of Corona Water Department	750	San Luis Rey Heights Mutual Water Company
400	San Bernardino Valley Water Conservation District	753	Limoneira Company
401	Beaumont Irrigation District	776	Southern California Water Company
		783	Riverside Highland Water Company
		785	California Portland Cement Company
		847	Gage Canal Company
		850	Kaiser Steel Corporation

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SALINAS HYDRO UNIT						T-09.00					
PASO ROBLES HYDRO SUBUNIT			T-09.H0			PASO ROBLES HYDRO SUBUNIT			T-09.H0		
23S/14E-35F01M	1490.0	10-06-66 5-09-67	63.0 (1) 33.7	1427.0 1456.3	117	26S/13E-34B01M	1005.0	10-07-66 5-05-67	160.3 155.6	844.7 849.4	117
24S/11E-25N01M	603.3	4-28-67 8-31-67	36.8 41.8	566.5 561.5	117	26S/14E-16L01M	1018.0	10-06-66 5-09-67	(9) (9)		117
24S/11E-33R01M	565.0	4-28-67 9-29-67	32.0 32.0	533.0 533.0	117	26S/14E-17L01M	949.0	10-06-66 5-05-67	27.0 8.4	922.0 940.6	117
24S/11E-35D01M	570.6	4-28-67	30.5	540.1	117	26S/14E-18J01M	979.5	10-06-66 5-05-67	61.5 45.7	918.0 933.8	117
24S/11E-35J01M	616.8	10-05-66 5-04-67	62.3 61.7	554.5 555.1	117	26S/14E-18Q01M	870.0	10-06-66 5-05-67	29.2 13.0	840.8 857.0	117
24S/12E-17L01M	790.0	10-05-66 5-04-67 5-04-67	(8) 120.0 141.0		117	26S/14E-24B01M	1000.0	10-06-66 5-09-67	71.1 .0	928.9 1000.0	117
24S/12E-23G01M	1160.0	10-05-66 5-04-67	103.5 103.7	1056.5 1056.3	117	26S/14E-35D01M	1135.0	10-10-66 5-09-67	125.0 116.8	1010.0 1018.2	117
24S/15E-27L01M	1212.0	10-06-66 5-09-67	107.7 62.2	1104.3 1149.8	117	26S/15E-02B01M	1115.0	10-06-66 5-09-67	30.2 31.8	1084.8 1083.2	117
24S/15E-33C01M	1225.0	10-06-66 5-09-67	42.2 36.0	1182.8 1189.0	117	26S/15E-02N01M	1092.5	10-10-66 5-09-67	101.8 66.1	990.7 1026.4	117
25S/11E-35G01M	880.0	10-06-66 5-04-67	46.3 45.5	833.7 834.5	117	26S/15E-16P02M	1050.0	10-10-66 5-09-67	56.5 15.0	993.5 1035.0	117
25S/12E-08G01M	585.0	10-05-66 5-04-67	30.5 19.8	554.5 565.2	117	26S/15E-20F01M	1057.7	10-10-66 5-10-67	115.2 (1) 36.7	942.5 1021.0	117
25S/12E-17J01M	640.0	10-05-66 5-04-67	67.3 44.0	572.7 596.0	117	26S/15E-21P01M	1071.5	10-10-66 5-10-67	69.2 30.8	1002.3 1040.7	117
25S/12E-17R01M	640.0	10-05-66 5-04-67	65.5 64.5	574.5 575.5	117	26S/15E-28D01M	1075.0	10-10-66 5-10-67	81.5 28.8	993.5 1046.2	117
25S/12E-26D01M	714.0	10-06-66 5-05-67	56.0 (3) 54.4	658.0 659.6	117	26S/15E-28Q01M	1090.0	10-10-66 5-10-67	82.6 52.5	1007.4 1037.5	117
25S/12E-26K01M	749.0	10-06-66	126.0 (1)	623.0	117	26S/15E-28Q02M	1112.0	10-10-66 5-10-67	62.5 58.7	1049.5 1053.3	117
25S/13E-11E01M	1185.0	10-06-66	49.0	1136.0	117	26S/15E-29N01M	1133.0	10-10-66 5-10-67	147.0 (1) 69.9	986.0 1063.1	117
25S/13E-19R01M	915.0	10-06-66 5-04-67	183.2 176.6	731.8 738.4	117	26S/15E-32K01M	1135.0	10-10-66 5-09-67	114.5 80.0	1020.5 1055.0	117
25S/16E-17L01M	1145.0	10-06-66 5-09-67	51.5 (1) 31.5	1113.5 1133.5	117	26S/15E-33K01M	1100.0	10-10-66 5-10-67	96.8 (1) 93.5 (1)	1003.2 1006.5	117
25S/16E-30M01M	1218.0	10-06-66 5-09-67	68.5 68.0	1149.5 1150.0	117	27S/12E-02D01M	810.0	3-07-67	123.5	686.5	117
26S/12E-04N01M	675.0	10-06-66 5-04-67	49.8 44.0	625.2 631.0	117	27S/12E-02E01M	799.0	3-20-67	98.0	701.0	117
26S/12E-09M02M	668.0	10-04-66 5-04-67	18.7 8.2	649.3 659.8	117	27S/12E-03J01M	785.0	10-04-66 5-02-67	117.0 117.0	668.0 668.0	117
26S/12E-11D01M	761.0	10-07-66 5-05-67	156.4 129.0	604.6 632.0	117	27S/12E-04F04M	700.0	10-04-66	22.5	677.5	117
26S/12E-11K01M	775.0	10-07-66 5-02-67	150.0 (3) 126.5	625.0 648.5	117	27S/12E-16G01M	720.0	10-04-66 5-02-67	21.2 (2) (9)	698.8	117
26S/12E-15N01M	770.0	10-07-66 5-02-67	188.5 131.3	581.5 638.7	117	27S/12E-21N01M	748.0	10-03-66 5-02-67	20.0 (2) 5.5	728.0 742.5	117
26S/12E-21D02M	661.0	10-05-66	13.5 (1)	647.5	117	27S/12E-22M01M	850.0	10-03-66 5-02-67	207.5 (1) 114.3	642.5 735.7	117
26S/12E-21L01M	683.0	10-05-66	14.7	668.3	117	27S/12E-29P03M	751.0	10-03-66 5-02-67	(9) (9)		117
26S/12E-26D01M	829.0	10-04-66 5-02-67	(1) 210.0 (7)		117	27S/12E-29P04M	750.0	10-03-66 5-02-67	21.3 (9)	728.7	117
26S/12E-26E01M	840.0	10-04-66 5-02-67	212.5 191.0	627.5 649.0	117	27S/12E-32Q02M	768.0	10-04-66 5-02-67	22.5 (1) (9)	745.5	117
26S/12E-27M02M	834.0	10-04-66 5-02-67	183.5 185.0	650.5 649.0	117	27S/12E-32Q03M	769.0	10-04-66 5-02-67	(1) (9)		117
26S/12E-33Q02M	700.5	4-28-67	14.0	686.5	117	27S/12E-32Q04M	768.0	10-04-66 5-02-67	18.8 (2) (9)	749.2	117
26S/12E-35M01M	818.0	10-04-66 5-02-67	158.8 158.8	659.2 659.2	117	27S/12E-34P01M	840.0	10-03-66 5-02-67	96.4 48.8	743.6 791.2	117
26S/13E-05F01M	739.0	10-06-66 5-05-67	20.4 18.0	718.6 721.0	117	27S/13E-09K01M	885.0	10-07-66 5-05-67	FLOW FLOW		117
26S/13E-07Q01M	799.0	10-07-66 5-05-67	125.4 103.0	673.6 696.0	117	27S/13E-24N01M	1030.0	10-07-66 5-10-67	65.6 7.3	964.4 1022.7	117
26S/13E-10D01M	800.0	10-06-66 5-05-67	36.5 13.1	763.5 786.9	117	27S/13E-28F01M	1072.0	10-07-66 5-10-67	96.0 89.7	976.0 982.3	117

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SALINAS HYDRO UNIT						T-09.00					
PASO ROBLES HYDRO SUBUNIT			T-09.40			POZO HYDRO SUBUNIT			T-09.10		
27S/13E-32H01M	1105.0	10-07-66	56.9	1048.1	117	30S/15E-21C01M	1465.0	10-10-66	(7)		117
27S/14E-25A01M	1225.0	10-10-66 5-10-67	108.0 108.5	1117.0 1116.5	117						
27S/15E-10R02M	1130.0	10-10-66 5-10-67	65.4 (9)	1064.6	117						
27S/15E-13A01M	1155.0	10-11-66 5-09-67	23.2 (9)	1131.8	117						
27S/15E-35F01M	1230.0	10-10-66 5-10-67	48.3 (9)	1181.7	117						
27S/16E-07P01M	1224.5	10-11-66 5-10-67	72.9 63.5	1151.6 1161.0	117						
27S/16E-21E02M	1255.0	10-11-66 5-10-67	59.4 60.7	1195.6 1194.3	117						
27S/16E-35Q01M	1281.0	10-11-66 5-10-67	21.3 13.5	1259.7 1267.5	117						
28S/12E-03R01M	860.0	10-03-66 5-02-67	94.9 58.9	765.1 801.1	117						
28S/12E-04J02M	792.0	10-04-66 4-08-67	20.4 5.5	771.6 786.5	117						
28S/12E-10G01M	825.0	10-03-66 5-02-67	(1) .0	825.0	117						
28S/12E-10R01M	816.0	10-04-66 4-08-67	30.8 8.7	785.2 807.3	117						
28S/12E-10R02M	805.0	10-04-66 4-08-67	30.0 7.2	775.0 797.8	117						
28S/12E-11N06M	820.0	10-04-66 4-08-67	28.7 5.7	791.3 814.3	117						
28S/12E-14G01M	824.6	10-03-66 5-02-67	4.0 -4.7	820.6 829.3	117						
28S/12E-14K01M	845.0	10-04-66 4-08-67	17.3 11.3	827.7 833.7	117						
28S/12E-25R01M	877.0	10-03-66 5-02-67	17.6 9.0	859.4 868.0	117						
28S/13E-04K01M	1199.5	10-07-66 5-09-67	61.6 42.9	1137.9 1156.6	117						
28S/13E-04K02M	1195.0	10-07-66 5-09-67	79.1 75.9	1115.9 1119.1	117						
28S/13E-04K03M	1185.0	10-07-66	(4)		117						
28S/13E-12M01M	1150.0	10-07-66 5-09-67	23.1 6.5	1126.9 1143.5	117						
28S/13E-14J01M	1190.0	10-07-66 5-10-67	160.3 (1) 48.6	1029.7 1141.4	117						
28S/13E-31K01M	884.0	10-03-66 5-02-67	12.3 7.2	871.7 876.8	117						
28S/14E-19Q01M	1190.0	10-07-66	23.0	1167.0	117						
28S/16E-14Q01M	1440.0	10-11-66 5-09-67	105.0 (1) (9)	1335.0	117						
28S/16E-23M01M	1440.0	10-11-66	52.9	1387.1	117						
28S/16E-35F01M	1474.0	10-11-66	46.8	1427.2	117						
29S/13E-05F03M	916.1	10-03-66 5-02-67	19.7 (9)	896.4	117						
29S/13E-05K02M	928.0	10-04-66 5-02-67	16.8 5.8	911.2 922.2	117						
29S/13E-06A01M	920.0	10-03-66 5-02-67	77.0 43.0	843.0 877.0	117						
29S/13E-08L01M	950.0	10-04-66 5-02-67	19.8 6.8	930.2 943.2	117						
29S/13E-08M01M	945.0	10-04-66 10-04-66 5-02-67	26.7 39.0 (1) 6.6	918.3 906.0 938.4	117						
29S/13E-08N01M	934.8	10-03-66 5-02-67	9.5 1.6	925.3 933.2	117						
29S/13E-19H01M	1002.0	10-03-66 5-02-67	15.4 2.4	986.6 999.6	117						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS OBISPO HYDRO UNIT						T-10.00					
CAMBRIA HYDRO SUBUNIT			T-10.A0			SAN LUIS OBISPO HYDRO SUBUNIT			T-10.B0		
SAN SIMEON HYDRO SUBAREA			T-10.A3			MORRO HYDRO SUBAREA			T-10.B1		
275/08E-06G01M	20.0	5-23-67	(9)		117	295/10E-25B02M	42.3	5-24-67	8.0	34.3	117
275/08E-09L01M	30.0	5-23-67	10.8	19.2	117	295/10E-25C01M	29.0	4-17-67	18.0	11.0	117
SANTA ROSA HYDRO SUBAREA			T-10.A4			295/10E-25C02M	20.0	4-17-67	12.9	7.1	117
275/08E-21R03M	13.0	5-23-67	5.0	8.0	117	295/10E-25C03M	20.0	4-17-67	14.0	6.0	117
275/08E-24J01M	82.0	5-23-67	21.4	60.6	117	295/10E-25D02M	20.0	5-24-67	13.4 (4)	6.6	117
275/08E-26C04M	50.0	5-23-67	20.3	29.7	117	295/10E-25E02M	20.0	4-17-67	12.0	8.0	117
275/08E-26C05M	40.0	5-23-67	17.1	22.9	117	295/11E-17A01M	210.0	5-23-67	(9)		117
275/08E-26D01M	32.5	5-23-67	28.2 (1)	4.3	117	295/11E-17A02M	219.0	5-23-67	25.3	193.7	117
VILLA HYDRO SUBAREA			T-10.A5			295/11E-19B02M	120.0	5-23-67	31.3	88.7	117
285/09E-23E02M	70.0	5-23-67	15.3	54.7	117	295/11E-19P01M	78.1	5-24-67	30.0	48.1	117
OLD HYDRO SUBAREA			T-10.A7			295/11E-30D01M	61.5	5-24-67	15.9	45.6	117
285/10E-34N03M	47.0	5-23-67	(7)		117	CHORRO HYDRO SUBAREA			T-10.B2		
295/10E-03C05M	35.0	5-23-67	29.5	5.5	117	295/11E-32J01M	32.0	4-17-67	11.0	21.0	117
295/10E-03C07M	35.0	5-23-67	13.8	21.2	117	295/11E-32J02M	34.6	5-26-67	15.6	19.0	117
TORO HYDRO SUBAREA			T-10.A8			295/11E-32J04M	36.0	4-17-67	17.0	19.0	117
295/10E-01P01M	130.0	5-24-67	8.5	121.5	117	295/11E-32M01M	12.0	5-26-67	(1)		117
						305/11E-03001M	75.0	4-17-67	20.0	55.0	117
						LOS OSOS HYDRO SUBAREA			T-10.B3		
						305/11E-07Q01M	44.5	5-26-67	19.5 (1)	25.0	117
						305/11E-18H01M	120.0	5-26-67	(3)		117
						305/11E-18K01M	122.0	5-26-67	(2)		117
						305/11E-18Q01M	129.5	5-26-67	67.9	61.6	117
						305/11E-21E01M	76.9	5-26-67	21.2	55.7	117
						SAN LUIS OBISPO CR HYDRO SUBAREA			T-10.B4		
						315/12E-03P02M	125.0	10-04-66	6.3	118.7	117
						315/12E-10F03M	115.0	10-04-66	3.4	111.6	117
						315/12E-10G02M	125.0	10-04-66	15.6	109.4	117
						315/12E-12E03M	165.0	10-04-66	20.3	144.7	117
						315/12E-12Q03M	200.0	10-05-66	39.8	160.2	117
						315/12E-14C01M	135.0	10-04-66	(5)		117
						315/12E-15R01M	125.0	10-06-66	(5)		117
						315/13E-18N01M	192.0	10-05-66	7.3	184.7	117
						PISMO HYDRO SUBAREA			T-10.B6		
						315/13E-29C01M	255.0	10-05-66	(5)		117

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS OBISPO HYDRO UNIT						T-10.00					
ARROYO GRANDE HYDRO SUBUNIT			T-10.C0			ARROYO GRANDE HYDRO SUBUNIT			T-10.C0		
ARROYO GRANDE HYDRO SUBAREA			T-10.C1			ARROYO GRANDE HYDRO SUBAREA			T-10.C1		
12N/35W-27N02S	170.0	10-17-66	19.7	150.3	117	32S/13E-24A02M	269.0	10-17-66	77.2(2)	191.8	117
12N/35W-29L01S	40.0	10-19-66 3-27-67	43.8(1) 19.0	-3.8 21.0	117	32S/13E-27D03M	103.4	10-17-66 3-27-67	48.4 39.2	55.0 64.2	117
12N/35W-29N01S	35.0	10-19-66 3-27-67	(8) 14.8(1)		117	32S/13E-28G01M	86.4	10-17-66 3-27-67	42.5 52.2(1)	43.9 34.2	117
12N/35W-30K02S	27.5	10-19-66 3-27-67	22.5 21.5(1)	5.0 6.0	117	32S/13E-28Q02M	72.9	10-17-66 3-27-67	53.2 73.5(1)	19.7 -0.6	117
12N/35W-30K03S	30.0	10-19-66 3-27-67	19.2 7.2	10.8 22.8	117	32S/13E-28Q04M	75.0	10-17-66 3-27-67	48.3 42.9(2)	26.7 32.1	117
12N/35W-30M02S	21.8	10-24-66 3-27-67	14.4 6.3	7.4 15.5	117	32S/13E-29B01M	81.4	10-21-66 3-27-67	82.6(1) 76.6	-1.2 4.8	117
12N/35W-30P02S	26.0	10-19-66 3-27-67	27.6(1) 7.6	-1.6 18.4	117	32S/13E-29C02M	71.6	10-21-66 3-27-67	87.1(4) 76.4(1)	-15.5 -4.8	117
12N/35W-34C03S	158.0	10-17-66	32.0	126.0	117	32S/13E-29D04M	54.0	10-21-66 3-27-67	53.6 47.2	.4 6.8	117
12N/35W-34G03S	187.9	10-17-66	37.0	150.9	117	32S/13E-29E02M	50.5	10-21-66 3-27-67	77.1(1) 74.0(1)	-26.6 -23.5	117
12N/35W-34G06S	198.0	10-17-66	38.4(1)	159.6	117	32S/13E-29G02M	86.0	10-21-66 3-27-67	(2) 94.3(1) 78.7		117
31S/14E-27E01M	468.0	10-14-66 3-24-67	16.8 6.8	451.2 461.2	117	32S/13E-29G07M	80.0	10-21-66 3-27-67	80.2(1) 76.2(1)	-0.2 3.8	117
31S/14E-28M01M	410.0	10-14-66 3-24-67	53.3(2) 9.2	356.7 400.8	117	32S/13E-29G13M	82.0	10-21-66 3-27-67	97.5(2) 106.5(1)	-15.5 -24.5	117
31S/14E-28R01M	437.0	10-14-66 3-24-67	(2) (4)		117	32S/13E-29J02M	82.6	10-21-66 3-27-67	87.8(2) -7.4	-5.2 90.0	117
31S/14E-31K01M	341.0	10-14-66 3-24-67	12.8 5.0	328.2 336.0	117	32S/13E-29L06M	71.0	10-21-66 3-27-67	77.5 66.3	-6.5 4.7	117
31S/14E-31N02M	340.0	10-14-66 3-24-67	19.3 8.2	320.7 331.8	117	32S/13E-29M04M	61.2	10-21-66 3-27-67	56.7 49.4	4.5 11.8	117
31S/14E-32G01M	376.0	10-14-66 3-24-67	DRY 17.2		117	32S/13E-29M01M	79.0	10-21-66 3-27-67	80.8 (9)	-1.8	117
31S/14E-32G03M	365.5	10-14-66 3-24-67	45.2 20.5	320.3 345.0	117	32S/13E-29R02M	94.0	10-21-66 3-27-67	92.1 120.6(1)	-1.9 -26.6	117
31S/14E-32M02M	365.0	10-14-66 3-24-67	42.4(1) 21.6	322.6 343.4	117	32S/13E-30K11M	29.2	10-21-66 3-27-67	(4) 27.9(1)		117
31S/14E-33B01M	397.3	10-14-66 3-24-67	26.7(1) 7.2	370.6 390.1	117	32S/13E-30K14M	41.0	10-21-66	41.0	.0	117
31S/14E-33D01M	0389.0	10-14-66 3-24-67	0052.6(1) 0014.5	0336.4 0374.5	117	32S/13E-30L02M	15.0	10-21-66 3-27-67	15.2 12.0	-0.2 3.0	117
32S/13E-01G01M	305.0	10-17-66 3-24-67	42.0(1) 26.8	263.0 278.2	117	32S/13E-30P02M	28.3	10-21-66 3-27-67	26.8 22.7	1.5 5.6	117
32S/13E-12C03M	271.0	10-17-66 3-24-67	44.5(1) 19.7	226.5 251.3	117	32S/13E-30R02M	46.5	10-21-66 3-27-67	47.8 41.5	-1.3 5.0	117
32S/13E-12C04M	260.0	10-17-66 3-24-67	25.2 20.5	234.8 239.5	117	32S/13E-32D03M	81.4	10-24-66 3-07-67	84.9(4) 76.0	-3.5 5.4	117
32S/13E-12F04M	250.0	10-06-66 3-24-67	43.7(1) 36.5(1)	206.3 213.5	117	32S/13E-32K01M	39.0	10-24-66	35.0	4.0	117
32S/13E-12N01M	231.0	10-17-66 3-24-67	22.7 20.0	208.3 211.0	117	32S/13E-32M03M	20.0	10-24-66 3-27-67	15.8 7.0	4.2 13.0	117
32S/13E-12Q03M	237.5	10-17-66 3-24-67	23.8 20.2	213.7 217.3	117	32S/13E-33C03M	63.0	10-19-66 3-27-67	54.6 68.0(1)	8.4 -5.0	117
32S/13E-13C02M	248.5	10-17-66 3-24-67	67.5(1) 56.0(1)	181.0 192.5	117	32S/13E-33E03M	53.2	10-19-66 3-27-67	46.9 20.3	6.3 32.9	117
32S/13E-13D02M	223.5	10-17-66 3-24-67	20.0 16.8	203.5 206.7	117	32S/13E-33F01M	48.0	10-19-66 3-27-67	41.8 16.8	6.2 31.2	117
32S/13E-14Q02M	174.0	10-17-66 3-24-67	58.0(1) 18.4	116.0 155.6	117	32S/13E-33K01M	51.8	10-17-66 3-27-67	44.7(7) 29.3	7.1 22.5	117
32S/13E-14R02M	197.6	10-17-66 3-24-67	(8) 23.5		117	32S/13E-33K03M	52.3	10-17-66 4-25-67	44.2 24.9	8.1 27.4	117
32S/13E-20N02M	74.6	10-21-66 3-27-67	74.7 68.8	-0.1 5.8	117	32S/13E-33L02M	42.1	10-19-66 3-27-67	40.8(1) 21.9	1.3 20.2	117
32S/13E-22J01M	130.5	10-17-66 3-24-67	25.5 21.8	105.0 108.7	117	32S/13E-33M02M	47.7	10-19-66 3-27-67	34.9 17.3	12.8 30.4	117
32S/13E-22O01M	128.0	10-17-66 3-24-67	42.0 (4)	86.0	117	32S/14E-19A01M	289.9	10-17-66	19.3	270.6	117
32S/13E-23F01M	161.2	10-17-66 3-24-67	24.9(1) 8.4	136.3 152.8	117						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS 0815PO HYDRO UNIT						T-10.00					
ARROYO GRANDE HYDRO SUBUNIT			T-10.C0								
NIPOMO MESA HYDRO SUBAREA			I-10.C2								
11N/34W-17N035	370.0	3-13-67	156.7	213.3	010						
11N/34W-18D015	365.0	10-18-66 5-08-67	297.0 290.0	68.0 75.0	117						
11N/34W-18K025	360.0	3-13-67	277.1	82.9	010						
11N/34W-19F015	325.0	10-18-66 5-08-67	314.0 305.5	11.0 19.5	117						
11N/34W-19Q015	305.0	10-19-66 3-13-67	276.9 281.5	28.1 23.5	010						
11N/34W-28F015	316.0	3-13-67	217.5	98.5	010						
11N/35W-05L015	108.0	5-15-67	103.9	4.1	117						
11N/35W-07R015	100.0	10-10-66 10-10-66 3-13-67 9-08-67	81.8 123.3(1) 87.3 85.8	18.2 -23.3 12.7 14.2	117 010 117						
11N/35W-09G015	200.0	3-13-67	222.4	-22.4	010						
11N/35W-09K045	182.0	3-13-67	140.4	41.6	010						
11N/35W-09P015	165.0	3-13-67	130.6	34.4	010						
11N/35W-10G015	325.0	3-13-67	302.4	22.6	010						
11N/35W-10M015	260.0	3-13-67	(1)		010						
11N/35W-10R015	277.0	3-16-67	177.7	99.3	010						
11N/35W-11C015	267.0	3-15-67	199.9	67.1	010						
11N/35W-11J015	360.0	3-15-67	(1)		010						
11N/35W-12E015	377.0	3-22-67	262.1	114.9	010						
11N/35W-13C015	345.0	3-15-67	267.0	78.0	010						
11N/35W-13E025	305.0	3-15-67	235.0	70.0	010						
11N/35W-13E035	305.0	3-15-67	231.9	73.1	010						
11N/35W-22C015	238.0	3-13-67	222.4	15.6	010						
11N/35W-238015	275.0	3-15-67	254.1	20.9	010						
11N/35W-24D015	321.0	3-15-67	(1)		010						
12N/35W-29R015	230.0	10-18-66 5-15-67	111.5 110.4	118.5 119.6	117						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CARRIZO PLAIN HYDRO UNIT						T-11.00					
295/17E-13R01M	2038.0	10-11-66 5-11-67	36.0 34.5	2002.0 2003.5	117						
295/18E-28G01M	2022.0	10-11-66 5-11-67	68.0 58.5	1954.0 1963.5	117						
295/18E-28K01M	2020.0	10-11-66 5-11-67	31.9 32.2	1988.1 1987.8	117						
295/18E-28L01M	2020.0	10-11-66 5-11-67	32.0 (8)	1988.0	117						
305/18E-02N01M	1984.0	10-11-66 5-09-67	23.0 16.4	1961.0 1967.6	117						
305/18E-12N01M	1970.0	10-11-66 5-11-67	70.2 (1) 10.7	1899.8 1959.3	117						
305/19E-29M02M	1943.0	10-11-66 5-11-67	12.4 10.3	1930.6 1932.7	117						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARIA-CUYAMA HYDRO UNIT						T-12-00					
SANTA MARIA HYDRO SUBUNIT			T-12-00			SANTA MARIA HYDRO SUBUNIT			T-12-00		
09N/33W-05A01S	436.0	3-15-67	302.4	133.6	010	10N/33W-28A01S	325.0	10-01-66	94.8	230.2	010
09N/33W-05D01S	450.0	3-14-67	345.6	104.4	010			10-18-66	96.6(2)	228.4	
09N/33W-08A01S	725.0	10-18-66	548.2	176.8	010			11-29-66	96.2(2)	228.8	
		3-14-67	527.1	197.9				12-27-66	95.2	229.8	
09N/33W-08L01S	700.0	3-14-67	567.9	132.1	010			1-01-67	96.7	228.3	
09N/33W-15002S	597.0	10-18-66	DRY		010			1-25-67	92.1	232.9	
		3-14-67	DRY					2-27-67	89.7	235.3	
09N/33W-18C01S	600.0	10-18-66	537.7	62.3	010			3-16-67	88.0	237.0	
		3-14-67	536.1	63.9				4-01-67	89.1	235.9	
09N/33W-28M01S	903.0	4-25-67	203.6	699.4	010			4-25-67	82.9	242.1	
09N/34W-02A01S	320.0	3-20-67	228.6	91.4	010			5-24-67	82.3	242.7	
09N/34W-03A02S	270.0	3-22-67	222.3	47.7	010			6-23-67	74.1	250.9	
09N/34W-03E01S	265.0	3-20-67	220.3	44.7	010			7-01-67	73.5	251.5	
09N/34W-03N01S	258.0	10-20-66	187.8	70.2	010			7-26-67	68.3	256.7	
		3-20-67	187.9	70.1				8-30-67	59.2	265.8	
09N/34W-04M01S	218.0	3-20-67	149.1	68.9	010			9-29-67	52.0(2)	273.0	
09N/34W-06C01S	132.0	3-20-67	92.1	39.9	010	10N/33W-28F01S	316.0	3-20-67	184.8	131.2	010
09N/34W-06K02S	161.0	10-20-66	96.9(2)	64.1	010	10N/33W-29F01S	315.0	3-20-67	210.2	104.8	010
		3-20-67	96.8(2)	64.2		10N/33W-30G01S	320.0	10-01-66	233.7	86.3	010
09N/34W-08H01S	222.0	10-20-66	153.2	68.8	010			1-01-67	225.7	94.3	
		3-20-67	150.2	71.8				4-01-67	223.5	96.5	
09N/34W-09R01S	275.0	3-20-67	211.7	63.3	010			7-01-67	234.8	85.2	
09N/34W-14H01S	425.0	3-21-67	321.3	103.7	010	10N/33W-30H01S	310.0	10-01-66	224.0	86.0	010
09N/34W-15Q01S	430.0	3-21-67	359.0	71.0	010			1-01-67	214.0	96.0	
10N/33W-07M01S	255.0	3-20-67	132.4	122.6	010			4-01-67	212.0	98.0	
10N/33W-07P01S	260.0	10-18-66	139.0	121.0	010			7-01-67	218.6	91.4	
		3-20-67	130.2	129.8		10N/33W-30H01S	310.0	10-01-66	238.0	72.0	010
10N/33W-07R01S	270.0	10-18-66	(1)		010			1-01-67	228.0	82.0	
		3-20-67	118.6	151.4				4-01-67	226.2	83.8	
10N/33W-16N02S	292.0	3-20-67	75.7	216.3	010			7-01-67	238.5	71.5	
10N/33W-17J02S	287.0	3-20-67	86.4	200.6	010	10N/33W-30R01S	335.0	10-01-66	224.0	111.0	010
10N/33W-18G01S	273.0	10-01-66	135.1	137.9	010			1-01-67	215.0	120.0	
		1-01-67	128.8	144.2				4-01-67	214.4	120.6	
		4-01-67	127.1	145.9				7-01-67	219.0	116.0	
		7-01-67	113.5	159.5		10N/33W-33H01S	402.0	10-18-66	262.3	139.7	010
10N/33W-19B01S	275.0	10-01-66	188.4	86.6	010			3-15-67	256.9	145.1	
		10-18-66	187.8	87.2		10N/33W-35C01S	354.0	3-15-67	70.2	283.8	010
		1-01-67	181.9	93.1		10N/34W-02R01S	230.0	10-01-66	136.1	93.9	010
		3-20-67	176.5	98.5				10-18-66	140.8	89.2	
		4-01-67	176.2	98.8				1-01-67	129.2	100.8	
		7-01-67	168.0	107.0				3-21-67	132.2	97.8	
10N/33W-19K01S	280.0	3-20-67	163.7	116.3	010			4-01-67	123.8	106.2	
10N/33W-20H01S	300.0	10-18-66	123.9	176.1	010			7-01-67	106.9	123.1	
		3-20-67	112.7	187.3		10N/34W-04R01S	192.0	3-21-67	152.2	39.8	010
10N/33W-20L01S	294.0	10-24-66	160.8	133.2	010	10N/34W-06N01S	152.0	10-01-66	119.3	32.7	010
		11-29-66	159.3	134.7				10-19-66	118.9	33.1	
		12-27-66	158.4	135.6				1-01-67	119.3	32.7	
		1-25-67	157.6	136.4				3-21-67	116.5	35.5	
		2-27-67	156.7	137.3				4-01-67	117.3	34.7	
		3-22-67	156.0	138.0				7-01-67	117.5	34.5	
		4-25-67	155.8	138.2		10N/34W-09L02S	189.0	10-01-66	153.5	35.5	010
		5-24-67	155.3	138.7				1-01-67	151.5	37.5	
		6-23-67	159.0	135.0				4-01-67	149.8	39.2	
		7-26-67	155.4	138.6				7-01-67	148.9	40.1	
		8-30-67	154.0	140.0		10N/34W-12P01S	244.0	3-22-67	157.1	86.9	010
		9-29-67	150.3	143.7		10N/34W-12P02S	245.0	3-22-67	155.1	89.9	010
10N/33W-21F04S	308.0	3-20-67	90.6	217.4	010	10N/34W-13C01S	249.0	3-22-67	157.3	91.7	010
10N/33W-21R01S	319.0	3-16-67	77.4	241.6	010	10N/34W-13G01S	253.0	3-22-67	157.5	95.5	010
10N/33W-27G01S	338.0	10-01-66	93.9	244.1	010	10N/34W-13J01S	260.0	3-22-67	156.4	103.6	010
		1-01-67	91.7	246.3		10N/34W-14E05S	221.0	10-24-66	177.2	43.8	010
		4-01-67	96.5	241.5				11-29-66	176.3	44.7	
		7-01-67	79.7	258.3				12-27-66	175.8	45.2	
10N/33W-27K02S	344.0	10-18-66	116.1	227.9	010			1-25-67	176.5	44.5	
		3-15-67	92.9	251.1				2-27-67	(1)		
10N/33W-27R01S	352.0	3-15-67	104.2	247.8	010			3-22-67	174.6	46.4	
								4-25-67	173.7	47.3	
								5-24-67	174.0	47.0	
								6-23-67	174.3	46.7	
								7-26-67	174.0	47.0	
								8-30-67	172.8	48.2	
								9-29-67	169.7	51.3	
						10N/34W-20H01S	182.0	10-18-66	(1)		010
								3-21-67	(1)		
						10N/34W-20H03S	182.0	3-21-67	137.8	44.2	010
						10N/34W-22R01S	217.0	10-01-66	174.2	42.8	010
								1-01-67	172.8	44.2	

See page I17 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARIA-CUYAMA HYDRO UNIT						T-12.00					
SANTA MARIA HYDRO SUBUNIT						T-12.40					
10N/34W-22R01S (CONT.)	217.0	4-01-67 7-01-67	171.5 172.2	45.5 44.8	010	10N/35W-24R01S	144.0	10-01-66 10-18-66 1-01-67 3-17-67 4-01-67 7-01-67	(1) 127.8 110.3 106.6 106.9 113.8	16.2 33.7 37.4 37.1 30.2	010
10N/34W-23M01S	242.0	10-01-66 10-18-66 1-01-67 3-27-67 4-01-67 7-01-67	183.4 182.1 178.0 185.1 177.0 183.0	58.6 59.9 64.0 56.9 65.0 59.0	010	10N/35W-25M01S	98.0	3-17-67	67.5	30.5	010
10N/34W-24K02S	244.0	10-01-66 1-01-67 4-01-67 7-01-67	187.0 176.7 170.5 180.0	57.0 67.3 73.5 64.0	010	10N/36W-01M01S	150.0	3-17-67	116.3	33.7	010
10N/34W-24K03S	245.0	10-01-66 1-01-67 4-01-67 7-01-67	188.0 179.0 162.4 170.2	57.0 66.0 82.6 74.8	010	10N/36W-02G01S	15.0	10-24-66 11-29-66 12-27-66 1-26-67 2-27-67 3-22-67 4-25-67 5-24-67 6-23-67 7-26-67 8-30-67 9-29-67	10.0 8.0 6.4 6.1 6.3 6.1 5.1 8.7 9.3 11.0 10.9 10.1	5.0 7.0 8.6 8.9 8.7 8.9 9.9 6.3 5.7 4.0 4.1 4.9	010
10N/34W-26M02S	260.0	3-22-67	212.0	48.0	010	10N/36W-02G02S	15.0	10-24-66 11-29-66 12-27-66 1-26-67 2-27-67 3-22-67 4-25-67 5-24-67 6-23-67 7-26-67 8-30-67 9-29-67	11.4 11.3 11.0 10.7 10.7 10.5 10.2 10.4 10.6 10.9 11.2 11.3	3.6 3.7 4.0 4.3 4.3 4.5 4.8 4.6 4.4 4.1 3.8 3.7	010
10N/34W-31D01S	184.0	3-20-67	138.7	45.3	010	10N/36W-12K02S	30.0	10-19-66 3-17-67	2.3 1.6	27.7 28.4	010
10N/34W-31F02S	182.0	3-20-67	136.3	45.7	010	10N/36W-12K03S	30.0	10-19-66 3-17-67	3.0 2.6	27.0 27.4	010
10N/34W-31L02S	175.0	3-20-67	129.4	45.6	010	10N/36W-12P01S	28.0	10-19-66 3-17-67	(1) 2.5	25.5	010
10N/34W-34G02S	263.0	3-21-67	202.7	60.3	010	10N/36W-14M01S	160.0	3-16-67	104.6	55.4	010
10N/35W-06A01S	72.0	3-17-67 10-24-66	14.0 15.0	58.0 57.0	010	11N/34W-27G02S	255.0	3-13-67	84.3	170.7	010
10N/35W-07F01S	48.0	10-19-66 3-17-67	32.4 21.2	15.6 26.8	010	11N/34W-27P01S	287.0	3-13-67	137.4	149.6	010
10N/35W-09F01S	88.0	3-17-67	55.4	32.6	010	11N/34W-29R01S	171.0	3-21-67	119.2	51.8	010
10N/35W-06A02S	72.0	10-24-66 3-17-67	15.2 14.2	56.8 57.8	010	11N/34W-30D02S	145.0	3-23-67	111.8	33.2	010
10N/35W-06A03S	72.0	10-24-66 3-17-67	41.5 31.6	30.5 40.4	010	11N/34W-30Q01S	148.0	10-01-66 1-01-67 4-01-67 7-01-67	114.9 113.0 110.9 109.9	33.1 35.0 37.1 38.1	010
10N/35W-07F01S	48.0	10-01-66 1-01-67 4-01-67 7-01-67	32.4 24.2 23.9 25.5	15.6 23.8 24.1 22.5	010	11N/34W-34J02S	210.0	10-18-66 3-13-67	107.7 101.4	102.3 108.6	010
10N/35W-07G03S	53.0	10-19-66 3-21-67	43.8 32.2	9.2 20.8	010	11N/35W-18M01S	24.0	3-15-67	12.0	12.0	010
10N/35W-09F01S	88.0	10-01-66 10-19-66 1-01-67 4-01-67 7-01-67	66.3 69.3 60.0 60.1 68.1	21.7 18.7 28.0 27.9 19.9	010	11N/35W-19C01S	37.0	3-15-67	14.0	23.0	010
10N/35W-09N01S	87.0	10-01-66 1-01-67 4-01-67 7-01-67	62.1 54.3 55.0 64.3	24.9 32.7 32.0 22.7	010	11N/35W-19C02S	37.0	10-19-66	8.8	28.2	010
10N/35W-09N03S	87.0	10-19-66 3-17-67	15.3(2) 15.0	71.7 72.0	010	11N/35W-20E01S	49.0	10-01-66 10-19-66 11-29-66 12-27-66 1-01-67 1-26-67 2-27-67 3-15-67 4-01-67 4-25-67 5-24-67 6-23-67 7-01-67 7-26-67 8-30-67 9-29-67	29.9 29.9 23.7 (1) 23.5 22.8 20.1 22.4 22.7 20.3 27.4 (1) 35.0 35.3 33.8 29.8	19.1 19.1 25.3 25.5 26.2 28.9 26.6 26.3 28.7 21.6 14.0 13.7 15.2 19.2	010
10N/35W-09N04S	87.0	10-19-66 3-15-67	43.8(2) 36.8	43.2 50.2	010	11N/35W-20K03S	53.0	10-19-66 3-15-67	6.4 6.2	46.6 46.8	010
10N/35W-11E02S	122.0	3-21-67	99.4	22.6	010	11N/35W-21K01S	80.0	3-13-67	45.1	34.9	010
10N/35W-12M01S	138.0	10-01-66 1-01-67 4-01-67 7-01-67	108.9 104.4 102.1 105.6	29.1 33.6 35.9 32.4	010	11N/35W-25M01S	135.0	10-19-66 3-13-67 8-24-67	74.0 74.4 80.0	61.0 60.6 55.0	010
10N/35W-14L01S	102.0	3-17-67	44.8	57.2	010						
10N/35W-18F01S	49.0	3-21-67	18.7	30.3	010						
10N/35W-21B01S	94.0	10-01-66 10-19-66 11-29-66 12-27-66 1-01-67 2-27-67 3-17-67 4-01-67 4-27-67 5-24-67 6-23-67 7-01-67 7-26-67 8-30-67 9-29-67	60.3 (1) 51.5 51.2 58.3 52.3 48.7 56.4 47.1 (1) (1) 58.8 67.7 (1) (1)	33.7 (1) 42.5 42.8 35.7 41.7 45.3 37.6 46.9 (1) (1) 35.2 26.3 (1) (1)	010						
10N/35W-23M02S	125.0	3-17-67	88.6	36.4	010						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARIA-CUYAMA HYDRO UNIT						T-12.00					
SANTA MARIA HYDRO SUBUNIT			T-12.40			SISQUOC HYDRO SUBUNIT			T-12.80		
11N/35W-26M02S	106.0	3-17-67	77.5(2)	28.5	010	09N/32W-06001S	433.0	3-15-67	100.9	332.1	010
		8-22-67	101.7	4.3		09N/32W-06G01S	500.0	3-15-67	183.4	316.6	010
11N/35W-28F02S	80.0	10-19-66	30.9	49.1	010	09N/32W-07N01S	422.0	10-01-66	125.6	296.4	010
		3-13-67	28.6	51.4				10-18-66	(1)		
11N/35W-28M01S	77.0	10-01-66	61.6	15.4	010			1-01-67	118.8	303.2	
		1-01-67	52.3	24.7				3-15-67	121.1	300.9	
		4-01-67	50.6	26.4				4-01-67	104.3	317.7	
		7-01-67	63.3	13.7				7-01-67	74.0	348.0	
11N/35W-29001S	60.0	3-21-67	43.6	16.4	010	09N/32W-07001S	421.0	3-15-67	68.4	352.6	010
11N/35W-33C04S	80.0	10-19-66	DRY		010	09N/32W-08G01S	525.0	3-15-67	150.8	374.2	010
		3-13-67	DRY			09N/32W-08N01S	420.0	3-15-67	41.4	378.6	010
11N/35W-33G01S	91.0	10-01-66	68.4	22.6	010	09N/32W-09P03S	500.0	3-20-67	54.9	445.1	010
		11-19-66	(1)			09N/32W-16L01S	468.0	3-15-67	19.4	448.6	010
		1-01-67	66.9	24.1		09N/32W-17G01S	447.0	10-18-66	49.6	397.4	010
		3-13-67	59.6	31.4				3-14-67	37.4	409.6	
		4-01-67	61.6	29.4		09N/32W-18H01S	443.0	3-14-67	60.7	382.3	010
		7-01-67	68.0	23.0		09N/32W-19A01S	728.0	3-20-67	366.9	361.1	010
11N/35W-35A01S	123.0	10-01-66	95.5	27.5	010	09N/32W-20E01S	638.0	3-20-67	251.9	386.1	010
		1-01-67	91.1	31.9		09N/32W-22D01S	490.0	10-18-66	24.0	466.0	010
		4-01-67	88.4	34.6				3-14-67	13.1	476.9	
		7-01-67	90.2	32.8		09N/32W-23K01S	532.0	3-14-67	9.2	522.8	010
11N/36W-13K02S	25.0	10-19-66	20.4	4.6	010	09N/32W-32K02S	720.0	3-14-67	36.4	683.6	010
		11-29-66	(1)			09N/32W-33M01S	745.0	3-14-67	64.1	680.9	010
		12-27-66	19.9	5.1		09N/33W-02A01S	378.7	10-01-66	119.5	259.2	010
		1-26-67	20.0	5.0				10-18-66	121.4	257.3	
		2-27-67	(1)					1-01-67	117.8	260.9	
		3-16-67	19.8	5.2				3-15-67	105.5	273.2	
		4-25-67	19.2	5.8				4-01-67	103.5	275.2	
		5-23-67	20.0	5.0				7-01-67	73.2	305.5	
		6-23-67	20.1	4.9		09N/33W-12C01S	399.0	3-15-67	127.1	271.9	010
		7-26-67	19.9	5.1							
		8-30-67	19.9	5.1							
		9-29-67	19.9	5.1							
11N/36W-13K03S	25.0	10-19-66	20.5	4.5	010						
		11-29-66	(1)								
		12-27-66	20.2	4.8							
		1-26-67	20.2	4.8							
		2-27-67	(1)								
		3-16-67	20.1	4.9							
		4-25-67	19.9	5.1							
		5-23-67	20.3	4.7							
		6-23-67	20.4	4.6							
		7-26-67	20.2	4.8							
		8-30-67	20.3	4.7							
		9-29-67	20.3	4.7							
11N/36W-13K04S	25.0	10-19-66	21.1	3.9	010						
		11-29-66	(1)								
		12-27-66	20.7	4.3							
		1-26-67	20.6	4.4							
		2-27-67	(1)								
		3-16-67	20.8	4.2							
		4-25-67	20.5	4.5							
		5-23-67	21.1	3.9							
		6-23-67	21.5	3.5							
		7-26-67	18.7	6.3							
		8-30-67	21.7	3.3							
		9-29-67	21.4	3.6							
11N/36W-13K05S	25.0	10-19-66	25.1	- .1	010						
		11-29-66	24.0	1.0							
		12-27-66	22.7	2.3							
		1-26-67	21.9	3.1							
		2-27-67	21.2	3.8							
		3-16-67	19.1	5.9							
		4-25-67	17.4	7.6							
		5-23-67	20.2	4.8							
		6-23-67	22.6	2.4							
		7-26-67	23.7	1.3							
		8-30-67	23.0	2.0							
		9-29-67	21.8	3.2							
11N/36W-13K06S	25.0	10-19-66	23.1	1.9	010						
		11-29-66	19.9	5.1							
		12-27-66	18.4	6.6							
		1-26-67	18.3	6.7							
		2-27-67	18.1	6.9							
		3-16-67	19.7	5.3							
		4-25-67	18.6	6.4							
		5-23-67	22.5	2.5							
		6-23-67	24.2	.8							
		7-26-67	25.6	- .6							
		8-30-67	25.0	.0							
		9-29-67	23.6	1.4							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARIA-CUYAMA HYDRO UNIT						T-12.00					
CUYAMA VALLEY HYDRO SURUNIT						T-12.00					
07N/24W-13C025	3435.0	10-24-66 12-08-66 3-28-67	25.0 20.0 18.1	3410.0 3415.0 3416.9	010						
08N/24W-08L015	3050.0	10-24-66 11-28-66 12-08-66 12-29-66 1-25-67 2-24-67 3-28-67 4-26-67 5-23-67 6-26-67 7-27-67 8-24-67 9-26-67	146.9 147.4 147.7 146.3 145.1 143.9 143.0 141.7 133.2 126.7 123.7 122.3 121.3	2903.1 2902.6 2902.3 2903.7 2904.9 2906.1 2907.0 2908.3 2916.8 2923.3 2926.3 2927.7 2928.7	010						
09N/24W-33M015	3049.0	10-26-66 3-28-67	194.3 191.8	2854.7 2857.2	010						
09N/25W-13H015	2700.0	10-26-66 3-28-67	(1) 104.8	2595.2	010						
09N/26W-01F025	2600.0	10-26-66 3-28-67	(1) (1)		010						
09N/26W-04J015	2575.0	10-26-66 3-28-67	297.3 303.5	2277.7 2271.5	010						
10N/25W-08P015	2293.0	10-26-66 3-28-67	92.9 91.7	2200.1 2201.3	010						
10N/25W-24E015	2475.0	10-26-66 11-28-66 12-29-66 1-24-67 2-24-67 3-28-67 4-26-67 5-23-67 6-26-67 7-27-67 8-24-67 9-26-67	284.0 297.4 285.4 292.0 298.4 297.7 286.8 289.4 297.1 296.6 294.5 301.6	2191.0 2177.6 2189.6 2183.0 2176.6 2177.3 2188.2 2185.6 2177.9 2178.4 2180.5 2173.4	010						
10N/25W-30P015	2340.0	10-26-66 3-28-67	154.6 163.7	2185.4 2176.3	010						
10N/26W-04R015	2116.0	10-26-66 3-28-67	(1) 43.5	2072.5	010						
10N/26W-16Q015	2205.0	10-26-66 3-28-67	67.2 63.0	2137.8 2142.0	010						
10N/26W-22A015	2200.0	10-26-66 3-28-67	54.3 57.2	2145.7 2142.8	010						
10N/26W-27N015	2368.0	10-26-66 3-28-67	(1) 153.9	2214.1	010						
10N/27W-11A035	1978.0	10-24-66 11-28-66 12-29-66 1-25-67 2-24-67 3-28-67 4-26-67 5-24-67 6-26-67 7-27-67 8-24-67 9-26-67	39.4 34.9 32.0 30.5 31.1 51.7 30.9 47.7(2) 52.5(2) 54.5 56.8 55.2(2)	1938.6 1943.1 1946.0 1947.5 1946.9 1926.3 1947.1 1930.3 1925.5 1923.5 1921.2 1922.8	010						
10N/27W-11C015	1963.0	10-24-66 3-28-67	32.7 33.8	1930.3 1929.2	010						
10N/27W-12R015	2045.0	10-26-66 3-28-67	84.3 77.8	1960.7 1967.2	010						
10N/32W-19E015	380.0	3-15-67	7.4	372.6	010						
10N/32W-19E025	380.0	3-15-67	7.9	372.1	010						
10N/33W-36A015	372.0	3-15-67	25.3	346.7	010						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN ANTONIO HYDRO UNIT						T-13.00					
08N/32W-30H07S	563.0	10-20-66 3-20-67	33.3 25.5	529.7 537.5	010						
08N/32W-35Q01S	745.0	10-20-66 3-20-67	177.0 151.7	568.0 593.3	010						
08N/33W-20Q01S	408.0	10-20-66 11-29-66 12-27-66 1-26-67 2-27-67 3-20-67 4-25-67 5-24-67 6-23-67 7-23-67 8-30-67 9-29-67	34.2 31.3 31.3 30.4 33.2 33.1 33.6 38.7 (2) (1) (1) (1) (1)	373.8 376.7 376.7 377.6 374.8 374.9 374.4 369.3	010						
08N/33W-20R01S	408.0	10-20-66 3-20-67	34.5 30.8	373.5 377.2	010						
08N/34W-04N01S	460.0	12-01-66 4-06-67	127.5 138.4	332.5 321.6	010						
08N/34W-07Q01S	280.0	12-01-66 4-06-67	3.5 3.1	276.5 276.9	010						
08N/34W-16G01S	291.0	12-01-66 4-06-67 6-08-67	FLOW .5 (2) .2 (2)	290.5 290.8	010						
08N/34W-16G02S	320.0	12-01-66 4-06-67 6-08-67	14.6 (1) (1)	305.4	010						
08N/34W-16J01S	320.0	12-01-66 4-06-67 6-08-67	7.8 (1) (1)	312.2	010						
08N/34W-23B01S	315.0	10-20-66 3-20-67	24.0 24.4	291.0 290.6	010						
08N/35W-10J01S	118.0	12-01-66 4-06-67	10.2 9.3	107.8 108.7	010						
08N/35W-16E01S	50.0	12-01-66 4-06-67	3.2 2.3	46.8 47.7	010						
09N/34W-32P01S	480.0	12-01-66 4-06-67	19.5 26.2 (1)	460.5 453.8	010						
09N/35W-18L01S	80.0	12-02-66 4-06-67	72.2 72.7	7.8 7.3	010						
09N/35W-20J01S	100.0	12-02-66 4-06-67 7-08-67	14.1 13.1 (1)	85.9 86.9	010						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
LOMPOC HYDRO SUBUNIT						LOMPOC HYDRO SUBUNIT					
T-14.A0						T-14.A0					
06N/34W-04G03S	97.0	10-25-66 3-22-67	57.1 56.0	39.9 41.0	010	07N/34W-25D01S (CONT.)	127.0	8-18-67 9-24-67	(1) (1)		001
06N/34W-06C02S	99.8	10-25-66 3-22-67	65.5 63.8	34.3 36.0	010	07N/34W-25F01S	136.6	11-15-66 1-18-67 4-17-67 8-18-67 9-24-67	80.6 78.4 72.8 (1) 76.0	56.0 58.2 63.8 60.6	001
07N/33W-17N02S	360.0	11-04-66 3-30-67	269.6 262.9	90.4 97.1	010	07N/34W-26C03S	104.0	11-15-66 1-18-67 4-17-67 8-18-67 9-24-67	39.6 40.0 39.5 38.8 39.0	64.4 64.0 64.5 65.2 65.0	001
07N/33W-19D01S	275.0	11-04-66 3-30-67	190.2 186.3	84.8 88.7	010	07N/34W-26H02S	109.9	11-17-66 1-18-67 4-17-67 8-19-67 9-24-67	48.5 47.6 47.9 52.7 54.4	61.4 62.3 62.0 57.2 55.5	001
07N/33W-30C01S	235.2	10-25-66 3-30-67	163.7 163.9	71.5 71.3	010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-09H05S	300.0	10-23-66 3-29-67	245.4 242.4	54.6 57.6	010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-09H06S	300.0	3-29-67	245.1	54.9	010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-12E01S	385.8	10-25-66 3-29-67	312.0 DRY	73.8	010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-14F03S	268.0	10-25-66 3-29-67	(1) 208.4		010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-15E01S	190.0	10-25-66 3-29-67	125.9 122.6	64.1 67.4	010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-20K04S	75.0	12-01-66 4-06-67	44.7 29.9	30.3 45.1	010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-20M02S	70.0	4-04-67	36.6	33.4	010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-20N02S	50.0	10-25-66 3-29-67	14.9 12.0	35.1 38.0	010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-20N03S	62.0	10-25-66 3-29-67	24.4 19.6	37.6 42.4	010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-21E01S	82.0	10-25-66 11-22-66 12-28-66 1-27-67 2-27-67 4-04-67 4-27-67 5-26-67 6-28-67 7-28-67 8-28-67 9-28-67	32.6 31.3 31.6 30.9 30.2 25.5 27.8 28.0 28.3 29.2 29.7 29.9	49.4 50.7 50.4 51.1 51.8 56.5 54.2 54.0 53.7 52.8 52.3 52.1	010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-22F02S	89.9	11-15-66 1-18-67 4-17-67 8-18-67 9-24-67	40.4 40.0 37.9 38.9 38.9	49.5 49.9 52.0 51.0 51.0	001	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-22J06S	90.0	10-25-66 3-29-67	37.2 38.4	52.8 51.6	010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-22L01S	93.0	11-15-66 1-18-67 4-17-67 8-18-67 9-24-67	33.8 33.0 29.3 32.2 32.6	59.2 60.0 63.7 60.8 60.4	001	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-22Q04S	83.0	10-25-66 1-18-67 3-30-67 4-17-67 8-18-67 9-24-67	19.9 20.0 19.9 19.9 19.8 19.6	63.1 63.0 63.1 63.1 63.2 62.4	010 001 010 001	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-22Q05S	69.5	1-18-67 4-17-67 8-18-67 9-24-67	8.4 8.2 4.9 4.9	61.1 61.3 64.6 64.6	001	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-22Q06S	69.6	1-19-67 4-17-67 8-18-67 9-24-67	5.3 2.5 4.7 5.6	64.3 67.1 64.9 64.0	001	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-23Q02S	112.0	11-15-66 1-18-67 4-17-67 8-18-67 9-24-67	48.3 53.1 48.2 54.7 49.4	63.7 58.9 63.8 57.3 62.6	001	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-24N01S	130.4	10-25-66 3-29-67	(1) 66.5		010	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001
07N/34W-25D01S	127.0	11-15-66 1-18-67 4-17-67	66.1 (1) 63.9	60.9 63.1	001	07N/34W-26H03S	112.9	10-25-66 11-17-66 1-18-67 3-30-67 4-17-67 8-19-67 9-23-67	DRY DRY 50.5 50.6 51.0 56.0 53.0		010 001

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
LOMPOC HYDRO SUBUNIT			T-14.A0			LOMPOC HYDRO SUBUNIT			T-14.A0		
07N/34W-340015 (CONT.)	107.0	1-18-67 4-17-67 8-18-67 9-24-67	52.7 52.3 51.8 55.6	54.3 54.7 55.2 51.4	001	07N/35W-24H01S	48.0	12-01-66	19.6	28.4	010
07N/34W-35F02S	100.3	10-25-66 3-30-67	37.4 33.6	62.9 66.7	010	07N/35W-24J01S	59.4	10-25-66 3-29-67	31.3(2) 27.4	28.1 32.0	010
07N/34W-35F16S	119.5	10-21-66 11-22-66 12-28-66 1-27-67 2-24-67 4-03-67 4-27-67 5-26-67 6-28-67 7-28-67 8-28-67 9-28-67	56.3 58.8 48.9 43.9 45.1 44.4 43.2 44.2 44.6 (1) 47.0 49.1	63.2 60.7 70.6 75.6 74.4 75.1 76.3 75.3 74.9	010	07N/35W-24K02S	51.0	10-21-66 3-22-67	29.1 26.8	21.9 24.2	010
07N/34W-35F20S	119.0	10-21-66 3-30-67	56.7 42.8	62.3 76.2	010	07N/35W-24K04S	51.1	10-21-66 3-22-67	25.5 21.0	25.6 30.1	010
07N/35W-17K01S	10.0	10-24-66 11-30-66 4-05-67 6-08-67	2.1 2.6 .0 2.6	7.9 7.4 10.0 7.4	010	07N/35W-25F05S	46.9	10-25-66 3-22-67	20.2 23.9	26.7 23.0	010
07N/35W-17M01S	9.7	10-24-66 11-22-66 12-28-66 1-27-67 2-27-67 3-29-67 4-05-67 4-27-67 5-26-67 6-08-67 6-28-67 7-28-67 8-28-67 9-29-67	2.8 2.3 2.6 2.2 3.2 3.6 3.5 3.3 4.0 4.1 4.3 4.5 4.5 3.6	6.9 7.4 7.1 7.5 6.5 6.1 6.2 6.4 5.7 5.6 5.4 5.2 5.2 6.1	010	07N/35W-25F06S	47.7	10-25-66 3-22-67	15.0 14.8	32.7 32.9	010
07N/35W-18H01S	5.9	10-24-66 11-30-66 4-05-67	1.4 (1) 2.6	4.5 3.3	010	07N/35W-25F07S	46.9	10-25-66 3-22-67	14.3 14.5	32.6 32.4	010
07N/35W-18H02S	7.2	10-24-66 11-22-66 12-28-66 1-27-67 2-27-67 3-29-67 4-05-67 4-27-67 5-26-67 6-28-67 7-28-67 8-28-67 9-28-67	2.6 2.3 2.3 2.2 3.5 4.0 3.9 3.8 4.1 4.4 4.3 4.4 3.3	4.6 4.9 4.9 5.0 3.7 3.2 3.3 3.4 3.1 2.8 2.9 2.8 3.9	010	07N/35W-26F01S	36.8	10-25-66 3-22-67	11.2 11.2	25.6 25.6	010
07N/35W-18J02S	7.4	10-24-66 3-29-67 4-05-67	3.7 3.8 4.7	3.7 3.6 2.7	010	07N/35W-26J04S	40.9	10-25-66 11-22-66 12-28-66 1-26-67 2-27-67 3-29-67 4-27-67 5-24-67 6-28-67 7-26-67 8-28-67 9-28-67	14.1 13.4 11.4 9.7 11.1 26.7(2) 7.6 10.8 11.3 20.8 14.1 11.5	26.8 27.5 29.5 31.2 29.8 14.2 33.3 30.1 29.6 20.1 26.8 29.4	010
07N/35W-20J01S	19.1	11-30-66 4-05-67	7.4 5.4	11.7 13.7	010	07N/35W-27C03S	28.4	10-25-66 11-18-66 3-22-67 4-05-67	6.6 7.0 4.8 5.5	21.8 21.4 23.6 22.9	010
07N/35W-21L04S	20.0	11-30-66 4-05-67	7.4 5.1	12.6 14.9	010	07N/35W-27F01S	27.6	11-18-66 3-09-67 4-04-67	7.8 6.0 6.2	19.8 21.6 21.4	010
07N/35W-22F03S	20.0	11-30-66 4-06-67	9.9 (1)	10.1	010	07N/35W-27H01S	27.0	11-18-66 4-04-67	6.5 5.7	20.5 21.3	010
07N/35W-22J01S	31.8	10-25-66 3-22-67	11.7 9.0	20.1 22.8	010	07N/35W-27P01S	260.0	11-18-66 3-09-67 4-04-67	223.4 222.8 222.7	36.6 37.2 37.3	010
07N/35W-22L01S	30.0	11-30-66 4-05-67	13.1 10.7	16.9 19.3	010	07N/35W-28K02S	89.0	11-18-66 3-09-67 4-04-67 6-05-67	17.8 17.6 19.7 17.8	71.2 71.4 69.3 71.2	010
07N/35W-22M01S	28.8	11-30-66 4-05-67	6.2 4.4	22.6 24.4	010	07N/35W-28R01S	120.0	11-18-66 1-27-67 2-28-67 3-09-67 3-09-67 3-29-67 4-05-67 4-27-67 5-26-67 6-28-67 7-28-67 8-28-67 9-27-67	61.4 61.1 61.3 61.2 61.1 61.3 61.3 61.2 61.4 61.6 61.8 61.9 61.0	58.6 58.9 58.7 58.8 58.9 58.7 58.7 58.8 58.6 58.4 58.2 58.1 59.0	010
07N/35W-22N02S	24.0	11-17-66 3-09-67 4-05-67	6.0 4.2 4.1	18.0 19.8 19.9	010	07N/35W-30G01S	130.0	11-18-66 4-05-67 6-06-67	97.3 97.3 97.3	32.7 32.7 32.7	010
07N/35W-23E02S	36.1	10-21-66 3-22-67	13.8 10.9	22.3 25.2	010	07N/35W-33J01S	177.0	11-18-66 3-09-67 3-09-67 4-05-67 6-05-67	124.5 124.0 124.5 124.1 127.2(4)	52.5 53.0 52.5 52.9 49.8	010
07N/35W-23E04S	36.9	10-21-66 3-22-67	16.4 15.9	20.5 21.0	010	07N/35W-33J02S	177.0	11-18-66 3-09-67 3-09-67 4-05-67	134.8 129.7 129.3 136.3(2)	42.2 47.3 47.7 40.7	010
07N/35W-23J02S	43.6	10-25-66	(6)		010	07N/35W-33J03S	220.0	11-18-66 3-09-67 3-09-67 3-09-67 3-09-67	168.7 153.7(2) 156.5(2) 147.4 148.6(2)	51.3 66.3 63.5 72.6 71.4	010
07N/35W-23J05S	43.0	10-25-66 3-22-67	16.8 15.6	26.2 27.4	010	07N/35W-33R01S	216.0	11-18-66 1-27-67 2-28-67 3-09-67 3-09-67	116.5 114.9 115.6 115.7 115.7	99.5 101.1 100.4 100.3 100.3	010

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRD UNIT						T-14.00					
LOMPOC HYDRD SUBUNIT			T-14.00			SANTA RITA HYDRD SUBUNIT			T-14.80		
07N/35W-33R015 (CONT.)	216.0	4-05-67	115.6	100.4	010	06N/32W-06K015	383.5	10-25-66 4-03-67	24.2 24.3	359.3 359.2	010
		4-27-67	115.2	100.8		06N/32W-07Q035	232.1	11-16-66	7.6	224.5	001
		5-26-67	116.2	99.8				1-18-67	5.8	226.3	
		6-28-67	117.4	98.6				4-18-67	(9)		
		7-28-67	117.6	98.4				8-17-67	9.1	223.0	
		8-28-67	117.8	98.2				9-23-67	9.1	223.0	
		9-27-67	117.3	98.7							
07N/35W-35A035	45.7	10-25-66	18.3	27.4	010	06N/32W-08N035	246.1	11-16-66	18.6	227.5	001
		3-22-67	(1)					1-19-67	(9)		
07N/35W-35A045	45.9	10-25-66	14.9	31.0	010			4-18-67	(9)		
		3-22-67	12.2 (2)	33.7				8-17-67	15.1	231.0	
07N/35W-35U025	70.0	11-18-66	16.2	53.8	010			9-23-67	(9)		
		4-04-67	15.4	54.6		06N/32W-16G025	273.6	11-16-66	29.5	244.1	001
07N/35W-36J035	58.8	10-24-66	26.6	32.2	010			1-19-67	16.5	257.1	
		11-22-66	27.9	30.9				4-19-67	14.8	258.8	
		12-28-66	25.7	33.1				8-16-67	(1)		
		1-27-67	25.0	33.8				9-23-67	(1)		
		2-28-67	24.9	33.9		06N/32W-16K015	260.2	11-16-66	18.5	241.7	001
		3-29-67	30.4	28.4				1-19-67	8.0	252.2	
		4-27-67	24.2	34.6				4-19-67	6.1	254.1	
		5-26-67	24.6	34.2				8-16-67	10.8	249.4	
		6-28-67	24.0	34.8				9-23-67	14.0	246.2	
		7-28-67	33.1	25.7		06N/32W-16P035	293.2	10-21-66	(1)		010
		8-28-67	26.5	32.3				3-22-67	43.3	249.9	
		9-28-67	25.2	33.6		06N/32W-17J025	256.0	11-16-66	14.5	241.5	001
								1-19-67	9.1	246.9	
								4-18-67	.8	255.2	
								8-16-67	(1)		
								9-23-67	14.4	241.6	
						06N/32W-17L015	249.4	11-16-66	17.6	231.8	001
								1-19-67	14.8	234.6	
								4-18-67	11.5	237.9	
								8-17-67	15.9	233.5	
								9-23-67	21.5	227.9	
						06N/32W-18H015	267.1	10-21-66	37.7	229.4	010
								3-22-67	33.6	233.5	
						06N/33W-06D035	150.0	11-16-66	15.4	134.6	001
								1-19-67	(7)		
								4-17-67	11.9	138.1	
								8-18-67	14.4	135.6	
								9-23-67	14.7	135.3	
						06N/33W-06F015	147.9	11-16-66	16.4	131.5	001
								1-19-67	14.9	133.0	
								4-17-67	(9)		
								8-19-67	15.5	132.4	
								9-24-67	15.6	132.3	
						06N/33W-07A015	180.0	11-16-66	52.2	127.8	001
								1-19-67	48.5	131.5	
								4-17-67	45.1	134.9	
								8-18-67	47.8	132.2	
								9-23-67	48.0	132.0	
						06N/33W-07C015	151.6	11-16-66	13.6	138.0	001
								1-19-67	10.8	140.8	
								4-17-67	(9)		
								8-19-67	10.8	140.8	
								9-24-67	11.2	140.4	
						06N/33W-08E035	153.2	11-16-66	8.8	144.4	001
								1-18-67	5.0	148.2	
								4-17-67	2.3	150.9	
								8-18-67	5.2	148.0	
								9-23-67	4.8	148.4	
						06N/33W-08G025	198.4	11-17-66	51.1	147.3	001
								1-19-67	47.7	150.7	
								4-17-67	44.3	154.1	
								8-19-67	48.8	149.6	
								9-24-67	46.2	152.2	
						06N/33W-08G065	159.0	11-15-66	10.0	149.0	001
								1-19-67	6.0	153.0	
								4-17-67	4.8	154.2	
								8-18-67	6.8	152.2	
								9-23-67	6.8	152.2	
						06N/33W-08J015	200.6	10-21-66	46.6	154.0	010
								3-22-67	40.7	159.9	
						06N/33W-09D025	213.8	11-17-66	61.9	151.9	001
								1-19-67	59.2	154.6	
								4-17-67	55.7	158.1	
								8-19-67	56.6	157.2	
								9-24-67	61.7	152.1	
						06N/33W-09J025	196.8	11-16-66	19.8	177.0	001

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						I-14.00					
SANTA RITA HYDRO SUBUNIT						SANTA RITA HYDRO SUBUNIT					
T-14.80						T-14.80					
06N/33W-09J02S (CONT.)	196.8	1-18-67 4-18-67 8-17-67 9-23-67	16.8 15.6 (1) (1)	180.0 181.2	001	07N/33W-27J01S (CONT.)	458.2	3-30-67	21.6	436.6	010
06N/33W-09P01S	203.0	10-21-66 11-22-66 12-28-66 1-27-67 2-24-67 3-22-67 4-27-67 5-26-67 6-28-67 7-28-67 8-28-67 9-27-67	45.1 44.3 42.6 44.2 39.9 41.4 (2) 39.1 40.2 41.3 42.7 44.0 42.7	157.9 158.7 160.4 158.8 163.1 161.6 163.9 162.8 161.7 160.3 159.0 160.3	010	07N/33W-36J01S	495.0	11-04-66 4-03-67	133.3 137.8	361.7 357.2	010
						07N/33W-36J02S	478.0	11-04-66 4-03-67	66.2 66.1	411.8 411.9	010
						07N/33W-36J03S	490.0	11-04-66 4-03-67	(1) 130.1		010
						07N/34W-35K09S	101.0	11-17-66 1-18-67 4-17-67 8-19-67 9-24-67	34.6 23.7 22.1 24.5 26.5	66.4 77.3 78.9 76.5 74.5	001
06N/33W-10K01S	230.0	11-16-66 1-19-67 4-18-67 8-17-67 9-23-67	46.0 43.4 41.2 44.9 45.7	184.0 186.6 188.8 185.1 184.3	001						
06N/33W-11H01S	215.0	11-16-66 1-18-67 4-18-67 8-17-67 9-23-67	14.7 8.5 6.7 10.7 11.4	200.3 206.5 208.3 204.3 203.6	001						
06N/33W-11H01S	203.8	10-21-66 3-22-67	11.4 6.3	192.4 197.5	010						
06N/33W-12L01S	223.6	11-16-66 1-18-67 4-18-67 8-17-67 9-23-67	23.1 16.2 (9) 17.8 17.8	200.5 207.4 205.8 205.8	001						
06N/33W-12P01S	226.0	11-16-66 1-18-67 4-18-67 8-17-67 9-23-67	22.4 16.8 (9) 16.7 17.2	203.6 209.2 209.3 208.8	001						
06N/33W-14D01S	229.2	11-16-66 1-18-67 4-18-67 8-17-67 9-23-67	7.2 6.9 5.1 6.3 7.3	222.0 222.3 224.1 222.9 221.9	001						
06N/34W-01G01S	108.8	11-16-66 1-19-67 4-17-67 8-19-67 9-24-67	4.7 3.9 (9) (9) (9)	104.1 104.9 	001						
06N/34W-01K01S	122.1	11-16-66 1-19-67 4-17-67 8-19-67 9-24-67	15.8 13.3 10.8 (9) (9)	106.3 108.8 111.3 	001						
06N/34W-01P01S	150.4	10-21-66 3-22-67	40.2 34.4	110.2 116.0	010						
06N/34W-12A02S	118.2	11-16-66 1-19-67 4-17-67 8-19-67 9-24-67	4.0 .7 (9) (5) (5)	114.2 117.5 	001						
06N/34W-12C01S	153.4	11-15-66 1-18-67 4-17-67 8-18-67 9-23-67	39.4 37.1 34.1 39.8 38.0	114.0 116.3 119.3 113.6 115.4	001						
06N/34W-12J01S	128.4	11-16-66 1-19-67 4-17-67 8-18-67 9-23-67	15.0 14.5 11.2 11.5 12.0	113.4 113.9 117.2 116.9 116.4	001						
07N/32W-18C02S	850.0	4-03-67	(1)		010						
07N/32W-31H01S	450.0	11-04-66 4-03-67	65.3 59.7	384.7 390.3	010						
07N/33W-13E01S	838.0	11-04-66 4-03-67	86.1 86.2	751.9 751.8	010						
07N/33W-21C01S	453.0	11-04-66 4-03-67	386.0 (1)	67.0	010						
07N/33W-21N01S	360.0	3-30-67	280.4	79.6	010						
07N/33W-27J01S	458.2	11-04-66	22.1	436.1	010						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
BUELLTON HYDRO SUBUNIT						BUELLTON HYDRO SUBUNIT					
T-14.C0						T-14.C0					
06N/31W-03A01S	760.0	10-12-66 3-30-67	162.8 174.3	597.2 585.7	010	06N/32W-11001S (CONT.)	298.0	8-16-67 9-23-67	13.1 (9)	284.9	001
06N/31W-04A01S	615.0	10-12-66 3-24-67	83.2 83.0	531.8 532.0	010	06N/32W-11G03S	301.0	11-16-66 1-19-67 3-22-67 4-18-67 8-16-67 9-22-67	7.8 6.6 6.1 6.0 9.3 9.4	293.2 294.4 294.9 295.0 291.7 291.6	001 010 001
06N/31W-06F01S	425.0	10-12-66 4-03-67	99.3 88.6	325.7 336.4	010	06N/32W-11H02S	305.0	11-16-66 1-19-67 4-19-67 8-16-67 9-22-67	7.6 7.1 6.0 9.3 9.8	297.4 297.9 299.0 295.7 295.2	001
06N/31W-07M01S	351.9	10-12-66 3-24-67	37.7 35.3	314.2 316.6	010	06N/32W-11L02S	300.4	11-16-66 1-19-67 4-18-67 8-16-67 9-23-67	5.7 4.4 (9) (1) 6.8	294.7 296.0 293.6	001
06N/31W-10F01S	540.0	10-12-66 4-03-67	74.9 (1)	465.1	010	06N/32W-12N01S	318.0	11-16-66 1-19-67 4-18-67 8-16-67 9-23-67	9.8 8.9 6.4 10.6 10.8	308.2 309.1 311.6 307.4 307.2	001
06N/31W-16N02S	366.3	10-21-66 3-24-67	24.4 12.0	341.9 354.3	010	06N/32W-12Q01S	317.6	11-16-66 1-19-67 4-19-67 8-16-67 9-22-67	11.0 (1) 6.9 10.8 11.3	306.6 310.7 306.8 306.3	001
06N/31W-17D01S	340.8	11-16-66 1-17-67 4-19-67 8-15-67 9-22-67	15.3 12.3 9.2 11.5 11.6	325.5 328.5 331.6 329.3 329.2	001	06N/32W-13G01S	317.9	11-16-66 1-19-67 4-18-67 8-16-67 9-23-67	9.0 8.7 7.2 10.1 10.1	308.9 309.2 310.7 307.8 307.8	001
06N/31W-17F01S	362.9	10-21-66 3-24-67	32.8 24.1	330.1 338.8	010	07N/31W-34M01S	650.0	10-12-66 4-03-67	134.1 126.8	515.9 523.2	010
06N/31W-17R01S	364.8	11-16-66 1-17-67 4-19-67 8-15-67 9-22-67	28.5 20.0 14.9 18.7 14.8	336.3 344.8 349.9 346.1 350.0	001	07N/32W-07801S	1030.0	11-04-66 4-03-67	50.0 49.0	980.0 981.0	010
06N/31W-18G01S	334.7	11-16-66 1-19-67 4-19-67 8-15-67 9-22-67	15.4 13.0 10.3 (1) 13.8	319.3 321.7 324.4 320.9	001						
06N/31W-18H02S	345.0	11-16-66 1-19-67 4-19-67 8-15-67 9-22-67 10-16-67	16.9 13.4 11.1 (1) 14.0 15.6	328.1 331.6 333.9 331.0 329.4	001						
06N/31W-18R01S	344.3	11-16-66 1-19-67 4-19-67 8-15-67 9-22-67	17.2 8.8 7.7 (1) 12.2	327.1 335.5 336.6 332.1	001						
06N/31W-21D01S	362.0	11-16-66 1-17-67 4-19-67 8-15-67 9-22-67	21.4 12.0 6.9 11.2 15.6	340.6 350.0 355.1 350.8 346.4	001						
06N/31W-21G03S	373.9	11-15-66 1-17-67 4-19-67 8-15-67 9-22-67	13.7 5.5 (9) (5) (5)	360.2 368.4	001						
06N/32W-02Q01S	359.4	10-25-66 3-24-67	59.1 58.3	300.3 301.1	010						
06N/32W-09A02S	308.0	10-25-66 4-03-67	38.7 33.7	269.3 274.3	010						
06N/32W-09G01S	305.0	11-16-66 1-19-67 4-19-67 8-16-67 9-23-67	34.6 32.0 31.6 36.3 38.8	270.4 273.0 273.4 268.7 266.2	001						
06N/32W-09J01S	276.1	11-16-66 1-19-67 4-18-67 8-16-67 9-23-67	10.1 7.8 6.6 12.9 12.8	266.0 268.3 269.5 263.2 263.3	001						
06N/32W-10C02S	286.3	11-16-66 1-19-67 4-19-67 8-16-67 9-23-67	12.6 8.8 7.7 14.8 15.2	273.7 277.5 278.6 271.5 271.1	001						
06N/32W-10J01S	317.2	11-16-66 1-19-67 4-18-67 8-16-67 9-23-67	32.4 31.0 30.4 (1) 33.6	284.8 286.2 286.8 283.6	001						
06N/32W-11D01S	298.0	11-16-66 1-19-67 4-19-67	10.2 8.6 7.8	287.8 289.4 290.2	001						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
SANTA YNEZ HYDRO SUBUNIT						SANTA YNEZ HYDRO SUBUNIT					
T-14.00						T-14.00					
06N/29W-06F01S	840.0	10-07-66 3-23-67	(1) 20.7	819.3	010	06N/30W-20H05S	476.0	11-15-66 1-17-67 4-19-67 8-14-67 9-21-67	13.3 7.6 5.5 11.6 (1)	462.7 468.4 470.5 464.4	001
06N/29W-06G01S	875.0	10-07-66 3-23-67	54.0 47.2	821.0 827.8	010	06N/30W-21B02S	498.7	11-15-66 1-17-67 4-19-67 8-15-67 9-21-67	18.8 14.6 (9) (9) 15.3	479.9 484.1	001
06N/29W-07L01S	868.0	10-10-66 3-24-67	212.1 210.0	655.9 658.0	010	06N/30W-21E01S	490.7	11-15-66 1-17-67 4-19-67 8-15-67 9-21-67	21.4 15.8 (9) (9) 16.2	469.3 474.9	001
06N/29W-08P01S	910.0	10-10-66 3-24-67	252.6 247.9	657.4 662.1	010	06N/30W-22E01S	499.0	11-15-66 1-17-67 4-19-67 8-14-67 9-21-67	8.7 (9) (9) 6.5 7.2	490.3 492.5 491.8	001
06N/29W-08P02S	910.0	10-10-66 3-24-67	227.0 226.4	683.0 683.6	010	06N/30W-22G01S	513.5	11-15-66 1-17-67 4-19-67 8-14-67 9-21-67	8.0 7.1 (9) 7.9 7.9	505.5 506.4 505.6	001
06N/30W-01R03S	760.0	10-07-66 3-23-67	20.8 19.2	739.2 740.8	010	06N/30W-24E01S	541.1	11-15-66 1-17-67 4-19-67 8-14-67 9-21-67	2.3 2.0 (9) (5) (5)	538.8 539.1	001
06N/30W-03A01S	720.0	10-10-66 11-22-66 12-28-66 1-27-67 2-27-67 3-24-67 4-25-67 5-24-67 6-23-67 7-26-67 8-30-67 9-29-67	165.3 162.4 139.3 137.6 136.2 135.2 133.6 134.6 (1) 137.4 (1) 142.6	554.7 557.6 580.7 582.4 583.8 584.8 586.4 585.4 582.6	010	06N/30W-29D03S	457.6	11-15-66 1-17-67 4-19-67 8-15-67 9-21-67	17.0 8.8 (9) 5.9 8.1	440.6 448.8 451.7 449.5	001
06N/30W-06A01S	665.3	10-10-66 12-28-66 1-27-67 2-27-67 3-23-67 4-25-67 5-24-67 6-23-67 7-26-67 8-30-67 9-29-67	(1) 116.0 114.4 113.9 112.4 111.2 115.7 126.8 (1) (1) 130.0 (2)	549.3 550.9 551.4 552.9 554.1 549.6 538.5 535.3	010	06N/30W-29E01S	465.0	11-15-66 1-17-67 4-19-67 8-15-67 9-21-67	25.5 18.4 13.0 15.7 16.7	439.5 446.6 452.0 449.3 448.3	001
06N/30W-07G05S	600.0	10-11-66 3-23-67	54.2 51.6	545.8 548.4	010	06N/31W-01P02S	620.0	10-13-66 3-30-67	64.1 51.8	555.9 568.2	010
06N/30W-07G06S	600.0	10-11-66 3-23-67	53.1 50.6	546.9 549.4	010	06N/31W-02K01S	627.0	10-12-66 3-30-67	50.5 49.3	576.5 577.7	010
06N/30W-09N01S	660.0	10-11-66 3-30-67	(1) 40.0 (1)	620.0	010	06N/31W-11D04S	558.5	10-12-66 3-30-67	47.0 45.9	511.5 512.6	010
06N/30W-11K01S	652.0	10-07-66 3-23-67	36.7 35.2	615.3 616.8	010	06N/31W-13D01S	608.0	10-13-66 3-30-67	119.0 117.2	489.0 490.8	010
06N/30W-14N01S	513.5	11-15-66 1-17-67 4-19-67 8-14-67 9-21-67	-6 -9 (9) 3.6 4.3	514.1 514.4 509.9 509.2	001	06N/31W-15A05S	502.0	10-12-66 3-30-67	13.8 13.1	488.2 488.9	010
06N/30W-14R02S	538.9	11-15-66 1-17-67 4-19-67 8-14-67 9-21-67	11.2 10.4 8.1 10.8 12.2	527.7 528.5 530.8 528.1 526.7	001	06N/31W-22F01S	400.0	11-15-66 1-17-67 4-19-67 8-15-67 9-22-67	14.1 7.7 6.7 7.4 9.0	385.9 392.3 393.3 392.6 391.0	001
06N/30W-14R03S	533.3	11-15-66 1-17-67 4-19-67 8-14-67 9-21-67	-4 -7 (9) (5) (5)	533.7 534.0	001	06N/31W-23N01S	401.9	11-15-66 1-17-67 4-19-67 8-15-67 9-22-67	4.5 -3 (9) (5) (5)	397.4 402.2	001
06N/30W-19O02S	458.3	11-15-66 1-17-67 4-19-67 8-15-67 9-21-67	11.1 (1) 3.2 (1) (1)	447.2 455.1	001	06N/31W-24J01S	428.4	11-15-66 1-17-67 4-19-67 8-15-67 9-21-67	4.7 2.6 0 3.0 4.9	423.7 425.8 428.4 425.4 423.5	001
06N/30W-20H01S	476.3	11-15-66 1-17-67 4-19-67 8-14-67 9-21-67	14.9 8.8 6.7 9.5 10.7	461.4 467.5 469.6 466.8 465.6	001	06N/31W-24L01S	423.9	11-15-66 1-17-67 4-19-67 8-15-67 9-21-67	14.1 12.8 8.0 14.6 14.8	409.8 411.1 415.9 409.3 409.1	001
06N/30W-20H02S	476.4	11-15-66 1-17-67 4-19-67 8-14-67 9-21-67	15.4 9.3 (9) 10.3 11.2	461.0 467.1 466.1 465.2	001	07N/29W-28D01S	1130.0	10-10-66 3-23-67	60.4 28.6	1069.6 1101.4	010
06N/30W-20H04S	478.3	11-15-66 1-17-67 4-19-67 8-14-67 9-21-67	12.5 6.4 4.2 5.9 6.6	465.8 471.9 474.1 472.4 471.7	001	07N/30W-16B01S	1077.0	10-10-66 3-23-67	35.2 32.7	1041.8 1044.3	010
						07N/30W-19H01S	1120.0	10-12-66 3-30-67	190.6 190.6	929.4 929.4	010
						07N/30W-19P01S	920.0	10-13-66 3-30-67	83.1 82.6	836.9 837.4	010

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
SANTA YNEZ HYDRO SUBUNIT			T-14.00			HEADWATER HYDRO SUBUNIT			T-14.E0		
07N/30W-22E015	920.0	10-11-66 3-23-67	7.1 6.7	912.9 913.3	010	06N/29W-09J015	803.0	10-10-66 3-24-67	15.3 38.0(4)	787.7 765.0	010
07N/30W-24O015	1190.0	10-10-66 3-23-67	54.4 52.3	1135.6 1137.7	010	07N/29W-29R015	1050.0	10-07-66 3-23-67	58.6 37.4	991.4 1012.6	010
07N/30W-27H015	852.0	10-11-66	22.6	829.4	010	07N/29W-29R025	1050.0	10-07-66 3-23-67	58.3 36.3	991.7 1013.7	010
07N/30W-27O015	789.0	10-11-66 3-23-67	41.1 30.1	747.9 758.9	010						
07N/30W-29D015	910.0	10-13-66 3-30-67	108.9 108.6	801.1 801.4	010						
07N/30W-29N025	820.3	10-11-66 3-23-67	271.1 261.1	549.2 559.2	010						
07N/30W-30M015	795.0	10-13-66 3-30-67	177.5 175.7	617.5 619.3	010						
07N/30W-33M025	746.3	10-11-66 3-23-67	210.3 (1)	536.0	010						
07N/30W-35R015	880.0	10-10-66 3-23-67	222.1 222.2	657.9 657.8	010						
07N/31W-22A035	864.0	10-12-66 3-30-67	66.1 66.0	797.9 798.0	010						
07N/31W-23P015	821.9	10-12-66 11-22-66 12-27-66 1-27-67 2-27-67 3-30-67 4-25-67 5-24-67 6-23-67 7-26-67 8-30-67 9-29-67	91.6 79.2 76.7 79.4 73.5 72.6 72.0 76.4 72.8 74.0 74.7 72.9	730.3 742.7 745.2 742.5 748.4 749.3 749.9 745.5 749.1 747.9 747.2 749.0	010						
07N/31W-25L015	806.0	10-20-66 3-30-67	168.5 161.7	637.5 644.3	010						
07N/31W-26G055	788.2	10-12-66 3-30-67	70.0 62.7	718.2 725.5	010						
07N/31W-35K015	683.0	10-23-67	100.5	582.5	010						
07N/31W-36L025	720.6	10-13-66 10-21-66 3-30-67	126.8 125.5 107.3	593.8 595.1 613.3	010						
08N/30W-30F015	1380.0	10-13-66 3-30-67	24.8 22.4	1355.2 1357.6	010						
08N/31W-25O015	1220.0	10-13-66 3-30-67	(1) 47.0		010						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
SANTA BARBARA HYDRO UNIT						T-15.00						
ARGUELLO HYDRO SUBUNIT			T-15.A0			SOUTH COAST HYDRO SUBUNIT GOLETA HYDRO SUBAREA			T-15.C0			T-15.C1
04N/30W-01R02S	230.0	10-20-66 11-23-66 12-27-66 1-30-67 2-24-67 3-29-67 4-25-67 5-26-67 6-28-67 7-28-67 8-28-67 9-28-67	90.4 77.1 69.8 69.0 68.0 66.9 66.4 75.0 (2) 77.8 69.9 91.7 78.2 (2)	139.6 152.9 160.2 161.0 162.0 163.1 163.6 155.0 152.2 160.1 138.3 151.8	010	04N/27W-06Q09S	320.0	4-03-67 10-21-66	211.2 212.3	108.8 107.7	010	
05N/29W-31C01S	400.0	10-20-66 3-29-67	58.5 56.6	341.5 343.4	010	04N/28W-02N02S	177.7	10-21-66 4-03-67	64.3 48.2	113.4 129.5	010	
05N/30W-19E01S	330.0	10-20-66 3-29-67	55.9 7.9	274.1 322.1	010	04N/28W-03E02S	116.7	10-21-66 3-25-67	16.8 15.4	99.9 101.3	010	
05N/30W-28R01S	350.0	10-20-66 3-29-67	39.8 23.0	310.2 327.0	010	04N/28W-03M03S	118.4	10-21-66 4-03-67	99.2 98.4	19.2 20.0	010	
05N/30W-30N02S	85.0	10-20-66 3-29-67	(1) 13.5	71.5	010	04N/28W-03R07S	128.0	10-21-66 4-03-67	108.5 103.9	19.5 24.1	010	
05N/31W-26G01S	170.0	10-20-66 3-29-67	(1) 34.5	135.5	010	04N/28W-05N03S	83.4	10-21-66 3-25-67	21.9 19.9	61.5 63.5	010	
05N/31W-35B01S	80.0	10-20-66 3-29-67	9.4 7.4	70.6 72.6	010	04N/28W-05R04S	57.2	10-21-66 3-25-67	32.6 30.0	24.6 27.2	010	
05N/31W-36K01S	250.0	10-20-66 3-29-67	(1) 118.5	131.5	010	04N/28W-08N03S	28.0	10-20-66 3-21-67	18.5 14.9	9.5 13.1	010	
05N/32W-35E01S	110.0	10-20-66 11-23-66 12-27-66 1-30-67 2-24-67 3-29-67 4-25-67 5-26-67 6-28-67 7-28-67 8-28-67 9-28-67	32.8 33.4 33.7 31.9 35.2 35.7 34.8 33.2 34.2 (4) (1) (1)	77.2 76.6 76.3 78.1 74.8 74.3 75.2 76.8 75.8	010	04N/28W-09A03S	84.1	10-21-66 4-03-67	47.5 42.0	36.6 42.1	010	
06N/35W-02D01S	289.0	11-18-66 4-04-67	213.0 212.8	76.0 76.2	010	04N/28W-09L02S	53.0	10-21-66 3-25-67	44.4 45.6	8.6 7.4	010	
06N/35W-31M01S	74.0	11-30-66 4-05-67	61.1 61.6	12.9 12.4	010	04N/28W-11K04S	67.0	10-21-66 4-03-67	87.5 86.5	-20.5 -19.5	010	
06N/36W-26C01S	170.0	11-30-66 4-05-67 6-06-67	90.7 95.8 (1)	79.3 74.2	010	04N/28W-12B01S	203.0	10-21-66 4-03-67	98.3 97.6	104.7 105.4	010	
06N/36W-26E01S	150.0	11-30-66 4-04-67	124.3 125.4	25.7 24.6	010	04N/28W-12P05S	100.0	10-19-66 11-23-66 12-27-66 1-30-67 2-24-67 3-21-67 4-25-67 5-29-67 6-28-67 7-28-67 8-28-67 9-27-67	143.6 142.5 154.9 145.5 144.3 140.6 139.6 142.0 148.1 155.6 153.1 154.2	-43.6 -42.5 -54.9 -45.5 -44.3 -40.6 -39.6 -42.0 -48.1 -55.6 -53.1 -54.2	010	
06N/36W-26G01S	330.0	11-30-66 4-05-67 6-06-67	109.7 109.8 108.8	220.3 220.2 221.2	010	04N/28W-14C01S	40.0	10-19-66 3-21-67	51.3 49.6	-11.3 -9.6	010	
07N/35W-31J01S	160.0	11-18-66 4-05-67 6-06-67	51.2 51.3 52.3	108.8 108.7 107.7	010	04N/28W-16J02S	26.0	10-19-66 3-21-67	66.1 58.9	-40.1 -32.9	010	
07N/35W-31M02S	200.0	11-18-66 4-05-67	12.0 11.0	188.0 189.0	010	04N/28W-16J05S	25.0	10-19-66 3-21-67	6.8 4.7	18.2 20.3	010	
07N/35W-32N01S	175.0	11-18-66 4-05-67	6.4 4.1	168.6 170.9	010	04N/28W-16L01S	22.0	11-23-66 12-27-66 1-30-67 2-24-67 3-21-67 4-25-67 5-29-67 6-28-67 7-28-67 8-28-67 9-28-67	49.0 37.1 35.2 35.1 34.6 34.0 36.1 39.8 44.8 46.7 43.6	-27.0 -15.1 -13.2 -13.1 -12.6 -12.0 -14.1 -17.8 -22.8 -24.7 -21.6	010	
						04N/28W-17R01S	4.9	10-19-66 3-21-67	5.2 4.4	-3 .5	010	
						04N/28W-17R02S	7.9	10-19-66 3-21-67	20.4 17.3	-12.5 -9.4	010	
						04N/28W-18G02S	7.0	10-20-66	FLOW		010	
						04N/29W-01E01S	180.0	10-20-66 3-25-67	5.2 3.0	174.8 177.0	010	
						04N/29W-12D03S	100.0	10-20-66 3-25-67	15.6 14.8	84.4 85.2	010	
						04N/29W-13G03S	40.0	3-21-67	25.9	14.1	010	
						04N/29W-13K02S	24.0	10-20-66	9.3	14.7	010	
						04N/29W-14A03S	51.0	10-20-66 3-21-67	38.4 37.5	12.6 13.5	010	
						SANTA BARBARA HYDRO SUBAREA						T-15.C2
						04N/27W-08E02S	250.0	10-21-66 4-03-67	135.9 133.4	114.1 116.6	010	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA BARBARA HYDRO UNIT						T-15.00					
SOUTH COAST HYDRO SUBUNIT			T-15.C0			SOUTH COAST HYDRO SUBUNIT			T-15.C0		
SANTA BARBARA HYDRO SUBAREA			T-15.C2			CARPINTERIA HYDRO SUBAREA			T-15.C4		
04N/27W-13R01S	35.0	10-19-66 3-27-67	46.2 37.1	-11.2 -2.1	010	04N/25W-29D01S	17.0	3-29-67	3.0	14.0	010
04N/27W-21B01S	68.0	10-19-66 3-27-67	82.0 78.7	-14.0 -10.7	010	(CONT.)		4-28-67 5-23-67 5-25-67 6-23-67 7-31-67 8-25-67 9-28-67	.5 FLOW FLOW .2 1.8 6.4 5.6	16.5 16.8 15.2 10.6 11.4	
04N/27W-24D02S	12.0	10-19-66 3-27-67	37.6 40.8	-25.6 -28.8	010	04N/25W-29L01S	18.0	10-18-66 3-29-67	15.5 -1.6	2.5 19.6	010
MONTECITO HYDRO SUBAREA			T-15.C3			04N/25W-29R01S	32.0	10-18-66 3-29-67	58.6 39.6	-26.6 -7.6	010
04N/26W-08P03S	210.0	10-18-66 3-27-67	23.9 12.5	186.1 197.5	010	04N/25W-30D01S	7.4	10-18-66 3-29-67	8.7 -.7	-1.3 8.1	010
04N/26W-17N01S	75.0	10-18-66 3-27-67	93.1 78.3	-18.1 -3.3	010	04N/25W-35A03S	147.0	10-18-66 3-29-67	46.2 26.7	100.8 120.3	010
CARPINTERIA HYDRO SUBAREA			T-15.C4			04N/26W-23A02S	63.0	10-18-66 3-27-67	53.1 46.6	9.9 16.4	010
04N/25W-19F04S	106.0	10-18-66 3-27-67	96.0 69.3	10.0 36.7	010						
04N/25W-19J05S	55.0	10-18-66 3-27-67	61.2 41.8	-6.2 13.2	010						
04N/25W-20L04S	111.0	10-18-66 11-23-66 12-27-66 1-30-67 2-24-67 3-27-67 4-28-67 5-25-67 6-23-67 7-31-67 8-25-67 9-28-67	125.5 117.3 107.0 98.1 90.6 88.6 88.0 86.3 93.6(2) 96.4(2) 99.0 97.4	-14.5 -6.3 4.0 12.9 20.4 22.4 23.0 24.7 17.4 14.6 12.0 13.6	010						
04N/25W-21N03S	59.0	10-18-66 3-27-67	67.4 48.1	-8.4 10.9	010						
04N/25W-21R01S	127.0	10-18-66 3-27-67	102.5 95.8	24.5 31.2	010						
04N/25W-22R01S	211.0	10-18-66 3-27-67	88.4 26.2	122.6 184.8	010						
04N/25W-25L01S	227.0	10-18-66 3-29-67	25.7 11.2	201.3 215.8	010						
04N/25W-26A01S	420.0	10-18-66 3-27-67	273.0 249.0	147.0 171.0	010						
04N/25W-26C02S	432.0	10-18-66 3-27-67	269.8 240.4	162.2 191.6	010						
04N/25W-27D02S	127.0	10-18-66 3-27-67	101.4 101.8	25.6 25.2	010						
04N/25W-27R02S	132.0	10-18-66 11-23-66 12-27-66 1-30-67 2-24-67 3-29-67 4-28-67 5-25-67 6-23-67 7-31-67 8-25-67 9-28-67	151.5 153.6 147.0 141.0 135.8 131.7 127.8 124.5 133.4 (1) 129.1 126.9	-19.5 -21.6 -15.0 -9.0 -3.8 .3 4.2 7.5 -1.4 2.9 5.1	010						
04N/25W-28J01S	89.0	10-18-66 11-23-66 12-27-66 1-30-67 2-24-67 3-27-67 4-28-67 5-25-67 6-23-67 7-31-67 8-25-67 9-28-67	103.9 111.6 96.8 92.1 88.6 84.0 79.5 76.5 (1) 77.8 (1) 77.3	-14.9 -22.6 -7.8 -3.1 .4 5.0 9.5 12.5 11.2 11.7	010						
04N/25W-28M01S	57.0	10-18-66 3-27-67	67.8 47.6	-10.8 9.4	010						
04N/25W-29D01S	17.0	10-18-66 11-23-66 12-27-66 1-30-67 2-24-67	22.9 22.2 20.6 12.9 7.3	-5.9 -5.2 -3.6 4.1 9.7	010						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
VENTURA RIVER HYDRO UNIT						U-02.00					
UPPER VENTURA RIVER HYDRO SUBUNIT			U-02.80			UPPER VENTURA RIVER HYDRO SUBUNIT			U-02.80		
03N/23W-05B01S	291.9	10-06-66	35.9	256.0	121	04N/23W-29F02S (CONT.)	394.1	4-07-67	11.6	382.5	121
		11-16-66	37.5(1)	254.4				7-11-67	13.4	380.7	
		12-20-66	26.2	265.7		04N/23W-29H03S	435.1	3-31-67	43.8	391.3	121
		2-01-67	21.7	270.2				7-11-67	44.2	390.9	
		3-09-67	23.6	268.3		04N/23W-29L01S	372.0	10-06-66	19.6	352.4	121
		4-07-67	23.9	268.0				12-20-66	10.9	361.1	
		7-11-67	31.2(1)	260.7				2-01-67	6.2	365.8	
03N/23W-06K01S	298.8	10-06-66	17.5	281.3	121			3-10-67	7.8	364.2	
		11-16-66	16.9	281.9				4-07-67	6.8	365.2	
		12-20-66	13.9	284.9				7-11-67	7.6	364.4	
		3-09-67	12.7	286.1		04N/23W-32J02S	315.1	3-31-67	7.2	307.9	121
		4-07-67	12.5	286.3				7-11-67	9.2	305.9	
		7-11-67	14.9	283.9		04N/24W-13J04S	625.8	4-14-67	6.4	619.4	121
03N/23W-08B02S	246.2	3-31-67	(1)		121			7-14-67	7.4	618.4	
		7-11-67	11.9	234.3		04N/24W-13N01S	640.4	4-14-67	FLOW		121
03N/23W-08B07S	239.6	10-06-66	22.9	216.7	121			7-14-67	FLOW		
		11-16-66	24.7	214.9		05N/23W-33B03S	816.8	4-14-67	3.8	813.0	121
		12-20-66	16.5	223.1				7-18-67	5.8	811.0	
		2-01-67	14.7	224.9							
		3-09-67	12.4	227.2							
		4-07-67	12.7	226.9							
		7-11-67	13.3	226.3							
04N/23W-03M01S	759.4	4-19-67	88.8	670.6	121						
		7-18-67	90.4	669.0							
04N/23W-04G01S	726.5	4-14-67	23.0	703.5	121						
		7-18-67	19.2	707.3							
04N/23W-09B01S	658.1	10-12-66	(1)		121						
		11-16-66	48.8	609.3							
		12-20-66	18.9	639.2							
		2-01-67	20.3	637.8							
		3-10-67	19.9	638.2							
		4-07-67	19.4	638.7							
		7-11-67	19.5	638.6							
04N/23W-11D01S	780.9	4-19-67	44.3	736.6	121						
		7-18-67	45.1	735.8							
04N/23W-14G01S	579.6	4-19-67	10.0	569.6	121						
		7-18-67	12.4(1)	567.2							
04N/23W-15A02S	679.9	4-19-67	(1)		121						
		7-18-67	(1)								
04N/23W-16A01S	626.4	4-20-67	85.0	541.4	121						
		7-14-67	102.7(1)	523.7							
04N/23W-16C04S	557.3	10-01-66	44.4	512.9	121						
		10-01-66	59.4(1)	497.9							
		11-01-66	45.4	511.9							
		11-01-66	61.4(1)	495.9							
		1-01-67	15.4	541.9							
		3-01-67	15.4	541.9							
		5-01-67	22.4	534.9							
		7-01-67	22.4	534.9							
		8-01-67	24.4	532.9							
		9-01-67	27.4	529.9							
04N/23W-16P01S	619.1	4-20-67	73.0	546.1	121						
		7-14-67	65.9	553.2							
04N/23W-18G01S	673.1	4-14-67	29.6	644.1	121						
		7-14-67	28.2	644.9							
04N/23W-20A01S	488.5	4-14-67	9.3	479.2	121						
		7-11-67	9.7	478.8							
04N/23W-20J02S	456.1	10-06-66	35.3(1)	420.8	121						
		11-16-66	33.9(4)	422.2							
		12-20-66	17.5	438.6							
		2-01-67	15.6	440.5							
		3-10-67	17.5	438.6							
		4-07-67	17.2	438.9							
		7-11-67	20.1(4)	436.0							
04N/23W-20Q02S	425.6	10-06-66	21.2(4)	404.4	121						
		11-16-66	28.8	396.8							
		12-20-66	5.8	419.8							
		2-01-67	2.8	422.8							
		3-10-67	5.0	420.6							
		4-07-67	4.9	420.7							
		7-11-67	6.0	419.6							
04N/23W-22B01S	498.5	10-13-66	(2)		121						
		12-22-66	17.8	480.7							
		4-19-67	17.1	481.4							
		7-18-67	13.8	484.7							
04N/23W-29F02S	394.1	10-06-66	33.2	360.9	121						
		12-20-66	19.1	375.0							
		2-01-67	10.1	384.0							
		3-10-67	13.2	380.9							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
VENTURA RIVER HYDRO UNIT						U-02.00					
OJAI HYDRO SUBUNIT											
UPPER OJAI HYDRO SUBAREA						U-02.C0					
						U-02.C1					
04N/22W-09002S	1278.8	10-12-66	20.5	1258.3	121						
		12-22-66	16.8	1262.0							
		3-10-67	13.7	1265.1							
		4-11-67	13.2	1265.6							
		7-18-67	14.1	1264.7							
04N/22W-10K02S	1324.9	10-12-66	29.5(1)	1295.4	121						
		12-22-66	15.1	1309.8							
		3-10-67	(1)								
		4-11-67	13.8	1311.1							
		7-18-67	16.3	1308.6							
04N/22W-11P02S	1418.9	12-22-66	7.0	1411.9	121						
		3-10-67	7.3	1411.6							
		4-11-67	7.4	1411.5							
		7-18-67	10.0	1408.9							
04N/22W-17G01S	1246.9	4-26-67	(9)		121						
		7-18-67	55.2	1191.7							
OJAI HYDRO SUBAREA						U-02.C2					
04N/22W-04Q01S	1040.0	4-28-67	56.5	983.5	121						
		7-18-67	(1)								
04N/22W-05H04S	949.3	4-28-67	(9)		121						
		7-18-67	130.6	818.7							
04N/22W-05L08S	890.7	10-13-66	(1)		121						
		12-22-66	146.6	744.1							
		3-10-67	93.6	797.1							
		4-12-67	72.0	818.7							
		7-18-67	82.1	808.6							
04N/22W-05M01S	842.4	4-28-67	20.7	821.7	121						
		7-18-67	44.2	798.2							
04N/22W-06D05S	851.4	5-10-67	22.1	829.3	121						
		7-18-67	49.7	801.7							
04N/22W-06G03S	813.4	5-09-67	- .1	813.5	121						
		7-18-67	31.2	782.2							
04N/22W-06K03S	801.1	10-13-66	(1)		121						
		12-22-66	(7)								
		3-10-67	22.8	778.3							
		4-12-67	FLOW								
		7-18-67	(1)								
04N/22W-06M01S	794.4	5-10-67	FLOW		121						
		7-18-67	7.9	786.5							
04N/22W-07A01S	796.9	4-26-67	3.6	793.3	121						
		7-18-67	(1)								
04N/22W-07B05S	786.0	4-26-67	10.6	775.4	121						
		7-18-67	13.1	772.9							
04N/22W-07C05S	763.4	10-12-66	86.3	677.1	121						
		12-20-66	32.2	731.2							
		3-10-67	FLOW								
		4-11-67	FLOW								
		7-18-67	FLOW								
04N/22W-08B03S	872.3	4-26-67	50.8	821.5	121						
		7-18-67	71.9(2)	800.4							
05N/22W-32P01S	975.1	4-28-67	126.8	848.3	121						
		7-18-67	161.4	813.7							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0		
OXNARD HYDRO SUBAREA			U-03.A1			OXNARD HYDRO SUBAREA			U-03.A1		
01S/21W-08L01S	10.0	4-05-67 5-31-67 7-27-67	48.9 46.0 45.9	-38.9 -36.0 -35.9	121	01N/22W-01P01S (CONT.)	51.7	2-11-67 2-18-67 2-25-67 3-04-67 3-11-67 3-18-67 3-25-67 4-01-67 4-08-67 4-15-67 4-22-67 4-29-67 5-06-67 5-13-67 5-20-67 5-27-67 6-03-67 6-10-67 6-16-67 6-21-67 6-28-67 7-05-67 7-12-67 7-19-67 7-26-67 8-02-67 8-09-67 8-16-67 8-23-67 8-30-67 9-06-67 9-09-67 9-16-67 9-23-67 9-30-67	66.7 67.3 63.4 67.5 63.3 61.7 60.2 60.5 56.1 55.6 52.5 51.0 56.6 58.8 60.4 62.9 66.0 58.2 59.7 56.7 56.4 54.7 59.7 60.9 60.2 60.2 59.0 61.7 63.3 64.6 63.5 63.4 66.2 65.6 61.8	-15.0 -15.6 -11.7 -15.8 -11.6 -10.0 -8.5 -8.8 -4.4 -3.9 -0.8 0.7 -4.9 -7.1 -8.7 -11.2 -14.3 -6.5 -8.0 -5.0 -4.7 -3.0 -8.0 -9.2 -8.5 -8.5 -7.3 -10.0 -11.6 -12.9 -11.8 -11.7 -14.5 -13.9 -10.1	411
01S/21W-08L02S	10.0	4-05-67 5-31-67 7-27-67	16.9 17.2 16.1	-6.9 -7.2 -6.1	121	01N/22W-02E01S	58.8	10-12-66 4-12-67 6-08-67 8-24-67	83.4 57.6 59.1 62.4	-24.6 1.2 -0.3 -3.6	121
01N/21W-07H01S	39.6	10-12-66 4-05-67 5-31-67 8-22-67	80.3 52.7 69.2 69.9	-40.7 -13.1 -29.6 -30.3	121	01N/22W-03F01S	55.7	12-08-66 3-21-67 3-28-67 4-20-67 5-09-67 6-20-67 7-05-67 9-26-67	72.6 65.6(2) 64.6 58.6(2) 59.6(2) 55.6 53.6 62.6	-16.9 -9.9 -8.9 -2.9 -3.9 0.1 2.1 -6.9	209
01N/21W-19A01S	21.8	10-01-66 10-08-66 10-15-66 10-29-66 11-05-66 11-12-66 11-19-66 11-26-66 12-03-66 12-10-66 12-17-66 12-24-66 12-31-66 9-09-67 9-16-67 9-23-67 9-30-67	76.4 68.6 74.2 79.9 78.7 57.7 51.0 51.0 47.9 46.2 43.2 44.8 45.8 66.8 60.8 67.2 55.6	-54.6 -46.8 -52.4 -58.1 -56.9 -35.9 -29.2 -29.2 -26.1 -24.4 -21.4 -23.0 -24.0 -45.0 -39.0 -45.4 -33.8	411	01N/22W-03F02S	55.8	12-08-66	72.6	-16.8	209
01N/21W-21B04S	15.0	3-31-67 5-26-67 7-26-67	33.7 27.5 26.2	-18.7 -12.5 -11.2	121	01N/22W-03F03S	55.9	10-04-66 10-25-66 11-29-66 12-08-66 12-22-66 12-29-66 1-31-67 2-28-67 3-27-67 3-27-67 5-03-67 6-01-67 6-28-67 7-27-67 8-25-67 9-26-67	80.6 97.6(2) 72.6(2) 72.6 71.6 71.6(2) 85.6(1) 84.6(1) 65.6(2) 84.6(1) 76.6(1) 78.6(1) 55.6 78.6(1) 83.6(1) 62.6	-24.7 -41.7 -16.7 -16.7 -15.7 -15.7 -29.7 -28.7 -9.7 -28.7 -20.7 -22.7 0.3 -22.7 -27.7 -6.7	209
01N/21W-21N01S	15.2	4-05-67 5-31-67 7-27-67	64.5(5) 70.5(5) 64.5(5)	-49.3 -55.3 -49.3	121	01N/22W-03F04S	54.7	12-08-66	72.6	-17.9	209
01N/21W-28N01S	12.0	4-05-67 5-31-67	25.6 25.7	-13.6 -13.7	121	01N/22W-03K14S	52.0	5-02-67 6-06-67 7-05-67 8-08-67 9-26-67	55.0 59.0 54.0 56.0 64.0	-3.0 -7.0 -2.0 -4.0 -12.0	209
01N/21W-29B02S	17.9	4-05-67 5-31-67 7-27-67	44.9 50.0 (1)	-27.0 -32.1	121	01N/22W-04F04S	47.1	2-14-67 4-10-67 5-02-67 9-19-67	61.6 54.6 49.6 56.6	-14.5 -7.5 -2.5 -9.5	209
01N/21W-31L01S	8.6	3-24-67 5-28-67 7-23-67	60.0 57.0 54.5	-51.4 -48.4 -45.9	121	01N/22W-05G03S	32.0	12-08-66 2-14-67 3-07-67 4-10-67 5-02-67 6-06-67 7-05-67 8-08-67	62.0 67.0 54.0 47.0 45.0 43.0 42.0 43.0	-30.0 -35.0 -22.0 -15.0 -13.0 -11.0 -10.0 -11.0	209
01N/21W-32A01S	10.0	3-24-67 5-28-67 7-23-67	62.5 57.5 55.0	-52.5 -47.5 -45.0	121	01N/22W-05K01S	30.0	3-30-67 5-26-67 7-26-67	53.0(5) 42.0(5) 33.0(5)	-23.0 -12.0 -3.0	121
01N/21W-32A02S	12.8	4-05-67 5-31-67 7-27-67	70.4 57.7 53.1	-57.6 -44.9 -40.3	121	01N/22W-05M01S	28.4	3-30-67 5-25-67 7-26-67	50.9(1) 36.8 28.1	-22.5 -8.4 0.3	121
01N/21W-32G01S	10.0	4-05-67 5-31-67 7-27-67	26.0 27.0 27.3	-16.0 -17.0 -17.3	121						
01N/21W-32K01S	10.1	3-24-67 5-28-67 7-23-67	60.6 55.0 54.0	-50.5 -44.9 -43.9	121						
01N/21W-32L01S	9.6	4-05-67 5-31-67 7-27-67	25.0 25.5 26.1	-15.4 -15.9 -16.5	121						
01N/21W-32Q01S	9.5	4-05-67 5-31-67 7-27-67	49.0 50.2 46.1	-39.5 -40.7 -36.6	121						
01N/22W-01A01S	53.6	4-12-67 6-08-67 8-24-67	55.7 (1) 62.2	-2.1 -8.6	121						
01N/22W-01P01S	51.7	10-01-66 10-08-66 10-15-66 10-22-66 10-29-66 11-05-66 11-12-66 11-19-66 11-26-66 12-03-66 12-10-66 12-17-66 12-24-66 12-31-66 1-07-67 1-14-67 1-21-67 1-28-67 2-04-67	85.5 84.2 80.7 81.2 83.2 85.0 73.1 71.7 72.0 69.0 67.0 66.3 66.8 71.1 71.5 74.8 72.3 63.3 61.5	-33.8 -32.5 -29.0 -29.5 -31.5 -33.3 -21.4 -20.0 -20.3 -17.3 -15.3 -14.6 -15.1 -19.4 -19.8 -23.1 -20.6 -11.6 -9.8	411						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT OXNARD HYDRO SUBAREA						OXNARD PLAIN HYDRO SUBUNIT OXNARD HYDRO SUBAREA					
U-03.A0						U-03.A0					
U-03.A1						U-03.A1					
01N/22W-06J015	20.0	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-30-67 5-28-67 6-26-67 7-25-67 8-28-67 9-27-67	8.5 15.2 13.4 12.0 12.9 11.8 9.6 11.2 8.9 9.0 12.6 13.1	11.5 4.8 6.6 8.0 7.1 8.2 10.4 8.8 11.1 11.0 7.4 6.9	411	01N/22W-11D025 (CONT.)	51.0	5-06-67 5-13-67 5-20-67 5-27-67 6-03-67 6-10-67 6-16-67 6-21-67 6-28-67 7-05-67 7-12-67 7-19-67 7-26-67 8-09-67 8-16-67 8-23-67 8-30-67 9-06-67 9-09-67 9-16-67 9-23-67 9-30-67	62.4 62.2 62.2 59.9 59.9 59.9 59.9 59.7 59.3 58.8 58.5 58.1 58.3 57.9 58.1 59.4 60.5 61.6 61.9 62.5 62.8 63.0	-11.4 -11.2 -11.2 -8.9 -8.9 -8.9 -8.9 -8.7 -8.3 -7.8 -7.5 -7.1 -7.3 -6.9 -7.1 -8.4 -9.5 -10.6 -10.9 -11.5 -11.8 -12.0	411
01N/22W-06J025	23.0	3-30-67 5-25-67 7-26-67	9.7 8.3 8.4	13.3 14.7 14.6	121						
01N/22W-07A025	18.2	3-31-67 5-26-67 7-26-67	8.4 8.2 9.6	9.8 10.0 8.6	121						
01N/22W-07J015	11.1	3-31-67 5-26-67 7-26-67	22.8 19.3 12.1	-11.7 -8.2 -1.0	121	01N/22W-13D025	41.7	10-12-66 4-05-67 5-31-67 7-27-67	80.6 54.3 65.2 66.6	-38.9 -12.6 -23.5 -24.9	121
01N/22W-08B035	30.2	3-30-67 5-26-67 7-26-67	12.2 11.2 12.7	18.0 19.0 17.5	121						
01N/22W-08Q015	18.1	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-30-67 5-28-67 6-26-67 7-25-67 8-28-67	43.5 35.2 31.8 28.2 33.0 33.9 24.0 28.8 23.2 24.6 33.1	-25.4 -17.1 -13.7 -10.1 -14.9 -15.8 -5.9 -10.7 -5.1 -6.5 -15.0	411	01N/22W-13K035	37.0	4-05-67 5-31-67 7-27-67	62.8 63.8 (1)	-25.8 -26.8	121
01N/22W-09C035	30.7	3-31-67 5-26-67 7-26-67	6.0 5.8 7.3	24.7 24.9 23.4	121	01N/22W-14D015	36.1	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-30-67 5-28-67 6-26-67 7-25-67 8-28-67	70.4 61.2 57.8 48.6 51.0 52.0 40.6 49.5 47.1 50.1 58.6	-34.3 -25.1 -21.7 -12.5 -14.9 -15.9 -4.5 -13.4 -11.0 -14.0 -22.5	411
01N/22W-09H015	38.8	1-25-67 2-14-67 3-07-67 4-10-67 5-02-67 6-06-67 7-05-67 8-08-67 9-13-67	54.6 54.6 54.6 49.6 45.6 48.6 43.6 47.6 55.6	-15.8 -15.8 -15.8 -10.8 -6.8 -9.8 -4.8 -8.8 -16.8	209	01N/22W-14K015	32.9	3-31-67 5-26-67 7-26-67	50.7 50.9(5) 50.9(5)	-17.8 -18.0 -18.0	121
01N/22W-10H015	46.0	4-05-67 5-31-67 8-22-67	54.7 57.8 66.1	-8.7 -11.8 -20.1	121	01N/22W-14R025	32.9	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-30-67 5-28-67 6-26-67 7-25-67 8-28-67 9-27-67	74.0 65.4 54.3 47.7 52.3 52.2 41.5 53.9 50.7 59.1 66.3 62.4	-41.1 -32.5 -21.4 -14.8 -19.4 -19.3 -8.6 -21.0 -17.8 -26.2 -33.4 -29.5	411
01N/22W-11A015	48.8	4-05-67 5-31-67 8-22-67	53.2 67.7(1) 69.7(1)	-4.4 -18.9 -20.9	121	01N/22W-15B035	36.6	10-04-66 12-08-66 1-25-67 2-14-67 3-07-67 4-10-67 5-02-67 6-06-67 7-05-67 8-08-67 9-19-67	71.6 55.6 54.6 54.6 55.6 49.6 45.6 54.6 47.6 52.6 61.6	-35.0 -19.0 -18.0 -18.0 -19.0 -13.0 -9.0 -18.0 -11.0 -16.0 -25.0	209
01N/22W-11D015	53.0	4-05-67 5-31-67	58.5 61.3	-5.5 -8.3	121						
01N/22W-11D025	51.0	10-01-66 10-08-66 10-15-66 10-22-66 10-29-66 11-05-66 11-12-66 11-19-66 11-26-66 12-03-66 12-10-66 12-17-66 12-24-66 12-31-66 1-07-67 1-14-67 1-21-67 1-28-67 2-04-67 2-11-67 2-18-67 2-25-67 3-04-67 3-11-67 3-18-67 3-25-67 4-01-67 4-08-67 4-15-67 4-22-67 4-29-67	79.7 80.0 80.0 80.0 80.1 80.6 80.4 79.5 78.4 77.5 76.2 74.9 74.1 73.3 72.8 72.6 72.6 71.8 70.7 69.7 69.2 68.7 68.4 68.1 67.6 67.1 66.8 66.2 65.3 64.4 63.2	-28.7 -29.0 -29.0 -29.0 -29.1 -29.6 -29.4 -28.5 -27.4 -26.5 -25.2 -23.9 -23.1 -22.3 -21.8 -21.6 -21.6 -20.8 -19.7 -18.7 -18.2 -17.7 -17.4 -17.1 -16.6 -16.1 -15.8 -15.2 -14.3 -13.4 -12.2	411						
						01N/22W-15C015	31.9	3-31-67 4-05-67 5-26-67 7-26-67	(2) 42.1 42.9 39.7	-10.2 -11.0 -7.8	121
						01N/22W-17M035	9.0	11-05-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-30-67 5-28-67 6-26-67 7-25-67 8-30-67 9-30-67	34.1 24.1 20.4 17.6 23.6 24.5 15.8 20.3 15.3 16.4 25.1 23.5	-25.1 -15.1 -11.4 -8.6 -14.6 -15.5 -6.8 -11.3 -6.3 -7.4 -16.1 -14.5	411
						01N/22W-18C015	11.5	3-31-67 5-26-67 7-26-67	8.7 9.8 9.5	2.8 1.7 2.0	121
						01N/22W-20E015	10.7	11-25-66 12-28-66 1-29-67	24.8 21.9 21.3	-14.1 -11.2 -10.6	411

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00							
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0				
OXNARD HYDRO SUBAREA			U-03.A1			OXNARD HYDRO SUBAREA			U-03.A1				
01N/22W-20E01S (CONT.)	10.7	2-26-67	24.9	-14.2	411	01N/22W-27A02S	15.9	3-31-67	35.1	-19.2	121		
		3-22-67	26.3	-15.6				5-26-67	34.9	-19.0			
		4-30-67	24.6	-13.9				7-27-67	35.2	-19.3			
		5-28-67	24.5	-13.8		01N/22W-27B04S	12.0	3-31-67	(6)		121		
		6-26-67	24.5	-13.8		01N/22W-27R01S	6.1	3-31-67	(7)		121		
		7-25-67	23.4	-12.7		01N/22W-27R02S	5.9	3-31-67	33.8	-27.9	121		
		8-28-67	22.6	-11.9				5-29-67	33.8	-27.9			
01N/22W-20E02S	11.4	11-25-66	41.5	-30.1	411			7-27-67	32.6	-26.7			
		12-28-66	32.7	-21.3		01N/22W-29A04S	5.6	10-12-66	(2)		121		
		1-29-67	31.3	-19.9				3-31-67	20.3	-14.7			
		2-26-67	30.1	-18.7				5-26-67	15.1	-9.5			
		3-22-67	30.0	-18.6				7-26-67	13.1	-7.5			
		4-30-67	25.2	-13.8		01N/22W-36802S	10.8	3-31-67	51.1	-40.3	121		
		5-28-67	22.3	-10.9				5-31-67	(1)				
		6-26-67	21.8	-10.4				7-27-67	51.8	-41.0			
		7-25-67	20.5	-9.1		01N/23W-01K01S	11.9	3-30-67	6.7	5.2	121		
		8-28-67	21.5	-10.1				5-25-67	6.9	5.0			
01N/22W-20N02S	8.4	10-01-66	19.7	-11.3	411			7-26-67	7.1	4.8			
		10-08-66	20.9	-12.5		02N/21W-06F01S	148.4	10-01-66	26.6	121.8	411		
		10-15-66	19.1	-10.7				10-08-66	27.0	121.4			
		10-29-66	20.7	-12.3				10-15-66	27.2	121.2			
		11-05-66	20.8	-12.4				10-22-66	27.4	121.0			
		11-12-66	19.7	-11.3				10-29-66	26.6	121.8			
		11-19-66	18.1	-9.7				11-05-66	26.0	122.4			
		11-26-66	17.8	-9.4				11-12-66	25.6	122.8			
		12-03-66	16.0	-7.6				11-19-66	26.5	121.9			
		12-10-66	17.3	-8.9				11-26-66	26.7	121.7			
		12-17-66	14.1	-5.7				12-03-66	26.6	121.8			
		12-24-66	16.0	-7.6				12-10-66	26.5	121.9			
		12-31-66	13.4	-5.0				12-17-66	24.1	124.3			
		1-07-67	17.0	-8.6				12-24-66	23.8	124.6			
		1-14-67	15.2	-6.8				12-31-66	23.8	124.6			
		1-21-67	17.7	-9.3				1-07-67	24.1	124.3			
		1-28-67	13.0	-4.6				1-14-67	24.2	124.2			
		2-04-67	15.0	-6.6				1-21-67	24.3	124.1			
		2-11-67	12.7	-4.3				1-28-67	24.4	124.0			
		2-18-67	16.5	-8.1				3-21-67	23.5	124.9			
		2-25-67	15.8	-7.4				6-03-67	16.5	131.9			
		3-11-67	17.1	-8.7				6-10-67	16.5	131.9			
		3-18-67	16.3	-7.9				6-16-67	16.8	131.6			
		3-25-67	16.7	-8.3				6-21-67	16.8	131.6			
		4-08-67	14.1	-5.7				6-28-67	16.8	131.6			
		4-15-67	14.7	-6.3				7-05-67	17.5	130.9			
		4-29-67	13.7	-5.3				7-12-67	18.4	130.0			
		5-06-67	13.2	-4.8				7-19-67	20.1	128.3			
		5-13-67	14.2	-5.8				7-26-67	20.8	127.6			
		5-20-67	15.1	-6.7				8-02-67	21.2	127.2			
		5-27-67	14.8	-6.4				8-09-67	21.5	126.9			
		6-03-67	14.9	-6.5				8-16-67	21.9	126.5			
		6-10-67	14.0	-5.6				8-23-67	22.3	126.1			
		6-16-67	14.8	-6.4				8-30-67	22.4	126.0			
		6-21-67	13.2	-4.8				9-06-67	22.4	126.0			
		6-28-67	13.3	-4.9				9-09-67	22.2	126.2			
		7-05-67	11.8	-3.4				9-16-67	22.1	126.3			
		7-12-67	11.6	-3.2				9-23-67	22.6	125.8			
		7-19-67	11.9	-3.5				9-30-67	21.4	127.0			
		7-26-67	12.3	-3.9									
		8-02-67	12.3	-3.9				02N/21W-06L01S	149.0	10-30-66	94.2	54.8	411
		8-09-67	12.4	-4.0						11-26-66	80.5	68.5	
		8-16-67	14.4	-6.0						12-30-66	59.0	90.0	
		8-23-67	14.7	-6.3						2-01-67	53.3	95.7	
		8-30-67	16.2	-7.8						2-27-67	45.0	104.0	
		9-06-67	17.6	-9.2						3-25-67	37.3	111.7	
		9-09-67	15.6	-7.2						4-30-67	23.6	125.4	
		9-16-67	17.4	-9.0						5-31-67	18.6	130.4	
		9-23-67	15.3	-6.9						6-28-67	26.0	123.0	
		9-30-67	15.4	-7.0						7-26-67	33.3	115.7	
01N/22W-21L02S	11.4	3-31-67	27.1	-15.7	121			8-30-67	35.1	113.9			
		5-26-67	25.0	-13.6				9-30-67	25.8	123.2			
		7-26-67	23.3	-11.9		02N/21W-06P01S	150.1	10-30-66	98.8	51.3	411		
01N/22W-22M05S	16.4	3-31-67	34.6	-18.2	121			11-26-66	96.1	54.0			
		5-26-67	28.1	-11.7				12-30-66	(1)				
		7-27-67	33.3	-16.9				2-01-67	66.0	84.1			
01N/22W-23Q01S	18.8	3-31-67	41.5	-22.7	121			2-27-67	52.1	98.0			
		5-31-67	41.6	-22.8				3-25-67	43.6	106.5			
		7-27-67	40.5	-21.7				4-30-67	31.8	118.3			
01N/22W-25C02S	18.3	3-31-67	44.4	-26.1	121			5-31-67	26.6	123.5			
		5-31-67	(1)					6-28-67	(1)				
		7-27-67	45.3	-27.0				7-26-67	39.9	110.2			
01N/22W-26A01S	19.8	3-31-67	44.2	-24.4	121			8-30-67	51.4	98.7			
		5-31-67	39.5	-19.7				9-30-67	30.4	119.7			
		7-27-67	(1)			02N/21W-07P02S	140.9	4-11-67	41.3	99.6	121		
01N/22W-26Q03S	14.7	3-31-67	32.7	-18.0	121			6-02-67	38.5	102.4			
		5-29-67	32.4	-17.7				8-23-67	(1)				
		7-27-67	(3)			02N/21W-17M02S	111.9	4-11-67	76.9(5)	35.0	121		
01N/22W-26K01S	13.9	3-31-67	36.5	-22.6	121			6-07-67	56.9(5)	55.0			
		5-31-67	(1)					8-23-67	98.9(1)	13.0			
		7-27-67	29.7	-15.8									

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.40			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0		
OXNARD HYDRO SUBAREA			U-03.41			OXNARD HYDRO SUBAREA			U-03.A1		
02N/21W-18A015	118.4	6-07-67	46.4	72.0	121	02N/22W-08N035	191.9	3-28-67	(1)		121
		8-23-67	53.4	65.0				5-24-67	170.9	21.0	
								7-21-67	171.9	20.0	
02N/21W-18R015	108.2	10-30-66	91.8	16.4	411	02N/22W-08P015	214.6	10-11-66	(2)		121
		11-26-66	90.0	18.2				3-30-67	190.9	23.7	
		12-30-66	89.9	18.3				5-24-67	186.9(5)	27.7	
		1-29-67	89.3	18.9				7-21-67	(1)		
		2-27-67	85.9	22.3		02N/22W-09J015	238.5	3-24-67	173.0	65.5	121
		3-25-67	75.1	33.1				5-24-67	171.2	67.3	
		4-30-67	71.3	36.9				7-21-67	172.0	66.5	
		5-28-67	51.9	56.3		02N/22W-09K035	243.9	3-24-67	208.9(5)	35.0	121
		6-26-67	(1)					5-24-67	204.9(5)	39.0	
		7-26-67	(1)					7-21-67	207.9(5)	36.0	
		8-31-67	65.1	43.1		02N/22W-09K045	246.6	10-30-66	219.5	27.1	411
02N/21W-19L015	89.7	4-11-67	67.2	22.5	121			11-25-66	218.3	28.3	
		6-08-67	54.7	35.0				12-28-66	216.6	30.0	
		8-23-67	(1)					1-29-67	216.0	30.6	
02N/21W-29L025	73.3	10-01-66	81.7	-8.4	411			2-26-67	214.5	32.1	
		10-08-66	81.0	-7.7				3-22-67	212.5	34.1	
		10-15-66	80.7	-7.4				4-30-67	210.3	36.3	
		10-22-66	81.1	-7.8				5-28-67	210.1	36.5	
		10-29-66	81.6	-8.3				6-26-67	211.6	35.0	
		11-05-66	81.7	-8.4				7-25-67	211.9	34.7	
		11-12-66	81.3	-8.0				8-28-67	213.4	33.2	
		11-19-66	80.2	-6.9				9-28-67	212.4	34.2	
		11-26-66	79.2	-5.9		02N/22W-12B015	141.0	10-30-66	68.3	72.7	411
		12-03-66	78.3	-5.0				11-26-66	70.8	70.2	
		12-10-66	77.6	-4.3				12-30-66	71.8	69.2	
		12-17-66	76.9	-3.6				2-01-67	70.4	70.6	
		12-24-66	76.2	-2.9				2-27-67	65.9	75.1	
		12-31-66	75.7	-2.4				3-25-67	60.3	80.7	
		1-07-67	75.7	-2.4				4-30-67	27.3	113.7	
		1-14-67	75.4	-2.1				5-31-67	18.7	122.3	
		1-21-67	76.5	-3.2				6-28-67	21.9	119.1	
		1-28-67	75.5	-2.2				7-26-67	26.5	114.5	
		2-04-67	73.9	-6.6				8-30-67	32.3	108.7	
		2-11-67	72.8	.5				9-30-67	32.6	108.4	
		2-18-67	72.1	1.2		02N/22W-12E015	128.0	10-30-66	106.3	21.7	411
		2-25-67	71.8	1.5				11-26-66	99.9	28.1	
		3-04-67	70.9	2.4				12-30-66	(1)		
		3-11-67	70.6	2.7				2-01-67	80.3	47.7	
		3-18-67	69.4	3.9				2-25-67	75.4	52.6	
		3-25-67	68.3	5.0				3-22-67	64.7	63.3	
		4-01-67	67.6	5.7				5-31-67	38.1	89.9	
		4-08-67	66.1	7.2				6-26-67	35.7	92.3	
		4-15-67	64.4	8.9				7-26-67	44.0	84.0	
		4-22-67	63.2	10.1				8-30-67	63.4	64.6	
		4-29-67	61.6	11.7		02N/22W-12K025	135.9	10-11-66	104.2	31.7	121
		5-06-67	59.7	13.6				4-11-67	46.2	89.7	
		5-13-67	64.1	9.2				6-02-67	33.5	102.4	
		5-20-67	66.7	6.6				8-23-67	55.7	80.2	
		5-27-67	69.5	3.8		02N/22W-12K035	136.7	11-26-66	94.5	42.2	411
		6-03-67	72.8	.5				12-30-66	82.5	54.2	
		6-10-67	68.2	5.1				2-01-67	69.0	67.7	
		6-16-67	58.5	14.8				2-27-67	64.2	72.5	
		6-21-67	58.1	15.2				4-30-67	28.8	107.9	
		6-28-67	57.2	16.1				5-31-67	(1)		
		7-05-67	57.9	15.4				6-28-67	(1)		
		7-12-67	58.1	15.2				7-26-67	(1)		
		7-19-67	60.3	13.0				8-30-67	(1)		
		7-26-67	59.9	13.4							
		8-02-67	59.9	13.4							
		8-09-67	62.6	10.7							
		8-16-67	61.1	12.2							
		8-23-67	65.0	8.3							
		8-30-67	65.1	8.2							
		9-06-67	64.1	9.2							
		9-09-67	63.9	9.4							
		9-16-67	62.6	10.7							
		9-23-67	62.0	11.3							
		9-30-67	61.2	12.1							
02N/21W-29L035	77.0	10-30-66	106.7	-29.7	411	02N/22W-12L035	129.0	4-11-67	54.4	74.6	121
		11-26-66	97.0	-20.0				6-02-67	43.7	85.3	
		12-30-66	100.1	-23.1				8-22-67	(1)		
		1-29-67	91.0	-14.0		02N/22W-12R015	135.1	10-01-66	103.8	31.3	411
		2-26-67	91.7	-14.7				10-08-66	104.9	30.2	
		3-25-67	(3)					10-15-66	106.0	29.1	
		4-30-67	76.8	.2				10-22-66	107.2	27.9	
		5-28-67	(1)					10-29-66	108.1	27.0	
		6-26-67	85.1	-8.1				11-05-66	108.9	26.2	
		7-26-67	(1)					11-12-66	109.2	25.9	
		8-28-67	98.5	-21.5				11-19-66	108.5	26.6	
								11-26-66	108.4	26.7	
								12-03-66	108.7	26.4	
								12-10-66	109.1	26.0	
								12-17-66	104.2	30.9	
								12-24-66	97.3	37.8	
								12-31-66	94.3	40.8	
								1-07-67	91.6	43.5	
								1-14-67	90.7	44.4	
								1-21-67	90.5	44.6	
								1-28-67	90.7	44.4	
								2-04-67	80.5	54.6	
								2-11-67	75.1	60.0	
								2-18-67	73.6	61.5	
								2-25-67	73.2	61.9	
								3-04-67	73.0	62.1	
								3-11-67	73.3	61.8	
								3-18-67	72.2	62.9	
02N/22W-08N015	203.8	3-28-67	176.8	27.0	121						
		5-24-67	175.8	28.0							
		7-21-67	182.2	21.6							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT OXNARD HYDRO SUBAREA			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT OXNARD HYDRO SUBAREA			U-03.A0		
			U-03.A1						U-03.A1		
02N/22W-12R015	135.1	3-25-67	60.9	74.2	411	02N/22W-18N015	80.0	5-24-67	68.7	11.3	121
(CONT.)		4-01-67	55.9	79.2		(CONT.)		7-25-67	70.4	9.6	
		4-08-67	49.7	85.4							
		4-15-67	45.8	89.3		02N/22W-20M055	41.0	10-30-66	72.0	-31.0	411
		4-22-67	44.5	90.6				11-25-66	62.1	-21.1	
		4-29-67	48.0	87.1				12-28-66	58.3	-17.3	
		5-06-67	42.0	93.1				1-29-67	55.1	-14.1	
		5-13-67	36.7	98.4				2-26-67	56.2	-15.2	
		5-20-67	34.6	100.5				3-22-67	57.2	-16.2	
		5-27-67	34.4	100.7				4-30-67	38.5	2.5	
		6-03-67	34.1	101.0				5-28-67	41.1	-1.1	
		6-10-67	37.8	97.3				6-26-67	42.8	-1.8	
		6-16-67	37.8	97.3				7-25-67	41.8	-1.8	
		6-21-67	39.5	95.6				8-28-67	41.4	-1.4	
		6-28-67	41.1	94.0							
		7-05-67	43.7	91.4		02N/22W-21Q015	68.5	3-30-67	73.9(1)	-5.4	121
		7-12-67	45.0	90.1				5-25-67	66.9(1)	1.6	
		7-26-67	49.3	85.8				7-24-67	55.1	13.4	
		8-02-67	51.3	83.8							
		8-09-67	52.0	83.1		02N/22W-21R035	70.0	3-07-67	74.0	-4.0	209
		8-16-67	53.3	81.8				4-10-67	69.0	1.0	
								5-02-67	66.0	4.0	
		8-23-67	54.4	80.7				6-13-67	62.0	8.0	
		8-30-67	53.0	82.1				7-11-67	60.0	10.0	
		9-06-67	51.0	84.1				8-08-67	62.0	8.0	
		9-09-67	49.9	85.2				9-09-67	67.0	3.0	
		9-16-67	48.8	86.3		02N/22W-22H015	109.4	4-11-67	78.5	30.9	121
		9-23-67	46.6	88.5				6-02-67	70.1	39.3	
		9-30-67	45.8	89.3				8-22-67	(1)		
02N/22W-13A025	131.0	4-11-67	38.2	92.8	121	02N/22W-22M035	78.2	4-11-67	74.7	3.5	121
		6-07-67	105.0(1)	26.0				6-02-67	64.8	13.4	
		8-23-67	(1)					8-22-67	67.8	10.4	
02N/22W-13G025	127.8	10-01-66	119.2(1)	8.6	411	02N/22W-22R015	92.2	10-01-66	107.5	-15.3	411
		10-08-66	116.2	11.6				10-08-66	108.0	-15.8	
		10-15-66	137.2(1)	-9.4				10-15-66	108.2	-16.0	
		10-29-66	152.2(1)	-24.4				10-22-66	108.8	-16.6	
		11-05-66	120.2	7.6				10-29-66	109.1	-16.9	
		11-12-66	121.2	6.6				11-05-66	109.6	-17.4	
		11-19-66	121.2	6.6				11-12-66	108.9	-16.7	
		11-26-66	121.2	6.6				11-19-66	107.0	-14.8	
		12-03-66	119.2	8.6				11-26-66	104.2	-12.0	
		12-10-66	120.2	7.6				12-03-66	103.1	-10.9	
		12-17-66	120.2	7.6				12-10-66	101.8	-9.6	
		12-24-66	118.2	9.6				12-17-66	100.9	-8.7	
		12-31-66	116.2	11.6				12-24-66	98.1	-5.9	
		1-21-67	111.2	16.6				12-31-66	96.6	-4.4	
		1-28-67	110.2	17.6				1-07-67	95.7	-3.5	
		2-04-67	109.2	18.6				1-14-67	95.6	-3.4	
		2-11-67	107.2	20.6				1-21-67	95.4	-3.2	
		2-18-67	103.2	24.6				1-28-67	94.6	-2.4	
		2-25-67	100.2	27.6				2-04-67	92.5	-1.3	
		3-25-67	93.2	34.6				2-11-67	89.7	2.5	
		4-01-67	89.2	38.6				2-18-67	86.1	6.1	
		4-08-67	87.2	40.6				2-25-67	84.4	7.8	
		4-29-67	78.2	49.6				3-04-67	83.7	8.5	
		5-13-67	73.2	54.6				3-11-67	83.0	9.2	
		5-20-67	71.2	56.6				3-18-67	82.6	9.6	
		5-27-67	69.2	58.6				3-25-67	81.1	11.1	
		6-03-67	83.2(1)	44.6				4-01-67	78.2	14.0	
		6-10-67	65.2	62.6				4-08-67	76.8	15.4	
		6-16-67	82.2(1)	45.6				4-15-67	76.6	15.6	
		6-21-67	82.2(1)	45.6				4-22-67	76.6	15.6	
		6-28-67	89.2(1)	38.6				4-29-67	77.0	15.2	
		7-05-67	65.2	62.6				5-06-67	77.0	15.2	
		7-12-67	83.2(1)	44.6				5-13-67	76.0	16.2	
		7-19-67	83.2(1)	44.6				5-20-67	73.8	18.4	
		7-26-67	81.2	46.6				5-27-67	71.2	21.0	
		8-02-67	77.2	50.6				6-03-67	69.4	22.8	
		8-09-67	83.2(1)	44.6				6-10-67	68.8	23.4	
		8-16-67	88.2(1)	39.6				6-16-67	68.8	23.4	
		8-23-67	86.2(1)	41.6				6-21-67	69.0	23.2	
		8-30-67	70.2	57.6				6-28-67	69.1	23.1	
		9-06-67	71.2	56.6				7-05-67	69.2	23.0	
		9-09-67	72.2	55.6				7-12-67	69.6	22.6	
		9-16-67	86.2(1)	41.6				7-19-67	69.4	22.8	
		9-23-67	88.2(1)	39.6				7-26-67	71.6	20.6	
		9-30-67	70.2	57.6				8-02-67	72.7	19.5	
02N/22W-14G015	113.4	10-11-66	116.1	-2.7	121			8-09-67	73.5	18.7	
		4-11-67	81.8	31.6				8-16-67	74.8	17.4	
		6-02-67	69.8	43.6				8-23-67	75.7	16.5	
		8-22-67	(1)					8-30-67	76.6	15.6	
02N/22W-14P025	108.0	10-30-66	136.3	-28.3	411			9-06-67	77.4	14.8	
		11-26-66	109.0	-1.0				9-09-67	77.8	14.4	
		12-30-66	97.3	10.7				9-16-67	78.1	14.1	
		2-01-67	96.6	11.4				9-23-67	78.4	13.8	
		2-27-67	(1)					9-30-67	78.1	14.1	
		3-22-67	82.5	25.5		02N/22W-23B015	109.0	10-30-66	145.1	-36.1	411
		4-30-67	(1)					11-26-66	110.5	-1.5	
		5-31-67	(1)					12-30-66	103.2	5.8	
		6-28-67	(1)					2-01-67	94.1	14.9	
		7-26-67	(1)					2-27-67	86.2	22.8	
		8-30-67	(1)					3-22-67	88.3	20.7	
		9-30-67	80.3	27.7				4-30-67	82.5	26.5	
02N/22W-18N015	80.0	3-28-67	69.1	10.9	121			5-31-67	78.1	30.9	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT						OXNARD PLAIN HYDRO SUBUNIT					
OXNARD HYDRO SUBAREA						OXNARD HYDRO SUBAREA					
U-03.A0						U-03.A0					
U-03.A1						U-03.A1					
02N/22W-23R01S (CONT.)	109.0	6-28-67 7-26-67 8-30-67 9-30-67	(1) 78.4 (1) 80.3	30.6 28.7	411	02N/22W-23K01S	105.0	10-01-66 10-08-66 10-15-66 10-29-66 11-05-66 11-12-66 11-19-66 11-26-66 12-03-66 12-10-66 12-17-66 12-24-66 12-31-66 1-07-67 1-14-67 1-21-67 1-28-67 2-04-67 2-11-67 2-18-67 2-25-67 3-11-67 3-18-67 3-25-67 4-08-67 4-15-67 4-22-67 4-29-67 5-13-67 5-20-67 5-27-67 6-03-67 6-10-67 6-16-67 6-21-67 6-28-67 7-05-67 7-12-67 7-19-67 7-26-67 8-02-67 8-09-67 8-16-67 8-23-67 8-30-67 9-06-67 9-09-67 9-16-67 9-23-67 9-30-67	114.7 115.2 116.8 116.4 119.0 120.5 103.1 102.7 103.3 105.5 92.8 92.0 89.1 92.5 94.1 95.1 98.5 74.1 67.9 66.9 65.9 72.9 71.9 56.5 65.3 71.2 71.1 78.4 54.9 47.0 45.5 47.2 51.1 55.3 59.0 62.2 63.5 65.4 69.5 73.1 76.2 77.3 77.5 78.8 81.2 82.2 81.8 79.5 81.3 77.0	-9.7 -10.2 -11.8 -11.4 -14.0 -15.5 1.9 2.3 1.7 -1.5 12.2 13.0 15.9 12.5 10.9 9.9 6.5 30.9 37.1 38.1 39.1 32.1 33.1 48.5 39.7 33.8 33.9 26.6 50.1 58.0 59.5 57.8 53.9 49.7 46.0 42.8 41.5 39.6 35.5 31.9 28.8 27.7 27.5 26.2 23.8 22.8 23.2 25.5 23.7 28.0	411
02N/22W-23R02S	108.0	10-30-66 11-26-66 12-30-66 2-01-67 2-27-67 3-22-67 4-30-67 5-31-67 6-28-67 7-26-67 8-30-67 9-30-67	(1) 109.0 98.4 92.2 86.5 82.2 (1) (1) (1) (1) (1) (1) 81.2	-1.0 9.6 15.8 21.5 25.8	411						
02N/22W-23C01S	107.0	10-30-66 11-26-66 12-28-66 4-30-67 9-30-67	123.0 109.0 100.4 (1) (1)	-16.0 -2.0 6.6	411						
02N/22W-23C02S	107.0	10-30-66 2-01-67 9-30-67	(1) 93.5 (1)	13.5	411						
02N/22W-23C03S	107.0	2-01-67 9-30-67	127.1 120.0	-20.1 -13.0	411						
02N/22W-23G01S	106.5	10-01-66 10-08-66 10-15-66 10-22-66 10-29-66 11-05-66 11-12-66 11-19-66 11-26-66 12-03-66 12-10-66 12-17-66 12-24-66 12-31-66 1-07-67 1-14-67 1-21-67 1-28-67 2-04-67 2-11-67 2-18-67 2-25-67 3-04-67 3-11-67 3-18-67 3-25-67 4-01-67 4-08-67 4-15-67 4-22-67 4-29-67 5-06-67 5-13-67 5-20-67 5-27-67 6-03-67 6-10-67 6-16-67 6-21-67 6-28-67 7-05-67 7-12-67 7-19-67 7-26-67 8-02-67 8-09-67 8-16-67 8-23-67 8-30-67 9-06-67 9-09-67 9-16-67 9-23-67 9-30-67	119.0 162.0(1) 159.0(1) 153.0(1) 158.0(1) 157.0(1) 117.0 139.0(1) 104.0 106.0 109.0 91.0 91.0 140.0(1) 93.0 95.0 96.0 98.0 77.0 74.0 75.0 76.0 76.0 78.0 80.0 67.0 67.0 71.0 75.0 77.0 81.0 125.0(1) 119.0 63.0 113.0(1) 117.0(1) 113.0(1) 65.0 117.0(1) 119.0(1) 70.0 72.0 75.0 141.0(1) 79.0 80.0 132.0(1) 141.0(1) 136.0(1) 136.0(1) 83.0 130.0(1) 127.0(1) 79.0	-12.5 -55.5 -52.5 -46.5 -51.5 -50.5 -10.5 -32.5 2.5 .5 -2.5 15.5 15.5 -33.5 13.5 11.5 10.5 8.5 29.5 32.5 31.5 30.5 30.5 28.5 26.5 39.5 39.5 35.5 31.5 29.5 25.5 -18.5 -12.5 43.5 -6.5 -10.5 -6.5 41.5 -10.5 -12.5 36.5 34.5 31.5 -34.5 27.5 26.5 -25.5 -34.5 -29.5 -29.5 23.5 -23.5 -20.5 27.5	411						
02N/22W-23G02S	107.0	11-26-66 12-30-66 2-01-67 2-27-67 3-22-67 4-30-67 5-31-67 6-28-67 7-26-67 8-30-67 9-30-67	111.5 98.8 96.8 85.8 83.1 81.7 71.8 (1) 83.6 (1) 80.0	-4.5 8.2 10.2 21.2 23.9 25.3 35.2 23.4 27.0	411	02N/22W-23K04S	105.8	10-01-66 10-08-66 10-15-66 10-22-66 10-29-66 11-05-66 11-12-66 11-19-66 11-26-66 12-03-66 12-10-66 12-17-66 12-24-66 12-31-66 1-07-67 1-14-67 1-21-67 1-28-67 2-04-67 2-11-67 2-18-67 2-25-67 3-04-67 3-11-67 3-18-67 3-25-67 4-01-67 4-08-67 4-15-67 4-22-67 4-29-67 5-06-67 5-13-67 5-20-67 5-27-67 6-03-67 6-10-67 6-16-67 6-21-67 6-28-67 7-05-67 7-12-67 7-19-67 7-26-67 8-02-67 8-09-67 8-16-67	230.7(1) 235.7(1) 234.7(1) 229.7(1) 234.7(1) 230.7(1) 227.7(1) 233.7(1) 230.7(1) 227.7(1) 232.7(1) 230.7(1) 233.7(1) 240.7(1) 236.7(1) 234.7(1) 233.7(1) 229.7(1) 220.7(1) 147.7 146.7 143.7 139.7 222.7(1) 231.7(1) 226.7(1) 229.7(1) 231.7(1) 229.7(1) 225.7(1) 232.7(1) 230.7(1) 226.7(1) 229.7(1) 219.7(1) 223.7(1) 219.7(1) 222.7(1) 217.7(1) 219.7(1) 220.7(1) 218.7(1) 221.7(1) 213.7(1) 216.7(1) 216.7(1) 215.7(1)	-124.9 -129.9 -128.9 -123.9 -128.9 -124.9 -121.9 -127.9 -124.9 -121.9 -126.9 -124.9 -127.9 -123.9 -114.9 -41.9 -40.9 -37.9 -33.9 -116.9 -125.9 -120.9 -123.9 -125.9 -123.9 -119.9 -126.9 -124.9 -120.9 -123.9 -113.9 -117.9 -113.9 -116.9 -111.9 -113.9 -114.9 -112.9 -115.9 -107.9 -110.9 -110.9 -109.9	411

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0		
OXNARD HYDRO SUBAREA			U-03.A1			OXNARD HYDRO SUBAREA			U-03.A1		
02N/22W-23K04S (CONT.)	105.8	8-23-67	219.7(1)	-113.9	411	02N/22W-32Q02S	39.6	12-16-66	7.3	32.3	121
		8-30-67	216.7(1)	-110.9				3-30-67	6.2	33.4	
		9-06-67	214.7(1)	-108.9				5-25-67	4.1	35.5	
		9-09-67	271.7(1)	-165.9				7-26-67	5.3	34.3	
		9-16-67	221.7(1)	-115.9		02N/22W-33N01S	49.0	10-01-66	76.6	-27.6	411
		9-23-67	219.7(1)	-113.9				10-08-66	76.4	-27.4	
		9-30-67	215.7(1)	-109.9				10-15-66	74.9	-25.9	
02N/22W-23Q01S	101.6	10-11-66	112.4	-10.8	121			10-22-66	75.8	-26.8	
		4-11-67	68.4	33.2				10-29-66	75.6	-26.6	
		6-07-67	49.2	52.4				11-05-66	76.0	-27.0	
		8-23-67	77.4	24.2				11-12-66	69.2	-20.2	
02N/22W-25N02S	76.2	10-01-66	88.5	-12.3	411			11-19-66	68.2	-19.2	
		10-08-66	88.8	-12.6				11-26-66	66.3	-17.3	
		10-15-66	89.4	-13.2				12-03-66	65.8	-16.8	
		10-22-66	89.6	-13.4				12-10-66	63.6	-14.6	
		10-29-66	89.4	-13.2				12-17-66	62.6	-13.6	
		11-05-66	89.8	-13.6				12-24-66	62.8	-13.8	
		11-12-66	88.5	-12.3				12-31-66	63.0	-14.0	
		11-19-66	88.0	-11.8				1-07-67	64.7	-15.7	
		11-26-66	87.1	-10.9				1-14-67	66.4	-17.4	
		12-03-66	86.0	-9.8				1-21-67	64.4	-15.4	
		12-10-66	85.0	-8.8				1-28-67	59.4	-10.4	
		12-17-66	84.3	-8.1				2-04-67	57.6	-8.6	
		12-24-66	83.5	-7.3				2-11-67	58.3	-9.3	
		12-31-66	83.0	-6.8				2-18-67	59.4	-10.4	
		1-07-67	82.9	-6.7				2-25-67	59.3	-10.3	
		1-14-67	82.1	-5.9				3-04-67	59.3	-10.3	
		1-21-67	81.2	-5.0				3-11-67	58.5	-9.5	
		1-28-67	79.4	-3.2				3-18-67	55.5	-6.5	
		2-04-67	78.3	-2.1				3-25-67	57.6	-8.6	
		2-11-67	78.3	-2.1				4-01-67	57.8	-8.8	
		2-18-67	77.4	-1.2				4-08-67	53.1	-4.1	
		2-25-67	75.3	-.9				4-15-67	50.5	-1.5	
		3-04-67	73.9	2.3				4-22-67	48.9	.1	
		3-11-67	71.8	4.4				4-29-67	48.3	.7	
		3-18-67	69.9	6.3				5-06-67	49.7	-.7	
		3-25-67	70.2	6.0				5-13-67	54.3	-5.3	
		4-01-67	67.8	8.4				5-20-67	55.5	-6.5	
		4-08-67	65.3	10.9				5-27-67	54.4	-5.4	
		4-15-67	63.5	12.7				6-03-67	52.0	-3.0	
		4-22-67	62.6	13.6				6-10-67	50.5	-1.5	
		4-29-67	62.0	14.2				6-16-67	50.0	-1.0	
		5-06-67	62.8	13.4				6-21-67	48.1	.9	
		5-13-67	62.0	14.2				6-28-67	46.9	2.1	
		5-20-67	61.9	14.3				7-05-67	45.8	3.2	
		5-27-67	60.1	16.1				7-12-67	46.3	2.7	
		6-03-67	59.4	16.8				7-19-67	47.6	1.4	
		6-10-67	58.1	18.1				7-26-67	48.2	.8	
		6-16-67	56.9	19.3				8-02-67	49.3	-.3	
		6-21-67	56.4	19.8				8-09-67	50.2	-1.2	
		6-28-67	57.2	19.0				8-16-67	53.3	-4.3	
		7-05-67	56.3	19.9				8-23-67	54.9	-5.9	
		7-12-67	58.7	17.5				8-30-67	55.2	-6.2	
		7-19-67	57.5	18.7				9-06-67	54.7	-5.7	
		7-26-67	58.3	17.9				9-09-67	55.1	-6.1	
		8-02-67	57.2	19.0				9-16-67	56.2	-7.2	
		8-09-67	58.3	17.9				9-23-67	56.4	-7.4	
		8-16-67	60.4	15.8				9-30-67	54.8	-5.8	
		8-23-67	62.8	13.4		02N/22W-34M01S	66.0	3-07-67	71.7	-5.7	209
		8-30-67	63.0	13.2				4-10-67	65.7	.3	
		9-06-67	63.1	13.1				5-02-67	61.7	4.3	
		9-09-67	63.9	12.3				6-06-67	62.7	3.3	
		9-16-67	64.2	12.0				7-05-67	57.7	8.3	
		9-23-67	64.5	11.7				8-01-67	59.7	6.3	
		9-30-67	63.6	12.6				9-13-67	66.7	-.7	
02N/22W-25Q04S	71.1	10-12-66	85.3	-14.2	121	02N/22W-35C01S	75.2	4-12-67	69.0	6.2	121
		4-12-67	59.9	11.2				6-08-67	64.0	11.2	
		6-08-67	55.9	15.2				8-24-67	67.8	7.4	
		8-23-67	57.4	13.7		02N/22W-36M02S	67.0	10-01-66	87.3	-20.3	411
02N/22W-27L01S	76.0	4-11-67	71.9	4.1	121			10-08-66	86.7	-19.7	
		6-08-67	65.6	10.4				10-15-66	86.4	-19.4	
		8-24-67	66.4	9.6				10-22-66	87.2	-20.2	
02N/22W-27N03S	77.2	3-30-67	80.0	-2.8	121			10-29-66	87.2	-20.2	
		5-25-67	73.7	3.5				11-05-66	87.5	-20.5	
		7-25-67	68.3	8.9				11-12-66	84.2	-17.2	
02N/22W-28L01S	66.4	3-30-67	73.1	-6.7	121			11-19-66	81.7	-14.7	
		5-25-67	69.9	-3.5				11-26-66	80.2	-13.2	
		7-26-67	59.3	7.1				12-03-66	79.6	-12.6	
02N/22W-31A01S	41.7	3-30-67	56.4	-14.7	121			12-10-66	78.1	-11.1	
		5-25-67	51.0	-9.3				12-17-66	76.6	-9.6	
		7-26-67	43.7	-2.0				12-24-66	76.1	-9.1	
02N/22W-31C01S	33.4	3-30-67	50.8	-17.4	121			12-31-66	75.9	-8.9	
		5-25-67	47.4	-14.0				1-07-67	75.6	-8.6	
		7-26-67	33.8	-.4				1-14-67	77.2	-10.2	
02N/22W-32C03S	49.0	12-16-66	21.1	27.9	121			1-21-67	76.9	-9.9	
		3-30-67	20.9	28.1				1-28-67	73.6	-6.6	
		5-25-67	20.3	28.7				2-04-67	71.4	-4.4	
		7-26-67	20.6	28.4				2-11-67	70.7	-3.7	
								2-18-67	69.9	-2.9	
								2-25-67	69.6	-2.6	
								3-04-67	69.1	-2.1	
								3-11-67	68.7	-1.7	
								3-18-67	66.7	.3	
								3-25-67	65.6	1.4	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0		
OXNARD HYDRO SUBAREA			U-03.A1			PLEASANT VALLEY HYDRO SUBAREA			U-03.A2		
02N/22W-36M025 (CONT.)	67.0	4-01-67	64.8	2.2	411	01N/20W-06A01S (CONT.)	119.6	8-22-67	66.2	53.4	121
		4-08-67	62.5	4.5							
		4-15-67	61.0	6.0							
		4-22-67	60.0	7.0		01N/20W-06C01S	124.5	4-11-67	124.5	.0	121
		4-29-67	58.8	8.2				6-02-67	144.6	-20.1	
		5-06-67	59.2	7.8				8-22-67	137.2	-12.7	
		5-13-67	59.9	7.1		01N/21W-01A01S	117.2	4-10-67	169.5	-52.3	121
		5-20-67	59.4	7.6				6-02-67	193.8	-76.6	
		5-27-67	59.8	7.2				8-22-67	191.7	-74.5	
		6-03-67	60.0	7.0		01N/21W-02J01S	90.1	4-10-67	103.2	-13.1	121
		6-10-67	58.7	8.3				6-02-67	104.8	-14.7	
		6-16-67	57.4	9.6				8-22-67	104.7	-14.6	
		6-21-67	55.8	11.2		01N/21W-02J02S	90.0	4-10-67	140.4	-50.4	121
		6-28-67	55.8	11.2				6-02-67	158.7	-68.7	
		7-05-67	55.7	11.3				8-22-67	170.4	-80.4	
		7-12-67	55.8	11.2		01N/21W-02P01S	66.6	4-07-67	138.6	-72.0	121
		7-19-67	55.7	11.3				6-02-67	(1)		
		7-26-67	56.2	10.8				8-22-67	(1)		
		8-02-67	56.5	10.5		01N/21W-10F01S	38.2	4-07-67	62.8	-24.6	121
		8-09-67	56.7	10.3				6-02-67	66.3	-28.1	
		8-16-67	59.6	7.4				8-22-67	63.6(4)	-25.4	
		8-23-67	61.6	5.4		01N/21W-12E01S	65.0	4-07-67	82.1	-17.1	121
		8-30-67	62.1	4.9				6-02-67	81.0	-16.0	
		9-06-67	62.4	4.6				8-22-67	82.1	-17.1	
		9-09-67	62.9	4.1		01N/21W-12F03S	75.0	4-07-67	90.3	-15.3	121
		9-16-67	62.2	4.8				6-02-67	92.1	-17.1	
		9-23-67	62.4	4.6				8-22-67	(1)		
		9-30-67	60.2	6.8		01N/21W-14C01S	46.7	4-07-67	131.5	-84.8	121
02N/23W-13F01S	61.4	10-11-66	(2)		121			6-02-67	161.5(1)	-114.8	
		3-28-67	54.4	7.0		01N/21W-14H01S	51.8	4-05-67	83.5	-31.7	121
		5-24-67	53.7	7.7				6-02-67	85.0(2)	-33.2	
		7-24-67	(1)					8-22-67	83.5	-31.7	
02N/23W-13K02S	64.1	3-28-67	55.0	9.1	121	01N/21W-15Q02S	23.7	10-30-66	118.4(2)	-94.7	411
		5-24-67	54.4	9.7				11-26-66	95.5	-71.8	
		7-21-67	57.1	7.0				12-30-66	99.6	-75.9	
02N/23W-14K01S	32.1	10-30-66	34.2	-2.1	411			1-28-67	89.3	-65.6	
		11-25-66	32.8	-7.7				2-26-67	92.7	-69.0	
		12-28-66	28.0	4.1				3-25-67	90.3	-66.6	
		1-29-67	27.7	4.4				4-30-67	72.9	-49.2	
		2-26-67	28.1	4.0				5-27-67	93.7(2)	-70.0	
		3-22-67	28.1	4.0				6-26-67	96.8(2)	-73.1	
		4-30-67	26.6	5.5				7-25-67	83.5	-59.8	
		5-28-67	30.5	1.6		01N/21W-16A02S	27.8	8-28-67	87.8	-64.1	
		6-26-67	27.8	4.3				9-27-67	89.5	-65.8	
		7-25-67	28.0	4.1				10-12-66	121.4	-93.6	121
		8-28-67	27.3	4.8				4-07-67	91.0	-63.2	
		9-27-67	29.0	3.1				6-02-67	153.4(1)	-125.6	
02N/23W-24G01S	27.1	10-30-66	23.0	4.1	411			8-22-67	(1)		
		11-25-66	18.3	8.8		01N/21W-22H01S	23.3	10-12-66	60.9	-37.6	121
		12-28-66	18.0	9.1				4-06-67	42.4	-19.1	
		1-29-67	16.4	10.7				6-02-67	55.0(1)	-31.7	
		2-26-67	16.3	10.8				8-22-67	50.0	-26.7	
		3-22-67	13.9	13.2		02N/20W-20E02S	220.6	4-13-67	286.0	-65.4	121
		4-30-67	10.9	16.2				6-15-67	287.3	-66.7	
		5-28-67	13.9	13.2				8-24-67	(1)		
		6-26-67	15.9	11.2		02N/20W-28G02S	170.0	4-27-67	159.5	10.5	121
		7-25-67	19.5	7.6				7-28-67	160.3	9.7	
		8-28-67	15.4	11.7		02N/20W-30C01S	189.1	4-13-67	267.2	-78.1	121
		9-27-67	21.1	6.0				6-15-67	272.5	-83.4	
02N/23W-25H01S	13.7	3-30-67	92.7(1)	-79.0	121			8-24-67	274.9	-85.8	
		5-25-67	25.3	-11.6		02N/20W-30H01S	189.3	4-13-67	264.7(5)	-75.4	121
		7-26-67	(1)					6-15-67	260.7(5)	-71.4	
02N/23W-35H01S	10.6	10-30-66	39.9	-29.3	411			8-24-67	265.7(5)	-76.4	
		11-25-66	26.6	-16.0		02N/20W-31B01S	155.3	4-13-67	187.3	-32.0	121
		12-28-66	23.9	-13.3				6-15-67	186.6	-31.3	
		1-29-67	19.8	-9.2				8-24-67	188.2	-32.9	
		2-26-67	21.9	-11.3		02N/21W-23R02S	172.0	4-13-67	128.9	43.1	121
		3-22-67	22.4	-11.8				6-08-67	129.4(5)	42.6	
		4-30-67	12.0	-1.4				8-24-67	235.4(5)	-63.4	
		5-28-67	21.1	-10.5		02N/21W-25B01S	176.3	10-12-66	266.8(5)	-90.5	121
		6-26-67	9.6	1.0				4-13-67	258.8(5)	-82.5	
		7-25-67	11.5	-9.9				6-08-67	261.8(5)	-85.5	
02N/23W-36C03S	22.8	12-16-66	12.6	10.2	121			8-24-67	266.8(5)	-90.5	
		3-30-67	10.8	12.0		02N/21W-26G01S	134.0	4-13-67	225.8(5)	-91.8	121
		5-25-67	13.0	9.8				6-08-67	230.8(5)	-96.8	
		7-26-67	12.6	10.2				8-24-67	230.8(5)	-96.8	
02N/23W-36N01S	12.5	3-31-67	9.0	3.5	121	02N/21W-27G01S	129.1	4-13-67	217.7	-88.6	121
		5-25-67	8.4	4.1							
		7-26-67	8.7	3.8							
02N/23W-36R01S	22.8	3-30-67	10.6	12.2	121						
		5-25-67	10.8	12.0							
		7-26-67	10.5	12.3							
PLEASANT VALLEY HYDRO SUBAREA			U-03.A2								
01N/20W-06A01S	119.6	4-11-67	66.7	52.9	121						
		6-02-67	66.9	52.7							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			SANTA PAULA HYDRO SUBUNIT			U-03.B0		
PLEASANT VALLEY HYDRO SUBAREA			U-03.A2			SANTA PAULA HYDRO SUBAREA			U-03.B1		
02N/21W-27G01S (CONT.)	159.1	6-08-67 8-24-67	228.7 215.9	-99.6 -86.8	121	02N/22W-01E02S	162.0	3-24-67 5-24-67 7-21-67	5.6 1.5 8.0	156.4 160.5 154.0	121
02N/21W-34D03S	89.2	10-12-66 4-12-67 6-08-67 8-24-67	(1) 171.7 171.3 171.3	-82.5 -82.1 -82.1	121	02N/22W-02C01C	177.4	3-24-67 5-24-67 7-21-67	28.3 22.8 29.2	149.1 154.6 148.2	121
02N/21W-34J01S	82.0	10-12-66 4-13-67 6-15-67 8-24-67	194.0 155.4 153.5 162.0	-112.0 -73.4 -71.5 -80.0	121	02N/22W-02R02S	128.2	3-24-67 5-24-67 7-21-67	59.0 31.3 44.8	69.2 96.9 83.4	121
02N/21W-34L01S	85.1	10-30-66 11-26-66 12-30-66 1-28-67 2-26-67 3-25-67 4-30-67 5-27-67 6-26-67 7-25-67 8-28-67 9-27-67	(1) 202.5 205.0 198.9 196.8 164.8 162.0 184.3 179.2 172.5 187.7 167.6	-117.4 -119.9 -113.8 -111.7 -79.7 -76.9 -99.2 -94.1 -87.4 -102.6 -82.5	411	02N/22W-03E01S	301.3	3-24-67 5-24-67 7-21-67	159.4(5) 155.4(5) 159.4(5)	141.9 145.9 141.9	121
02N/21W-35D02S	118.3	4-13-67 6-15-67 8-24-67	206.0 205.3 (2)	-87.7 -87.0	121	02N/22W-03K02S	248.1	10-11-66 3-24-67 5-24-67 7-21-67	118.9 109.5 105.8 111.5	129.2 138.6 142.3 136.6	121
02N/21W-36G02S	136.0	4-13-67 6-15-67 8-24-67	192.4 (1) 213.2	-56.4 -77.2	121	02N/22W-03M02S	291.9	3-24-67 5-24-67 7-21-67	190.1 186.2 191.6	101.8 105.7 100.3	121
02N/21W-36N01S	110.1	4-10-67 6-02-67 8-22-67	160.9 186.0(2) 183.0	-50.8 -75.9 -72.9	121	02N/22W-03R02S	214.2	3-24-67 5-24-67 7-21-67	91.3 89.7 (1)	122.9 124.5	121
						02N/22W-10C02S	238.6	3-24-67 5-24-67 7-21-67	125.0 124.6 129.8	113.6 114.0 108.8	121
						02N/22W-11A01S	129.5	3-24-67 5-24-67 7-21-67	70.1(1) 34.8 54.1(5)	59.4 94.7 75.4	121
						02N/22W-11A02S	133.1	3-24-67 5-24-67 7-21-67	71.5(1) 38.5(5) 75.5(1)	61.6 94.6 57.6	121
						02N/22W-12A01S	148.9	10-01-66 10-08-66 10-15-66 10-22-66 10-29-66 11-05-66 11-12-66 11-19-66 11-26-66 12-03-66 12-10-66 12-17-66 12-24-66 12-31-66 1-07-67 1-14-67 1-21-67 1-28-67 2-04-67 2-11-67 2-18-67 2-25-67 3-04-67 3-11-67 3-18-67 3-25-67 4-01-67 4-08-67 4-15-67 4-22-67 4-29-67 5-06-67 5-13-67 5-20-67 5-27-67 6-03-67 6-10-67 6-16-67 6-21-67 6-28-67 7-05-67 7-12-67 7-19-67 7-26-67 8-02-67 8-09-67 8-16-67 8-23-67 8-30-67 9-06-67 9-09-67 9-16-67 9-23-67 9-30-67	98.4 99.2 99.8 99.6 98.1 100.8 95.8 96.7 99.1 100.5 92.1 61.3 62.6 64.7 66.6 67.8 69.6 67.8 26.9 30.3 35.2 39.4 42.8 45.3 42.9 20.0 16.4 13.3 12.8 21.4 17.6 11.5 10.7 10.4 13.3 14.8 20.4 22.9 21.6 28.2 33.3 33.9 37.5 35.5 43.3 39.4 40.2 37.2 38.0 28.9 30.6 27.0 26.4 22.6	50.5 49.7 49.1 49.3 50.8 48.1 53.1 52.2 49.8 48.4 56.8 87.6 86.3 84.2 82.3 81.1 79.3 81.1 122.0 118.6 113.7 109.5 106.1 103.6 106.0 128.9 132.5 135.6 136.1 127.5 131.3 137.4 138.2 138.5 135.6 134.1 128.5 126.0 127.3 120.7 115.6 115.0 111.4 113.4 105.6 109.5 108.7 111.7 110.9 120.0 118.3 121.9 122.5 126.3	411
						03N/21W-02Q01S	347.6	3-22-67	90.9	256.7	121

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
SANTA PAULA HYDRO SUBUNIT			U-03.80			SANTA PAULA HYDRO SUBUNIT			U-03.80		
SANTA PAULA HYDRO SUBAREA			U-03.81			SANTA PAULA HYDRO SUBAREA			U-03.81		
03N/21W-020015 (CONT.)	347.6	5-23-67 7-20-67	96.8 103.5	250.8 244.1	121	03N/21W-11F035 (CONT.)	306.0	11-04-66 12-02-66 1-05-67 2-06-67 3-03-67 4-06-67 5-05-67 6-09-67 7-10-67 8-04-67 9-06-67	97.5(1) 74.4 65.0 61.6 81.3(1) 61.5 62.5 65.3 68.7 76.7 73.3	208.5 231.6 241.0 244.4 224.7 244.5 243.5 240.7 237.3 229.3 232.7	225
03N/21W-03R025	369.0	11-09-66 12-07-66 1-05-67 2-03-67 3-06-67 4-06-67 5-08-67 6-09-67 7-11-67 8-04-67 9-06-67	170.8 190.5(6) 153.6 152.1 147.5 143.5 141.5 146.7 206.2(1) 156.9 169.8	198.2 178.5 215.4 216.9 221.5 225.5 227.5 222.3 162.8 212.1 199.2	225	03N/21W-11P015	251.0	10-30-66 11-25-66 12-28-66 2-26-67 3-22-67 4-29-67 5-28-67 6-26-67 7-25-67 8-28-67 9-30-67	28.3 22.0 13.4 11.2 11.1 10.4 11.3 13.1 15.1 16.9 17.8	222.7 229.0 237.6 239.8 239.9 240.6 239.7 237.9 235.9 234.1 233.2	411
03N/21W-09K025	361.6	3-22-67 5-23-67 7-20-67	146.7 146.0 168.5	214.9 215.6 193.1	121	03N/21W-12D035	301.9	10-07-66 3-22-67 5-23-67 7-20-67	53.1 32.1 40.3 46.1	248.8 269.8 261.6 255.8	121
03N/21W-09R035	295.0	10-05-66 11-04-66 11-18-66 11-21-66 11-21-66 12-07-66 1-05-67 2-02-67 3-03-67 4-05-67 5-03-67 6-08-67 7-08-67 8-03-67 9-07-67	164.4 105.7 102.0 102.0 98.4 92.0 143.3(1) 84.4 80.9 79.6 78.8 145.3(1) 109.7 106.4 99.4	130.6 189.3 193.0 193.0 196.6 203.0 151.7 210.6 214.1 215.4 216.2 149.7 185.3 188.6 195.6	225	03N/21W-12E025	271.0	11-04-66 12-09-66 1-04-67 2-06-67 3-01-67 4-06-67 5-05-67 6-08-67	20.0 6.7 4.9 3.4 4.0 3.0 3.1 12.4	251.0 264.3 266.1 267.6 267.0 268.0 267.9 258.6	225
03N/21W-09R045	292.0	10-05-66 11-04-66 11-09-66 11-17-66 11-18-66 11-21-66 11-21-66 12-07-66 1-05-67 2-02-67 3-03-67 4-05-67 5-03-67 6-09-67 7-08-67 8-03-67 9-07-67	88.4(1) 88.3 99.8 112.8(1) 111.7(1) 112.1(1) 112.1(1) 94.7 88.5 83.3 80.4 77.6 76.5 75.5 87.0 111.4 116.1 90.7	203.6 203.7 192.2 179.2 180.3 179.9 179.9 197.3 203.5 208.7 211.6 214.4 215.5 216.5 205.0 180.6 175.9 201.3	225	03N/21W-12E045	276.0	10-09-66 11-04-66 12-09-66 1-04-67 2-06-67 3-01-67 3-09-67 3-09-67 4-06-67 5-05-67 5-19-67 6-08-67 7-10-67 8-05-67 9-04-67	19.8 89.7(1) 10.1 8.5 7.0 7.5 75.2(1) 9.4 6.9 7.5 9.5 37.1(1) 42.9(1) 45.7(1) 22.2	256.2 186.3 265.9 267.5 269.0 268.5 200.8 266.6 269.1 268.5 266.5 238.9 233.1 230.3 253.8	225
03N/21W-10A015	356.0	10-09-66 11-04-66 12-07-66 1-05-67 2-06-67 3-06-67 4-06-67 5-08-67 6-09-67 7-10-67 8-04-67 9-06-67	165.8 151.0 139.1 143.1 128.9 127.9 126.0 156.9 138.1 146.7 140.0 145.4	190.2 205.0 216.9 212.9 227.1 228.1 230.0 199.1 217.9 209.3 216.0 210.6	225	03N/21W-12F035	277.0	10-09-66 11-04-66 12-09-66 1-04-67 2-06-67 4-06-67 5-05-67 6-08-67 7-10-67 8-05-67 9-04-67	18.7 61.5(1) 9.6 8.1 6.8 6.1 6.1 14.8 55.6(1) 58.7(1) 18.6	258.3 215.5 267.4 268.9 270.2 270.9 270.9 262.2 221.4 218.3 258.4	225
03N/21W-10E015	365.6	3-22-67 5-23-67 7-20-67	149.6 149.1 (4)	216.0 216.5	121	03N/21W-15C025	242.0	10-05-66 11-04-66 12-07-66 1-04-67 2-03-67 3-06-67 4-05-67 5-05-67 6-08-67 7-09-67 8-06-67 9-05-67	48.2 48.3 46.0(1) 28.9 26.9 28.0 24.0 34.9(1) 30.8 44.1(1) 36.7 47.3(1)	193.8 193.7 196.0 213.1 215.1 214.0 218.0 207.1 211.2 197.9 205.3 194.7	225
03N/21W-11D025	329.9	10-09-66 11-04-66 12-07-66 1-05-67 2-06-67 3-06-67 4-06-67 5-15-67 6-09-67 7-10-67 8-04-67 9-06-67	114.0 115.0 104.0 93.1 91.3 93.2 90.9 92.5 97.0 101.0 104.9 104.3	215.9 214.9 225.9 236.8 238.6 236.7 239.0 237.4 232.9 228.9 225.0 225.6	225	03N/21W-15C035	242.2	10-05-66 11-04-66 11-18-66 12-07-66 1-04-67 2-03-67 3-06-67 4-05-67 5-05-67 6-08-67 7-09-67 8-06-67 9-05-67	84.5(1) 87.3(1) 44.2 38.3 30.2 28.3 67.6(1) 25.2 25.2 70.7(1) 35.9 77.5(1) 39.0	157.7 154.9 198.0 203.9 212.0 213.9 174.6 217.0 217.0 171.5 206.3 164.7 203.2	225
03N/21W-11E025	317.1	10-09-66 11-04-66 12-07-66 1-05-67 2-06-67 3-06-67 4-06-67 5-05-67 6-09-67 7-10-67 8-04-67 9-06-67	94.9 108.9(1) 96.8 75.9 73.9 76.8 73.7 75.0 77.7 81.0 87.1 85.7	222.2 208.2 220.3 241.2 243.2 240.3 243.4 242.1 239.4 236.1 230.0 231.4	225	03N/21W-15C045	241.4	10-05-66 11-04-66 12-07-66 1-04-67 2-03-67	58.9(1) 58.7(1) 37.3 28.3 26.5	182.5 182.7 204.1 213.1 214.9	225
03N/21W-11F035	306.0	10-09-66	87.5	218.5	225						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
SANTA PAULA HYDRO SUBUNIT			U-03.80			SANTA PAULA HYDRO SUBUNIT			U-03.80		
SANTA PAULA HYDRO SUBAREA			U-03.81			SANTA PAULA HYDRO SUBAREA			U-03.81		
03N/21W-15C04S	241.4	3-06-67	37.9(1)	203.5	225	03N/21W-19R01S	235.9	5-23-67	48.2(1)	187.7	121
(CONT.)		4-05-67	23.7	217.7		(CONT.)		7-20-67	64.9(1)	171.0	
		5-05-67	24.8	216.6							
		6-09-67	39.7(1)	201.7		03N/21W-20J02S	203.3	3-22-67	12.2	191.1	121
		7-09-67	47.5(1)	193.9				5-23-67	11.0	192.3	
		8-06-67	46.1	195.3				7-20-67	18.3	185.0	
		9-05-67	49.1(1)	192.3							
03N/21W-16A01S	266.8	10-05-66	91.0	175.8	225	03N/21W-21B01S	220.8	10-30-66	32.8	188.0	411
		11-04-66	88.0	178.8				11-25-66	27.2	193.6	
		11-18-66	85.3	181.5				12-28-66	19.7	201.1	
								1-29-67	11.0	209.8	
03N/21W-16G01S	244.1	10-05-66	62.4(1)	181.7	225			2-26-67	12.3	208.5	
		11-04-66	61.9(1)	182.2				3-22-67	9.7	211.1	
		12-05-66	46.9	197.2				4-30-67	11.9	208.9	
		1-04-67	47.4	196.7				5-28-67	15.7	205.1	
		2-02-67	43.1	201.0				6-26-67	19.6	201.2	
		3-01-67	41.0(1)	203.1				7-25-67	24.4	196.4	
		4-05-67	36.8	207.3				8-28-67	25.0	195.8	
		5-03-67	36.9	207.2				9-25-67	26.1	194.7	
		6-09-67	47.9(1)	196.2		03N/21W-29B01S	192.0	10-30-66	20.2	171.8	411
		7-10-67	49.0(1)	195.1				11-25-66	17.4	174.6	
		8-03-67	54.1(1)	190.0				12-28-66	12.2	179.8	
		9-06-67	54.1(1)	190.0				1-29-67	9.2	182.8	
03N/21W-16K01S	232.0	10-05-66	46.5	185.5	225			2-26-67	9.4	182.6	
		11-04-66	69.0(1)	163.0				3-22-67	9.4	182.6	
		12-08-66	34.2	197.8				4-30-67	7.6	184.4	
		1-04-67	29.5	202.5				5-28-67	(1)		
		2-02-67	33.1	198.9				6-26-67	8.4	183.6	
		3-03-67	26.2	205.8				7-25-67	9.9	182.1	
		4-06-67	24.2	207.8				8-28-67	12.4	179.6	
		5-03-67	23.6	208.4				9-30-67	13.9	178.1	
		6-08-67	54.2(1)	177.8		03N/21W-30F01S	220.7	3-22-67	49.0	171.7	121
		7-10-67	33.1	198.9				5-23-67	75.6(1)	145.1	
		8-03-67	37.2	194.8				7-20-67	76.0(1)	144.7	
		9-06-67	39.6	192.4							
03N/21W-16K02S	228.0	10-05-66	44.6	183.4	225	03N/21W-31B01S	174.7	10-30-66	21.6	153.1	411
		11-04-66	43.8	184.2				11-25-66	18.8	155.9	
		12-08-66	31.7	196.3				12-28-66	17.0	157.7	
		1-04-67	27.8	200.2				1-29-67	13.6	161.1	
		2-02-67	24.7	203.3				2-26-67	13.2	161.5	
		3-03-67	22.0	206.0				3-22-67	13.7	161.0	
		4-06-67	22.6	205.4				4-30-67	10.5	164.2	
		5-03-67	19.8	208.2				5-28-67	11.5	163.2	
		6-08-67	28.8	199.2				6-26-67	14.5	160.2	
		7-10-67	29.7	198.3				7-25-67	14.7	160.0	
		8-03-67	33.3	194.7				8-28-67	15.8	158.9	
		9-06-67	33.5	194.5				9-30-67	15.7	159.0	
03N/21W-16K03S	228.7	10-05-66	104.0(1)	124.7	225	03N/22W-34R01S	266.2	3-24-67	119.2	147.0	121
		11-04-66	99.9(1)	128.8				5-24-67	108.9	157.3	
		11-18-66	36.9	191.8				7-21-67	115.5	150.7	
		11-21-66	37.5	191.2		03N/22W-36K02S	180.6	10-07-66	35.6	145.0	121
		12-08-66	31.4	197.3				3-22-67	27.3(2)	153.3	
		1-04-67	26.0	202.7				5-23-67	16.7	163.9	
		2-02-67	26.8	201.9				7-20-67	23.2	157.4	
		3-03-67	22.9	205.8							
		4-06-67	21.3	207.4							
		5-03-67	24.9	203.8							
		6-08-67	87.9(1)	140.8							
		7-10-67	92.4(1)	136.3							
		8-03-67	97.1(1)	131.6							
		9-06-67	94.6(1)	134.1							
03N/21W-17Q01S	284.0	10-07-66	102.0	182.0	121						
		3-22-67	82.0	202.0							
		5-23-67	81.3	202.7							
		7-20-67	94.9	189.1							
03N/21W-19G01S	248.0	10-05-66	87.1	160.9	225						
		11-04-66	87.2	160.8							
		12-08-66	75.2	172.8							
		1-04-67	73.0	175.0							
		2-02-67	63.0	185.0							
		3-01-67	68.2	179.8							
		4-05-67	60.3	187.7							
		5-03-67	66.3	181.7							
		6-08-67	75.2	172.8							
		7-09-67	68.6	179.4							
		8-03-67	80.2	167.8							
		9-06-67	81.2	166.8							
03N/21W-19H06S	248.0	10-05-66	167.7(1)	80.3	225						
		11-04-66	169.8(1)	78.2							
		12-08-66	68.9	179.1							
		1-04-67	164.8(1)	83.2							
		2-02-67	63.0	185.0							
		3-01-67	148.7(1)	99.3							
		4-05-67	60.7	187.3							
		5-03-67	141.8(1)	106.2							
		6-08-67	149.9(1)	98.1							
		7-09-67	70.1	177.9							
		8-03-67	162.8(1)	85.2							
		9-06-67	158.5(1)	89.5							
03N/21W-19R01S	235.9	3-22-67	45.9	190.0	121						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00						
SESPE HYDRO SUBUNIT FILLMORE HYDRO SUBAREA			U-03.C0			SESPE HYDRO SUBUNIT FILLMORE HYDRO SUBAREA			U-03.C0			
			U-03.C1						U-03.C1			
03N/19W-060025	433.3	3-17-67 5-19-67 7-19-67	56.9 51.4 54.7	376.4 381.9 378.6	121	03N/21W-128015 (CONT.)	279.0	4-22-67 4-29-67 5-06-67 5-13-67 5-20-67 5-27-67 6-03-67 6-10-67 6-16-67 6-21-67 6-28-67 7-05-67 7-12-67 7-19-67 7-26-67 8-02-67 8-09-67 8-16-67 8-23-67 8-30-67 9-06-67 9-09-67 9-16-67 9-23-67 9-30-67	4.0 4.4 4.5 4.5 4.7 4.8 5.2 5.3 5.5 5.7 5.8 6.7 7.0 7.2 7.4 7.6 7.6 7.9 9.1 9.3 9.3 9.3 8.1 8.2 8.7	275.0 274.6 274.5 274.5 274.3 274.2 273.8 273.7 273.5 273.3 273.2 272.3 272.0 271.8 271.6 271.4 271.4 271.1 269.9 269.7 269.7 269.7 270.9 270.8 270.3	411	
03N/20W-01C045	404.2	3-17-67 5-19-67 7-19-67	32.8 30.4 34.5	371.4 373.8 369.7	121							
03N/20W-02A015	375.6	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-29-67 5-28-67 6-26-67 7-27-67 8-28-67 9-30-67	33.1 30.1 25.2 23.3 22.1 21.2 20.0 20.5 21.4 22.6 22.1 19.3	342.5 345.5 350.4 352.3 353.5 354.4 355.6 355.1 354.2 353.0 353.5 356.3	411							
03N/20W-03D015	345.5	10-06-66 3-16-67 5-23-67 7-20-67	7.8 FLOW .6 .4	337.7 344.9 345.1	121							
03N/20W-03N015	341.8	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-28-67 5-28-67 6-26-67 7-26-67 8-28-67 9-30-67	(1) 17.3 14.0 12.1 11.5 (1) 10.1 (1) 12.8 (1) (1) 15.1	324.5 327.8 329.7 330.3 331.7 329.0 326.7	411	04N/19W-30D015	437.6	3-22-67 5-19-67 7-19-67	39.0 37.0 40.4	398.6 400.6 397.2	121	
						04N/19W-30J015	447.6	3-17-67 5-19-67 7-19-67	58.8(5) 54.9 (1)	388.8 392.7	121	
						04N/19W-30R015	441.9	3-17-67 5-23-67 7-19-67	31.1 30.3 35.5	410.8 411.6 406.4	121	
						04N/19W-31E015	417.8	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-28-67 5-28-67 6-26-67 7-26-67 8-28-67 9-26-67	37.8 27.5 25.8 22.6 21.0 20.0 17.8 17.4 20.1 21.4 (1) 9.9	380.0 390.3 392.0 395.2 396.8 397.8 400.0 400.4 397.7 396.4 407.9	411	
03N/20W-05D015	437.8	3-22-67 5-23-67 7-20-67	131.1 128.6 153.2	306.7 309.2 284.6	121	04N/19W-32A025	468.0	10-01-66 10-08-66 10-15-66 10-22-66 10-29-66 11-05-66 11-12-66 11-19-66 11-26-66 12-03-66 12-10-66 12-17-66 12-24-66 12-31-66 1-07-67 1-14-67 1-21-67 1-28-67 2-04-67 2-11-67 2-18-67 2-25-67 3-04-67 3-11-67 3-18-67 3-25-67 4-01-67 4-07-67 4-15-67 4-22-67 4-29-67 5-06-67 5-13-67 5-20-67 5-27-67 6-03-67 6-10-67 6-16-67 6-21-67 6-28-67 7-05-67 7-12-67 7-19-67 7-26-67 8-02-67 8-09-67 8-16-67	12.7 12.6 13.1 14.1 15.9 16.3 14.2 11.4 11.4 11.0 9.2 9.1 9.1 9.1 9.2 9.7 10.8 8.4 8.3 8.4 8.2 8.2 8.4 8.7 8.2 8.4 8.2 7.4 7.1 6.6 5.8 5.5 5.4 5.5 5.8 6.2 6.5 6.6 6.7 6.2 6.3 7.3 7.2 6.3 5.6 4.8 4.2	455.3 455.4 454.9 453.9 452.1 451.7 453.8 456.6 456.6 457.0 458.8 458.9 458.9 458.9 458.8 458.3 457.2 459.6 459.7 459.6 459.8 459.8 459.6 459.3 459.8 459.6 459.8 460.6 460.9 461.4 462.2 462.5 462.6 462.5 462.2 461.8 461.5 461.4 461.3 461.8 461.7 460.7 460.8 461.7 462.4 463.2 463.8	411	
03N/20W-08A015	319.6	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-29-67 5-28-67 6-26-67 7-26-67 8-28-67 9-30-67	15.6 12.6 10.3 9.6 10.0 9.4 (1) 9.7 11.8 12.6 12.4 16.9	304.0 307.0 309.3 310.0 309.6 310.2 309.9 307.8 307.0 307.2 307.2 302.7	411							
03N/20W-10D025	336.3	3-17-67 5-19-67 7-19-67	9.0 9.0 11.3	327.3 327.3 325.0	121							
03N/20W-11C015	397.4	3-17-67 5-19-67 7-19-67	46.3 45.1 46.9	351.1 352.3 350.5	121							
03N/21W-01N015	320.3	3-22-67 5-23-67 7-20-67	54.4 100.4(1) (1)	265.9 219.9	121							
03N/21W-128015	279.0	10-01-66 10-08-66 10-15-66 10-22-66 10-29-66 11-05-66 11-12-66 11-19-66 11-26-66 12-03-66 12-10-66 12-17-66 12-24-66 12-31-66 1-07-67 1-14-67 1-21-67 1-28-67 2-04-67 2-11-67 2-18-67 2-25-67 3-04-67 3-11-67 3-18-67 3-25-67 4-01-67 4-07-67 4-15-67	10.3 10.2 10.1 10.2 10.0 10.1 9.9 9.6 9.4 9.0 8.2 7.8 7.4 7.2 6.9 6.3 6.3 5.4 5.4 5.1 5.2 5.3 5.3 5.3 4.8 5.0 4.9 4.7 4.6,	268.7 268.8 268.9 268.8 269.0 268.9 269.1 269.4 269.6 270.0 270.8 271.2 271.6 271.8 272.1 272.7 272.7 273.6 273.6 273.9 273.8 273.7 273.7 273.7 274.2 274.0 274.1 274.3 274.4	411							

TABLE C-I
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
SESPE HYDRO SUBUNIT FILLMORE HYDRO SUBAREA			U-03.C0		U-03.C1	PIRU HYDRO SUBUNIT PIRU HYDRO SUBAREA			U-03.D0		U-03.D1
04N/19W-32A025 (CONT.)	468.0	8-23-67	3.5	464.5	411	04N/18W-19R015	654.9	12-02-66 3-16-67 5-18-67 7-11-67	152.8 136.3 120.3 132.3(1)	502.1 518.6 534.6 522.6	121
		8-30-67	3.2	464.8							
		9-06-67	3.1	464.9							
		9-09-67	3.1	464.9							
		9-16-67	3.0	465.0							
		9-23-67	2.6	465.4		04N/18W-20R015	659.7	11-30-66 3-16-67 5-18-67 7-11-67	153.2 131.6 106.0 98.6	506.5 528.1 553.7 561.1	121
		9-30-67	2.8	465.2							
04N/19W-32J025	466.6	12-15-66	9.0	457.6	121						
		3-17-67	8.8	457.8		04N/18W-27R015	729.9	11-30-66 3-16-67 5-18-67 7-11-67	141.3 104.7 89.5 62.2	588.6 625.2 640.4 667.7	121
		5-19-67	6.8	459.8							
		7-19-67	9.0	457.6							
04N/19W-32M025	447.3	10-06-66	-20.0	467.3	121						
		3-16-67	-32.8	480.1		04N/18W-27R025	713.0	10-30-66 11-25-66 12-28-66 1-29-67 2-27-67 3-22-67 4-29-67 5-28-67 6-26-67 7-25-67 8-28-67 9-30-67	129.7 129.9 121.0 112.3 89.7 76.9 48.0 37.2 39.0 53.2 60.6 79.7	583.3 583.1 592.0 600.7 623.3 636.1 665.0 675.8 674.0 659.8 652.4 633.3	411
		5-19-67	-32.6	479.9							
		7-19-67	-30.0	477.3							
04N/19W-33D015	473.2	11-30-66	10.9	462.3	121						
		3-17-67	7.0	466.2		04N/18W-28C025	676.0	11-30-66 3-16-67 7-11-67	180.6(1) 143.6 (1)	495.4 532.4	121
		5-19-67	2.6	470.6							
		7-19-67	6.1(6)	467.1							
04N/19W-33D035	474.3	11-30-66	100.9(1)	373.4	121	04N/18W-29K015	640.5	12-02-66 3-16-67 5-18-67	140.3 119.5 93.5	500.2 521.0 547.0	121
		3-17-67	(1)								
		5-19-67	.1	474.2		04N/18W-29P025	646.1	12-02-66 3-17-67 5-18-67 7-11-67	121.0 118.0 102.7 98.3	525.1 528.1 543.4 547.8	121
		7-19-67	4.0	470.3							
04N/19W-33D045	474.3	11-30-66	(1)		121	04N/18W-30K015	626.1	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-28-67 5-28-67 6-26-67 7-26-67 8-28-67 9-27-67	138.0 117.7 122.3 117.3 110.8 108.7 100.0 95.2 92.4 89.4 75.5 73.5	488.1 508.4 503.8 508.8 515.3 517.4 526.1 530.9 533.7 536.7 550.6 552.6	411
		5-19-67	.1	474.2							
		7-19-67	4.0	470.3		04N/18W-31C015	607.0	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-28-67 5-28-67 6-26-67 7-26-67 8-28-67 9-27-67	106.3 104.4 103.4 100.2 97.4 92.2 83.8 79.0 77.5 85.3 52.6(2) 54.0(2)	500.7 502.6 503.6 506.8 509.6 514.8 523.2 528.0 529.5 521.7 554.4 553.0	411
04N/20W-26A025	430.7	10-07-66	57.2	373.5	121						
		3-22-67	36.8	393.9		04N/19W-25C025	610.4	10-06-66 12-15-66 3-16-67 5-18-67 7-11-67	(2) 116.6 113.3 98.3 96.8		121
		5-23-67	37.4	393.3							
		7-19-67	(1)			04N/19W-25K025	593.7	12-15-66 3-16-67 5-18-67 7-11-67	99.2 85.3 77.3(1) 65.3	494.5 508.4 516.4 528.4	121
04N/20W-26D015	538.6	3-22-67	147.8	390.8	121						
04N/20W-26L015	428.0	10-30-66	58.6	369.4	411	04N/19W-25L045	581.7	11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-28-67 5-28-67 6-26-67 7-26-67 8-28-67 9-27-67	108.2 97.1 87.3 85.3 75.7 66.4 66.3 (1)	473.5 484.6 494.4 496.4 506.0 515.3 515.4	411
		11-25-66	51.4	376.6							
		12-28-66	44.3	383.7		04N/19W-26P015	565.0	12-15-66 3-16-67 5-18-67 7-11-67	70.3 63.6 56.0 71.0(1)	494.7 501.4 509.0 494.0	121
		1-29-67	42.7	385.3							
		2-26-67	41.9	386.1		04N/19W-34D045	507.4	12-15-66 3-17-67 5-19-67	31.4 27.9 20.7	476.0 479.5 486.7	121
		3-22-67	41.3	386.7							
		4-29-67	40.2	387.8		04N/19W-34K015	522.8	12-15-66	39.6	483.2	121
		5-28-67	41.7	386.3							
		6-26-67	43.5	384.5							
		7-25-67	46.0	382.0							
		8-28-67	46.6	381.4							
		9-26-67	47.0	381.0							
04N/20W-27N015	527.3	3-22-67	141.1	386.2	121						
		5-23-67	133.4	393.9							
		7-19-67	140.9	386.4							
04N/20W-31P015	520.0	3-22-67	227.0(5)	293.0	121						
		5-23-67	224.0(5)	296.0							
		7-20-67	279.0(1)	241.0							
04N/20W-33C035	526.0	3-22-67	159.9	366.1	121						
		5-23-67	149.1	376.9							
		7-20-67	(1)								
04N/20W-36D045	401.0	3-22-67	15.0	386.0	121						
		5-23-67	13.9	387.1							
		7-19-67	17.0	384.0							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
PIRU HYDRO SUBUNIT		U-03.00		U-03.01		UPPER SANTA CLARA R HYDRO SUBUNIT		U-03.E0		U-03.E1	
PIRU HYDRO SUBAREA						EASTERN HYDRO SUBAREA					
04N/19W-34K01S (CONT.)	522.8	3-17-67 5-18-67 7-11-67	36.6 27.7 31.1	486.2 495.1 491.7	121	03N/15W-05D01S	1461.0	11-21-66 4-27-67	41.6 (6)	1419.4	101
04N/19W-34M02S	501.2	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-28-67 5-28-67 6-26-67 7-26-67 8-28-67 9-30-67	36.8 27.4 24.9 23.2 22.0 20.6 15.7 15.6 (1) 15.7 (1) 6.5	464.4 473.8 476.3 478.0 479.2 480.6 485.5 485.6 485.5 494.7	411	03N/15W-05D02S	1467.0	11-21-66 4-27-67	31.4 4.1	1435.6 1462.9	101
04N/19W-35L02S	540.1	10-30-66 11-25-66 12-28-66 1-29-67 2-26-67 3-22-67 4-28-67 5-28-67 6-26-67 7-26-67 8-28-67 9-30-67	57.6 55.1 49.6 46.7 46.0 43.0 36.7 35.8 37.1 35.2 10.3 13.5	482.5 485.0 490.5 493.4 494.1 497.1 503.4 504.3 503.0 504.9 529.8 526.6	411	03N/15W-05H01S	1525.0	11-21-66 4-27-67	5.4 1.8	1519.6 1523.2	101
05N/18W-33G02S	1066.0	12-09-66 3-08-67 3-31-67 5-05-67 5-29-67 6-26-67 7-31-67 8-24-67 9-25-67	27.2 24.7 24.5 22.9 24.1 24.3 25.2 26.4 27.2	1038.8 1041.3 1041.5 1043.1 1041.9 1041.7 1040.8 1039.6 1038.8	411	03N/16W-01D03S	1355.5	11-18-66 11-21-66	(7) (7)		101
UPPER PIRU HYDRO SUBAREA				U-03.D2		03N/16W-02801S	1271.5	12-12-66 4-26-67	(3) (3)		101
05N/18W-15P01S	1042.0	3-09-67 3-27-67 5-03-67 5-29-67 6-26-67 7-31-67 8-24-67 9-25-67	12.7 12.3 11.2 11.5 11.8 12.7 13.1 14.0	1029.3 1029.7 1030.8 1030.5 1030.2 1029.3 1028.9 1028.0	411	03N/16W-02J01S	1318.0	11-21-66 4-27-67	110.7 78.7	1207.3 1239.2	101
HUNGRY VALLEY HYDRO SUBAREA				U-03.D3		03N/16W-03D01S	1245.0	4-26-67	(6)		101
08N/18W-17J01S	3430.0	11-21-66	59.5	3370.5	101	03N/16W-03D02S	1245.0	11-18-66 1-16-67 4-26-67 6-12-67	112.8 (0) (6) (0)	1132.2	101
08N/19W-12M02S	3826.0	11-21-66	.3	3825.7	101	03N/16W-03H02S	1300.0	11-18-66 4-26-67	104.3 98.8	1195.7 1201.2	101
						03N/16W-03R01S	1325.0	4-26-67	(3)		101
						03N/16W-04A02S	1273.0	12-12-66 4-26-67	(7) (4)		101
						03N/16W-11A01S	1388.0	11-21-66 4-27-67	60.2 39.1	1327.8 1348.9	101
						03N/16W-11A02S	1400.0	4-27-67	(2)		101
						03N/16W-11D02S	1377.0	11-18-66 4-26-67	40.3 38.4	1336.7 1338.6	101
						03N/16W-12A03S	1400.0	11-21-66 4-27-67	12.8 1.5	1387.2 1398.5	101
						03N/16W-12G02S	1417.0	11-21-66 4-27-67	19.4 12.0	1397.6 1405.0	101
						03N/16W-13A01S	1600.0	11-21-66 5-15-67	98.6 (1)	1501.4	101
						04N/14W-17E01S	1690.0	11-03-66 12-13-66 4-17-67	52.4 45.3 24.6	1637.6 1644.7 1665.4	101
						04N/14W-17E02S	1690.0	4-17-67 5-15-67	(9) (9)		101
						04N/14W-17H01S	1725.0	11-03-66 4-17-67	27.3(1) 26.0	1697.7 1699.0	101
						04N/14W-18F01S	1632.0	11-03-66	27.4	1604.6	101
						04N/14W-18H01S	1675.0	11-03-66 4-17-67	30.8 6.1	1644.2 1668.9	101
						04N/14W-31E01S	2075.0	11-04-66 5-01-67	8.2 FLOW	2066.8	101
						04N/14W-31E02S	2076.0	11-04-66 5-01-67 5-15-67	63.2 (2) (2)	2012.8	101
						04N/15W-01A02S	1851.0	11-04-66 4-18-67	41.6 48.7	1809.4 1802.3	101
						04N/15W-01B02S	1825.0	11-04-66	39.7	1785.3	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00											
UPPER SANTA CLARA R HYDRO SUBUNIT EASTERN HYDRO SUBAREA			U-03.E0		U-03.E1	UPPER SANTA CLARA R HYDRO SUBUNIT EASTERN HYDRO SUBAREA			U-03.E0		U-03.E1
04N/15W-01B02S (CONT.)	1825.0	4-18-67	49.8	1775.2	101	04N/15W-14R01S	1554.0	12-13-66 4-17-67	(2) 12.0	1542.0	101
04N/15W-01C02S	1825.0	4-18-67	(9)		101	04N/15W-15A01S	1600.0	11-04-66 4-18-67	80.3 78.0	1519.7 1522.0	101
04N/15W-01C03S	1825.0	11-04-66	187.7	1637.3	101	04N/15W-15G01S	1575.0	11-04-66 4-18-67	69.4 65.1	1505.6 1509.9	101
04N/15W-01E01S	1775.0	12-13-66 4-18-67 5-15-67	(9) (9) (9)		101	04N/15W-15G02S	1573.0	11-04-66	66.5	1506.5	101
04N/15W-02J01S	1730.0	11-14-66 4-18-67	44.0 36.6	1686.0 1693.4	101	04N/15W-15L01S	1535.0	4-18-67	74.5	1460.5	101
04N/15W-02J02S	1735.0	11-14-66 4-18-67	37.2 35.6	1697.8 1699.4	101	04N/15W-15N01S	1525.0	11-04-66 4-18-67	97.5 90.4	1427.5 1434.6	101
04N/15W-05B01S	1482.0	11-15-66 5-01-67	31.8 30.0	1450.2 1452.0	101	04N/15W-15N02S	1505.0	11-04-66 4-17-67	71.8 70.2	1433.2 1434.8	101
04N/15W-05C01S	1437.0	11-15-66 5-01-67	26.4 20.8	1410.6 1416.2	101	04N/15W-16N01S	1377.0	11-14-66 4-25-67	82.6 83.4	1294.4 1293.6	101
04N/15W-06F01S	1374.0	5-01-67	18.4	1355.6	101	04N/15W-18P02S	1290.0	4-25-67	(7)		101
04N/15W-06H01S	1420.0	11-15-66 5-01-67	21.0 15.0	1399.0 1405.0	101	04N/15W-19D01S	1275.0	11-14-66 4-25-67 7-17-67 9-05-67	104.8 104.8 100.2 101.6	1170.2 1170.2 1174.8 1173.4	101
04N/15W-06K01S	1396.0	11-15-66 5-01-67	14.9 10.5	1381.1 1385.5	101	04N/15W-20D01S	1318.0	11-14-66 4-25-67	116.1 113.1	1201.9 1204.9	101
04N/15W-06P02S	1353.0	11-15-66 12-13-66 1-16-67 5-01-67 6-12-67	(1) (1) (0) 38.7 (0)		101	04N/15W-20F01S	1348.0	11-14-66 1-03-67 3-14-67 5-01-67 5-16-67 7-17-67	DRY DRY DRY DRY DRY DRY		101
04N/15W-07E01S	1326.0	1-03-67	(9)		101	04N/15W-20R01S	1385.0	4-25-67	DRY		101
04N/15W-11B01S	1690.0	11-04-66 1-03-67 3-14-67 5-01-67 5-17-67 7-17-67 9-05-67	64.0 (2) 54.0 51.7 50.9 49.9 (2)	1626.0 1636.0 1638.3 1639.1 1640.1	101	04N/15W-20R02S	1387.5	4-25-67	75.9	1311.6	101
04N/15W-11B02S	1703.0	11-04-66 4-18-67 5-15-67	83.8 (1) 65.3	1619.2 1637.7	101	04N/15W-21A01S	1460.5	11-04-66	107.1	1353.4	101
04N/15W-11F01S	1651.0	11-04-66 1-03-67 3-14-67 5-01-67 5-16-67 7-17-67 9-05-67	47.7 46.8 44.7 41.9 42.3 41.6 41.0	1603.3 1604.2 1606.3 1609.1 1608.7 1609.4 1610.0	101	04N/15W-21G01S	1441.0	11-04-66 4-17-67	87.6 71.6	1353.4 1369.4	101
04N/15W-11F04S	1655.0	11-04-66 4-18-67	47.1 40.0	1607.9 1615.0	101	04N/15W-21J01S	1431.0	11-04-66	64.5	1366.5	101
04N/15W-11N01S	1609.0	11-04-66 4-18-67	61.5 56.9	1547.5 1552.1	101	04N/15W-21J02S	1440.0	11-04-66 4-17-67	73.7 58.2	1366.3 1381.8	101
04N/15W-11N03S	1621.0	11-04-66 4-18-67	66.5 59.9	1554.5 1561.1	101	04N/15W-21M01S	1390.0	4-25-67 5-15-67	(1) (1)		101
04N/15W-13P01S	1573.0	11-03-66 1-03-67 3-14-67 5-01-67 5-16-67 7-17-67 9-05-67	34.5 31.0 27.8 8.7 10.8 9.9 10.2	1538.5 1542.0 1545.2 1564.3 1562.2 1563.1 1562.8	101	04N/15W-21M04S	1393.0	11-14-66 4-25-67	76.6 56.3	1316.4 1336.7	101
04N/15W-13P02S	1577.0	11-03-66 1-03-67 3-14-67 5-01-67	(1) (1) (1) (1)		101	04N/15W-21M02S	1414.0	11-04-66 4-17-67	70.5 63.4	1343.5 1350.6	101
04N/15W-13P03S	1573.0	11-03-66 4-17-67	30.9 10.0	1542.1 1563.0	101	04N/15W-22E04S	1446.0	12-13-66 4-17-67 5-15-67	(9) (9) (9)		101
04N/15W-13P04S	1575.0	11-03-66 1-03-67 3-14-67 5-01-67 5-16-67	34.4 32.6 25.2 9.9 11.5	1540.6 1542.4 1549.8 1565.1 1563.5	101	04N/15W-22F02S	1457.0	11-04-66 4-17-67 7-17-67 9-05-67	60.7 41.5 23.5 17.7	1396.3 1415.5 1433.5 1439.3	101
04N/15W-13Q01S	1590.0	11-03-66 4-17-67	23.2 6.0	1566.8 1584.0	101	04N/15W-22L01S	1464.0	12-13-66 4-17-67 5-15-67	(1) (1) (1)		101
04N/15W-13Q02S	1592.0	11-03-66 4-17-67	27.8 8.4	1564.2 1583.6	101	04N/15W-23B02S	1530.0	11-03-66 4-17-67	30.6 1.7	1499.4 1528.3	101
04N/15W-14J01S	1558.0	12-13-66 4-17-67	29.5 11.3	1528.5 1546.7	101	04N/15W-23B03S	1550.0	11-13-66 4-17-67	47.9 29.0	1502.1 1521.0	101
						04N/15W-23C01S	1515.0	12-13-66 4-17-67 5-15-67	(2) (2) (2)		101
						04N/15W-23E01S	1515.0	4-17-67	16.3	1498.7	101
						04N/15W-23F01S	1528.5	11-03-66 4-17-67	41.9 14.3	1486.6 1514.2	101
						04N/15W-23F02S	1553.0	4-17-67 5-15-67	(9) (9)		101
						04N/15W-23F03S	1550.0	11-03-66 4-17-67	42.7 23.0	1507.3 1527.0	101
						04N/15W-23K03S	1570.0	11-03-66	32.8	1537.2	101

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
UPPER SANTA CLARA R HYDRO SUBUNIT EASTERN HYDRO SUBAREA			U-03.E0		U-03.E1	UPPER SANTA CLARA R HYDRO SUBUNIT EASTERN HYDRO SUBAREA			U-03.E0		U-03.E1
04N/15W-23K03S (CONT.)	1570.0	4-17-67	21.3	1548.7	101	04N/16W-07Q01S (CONT.)	1027.0	2-15-67	18.2	1008.8	101
								3-15-67	15.2	1011.8	
04N/15W-23Q01S	1588.0	11-03-66 4-17-67	35.6 27.4	1552.4 1560.6	101			4-15-67	18.2	1008.8	
								5-15-67	16.2	1010.8	
04N/15W-24C01S	1580.0	11-03-66 4-17-67	33.8 16.3	1546.2 1563.7	101			7-15-67	19.2	1007.8	
								8-15-67	16.2	1010.8	
04N/15W-26G01S	1640.0	11-03-66 4-17-67	31.6 28.1	1608.4 1611.9	101	04N/16W-09H01S	1158.0	3-15-67	38.0	1120.0	101
04N/15W-26K01S	1678.0	11-03-66 4-17-67	42.9 40.0	1635.1 1638.0	101	04N/16W-09H02S	1155.0	3-15-67	42.5	1112.5	101
								5-15-67	80.5(1)	1074.5	
04N/15W-26R02S	1686.0	11-03-66 1-03-67 3-14-67 5-01-67 5-16-67 7-17-67 9-05-67	28.3 33.5 33.6 18.6 16.7 16.4 4.3	1657.7 1652.5 1652.4 1667.4 1669.3 1685.6 1681.7	101			7-15-67	82.5(1)	1072.5	
								8-15-67	80.5(1)	1074.5	
04N/15W-26R04S	1715.0	11-03-66 5-01-67	60.0 39.7	1655.0 1675.3	101	04N/16W-12C03S	1030.2	10-19-66	52.7(1)	977.5	101
								11-15-66	54.7(1)	975.5	
04N/15W-31G01S	1506.5	11-21-66 4-27-67	5.7 .3	1500.8 1506.2	101			3-15-67	13.7	1016.5	
								4-15-67	14.7	1015.5	
04N/15W-31N02S	1375.0	11-21-66 4-27-67	39.7 23.2	1335.3 1351.8	101			7-15-67	42.7(1)	987.5	
								9-15-67	42.7(1)	987.5	
04N/15W-31P02S	1385.8	11-21-66 1-03-67 3-14-67 4-27-67 5-16-67 7-17-67 9-05-67	36.1 34.2 29.4 7.1 7.1 17.5 25.5	1349.7 1351.6 1356.4 1378.7 1378.7 1368.3 1360.3	101	04N/16W-12K01S	1281.0	5-01-67	83.5	1197.5	101
04N/15W-35J02S	1779.0	11-03-66 5-01-67	53.4 35.3	1725.6 1743.7	101	04N/16W-12K02S	1280.0	11-15-66 5-01-67	94.2 82.6	1185.8 1197.4	101
04N/15W-35R01S	1812.5	11-03-66 5-01-67	74.2 48.7	1738.3 1763.8	101	04N/16W-12M01S	1265.0	11-15-66 5-01-67	101.3 86.4	1163.7 1178.6	101
04N/15W-35R02S	1800.0	11-03-66 5-01-67	65.5 42.4	1734.5 1757.6	101	04N/16W-12N01S	1245.0	5-01-67	76.3	1168.7	101
04N/15W-36C01S	1776.0	11-04-66 5-01-67	35.9 9.3	1740.1 1766.7	101	04N/16W-12N02S	1253.0	11-15-66	97.8	1155.2	101
04N/15W-36E01S	1770.0	11-04-66 5-01-67	75.5 7.8	1694.5 1762.2	101	04N/16W-13O01S	1240.0	11-15-66 5-01-67	91.8 78.5	1148.2 1161.5	101
04N/15W-36F01S	1809.0	11-04-66 5-01-67	61.8 29.6	1747.2 1779.4	101	04N/16W-14E02S	1179.0	10-25-66 11-23-66 1-16-67 2-15-67 3-15-67 4-15-67 5-15-67 7-15-67 8-15-67	115.2(1) (1) 82.2 77.2 81.2 77.2 89.2(1) 95.2 98.2(1)	1063.8 1096.8 1101.8 1097.8 1101.8 1089.8 1083.8 1080.8	101
04N/15W-36F03S	1821.0	11-04-66 5-01-67	77.9 34.0	1743.1 1787.0	101	04N/16W-14H01S	1223.0	12-12-66 5-01-67	(1) 79.1		101
04N/15W-36H01S	2075.0	11-04-66 5-01-67	39.9 15.1	2035.1 2059.9	101	04N/16W-15Q01S	1152.9	10-25-66 11-23-66 1-01-67 2-15-67 3-15-67 4-15-67 5-15-67 7-15-67 8-15-67	110.0(1) 62.0 74.0 63.0 68.0 68.0 85.0(1) 86.0(1) 82.0(1)	1042.9 1090.9 1078.9 1089.9 1084.9 1084.9 1067.9 1066.9 1070.9	101
04N/16W-01B01S	1377.0	11-15-66 5-01-67	65.4 62.5	1311.6 1314.5	101	04N/16W-15Q03S	1153.0	10-25-66 11-15-66 1-03-67 2-15-67 3-15-67 4-15-67 5-15-67 7-15-67 8-15-67	78.0 64.0 73.0 60.0 68.0 67.0 86.0(1) 65.0 92.0(1)	1075.0 1089.0 1080.0 1093.0 1085.0 1086.0 1067.0 1088.0 1061.0	101
04N/16W-01K01S	1333.0	11-15-66 5-01-67	68.7 68.2	1264.3 1264.8	101	04N/16W-15R01S	1155.0	10-25-66 11-23-66 1-16-67 2-15-67 3-15-67 4-15-67 5-15-67 7-15-67 8-15-67	79.5 58.5 65.5 61.5 60.5 59.5 61.5 66.5 68.5	1075.5 1096.5 1089.5 1093.5 1094.5 1095.5 1093.5 1088.5 1086.5	101
04N/16W-01P03S	1329.0	11-15-66 5-01-67	77.7 76.7	1251.3 1252.3	101	04N/16W-16O01S	1096.0	1-16-67 2-15-67 3-15-67 5-15-67 7-15-67 8-15-67	(1) 49.7 52.7 73.7(1) 82.7(1)		101
04N/16W-01O01S	1330.0	5-01-67 5-15-67	(1) (1)		101						
04N/16W-02H01S	1330.0	11-14-66 4-25-67	88.5 82.6	1241.5 1247.4	101	04N/16W-16Q01S	1116.5	10-19-66 11-15-66 11-16-66 1-03-67 1-15-67 2-15-67 3-14-67 3-15-67 4-15-67 4-26-67 5-15-67	68.5 70.5 74.6 (1) 68.5 67.5 (1) 62.5 67.5 (1) 61.5	1048.0 1046.0 1041.9 1048.0 1049.0 1054.0 1049.0 1055.0	101
04N/16W-04H01S	1218.4	1-15-67 2-15-67 3-15-67 5-15-67 6-15-67 7-15-67 8-15-67 9-15-67	54.4 53.4 49.4 38.4 46.4 52.4 37.4 36.4	1164.0 1165.0 1169.0 1180.0 1172.0 1166.0 1181.0 1182.0	101						
04N/16W-06A01S	1063.0	11-17-66 5-02-67	25.6 (1)	1037.4	101						
04N/16W-06J04S	1043.4	11-17-66	16.4	1027.0	101						
04N/16W-07N01S	1012.0	1-16-67 6-12-67	(1) (1)		101						
04N/16W-07Q01S	1027.0	10-19-66 11-15-66	17.2 16.2	1009.8 1010.8	101						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0			UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0		
EASTERN HYDRO SUBAREA			U-03.E1			EASTERN HYDRO SUBAREA			U-03.E1		
04N/16W-160015 (CONT.)	1116.5	5-16-67 7-15-67 8-15-67	(1) 94.5(1) 71.5	1022.0 1045.0	101	04N/16W-220035 (CONT.)	1138.0	3-15-67 4-15-67 5-15-67 7-15-67 8-15-67 9-15-67	(0) 80.3 76.3 75.3 96.3 119.3	1057.7 1061.7 1062.7 1041.7 1018.7	412
04N/16W-160035	1115.8	11-16-66 1-03-67 3-14-67 4-26-67 5-16-67 7-17-67 9-05-67	76.0 74.0 65.0 62.0 61.6 71.5 73.9	1039.8 1041.8 1050.8 1053.8 1054.2 1044.3 1041.9	101	04N/16W-22H015	1148.0	1-16-67	(0)		101
04N/16W-17A025	1091.0	1-16-67 6-12-67	(0) (0)		101	04N/16W-22R085	1164.8	5-02-67	87.6	1077.2	101
04N/16W-17A035	1090.0	10-19-66 11-15-66 2-15-67 3-15-67 4-15-67 5-15-67 7-15-67 8-15-67 9-15-67	54.7 51.7 50.7 64.7(1) 50.7 67.7(1) 72.7(1) 73.7(1) 90.7(1)	1035.3 1038.3 1039.3 1025.3 1039.3 1022.3 1017.3 1016.3 999.3	101	04N/16W-23G015	1195.0	11-14-66 4-25-67	85.5 70.0	1109.5 1125.0	101
04N/16W-17A055	1089.0	10-19-66 11-15-66 2-15-67 3-15-67 4-15-67 5-15-67 7-15-67 8-15-67 9-15-67	51.7 51.7 48.7 51.7 47.7 76.7(1) 74.7(1) 70.7(1) 67.7(1)	1037.3 1037.3 1040.3 1037.3 1041.3 1012.3 1014.3 1018.3 1021.3	101	04N/16W-23G035	1195.0	1-16-67 6-12-67	(0) (0)		101
04N/16W-18A015	1042.7	10-19-66 11-16-66 12-12-66 2-07-67 3-14-67 4-26-67 5-16-67 6-12-67 7-17-67 8-07-67 9-05-67	28.7 26.0 24.4 27.2 22.5 21.7 (1) (0) 24.6 (1) (1)	1014.0 1016.7 1018.3 1015.5 1020.2 1021.0 1018.1	101	04N/16W-23H015	1194.0	10-23-66 11-15-66 2-15-67 3-15-67 4-15-67 5-15-67 7-15-67 8-15-67	100.6(1) 82.6 68.6 67.6 65.6 66.6 76.6 61.6	1093.4 1111.4 1125.4 1126.4 1128.4 1127.4 1117.4 1132.4	101
04N/16W-18F045	1023.0	1-16-67 2-15-67 4-15-67 5-15-67 7-15-67 9-15-67	(0) 8.7 8.7 9.7 11.7 11.7	1014.3 1014.3 1013.3 1011.3 1011.3	101	04N/16W-24A055	1260.0	10-25-66 11-15-66 2-15-67 3-15-67 4-15-67 5-15-67	78.1 96.1 76.1 93.1 89.1 87.1	1181.9 1163.9 1183.9 1166.9 1170.9 1172.9	101
04N/16W-18J025	1042.0	5-02-67 5-17-67	(5) (5)		101	04N/16W-24B025	1243.0	10-25-66 11-15-66 3-15-67 4-15-67 5-15-67 8-15-67	81.5 93.5 96.5(1) 84.5 95.5 70.5	1161.5 1149.5 1146.5 1158.5 1147.5 1172.5	101
04N/16W-20B025	1091.0	11-16-66 5-02-67	54.3 43.5	1036.7 1047.5	101	04N/16W-27H055	1187.2	1-16-67 3-15-67 4-15-67 5-15-67 7-15-67	(0) 118.0 120.0 114.0 133.0(1)	1069.2 1067.2 1073.2 1054.2	101
04N/16W-21H025	1133.0	11-16-66 12-12-66 1-03-67 2-07-67 3-14-67 4-26-67 5-16-67 6-12-67 7-17-67 8-07-67 9-05-67	96.5 84.9 (1) (1) 78.5 74.7 (0) 81.5 (1) 85.6 87.1	1036.5 1048.1 1054.5 1058.3 1051.5 1047.4 1045.9	101	04N/16W-27J015	1188.0	11-18-66 1-03-67 3-14-67 4-26-67	128.1 125.0 127.6 128.0	1059.9 1063.0 1060.4 1060.0	101
04N/16W-22A015	1155.0	12-13-66	(2)		101	04N/16W-27J025	1189.0	11-18-66 1-03-67 3-14-67 4-26-67	(1) (1) (1) (1)	1069.2 1067.2 1073.2 1054.2	101
04N/16W-22C075	1130.0	11-23-66 1-01-67 2-15-67 3-15-67 4-15-67 5-15-67 7-15-67	87.0 75.0 67.0 72.0 69.0 75.0 78.0	1043.0 1055.0 1063.0 1058.0 1061.0 1055.0 1052.0	101	04N/16W-28A015	1169.5	12-13-66 5-02-67	133.8 110.5	1035.7 1059.0	101
04N/16W-22C095	1131.0	1-16-67 6-12-67	(0) (0)		101	04N/16W-320015	1350.0	11-18-66 1-03-67 3-14-67 4-26-67	68.7 67.3 60.4 57.8	1281.3 1282.7 1289.6 1292.2	101
04N/16W-22D025	1128.0	11-15-66 1-01-67 1-15-67 2-15-67 3-15-67 4-15-67 5-15-67 7-15-67 9-15-67	91.3(1) 78.3 78.3 97.3(1) 74.3 67.3 111.3(1) 115.3(1) 117.3(1)	1036.7 1049.7 1049.7 1030.7 1053.7 1060.7 1016.7 1012.7 1010.7	101	04N/16W-34J015	1230.6	11-18-66 4-26-67	113.8 109.2	1116.8 1121.4	101
04N/16W-22D035	1138.0	4-15-66 1-15-67 2-15-67	89.3 83.3 81.3	1048.7 1054.7 1056.7	101	04N/16W-34J025	1231.0	11-18-66 4-27-67	169.3 165.7	1061.7 1065.3	101
						04N/16W-35B015	1245.0	4-27-67	DRY		101
						04N/16W-35H025	1236.5	12-12-66 4-26-67 5-15-67	200.0(4) (1) (1)	1036.5	101
						04N/16W-36E025	1295.0	11-18-66 12-12-66	(9) DRY		101
						04N/16W-36H025	1292.0	4-27-67	DRY		101
						04N/16W-36H035	1300.0	11-18-66	DRY		101
						04N/16W-36H045	1284.0	12-12-66 4-27-67 5-15-67	(1) (1) (1)		101
						04N/16W-36P025	1315.0	4-27-67	DRY		101
						04N/16W-36O015	1330.0	11-18-66 4-27-67	153.1 126.5	1176.9 1203.5	101
						04N/16W-36R015	1350.0	11-21-66 4-27-67	103.7 79.9	1246.3 1270.1	101

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
UPPER SANTA CLARA R HYDRO SUBUNIT EASTERN HYDRO SUBAREA			U-03.E0			UPPER SANTA CLARA R HYDRO SUBUNIT EASTERN HYDRO SUBAREA			U-03.E0		
			U-03.E1						U-03.E1		
04N/17W-02M015	1200.0	11-17-66 4-26-67	71.4 64.6	1128.6 1135.4	101	04N/17W-23D015 (CONT.)	949.7	3-15-67 4-15-67 5-15-67 7-15-67	16.0 16.0 19.0 19.0	933.7 933.7 930.7 930.7	101
04N/17W-12B035	1028.5	3-15-67 4-15-67 5-15-67 8-15-67 9-15-67	9.5 8.5 8.5 23.5 23.5	1019.0 1020.0 1020.0 1005.0 1005.0	101	04N/17W-28E015	865.8	11-17-66 12-12-66 1-03-67 2-07-67 3-09-67 4-13-67 5-16-67 6-12-67 7-17-67 8-07-67 9-05-67	14.7 14.9 14.8 15.1 14.6 14.2 (9) 14.6 14.8 14.8 14.9	851.1 850.9 851.0 850.7 851.2 851.6 851.2 851.0 851.0 850.9	101
04N/17W-12G015	1020.6	11-17-66 5-02-67	23.3 18.4	997.3 1002.2	101	04N/17W-28L015	969.8	11-18-66 4-26-67	1.8 -7	968.0 970.5	101
04N/17W-12P015	991.9	10-19-66 11-15-66 3-15-67 4-15-67 7-15-67 9-15-67	22.0 22.0 14.0 13.0 16.0 16.0	969.9 969.9 977.9 978.9 975.9 975.9	101	04N/17W-28L025	971.5	11-18-66 4-26-67	2.0 FLOW	969.5	101
04N/17W-12R015	1012.0	3-15-67 4-15-67 5-15-67 7-15-67 8-15-67	19.0 18.0 20.0 24.0 22.0	993.0 994.0 992.0 988.0 990.0	101	05N/14W-29P019	2265.0	11-14-66 4-18-67	47.8 41.6	2217.2 2223.4	101
04N/17W-13C015	988.0	7-15-67 9-15-67	12.6 14.6	975.4 973.4	101	05N/14W-30R015	2190.0	11-04-66 4-18-67	343.5(5) 329.5(5)	1846.5 1860.5	101
04N/17W-13C025	983.8	1-03-67 3-14-67 4-26-67 5-16-67 7-17-67 9-05-67	14.1 13.2 12.5 13.2 13.1 11.7	969.7 970.6 971.3 970.6 970.7 972.1	101	05N/14W-30R025	2040.0	11-04-66 4-18-67	74.6 60.1	1965.4 1979.9	101
04N/17W-13E015	985.0	11-17-66 1-16-67 4-26-67 6-12-67	24.9 (0) 18.9 (0)	960.1 966.1	101	05N/14W-31C025	1953.0	11-04-66 1-03-67 3-14-67 4-18-67 5-16-67 7-17-67 9-05-67	63.9 61.4 60.2 59.7 (1) 52.4(1) 53.6	1889.1 1891.6 1892.8 1893.3 1900.6 1899.4	101
04N/17W-13J015	1038.0	1-15-67 1-16-67 2-15-67 3-15-67 4-15-67 8-15-67	90.0 (0) 90.0 83.0 88.0 91.0	948.0 948.0 955.0 950.0 947.0	101	05N/14W-31F045	1950.0	4-18-67	53.9	1896.1	101
04N/17W-14Q015	961.9	6-12-67	(0)		101	05N/14W-31L015	1920.0	12-13-66 4-18-67 5-15-67	(9) (9) 58.8		101
04N/17W-14Q025	958.0	10-19-66 11-15-66 1-15-67 2-15-67 3-15-67 4-15-67 7-15-67 8-15-67 9-15-67	23.2 24.2 22.2 20.2 16.2 16.2 19.2 20.2 78.2(1)	934.8 933.8 935.8 937.8 941.8 941.8 938.8 937.8 879.8	101	05N/15W-21Q015	1628.0	11-16-66 5-01-67	38.0 27.1	1590.0 1600.9	101
04N/17W-15N015	996.0	12-12-66 4-26-67	FLOW FLOW		101	05N/15W-28F015	1600.0	11-16-66 5-01-67	49.7 38.2	1550.3 1561.8	101
04N/17W-21C025	1010.0	11-17-66 4-26-67	13.1 10.9	996.9 999.1	101	05N/15W-28G015	1625.0	11-16-66 5-01-67	55.1 46.0	1569.9 1579.0	101
04N/17W-22E015	897.6	10-25-66 11-25-66 3-15-67 4-15-67 5-15-67 7-15-67 8-15-67 9-15-67	29.0(1) 27.0(1) 1.0 1.0 2.0 10.0(1) 9.0 18.0(1)	868.6 870.6 896.6 896.6 895.6 887.6 888.6 879.6	101	05N/15W-32R025	1492.0	11-15-66 5-01-67	22.1 21.8	1469.9 1470.2	101
04N/17W-22E025	900.0	10-19-66 11-16-66 2-15-67 3-09-67 3-15-67 4-15-67 5-15-67 7-15-67 8-15-67 9-05-67 9-15-67	19.0 19.0 16.0 2.7 2.0 2.0 3.0 4.0 10.0 12.2 12.0	881.0 881.0 884.0 897.3 898.0 898.0 897.0 896.0 890.0 887.8 888.0	101	05N/15W-33C025	1550.0	11-16-66 1-03-67 3-14-67 5-01-67 5-16-67	31.1 35.2 41.3 44.0 31.0	1518.9 1514.8 1508.7 1506.0 1519.0	101
04N/17W-22E035	899.9	10-19-66 11-15-66 3-15-67 4-15-67 5-15-67 7-15-67 8-15-67 9-15-67	20.0 20.0 2.0 2.0 18.0(1) 8.0 10.0 14.0	879.9 879.9 897.9 897.9 881.9 891.9 889.9 885.9	101	05N/15W-33D025	1552.0	11-16-66 1-03-67 3-14-67 5-01-67 5-16-67	34.3 38.4 44.1 46.8 34.0 28.0 20.3	1517.7 1513.6 1507.9 1505.2 1518.0 1524.0 1531.7	101
04N/17W-23D015	949.7	10-19-66 11-15-66	23.0 21.0	926.7 928.7	101	05N/15W-33E015	1529.0	5-01-67 5-15-67	(9) (9)		101
						05N/15W-33E035	1531.0	5-01-67 5-15-67	(9) (9)		101
						05N/15W-33E045	1513.0	11-15-66 5-01-67	23.5 21.6	1489.5 1491.4	101
						05N/15W-33E055	1528.0	11-15-66 5-01-67	57.1 29.5	1470.9 1498.5	101
						05N/15W-33E065	1495.0	11-16-66 5-01-67	32.6 28.3	1462.4 1466.7	101
						05N/15W-33K015	1610.0	11-15-66 5-01-67	87.5 87.7	1522.5 1522.3	101
						05N/16W-19M015	1158.0	11-16-66 5-02-67	21.6 3.0	1136.4 1155.0	101
						05N/16W-34P015	1233.0	11-14-66 3-14-67 5-01-67 5-16-67 7-17-67	44.8 38.8 34.1 15.3 12.0	1188.2 1194.2 1198.9 1217.7 1221.0	101

See page 117 for key to terms & abbreviations

TABLE C-I
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0			UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0		
EASTERN HYDRO SUBAREA			U-03.E1			SIERRA PELONA HYDRO SUBAREA			U-03.E4		
05N/16W-34P01S (CONT.)	1233.0	9-05-67	16.1	1216.9	101	05N/14W-26G01S (CONT.)	2565.0	5-16-67	(1)		101
05N/16W-34P02S	1235.0	11-14-66	47.1	1187.9	101	05N/14W-27H01S	2500.5	11-21-66	40.0	2460.5	101
		1-03-67	44.8	1190.2				5-16-67	37.6	2462.9	
		3-14-67	39.0	1196.0		05N/14W-27K01S	2478.0	11-21-66	24.0	2454.0	101
		5-01-67	35.5	1199.5				5-16-67	17.1	2460.9	
		5-16-67	18.9	1216.1							
05N/16W-36802S	1474.0	11-15-66	28.4	1445.6	101	ACTON HYDRO SUBAREA			U-03.E5		
		5-01-67	(1)			04N/12W-02E02S	3520.0	11-21-66	151.0	3369.0	101
		5-15-67	(1)			04N/12W-11G01S	3735.0	11-22-66	61.3	3673.7	101
05N/17W-24801S	1172.5	11-17-66	34.2	1138.3	101			5-09-67	55.2	3679.8	
		5-02-67	10.4	1162.1							
05N/17W-24H01S	1170.0	11-16-66	28.9	1141.1	101						
		5-02-67	7.9	1162.1							
05N/17W-25808S	1150.0	11-16-66	35.0	1115.0	101						
		5-02-67	20.6	1129.4							
05N/17W-25G01S	1136.0	5-02-67	(2)		101						
		5-15-67	(2)								
05N/17W-25G03S	1129.5	11-16-66	25.8	1103.7	101						
		1-03-67	16.6	1112.9							
		3-14-67	8.2	1121.3							
		4-26-67	6.9	1122.6							
		5-16-67	8.7	1120.8							
		7-17-67	11.7	1117.8							
		9-05-67	12.4	1117.1							
05N/17W-25M02S	1235.0	11-17-66	100.6	1134.4	101						
		4-26-67	88.4	1146.6							
05N/17W-36A03S	1109.0	11-17-66	18.7	1090.3	101						
		5-02-67	10.2	1098.8							
05N/17W-36G03S	1090.0	11-17-66	6.8	1083.2	101						
		5-02-67	(9)								
05N/17W-36H04S	1086.2	11-17-66	7.9	1078.3	101						
		5-02-67	4.7	1081.5							
05N/17W-36H05S	1099.6	11-17-66	16.5	1083.1	101						
		5-02-67	12.5	1087.1							
05N/17W-36J01S	1088.2	11-17-66	10.0	1078.2	101						
		5-02-67	5.8	1082.4							
SIERRA PELONA HYDRO SUBAREA			U-03.E4								
05N/14W-13C01S	2825.0	11-21-66	73.6	2751.4	101						
		5-09-67	70.5	2754.5							
05N/14W-14A01S	2825.0	11-21-66	38.3	2786.7	101						
		5-09-67	33.5	2791.5							
05N/14W-14A02S	2820.0	11-21-66	32.9	2787.1	101						
		5-09-67	25.5	2794.5							
05N/14W-14A03S	2850.0	5-09-67	(4)		101						
05N/14W-14F02S	2705.0	11-21-66	40.5	2664.5	101						
		5-09-67	35.3	2669.7							
05N/14W-23E01S	2570.0	11-21-66	84.6	2485.4	101						
		5-09-67	58.5	2511.5							
05N/14W-23N01S	2550.0	5-09-67	(9)		101						
05N/14W-23N02S	2525.0	11-21-66	55.5	2469.5	101						
		5-09-67	53.5	2471.5							
05N/14W-24C01S	2666.7	11-21-66	129.5	2537.2	101						
		5-09-67	135.7 (4)	2531.0							
05N/14W-25D01S	2659.0	11-21-66	24.0	2635.0	101						
		5-16-67	24.0	2635.0							
05N/14W-25D03S	2659.0	11-21-66	27.6	2631.4	101						
		5-16-67	27.5	2631.5							
05N/14W-26002S	2500.0	11-21-66	37.5	2462.5	101						
05N/14W-26E01S	2483.0	11-21-66	32.3	2450.7	101						
		5-16-67	29.5	2453.5							
05N/14W-26E02S	2490.0	11-21-66	34.5	2455.5	101						
		5-16-67	33.3	2456.7							
05N/14W-26E03S	2480.0	11-21-66	24.4	2455.6	101						
		5-16-67	(8)								
05N/14W-26G01S	2565.0	11-21-66	42.9	2522.1	101						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
CALLEGUAS-CONEJO HYDRO SUBUNIT			U-03.F0			CALLEGUAS-CONEJO HYDRO SUBUNIT			U-03.F0		
WEST LAS POSAS HYDRO SUBAREA			U-03.F1			ARROYO SANTA ROSA HYDRO SUBAREA			U-03.F3		
02N/21W-11J01S	385.8	11-23-66 4-25-67 5-26-67	348.6 338.3 349.1	37.2 47.5 36.7	121	02N/19W-20L01S	304.5	7-28-67	196.5	108.0	121
						(CONT.)					
02N/21W-12F01S	404.6	4-11-67 7-26-67	288.8 299.3(2)	115.8 105.3	121	02N/19W-20N01S	305.5	5-10-67 7-28-67	174.4(5) (5)	131.1	121
02N/21W-15A01S	308.5	4-11-67 7-26-67	313.2 (1)	-4.7	121	02N/19W-21C02S	489.6	4-27-67 7-28-67	143.3 142.3	346.3 347.3	121
02N/21W-15M03S	263.0	4-11-67 7-26-67	263.1 (1)	-1.1	121	02N/20W-22M01S	281.6	5-11-67 7-28-67	(1) (9)		121
02N/21W-16J01S	259.4	4-11-67 7-26-67	(9) 82.7		121	02N/20W-23R01S	234.6	4-27-67 7-28-67	(1) 103.9	130.7	121
02N/21W-20Q03S	112.1	4-11-67 6-08-67 8-23-67	114.8 111.2 (1)	-2.7 .9	121	02N/20W-25L01S	235.2	5-11-67 7-28-67	58.5 62.5	176.7 172.7	121
02N/21W-28A01S	268.0	4-13-67 6-08-67 8-24-67	280.6 280.4 (7)	-12.6 -12.4	121	02N/20W-26R03S	205.5	5-11-67 7-28-67	72.6 77.3	132.9 128.2	121
EAST LAS POSAS HYDRO SUBAREA			U-03.F2			CONEJO VALLEY HYDRO SUBAREA			U-03.F4		
02N/19W-03A05S	579.6	5-05-67 7-27-67	2.9 3.4	576.7 576.2	121	01N/19W-07K08S	653.1	5-11-67 8-17-67	10.8 (5)	642.3	121
02N/19W-04K01S	526.7	4-24-67 7-27-67	147.4 152.6	379.3 374.1	121	01N/19W-07K16S	634.6	5-11-67 8-09-67	39.1(1) 21.2	595.5 613.4	121
02N/19W-05M01S	477.6	4-25-67 7-27-67	262.2 267.8	215.4 209.8	121	01N/19W-18R06S	711.1	5-11-67 5-17-67 8-09-67	(4) 4.5 4.1		121
02N/19W-06E01S	615.0	5-03-67 7-26-67	351.2 (1)	263.8	121	01N/20W-03J01S	762.9	5-18-67 8-09-67	56.9 63.5	706.0 699.4	121
02N/19W-06N03S	442.8	5-03-67 7-26-67	92.5 (1)	350.3	121	01N/20W-12F03S	642.2	5-11-67 8-09-67	60.4 56.5	581.8 585.7	121
02N/19W-07A03S	457.0	5-03-67 7-26-67	109.8 116.8(6)	347.2 340.2	121	01N/20W-15R03S	720.0	8-09-67	12.4	707.6	121
02N/19W-08G03S	491.4	5-04-67 7-26-67	134.7 (1)	356.7	121	02N/19W-33C02S	778.4	5-12-67 8-11-67	55.0 52.2	723.4 726.2	121
02N/20W-01Q01S	451.7	5-03-67 7-26-67	(5) 95.4		121	TIERRA REJADA VALLEY HYDR SUBAREA			U-03.F5		
02N/20W-06R01S	557.1	4-26-67 7-26-67	150.9 151.1	406.2 406.0	121	02N/19W-10R01S	618.6	5-12-67 8-04-67	217.3 217.8	401.3 400.8	121
02N/20W-08H01S	429.9	4-27-67 7-26-67	309.3(5) 457.3(1)	120.6 -27.4	121	02N/19W-11J02S	717.2	5-12-67 8-04-67	159.7 150.2	557.5 567.0	121
02N/20W-10G01S	415.1	4-25-67 7-26-67	299.6 (1)	115.5	121	02N/19W-14D01S	618.4	5-12-67 8-04-67	224.0 224.5	394.4 393.9	121
02N/20W-12G02S	420.0	11-23-66 4-24-67 7-26-67	78.2 76.4 92.7(2)	341.8 343.6 327.3	121	02N/19W-14P01S	677.4	5-10-67 7-28-67	(5) (1)		121
02N/20W-12J01S	428.7	5-03-67 7-26-67	220.1 226.3	208.6 202.4	121	02N/19W-15J02S	627.7	5-10-67 7-28-67	244.7 (1)	383.0	121
02N/20W-16C01S	291.6	11-23-66 4-25-67 7-26-67	215.9 197.9 (1)	75.7 93.7	121	SIMI VALLEY HYDRO SUBAREA			U-03.F7		
02N/20W-18A01S	374.6	4-26-67 7-26-67	(3) (3)		121	02N/17W-06G01S	1079.2	4-18-67 7-27-67	(3) (3)		121
03N/19W-28F03S	957.3	5-04-67 7-27-67	(3) (3)		121	02N/17W-09E01S	1027.0	4-18-67 7-27-67	14.0 13.4	1013.0 1013.6	121
03N/19W-29L03S	835.1	5-03-67 7-27-67	212.0 (3)	623.1	121	02N/17W-09N05S	1047.8	4-13-67 7-27-67	16.3 (1)	1031.5	121
03N/19W-30E03S	860.0	4-25-67 7-27-67	(7) (7)		121	02N/18W-01M01S	993.6	4-18-67 7-28-67	288.0(3) 289.0(2)	705.6 704.6	121
03N/19W-30P01S	761.2	5-03-67 7-27-67	(9) 62.0		121	02N/18W-03L03S	960.0	4-21-67 7-28-67	(5) 283.7		121
03N/19W-33P03S	731.5	2-03-67 2-03-67 4-24-67 7-27-67	299.0 307.0(1) 297.5 303.5	432.5 424.5 434.0 428.0	121	02N/18W-07F04S	753.4	11-30-66 4-27-67 8-04-67	70.6 66.7 66.1	682.8 686.7 687.3	121
ARROYO SANTA ROSA HYDRO SUBAREA			U-03.F3			02N/18W-08C02S	746.4	4-21-67	(5)		121
02N/19W-20L01S	304.5	4-27-67	187.5	117.0	121	02N/18W-09C01S	859.3	4-21-67 7-28-67	172.0 186.4	687.3 672.9	121
						02N/18W-09M01S	770.7	4-12-67 7-27-67	87.5 88.8	683.2 681.9	121
						02N/18W-09R03S	815.0	11-30-66 4-12-67	133.7 128.3	681.3 686.7	121

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
CALLEGUAS-CONEJO HYDRO SUBUNIT						U-03.F0					
SIMI VALLEY HYDRO SUBAREA						U-03.F7					
02N/18W-09R03S (CONT.)	815.0	7-27-67	127.3	687.7	121						
02N/18W-12A01S	980.0	11-30-66	241.9	738.1	121						
		4-18-67	228.9	751.1							
		7-28-67	234.2	745.8							
02N/18W-12L03S	947.6	4-13-67	196.5	751.1	121						
		7-27-67	(5)								
02N/18W-13C01S	939.2	4-13-67	(5)		121						
		7-27-67	(5)								
02N/18W-14C03S	883.2	4-13-67	62.0	821.2	121						
		7-27-67	62.7	820.5							
02N/18W-15G02S	868.6	4-12-67	97.5	771.1	121						
		7-27-67	101.1	767.5							
02N/18W-16D05S	779.1	4-12-67	87.9	691.2	121						
		7-27-67	85.4	693.7							
THOUSAND OAKS HYDRO SUBAREA						U-03.F8					
01N/19W-01K01S	1244.2	5-25-67	35.0	1209.2	121						
		8-16-67	37.7 (1)	1206.5							
01N/19W-02C01S	890.5	5-24-67	26.3	864.2	121						
		8-17-67	28.1	862.4							
01N/19W-02L01S	945.2	5-17-67	83.6	861.6	121						
		8-17-67	77.3	867.9							
01N/19W-09H02S	764.0	5-12-67	260.7	503.3	121						
		8-10-67	(9)								
01N/19W-11001S	902.6	8-11-67	39.6	863.0	121						
01N/19W-13B01S	996.1	5-25-67	39.4	956.7	121						
		8-16-67	50.4 (1)	945.7							
01N/19W-14K04S	907.9	5-24-67	50.1	857.8	121						
		8-17-67	50.1	857.8							
01N/19W-15A02S	816.5	5-25-67	53.4	763.1	121						
		8-17-67	51.9	764.6							
01N/19W-15E01S	902.6	5-17-67	20.9	881.7	121						
		8-09-67	22.5	880.1							
02N/18W-31K01S	1148.5	5-17-67	13.0	1135.5	121						
		8-17-67	23.8	1124.7							
02N/19W-35J01S	1001.4	5-17-67	96.8	904.6	121						
		8-17-67	95.6	905.8							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MALIBU HYDRO UNIT						U-04.00					
TOPANGA HYDRO SUBUNIT						MALIBU CREEK HYDRO SUBUNIT					
TOPANGA CANYON HYDRO SUBAREA						MALIBU CREEK HYDRO SUBAREA					
U-04.A0						U-04.B0					
U-04.A1						U-04.B1					
015/16W-18L02S	921.0	11-15-66 4-24-67 4-26-67	78.9 (2) (2)	842.1	101	01S/17W-29E01S	80.0	11-16-66 5-01-67	11.0 9.9	69.0 70.1	101
01S/16W-29001S	60.0	11-15-66 4-26-67	11.5 6.8	48.5 53.2	101	01S/17W-29N01S	59.4	11-16-66 5-01-67	21.4 20.2	38.0 39.2	101
01S/16W-29002S	60.0	11-15-66 4-26-67	7.6 2.9	52.4 57.1	101	01S/17W-29N02S	63.8	11-16-66 5-01-67	20.6 17.1	43.2 46.7	101
01S/16W-32G01S	17.5	11-15-66 4-26-67	16.1(1) 9.3	1.4 8.2	101	01S/17W-29P01S	35.0	11-16-66 5-01-67	19.9 20.0	15.1 15.0	101
01S/16W-32G02S	16.0	11-15-66 4-26-67	12.4(2) 6.6	3.6 9.4	101	01S/17W-32F01S	19.7	11-16-66 5-01-67	15.2 15.4	4.5 4.3	101
PIEDRA GORDA CANYON HYDRO SUBAREA						01S/17W-32F02S	21.9	11-16-66 5-01-67	16.7 16.9	5.2 5.0	101
U-04.A4						01S/17W-32F03S	16.3	11-16-66 5-01-67	12.7 12.9	3.6 3.4	101
01S/17W-36D01S	825.0	11-25-66 4-26-67	368.9 368.2	456.1 456.8	101	01S/17W-32G01S	12.5	11-16-66 5-01-67	13.6 10.9	-1.1 1.6	101
01S/17W-36H02S	250.0	11-15-66 4-26-67	37.7 36.4	212.3 213.6	101	01S/17W-32L04S	16.0	11-16-66 5-01-67	13.3 13.4	2.7 2.6	101
LAS FLORES CANYON HYDRO SUBAREA						01S/17W-32L05S	15.0	11-16-66 5-01-67	6.7 6.9	8.3 8.1	101
U-04.A5						LAS VIRGENES CANYON HYDRO SUBAREA					
01S/17W-26E01S	325.0	11-15-66 4-26-67	FLOW FLOW		101	U-04.B2					
						01N/17W-30P02S	703.0	11-16-66 4-27-67	40.9 34.3	662.1 668.7	101
						01N/17W-31C01S	703.0	11-16-66 4-27-67	41.4 34.5	661.6 668.5	101
						01N/18W-24J01S	1119.4	10-06-66 11-16-66 4-27-67	167.8 152.7 141.4	951.6 966.7 978.0	101
						01N/18W-24J02S	1106.4	10-06-66 11-16-66 4-27-67	172.0(4) 146.7 131.0	934.4 959.7 975.4	101
						LINDERO CANYON HYDRO SUBAREA					
						U-04.B3					
						01N/18W-08F01S	1203.7	5-25-67 8-16-67	26.5 27.2	1177.2 1176.5	121
						01N/18W-08J01S	1175.0	5-25-67 8-16-67	35.8 38.5	1139.2 1136.5	121
						01N/18W-08L01S	1100.0	5-25-67 8-16-67	19.0 18.9	1081.0 1081.1	121
						01N/18W-10D01S	1340.0	5-25-67	(9)		121
						01N/18W-10H01S	1190.0	5-25-67 8-16-67	52.0 (9)	1138.0	121
						01N/18W-13D01S	1150.0	5-25-67 8-16-67	(1) 20.0	1130.0	121
						01N/18W-17B01S	1350.0	5-25-67 8-16-67	50.4 50.5	1299.6 1299.5	121
						01N/18W-17F01S	1065.8	5-25-67 8-16-67	19.9 22.3(1)	1045.9 1043.5	121
						01N/18W-17H01S	1400.0	5-25-67 8-16-67	118.5(1) 112.0(1)	1281.5 1288.0	121
						RUSSELL VALLEY HYDRO SUBAREA					
						U-04.B5					
						01N/19W-24M01S	904.7	5-25-67 8-09-67	38.1 38.6	866.6 866.1	121
						SHERWOOD HYDRO SUBAREA					
						U-04.B6					
						01N/19W-19L02S	1082.0	5-18-67 8-09-67	45.0 (1)	1037.0	121
						01N/19W-28A01S	963.3	5-17-67 8-09-67	2.9 7.7	960.4 955.6	121
						01N/19W-30A01S	998.2	5-10-67 8-09-67	1.2 (1)	997.0	121

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MALIBU HYDRO UNIT						U-04.00					
MALIBU CREEK HYDRO SUBUNIT			U-04.80			POINT DUME HYDRO SUBUNIT			U-04.C0		
SMERWOOD HYDRO SUBAREA			U-04.86			RAMERA CANYON HYDRO SUBAREA			U-04.C5		
01N/20W-24H02S	1126.0	5-18-67	46.4	1079.6	121	01S/18W-32P01S	120.0	11-15-66	18.6	101.4	101
		8-09-67	47.8	1078.2				4-26-67	9.4	110.6	
01N/20W-25E02S	1203.4	5-18-67	59.2	1144.2	121	01S/18W-32P02S	135.0	11-15-66	22.3	112.7	101
		8-09-67	62.3	1141.1				4-26-67	16.9	118.1	
						01S/18W-34H01S	125.0	11-15-66	44.9	80.1	101
								4-26-67	45.2	79.8	
						02S/18W-05B01S	100.0	11-15-66	22.4	77.6	101
								4-26-67	12.5	87.5	
						02S/18W-05C01S	125.0	11-15-66	37.2	87.8	101
								4-26-67	26.6	98.4	
						02S/18W-05C02S	100.0	11-15-66	6.6	93.4	101
								4-26-67	5.0	95.0	
						02S/18W-05C03S	100.0	11-15-66	17.7	82.3	101
								4-26-67	5.0	95.0	
						02S/18W-05C04S	100.0	11-15-66	20.5	79.5	101
								4-26-67	8.1	91.9	
						02S/18W-05C05S	125.0	11-15-66	21.0	104.0	101
								4-26-67	7.4	117.6	
						02S/18W-05E01S	200.0	11-15-66	66.5	133.5	101
								4-26-67	62.1	137.9	
						ZUMA CANYON HYDRO SUBAREA			U-04.C6		
						01S/18W-31N01S	90.0	11-16-66	64.8	25.2	101
								5-01-67	17.4	72.6	
						02S/18W-06E01S	66.6	11-16-66	42.7	23.9	101
								5-01-67	9.6	57.0	
						02S/18W-06E02S	66.0	11-16-66	46.5	19.5	101
								5-01-67	13.7	52.3	
						02S/18W-06M01S	54.0	11-16-66	32.5	21.5	101
								5-01-67	16.9	37.1	
						02S/18W-06M02S	45.0	11-16-66	27.3	17.7	101
								5-01-67	11.1(4)	33.9	
						TRANCAS CANYON HYDRO SUBAREA			U-04.C7		
						01S/19W-29P01S	275.0	11-16-66	11.3	263.7	101
								5-01-67	5.9	269.1	
						01S/19W-29Q01S	690.0	11-16-66	255.1	434.9	101
								5-01-67	254.4	435.6	
						01S/19W-35P01S	25.0	11-16-66	21.3	3.7	101
								5-01-67	9.4	15.6	
						01S/19W-35Q02S	23.0	11-16-66	15.3	7.7	101
								5-01-67	5.9	17.1	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MALIBU HYDRO UNIT						U-04.00					
CAMARILLO HYDRO SUBUNIT						U-04.D0					
NICHOLAS CANYON HYDRO SUBAREA						U-04.D3					
01S/19W-30P01S	225.0	11-15-66	3.4	221.6	101						
		4-26-67	3.7	221.3							
ARROYO SEQUIT HYDRO SUBAREA						U-04.D4					
01S/20W-25E01S	54.0	11-15-66	24.3	29.7	101						
		4-26-67	8.2	45.8							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA						COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA					
U-05.A0						U-05.A0					
U-05.A2						U-05.A2					
025/14W-19K02S	57.0	11-14-66 3-27-67 4-18-67	91.9 89.0 90.0	-34.9 -32.0 -33.0	101 050 101	025/14W-28F01S	112.0	7-05-67 7-31-67 7-31-67 9-01-67 9-01-67	223.5(1) 176.5(5) 222.5(1) 183.0(5) 223.5(1)	-111.5 -64.5 -110.5 -71.0 -111.5	061
025/14W-19K03S	57.0	11-14-66 3-27-67 4-18-67	97.0 91.1 95.4	-40.0 -34.1 -38.4	101 050 101	025/14W-28L01S	124.0	2-02-67 3-06-67 3-27-67 4-03-67 5-03-67 6-05-67 7-07-67 8-01-67 8-31-67	175.5(5) 174.4(5) 174.9 174.9(5) 176.9(5) 182.9(5) 184.9(5) 183.4(5) 183.9(5)	-51.5 -50.4 -50.9 -50.9 -52.9 -58.9 -60.9 -59.4 -59.9	061 050 061
025/14W-19M02S	30.0	11-14-66 4-18-67	51.7 51.6	-21.7 -21.6	101	025/14W-28M01S	99.0	2-02-67 3-03-67 3-27-67 4-03-67 4-03-67 5-03-67 5-03-67 5-31-67 5-31-67 6-30-67 6-30-67	154.9(5) 153.4(5) 156.9 153.9(5) 246.9(1) 155.9(5) 248.9(1) 162.4(5) 251.9(1) 161.9(5) 242.9(1)	-55.9 -54.4 -57.9 -54.9 -147.9 -56.9 -149.9 -63.4 -152.9 -62.9 -143.9	061
025/14W-19M03S	30.0	11-14-66	39.8	-9.8	101			8-01-67 8-01-67 8-31-67 8-31-67	162.9(5) 256.9(1) 163.4(5) 254.9(1)	-63.9 -157.9 -64.4 -155.9	
025/14W-19P01S	37.0	11-14-66 4-17-67	DRY DRY		101			2-02-67 2-02-67 3-03-67 3-03-67 4-03-67 5-04-67 5-31-67 5-31-67 7-05-67 7-05-67 8-01-67 8-01-67 8-31-67 8-31-67	142.8(5) 159.8(1) 140.8(5) 154.8(1) 143.6 140.0(5) 143.8(5) 164.8(1) 147.3(5) 165.8(1) 148.8(5) 169.8(1) 148.8(5) 161.8(1) 147.8(5) 168.3(1)	-52.8 -69.8 -50.8 -64.8 -53.6 -50.0 -53.8 -74.8 -57.3 -75.8 -58.8 -79.8 -58.8 -71.8 -57.8 -78.3	061
025/14W-19P02S	34.0	4-17-67	DRY		101			2-02-67 2-02-67 3-07-67 3-27-67 4-03-67 4-03-67 5-02-67 5-02-67 6-05-67 7-07-67 7-07-67 8-01-67 8-01-67 9-01-67	143.7(5) 211.7(1) 141.7(5) 208.7(1) 142.8 140.3(5) 207.7(1) 144.7(5) 208.7(1) 148.7(5) 150.2(5) 210.2(1) 145.7(5) 208.7(1) 149.7(5) 211.7(1)	-53.7 -121.7 -51.7 -118.7 -52.8 -50.3 -117.7 -54.7 -118.7 -58.7 -60.2 -120.2 -55.7 -118.7 -59.7 -121.7	061
025/14W-19P03S	34.0	11-14-66 4-17-67	DRY DRY		101			2-01-67 3-03-67 3-27-67 4-03-67 5-01-67 6-01-67 7-05-67 7-05-67 8-01-67 8-31-67	143.4(5) 142.9(5) 177.4(1) 143.3 142.8(5) 143.4(5) 163.4(1) 147.4(5) 175.9(1) 142.4(5) 171.4(1) 141.4(5) 176.4(1) 144.4(5) 175.4(1)	-45.4 -44.9 -79.4 -45.3 -44.8 -45.4 -65.4 -49.4 -77.9 -44.4 -73.4 -43.4 -78.4 -46.4 -77.4	061
025/14W-19Q01S	48.9	11-14-66 3-27-67 4-18-67	87.0 84.8 85.3	-38.1 -35.9 -36.4	101 050 101			3-08-67 3-08-67 3-27-67 4-03-67 4-03-67 5-02-67 5-02-67 6-02-67 6-02-67 7-06-67 7-06-67 7-31-67 7-31-67 9-01-67 9-01-67	144.7(5) 166.7(1) 145.1 144.9(5) 166.7(1) 143.7(5) 167.7(1) 144.7(5) 166.7(1) 146.7(5) 170.2(1) 147.2(5) 171.2(1) 146.7(5) 170.7(1)	-46.7 -68.7 -47.1 -46.9 -68.7 -45.7 -69.7 -46.7 -68.7 -48.7 -72.2 -49.2 -73.2 -48.7 -72.7	061 050 061
025/14W-22N06S	159.2	2-01-67 3-08-67 3-27-67 4-03-67 5-01-67 6-02-67 7-06-67 7-31-67 8-31-67	151.4(5) 151.4(5) 156.6 152.4(5) 150.9(5) 151.9(5) 151.4(5) 149.9(5) 149.9(5)	7.8 7.8 2.6 6.8 8.3 7.3 7.8 9.3 9.3	061 050 061	025/14W-28M02S	90.0	2-02-67 2-02-67 3-03-67 3-03-67 4-03-67 5-04-67 5-31-67 5-31-67 7-05-67 7-05-67 8-01-67 8-01-67 8-31-67 8-31-67	142.8(5) 159.8(1) 140.8(5) 154.8(1) 143.6 140.0(5) 143.8(5) 164.8(1) 147.3(5) 165.8(1) 148.8(5) 169.8(1) 148.8(5) 161.8(1) 147.8(5) 168.3(1)	-52.8 -69.8 -50.8 -64.8 -53.6 -50.0 -53.8 -74.8 -57.3 -75.8 -58.8 -79.8 -58.8 -71.8 -57.8 -78.3	061
025/14W-22N08S	157.9	2-01-67 2-27-67 3-27-67 4-03-67 5-01-67 6-01-67 6-30-67 7-31-67 8-31-67	217.0(5) 215.0(5) 211.0 211.0(5) 214.5(5) 211.5(5) 211.5(5) 211.0 210.5(5)	-59.1 -57.1 -53.1 -53.1 -56.6 -53.6 -53.6 -53.1 -52.6	061 050 061	025/14W-29M01S	90.0	2-02-67 2-02-67 3-07-67 3-07-67 4-03-67 4-03-67 5-02-67 5-02-67 6-05-67 7-07-67 7-07-67 8-01-67 8-01-67 9-01-67	143.7(5) 211.7(1) 141.7(5) 208.7(1) 142.8 140.3(5) 207.7(1) 144.7(5) 208.7(1) 148.7(5) 150.2(5) 210.2(1) 145.7(5) 208.7(1) 149.7(5) 211.7(1)	-53.7 -121.7 -51.7 -118.7 -52.8 -50.3 -117.7 -54.7 -118.7 -58.7 -60.2 -120.2 -55.7 -118.7 -59.7 -121.7	061
025/14W-22N09S	151.0	2-01-67 2-27-67 3-27-67 4-03-67 5-01-67 6-01-67 7-06-67 7-31-67 8-30-67	194.1(5) 193.6(5) 190.2 190.3(5) 193.1(5) 192.1(5) 190.6(5) 191.6(5) 191.6(5)	-43.1 -42.6 -39.2 -39.3 -42.1 -41.1 -39.6 -40.6 -40.6	061 050 061	025/14W-32C02S	98.0	2-01-67 3-03-67 3-03-67 3-27-67 4-04-67 5-02-67 5-02-67 6-02-67 6-02-67 6-30-67 6-30-67 7-31-67 7-31-67 9-01-67 9-01-67	143.4(5) 142.9(5) 177.4(1) 143.3 142.8(5) 143.4(5) 163.4(1) 147.4(5) 175.9(1) 142.4(5) 171.4(1) 141.4(5) 176.4(1) 144.4(5) 175.4(1)	-45.4 -44.9 -79.4 -45.3 -44.8 -45.4 -65.4 -49.4 -77.9 -44.4 -73.4 -43.4 -78.4 -46.4 -77.4	061
025/14W-27M01S	155.0	2-02-67 3-07-67 3-28-67 4-03-67 5-02-67 7-07-67 7-31-67 8-30-67	228.7 227.7 225.6 225.5(5) 227.2(6) 228.5(6) 248.2(6) 230.2(6)	-73.7 -72.7 -70.6 -70.5 -72.2 -73.5 -93.2 -75.2	061 050 061	025/14W-32F01S	98.0	3-08-67 3-08-67 3-27-67 4-03-67 4-03-67 5-02-67 5-02-67 6-02-67 6-02-67 7-06-67 7-06-67 7-31-67 7-31-67 9-01-67 9-01-67	144.7(5) 166.7(1) 145.1 144.9(5) 166.7(1) 143.7(5) 167.7(1) 144.7(5) 166.7(1) 146.7(5) 170.2(1) 147.2(5) 171.2(1) 146.7(5) 170.7(1)	-46.7 -68.7 -47.1 -46.9 -68.7 -45.7 -69.7 -46.7 -68.7 -48.7 -72.2 -49.2 -73.2 -48.7 -72.7	061 050 061
025/14W-27P02S	162.0	11-14-66 4-17-67	243.8 239.8	-81.8 -77.8	101						
025/14W-28E01S	105.0	2-02-67 2-02-67 3-08-67 3-08-67 3-27-67 4-03-67 4-03-67 5-01-67 5-01-67 6-01-67 6-01-67 7-05-67 7-05-67 7-31-67 7-31-67 9-01-67 9-01-67	163.2(5) 179.2(1) 157.2(5) 173.2(1) 172.1 157.2(5) 171.2(1) 157.7(5) 180.2(1) 171.2(5) 187.2(1) 166.7(5) 187.7(1) 168.7(5) 193.2(1) 183.2(5) 197.2(1)	-58.2 -74.2 -52.2 -68.2 -67.1 -52.2 -66.2 -52.7 -75.2 -66.2 -82.2 -61.7 -82.7 -63.7 -88.2 -78.2 -92.2	061 050 061						
025/14W-28F01S	112.0	2-02-67 2-02-67 3-03-67 3-03-67 3-27-67 4-04-67 4-04-67 5-01-67 5-01-67 6-01-67 6-01-67 7-05-67	173.5(5) 207.5(1) 164.5(5) 204.5(1) 167.1 166.5(5) 202.5(1) 166.5(5) 205.5(1) 170.5(5) 218.0(1) 176.9(5)	-61.5 -95.5 -52.5 -92.5 -55.1 -54.5 -90.5 -54.5 -93.5 -58.5 -106.0 -64.5	061 050 061						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0 U-05.A2			COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0 U-05.A2		
02S/14W-32F02S	98.0	2-01-67	181.4(1)	-83.4	061	03S/13W-31H01S	26.0	3-28-67	100.2	-74.2	050
		3-08-67	144.4(5)	-46.4		03S/13W-31K01S	20.0	3-29-67	20.1	-.1	050
		3-08-67	183.4(1)	-85.4		03S/13W-31K02S	15.0	3-29-67	17.2(1)	-2.2	050
		3-27-67	143.6	-45.6	050	03S/13W-31M01S	25.5	3-29-67	98.7(1)	-73.2	050
		4-03-67	143.4(5)	-45.4	061	03S/13W-32C01S	34.9	11-01-66	71.9	-37.0	101
		4-03-67	192.4(1)	-94.4				3-28-67	70.6	-35.7	050
		5-02-67	142.4(5)	-44.4				4-17-67	70.2	-35.3	101
		5-02-67	194.4(1)	-96.4		03S/13W-32E02S	25.0	3-29-67	78.5	-53.5	050
		6-02-67	149.4(5)	-51.4		03S/13W-32F02S	47.8	3-28-67	115.6	-67.8	050
		7-06-67	149.9(6)	-51.9		03S/13W-35A05S	27.3	11-01-66	64.8	-37.5	101
		8-01-67	149.4(6)	-51.4		03S/14W-02001S	140.0	2-03-67	217.9(5)	-77.9	061
		9-01-67	148.6(6)	-50.6				3-07-67	219.4(5)	-79.4	
02S/14W-34C01S	147.0	3-28-67	232.5	-85.5	050			3-27-67	224.9	-84.9	050
02S/14W-34C02S	147.0	2-02-67	233.1	-86.1	061			4-04-67	225.2(5)	-85.2	061
		3-07-67	237.1	-90.1				5-04-67	215.9(5)	-75.9	
		3-28-67	241.2	-94.2	050			6-01-67	253.4(5)	-113.4	
		4-03-67	241.3(5)	-94.3	061			7-07-67	259.4(5)	-119.4	
		5-04-67	240.6(6)	-93.6				7-31-67	260.4(5)	-120.4	
		6-01-67	239.9(6)	-92.9				8-30-67	262.4(5)	-122.4	
		7-07-67	255.4(6)	-108.4		03S/14W-03H01S	104.0	2-02-67	188.3(5)	-84.3	061
		7-31-67	230.9(6)	-83.9				2-02-67	260.3(1)	-156.3	
		9-01-67	247.9(6)	-100.9				3-07-67	189.3(5)	-85.3	
02S/14W-34F01S	152.0	3-28-67	232.0	-80.0	050			3-07-67	259.3(1)	-155.3	
02S/14W-34L02S	137.0	3-28-67	203.5	-66.5	050			3-27-67	186.0	-82.0	050
02S/15W-34F01S	60.8	11-09-66	63.3	-2.5	101			4-04-67	187.1(5)	-83.1	061
		4-17-67	62.7	-1.9				4-04-67	254.3(1)	-150.3	
03S/13W-18G02S	131.2	3-29-67	207.2	-76.0	050			5-04-67	187.8(5)	-83.8	
		10-18-67	206.8	-75.6				5-04-67	259.3(1)	-155.3	
03S/13W-18K01S	105.5	3-29-67	(6)		050			6-01-67	227.3(5)	-123.3	
03S/13W-18K02S	110.0	3-29-67	(6)		050			6-01-67	293.8(1)	-189.8	
03S/13W-19A01S	109.6	3-28-67	153.2	-43.6	050			7-06-67	230.3(5)	-126.3	
03S/13W-19A03S	121.0	3-28-67	173.0	-52.0	050			7-06-67	302.3(1)	-198.3	
03S/13W-19A07S	121.0	3-28-67	(6)		050			8-01-67	233.3(5)	-129.3	
03S/13W-19O01S	70.0	11-14-66	112.2	-42.2	101			8-01-67	308.8(1)	-204.8	
		4-17-67	110.7	-40.7		03S/14W-03K01S	74.0	9-01-67	234.3(5)	-130.3	
03S/13W-19O02S	81.0	11-14-66	118.9	-37.9	101			9-01-67	321.8(1)	-217.8	
		4-17-67	117.7	-36.7				10-15-66	144.9(5)	-70.9	101
03S/13W-19J03S	72.3	11-01-66	115.3	-43.0	101			11-15-66	143.9(5)	-69.9	
		4-17-67	114.1	-41.8				12-01-66	144.9(5)	-70.9	
03S/13W-19N01S	46.6	3-29-67	89.3	-42.7	050			1-07-67	141.5	-67.5	
03S/13W-19O03S	48.0	3-29-67	92.5(4)	-44.5	050			1-07-67	261.0(1)	-187.0	061
03S/13W-20C01S	104.2	3-30-67	148.8	-44.6	050			1-28-67	142.0(5)	-68.0	
03S/13W-29A02S	67.5	3-30-67	111.7	-44.2	050			2-01-67	141.9(5)	-67.9	101
03S/13W-29A03S	70.7	11-02-66	116.1	-45.4	101			2-28-67	143.0(5)	-69.0	061
		4-19-67	(7)					2-28-67	240.0(1)	-166.0	
03S/13W-29C01S	57.8	11-01-66	100.8	-43.0	101			3-01-67	145.5	-71.5	101
		4-17-67	99.5	-41.7				3-28-67	132.0(5)	-58.0	061
03S/13W-29D06S	49.0	3-29-67	117.0	-68.0	050			3-28-67	233.0(1)	-159.0	
03S/13W-29D07S	49.0	3-29-67	120.1	-71.1	050			3-29-67	131.5	-57.5	050
03S/13W-29E03S	44.0	3-30-67	64.4	-20.4	050			4-01-67	131.9(5)	-57.9	101
03S/13W-29E04S	45.0	3-20-67	(6)		050			4-28-67	136.0(5)	-62.0	061
03S/13W-29N02S	38.0	3-28-67	111.9	-73.9	050			4-28-67	237.0(1)	-163.0	
03S/13W-30H02S	41.2	11-01-66	78.0	-36.8	101			5-01-67	137.9(5)	-63.9	101
		4-17-67	78.0	-36.8				5-28-67	142.0(5)	-68.0	061
03S/13W-30J01S	36.8	3-28-67	107.6	-70.8	050			5-28-67	241.0(1)	-167.0	
03S/13W-30J05S	36.0	3-28-67	75.4	-39.4	050			6-01-67	143.5	-69.5	101
03S/13W-30K01S	39.0	3-29-67	75.6	-36.6	050			6-28-67	146.0(5)	-72.0	061
03S/13W-30O07S	30.5	11-01-66	69.6	-39.1	101			6-28-67	241.0(1)	-167.0	
		4-17-67	68.1	-37.6				7-01-67	145.9(5)	-71.9	101
03S/13W-31B07S	27.0	11-01-66	(8)		101			7-21-67	143.0(5)	-69.0	061
		11-02-66	69.3	-42.3				7-21-67	245.0(1)	-171.0	
		3-28-67	77.0	-50.0	050			8-15-67	142.9(5)	-68.9	101
		4-17-67	(8)		101			8-21-67	143.0(5)	-69.0	061
		5-05-67	77.9	-50.9				8-21-67	247.0(1)	-173.0	
03S/13W-31C02S	27.0	3-29-67	100.2	-73.2	050			9-21-67	145.9(5)	-71.9	101
								9-28-67	145.0(5)	-71.0	061
								9-28-67	243.0(1)	-169.0	
						03S/14W-03K02S	76.0	10-15-66	145.7(5)	-69.7	101
								11-15-66	145.7(5)	-69.7	
								12-01-66	145.7(5)	-69.7	
								1-07-67	143.5	-67.5	
								1-28-67	144.0(5)	-68.0	061
								1-28-67	250.0(1)	-174.0	
								2-07-67	137.7(5)	-61.7	101
								2-28-67	154.0(5)	-78.0	061
								2-28-67	266.0(1)	-190.0	
								3-01-67	151.7(5)	-75.7	101
								3-28-67	137.0(5)	-61.0	061
								3-28-67	261.0(1)	-185.0	
								3-29-67	135.4	-59.4	050
								4-01-67	134.7(5)	-58.7	101
								4-28-67	143.0(5)	-67.0	061
								4-28-67	255.0(1)	-179.0	
								5-01-67	142.7(5)	-66.7	101
								5-28-67	149.0(5)	-73.0	061
								5-28-67	255.0(1)	-179.0	
								6-01-67	148.5	-72.5	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		
			U-05.A2						U-05.A2		
035/14W-03K025	76.0	6-28-67	149.0(5)	-73.0	061	035/14W-07K025	97.0	3-28-67	148.9	-51.9	050
(CONT.)		6-28-67	256.0(1)	-180.0	061	(CONT.)		4-01-67	148.9	-51.9	
		7-07-67	147.5	-71.5	101			5-01-67	157.5	-60.5	
		7-21-67	150.0(5)	-74.0	061			6-01-67	158.5	-61.5	
		7-21-67	260.0(1)	-184.0				7-01-67	161.1	-64.1	
		8-15-67	147.7(5)	-71.7	101			8-01-67	158.1	-61.1	
		8-21-67	150.0(5)	-74.0	061			9-01-67	166.7	-69.7	
		8-21-67	260.0(1)	-184.0		035/14W-07K045	96.0	2-01-67	156.0	-60.0	061
		9-21-67	149.7(5)	-73.7	101			3-01-67	153.0	-57.0	
		9-28-67	145.0(5)	-69.0	061			3-28-67	145.0	-49.0	050
		9-28-67	257.0(1)	-181.0				5-01-67	156.0	-60.0	061
035/14W-03K035	76.0	1-28-67	(9)		061			6-01-67	159.0	-63.0	
		1-28-67	185.0(1)	-109.0				7-01-67	159.0	-63.0	
		2-28-67	(9)					8-01-67	159.0	-63.0	
		2-28-67	187.0(1)	-111.0				9-01-67	163.6	-67.6	
		3-28-67	.0(5)	76.0		035/14W-07K055	98.3	2-01-67	158.5	-60.2	061
		3-28-67	185.0(1)	-109.0				3-01-67	155.1	-56.8	
		3-29-67	(1)		050			3-28-67	149.9	-51.6	050
		4-21-67	(9)		061			4-01-67	149.9	-51.6	061
		4-21-67	189.0(1)	-113.0				5-01-67	157.1	-58.8	
		5-28-67	(9)					6-01-67	157.5	-59.2	
		5-28-67	192.0(1)	-116.0				7-01-67	163.5	-65.2	
		6-28-67	(9)					8-01-67	171.1	-72.8	
		6-28-67	196.0(1)	-120.0				9-01-67	166.1	-67.8	
		7-21-67	(9)					9-01-67	165.7	-67.4	
		7-21-67	189.0(1)	-113.0		035/14W-070035	97.0	3-28-67	149.9	-52.9	050
		8-21-67	193.0(1)	-117.0				2-01-67	158.4	-58.4	061
		9-21-67	132.0(5)	-56.0				3-01-67	156.8	-56.8	
		9-21-67	188.0(1)	-112.0				3-28-67	152.5	-52.5	050
		9-21-67	131.8	-55.8	050			4-01-67	152.5	-52.5	061
035/14W-04N015	74.0	10-15-66	156.0(5)	-82.0	101			5-01-67	161.4	-61.4	
		11-15-66	155.0(5)	-81.0				6-01-67	168.4	-68.4	
		12-01-66	153.0(5)	-79.0				7-01-67	166.4	-66.4	
		1-01-67	151.0(5)	-77.0				8-01-67	164.8	-64.8	
		1-21-67	148.0(5)	-74.0	061			9-01-67	170.8	-70.8	
		1-21-67	(9)					2-01-67	152.9	-55.9	061
		2-01-67	145.0(5)	-71.0	101			3-01-67	150.3	-53.3	
		2-28-67	149.0(5)	-75.0	061			3-28-67	147.9	-50.9	050
		2-28-67	223.0(1)	-149.0				4-01-67	147.9	-50.9	061
		3-01-67	146.0(5)	-72.0	101			5-01-67	154.9	-57.9	
		3-28-67	148.0(5)	-74.0	061			6-01-67	155.2	-58.2	
		3-28-67	219.0(1)	-145.0				7-01-67	157.3	-60.3	
		3-29-67	144.1	-70.1	050			8-01-67	155.8	-58.8	
		4-01-67	147.0(5)	-73.0	101			9-01-67	160.3	-63.3	
		4-28-67	144.0(5)	-70.0	061	035/14W-070055	97.0	2-01-67	152.9	-55.9	061
		4-28-67	233.0(1)	-159.0				3-01-67	150.3	-53.3	
		5-01-67	143.0(5)	-69.0	101			3-28-67	147.9	-50.9	050
		5-28-67	155.0(5)	-81.0	061			4-01-67	147.9	-50.9	061
		5-28-67	253.0(1)	-179.0				5-01-67	154.9	-57.9	
		6-01-67	154.0	-80.0	101			6-01-67	155.2	-58.2	
		6-28-67	161.0(5)	-87.0	061			7-01-67	157.3	-60.3	
		6-28-67	242.0(1)	-168.0				8-01-67	155.8	-58.8	
		7-07-67	160.0	-86.0	101			9-01-67	160.3	-63.3	
		7-28-67	160.0(5)	-86.0	061			2-01-67	157.0	-60.0	061
		7-28-67	275.0(1)	-201.0				3-01-67	154.0	-57.0	
		8-15-67	159.0(5)	-85.0	101			4-01-67	148.6	-51.6	
		8-21-67	161.0(5)	-87.0	061			5-01-67	155.4	-58.4	
		8-21-67	277.5(1)	-203.5				6-01-67	165.4	-68.4	
		9-15-67	161.0(5)	-87.0	101			7-01-67	163.0	-66.0	
		9-28-67	160.0(5)	-86.0	061			8-01-67	161.0	-64.0	
		9-28-67	268.0(1)	-194.0				9-01-67	167.8	-70.8	
035/14W-04N025	74.0	10-03-66	162.0	-88.0	101	035/14W-080035	93.0	1-31-67	150.0	-57.0	061
		11-09-66	154.6	-80.6				2-27-67	150.0	-57.0	
		12-12-66	149.9	-75.9				3-27-67	141.5	-48.5	050
		1-03-67	148.2	-74.2				3-31-67	150.0	-57.0	061
		1-21-67	146.0(5)	-72.0	061			5-01-67	149.0	-56.0	
		1-21-67	232.0(1)	-158.0				6-01-67	149.0	-56.0	
		2-06-67	146.2	-72.2	101			7-01-67	149.0	-56.0	
		2-28-67	146.0(5)	-72.0	061			8-01-67	149.0	-56.0	
		2-28-67	232.0(1)	-158.0				9-01-67	149.0	-56.0	
		3-01-67	146.9	-72.9	101	035/14W-09N035	80.0	3-27-67	127.4	-47.4	050
		3-28-67	145.0(5)	-71.0	061			3-27-67	128.6	-48.5	050
		3-28-67	227.0(1)	-153.0				1-27-67	127.0(5)	-52.0	061
		3-29-67	144.8	-70.8	050			2-08-67	117.0(5)	-42.0	
		4-12-67	142.1	-68.1	101			3-27-67	124.7	-49.7	050
		4-28-67	147.0(5)	-73.0	061			3-27-67	124.7	-49.7	061
		4-28-67	237.0(1)	-163.0				4-28-67	126.0(5)	-51.0	
		5-02-67	147.2	-73.2	101			5-29-67	126.0(5)	-51.0	
		5-28-67	153.0(5)	-79.0	061			6-29-67	127.0(5)	-52.0	
		5-28-67	243.0(1)	-169.0				7-31-67	(7)		
		6-06-67	156.0(4)	-82.0	101			8-28-67	127.0(5)	-52.0	
		6-28-67	158.0(5)	-84.0	061	035/14W-09P035	72.0	1-27-67	127.8(5)	-55.8	061
		6-28-67	245.0(1)	-171.0				2-08-67	119.8(5)	-47.8	
		7-03-67	159.9	-85.9	101			3-27-67	119.3(5)	-47.3	
		7-28-67	156.0(5)	-82.0	061			3-27-67	119.7	-47.7	050
		7-28-67	247.0(1)	-173.0				7-31-67	(0)		061
		8-01-67	161.9	-87.9	101			7-31-67	(0)		
		8-21-67	248.0(1)	-174.0	061			9-29-67	(7)		
		8-21-67	158.0(5)	-84.0		035/14W-090035	65.0	1-27-67	122.3(5)	-57.3	061
		9-05-67	162.4	-88.4	101			2-08-67	116.3(5)	-51.3	
		9-28-67	161.0(5)	-87.0	061			3-27-67	115.1	-50.1	
		9-28-67	240.0(1)	-166.0				3-27-67	115.1	-50.1	050
035/14W-07K025	97.0	2-01-67	156.1	-59.1	061			4-28-67	117.3(5)	-52.3	061
		3-01-67	153.1,	-56.1							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA						COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA					
U-05.A0						U-05.A0					
U-05.A2						U-05.A2					
035/14W-090035	65.0	5-29-67	116.3(5)	-51.3	061	035/14W-138025	126.0	7-01-67	224.0(5)	-98.0	101
(CONT.)		6-29-67	116.3(5)	-51.3		(CONT.)		7-28-67	221.0(5)	-95.0	
		7-31-67	(7)					7-28-67	288.0(1)	-162.0	
		8-28-67	117.3(5)	-52.3				8-15-67	216.0(5)	-90.0	101
		9-29-67	116.3(5)	-51.3				8-21-67	221.0(5)	-95.0	061
035/14W-10G015	61.0	2-02-67	116.8(5)	-55.8	061			8-21-67	294.0(1)	-168.0	
		3-07-67	116.3(5)	-55.3				9-21-67	220.0(5)	-94.0	101
		3-27-67	110.4	-49.4	050			9-28-67	219.0(5)	-93.0	061
		4-03-67	110.5(5)	-49.5	061	035/14W-13J035	86.0	9-28-67	289.0(1)	-163.0	
		5-03-67	116.3(5)	-55.3				10-01-66	178.7(5)	-92.7	101
		6-01-67	114.3(5)	-53.3				10-15-66	171.7(5)	-85.7	
		7-07-67	115.3(5)	-54.3				11-15-66	175.7(5)	-89.7	
		7-31-67	114.3(5)	-53.3				12-01-66	172.7(5)	-86.7	
		8-30-67	115.3(5)	-54.3				1-01-67	175.7(5)	-89.7	
035/14W-10G025	62.0	2-02-67	215.1(1)	-153.1	061			1-28-67	180.7(5)	-94.7	061
		3-07-67	220.1(1)	-158.1				1-28-67	246.7(1)	-160.7	
		3-27-67	(1)		050			2-01-67	180.7(5)	-94.7	101
		4-04-67	218.6(1)	-156.6	061			2-28-67	175.7(5)	-89.7	061
		5-03-67	122.6(5)	-60.6				2-28-67	247.7(1)	-161.7	
		5-03-67	222.6(1)	-160.6				3-01-67	175.7(5)	-89.7	101
		6-02-67	223.6(1)	-161.6				3-28-67	171.7(5)	-85.7	061
		7-07-67	231.6(1)	-169.6				3-28-67	237.7(1)	-151.7	
		7-31-67	233.6(1)	-171.6				3-29-67	171.4	-85.4	050
		8-28-67	144.6(5)	-82.6				4-01-67	171.7(5)	-85.7	101
		8-28-67	231.6(1)	-169.6				4-28-67	176.7(5)	-90.7	061
035/14W-110015	116.0	10-03-66	162.6	-46.6	101			4-28-67	244.7(1)	-158.7	
		11-05-66	162.6	-46.6				5-01-67	176.7(5)	-90.7	101
		12-10-66	162.4	-46.4				5-28-67	177.7(5)	-91.7	061
		1-03-67	162.4	-46.4				5-28-67	251.7(1)	-165.7	
		2-04-67	162.1	-46.1				6-01-67	178.5	-92.5	101
		3-01-67	161.9	-45.9				6-28-67	171.7(5)	-85.7	061
		4-07-67	(4)		050			6-28-67	238.7(1)	-152.7	
		4-12-67	161.8	-45.8	101			7-01-67	171.7(5)	-85.7	101
		5-02-67	161.4	-45.4				7-21-67	172.7(5)	-86.7	061
		6-03-67	161.3	-45.3				7-21-67	241.7(1)	-155.7	
		7-01-67	161.5	-45.5				8-15-67	168.7(5)	-82.7	101
		8-01-67	161.2	-45.2				8-28-67	167.7(5)	-81.7	061
		9-02-67	161.5	-45.5				8-28-67	237.7(1)	-151.7	
035/14W-11G025	150.0	10-15-66	247.9(5)	-97.9	101			9-15-67	173.7(5)	-87.7	101
		11-15-66	238.9(5)	-88.9				9-28-67	168.7(5)	-82.7	061
		12-01-66	241.9(5)	-91.9		035/14W-13J045	82.0	9-28-67	207.7(1)	-121.7	
		1-01-67	246.9(5)	-96.9				1-28-67	181.5(5)	-99.5	061
		1-28-67	246.8(5)	-96.8	061			1-28-67	243.5(1)	-161.5	
		1-28-67	325.8(1)	-175.8				2-28-67	176.5(5)	-94.5	
		2-01-67	245.9(5)	-95.9	101			2-28-67	245.5(1)	-163.5	
		2-28-67	245.8(5)	-95.8	061			3-28-67	171.5(5)	-89.5	
		2-28-67	324.8(1)	-174.8				3-28-67	236.5(1)	-154.5	
		3-01-67	245.9(5)	-95.9	101			3-29-67	167.0	-85.0	050
		3-07-67	247.8(5)	-97.8	061			4-28-67	177.5(5)	-95.5	061
		3-07-67	326.8(1)	-176.8				4-28-67	244.5(1)	-162.5	
		3-29-67	239.0	-89.0	050			5-28-67	185.5(5)	-103.5	
		4-21-67	249.2	-99.2	101			5-28-67	248.5(1)	-166.5	
		4-28-67	250.9(5)	-100.9	061			6-28-67	171.5(5)	-89.5	
		4-28-67	340.9(1)	-190.9				6-28-67	253.5(1)	-171.5	
		5-28-67	253.8(5)	-103.8				7-14-67	172.5(5)	-90.5	
		5-28-67	344.8(1)	-194.8				7-14-67	236.5(1)	-154.5	
		6-01-67	252.9(5)	-102.9	101			8-21-67	168.5(5)	-86.5	
		6-21-67	243.9(5)	-93.9				8-21-67	239.5(1)	-157.5	
		6-28-67	244.8(5)	-94.8	061			9-28-67	172.5(5)	-90.5	
		6-28-67	338.8(1)	-188.8		035/14W-13M015	49.0	9-28-67	238.5(1)	-156.5	
		7-15-67	250.9(5)	-100.9	101			3-30-67	(2)		050
		7-28-67	249.8(5)	-99.8	061			4-04-67	(6)		
		7-28-67	342.8(1)	-192.8		035/14W-14A015	84.0	10-01-66	130.7(5)	-46.7	101
		8-15-67	247.9(5)	-97.9	101			11-01-66	130.7(5)	-46.7	
		8-21-67	246.8(5)	-96.8	061			12-01-66	130.7(5)	-46.7	
		8-21-67	341.8(1)	-191.8				1-01-67	130.7(5)	-46.7	
		9-21-67	250.9(5)	-100.9	101			1-28-67	129.7(5)	-45.7	061
		9-28-67	251.8(5)	-101.8	061			1-28-67	149.7(1)	-65.7	
		9-28-67	341.8(1)	-191.8				2-01-67	127.7(5)	-43.7	101
		9-28-67	152.1	-2.1	050			2-28-67	136.7(5)	-52.7	061
035/14W-11J025	160.0	3-27-67	244.3	-84.3	050			2-28-67	149.7(1)	-65.7	
035/14W-138025	126.0	10-01-66	221.0(5)	-95.0	101			3-01-67	136.7(5)	-52.7	101
		11-01-66	220.0(5)	-94.0				3-21-67	135.7(5)	-51.7	
		12-01-66	223.0(5)	-97.0				3-28-67	133.7(5)	-49.7	061
		1-15-67	227.5	-101.5				3-28-67	148.7(1)	-64.7	
		1-28-67	231.0(5)	-105.0	061			3-29-67	128.7(5)	-44.7	050
		1-28-67	319.0(1)	-193.0				4-15-67	134.7(5)	-50.7	101
		2-15-67	228.0(5)	-102.0	101			4-28-67	136.4(5)	-52.4	061
		2-28-67	223.0(5)	-97.0	061			4-28-67	150.4(1)	-66.4	
		2-28-67	296.0(1)	-170.0				5-15-67	135.7(5)	-51.7	101
		3-14-67	225.0(5)	-99.0				5-28-67	135.7(5)	-51.7	061
		3-14-67	298.0(1)	-172.0				5-28-67	146.7(1)	-62.7	
		3-15-67	225.5	-99.5	101			6-15-67	129.7(5)	-45.7	101
		3-29-67	218.6	-92.6	050			6-28-67	129.7(5)	-45.7	061
		4-15-67	222.0(5)	-96.0	101			6-28-67	141.7(1)	-57.7	
		4-21-67	226.0(5)	-100.0	061			7-01-67	129.7(5)	-45.7	101
		4-21-67	290.0(1)	-164.0				7-21-67	128.7(5)	-44.7	061
		5-15-67	224.0(5)	-98.0	101			7-21-67	141.7(1)	-57.7	
		5-28-67	(9)		061			8-15-67	127.7(5)	-43.7	101
		6-15-67	223.0(5)	-97.0	101			8-21-67	128.7(5)	-44.7	061
		6-28-67	225.0(5)	-99.0	061			8-21-67	142.7(1)	-58.7	
		6-28-67	294.0(1)	-168.0				9-15-67	128.7(5)	-44.7	101
								9-21-67	128.7(5)	-44.7	061
								9-21-67	(9)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
03S/14W-14D015	50.0	10-15-66	126.0(5)	-76.0	101	03S/14W-18N045 (CONT.)	105.0	9-01-67	103.9	1.1	061
		11-15-66	130.0(5)	-80.0				9-01-67	123.1(1)	-18.1	
		12-01-66	132.0(5)	-82.0		03S/14W-18N055	112.0	2-01-67	112.2(2)	-2.2	061
		1-01-67	131.0(5)	-81.0				2-01-67	107.6	4.4	
		1-28-67	125.7(1)	-75.7	061			3-01-67	108.6	3.4	
		1-28-67	192.7(1)	-142.7				3-01-67	159.6(1)	-47.6	
		2-01-67	127.0(5)	-77.0	101			3-28-67	108.4	3.6	050
		2-28-67	129.7(5)	-79.7	061			4-03-67	108.4	3.6	061
		2-28-67	188.7(1)	-138.7				4-03-67	114.6(1)	-2.6	
		3-01-67	129.0(5)	-79.0	101			5-01-67	107.2	4.8	
		3-21-67	125.7(5)	-75.7	061			6-01-67	106.9	5.1	
		3-21-67	193.7(1)	-143.7				6-01-67	120.9(1)	-8.9	
		3-29-67	128.9	-78.9	050			7-05-67	108.3	3.7	
		4-01-67	125.0(5)	-75.0	101			8-01-67	108.6	3.4	
		4-28-67	130.7(5)	-80.7	061			8-01-67	133.4(1)	-21.4	
		4-28-67	198.7(1)	-148.7				9-01-67	110.5	1.5	
		5-01-67	131.0(5)	-81.0	101			9-01-67	134.8(1)	-22.8	
		5-28-67	133.7(5)	-83.7	061	03S/14W-19K015	72.3	4-14-67	72.2	.1	101
		5-28-67	208.7(1)	-158.7		03S/14W-20J025	65.0	3-30-67	87.8	-22.8	050
		6-01-67	133.0(5)	-83.0	101	03S/14W-20P015	73.8	3-28-67	(9)		050
		6-21-67	128.0(5)	-78.0				4-07-67	(9)		
		6-28-67	128.7(5)	-78.7	061	03S/14W-21B025	64.0	10-03-66	117.0	-53.0	101
		6-28-67	214.7(1)	-164.7				11-09-66	114.7	-50.7	
		7-15-67	131.0(5)	-81.0	101			12-12-66	114.4	-50.4	
		7-28-67	129.7(5)	-79.7	061			12-29-66	(0)		
		7-28-67	223.7(1)	-173.7				1-03-67	114.1	-50.1	
		8-21-67	130.0(5)	-80.0	101			1-28-67	(0)		061
		8-21-67	130.7(5)	-80.7	061			2-06-67	110.7	-46.7	101
		8-21-67	223.7(1)	-173.7				2-28-67	(9)		061
		9-21-67	135.8	-85.8	101			3-01-67	112.2	-48.2	101
		9-21-67	126.7(5)	-76.7	061			3-28-67	(9)		061
		9-21-67	225.7(1)	-175.7				3-29-67	110.3	-46.3	050
03S/14W-15B015	52.0	11-14-66	105.8	-53.8	101			4-12-67	110.4	-46.4	101
		4-12-67	102.5	-50.5				4-28-67	(0)		061
03S/14W-15K015	50.0	3-27-67	37.6	12.4	050			5-02-67	112.0	-48.0	101
03S/14W-17F025	90.0	11-09-66	119.9	-29.9	101			5-28-67	(9)		061
		2-20-67	118.8	-28.8				6-06-67	113.2	-49.2	101
		4-12-67	117.8	-27.8				6-28-67	(9)		061
		8-16-67	117.7	-27.7				7-03-67	114.5	-50.5	101
03S/14W-17G025	83.0	1-31-67	165.1(1)	-82.1	061			7-31-67	(9)		061
		1-31-67	133.1	-50.1				8-01-67	113.9	-49.9	101
		2-27-67	165.1(1)	-82.1				8-28-67	(9)		061
		2-27-67	131.1	-48.1				9-05-67	115.0	-51.0	101
		3-27-67	129.2	-46.2	050			9-28-67	(9)		061
		3-31-67	132.1	-49.1		03S/14W-21M015	62.0	1-28-67	104.0(5)	-42.0	061
		5-01-67	173.1(1)	-90.1	061			1-28-67	181.0(1)	-119.0	
		5-01-67	130.1	-47.1				2-28-67	103.0(5)	-41.0	
		6-01-67	172.1(1)	-89.1				2-28-67	186.0(1)	-124.0	
		6-01-67	132.1	-49.1				3-28-67	102.0(5)	-40.0	
		7-01-67	173.1(1)	-90.1				3-28-67	185.0(1)	-123.0	
		7-01-67	132.1	-49.1				3-29-67	101.9	-39.9	050
		8-01-67	190.1(1)	-107.1				4-28-67	102.0(5)	-40.0	061
		8-01-67	131.1	-48.1				4-28-67	182.0(1)	-120.0	
		9-01-67	190.1(1)	-107.1				5-28-67	105.0(5)	-43.0	
		9-01-67	131.1	-48.1				5-28-67	188.0(1)	-126.0	
		9-29-67	196.1(1)	-113.1				6-28-67	105.0(5)	-43.0	
		9-29-67	135.1	-52.1				6-28-67	189.0(1)	-127.0	
03S/14W-18B015	94.0	3-28-67	105.0	-11.0	050			7-28-67	104.0(5)	-42.0	
		9-15-67	102.7	-8.7	101			7-28-67	188.0(1)	-126.0	
03S/14W-14C015	98.0	11-04-66	104.0	-6.0	101			8-21-67	105.0(5)	-43.0	
		3-28-67	102.7	-4.7	050			8-21-67	190.0(1)	-128.0	
		4-12-67	102.3	-4.3	101			9-07-67	188.0(1)	-126.0	
		9-15-67	103.1	-5.1				9-21-67	106.0(5)	-44.0	
03S/14W-18H015	96.0	11-09-66	114.1	-18.1	101	03S/14W-21R025	52.0	3-30-67	93.6	-41.6	050
		4-12-67	112.4	-16.4		03S/14W-22A015	48.0	10-01-66	115.0(5)	-67.0	101
03S/14W-19K015	93.0	11-04-66	98.6	-5.6	101			10-15-66	108.0(5)	-60.0	
		11-28-66	97.0	-4.0				11-01-66	108.0(5)	-60.0	
		1-04-67	96.5	-3.5				11-15-66	112.0(5)	-64.0	
		1-27-67	95.5	-2.5				12-01-66	112.0(5)	-64.0	
		3-01-67	95.8	-2.8				1-01-67	109.0(5)	-61.0	
		3-28-67	95.7	-2.7	050			1-28-67	110.0(5)	-62.0	061
		4-03-67	96.3	-3.3	101			1-28-67	245.0(1)	-197.0	
		4-10-67	96.0	-3.0				2-01-67	108.0(5)	-60.0	101
		7-26-67	95.8	-2.8				2-28-67	109.0(5)	-61.0	061
		8-30-67	96.0	-3.0				2-28-67	242.0(1)	-194.0	
		9-26-67	96.4	-3.4				3-01-67	107.0(5)	-59.0	101
03S/14W-18N045	105.0	2-01-67	101.1	3.9	061			3-28-67	106.0(5)	-58.0	061
		2-01-67	118.6(1)	-13.6				3-28-67	244.0(1)	-196.0	
		3-01-67	103.0(2)	2.0				3-29-67	104.6	-56.6	050
		3-01-67	102.5	2.5				4-01-67	104.0(5)	-56.0	101
		4-03-67	101.9	3.1				4-28-67	109.0(5)	-61.0	061
		4-03-67	119.4(1)	-14.4				4-28-67	238.0(1)	-190.0	
		4-30-67	130.9	-25.9	050			5-01-67	107.0(5)	-59.0	101
		5-01-67	101.0	4.0	061			5-28-67	109.0(5)	-61.0	061
		6-01-67	100.8	4.2				5-28-67	240.0(1)	-192.0	
		7-05-67	101.7	3.3				6-01-67	107.0(5)	-59.0	101
		8-01-67	102.2	2.8				6-28-67	107.0(5)	-59.0	061
		8-01-67	121.4(1)	-16.1				6-28-67	243.0(1)	-195.0	
								7-01-67	105.0(5)	-57.0	101
								7-21-67	114.0(5)	-66.0	061

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0	U-05.A2		COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0	U-05.A2	
03S/14W-22A01S (CONT.)	48.0	7-21-67	236.0(1)	-188.0	061	03S/14W-22Q01S	45.0	10-31-66	94.5(5)	-49.5	101
		8-21-67	104.0(5)	-56.0	101			11-28-66	95.5(5)	-50.5	
		8-21-67	106.0(5)	-58.0	061			1-30-67	97.5(5)	-52.5	
		8-21-67	243.0(1)	-195.0				1-30-67	153.9(5)	-108.9	061
		9-15-67	106.0(5)	-58.0	101			1-30-67	96.9(1)	-51.9	
		9-28-67	106.0(5)	-58.0	061			2-27-67	97.5(5)	-52.5	101
		9-28-67	235.0(1)	-187.0				2-27-67	153.9(5)	-108.9	061
03S/14W-22A02S	50.0	10-07-66	115.7	-65.7	101			2-27-67	96.9(1)	-51.9	
		11-07-66	107.7	-57.7				3-28-67	88.3	-43.3	050
		12-01-66	107.4(5)	-57.4				4-03-67	88.5(5)	-43.5	101
		1-01-67	106.4(5)	-56.4				4-03-67	144.9(5)	-99.9	061
		1-28-67	112.0(5)	-62.0	061			4-03-67	87.9(1)	-42.9	
		1-28-67	183.0(1)	-133.0				5-01-67	146.9(5)	-101.9	
		2-01-67	106.4(5)	-56.4	101			5-01-67	88.9(1)	-43.9	
		2-28-67	111.0(5)	-61.0	061			5-29-67	91.5(5)	-46.5	101
		2-28-67	182.0(1)	-132.0				5-29-67	148.9(5)	-103.9	061
		3-01-67	105.4(5)	-55.4	101			5-29-67	90.9(1)	-45.9	
		3-28-67	109.0(5)	-59.0	061			7-03-67	93.5(5)	-48.5	101
		3-28-67	182.0(1)	-132.0				7-03-67	150.9(5)	-105.9	061
		3-29-67	107.4	-57.4	050			7-03-67	92.9(1)	-47.9	
		4-01-67	103.4(5)	-53.4	101			7-31-67	146.9(5)	-101.9	
		4-28-67	112.0(5)	-62.0	061			7-31-67	88.9(1)	-43.9	
		4-28-67	186.0(1)	-136.0				9-05-67	87.5(5)	-42.5	101
		5-01-67	106.4(5)	-56.4	101			9-05-67	144.9(5)	-99.9	061
		5-28-67	115.0(5)	-65.0	061			9-05-67	86.9(1)	-41.9	
		5-28-67	192.0(1)	-142.0		03S/14W-22R02S	52.0	6-30-66	104.0(5)	-52.0	101
		6-01-67	109.4(5)	-59.4	101			10-31-66	102.0(5)	-50.0	
		6-28-67	113.0(5)	-63.0	061			11-28-66	99.0(5)	-47.0	
		6-28-67	195.0(1)	-145.0				1-30-67	103.0(5)	-51.0	
		7-01-67	108.4(5)	-58.4	101			1-30-67	123.5(5)	-71.5	061
		7-21-67	113.0(5)	-63.0	061			1-30-67	103.5(1)	-51.5	
		7-21-67	194.0(1)	-144.0				2-27-67	103.0(5)	-51.0	101
		8-15-67	108.4(5)	-58.4	101			2-27-67	123.5(5)	-71.5	061
		8-21-67	115.0(5)	-65.0	061			2-27-67	103.5(1)	-51.5	
		8-21-67	198.5(1)	-148.5				3-28-67	88.2	-36.2	050
		9-21-67	109.4(5)	-59.4	101			4-03-67	98.0(5)	-46.0	101
		9-28-67	113.0(5)	-63.0	061			4-03-67	118.5(5)	-66.5	061
		9-28-67	198.0(1)	-148.0				4-03-67	98.5(1)	-46.5	
03S/14W-22K01S	50.0	10-31-66	118.0(5)	-68.0	101			5-01-67	120.5(5)	-68.5	
		11-28-66	117.0(5)	-67.0				5-01-67	100.5(1)	-48.5	
		1-30-67	105.0(5)	-55.0				5-29-67	102.0(5)	-50.0	101
		1-30-67	116.5(5)	-66.5	061			5-29-67	122.5(5)	-70.5	061
		1-30-67	105.5(1)	-55.5				5-29-67	102.5(1)	-50.5	
		2-27-67	117.0(1)	-67.0	101			7-03-67	99.0(5)	-47.0	101
		2-27-67	117.5(5)	-67.5	061			7-03-67	125.5(5)	-73.5	061
		2-27-67	106.5(1)	-56.5				7-03-67	99.5(1)	-47.5	
		3-28-67	(1)		050			7-31-67	129.5(5)	-77.5	
		4-03-67	119.0(1)	-69.0	101			7-31-67	103.5(1)	-51.5	
		4-03-67	119.5(5)	-69.5	061			9-05-67	101.0(5)	-49.0	101
		4-03-67	104.5(1)	-54.5				9-05-67	127.5(5)	-75.5	061
		5-01-67	121.5(1)	-71.5				9-05-67	101.5(1)	-49.5	
		5-01-67	112.5(1)	-62.5		03S/14W-23L01S	52.0	3-29-67	98.0	-46.0	050
		5-29-67	123.0(1)	-73.0	101						
		5-29-67	123.5(5)	-73.5	061	03S/14W-23R02S	49.9	11-01-66	87.9	-38.0	101
		5-29-67	114.5(1)	-64.5				4-17-67	85.4	-35.5	
		7-03-67	116.0(5)	-66.0	101						
		7-03-67	125.5(5)	-75.5	061	03S/14W-24F05S	55.0	11-01-66	94.0	-39.0	101
		7-03-67	116.5(1)	-66.5				4-17-67	92.0	-37.0	
		7-31-67	124.5(5)	-74.5		03S/14W-25F03S	38.7	11-01-66	77.1	-38.4	101
		7-31-67	115.5(1)	-65.5				3-27-67	75.2	-36.5	050
		9-05-67	113.0(5)	-63.0	101			4-17-67	74.9	-36.2	101
		9-05-67	122.5(5)	-72.5	061	03S/14W-25K04S	35.0	3-27-67	69.9	-34.9	050
		9-05-67	113.5(1)	-63.5		03S/14W-25K06S	30.0	11-01-66	69.0	-39.0	101
03S/14W-22L01S	51.0	10-01-66	108.0	-57.0	101			4-17-67	66.7	-36.7	
		10-21-66	105.0(5)	-54.0		03S/14W-25L01S	33.8	3-27-67	23.9	9.9	050
		11-15-66	100.0(5)	-49.0		03S/14W-25N02S	39.3	3-27-67	74.1	-34.8	050
		12-01-66	101.0(5)	-50.0		03S/14W-25P04S	22.0	10-15-66	101.0(5)	-79.0	101
		1-01-67	99.0(5)	-48.0				11-15-66	100.0(5)	-78.0	
		1-28-67	100.2(5)	-49.2	061			12-01-66	102.0(5)	-80.0	
		1-28-67	120.2(1)	-69.2				1-01-67	100.0(5)	-78.0	061
		2-01-67	101.0(5)	-50.0	101			1-28-67	100.0(5)	-78.0	
		2-28-67	100.2(5)	-49.2	061			1-28-67	121.0(1)	-99.0	
		2-28-67	124.2(1)	-73.2				2-01-67	100.0(5)	-78.0	101
		3-01-67	101.0(5)	-50.0	101			2-28-67	98.0(5)	-76.0	061
		3-28-67	98.2(5)	-47.2	061			2-28-67	123.0(1)	-101.0	
		3-28-67	123.2(1)	-72.2				3-01-67	98.0(5)	-76.0	101
		3-29-67	96.7	-45.7	050			3-28-67	98.0(5)	-76.0	061
		4-01-67	99.0(5)	-48.0	101			3-28-67	119.0(1)	-97.0	
		4-21-67	99.2(5)	-48.2	061			3-29-67	94.1	-72.1	050
		4-21-67	123.2(1)	-72.2				4-01-67	98.0(5)	-76.0	101
		5-01-67	100.0(5)	-49.0	101			4-28-67	100.0(5)	-78.0	061
		5-28-67	102.2(5)	-51.2	061			4-28-67	120.0(1)	-98.0	
		5-28-67	126.2(1)	-75.2				5-01-67	100.0(5)	-78.0	101
		6-01-67	113.0(5)	-62.0	101			5-28-67	(9)		061
		6-28-67	103.2(5)	-52.2	061			6-28-67	(9)		
		6-28-67	128.2(1)	-77.2				7-31-67	(9)		
		7-01-67	114.0(5)	-63.0	101			8-28-67	(9)		
		7-28-67	99.2(5)	-48.2	061			9-28-67	(9)		
		7-28-67	125.2(1)	-74.2							
		8-21-67	104.0(5)	-53.0	101						
		8-21-67	102.2(5)	-51.2	061						
		8-21-67	127.2(1)	-76.2							
		9-21-67	99.0(5)	-48.0	101						
		9-28-67	99.2(5)	-48.2	061						
		9-28-67	125.2(1)	-74.2							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2	COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2
03S/14W-25002S	20.6	4-17-67	6.0	14.6	101	03S/14W-30M03S	226.0	3-30-67	219.2	6.8	101
						(CONT.)		3-30-67	218.6	7.4	050
								7-26-67	218.6	7.4	101
								8-30-67	218.2	7.8	
								9-27-67	218.0	8.0	
03S/14W-27C01S	45.0	3-30-67	80.3	-35.3	050						
03S/14W-27005S	57.0	3-27-67	89.2	-32.2	050	03S/14W-30N01S	182.1	11-04-66	180.0	2.1	101
03S/14W-29003S	87.9	11-01-66	100.2	-12.3	101			4-13-67	177.8	4.3	
		3-29-67	95.7	-7.8	050	03S/14W-31A03S	92.3	10-31-66	98.3	-6.0	101
		4-06-67	96.2	-8.3	101			3-28-67	95.5	-3.2	050
03S/14W-29F01S	77.3	10-31-66	95.0(5)	-17.7	101			4-14-67	96.0	-3.7	101
		11-30-66	108.0(1)	-30.7		03S/14W-31A04S	92.0	10-13-66	99.2	-7.2	101
		1-31-67	92.0(5)	-14.7				10-31-66	99.1	-7.1	
		3-01-67	92.0(5)	-14.7				11-03-66	99.2	-7.2	
		3-28-67	91.8	-14.5	050			12-14-66	96.1	-4.1	
		4-28-67	91.0(5)	-13.7	101			2-07-67	94.9	-2.9	
		5-29-67	105.0(1)	-27.7				3-28-67	95.5	-3.5	050
		7-31-67	8.0(1)	69.3				4-13-67	96.2	-4.2	101
		8-31-67	91.0(5)	-13.7				4-14-67	97.1	-5.1	
		9-29-67	110.0(1)	-32.7				8-08-67	95.9	-3.9	
03S/14W-29J01S	95.0	10-31-66	112.7(5)	-17.7	101	03S/14W-31A05S	125.0	3-28-67	(7)		050
		11-30-66	131.7(1)	-36.7		03S/14W-31A06S	92.0	3-28-67	95.6	-3.6	050
		1-31-67	129.7(1)	-34.7		03S/14W-31A07S	105.0	2-28-66	103.0(5)	2.0	101
		3-01-67	107.7(5)	-12.7				4-30-66	90.0(5)	15.0	
		3-28-67	111.8	-16.8	050			6-30-66	111.0(5)	-6.0	050
		7-31-67	137.6(1)	-42.6	101			3-28-67	(6)		
		9-29-67	109.6	-14.6				6-12-67	(0)		101
03S/14W-29M01S	114.2	3-28-67	122.2	-8.0	050	03S/14W-31D01S	117.8	10-19-66	114.7	3.1	101
		8-14-67	123.2	-9.0	101			10-26-66	113.7	4.1	
03S/14W-29N01S	112.8	10-31-66	119.0(5)	-6.2	101			11-02-66	114.2	3.6	
		1-31-67	110.0(5)	2.8				2-07-67	108.3	9.5	
		3-01-67	115.0(5)	-2.2				4-12-67	111.5	6.3	
		3-28-67	119.8	-7.0	050			4-12-67	111.5	6.3	050
		4-28-67	120.0(5)	-7.2	101	03S/14W-31E02S	96.9	10-06-66	98.8	-1.9	101
		5-27-67	120.0(5)	-7.2				10-13-66	91.1	5.8	
		7-31-67	120.0(5)	-7.2				10-19-66	91.0	5.9	
		8-31-67	120.0(5)	-7.2				10-26-66	90.9	6.0	
		9-29-67	120.0(5)	-7.2				11-02-66	90.5	6.4	
03S/14W-30001S	154.0	10-03-66	152.6	1.4	101			11-09-66	90.2	6.7	
		10-31-66	153.0	1.0				11-16-66	89.7	7.2	
		12-12-66	151.2	2.8				11-23-66	89.3	7.6	
		1-03-67	149.6	4.4				11-30-66	88.7	8.2	
		2-07-67	148.6(6)	5.4	412			12-07-66	87.9	9.0	
		3-06-67	150.4	3.6	101			12-14-66	87.8	9.1	
		4-05-67	150.1	3.9				12-21-66	86.9	10.0	
		5-08-67	149.7	4.3				12-29-66	87.3	9.6	
		5-08-67	150.7	3.3	050			1-04-67	86.4	10.5	
		7-03-67	149.5	4.5	101			1-11-67	86.4	10.5	
		8-01-67	149.5	4.5				1-18-67	86.2	10.7	
		9-05-67	149.3	4.7				2-01-67	85.7	11.2	
		9-05-67	149.0	5.0	050			2-08-67	85.5	11.4	
03S/14W-30002S	116.7	8-14-67	116.8	-1.1	101			2-15-67	85.3	11.6	
03S/14W-30E01S	156.5	11-09-66	155.0	1.5	101			2-27-67	87.2	9.7	
		4-13-67	152.6	3.9				3-08-67	87.8	9.1	
		8-14-67	151.5	5.0				3-15-67	91.1	5.8	
03S/14W-30F02S	180.0	11-09-66	185.1	-5.1	101			3-17-67	90.4	6.5	
		4-13-67	182.2	-2.2				3-22-67	90.8	6.1	
03S/14W-30G01S	129.0	11-01-66	136.5	-7.5	101			3-29-67	90.6	6.3	
		3-29-67	131.7	-2.7	050			4-12-67	89.9	7.0	
		4-06-67	135.1	-6.1	101			4-12-67	89.0	7.9	
03S/14W-30H02S	126.0	11-01-66	136.8	-10.8	101			7-26-67	88.2	8.7	
		11-28-66	135.2	-9.2				8-30-67	87.5	9.4	
		3-29-67	133.6	-7.6	050			9-27-67	87.2	9.7	
		4-03-67	136.9	-10.9	101	03S/14W-31L02S	135.7	10-26-66	127.8	7.9	101
		7-26-67	134.0	-8.0		03S/14W-31L03S	169.0	10-05-66	168.8	.2	101
		8-30-67	133.4	-7.4				10-12-66	162.7	6.3	
		9-26-67	133.7	-7.7				10-19-66	162.6	6.4	
		10-26-67	134.2	-8.2	050			10-26-66	162.3	6.7	
03S/14W-30M02S	175.6	10-19-66	175.3	.3	101			11-02-66	162.1	6.9	
		11-09-66	175.4	.2				11-09-66	161.7	7.3	
		11-29-66	174.0	1.6				11-16-66	161.2	7.8	
		1-03-67	171.2	4.4				11-23-66	160.6	8.4	
		1-26-67	170.7	4.9				11-30-66	161.7	7.3	
		2-28-67	172.2	3.4				12-07-66	161.0	8.0	
		3-28-67	170.6	5.0	050			12-14-66	160.5	8.5	
		3-30-67	171.8	3.8	101			12-21-66	160.0	9.0	
		4-13-67	171.6	4.0				12-28-66	157.8	11.2	
		7-26-67	171.5	4.1				1-04-67	157.6	11.4	
		8-30-67	170.8	4.8				1-10-67	157.8	11.2	
		9-27-67	170.6	5.0				1-11-67	157.3	11.7	
03S/14W-30M03S	226.0	10-14-66	223.2	2.8	101			1-18-67	157.2	11.8	
		11-09-66	223.3	2.7				1-25-67	156.8	12.2	
		11-29-66	222.1	3.9				2-01-67	156.6	12.4	
		1-03-67	218.4	7.6				2-08-67	156.5	12.5	
		1-26-67	218.1	7.9				2-15-67	160.9	8.1	
		2-28-67	219.6	6.4				2-27-67	161.6	7.4	
								3-08-67	161.6	7.4	
								3-15-67	162.0	7.0	
								3-22-67	162.2	6.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0	U-05.A2		COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0	U-05.A2	
03S/14W-31L035 (CONT.)	169.0	3-29-67	161.7	7.3	101	03S/15W-11M055	30.0	4-06-67	25.2	4.8	050
		4-12-67	162.0	7.0				7-17-67	26.1	3.9	101
		7-26-67	160.0	9.0							
		8-30-67	159.2	9.8		03S/15W-11M065	31.0	11-04-66	30.6	.4	101
		9-27-67	159.0	10.0				1-12-67	30.5	.5	
								4-06-67	30.2	.8	
03S/14W-31L045	161.0	11-10-66	155.3	5.7	101			4-06-67	28.2	2.8	050
		12-20-66	146.3	14.7				7-17-67	30.4	.6	101
		3-08-67	155.2	5.8		03S/15W-11M075	39.2	1-30-67	37.3	1.9	101
		4-10-67	154.1	6.9				7-17-67	37.3	1.9	
		8-04-67	153.8	7.2		03S/15W-11M125	61.6	1-12-67	58.8	2.8	101
03S/14W-32A01S	94.9	10-31-66	116.3(5)	-21.4	101			7-17-67	60.2	1.4	
		11-30-66	163.3(1)	-68.4		03S/15W-11M155	77.3	11-04-66	75.0	2.3	101
		1-31-67	159.3(1)	-64.4				1-12-67	74.8	2.5	
		3-01-67	113.3(5)	-18.4				4-06-67	78.6	1.3	
		3-01-67	110.4	-15.5	050			4-06-67	78.0	.7	050
		4-28-67	112.3(5)	-17.4	101			7-17-67	75.1	2.2	101
		5-29-67	159.3(1)	-64.4		03S/15W-11Q01S	106.2	11-04-66	103.8	2.4	101
		7-31-67	166.3(1)	-71.4				4-06-67	103.7	2.5	
		8-31-67	113.3(5)	-18.4				4-06-67	102.2	4.0	050
		8-31-67	112.4	-17.5	050	03S/15W-12B01S	111.0	3-27-67	116.6	-5.6	050
		9-29-67	166.3(1)	-71.4	101	03S/15W-12G01S	112.6	3-27-67	115.8(6)	-3.2	050
03S/14W-32P02S	90.0	10-03-66	98.9	-8.9	101			4-07-67	115.5	-2.9	
		10-31-66	98.5	-8.5		03S/15W-12G02S	107.6	10-26-66	109.9	-2.3	101
		12-12-66	87.3	2.7				11-02-66	109.8	-2.2	
		1-03-67	94.5	-4.5				1-12-67	109.6	-2.0	
		2-07-67	91.9	-1.9				3-29-67	108.4	.8	050
		3-06-67	95.2	-5.2				4-05-67	109.3	-1.7	101
		3-27-67	95.2	-5.2	050			7-13-67	108.9	-1.3	
		4-05-67	95.7	-5.7	101	03S/15W-12H02S	127.1	10-11-66	133.7	-6.6	101
		5-08-67	95.6	-5.6				10-20-66	133.6	-6.5	
		7-03-67	95.9	-5.9				10-26-66	133.7	-6.6	
		8-01-67	96.1	-6.1				11-02-66	133.8	-6.7	
		9-05-67	95.8	-5.8				11-23-66	134.4	-7.3	
03S/14W-33E01S	120.0	3-27-67	136.5	-16.5	050			3-27-67	133.4	-6.3	050
03S/14W-33L01S	90.0	3-27-67	105.7	-15.7	050			4-12-67	132.7	-5.6	101
03S/14W-33P02S	84.0	3-27-67	99.6	-15.6	050	03S/15W-12H03S	129.0	10-20-66	136.5	-7.5	101
03S/14W-33Q01S	100.0	3-27-67	(6)		050			10-26-66	136.7	-7.7	
03S/14W-34B02S	65.0	3-27-67	94.5	-29.5	050			11-02-66	136.4	-7.4	
03S/14W-34N04S	73.0	3-27-67	99.0	-26.0	050			11-23-66	136.3	-7.3	
03S/14W-35B03S	46.0	3-27-67	77.4	-31.4	050			11-30-66	136.6	-7.6	
		10-17-67	77.3	-31.3				12-29-66	137.8	-8.8	
03S/15W-01L01S	119.0	10-03-66	129.0	-10.0	101			3-27-67	134.0	-5.0	050
		11-09-66	128.8	-9.8				4-12-67	135.6	-6.6	101
		12-12-66	128.7	-9.7		03S/15W-13A04S	122.0	3-28-67	48.9(7)	73.1	050
		1-03-67	128.9	-9.9		03S/15W-13H02S	104.0	3-28-67	39.6(7)	64.4	050
		2-06-67	128.2	-9.2		03S/15W-13H03S	101.0	3-28-67	34.0(7)	67.0	050
		3-01-67	128.1	-9.1		03S/15W-13H04S	103.8	10-26-66	102.3	1.5	101
		3-01-67	133.4	-14.4	050			11-02-66	102.1	1.7	
		4-12-67	127.9	-8.9	101			2-10-67	99.7	4.1	
		5-02-67	127.9	-8.9				4-12-67	100.4	3.4	
		6-05-67	127.7	-8.7				8-09-67	101.1	2.7	
		7-03-67	127.7	-8.7		03S/15W-13H05S	103.8	10-26-66	100.2	3.6	101
		8-01-67	127.7	-8.7				11-02-66	100.0	3.8	
		9-05-67	127.8	-8.8				2-10-67	98.2	5.6	
		9-05-67	124.3	-5.3	050			4-12-67	98.5	5.3	
03S/15W-02P01S	75.0	11-09-66	(9)		101			8-11-67	98.7	5.1	
		11-25-66	75.5	.5		03S/15W-13H06S	103.8	10-26-66	101.3	2.5	101
		4-17-67	74.9	.1				11-02-66	101.1	2.7	
03S/15W-02P02S	77.5	11-09-66	(9)		101			2-10-67	99.2	4.6	
		11-25-66	76.0	1.5				4-12-67	99.5	4.3	
		4-17-67	75.4	2.1				8-11-67	99.6	4.2	
03S/15W-03A01S	71.5	11-04-66	68.0	3.5	101	03S/15W-13H07S	103.8	10-26-66	101.5	2.3	101
		11-09-66	68.0	3.5				11-02-66	101.3	2.5	
		4-06-67	67.4	4.1				2-10-67	99.4	4.4	
		4-17-67	67.3	4.2				4-12-67	99.6	4.2	
		9-29-67	67.5	4.0				8-09-67	99.8	4.0	
03S/15W-03B01S	71.3	3-27-67	67.2	4.1	050	03S/15W-13P01S	112.0	10-26-66	108.1	3.9	101
03S/15W-03B02S	77.6	11-09-66	72.6	5.0	101			11-02-66	107.9	4.1	
		3-27-67	71.9	5.7	050			11-30-66	107.8	4.2	
		4-17-67	71.9	5.7	101			1-04-67	106.5	5.5	
03S/15W-03B03S	77.7	11-09-66	DRY		101			1-11-67	106.0	6.0	
		4-17-67	DRY					1-25-67	105.6	6.4	
03S/15W-03H01S	66.8	11-09-66	62.0	4.8	101			3-01-67	114.8	-2.8	
		4-17-67	DRY					3-29-67	106.1	5.9	
03S/15W-03H02S	58.1	11-04-66	53.9	4.2	101			4-05-67	106.3	5.7	
		11-09-66	53.9	4.2				4-05-67	104.8	7.2	050
		3-27-67	53.1	5.0	050			7-26-67	105.5	6.5	101
		4-06-67	53.1	5.0	101			8-30-67	106.3	5.7	
								9-27-67	106.1	5.9	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2	COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2
03S/15W-13R03S	133.9	4-23-67	146.4 (7)	-12.5	050	03S/15W-24N01S	120.6	4-12-67	112.4	8.2	101
03S/15W-13R06S	150.0	3-28-67	64.0 (7)	86.0	050	(CONT.)		7-26-67	111.7	8.9	
03S/15W-13R07S	155.7	10-26-66	151.7	4.0	101			8-30-67	112.1	8.5	
		11-02-66	151.3	4.4				9-27-67	112.4	8.2	
		3-07-67	149.3	6.4		03S/15W-24P01S	119.9	10-13-66	115.1	4.8	101
		4-12-67	149.4	6.3				10-20-66	115.2	4.7	
		9-28-67	152.5	3.2				10-26-66	115.4	4.5	
03S/15W-13R08S	155.7	10-26-66	150.9	4.8	101			11-02-66	115.2	4.7	
		11-02-66	150.5	5.2				11-09-66	116.7	3.2	
		1-04-67	149.6	6.1				11-16-66	115.7	4.2	
		1-27-67	148.6	7.1				11-22-66	115.7	4.2	
		3-01-67	149.5	6.2				11-23-66	115.7	4.2	
		3-07-67	148.9	6.8				11-30-66	115.7	4.2	
		3-30-67	149.0	6.7				12-07-66	115.4	4.5	
		4-11-67	148.9	6.8				12-14-66	111.8	8.1	
		4-11-67	146.8	8.9	050			12-21-66	111.6	8.3	
		7-26-67	148.6	7.1	101			12-29-66	112.5	7.4	
		8-30-67	152.4	3.3				1-04-67	111.2	8.7	
		9-28-67	150.6	5.1				1-11-67	110.9	9.0	
03S/15W-13R09S	155.7	10-26-66	151.6	4.1	101			1-18-67	110.6	9.3	
		11-02-66	151.2	4.5				1-25-67	110.4	9.5	
		3-10-67	150.1	-2.4				2-01-67	110.2	9.7	
		4-11-67	154.8	.9				2-08-67	111.1	8.8	
03S/15W-14J01S	154.9	10-20-66	151.9	3.0	101			2-15-67	110.2	9.7	
		11-02-66	151.8	3.1				2-27-67	113.3	6.6	
		4-12-67	150.7	4.2				3-08-67	113.3	6.6	
		4-12-67	148.5	6.4	050			3-15-67	112.8	7.1	
03S/15W-24K01S	123.3	11-09-66	120.7	2.6	101			3-22-67	111.8	8.1	
		4-11-67	117.6	5.7		03S/15W-24P02S	162.9	3-29-67	111.3	8.6	
		4-11-67	114.8	8.5	050			4-12-67	110.9	9.0	
		7-13-67	114.0	9.3	101			7-26-67	110.0	9.9	
03S/15W-24M01S	93.0	10-07-66	88.7	4.3	101			8-30-67	110.2	9.7	
		10-13-66	88.6	4.4				9-27-67	110.0	9.9	
		10-20-66	88.7	4.3		03S/15W-25B01S	182.7	11-09-66	158.9	4.0	101
		10-26-66	88.8	4.2				11-23-66	159.0	3.9	
		11-02-66	88.6	4.4				4-11-67	155.2	7.7	
		11-09-66	88.8	4.2				4-11-67	155.2	7.7	050
		11-16-66	88.5	4.5				8-15-67	154.4	8.5	101
		11-22-66	89.3	3.7							
		11-23-66	89.3	3.7		03S/15W-25B02S	126.5	11-09-66	123.9	2.6	101
		11-30-66	88.7	4.3				4-13-67	120.8	5.7	
		12-07-66	88.5	4.5				8-15-67	119.8	6.7	
		12-14-66	86.1	6.9		03S/15W-25B03S	161.4	11-09-66	157.6	3.8	101
		12-21-66	85.7	7.3				2-20-67	151.1	10.3	
		12-29-66	85.9	7.1				4-13-67	154.1	7.3	
		1-04-67	85.6	7.4		03S/15W-25C03S	112.9	10-13-66	108.4	4.5	101
		1-11-67	85.4	7.6				10-19-66	108.4	4.5	
		1-18-67	85.1	7.9				1-04-67	105.2	7.7	
		1-25-67	85.9	7.1				1-11-67	105.3	7.6	
		2-01-67	84.8	8.2				1-18-67	105.1	7.8	
		2-08-67	84.7	8.3				1-25-67	105.1	7.8	
		2-15-67	84.7	8.3				2-01-67	104.7	8.2	
		2-27-67	87.4	5.6				2-08-67	104.7	8.2	
		3-08-67	87.8	5.2				2-15-67	104.7	8.2	
		3-15-67	86.4	6.6				2-27-67	106.8	6.1	
		3-22-67	86.1	6.9				3-08-67	107.6	5.3	
		3-29-67	85.8	7.2				3-15-67	106.5	6.4	
		4-12-67	85.4	7.6				3-22-67	105.9	7.0	
		4-12-67	84.8	8.2	050			3-29-67	105.5	7.4	
		7-26-67	84.5	8.5	101			4-12-67	105.3	7.6	
		8-30-67	84.6	8.4				7-26-67	104.4	8.5	
		9-27-67	84.2	8.8				8-30-67	104.3	8.6	
03S/15W-24N01S	120.6	10-07-66	116.3	4.3	101			9-27-67	104.3	8.6	
		10-13-66	116.0	4.6		03S/15W-25C04S	136.8	11-09-66	132.5	4.3	101
		10-19-66	116.4	4.2				11-22-66	132.5	4.3	
		10-26-66	116.3	4.3				2-20-67	127.8	9.0	
		11-02-66	117.1	3.5				4-13-67	126.9	9.9	
		11-09-66	116.1	4.5				4-13-67	127.5	9.3	050
		11-16-66	116.1	4.5				8-15-67	127.3	9.5	101
		11-22-66	117.6	3.0				10-18-67	127.5	9.3	050
		11-23-66	117.4	3.2		03S/15W-25C05S	103.8	11-10-66	100.1	3.7	101
		11-30-66	116.2	4.4				11-22-66	100.4	3.4	
		12-07-66	116.1	4.5				4-13-67	98.2	5.6	
		12-14-66	114.4	6.2				9-11-67	94.7	9.1	
		12-21-66	113.2	7.4		03S/15W-25D01S	82.7	11-10-66	79.5	3.2	101
		12-29-66	113.1	7.5				11-22-66	79.8	2.9	
		1-04-67	113.2	7.4				4-13-67	78.4	4.3	
		1-11-67	113.1	7.5				4-13-67	78.4	4.3	050
		1-18-67	113.1	7.5				6-02-67	78.1	4.6	
		1-25-67	111.8	8.8		03S/15W-25D02S	22.6	11-10-66	19.5	3.1	101
		2-01-67	111.7	8.9				11-22-66	20.4	2.2	
		2-08-67	111.6	9.0				9-11-67	19.5	3.1	
		2-15-67	111.7	8.9				9-11-67	19.5	3.1	050
		2-20-67	111.9	8.7		03S/15W-25F01S	106.0	10-07-66	102.1	3.9	101
		2-27-67	114.9	5.7							
		3-08-67	114.8	5.8							
		3-15-67	113.4	7.2							
		3-22-67	113.1	7.5							
		3-29-67	112.7	7.9							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0	U-05.A2		COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0	U-05.A2	
03S/15W-25F01S (CONT.)	106.0	10-14-66	101.8	4.2	101	03S/15W-25G095 (CONT.)	86.0	12-29-66	78.3	7.7	101
		10-19-66	102.0	4.0				1-04-67	78.4	7.6	
		12-29-66	96.3	9.7				1-11-67	78.8	7.2	
		1-04-67	97.7	8.3				1-18-67	78.0	8.0	
		1-11-67	98.1	7.9				1-25-67	78.4	7.6	
		1-18-67	97.8	8.2				1-30-67	77.6	8.4	
		1-25-67	97.7	8.3				2-01-67	77.6	8.4	
		1-30-67	97.3	8.7				2-08-67	77.5	8.5	
		2-01-67	97.4	8.6				2-15-67	77.6	8.4	
		2-08-67	97.3	8.7				2-27-67	78.7	7.3	
		2-15-67	97.6	8.4				3-08-67	80.1	5.9	
		2-27-67	98.9	7.1				3-15-67	78.8	7.2	
		3-08-67	99.7	6.3				3-22-67	79.2	6.8	
		3-15-67	98.9	7.1				3-29-67	80.0	6.0	
		3-22-67	98.6	7.4				4-12-67	78.4	7.6	
		3-29-67	98.2	7.8				4-12-67	81.7	4.3	050
		4-12-67	98.1	7.9				7-26-67	77.3	8.7	101
		7-26-67	96.9	9.1				8-30-67	77.2	8.8	
		8-30-67	96.5	9.5				9-27-67	76.5	9.5	
		9-27-67	96.1	9.9							
03S/15W-25F04S	99.0	10-07-66	95.3	3.7	101	03S/15W-25G105	146.5	11-10-66	143.5	3.0	101
		10-13-66	94.9	4.1				4-13-67	139.6	6.9	
		10-19-66	95.1	3.9				7-13-67	139.9	6.6	
		12-29-66	89.0	10.0		03S/15W-25H03S	209.1	11-09-66	205.4	3.7	101
		1-04-67	91.1	7.9				4-13-67	202.3	6.8	
		1-10-67	91.1	7.9				7-13-67	201.5	7.6	
		1-11-67	91.4	7.6		03S/15W-25K03S	90.0	10-07-66	86.8	3.2	101
		1-18-67	91.9	7.1				10-13-66	86.2	3.8	
		1-25-67	91.7	7.3				10-20-66	86.3	3.7	
		2-01-67	90.5	8.5				12-29-66	80.7	9.3	
		2-08-67	90.5	8.5				1-04-67	81.0	9.0	
		2-15-67	90.5	8.5				1-11-67	81.9	8.1	
		2-27-67	91.8	7.2				1-18-67	81.7	8.3	
		3-08-67	93.4	5.6				1-25-67	81.6	8.4	
		3-15-67	91.9	7.1				2-01-67	81.2	8.8	
		3-22-67	91.8	7.2				2-08-67	81.2	8.8	
		3-29-67	91.3	7.7				2-15-67	81.6	8.4	
		4-12-67	91.3	7.7				2-27-67	82.3	7.7	
		7-26-67	90.1	8.9				3-08-67	83.1	6.9	
		8-30-67	89.7	9.3				3-15-67	82.6	7.4	
		9-27-67	89.3	9.7				3-22-67	82.8	7.2	
03S/15W-25G03S	90.0	10-07-66	87.1	2.9	101			3-29-67	82.2	7.8	
		10-13-66	86.3	3.7				4-12-67	82.2	7.8	
		10-20-66	86.3	3.7		03S/15W-25K07S	135.4	11-09-66	131.9	3.5	101
		12-29-66	82.2	7.8				4-13-67	128.3	7.1	
		1-04-67	82.1	7.9				9-11-67	126.5	8.9	
		1-11-67	82.6	7.4		03S/15W-25K14S	71.0	10-07-66	67.9	3.1	101
		1-18-67	83.1	6.9				10-13-66	67.5	3.5	
		1-25-67	82.8	7.2				10-20-66	67.6	3.4	
		2-01-67	82.6	7.4				12-29-66	62.1	8.9	
		2-08-67	81.6	8.4				1-04-67	62.0	9.0	
		2-15-67	82.2	7.8				1-11-67	62.9	8.1	
		2-27-67	83.0	7.0				1-18-67	62.7	8.3	
		3-08-67	84.1	5.9				1-25-67	62.5	8.5	
		3-15-67	83.2	6.8				2-01-67	62.1	8.9	
		3-17-67	84.5	5.5				2-08-67	62.2	8.8	
		3-22-67	83.3	6.7				2-15-67	62.7	8.3	
		3-29-67	82.7	7.3				2-27-67	63.3	7.7	
		4-12-67	84.2	5.8				3-08-67	65.7	5.3	
		7-26-67	83.1	6.9				3-15-67	63.7	7.3	
		8-30-67	82.8	7.2				3-22-67	64.1	6.9	
		9-27-67	82.3	7.7				3-29-67	63.6	7.4	
03S/15W-25G04S	90.2	10-07-66	86.8	3.4	101			4-12-67	63.3	7.7	
		10-19-66	86.4	3.8				7-26-67	62.0	9.0	
		11-23-66	87.6	2.6				8-30-67	61.5	9.5	
		12-29-66	82.4	7.8				9-27-67	61.0	10.0	
		1-04-67	82.2	8.0		03S/15W-25L01S	73.4	11-10-66	69.7	3.7	101
		1-11-67	81.7	8.5				11-23-66	69.8	3.6	
		1-18-67	82.4	7.8				4-13-67	67.7	5.7	
		1-25-67	82.4	7.8		03S/15W-25L02S	94.4	11-10-66	90.5	3.9	101
		2-01-67	82.1	8.1				11-23-66	90.6	3.8	
		2-15-67	82.3	7.9				4-13-67	87.4	7.0	
		2-27-67	83.1	7.1		03S/15W-25M01S	23.9	1-10-67	20.6	3.3	101
		3-08-67	83.8	6.4				8-16-67	22.8	1.1	
		3-15-67	83.3	6.9				8-16-67	22.8	21.4	050
		3-22-67	83.4	6.8		03S/15W-25P01S	73.0	10-06-66	69.7	3.3	101
		3-29-67	82.6	7.6				11-10-66	69.7	3.3	
		4-12-67	83.2	7.0				11-29-66	76.0	-3.0	
		7-26-67	82.1	8.1				12-01-66	69.9	3.1	
		8-30-67	81.9	8.3				1-03-67	69.1	3.9	
		9-27-67	81.3	8.9				1-27-67	68.8	4.2	
03S/15W-25G06S	115.3	11-09-66	112.6	2.7	101			2-28-67	69.2	3.8	
		11-23-66	111.6	3.7				3-30-67	69.5	3.5	
		9-11-67	104.6	10.7				4-13-67	69.1	3.9	
03S/15W-25G07S	145.4	11-09-66	142.0	3.4	101			4-13-67	69.1	3.9	
		4-13-67	138.3	7.1				7-26-67	69.1	3.9	050
03S/15W-25G08S	73.7	11-10-66	69.9	3.8	101						
		4-13-67	65.0	8.7							
03S/15W-25G09S	86.0	10-07-66	82.7	3.3	101						
		10-14-66	81.6	4.4							
		10-19-66	82.2	3.8							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2	COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2
03S/15W-25P015	73.0	8-30-67	69.1	3.9	101	04S/12W-32G015	38.0	1-27-67	43.3	-5.3	206
(CONT.)		9-27-67	69.1	3.9		(CONT.)		2-17-67	43.2	-5.2	
								3-03-67	43.2	-5.2	
03S/15W-25P02S	14.0	6-22-67	10.7	3.3	050			3-24-67	43.3	-5.3	
								3-31-67	43.6	-5.6	050
03S/15W-25Q03S	72.5	11-10-66	69.1	3.4	101			4-14-67	43.6	-5.6	206
		11-23-66	69.1	3.4				5-05-67	43.6	-5.6	
		1-03-67	68.8	3.7				5-26-67	43.6	-5.6	
		1-26-67	63.6	8.9				6-23-67	43.6	-5.6	
		2-28-67	64.5	8.0				7-14-67	43.6	-5.6	
		3-30-67	64.2	8.3				8-04-67	43.4	-5.4	
		4-13-67	63.9	8.6				8-25-67	44.3	-6.3	
		4-13-67	63.9	8.6	050			9-15-67	43.1	-5.1	
		7-26-67	63.3	9.2	101						
		8-30-67	62.4	10.1		04S/13W-02P01S	38.7	11-22-66	73.0(8)	-34.3	101
		9-27-67	62.0	10.5				3-27-67	73.1	-34.4	050
								5-09-67	73.1	-34.4	101
03S/15W-25R01S	137.8	11-09-66	134.5	3.3	101			5-12-67	73.0	-34.3	
		11-23-66	134.3	3.5				7-18-67	73.0	-34.3	
		1-03-67	133.7	4.1				8-28-67	73.1	-34.4	
		1-26-67	129.1	8.7				8-29-67	73.2	-34.5	
		2-28-67	130.1	7.7				8-29-67	73.2	-34.5	412
		3-30-67	129.7	8.1		04S/13W-02P03S	44.7	3-27-67	74.9	-30.2	050
		4-10-67	129.5	8.3							
		7-26-67	129.1	8.7		04S/13W-04M01S	15.0	11-02-66	75.2	-60.2	101
		8-30-67	128.3	9.5				3-31-67	73.4	-58.4	050
		9-27-67	127.9	9.9				4-18-67	73.7	-58.7	101
03S/15W-25R02S	178.0	10-14-66	175.4	2.6	101						
		11-09-66	175.0	3.0		04S/13W-05L01S	13.8	10-03-66	92.8(8)	-79.0	101
		11-29-66	174.4	3.6				11-21-66	91.2	-77.4	
		12-01-66	174.3	3.7				12-12-66	91.3(8)	-77.5	
		1-03-67	170.1	7.9				1-03-67	92.0(8)	-78.2	
		1-26-67	169.8	8.2				2-07-67	89.9(8)	-76.1	
		2-28-67	171.4	6.6				3-06-67	90.9(8)	-77.1	
		3-30-67	171.3	6.7				3-31-67	90.8	-77.0	050
		4-10-67	171.0	7.0				4-18-67	91.1(8)	-77.3	101
		4-10-67	170.6	7.4	050			5-08-67	91.9(8)	-78.1	
		7-26-67	170.1	7.9	101			7-03-67	91.6(8)	-77.8	
		8-30-67	169.7	8.3				8-01-67	92.2(8)	-78.4	
		9-27-67	169.4	8.6				9-05-67	92.5(8)	-78.7	
03S/15W-25R04S	70.6	7-26-67	61.0	9.6	101	04S/13W-06Q01S	22.0	3-31-67	51.6	-29.6	050
		8-30-67	60.3	10.3							
		9-27-67	60.2	10.4		04S/13W-07H01S	20.3	10-04-66	90.7(8)	-70.4	101
03S/15W-36A02S	64.2	7-26-67	56.4	7.8	101			11-21-66	91.7(8)	-71.4	
		8-30-67	56.1	8.1				12-12-66	92.0(8)	-71.7	
		9-27-67	55.7	8.5				1-03-67	92.5(8)	-72.2	
03S/15W-36H03S	58.2	10-07-66	56.3	1.9	101			2-07-67	(9)		
		10-13-66	55.1	3.1				3-06-67	91.3(8)	-71.0	
		10-20-66	55.0	3.2				3-29-67	(9)		050
		10-26-66	52.9	5.3				4-05-67	91.8(8)	-71.5	101
		11-02-66	54.5	3.7				5-08-67	91.7(8)	-71.4	
		11-09-66	53.9	4.3				7-03-67	93.0(8)	-72.7	
		11-16-66	53.8	4.4				8-01-67	93.6(8)	-73.3	
		11-23-66	53.0	5.2				9-05-67	93.9(8)	-73.6	
		11-30-66	52.4	5.8		04S/13W-07L01S	27.0	3-29-67	97.5	-70.5	050
		12-07-66	51.8	6.4							
		12-14-66	50.1	8.1		04S/13W-08G02S	8.9	11-15-66	(3)		101
		12-21-66	49.5	8.7				4-26-67	50.0	-41.1	
		12-29-66	49.0	9.2							
		1-04-67	48.8	9.4		04S/13W-08R01S	12.1	11-15-66	(9)		101
		1-11-67	48.8	9.4				4-26-67	21.9	-9.8	
		1-18-67	48.6	9.6							
		1-25-67	48.5	9.7		04S/13W-09A01S	23.8	3-06-67	240.6(1)	-216.8	061
		2-01-67	48.1	10.1				4-05-67	103.6(5)	-79.8	
		2-08-67	48.1	10.1				4-05-67	240.6(1)	-216.8	
		2-15-67	50.1	8.1				4-26-67	240.6(1)	-216.8	
		2-27-67	50.7	7.5				7-26-67	240.6(1)	-216.8	
		3-08-67	53.1	5.1				8-31-67	(7)		
		3-15-67	51.8	6.4		04S/13W-09E02S	16.0	3-29-67	78.8	-62.8	050
		3-17-67	51.8	6.4							
		3-22-67	52.0	6.2		04S/13W-09H01S	22.6	3-06-67	172.8(1)	-150.2	061
		3-29-67	51.3	6.9				4-05-67	89.8(5)	-67.2	
		4-12-67	51.1	7.1				4-05-67	172.8(1)	-150.2	
		7-26-67	50.9	7.3				4-26-67	169.8(1)	-147.2	
		8-30-67	50.5	7.7				7-06-67	180.8(1)	-158.2	
		9-27-67	50.2	8.0				8-04-67	180.8(1)	-158.2	
								9-11-67	168.8(1)	-146.2	
04S/12W-30R01S	15.6	11-17-66	93.0	-77.4	101	04S/13W-10A01S	33.2	3-27-67	69.1	-35.9	050
		3-03-67	93.3	-77.7				8-29-67	68.1	-34.9	101
		3-31-67	94.4	-78.8	050						
		4-13-67	85.1	-69.5	101	04S/13W-10B02S	30.0	3-27-67	62.2	-32.2	050
		10-19-67	96.0	-80.4	050						
04S/12W-31C01S	26.1	11-17-66	48.8	-22.7	101	04S/13W-10E02S	24.5	3-29-67	72.3	-47.8	050
		4-13-67	49.2	-23.1							
04S/12W-31M01S	36.3	11-07-66	61.8	-25.5	101	04S/13W-10E03S	26.0	3-06-67	231.1(1)	-205.1	061
		4-13-67	60.8	-24.5				3-29-67	96.1(5)	-70.1	050
								4-26-67	246.1(1)	-220.1	061
								7-06-67	241.1(1)	-215.1	
04S/12W-32G01S	38.0	10-14-66	43.4	-5.4	206			8-04-67	241.1	-215.1	
		11-04-66	43.3	-5.3				9-11-67	238.1(1)	-212.1	
		11-28-66	43.3	-5.3		04S/13W-10F02S	26.7	2-02-67	116.5	-89.8	061
		12-16-66	43.1	-5.1				3-02-67	121.5	-94.8	
		1-06-67	43.4	-5.4							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0 WEST COAST HYDRO SUBAREA U-05.A2						COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0 WEST COAST HYDRO SUBAREA U-05.A2					
04S/13W-10F02S (CONT.)	26.7	4-01-67 6-02-67 7-05-67 8-01-67 9-01-67	121.5 124.5 122.5 123.5 126.5	-94.8 -97.8 -95.8 -96.8 -99.8	061	04S/13W-14L01S (CONT.)	29.0	12-19-66 12-26-66 1-02-67 1-09-67 1-16-67 1-23-67 1-30-67 2-06-67 2-13-67 2-20-67 3-06-67 3-13-67 3-20-67 4-10-67 4-17-67 4-24-67 5-01-67 5-08-67 5-15-67 5-22-67 5-29-67 6-05-67 6-12-67 6-19-67 6-26-67 7-03-67 7-10-67 7-17-67 7-24-67 8-07-67 8-14-67 8-21-67 8-28-67 9-05-67 9-11-67 9-18-67	64.6 64.6 64.7 64.8 64.7 64.8 64.8 64.8 64.7 64.8 64.9 64.8 64.8 65.0 65.0 65.1 65.1 65.0 65.1 65.2 65.2 65.3 65.2 65.3 65.4 65.4 65.4 65.4 65.6 65.6 65.6 65.6 65.6 65.6 65.6 65.6	-35.6 -35.6 -35.7 -35.8 -35.7 -35.8 -35.8 -35.8 -35.7 -35.8 -35.9 -35.8 -35.8 -36.0 -36.0 -36.1 -36.1 -36.0 -36.1 -36.2 -36.2 -36.3 -36.2 -36.3 -36.4 -36.4 -36.4 -36.4 -36.6 -36.6 -36.6 -36.6 -36.6 -36.6 -36.6 -36.6	206
04S/13W-10H01S	31.9	10-14-66 11-04-66 11-25-66 12-16-66 1-06-67 1-27-67 2-17-67 3-03-67 3-24-67 4-14-67 5-05-67 5-26-67 6-23-67 7-14-67 8-04-67 8-25-67 9-15-67	64.6 64.5 64.6 64.8 63.9 64.4 64.6 64.6 64.6 64.8 64.8 64.6 64.2 65.0 65.1 65.0 65.2	-32.7 -32.6 -32.7 -32.9 -32.0 -32.5 -32.7 -32.7 -32.7 -32.9 -32.9 -32.7 -32.3 -33.1 -33.2 -33.1 -33.3	206						
04S/13W-10J08S	30.0	11-21-66 3-27-67 4-28-67	79.4 79.7 80.0	-49.4 -49.7 -50.0	101 050 101						
04S/13W-10J09S	30.0	11-21-66 4-28-67	62.9 62.6	-32.9 -32.6	101						
04S/13W-10L01S	28.0	11-21-66 4-28-67	15.7 16.2	12.3 11.8	101						
04S/13W-11D01S	36.0	3-27-67	69.8	-33.8	050						
04S/13W-11E02S	31.0	3-27-67	66.9	-35.9	050						
04S/13W-11K01S	34.6	11-21-66 4-28-67	67.0 67.3	-32.4 -32.7	101	04S/13W-14Q08S	25.9	11-22-66 5-01-67	19.1 23.2	6.8 2.7	101
04S/13W-11K03S	34.7	11-21-66 3-27-67 4-28-67	66.0 (8) 68.6 67.1	-31.3 -33.9 -32.4	101 050 101	04S/13W-15A01S	27.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67	60.0 (2) 60.2 (2) 60.0 (2) 60.0 (2) 60.5 (2)	-33.0 -33.2 -33.0 -33.0 -33.5	061
04S/13W-11R01S	32.5	11-21-66 4-28-67	DRY DRY		101	04S/13W-15B04S	29.5	10-31-66 11-30-66 12-31-66 2-28-67	128.1 (2) 123.6 (2) 127.1 (2) 124.1 (2)	-98.6 -94.1 -97.6 -94.6	061
04S/13W-13N03S	54.0	3-30-67	(9)		050						
04S/13W-14A06S	5.0	10-04-66 11-16-66 12-13-66 1-04-67 2-08-67 3-07-67 4-28-67 5-09-67 7-05-67 8-02-67 9-06-67	(7) (7) (7) (7) (7) 26.4 27.8 28.3 29.1 30.3 31.0	-21.4 -22.8 -23.3 -24.1 -25.3 -26.0	101	04S/13W-15C01S	24.0	3-31-67	123.8	-99.8	050
						04S/13W-15D01S	23.0	3-28-67 4-03-67	(9) (9)		050
						04S/13W-15N01S	20.0	2-02-67 3-01-67 3-31-67 5-01-67 6-01-67 6-30-67 7-31-67 9-01-67 9-29-67	166.8 149.8 166.8 166.8 166.8 166.8 166.8 166.8 156.8	-146.8 -129.8 -146.8 -146.8 -146.8 -146.8 -146.8 -146.8 -136.8	061
04S/13W-14H02S	33.0	10-04-66 11-16-66 12-13-66 1-04-67 2-08-67 3-07-67 4-28-67 5-09-67 7-05-67 8-02-67 9-06-67	DRY 28.1 DRY 27.4 28.3 28.1 DRY DRY DRY DRY DRY	4.9 5.6 4.7 4.9 	101	04S/13W-15Q01S	22.0	11-21-66 3-31-67 4-25-67	55.1 66.6 55.9	-33.1 -44.6 -33.9	101 050 101
						04S/13W-15Q05S	25.0	11-15-66 4-25-67	69.2 69.8	-44.2 -44.8	101
04S/13W-14H05S	33.0	10-04-66 11-16-66 12-13-66 2-08-67 3-07-67 4-28-67 5-09-67 7-05-67 8-02-67 9-06-67	26.0 24.3 DRY DRY DRY DRY 26.6 DRY DRY DRY	7.0 8.7 6.4 	101	04S/13W-15R03S	22.0	3-30-67 10-24-67	60.3 60.7	-38.3 -38.7	050
						04S/13W-16F02S	16.3	11-15-66 4-26-67	42.4 41.2	-26.1 -24.9	101
						04S/13W-17D01S	27.6	3-27-67 6-02-67	(1) 107.0		050
						04S/13W-19B01S	40.0	3-29-67	102.1	-62.1	050
04S/13W-14J05S	41.0	11-16-66 4-26-67	DRY DRY		101	04S/13W-19B02S	39.3	2-01-67 3-01-67 3-29-67 4-03-67 5-01-67 6-01-67 7-03-67 8-01-67 9-01-67	104.2 (5) 103.2 (5) 102.7 (5) 103.2 (5) 103.2 (5) 103.2 (5) 103.2 (5) 103.2 (5) 103.2 (5)	-64.9 -63.9 -63.4 -63.9 -63.9 -63.9 -63.9 -63.9 -63.9	061 050 061
04S/13W-14L01S	29.0	10-03-66 10-10-66 10-17-66 10-24-66 10-31-66 11-07-66 11-21-66 11-28-66 12-05-66 12-12-66	64.4 64.6 64.6 64.6 64.6 64.5 64.6 64.7 64.6 64.7	-35.4 -35.6 -35.6 -35.6 -35.6 -35.5 -35.6 -35.7 -35.6 -35.7	206	04S/13W-19D01S	43.1	3-29-67	100.5	-57.4	050
						04S/13W-19J02S	44.3	10-03-66 11-04-66	108.3 108.6	-64.0 -64.3	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/13W-19J025 (CONT.)	44.3	11-21-66	107.9	-63.6	101	04S/13W-22F015 (CONT.)	19.9	3-31-67	114.2	-94.3	061
		12-12-66	108.0	-63.7				5-01-67	113.8	-93.9	
		1-03-67	108.5	-64.2				5-31-67	114.5	-94.6	
		2-07-67	107.2	-62.9				6-30-67	112.6	-92.7	
		3-06-67	106.6	-62.3				7-31-67	114.7	-94.8	
		3-29-67	108.0	-63.7	050			8-31-67	116.1	-96.2	
		4-05-67	108.2	-63.9	101			9-28-67	114.0	-94.1	
		5-08-67	108.1	-63.8							
		7-03-67	110.1	-65.8		04S/13W-22F025	21.9	3-27-67	(1)		050
		8-01-67	111.2	-66.9				4-03-67	(1)		
		9-05-67	111.8	-67.5		04S/13W-22F035	21.1	11-15-66	51.7	-30.6	101
04S/13W-19J06S	40.0	3-29-67	102.3(4)	-62.3	050			4-25-67	52.0	-30.9	
04S/13W-20K015	37.0	3-29-67	107.3	-70.3	050	04S/13W-22G015	28.3	11-15-66	65.6	-37.3	101
04S/13W-20R015	46.7	3-30-67	115.8	-69.1	050			3-31-67	(6)		050
04S/13W-21A015	16.0	11-15-66	40.9	-24.9	101			4-04-67	(6)		
		4-28-67	DRY					4-25-67	65.9	-37.6	101
04S/13W-21H025	34.5	1-31-67	122.7	-88.2	061	04S/13W-22G055	18.7	11-17-66	61.2	-42.5	101
		2-28-67	124.1	-89.6				11-21-66	61.1	-42.4	
		3-31-67	127.8	-93.3				3-09-67	62.1	-43.4	
		5-01-67	126.7	-92.2				4-10-67	61.3	-42.6	
		5-31-67	127.4	-92.9				4-25-67	DRY		
		6-30-67	126.0	-91.5				9-15-67	60.0	-41.3	
		7-31-67	127.8	-93.3		04S/13W-22K025	17.7	11-15-66	DRY		101
		8-31-67	129.2	-94.7				4-25-67	DRY		
		9-28-67	126.0	-91.5		04S/13W-22K055	19.2	11-15-66	110.5(8)	-91.3	101
04S/13W-21H035	34.0	11-21-66	121.7	-87.7	101			3-30-67	113.3(5)	-94.1	050
		4-28-67	123.6	-89.6				4-25-67	115.0(8)	-95.8	101
04S/13W-21H055	20.2	1-31-67	109.0	-88.8	061	04S/13W-22K145	17.1	11-15-66	36.9	-19.8	101
		2-28-67	110.3	-90.1				4-25-67	37.8	-20.7	
		3-31-67	115.0	-94.8		04S/13W-22K155	17.3	11-15-66	53.8	-36.5	101
		5-01-67	113.6	-93.4				4-25-67	56.5	-39.2	
		5-31-67	114.8	-94.6		04S/13W-22K165	17.0	11-15-66	30.3	-13.3	101
		6-30-67	113.1	-92.9				4-25-67	28.0	-11.0	
		7-31-67	114.7	-94.5		04S/13W-22K195	16.3	11-15-66	39.9	-23.6	101
		8-31-67	116.1	-95.9				4-25-67	40.9	-24.6	
		9-28-67	113.4	-93.2							
04S/13W-21H06S	18.9	1-31-67	107.7	-88.8	061	04S/13W-22K205	15.8	11-15-66	DRY		101
		2-28-67	109.4	-90.5				4-25-67	DRY		
		3-31-67	113.1	-94.2		04S/13W-22K215	16.0	11-15-66	44.0	-28.0	101
		5-01-67	112.4	-93.5				4-25-67	44.4	-28.4	
		5-31-67	113.2	-94.3		04S/13W-22K305	16.0	11-15-66	59.4	-43.4	101
		6-30-67	111.5	-92.6				4-25-67	59.9	-43.9	
		7-31-67	113.4	-94.5		04S/13W-22P015	16.0	2-01-67	105.5	-89.5	061
		8-31-67	114.2	-95.3				3-01-67	107.0	-91.0	
		9-28-67	112.0	-93.1				3-27-67	110.2	-94.2	050
04S/13W-21J025	34.0	1-31-67	-0.6	34.6	061			4-01-67	109.8	-93.8	061
		2-28-67	113.5	-79.5				5-01-67	108.5	-92.5	
		3-31-67	127.4	-93.4				6-01-67	110.5	-94.5	
		5-01-67	124.9	-90.9				7-01-67	108.5	-92.5	
		5-31-67	127.6	-93.6				8-01-67	110.5	-94.5	
		6-30-67	125.4	-91.4				9-01-67	113.0	-97.0	
		7-31-67	127.6	-93.6		04S/13W-22Q035	15.3	11-15-66	104.8	-89.5	101
		8-31-67	128.9	-94.9				1-26-67	106.1	-90.8	
		9-28-67	126.8	-92.8				3-30-67	109.1	-93.8	050
04S/13W-21R015	31.0	2-06-67	120.5(5)	-89.5	061			4-10-67	109.1	-93.8	101
		2-06-67	149.5(1)	-118.5				7-11-67	107.3	-92.0	
		2-06-67	120.5(5)	-89.5		04S/13W-22Q045	15.5	11-15-66	104.8	-89.3	101
		3-06-67	152.5(1)	-121.5				1-09-67	107.3	-91.8	
		4-04-67	127.5(5)	-96.5				3-30-67	108.9	-93.4	050
		4-04-67	156.5(1)	-125.5				4-10-67	109.3	-93.8	101
		5-03-67	125.5(5)	-94.5				7-11-67	107.3	-91.8	
		5-03-67	156.5(1)	-125.5		04S/13W-22Q055	15.9	11-15-66	56.0	-40.1	101
		6-07-67	126.5(5)	-95.5				1-26-67	57.2	-41.3	
		6-07-67	159.5(1)	-128.5				3-30-67	56.6	-40.7	050
		6-30-67	124.5(5)	-93.5				4-10-67	57.6	-41.7	101
		6-30-67	157.5(1)	-126.5				7-11-67	58.0	-42.1	
		8-01-67	126.5(5)	-95.5		04S/13W-22R045	18.0	11-15-66	56.1	-38.1	101
		8-01-67	159.5(1)	-128.5				3-31-67	55.9	-37.9	050
		9-01-67	129.5(5)	-98.5				4-04-67	52.5	-34.5	
		9-01-67	156.5(1)	-125.5				4-25-67	56.8	-38.8	101
04S/13W-22C035	29.0	11-15-66	65.5	-36.5	101	04S/13W-23A025	35.7	11-09-66	69.2	-33.5	101
04S/13W-22C055	18.2	11-15-66	57.5	-39.3	101			3-30-67	68.6	-32.9	050
		4-28-67	56.4	-38.2				4-13-67	69.8	-34.1	101
04S/13W-22E015	19.4	1-31-67	110.3	-90.9	061	04S/13W-23B025	24.5	10-03-66	117.3	-92.8	206
		2-28-67	110.5	-91.1				10-10-66	117.5	-93.0	
		3-31-67	114.0	-94.6				10-17-66	118.4	-93.9	
		5-01-67	112.8	-93.4				10-24-66	118.7	-94.2	
		5-31-67	114.4	-95.0				10-31-66	118.3	-93.8	
		6-30-67	112.1	-92.7				11-07-66	117.3	-92.8	
		7-31-67	114.2	-94.8				11-14-66	115.6	-91.1	
		8-31-67	115.1	-95.7							
		9-28-67	112.9	-93.5							
04S/13W-22F015	19.9	1-31-67	109.7	-89.8	061						
		2-28-67	110.3	-90.4							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		
			U-05.A2						U-05.A2		
04S/13W-238025 (CONT.)	24.5	11-21-66	115.3	-90.8	206	04S/13W-26A035	32.3	11-01-66	68.1	-35.8	101
		11-28-66	116.0	-91.5							
		12-05-66	115.9	-91.4		04S/13W-26A045	31.8	11-01-66	65.4	-33.6	101
		12-12-66	115.7	-91.2				3-30-67	66.1	-34.3	050
		12-19-66	116.2	-91.7				4-10-67	65.8	-34.0	101
		12-26-66	117.3	-92.8		04S/13W-26F055	12.5	10-28-66	107.4	-94.9	101
		1-02-67	118.7	-94.2				11-15-66	104.0	-91.5	
		1-09-67	118.0	-93.5				3-30-67	106.3	-93.8	050
		1-16-67	117.5	-93.0				4-10-67	108.4	-95.9	101
		1-23-67	116.7	-92.2		04S/13W-26F065	12.9	10-28-66	54.9	-42.0	101
		1-30-67	116.9	-92.4				11-15-66	54.3	-41.4	
		2-06-67	111.8	-87.3				4-10-67	55.2	-42.3	
		2-13-67	114.7	-90.2		04S/13W-26F075	12.8	10-28-66	48.3	-35.5	101
		2-20-67	115.2	-90.7				11-15-66	47.5	-34.7	
		2-27-67	115.5	-91.0				3-30-67	48.4	-35.6	050
		3-06-67	115.7	-91.2				4-10-67	49.1	-36.3	101
		3-13-67	115.1	-90.6		04S/13W-26P025	10.3	10-14-66	44.3	-34.0	206
		3-20-67	115.5	-91.0				11-04-66	44.0	-33.7	
		3-27-67	118.3	-93.8	050			11-25-66	44.4	-34.1	
		3-27-67	116.1	-91.6	206			12-16-66	45.8	-35.5	
		4-03-67	118.7	-94.2				1-06-67	44.3	-34.0	
		4-10-67	119.7	-95.2				1-27-67	44.0	-33.7	
		4-17-67	(6)					2-17-67	43.6	-33.3	
		4-24-67	119.7	-95.2				3-03-67	43.9	-33.6	
		5-01-67	118.7	-94.2				3-24-67	43.9	-33.6	
		5-08-67	118.1	-93.6				3-30-67	45.1	-34.8	050
		5-15-67	118.4	-93.9	733			4-04-67	50.2	-39.9	
		5-22-67	118.0	-93.5				4-14-67	44.5	-34.2	206
		5-29-67	119.5	-95.0				5-05-67	45.5	-35.2	
		6-05-67	119.5	-95.0				5-26-67	44.4	-34.1	
		6-12-67	119.1	-94.6				6-23-67	45.5	-35.2	
		6-19-67	118.6	-94.1				7-14-67	45.9	-35.6	
		6-26-67	118.3	-93.8	206			8-04-67	46.1	-35.8	
		7-03-67	117.1	-92.6				8-25-67	46.0	-35.7	
		7-10-67	117.1	-92.6				9-15-67	44.8	-34.5	
		7-17-67	118.0	-93.5		04S/13W-26R015	27.3	11-02-66	63.5	-36.2	101
		7-24-67	118.9	-94.4				4-10-67	66.7	-39.4	
		7-31-67	119.8	-95.3	101	04S/13W-26R025	28.0	11-02-66	121.2	-93.2	101
		7-31-67	119.2	-94.7	206			3-31-67	122.1	-94.1	050
		8-07-67	119.3	-94.8				4-10-67	123.2	-95.2	101
		8-14-67	120.5	-96.0		04S/13W-26R035	27.4	11-02-66	61.5	-34.1	101
		8-21-67	120.6	-96.1				3-31-67	62.0	-34.6	050
		8-28-67	121.7	-97.2	101			4-10-67	62.0	-34.6	101
		8-28-67	121.1	-96.6	206	04S/13W-27A025	17.0	11-15-66	53.6	-36.6	101
		9-05-67	121.0	-96.5				4-12-67	53.5	-36.5	
		9-11-67	120.1	-95.6		04S/13W-27E015	39.2	11-09-66	126.8	-87.6	101
		9-18-67	120.0	-95.5				3-29-67	130.3	-91.1	050
		9-25-67	118.4	-93.9	101			4-10-67	131.2	-92.0	101
		9-25-67	117.8	-93.3	206	04S/13W-27E025	39.0	11-09-66	90.4	-51.4	101
04S/13W-23G025	23.2	10-24-66	119.5	-96.3	010			3-29-67	90.7	-51.7	050
		11-28-66	116.8	-93.6				4-10-67	92.7	-53.7	101
		12-26-66	118.1	-94.9		04S/13W-27H015	11.2	10-14-66	49.3	-38.1	206
		1-23-67	117.5	-94.3				12-16-66	50.7	-39.5	
		2-20-67	116.0	-92.8				1-06-67	49.7	-38.5	
		3-27-67	119.1	-95.9				1-27-67	49.9	-38.7	
		4-24-67	120.5	-97.3				2-17-67	49.7	-38.5	
		5-29-67	120.3	-97.1				3-03-67	49.9	-38.7	
		6-26-67	119.1	-95.9				3-24-67	49.9	-38.7	
		7-24-67	119.7	-96.5				3-30-67	49.7	-38.5	050
		8-28-67	121.9	-98.7				4-04-67	49.5	-38.3	
		9-25-67	118.6	-95.4				4-14-67	50.4	-39.2	206
04S/13W-23H045	35.6	11-16-66	DRY		101			5-15-67	50.4	-39.2	
		4-26-67	DRY					5-26-67	50.6	-39.4	
04S/13W-23N035	17.4	11-15-66	107.2	-89.8	101			6-23-67	50.6	-39.4	
		3-15-67	107.1	-89.7				7-14-67	50.7	-39.5	
		3-30-67	110.4	-93.0	050			8-04-67	51.0	-39.8	
		4-10-67	111.2	-93.8	101			8-25-67	51.0	-39.8	
		9-05-67	112.1	-94.7				9-15-67	53.6	-42.4	
04S/13W-23N045	17.4	11-15-66	49.7	-32.3	101	04S/13W-27K015	9.1	11-04-66	100.6	-91.5	101
		3-15-67	54.3	-36.9				3-30-67	101.9	-92.8	050
		3-30-67	52.9	-35.5	050	04S/13W-27K025	13.8	11-15-66	64.3	-50.5	101
		4-10-67	54.9	-37.5	101			3-01-67	63.6	-49.8	
		9-05-67	55.0	-37.6				3-30-67	64.2	-50.4	050
04S/13W-23N055	17.4	11-15-66	57.8	-40.4	101			4-10-67	64.7	-50.9	101
		3-15-67	58.3	-40.9		04S/13W-27M015	32.5	2-06-67	120.0(5)	-87.5	061
		4-10-67	58.5	-41.1				2-06-67	122.3(1)	-89.8	
		9-05-67	59.9	-42.5				3-07-67	118.9(5)	-86.4	
04S/13W-23Q025	19.3	11-22-66	DRY		101			3-07-67	121.2(1)	-88.7	
		5-01-67	DRY					4-05-67	118.9(5)	-86.4	
04S/13W-24N045	19.0	11-22-66	DRY		101			4-05-67	121.2(1)	-88.7	
		5-01-67	DRY					5-05-67	120.0(5)	-87.5	
04S/13W-25F015	13.1	11-17-66	44.5	-31.4	101			5-05-67	121.2(1)	-88.7	
		12-23-66	44.7	-31.6				6-05-67	121.2	-88.7	
		3-31-67	44.4	-31.3	050						
		4-13-67	45.1	-32.0	101						
04S/13W-26A025	32.0	11-01-66	125.4	-93.4	101						
		3-30-67	126.2	-94.2	050						
		4-10-67	126.3	-94.3	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/13W-27M01S (CONT.)	32.5	6-05-67 8-05-67 8-30-67 8-30-67	122.1 (7) 128.0(5) 134.9(1)	-89.6 -95.5 -102.4	061	04S/13W-29H02S	40.0	10-31-66 11-16-66 3-29-67 4-12-67 7-14-67	110.3 109.6 109.7 110.5 111.7	-70.3 -69.6 -69.7 -70.5 -71.7	101 050 101
04S/13W-27M03S	34.0	2-06-67 2-06-67 3-07-67 3-07-67 4-05-67 4-05-67 5-05-67 5-05-67 6-05-67 6-05-67 7-05-67 7-05-67 8-05-67 8-30-67 8-30-67	122.3(5) (1) 122.3(5) (1) 129.3(5) 133.9(1) 129.3(5) 133.9(1) 129.9 136.2 128.1 136.2 128.1(5) 139.2(1) 130.7(5) 142.0(1)	-88.3 -88.3 -95.3 -99.9 -95.3 -99.9 -95.9 -102.2 -94.1 -102.2 -94.1 -105.2 -96.7 -108.0	061	04S/13W-29H03S	40.2	10-31-66 11-16-66 3-29-67 4-12-67	114.4 113.1 113.7 114.5	-74.2 -72.9 -73.5 -74.3	101 050 101
04S/13W-27M04S	34.3	2-06-67 2-06-67 3-07-67 3-07-67 4-05-67 4-05-67 5-05-67 5-05-67 8-05-67 8-30-67 8-30-67	127.1(5) 150.2(1) 127.1(5) 151.4(1) 127.1(5) 150.2(1) (1) (5) 127.3(5) 133.9(5) 168.6(1)	-92.8 -115.9 -92.8 -117.1 -92.8 -115.9 -93.0 -99.6 -134.3	061	04S/13W-30A05S	38.4	2-01-67 3-02-67 3-29-67 3-31-67 5-01-67 6-01-67 6-30-67 8-01-67 9-01-67 9-01-67	108.4 105.9 105.4 105.9 105.9 109.9 109.9 110.9 109.9 111.9	-70.0 -67.5 -67.0 -67.5 -67.5 -71.5 -71.5 -72.5 -71.5 -73.5	061 050 061
04S/13W-27N01S	30.3	7-31-67	(7)		061	04S/13W-30G01S	37.1	10-05-66 11-02-66 12-02-66 1-05-67 1-31-67 2-03-67 2-28-67 3-07-67 3-29-67 3-31-67 4-07-67 4-30-67 5-03-67 5-31-67 6-30-67 7-07-67 7-31-67 8-04-67 8-31-67 9-05-67 9-30-67	102.0 102.3 101.8 102.2 101.6(5) 101.3 101.6(5) 101.2 100.9 101.4(5) 101.8 101.6(5) 102.7 104.6(5) 115.6(5) (1) 107.6(5) (1) 118.6(5) 103.6 102.6(5)	-64.9 -65.2 -64.7 -65.1 -64.5 -64.2 -64.5 -64.1 -63.8 -64.3 -64.7 -64.5 -65.6 -67.5 -78.5 -70.5 -81.5 -66.5 -65.5	200 061 200 061 200 061 200 061 200 061 200 061 200 061
04S/13W-27P02S	10.8	11-16-66 2-01-67 3-29-67 4-10-67 8-03-67	99.1 97.0 102.6 103.8 103.8	-88.3 -86.2 -91.8 -93.0 -93.0	101 050 101	04S/13W-30G03S	30.0	1-31-67 2-28-67 3-29-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-30-67	94.9(5) 94.9(5) 94.5 95.4(5) 94.9(5) 109.9(5) 98.9(5) 110.9(5) 100.9(5) 94.9(5)	-64.9 -64.9 -64.5 -65.4 -64.9 -79.9 -68.9 -80.9 -70.9 -64.9	061 050 061 050 061 050 061 050 061
04S/13W-27P03S	10.5	11-16-66 2-01-67 3-29-67 4-10-67 8-03-67	64.7 65.2 65.4 65.9 67.2	-54.2 -54.7 -54.9 -55.4 -56.7	101 050 101	04S/13W-30H02S	38.3	11-10-66 3-29-67 4-13-67	104.1 (6) (6)	-65.8 	101 050 101
04S/13W-27P04S	10.7	11-16-66 2-01-67 4-10-67 7-06-67	59.8 59.5 59.8 61.9	-49.1 -48.8 -49.1 -51.2	101	04S/13W-30H04S	38.1	11-10-66 3-29-67 4-13-67	105.0 (6) (6)	-66.9 	101 050 101
04S/13W-27Q01S	9.2	10-26-66 11-15-66 3-01-67 4-10-67 4-25-67 9-06-67	49.3 52.3 49.8 49.6 53.4 50.4	-40.1 -43.1 -40.6 -40.4 -44.2 -41.2	101	04S/13W-30K01S	35.7	1-31-67 2-28-67 3-29-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-30-67	100.1(5) 100.1(5) 99.8 100.3(5) 100.1(5) 123.1(5) 122.1(5) 124.1(5) 125.1(5) 101.1(5)	-64.4 -64.4 -64.1 -64.6 -64.4 -87.4 -86.4 -88.4 -89.4 -65.4	061 050 061 050 061 050 061 050 061
04S/13W-28N01S	46.1	10-04-66 11-14-66 12-13-66 1-07-67 2-08-67 3-07-67 3-29-67 4-25-67 5-08-67 7-05-67 8-02-67 9-06-67	96.2 96.2 96.2 96.2 96.2 96.1 96.6 96.3 96.3 96.8 96.7 96.9	-50.1 -50.1 -50.1 -50.1 -50.1 -50.0 -50.5 -50.2 -50.2 -50.7 -50.6 -50.8	101 050 101	04S/13W-30P01S	19.6	3-28-67	(5)		050
04S/13W-28N02S	45.1	11-14-66 3-29-67 4-25-67	95.9 94.8 96.0	-50.8 -49.7 -50.9	101 050 101	04S/13W-30P03S	19.3	3-28-67	(5)		050
04S/13W-28N04S	36.0	11-03-66 3-28-67 4-12-67	116.8 116.2 117.7	-80.8 -80.2 -81.7	101 050 101	04S/13W-31E02S	20.7	1-31-67 2-28-67 3-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-30-67	85.0 84.3 84.9 84.8 84.6 86.4 85.9 87.7 88.4 85.7	-64.3 -63.6 -64.2 -64.1 -63.9 -65.7 -65.2 -67.0 -67.7 -65.0	061 050 061 050 061 050 061 050 061
04S/13W-28N05S	37.0	11-03-66 4-12-67	98.6 97.9	-61.6 -60.9	101	04S/13W-31E04S	22.0	10-05-66 11-02-66 12-02-66 1-05-67 1-05-67 1-31-67 2-03-67 2-28-67	86.5 87.2 86.7 86.8 86.8 86.8 86.1 86.1	-64.5 -65.2 -64.7 -64.8 -64.8 -64.8 -64.1 -64.1	200 101 200 061 200 061
04S/13W-28N06S	37.0	11-03-66 3-28-67 4-12-67	96.7 96.1 96.8	-59.7 -59.1 -59.8	101 050 101						
04S/13W-28Q01S	26.1	11-14-66 4-13-67 4-25-67	69.5 68.7 68.4	-43.4 -42.6 -42.3	101						
04S/13W-29E03S	41.0	3-29-67 4-05-67	100.2 100.0	-59.2 -59.0	050						
04S/13W-29H01S	40.3	10-31-66 11-16-66 4-12-67	123.3 121.9 123.9	-83.0 -81.6 -83.6	101						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA						COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA					
U-05.A0						U-05.A2					
04S/13W-31E04S (CONT.)	22.0	3-07-67	86.0	-64.0	200	04S/13W-35B01S	9.4	10-14-66	44.8	-35.4	206
		3-28-67	86.9	-64.9	050			11-04-66	44.7	-35.3	
		3-31-67	86.9	-64.9	061			11-28-66	45.1	-35.7	
		4-07-67	86.5	-64.5	200			12-16-66	48.7	-39.3	
		4-30-67	86.6	-64.6	061			1-06-67	44.9	-35.5	
		5-31-67	88.7	-66.7				1-27-67	45.0	-35.6	
		6-30-67	87.8	-65.8				2-17-67	44.5	-35.1	
		7-07-67	(1)		200			3-03-67	44.8	-35.4	
		7-12-67	88.7	-66.7	101			3-24-67	44.7	-35.3	
		7-31-67	89.8	-67.8	061			4-14-67	49.5	-40.1	
		8-04-67	(1)		200			5-05-67	47.7	-38.3	
		8-31-67	90.6	-68.6	061			5-26-67	46.4	-37.0	
		9-05-67	102.7	-80.7	200			6-23-67	47.9	-38.5	
		9-30-67	87.6	-65.6	061			7-14-67	46.5	-37.1	
								8-04-67	48.1	-38.7	
04S/13W-31J01S	21.1	11-16-66	87.5	-66.4	101			8-25-67	47.7	-38.3	
		3-08-67	87.0	-65.9				9-15-67	46.9	-37.5	
		3-28-67	87.5	-66.4	050						
		4-12-67	87.4	-66.3	101	04S/13W-35B02S	6.7	11-15-66	97.3	-90.6	101
		8-08-67	88.3	-67.2				12-20-66	97.5	-90.8	
04S/13W-31J02S	21.4	11-16-66	85.2	-63.8	101			3-30-67	99.2	-92.5	050
		3-09-67	85.0	-63.6				4-10-67	100.5	-93.8	101
		4-12-67	85.5	-64.1		04S/13W-35B03S	6.7	11-15-66	46.6	-39.9	101
		8-08-67	92.2	-70.8				12-20-66	46.4	-39.7	
04S/13W-31J03S	21.4	10-14-66	58.0	-36.6	101			3-30-67	46.4	-39.7	050
		11-16-66	57.7	-36.3				4-04-67	45.7	-39.0	
		3-28-67	57.2	-35.8	050			4-10-67	46.9	-40.2	101
		4-12-67	58.0	-36.6	101	04S/13W-35B04S	6.7	11-15-66	43.3	-36.6	101
		8-08-67	58.0	-36.6				12-20-66	42.8	-36.1	
04S/13W-31N01S	43.4	11-18-66	107.7	-64.3	101			1-04-67	43.3	-36.6	
		3-28-67	106.9	-63.5	050			3-30-67	43.0	-36.3	050
		4-12-67	105.6	-62.2	101			4-10-67	43.4	-36.7	101
04S/13W-31P01S	44.7	11-14-66	148.0 (1)	-103.3	101			7-13-67	44.4	-37.7	
		2-01-67	163.0	-118.3	061	04S/13W-35F01S	9.0	3-30-67	41.2	-32.2	050
		3-01-67	166.0	-121.3							
		3-30-67	156.0 (1)	-111.3	050	04S/13W-35J01S	22.7	11-15-66	58.3	-35.6	101
		4-01-67	157.0	-112.3	061			3-10-67	57.3	-34.6	
		4-10-67	156.0 (1)	-111.3	101			4-13-67	60.1	-37.4	
		5-01-67	145.0	-100.3	061			9-01-67	61.2	-38.5	
		6-01-67	159.0	-114.3		04S/13W-35J02S	22.7	11-15-66	53.3	-30.6	101
		8-01-67	158.0	-113.3				3-10-67	55.2	-32.5	
		9-01-67	157.0	-112.3				3-31-67	54.2	-31.5	050
04S/13W-34A01S	8.8	11-16-66	98.6	-89.8	101			4-13-67	55.1	-32.4	101
		1-05-67	101.4	-92.6				9-01-67	55.7	-33.0	
		3-29-67	101.8	-93.0	050	04S/13W-35M04S	10.1	11-15-66	52.3	-42.2	101
		4-12-67	107.5	-98.7	101			3-02-67	52.5	-42.4	
		7-05-67	102.6	-93.8				3-28-67	52.8	-42.7	050
04S/13W-34A02S	8.5	11-16-66	49.2	-40.7	101			4-12-67	53.3	-43.2	101
		1-05-67	50.1	-41.6				9-15-67	52.7	-42.6	
		3-29-67	49.8	-41.3	050	04S/13W-35M05S	10.1	11-15-66	51.3	-41.2	101
		4-05-67	49.7	-41.2				3-02-67	49.9	-39.8	
		4-12-67	50.3	-41.8	101			3-28-67	51.1	-41.0	050
		7-05-67	50.7	-42.2				4-12-67	51.8	-41.7	101
		8-09-67	51.2	-42.7				9-07-67	50.4	-40.3	
04S/13W-34A03S	6.9	11-16-66	52.7	-45.8	101	04S/13W-35M06S	10.1	11-15-66	50.0	-39.9	101
		1-05-67	55.4	-48.5				3-02-67	47.4	-37.3	
		3-29-67	52.8	-45.9	050			4-12-67	51.0	-40.9	
		4-05-67	52.6	-45.7				9-15-67	49.7	-39.6	
		4-12-67	53.8	-46.9	101	04S/13W-35M07S	9.6	11-15-66	44.0	-34.4	101
		7-05-67	53.7	-46.8				4-12-67	43.0	-33.4	
04S/13W-34A04S	8.3	11-16-66	47.9	-39.6	101			9-07-67	43.2	-33.6	
		1-05-67	48.0	-39.7		04S/13W-36E01S	10.4	3-31-67	(9)		050
		4-12-67	48.3	-40.0				4-04-67	(9)		
		7-12-67	49.2	-40.9		04S/14W-01F02S	51.0	2-01-67	122.0	-71.0	061
04S/13W-34C02S	10.9	11-14-66	51.8	-40.9	101			3-01-67	121.0	-70.0	
		11-16-66	51.3	-40.4				3-28-67	124.1	-73.1	050
		3-09-67	51.2	-40.3				4-01-67	121.2	-70.2	061
		4-10-67	50.6	-39.7				5-01-67	122.7	-71.7	
		4-25-67	50.6	-39.7				6-01-67	122.0	-71.0	
		8-03-67	51.0	-40.1				7-01-67	121.9	-70.9	
04S/13W-34M01S	3.4	11-16-66	78.9	-75.5	101			8-01-67	121.7	-70.7	
		1-27-67	80.1	-76.7				9-01-67	122.5	-71.5	
		3-28-67	81.5	-78.1	050	04S/14W-01F03S	51.0	2-01-67	124.2	-73.2	061
		4-12-67	82.2	-78.8	101			3-01-67	123.2	-72.2	
		7-07-67	80.9	-77.5				3-28-67	125.9	-74.9	050
04S/13W-34M02S	3.6	11-16-66	42.0	-38.4	101			4-01-67	121.5	-70.5	061
		12-08-66	43.5	-39.9				5-01-67	123.1	-72.1	
		1-27-67	43.0	-39.4				6-01-67	123.7	-72.7	
		3-28-67	42.2	-38.6	050			7-01-67	123.0	-72.0	
		4-12-67	44.5	-40.9	101			8-01-67	123.1	-72.1	
		7-07-67	46.8	-43.2				9-01-67	123.8	-72.8	
04S/13W-34M03S	4.6	11-16-66	56.5	-51.9	101	04S/14W-01P01S	46.0	3-28-67	116.7	-70.7	050
		1-27-67	55.7	-51.1				9-26-67	117.9	-71.9	101
		4-12-67	57.1	-52.5		04S/14W-03L02S	73.4	1-31-67	102.0 (2)	-28.6	061
		7-07-67	57.2	-52.6				3-01-67	(7)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		
			U-05.A2						U-05.A2		
04S/14W-03L02S	73.4	3-31-67	111.7(2)	-38.3	061	04S/14W-05N06S	145.7	4-12-67	145.8	-0.1	101
(CONT.)		3-31-67	112.0	-38.6	050	(CONT.)		7-26-67	146.0	-0.3	
		5-02-67	104.1(2)	-30.7	061			8-30-67	145.3	.4	
		5-31-67	105.9(2)	-32.5				9-27-67	145.8	-0.1	
		6-30-67	105.4(2)	-32.0		04S/14W-06G02S	174.8	11-03-66	167.6	7.2	101
		7-31-67	107.8(2)	-34.4				3-19-67	167.3	7.5	
		8-31-67	107.1(2)	-33.7				4-10-67	166.8	8.0	
		9-29-67	105.9(2)	-32.5				8-07-67	165.3	9.5	
04S/14W-03L03S	75.0	1-31-67	106.7(2)	-31.7	061	04S/14W-06G05S	163.0	7-26-67	153.3	9.7	101
		3-01-67	(7)					8-30-67	152.5	10.5	
		3-31-67	106.5(2)	-31.5				9-27-67	152.0	11.0	
		3-31-67	107.0	-32.0	050	04S/14W-06H01S	181.0	10-25-66	177.1	3.9	101
		5-02-67	107.3(2)	-32.3	061			11-03-66	176.5	4.5	
		5-31-67	105.7(2)	-30.7				12-20-66	171.8	9.2	
		6-30-67	107.4(2)	-32.4				3-15-67	175.8	5.2	
		7-31-67	105.5(2)	-30.5				4-10-67	175.2	5.8	
		8-31-67	106.6(2)	-31.6		04S/14W-06J04S	161.0	10-06-66	163.0	-2.0	101
		9-29-67	105.7(2)	-30.7				10-14-66	154.7	6.3	
04S/14W-03L05S	76.2	1-31-67	106.4(2)	-30.2	061			10-19-66	154.6	6.4	
		3-01-67	(7)					10-26-66	154.5	6.5	
		3-31-67	106.2(2)	-30.0				11-02-66	154.1	6.9	
		3-31-67	107.4	-31.2	050			11-09-66	153.5	7.5	
		4-28-67	105.4(2)	-29.2	061			11-16-66	152.9	8.1	
		5-31-67	106.1(2)	-29.9				11-23-66	150.3	10.7	
		6-30-67	107.6(2)	-31.4				11-30-66	148.8	12.2	
		7-31-67	(0)					12-07-66	148.3	12.7	
		8-31-67	(0)					12-14-66	147.7	13.3	
04S/14W-05F01S	92.0	10-25-66	99.2	-7.2	101			12-21-66	147.1	13.9	
		11-03-66	84.9	7.1				12-29-66	146.5	14.5	
		11-16-66	98.3	-6.3				1-04-67	146.2	14.8	
		1-11-67	95.3	-3.3				1-10-67	146.1	14.9	
		3-15-67	96.5	-4.5				1-11-67	146.0	15.0	
		4-10-67	96.6	-4.6				1-18-67	145.8	15.2	
		7-14-67	96.5	-4.5				1-25-67	146.3	14.7	
		9-18-67	96.0	-4.0				2-01-67	144.9	16.1	
04S/14W-05N05S	146.5	10-06-66	145.4	1.1	101			2-08-67	144.7	16.3	
		10-14-66	141.3	5.2				2-15-67	151.2	9.8	
		10-19-66	141.2	5.3				2-27-67	152.1	8.9	
		10-26-66	141.1	5.4				3-08-67	151.5	9.5	
		11-02-66	140.8	5.7				3-15-67	152.6	8.4	
		11-09-66	140.9	5.6				3-22-67	152.8	8.2	
		11-16-66	140.4	6.1				3-29-67	152.4	8.6	
		11-23-66	137.3	9.2				4-12-67	152.9	8.1	
		11-30-66	136.4	10.1				7-26-67	151.7	9.3	
		12-09-66	135.2	11.3				8-30-67	150.7	10.3	
		12-14-66	134.7	11.8				9-27-67	150.0	11.0	
		12-21-66	134.3	12.2		04S/14W-06J06S	139.4	10-06-66	139.9	-0.5	101
		12-29-66	133.3	13.2				10-13-66	133.3	6.1	
		1-04-67	133.0	13.5				10-19-66	133.3	6.1	
		1-10-67	132.8	13.7				10-26-66	133.2	6.2	
		1-11-67	132.6	13.9				11-02-66	132.8	6.6	
		1-18-67	132.4	14.1				11-04-66	132.8	6.6	
		1-25-67	132.0	14.5				11-09-66	132.1	7.3	
		2-01-67	131.5	15.0				11-16-66	131.6	7.8	
		2-08-67	131.2	15.3				11-23-66	129.2	10.2	
		2-15-67	136.6	9.9				11-30-66	128.3	11.1	
		2-27-67	136.8	9.7				12-07-66	127.6	11.8	
		3-08-67	137.2	9.3				12-14-66	127.0	12.4	
		3-15-67	138.1	8.4				12-21-66	126.4	13.0	
		3-22-67	138.5	8.0				12-29-66	126.7	12.7	
		3-29-67	138.3	8.2				1-04-67	125.7	13.7	
		4-12-67	138.7	7.8				1-11-67	125.4	14.0	
		7-26-67	138.3	8.2				1-18-67	125.2	14.2	
		8-09-67	138.0	8.5				1-25-67	124.8	14.6	
		9-27-67	136.7	9.8				2-01-67	124.4	15.0	
04S/14W-05N06S	145.7	10-06-66	151.6	-5.9	101			2-08-67	124.2	15.2	
		10-14-66	147.7	-2.0				2-15-67	130.1	9.3	
		10-19-66	147.7	-2.0				2-20-67	135.1	4.3	
		10-26-66	147.7	-2.0				2-27-67	130.5	8.9	
		11-02-66	147.4	-1.7				3-08-67	130.5	8.9	
		11-04-66	147.4	-1.7				3-15-67	131.5	7.9	
		11-09-66	147.1	-1.4				3-22-67	131.7	7.7	
		11-16-66	146.8	-1.1				3-29-67	131.3	8.1	
		11-23-66	146.4	-0.7				4-12-67	131.8	7.6	
		11-30-66	145.8	-0.1				7-26-67	130.5	8.9	
		12-07-66	145.0	.7				8-30-67	129.4	10.0	
		12-14-66	144.9	.8				9-27-67	128.8	10.6	
		12-21-66	144.7	1.0		04S/14W-06J07S	139.4	10-06-66	148.9	-9.5	101
		12-29-66	144.1	1.6				10-14-66	142.7	-3.3	
		1-04-67	144.2	1.5				10-21-66	142.7	-3.3	
		1-11-67	145.3	.4				10-28-66	142.4	-3.0	
		1-18-67	143.7	2.0				11-04-66	142.2	-2.8	
		1-25-67	143.4	2.3				11-11-66	141.9	-2.5	
		1-27-67	143.2	2.5				11-18-66	141.8	-2.4	
		2-01-67	143.0	2.7				11-25-66	140.9	-1.5	
		2-08-67	142.8	2.9				12-02-66	140.2	-0.8	
		2-15-67	144.2	1.5				12-09-66	139.9	-0.5	
		2-27-67	144.4	1.3				12-16-66	139.3	.1	
		3-08-67	144.7	1.0				12-21-66	139.2	.2	
		3-14-67	145.4	.3				12-23-66	139.0	.4	
		3-15-67	145.0	.7				12-30-66	138.5	.9	
		3-22-67	145.9	-0.2				1-06-67	138.6	.8	
		3-29-67	145.5	.2							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA						COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA					
U-05.A0						U-05.A2					
04S/14W-06J075	139.4	1-13-67	138.4	1.0	101	04S/14W-07K025	87.0	1-11-67	79.3	7.7	101
(CONT.)		1-20-67	138.2	1.2		(CONT.)		1-26-67	78.8	8.2	
		1-27-67	137.7	1.7				2-28-67	79.5	7.5	
		2-03-67	137.4	2.0				4-03-67	79.6	7.4	
		2-10-67	137.4	2.0				4-03-67	79.6	7.4	050
		2-17-67	139.2	.2				7-28-67	80.9	6.1	101
		2-27-67	139.5	-.1				8-25-67	80.5	6.5	
		3-10-67	139.6	-.2				9-29-67	80.0	7.0	
		3-17-67	140.2	-.8							
		3-23-67	140.2	-.8		04S/14W-07P015	47.7	11-03-66	42.8	4.9	101
		3-31-67	136.9	2.5				3-21-67	43.4	4.3	
		4-14-67	140.3	-.9				3-27-67	40.2	7.5	050
		7-28-67	140.4	-1.0				4-10-67	40.7	7.0	101
		8-25-67	139.8	-.4				8-28-67	40.9	6.8	
		9-29-67	139.6	-.2							
04S/14W-06J095	161.8	10-06-66	161.9	-.1	101	04S/14W-07P025	73.7	11-02-66	70.6	3.1	101
		10-14-66	155.7	6.1				12-08-66	70.3	3.4	
		10-19-66	155.7	6.1				4-10-67	69.5	4.2	
		10-26-66	155.5	6.3		04S/14W-07P035	73.6	11-02-66	68.6	5.0	101
		11-02-66	155.1	6.7				12-08-66	65.7	7.9	
		11-09-66	154.5	7.3				3-27-67	65.5	8.1	050
		11-16-66	153.9	7.9				4-10-67	65.9	7.7	101
		11-23-66	151.4	10.4		04S/14W-08B015	97.0	11-03-66	100.0	-3.0	101
		11-30-66	150.2	11.6				11-16-66	99.7	-2.7	
		12-07-66	149.4	12.4				3-15-67	96.9	.1	
		12-14-66	148.7	13.1				4-10-67	97.1	-.1	
		12-21-66	148.0	13.8		04S/14W-08D025	124.4	10-07-66	118.6	5.8	101
		12-29-66	147.5	14.3				10-14-66	118.6	5.8	
		1-04-67	147.2	14.6				10-21-66	118.2	6.2	
		1-11-67	146.9	14.9				10-28-66	118.4	6.0	
		1-18-67	146.6	15.2				11-04-66	118.4	6.0	
		1-25-67	146.2	15.6				11-11-66	118.0	6.4	
		2-01-67	145.7	16.1				11-18-66	117.8	6.6	
		2-08-67	145.5	16.3				12-02-66	115.4	9.0	
		2-15-67	151.9	9.9				12-09-66	114.8	9.6	
		2-27-67	151.9	9.9				12-16-66	114.1	10.3	
		3-08-67	152.3	9.5				12-23-66	113.5	10.9	
		3-15-67	153.5	8.3				12-30-66	112.9	11.5	
		3-22-67	153.7	8.1				1-06-67	112.7	11.7	
		3-29-67	153.4	8.4				1-13-67	112.2	12.2	
		4-12-67	153.9	7.9				1-27-67	111.5	12.9	
		7-26-67	152.9	8.9				2-03-67	111.2	13.2	
		8-30-67	151.8	10.0				2-10-67	111.4	13.0	
		9-27-67	151.0	10.8				2-17-67	114.2	10.2	
04S/14W-06L015	71.3	10-24-66	67.0	4.3	101			3-10-67	114.9	9.5	
		11-10-66	67.3	4.0				3-17-67	115.5	8.9	
		1-05-67	61.4	9.9				3-23-67	117.8	6.6	
		3-27-67	65.5	5.8	050			3-29-67	113.3	11.1	050
		4-10-67	65.8	5.5	101			3-31-67	115.8	8.6	101
		7-20-67	69.2	2.1				4-14-67	116.2	8.2	
04S/14W-07C035	62.2	11-03-66	58.4	3.8	101			7-28-67	116.1	8.3	
		12-12-66	56.3	5.9				8-25-67	115.6	8.8	
		3-27-67	56.1	6.1	050			9-29-67	114.7	9.7	
		4-10-67	56.6	5.6	101	04S/14W-08D065	147.9	10-07-66	141.3	6.6	101
04S/14W-07D015	13.8	3-27-67	11.9	1.9	050			10-14-66	141.4	6.5	
		4-10-67	1.8	12.0	101			10-21-66	141.8	6.1	
04S/14W-07F015	65.0	10-28-66	61.2	3.8	101			10-28-66	141.8	6.1	
		11-01-66	61.1	3.9				11-04-66	141.8	6.1	
		11-28-66	59.7	5.3				11-11-66	141.6	6.3	
		12-08-66	60.2	4.8				11-17-66	141.3	6.6	
		1-03-67	57.4	7.6				11-25-66	140.2	7.7	
		1-26-67	56.7	8.3				12-02-66	139.5	8.4	
		2-28-67	57.6	7.4				12-09-66	138.9	9.0	
		4-03-67	58.8	6.2				12-16-66	138.2	9.7	
		4-10-67	58.8	6.2				12-23-66	137.8	10.1	
		4-10-67	59.0	6.0	050			12-30-66	137.2	10.7	
		7-26-67	59.9	5.1	101			1-06-67	136.9	11.0	
		8-25-67	59.3	5.7				1-10-67	135.1	12.8	
		9-29-67	59.3	5.7				1-13-67	136.5	11.4	
04S/14W-07J075	143.0	10-26-66	146.5	-3.5	101			1-20-67	136.2	11.7	
		10-28-66	146.5	-3.5				1-27-67	135.9	12.0	
		12-02-66	145.3	-2.3				2-03-67	135.6	12.3	
		2-16-67	142.9	.1				2-10-67	135.5	12.4	
		9-12-67	143.4	-.4				2-17-67	137.3	10.6	
04S/14W-07J085	143.0	10-26-66	136.5	6.5	101			2-28-67	138.0	9.9	
		11-03-66	136.1	6.9				3-10-67	138.2	9.7	
		11-28-66	135.1	7.9				3-17-67	138.7	9.2	
		12-14-66	133.7	9.3				3-23-67	139.0	8.9	
		1-26-67	129.5	13.5				3-31-67	139.1	8.8	
		2-16-67	132.0	11.0				4-14-67	139.4	8.5	
		2-28-67	132.3	10.7				7-28-67	139.4	8.5	
		3-31-67	143.7	-.7				8-25-67	138.9	9.0	
		4-04-67	132.7	10.3		04S/14W-08D115	138.2	9-29-67	138.1	9.8	
		7-28-67	134.3	8.7				10-06-66	132.8	5.4	101
		8-25-67	134.0	9.0				10-13-66	132.1	6.1	
		9-29-67	133.8	9.2				10-20-66	132.2	6.0	
04S/14W-07K025	87.0	10-28-66	83.0	4.0	101			10-27-66	132.2	6.0	
		11-01-66	83.0	4.0				11-03-66	132.4	5.8	
		11-28-66	81.8	5.2				11-10-66	132.1	6.1	
		1-03-67	79.5	7.5				11-17-66	131.8	6.4	
								11-23-66	131.0	7.2	
								11-30-66	130.0	8.2	
								12-09-66	129.2	9.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
045/14W-080115	138.2	12-15-66	128.7	9.5	101	045/14W-080145	146.6	1-26-67	133.7	12.9	101
(CONT.)		12-22-66	128.1	10.1		(CONT.)		2-02-67	133.3	13.3	
		12-28-66	127.7	10.5				2-09-67	133.1	13.5	
		1-05-67	127.2	11.0				2-16-67	134.5	12.1	
		1-10-67	127.3	10.9				2-28-67	135.3	11.3	
		1-12-67	126.9	11.3				3-09-67	135.5	11.1	
		1-19-67	126.8	11.4				3-15-67	135.9	10.7	
		1-26-67	126.3	11.9				3-23-67	135.7	10.9	
		2-02-67	126.0	12.2				3-30-67	135.5	11.1	
		2-09-67	125.6	12.6				4-13-67	136.7	9.9	
		2-16-67	127.6	10.6				7-27-67	136.6	10.0	
		2-28-67	128.4	9.8				8-31-67	136.0	10.6	
		3-09-67	128.7	9.5				9-28-67	135.4	11.2	
		3-15-67	129.3	8.9							
		3-23-67	129.6	8.6		045/14W-080155	146.4	10-07-66	150.2	-3.8	101
		3-30-67	129.7	8.5				10-14-66	148.7	-2.3	
		4-13-67	129.9	8.3				10-21-66	148.6	-2.2	
		7-27-67	129.7	8.5				10-28-66	148.3	-1.9	
		8-31-67	129.1	9.1				11-04-66	148.2	-1.8	
		9-28-67	128.6	9.6				11-11-66	148.0	-1.6	
								11-18-66	147.9	-1.5	
								11-25-66	147.7	-1.3	
								12-02-66	147.1	-.7	
								12-09-66	146.7	-.3	
								12-16-66	146.3	.1	
								12-23-66	146.0	.4	
								12-30-66	145.5	.9	
								1-06-67	145.5	.9	
								1-13-67	145.2	1.2	
								1-20-67	145.0	1.4	
								1-27-67	144.6	1.8	
								2-03-67	144.4	2.0	
								2-10-67	144.2	2.2	
								2-17-67	145.0	1.4	
								2-28-67	145.1	1.3	
								3-10-67	145.2	1.2	
								3-14-67	145.4	1.0	
								3-17-67	145.6	.8	
								3-23-67	145.6	.8	
								3-33-67	145.6	.8	
								4-14-67	145.8	.6	
								7-28-67	147.6	-1.2	
								8-25-67	146.1	.3	
								9-29-67	145.9	.5	
						045/14W-080165	137.0	10-06-66	132.2	4.8	101
								10-13-66	131.0	6.0	
								10-20-66	131.1	5.9	
								10-27-66	130.6	6.4	
								11-03-66	130.9	6.1	
								11-10-66	130.6	6.4	
								11-17-66	130.2	6.8	
								11-23-66	129.1	7.9	
								11-30-66	126.9	10.1	
								12-09-66	126.8	10.2	
								12-15-66	126.2	10.8	
								12-22-66	125.6	11.4	
								12-28-66	125.2	11.8	
								1-05-67	124.6	12.4	
								1-10-67	124.5	12.5	
								1-12-67	124.2	12.8	
								1-19-67	123.6	13.4	
								1-26-67	123.6	13.4	
								2-02-67	123.3	13.7	
								2-09-67	122.8	14.2	
								2-16-67	126.3	10.7	
								2-28-67	127.2	9.8	
								3-09-67	127.4	9.6	
								3-15-67	127.9	9.1	
								3-23-67	128.3	8.7	
								3-30-67	128.3	8.7	
								4-13-67	128.5	8.5	
								7-27-67	128.4	8.6	
								8-31-67	127.6	9.4	
								9-28-67	126.8	10.2	
						045/14W-080175	138.1	10-06-66	144.7	-6.6	101
								10-14-66	140.9	-2.8	
								10-20-66	140.4	-2.3	
								10-27-66	140.1	-2.0	
								11-03-66	140.9	-2.8	
								11-04-66	140.9	-2.8	
								11-10-66	140.0	-1.9	
								11-17-66	139.8	-1.7	
								11-23-66	139.6	-1.5	
								11-30-66	138.9	-.8	
								12-09-66	138.2	-.1	
								12-15-66	138.3	-.2	
								12-22-66	137.6	.5	
								12-28-66	137.4	.7	
								1-05-67	137.1	1.0	
								1-12-67	136.9	1.2	
								1-19-67	136.7	1.4	
								1-26-67	136.4	1.7	
								1-27-67	136.3	1.8	
								2-02-67	136.1	2.0	
								2-09-67	135.8	2.3	
								2-16-67	136.7	1.4	
045/14W-080125	139.7	10-06-66	146.3	-6.6	101						
		10-13-66	144.6	-4.9							
		10-20-66	142.3	-2.6							
		10-27-66	142.1	-2.4							
		11-03-66	142.0	-2.3							
		11-10-66	141.6	-1.9							
		11-17-66	141.7	-2.0							
		11-23-66	141.6	-1.9							
		11-30-66	140.0	-.3							
		12-09-66	140.3	-.6							
		12-15-66	140.0	-.3							
		12-22-66	139.8	-.1							
		12-28-66	139.6	.1</							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/14W-08D17S (CONT.)	138.1	2-28-67	137.2	.9	101	04S/14W-08E15S (CONT.)	143.3	12-28-66	132.5	10.8	101
		3-09-67	137.2	.9				1-05-67	131.8	11.5	
		3-14-67	137.5	.6				1-12-67	131.6	11.7	
		3-15-67	137.5	.6				1-13-67	131.6	11.7	
		3-22-67	138.0	.1				1-19-67	131.2	12.1	
		3-30-67	137.7	.4				1-26-67	131.0	12.3	
		4-13-67	137.9	.2				2-02-67	131.6	11.7	
		7-27-67	139.1	-1.0				2-09-67	130.3	13.0	
		8-31-67	138.2	-.1				2-16-67	131.3	12.0	
		9-28-67	138.2	-.1				2-28-67	132.5	10.8	
								3-09-67	132.7	10.6	
04S/14W-08E03S	135.7	10-24-66	128.8	6.9	101			3-15-67	132.9	10.4	
		11-03-66	128.7	7.0				3-23-67	132.4	10.9	
		11-28-66	127.3	8.4				3-30-67	132.3	11.0	
		1-03-67	124.8	10.9				4-13-67	134.0	9.3	
		1-26-67	123.8	11.9				7-27-67	134.1	9.2	
		2-28-67	124.6	11.1				8-31-67	133.4	9.9	
		3-27-67	122.6	13.1	050			9-28-67	132.8	10.5	
		4-03-67	125.4	10.3	101	04S/14W-08E16S	142.3	10-06-66	136.7	5.6	101
		7-28-67	126.7	9.0				10-13-66	135.1	7.2	
		8-25-67	126.4	9.3				10-20-66	135.1	7.2	
		9-29-67	125.8	9.9				10-27-66	135.0	7.3	
04S/14W-08F04S	142.4	10-06-66	141.0	1.4	101			11-03-66	135.5	6.8	
		10-13-66	135.7	6.7				11-10-66	135.3	7.0	
		10-20-66	136.1	6.3				11-17-66	135.1	7.2	
		10-27-66	135.6	6.8				11-23-66	134.2	8.1	
		11-03-66	136.1	6.3				11-30-66	134.0	8.3	
		11-10-66	136.7	5.7				12-09-66	132.8	9.5	
		11-17-66	135.8	6.6				12-15-66	132.5	9.8	
		11-23-66	134.7	7.7				12-22-66	131.9	10.4	
		11-30-66	133.8	8.6				12-28-66	131.3	11.0	
		11-30-66	133.8	8.6				1-05-67	131.0	11.3	
		12-09-66	133.6	8.8				1-12-67	130.7	11.6	
		12-15-66	133.0	9.4				1-13-67	130.7	11.6	
		12-22-66	132.7	9.7				1-19-67	130.4	11.9	
		12-28-66	132.3	10.1				1-26-67	130.0	12.3	
		1-05-67	132.0	10.4				2-02-67	129.8	12.5	
		1-12-67	131.5	10.9				2-09-67	129.6	12.7	
		1-13-67	131.4	11.0				2-16-67	131.6	10.7	
		1-19-67	131.1	11.3				2-28-67	131.4	10.9	
		1-26-67	130.9	11.5				3-09-67	131.6	10.7	
		2-02-67	130.6	11.8				3-23-67	131.5	10.8	
		2-09-67	131.3	11.1				3-30-67	132.7	9.6	
		2-16-67	131.5	10.9				4-13-67	133.0	9.3	
		2-28-67	132.2	10.2				7-27-67	133.3	9.0	
		3-09-67	132.4	10.0				8-31-67	132.8	9.5	
		3-15-67	132.9	9.5				9-28-67	132.3	10.0	
		3-23-67	133.0	9.4		04S/14W-08E17S	143.0	10-06-66	151.0	-8.0	101
		3-30-67	133.5	8.9				10-13-66	146.9	-3.9	
		4-13-67	133.6	8.8				10-20-66	146.4	-3.4	
		7-27-67	134.0	8.4				10-27-66	146.4	-3.4	
		8-31-67	133.4	9.0				11-03-66	146.3	-3.3	
		9-28-67	133.0	9.4				11-10-66	146.3	-3.3	
04S/14W-08E05S	147.3	10-06-66	143.1	4.2	101			11-17-66	146.0	-3.0	
		10-14-66	140.2	7.1				11-23-66	145.8	-2.8	
		10-20-66	140.2	7.1				11-30-66	145.0	-2.0	
		10-27-66	140.2	7.1				12-09-66	144.8	-1.8	
		11-03-66	140.4	6.9				12-15-66	144.4	-1.4	
		11-10-66	141.3	6.0				12-22-66	144.3	-1.3	
		11-17-66	140.3	7.0				12-28-66	144.0	-1.0	
		11-23-66	139.6	7.7				1-05-67	143.9	-.9	
		11-30-66	138.5	8.8				1-12-67	143.6	-.6	
		12-09-66	137.9	9.4				1-19-67	143.4	-.4	
		12-15-66	138.1	9.2				1-26-67	143.9	-.9	
		12-22-66	137.1	10.2				2-02-67	143.4	-.4	
		12-28-66	138.0	9.3				2-09-67	142.6	.4	
		1-05-67	136.1	11.2				2-16-67	143.2	-.2	
		1-12-67	135.9	11.4				2-28-67	143.4	-.4	
		1-13-67	135.7	11.6				3-06-67	142.6	.4	
		1-19-67	135.6	11.7				3-09-67	143.2	-.2	
		1-26-67	135.4	11.9				3-15-67	143.7	-.7	
		2-02-67	135.1	12.2				3-23-67	143.9	-.9	
		2-09-67	134.8	12.5				3-30-67	143.9	-.9	
		2-16-67	136.0	11.3				4-13-67	143.8	-.8	
		2-28-67	136.5	10.8				7-27-67	145.2	-2.2	
		3-09-67	136.7	10.6				8-31-67	144.2	-1.2	
		3-15-67	136.4	10.9				9-28-67	144.0	-1.0	
		3-23-67	136.4	10.9		04S/14W-08E18S	150.0	10-06-66	151.1	-1.1	101
		3-30-67	137.3	10.0				10-13-66	142.9	7.1	
		4-13-67	138.0	9.3				10-20-66	143.2	6.8	
		7-29-67	138.4	8.9				10-27-66	143.2	6.8	
		8-31-67	138.9	8.4				11-03-66	143.3	6.7	
		9-28-67	137.5	9.8				11-10-66	143.3	6.7	
04S/14W-08E15S	143.3	10-06-66	137.5	5.8	101			11-17-66	143.2	6.8	
		10-13-66	137.2	6.1				11-23-66	142.6	7.4	
		10-20-66	137.2	6.1				11-30-66	141.7	8.3	
		10-27-66	137.2	6.1				12-09-66	141.1	8.9	
		11-03-66	136.0	7.3				12-15-66	140.5	9.5	
		11-10-66	136.2	7.1				12-22-66	140.2	9.8	
		11-17-66	136.0	7.3				12-28-66	139.8	10.2	
		11-23-66	134.8	8.5				1-05-67	139.2	10.8	
		11-30-66	133.5	9.8				1-12-67	139.0	11.0	
		12-09-66	133.7	9.6				1-13-67	139.1	10.9	
		12-15-66	133.2	10.1				1-19-67	138.4	11.6	
		12-22-66	132.8	10.5				1-26-67	138.5	11.5	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/14W-08E18S (CONT.)	150.0	2-02-67	138.2	11.8	101	04S/14W-08F05S (CONT.)	113.9	4-05-67	117.3	-3.4	101
		2-09-67	137.8	12.2				7-19-67	118.1	-4.2	
		2-16-67	138.9	11.1				8-22-67	117.8	-3.9	
		2-28-67	139.5	10.5				9-21-67	117.6	-3.7	
		3-09-67	139.6	10.4							
		3-15-67	140.2	9.8		04S/14W-08F06S	113.9	10-21-66	120.7	-6.8	101
		3-23-67	140.3	9.7				11-02-66	120.6	-6.7	
		3-30-67	140.2	9.8				11-29-66	119.3	-5.4	
		4-13-67	140.8	9.2				1-03-67	117.6	-3.7	
		7-27-67	141.2	8.8				1-09-67	117.6	-3.7	
		8-31-67	140.8	9.2				1-26-67	116.7	-2.8	
		9-28-67	140.3	9.7				2-28-67	114.9	-1.0	
								4-03-67	117.0	-3.1	
								4-05-67	117.1	-3.2	
								4-07-67	117.1	-3.2	
								7-19-67	118.0	-4.1	
								8-22-67	117.6	-3.7	
								9-21-67	117.4	-3.5	
04S/14W-08E19S	154.3	10-06-66	148.5	5.8	101	04S/14W-08G01S	97.0	10-28-66	87.9	9.1	101
		10-13-66	147.3	7.0				11-01-66	106.0	-9.0	
		10-20-66	147.5	6.8				11-28-66	105.0	-8.0	
		10-27-66	147.3	7.0				12-21-66	103.7	-6.7	
		11-03-66	147.4	6.9				1-03-67	103.3	-6.3	
		11-10-66	147.4	6.9				1-26-67	102.6	-5.6	
		11-17-66	147.3	7.0				2-15-67	102.6	-5.6	
		11-23-66	146.7	7.6				2-28-67	102.7	-5.7	
		11-30-66	146.0	8.3				4-03-67	103.0	-6.0	
		12-09-66	145.2	9.1				7-28-67	104.0	-7.0	
		12-15-66	144.8	9.5				8-25-67	103.5	-6.5	
		12-22-66	144.3	10.0				9-29-67	103.1	-6.1	
		12-28-66	143.9	10.4							
		1-05-67	143.4	10.9							
		1-12-67	143.1	11.2							
		1-13-67	143.0	11.3							
		1-19-67	142.9	11.4							
		1-26-67	142.7	11.6							
		2-02-67	142.4	11.9							
		2-09-67	142.1	12.2							
		2-16-67	143.1	11.2		04S/14W-08M03S	139.0	10-06-66	132.1	6.9	101
		2-28-67	143.7	10.6				10-13-66	132.0	7.0	
		3-09-67	143.8	10.5				10-18-66	132.0	7.0	
		3-15-67	143.6	10.7				10-20-66	132.0	7.0	
		3-23-67	143.3	11.0				10-27-66	131.9	7.1	
		3-30-67	143.2	11.1				11-03-66	131.7	7.3	
		4-13-67	145.1	9.2				11-10-66	131.7	7.3	
		7-27-67	145.4	8.9				11-17-66	131.6	7.4	
		8-31-67	145.0	9.3				11-23-66	131.8	7.2	
		9-28-67	144.5	9.8				11-30-66	130.8	8.2	
								12-09-66	129.9	9.1	
								12-15-66	129.5	9.5	
04S/14W-08E20S	154.6	10-06-66	163.9	-9.3	101			12-16-66	129.5	9.5	
		10-13-66	159.1	-4.5				12-28-66	128.7	10.3	
		10-20-66	158.9	-4.3				1-05-67	129.3	9.7	
		10-27-66	158.7	-4.1				1-12-67	128.0	11.0	
		11-03-66	158.6	-4.0				1-19-67	127.2	11.8	
		11-04-66	158.6	-4.0				1-26-67	127.5	11.5	
		11-10-66	158.7	-4.1				2-02-67	127.1	11.9	
		11-17-66	158.4	-3.8				2-09-67	127.0	12.0	
		11-23-66	158.3	-3.7				2-16-67	127.7	11.3	
		11-30-66	157.7	-3.1				2-28-67	127.7	11.3	
		12-09-66	157.2	-2.6				3-09-67	127.2	11.8	
		12-15-66	157.7	-3.1				3-15-67	127.8	11.2	
		12-22-66	156.6	-2.0				3-19-67	128.8	10.2	
		12-28-66	156.4	-1.8				3-23-67	128.7	10.3	
		1-05-67	156.2	-1.6				3-30-67	128.8	10.2	
		1-12-67	155.9	-1.3				4-13-67	128.8	10.2	
		1-19-67	155.7	-1.1				7-27-67	129.8	9.2	
		1-26-67	155.3	-0.7				8-31-67	129.7	9.3	
		1-27-67	155.2	-0.6				9-28-67	129.3	9.7	
		2-02-67	155.2	-0.6							
		2-09-67	154.8	-0.2		04S/14W-08M04S	138.8	10-06-66	147.0	-8.2	101
		2-16-67	155.3	-0.7				10-13-66	143.0	-4.2	
		2-28-67	155.5	-0.9				10-18-66	144.6	-5.8	
		3-09-67	155.5	-0.9				10-20-66	142.9	-4.1	
		3-14-67	155.8	-1.2				10-27-66	142.1	-3.3	
		3-15-67	155.8	-1.2				11-03-66	142.6	-3.8	
		3-23-67	156.1	-1.5				11-10-66	142.5	-3.7	
		3-30-67	156.0	-1.4				11-17-66	142.4	-3.6	
		4-13-67	156.2	-1.6				11-23-66	131.6	7.2	
		7-27-67	157.4	-2.8				11-30-66	142.0	-3.2	
		8-31-67	156.8	-2.2				12-09-66	141.1	-2.3	
		9-28-67	157.2	-2.6				12-15-66	140.8	-2.0	
								12-16-66	140.4	-1.6	
04S/14W-08F01S	110.0	10-21-66	116.6	-6.6	101			12-22-66	140.1	-1.3	
		10-31-66	116.5	-6.5				12-28-66	138.4	.4	
		11-02-66	116.5	-6.5				1-05-67	138.4	.4	
		3-14-67	112.4	-2.4				1-12-67	140.0	-1.2	
		3-29-67	112.7	-2.7	050			1-19-67	139.0	-0.2	
		4-05-67	113.1	-3.1	101			1-26-67	139.3	-0.5	
		9-27-67	112.6	-2.6				2-02-67	139.3	-0.5	
								2-09-67	139.2	-0.4	
04S/14W-08F04S	113.9	10-21-66	121.4	-7.5	101			2-16-67	139.6	-0.8	
		11-02-66	121.3	-7.4				2-28-67	139.9	-1.1	
		11-29-66	120.1	-6.2				3-09-67	139.8	-1.0	
		1-09-67	118.3	-4.4				3-15-67	141.2	-2.4	
		4-05-67	117.7	-3.8				3-19-67	140.4	-1.6	
		7-19-67	118.6	-4.7				3-23-67	140.0	-1.2	
		8-22-67	118.2	-4.3				3-30-67	140.0	-1.2	
		9-21-67	118.9	-5.0				4-13-67	140.4	-1.6	
								7-27-67	141.2	-2.4	
04S/14W-08F05S	113.9	10-21-66	121.0	-7.1	101			8-31-67	140.2	-1.4	
		11-02-66	120.9	-7.0				9-28-67	140.1	-1.3	
		11-29-66	119.7	-5.8							
		1-09-67	117.9	-4.0		04S/14W-08M06S	144.3	10-06-66	139.1	5.2	101

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA						COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA					
U-05.A0						U-05.A2					
045/14W-08M065	144.3	10-14-66	137.2	7.1	101	045/14W-08M125	137.1	11-30-66	139.7	-2.6	101
(CONT.)		10-20-66	137.3	7.0		(CONT.)		12-09-66	140.1	-3.0	
		10-27-66	137.1	7.2				12-15-66	139.7	-2.6	
		11-03-66	137.4	6.9				12-22-66	139.5	-2.4	
		11-10-66	137.3	7.0				12-28-66	139.3	-2.2	
		11-17-66	137.2	7.1				1-05-67	139.0	-1.9	
		11-23-66	136.8	7.5				1-12-67	138.8	-1.7	
		11-30-66	136.5	7.8				1-19-67	138.6	-1.5	
		12-09-66	136.3	8.0				1-26-67	138.2	-1.1	
		12-15-66	135.3	9.0				2-02-67	138.0	-0.9	
		12-22-66	134.1	10.2				2-09-67	137.8	-0.7	
		12-28-66	134.1	10.2				2-16-67	138.2	-1.1	
		1-05-67	133.2	11.1				2-28-67	139.4	-2.3	
		1-12-67	132.9	11.4				3-06-67	138.5	-1.4	
		1-13-67	132.9	11.4				3-09-67	138.3	-1.2	
		1-19-67	134.1	10.2				3-15-67	138.7	-1.6	
		1-26-67	133.4	10.9				3-23-67	138.9	-1.8	
		2-02-67	132.5	11.8				3-30-67	138.7	-1.6	
		2-09-67	132.3	12.0				4-13-67	138.9	-1.8	
		2-16-67	133.3	11.0				7-27-67	140.0	-2.9	
		2-28-67	133.7	10.6				8-31-67	139.3	-2.2	
		3-09-67	133.9	10.4				9-28-67	139.3	-2.2	
		3-15-67	134.5	9.8							
		3-23-67	134.8	9.5							
		3-30-67	135.4	8.9		045/14W-08M135	137.0	10-06-66	131.7	5.3	101
		4-13-67	135.2	9.1				10-13-66	129.5	7.5	
		7-27-67	135.7	8.6				10-20-66	129.1	7.9	
		8-31-67	135.1	9.2				10-27-66	128.9	8.1	
		9-28-67	134.9	9.4				10-31-66	128.9	8.1	
								11-03-66	128.4	8.6	
								11-10-66	128.6	8.4	
								11-10-66	128.6	8.4	
								11-17-66	128.5	8.5	
								11-23-66	127.8	9.2	
								11-30-66	126.7	10.3	
								12-09-66	125.9	11.1	
								12-15-66	125.5	11.5	
								12-22-66	125.1	11.9	
								12-28-66	124.7	12.3	
								1-05-67	124.3	12.7	
								1-12-67	124.0	13.0	
								1-13-67	124.0	13.0	
								1-19-67	123.7	13.3	
								1-26-67	123.6	13.4	
								2-02-67	123.4	13.6	
								2-09-67	123.1	13.9	
								2-16-67	124.3	12.7	
								2-28-67	124.7	12.3	
								3-09-67	124.8	12.2	
								3-15-67	125.7	11.3	
								3-23-67	125.9	11.1	
								3-30-67	126.0	11.0	
								4-13-67	126.2	10.8	
								7-27-67	126.6	10.4	
								8-31-67	126.3	10.7	
								9-28-67	126.7	10.3	
						045/14W-08N035	158.0	10-06-66	154.2	3.8	101
								10-13-66	151.0	7.0	
								10-20-66	150.9	7.1	
								10-27-66	150.5	7.5	
								11-03-66	150.5	7.5	
								11-10-66	150.3	7.7	
								11-17-66	150.1	7.9	
								11-23-66	148.8	9.2	
								11-30-66	147.4	10.6	
								12-09-66	146.9	11.1	
								12-15-66	146.5	11.5	
								12-22-66	146.1	11.9	
								12-28-66	145.8	12.2	
								1-05-67	145.4	12.6	
								1-12-67	145.0	13.0	
								1-19-67	144.7	13.3	
								1-26-67	144.3	13.7	
								2-02-67	144.2	13.8	
								2-09-67	143.8	14.2	
								2-16-67	145.5	12.5	
								2-28-67	145.7	12.3	
								3-09-67	145.8	12.2	
								3-15-67	146.9	11.1	
								3-23-67	147.1	10.9	
								3-30-67	147.0	11.0	
								4-13-67	147.2	10.8	
								7-27-67	147.4	10.6	
								8-31-67	147.1	10.9	
								9-28-67	146.6	11.4	
						045/14W-08N045	160.0	10-07-66	166.8	-6.8	101
								10-14-66	165.5	-5.5	
								10-21-66	165.5	-5.5	
								10-28-66	165.3	-5.3	
								11-04-66	165.2	-5.2	
								11-11-66	165.0	-5.0	
								11-18-66	165.0	-5.0	
								11-25-66	164.6	-4.6	
								12-02-66	163.9	-3.9	
								12-09-66	163.6	-3.6	
								12-16-66	163.1	-3.1	
								12-23-66	163.0	-3.0	
045/14W-08M125	137.1	10-06-66	145.4	-8.3	101						
		10-13-66	142.1	-5.0							
		10-20-66	141.8	-4.7							
		10-27-66	141.6	-4.5							
		11-03-66	141.5	-4.4							
		11-10-66	141.6	-4.5							
		11-17-66	141.4	-4.3							
		11-23-66	141.2,	-4.1							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SURUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2	COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2
04S/14W-08N04S	160.0	12-30-66	162.5	-2.5	101	04S/14W-11F01S	68.0	5-14-67	107.8(5)	-39.8	061
(CONT.)		1-06-67	162.6	-2.6		(CONT.)		5-21-67	94.8(5)	-26.8	
		1-13-67	162.3	-2.3				6-04-67	107.8(5)	-39.8	
		1-20-67	161.7	-1.7				6-11-67	99.8(5)	-31.8	
		1-27-67	161.0	-1.0				6-25-67	106.8(5)	-38.8	
		2-03-67	161.0	-1.0				7-02-67	112.8(5)	-44.8	
		2-10-67	160.8	-.8				7-16-67	106.8(5)	-38.8	
		2-17-67	161.4	-1.4				7-23-67	100.8(5)	-32.8	
		2-28-67	161.4	-1.4				8-06-67	105.8(5)	-37.8	
		3-10-67	161.4	-1.4				8-27-67	107.8(5)	-39.8	
		3-17-67	161.8	-1.8				9-17-67	107.8(5)	-39.8	
		3-23-67	161.8	-1.8							
		3-31-67	161.8	-1.8		04S/14W-11L01S	69.8	3-28-67	106.1(2)	-36.3	050
		4-14-67	162.0	-2.0							
		7-28-67	163.1	-3.1		04S/14W-12Q02S	18.0	11-14-66	63.6	-45.6	101
		8-25-67	162.3	-2.3				4-26-67	62.9	-44.9	
		9-29-67	162.2	-2.2							
04S/14W-08N05S	140.0	10-07-66	132.2	7.8	101	04S/14W-16F01S	81.0	3-28-67	92.4	-11.4	050
		10-14-66	130.2	9.8		04S/14W-16L02S	80.0	3-28-67	101.2	-21.2	050
		10-21-66	130.5	9.5							
		10-28-66	130.0	10.0		04S/14W-16L04S	76.5	2-01-67	93.6(5)	-17.1	061
		11-04-66	129.9	10.1				2-01-67	174.6(1)	-98.1	
		11-11-66	129.4	10.6				3-01-67	96.0(5)	-19.5	
		11-18-66	129.4	10.6				3-01-67	173.0(1)	-96.5	
		11-25-66	126.2	13.8				3-28-67	91.4(5)	-14.9	050
		12-02-66	124.7	15.3				4-01-67	96.0(5)	-19.5	061
		12-09-66	124.5	15.5				4-01-67	173.0(1)	-96.5	
		12-15-66	124.7	15.3				5-01-67	96.0(5)	-19.5	
		12-16-66	124.0	16.0				5-01-67	185.0(1)	-108.5	
		12-23-66	123.8	16.2				6-01-67	96.0(5)	-19.5	
		12-30-66	123.1	16.9				6-01-67	178.0(1)	-101.5	
		1-06-67	123.1	16.9				7-01-67	93.0(5)	-16.5	
		1-13-67	122.4	17.6				7-01-67	178.0(1)	-101.5	
		1-20-67	122.2	17.8				8-01-67	93.0(5)	-16.5	
		1-27-67	121.7	18.3				8-01-67	173.0(1)	-96.5	
		2-03-67	121.7	18.3				9-01-67	96.0(5)	-19.5	
		2-10-67	121.7	18.3				9-01-67	174.0(1)	-97.5	
		2-17-67	124.8	15.2		04S/14W-16Q01S	77.0	3-29-67	96.3	-19.3	050
		2-28-67	124.8	15.2							
		3-10-67	124.8	15.2		04S/14W-17D01S	156.4	10-06-66	164.8	-8.4	101
		3-14-67	126.4	13.6				10-13-66	162.5	-6.1	
		3-17-67	126.5	13.5				10-20-66	160.9	-4.5	
		3-23-67	126.5	13.5				10-27-66	161.0	-4.6	
		3-31-67	126.6	13.4				11-03-66	160.4	-4.0	
		4-14-67	126.9	13.1				11-10-66	160.5	-4.1	
		4-14-67	126.9	13.1	050			11-17-66	160.0	-3.6	
		7-28-67	127.0	13.0	101			11-23-66	159.9	-3.5	
		8-25-67	126.6	13.4				11-30-66	159.5	-3.1	
		9-27-67	125.6	14.4				12-02-66	157.7	-1.3	
04S/14W-08P01S	108.0	11-03-66	117.3	-9.3	101			12-15-66	157.5	-1.1	
		12-21-66	115.0	-7.0				12-22-66	158.2	-1.8	
		3-08-67	115.3	-7.3				12-28-66	157.0	-.6	
		4-10-67	116.1	-8.1				1-05-67	157.5	-1.1	
		9-18-67	107.3	.7				1-12-67	156.6	-.2	
04S/14W-08P02S	108.0	11-03-66	115.8	-7.8	101			1-19-67	156.1	.3	
		12-21-66	113.8	-5.8				1-26-67	155.5	.9	
		3-08-67	112.6	-4.6				2-02-67	155.3	1.1	
		4-10-67	112.8	-4.8				2-09-67	155.2	1.2	
		4-10-67	113.3	-5.3	050			2-16-67	155.6	.8	
		9-18-67	113.3	-5.3	101			2-28-67	155.8	.6	
04S/14W-09Q01S	106.0	3-28-67	122.4	-16.4	050			3-09-67	155.7	.7	
04S/14W-10D02S	107.0	3-28-67	209.3(1)	-102.3	050			3-15-67	155.5	.9	
		10-19-67	133.3	-26.3				3-21-67	156.1	.3	
04S/14W-10J01S	93.7	2-01-67	137.7(5)	-44.0	061			3-23-67	156.1	.3	
		2-01-67	171.7(1)	-78.0				3-27-67	153.3	3.1	050
		3-01-67	(0)					3-30-67	156.8	-.4	101
		3-28-67	122.4	-28.7	050			4-13-67	156.3	.1	
		4-01-67	122.7(6)	-29.0	061			7-27-67	157.5	-1.1	
		5-01-67	122.7(6)	-29.0		04S/14W-17D02S	156.4	8-31-67	156.7	-.3	
		6-01-67	122.7(6)	-29.0				9-28-67	157.1	-.7	
		7-01-67	122.7(6)	-29.0							
		8-01-67	122.7(6)	-29.0				10-06-66	152.4	4.0	101
		9-01-67	122.7(6)	-29.0				10-13-66	144.7	11.7	
04S/14W-10K01S	104.0	3-28-67	135.0	-31.0	050			10-20-66	145.1	11.3	
04S/14W-11F01S	68.0	1-01-67	102.8(5)	-34.8	061			10-27-66	143.9	12.5	
		1-08-67	100.8(5)	-32.8				11-03-66	143.4	13.0	
		1-22-67	99.8(5)	-31.8				11-10-66	144.4	12.0	
		1-29-67	131.8(5)	-63.8				11-17-66	144.1	12.3	
		2-12-67	103.8(5)	-35.8				11-23-66	141.4	15.0	
		2-19-67	119.8(5)	-51.8				11-30-66	141.2	15.2	
		2-27-67	107.8(5)	-39.8				12-09-66	138.9	17.5	
		3-05-67	101.8(5)	-33.8				12-15-66	138.5	17.9	
		3-19-67	107.8(5)	-39.8				12-22-66	138.3	18.1	
		3-25-67	99.8(5)	-31.8				12-28-66	137.9	18.5	
		3-26-67	99.8(5)	-31.8	050			1-05-67	138.4	18.0	
		3-26-67	131.8(1)	-63.8				1-12-67	137.2	19.2	
		4-02-67	118.8	-50.8	061			1-19-67	136.4	20.0	
		4-10-67	106.8	-38.8				1-26-67	136.3	20.1	
		4-16-67	99.8	-31.8				2-02-67	136.3	20.1	
		5-07-67	95.8(5)	-27.8				2-09-67	136.1	20.3	
								2-16-67	138.7	17.7	
								2-28-67	138.0	18.4	
								3-09-67	138.9	17.5	
								3-15-67	140.2	16.2	
								3-21-67	140.6	15.8	
								3-23-67	140.5	15.9	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2	COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2
04S/14W-17D025 (CONT.)	156.4	3-27-67	137.5	18.9	050	04S/14W-17E04S (CONT.)	137.5	1-05-67	121.2	16.3	101
		3-30-67	140.2	16.2				1-12-67	120.0	17.5	
		4-13-67	140.8	15.6				1-19-67	119.0	18.5	
		7-27-67	141.1	15.3				1-26-67	118.7	18.8	
		8-31-67	140.6	15.8				2-02-67	118.9	18.6	
		9-28-67	139.5	16.9				2-09-67	118.2	19.3	
								2-16-67	121.4	16.1	
04S/14W-17D04S	129.2	11-02-66	138.0	-8.8	101			2-28-67	121.0	16.5	
		3-22-67	134.5	-5.3				3-09-67	121.1	16.4	
		4-12-67	134.8	-5.6				3-15-67	122.8	14.7	
		8-31-67	135.4	-6.2				3-23-67	122.1	15.4	
								3-30-67	122.6	14.9	
04S/14W-17D055	129.3	11-02-66	123.3	6.0	101			4-13-67	122.8	14.7	
		3-22-67	120.3	9.0				7-27-67	123.5	14.0	
		4-12-67	120.7	8.6				8-31-67	123.2	14.3	
		4-12-67	121.1	8.2	050			9-28-67	121.9	15.6	
		8-31-67	120.4	8.9	101						
04S/14W-17D065	129.1	11-02-66	122.9	6.2	101	04S/14W-17E05S	137.4	10-06-66	136.4	1.0	101
		3-22-67	119.8	9.3				10-13-66	135.9	1.5	
		4-12-67	120.0	9.1				10-20-66	135.3	2.1	
		8-31-67	120.1	9.0				10-27-66	135.8	1.6	
								11-03-66	135.1	2.3	
04S/14W-17D10S	146.0	10-06-66	144.5	1.5	101			11-10-66	134.9	2.5	
		10-13-66	137.3	8.7				11-17-66	134.9	2.5	
		10-20-66	137.5	8.5				11-23-66	135.5	1.9	
		10-27-66	137.1	8.9				11-30-66	136.1	1.3	
		11-03-66	136.7	9.3				12-09-66	133.7	3.7	
		11-10-66	136.7	9.3				12-15-66	134.2	3.2	
		11-17-66	136.7	9.3				12-22-66	133.9	3.5	
		11-23-66	132.7	13.3				12-28-66	133.7	3.7	
		11-30-66	130.9	15.1				1-05-67	134.2	3.2	
		12-09-66	130.5	15.5				1-12-67	133.4	4.0	
		12-15-66	130.5	15.5				1-19-67	133.0	4.4	
		12-22-66	130.1	15.9				1-26-67	132.8	4.6	
		12-28-66	129.4	16.6				2-02-67	133.0	4.4	
		1-05-67	129.9	16.1				2-09-67	132.2	5.2	
		1-12-67	128.6	17.4				2-16-67	132.4	5.0	
		1-19-67	128.1	17.9				2-28-67	132.2	5.2	
		1-26-67	127.7	18.3				3-09-67	132.2	5.2	
		2-02-67	127.7	18.3				3-15-67	132.9	4.5	
		2-09-67	127.3	18.7				3-23-67	132.3	5.1	
		2-16-67	130.1	15.9				3-30-67	132.3	5.1	
		2-28-67	130.4	15.6				4-13-67	132.2	5.2	
		3-09-67	130.5	15.5				7-27-67	132.1	5.3	
		3-14-67	132.1	13.9				8-31-67	132.0	5.4	
		3-15-67	131.8	14.2				9-28-67	132.0	5.4	
		3-23-67	126.7	19.3		04S/14W-17E06S	112.0	10-06-66	109.9	2.1	101
		3-30-67	131.8	14.2				10-13-66	101.2	10.8	
		4-13-67	132.3	13.7				10-20-66	100.6	11.4	
		7-27-67	132.4	13.6				10-27-66	99.9	12.1	
		8-31-67	132.0	14.0				11-03-66	99.7	12.3	
		9-28-67	131.0	15.0				11-10-66	99.6	12.4	
								11-17-66	99.6	12.4	
04S/14W-17E03S	137.2	10-06-66	147.2	-10.0	101			11-23-66	97.3	14.7	
		10-13-66	144.6	-7.4				11-30-66	97.2	14.8	
		10-17-66	144.1	-6.9				12-09-66	96.2	15.8	
		10-20-66	143.5	-6.3				12-15-66	95.6	16.4	
		10-27-66	143.8	-6.6				12-22-66	95.8	16.2	
		11-03-66	143.2	-6.0				12-28-66	95.3	16.7	
		11-10-66	140.4	-3.2				1-05-67	95.0	17.0	
		11-17-66	140.5	-3.3				1-12-67	94.4	17.6	
		11-23-66	140.8	-3.6				1-19-67	93.6	18.4	
		11-30-66	140.6	-3.4				1-26-67	93.3	18.7	
		12-09-66	139.0	-1.8				1-27-67	93.3	18.7	
		12-15-66	138.8	-1.6				2-02-67	93.3	18.7	
		12-16-66	144.1	-6.9				2-09-67	92.8	19.2	
		12-22-66	140.5	-3.3				2-16-67	95.3	16.7	
		12-28-66	140.0	-2.8				2-28-67	95.4	16.6	
		1-05-67	140.6	-3.4				3-09-67	95.5	16.5	
		1-12-67	139.6	-2.4				3-15-67	96.5	15.5	
		1-19-67	138.6	-1.4				3-23-67	96.8	15.2	
		1-26-67	137.0	.2				3-30-67	96.5	15.5	
		2-02-67	137.1	.1				4-13-67	97.1	14.9	
		2-09-67	136.4	.8				7-27-67	98.0	14.0	
		2-16-67	137.1	.1				8-31-67	97.8	14.2	
		2-28-67	136.3	.9				9-28-67	96.1	15.9	
		3-09-67	137.3	-.1		04S/14W-17E07S	115.0	10-06-66	122.7	-7.7	101
		3-15-67	138.6	-1.4				10-13-66	118.8	-3.8	
		3-30-67	137.9	-.7				10-20-66	118.5	-3.5	
		4-13-67	137.7	-.5				10-27-66	119.6	-4.6	
		7-27-67	139.0	-1.8				11-03-66	119.3	-4.3	
		8-31-67	138.2	-1.0				11-10-66	119.3	-4.3	
		9-28-67	138.9	-1.7				11-17-66	119.1	-4.1	
04S/14W-17E04S	137.5	10-06-66	135.5	2.0	101			11-23-66	118.8	-3.8	
		10-13-66	127.4	10.1				11-30-66	118.8	-3.8	
		10-20-66	126.8	10.7				12-09-66	116.8	-1.8	
		10-27-66	126.5	11.0				12-15-66	117.2	-2.2	
		11-03-66	125.7	11.8				12-22-66	116.9	-1.9	
		11-10-66	125.5	12.0				12-28-66	117.4	-2.4	
		11-17-66	125.6	11.9				1-05-67	118.0	-3.0	
		11-23-66	122.7	14.8				1-12-67	116.1	-1.1	
		11-30-66	122.3	15.2				1-19-67	115.7	-.7	
		12-09-66	121.3	16.2				1-26-67	115.4	-.4	
		12-15-66	121.2	16.3				1-27-67	115.4	-.4	
		12-22-66	121.2	16.3				2-02-67	115.2	-.2	
		12-28-66	120.8	16.7				2-09-67	115.1	-.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00							
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0	U-05.A2		COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0	U-05.A2			
04S/14W-17E07S (CONT.)	115.0	2-16-67	115.4	-0.4	101	04S/14W-17M02S (CONT.)	97.0	3-09-67	80.3	16.7	101		
		2-28-67	116.2	-1.2				3-15-67	80.9	16.1			
		3-09-67	115.3	-0.3				3-23-67	81.3	15.7			
		3-15-67	115.5	-0.5				3-30-67	80.8	16.2			
		3-23-67	115.9	-0.9				4-13-67	81.6	15.4			
		3-30-67	115.7	-0.7				7-27-67	82.5	14.5			
		4-13-67	115.9	-0.9				8-31-67	82.0	15.0			
		7-27-67	116.4	-1.4				9-28-67	81.0	16.0			
		8-31-67	115.3	-0.3									
		9-28-67	115.4	-0.4		04S/14W-17N02S	88.0	10-06-66	97.5	-9.5	101		
04S/14W-17F01S	180.5	11-02-66	188.0	-7.5	101			10-07-66	95.5	-7.5			
		11-30-66	186.6	-6.1				10-14-66	93.3	-5.3			
		4-03-67	184.6	-4.1				10-21-66	93.2	-5.2			
		9-20-67	184.9	-4.4				10-28-66	92.9	-4.9			
04S/14W-17F02S	180.5	11-02-66	176.8	3.7	101			11-04-66	92.8	-4.8			
		11-28-66	183.1	-2.6				11-11-66	92.3	-4.3			
		11-30-66	183.0	-2.5				11-18-66	92.2	-4.2			
		1-04-67	182.6	-2.1				11-25-66	91.9	-3.9			
		1-26-67	180.8	-0.3				12-02-66	91.4	-3.4			
		2-28-67	179.6	-0.9				12-09-66	91.1	-3.1			
		4-03-67	181.4	-0.9				12-16-66	90.3	-2.3			
		4-03-67	180.8	-0.3	050			12-23-66	90.2	-2.2			
		7-28-67	181.4	-0.9	101			12-30-66	90.1	-2.1			
		8-25-67	182.2	-1.7				1-06-67	90.3	-2.3			
		9-20-67	181.3	-0.8				1-13-67	89.8	-1.8			
04S/14W-17H01S	96.0	10-31-66	104.6(5)	-8.6	101			1-20-67	89.4	-1.4			
		1-31-67	101.6(5)	-5.6				1-27-67	89.1	-1.1			
		3-01-67	101.6(5)	-5.6				2-03-67	89.1	-1.1			
		3-28-67	102.7	-6.7	050			2-10-67	88.9	-0.9			
		3-31-67	95.0	1.0	101			2-17-67	89.4	-1.4			
		4-28-67	100.6(5)	-4.6				2-28-67	89.2	-1.2			
		5-29-67	100.6(5)	-4.6				3-06-67	89.4	-1.4			
		7-31-67	101.6(5)	-5.6				3-10-67	89.2	-1.2			
		8-25-67	95.0	1.0				3-17-67	89.5	-1.5			
		8-31-67	100.6(5)	-4.6				3-23-67	89.5	-1.5			
		9-29-67	100.6(5)	-4.6				3-31-67	89.5	-1.5			
04S/14W-17H02S	92.0	3-28-67	102.6	-10.6	050			4-14-67	90.1	-2.1			
		4-28-67	103.0	-11.0	101			7-28-67	90.7	-2.7			
		5-29-67	113.0(1)	-21.0		04S/14W-17N03S	95.0	8-25-67	89.7	-1.7			
		8-25-67	91.0	1.0				9-29-67	89.8	-1.8			
04S/14W-17M01S	115.0	10-06-66	113.9	1.1	101			10-06-66	95.3	-0.3	101		
		10-13-66	105.2	9.8				10-13-66	85.3	9.7			
		10-20-66	104.6	10.4				10-20-66	84.9	10.1			
		10-27-66	104.1	10.9				10-27-66	84.5	10.5			
		11-03-66	103.8	11.2				11-03-66	84.3	10.7			
		11-10-66	104.6	10.4				11-10-66	84.2	10.8			
		11-17-66	103.2	11.8				11-17-66	83.7	11.3			
		11-23-66	101.6	13.4				11-23-66	83.6	11.4			
		11-30-66	100.9	14.1				11-30-66	82.7	12.3			
		12-09-66	100.8	14.2				12-09-66	82.5	12.5			
		12-15-66	100.3	14.7				12-15-66	83.0	12.0			
		12-22-66	100.4	14.6				12-22-66	83.4	11.6			
		12-28-66	101.0	14.0				12-28-66	82.2	12.8			
		1-05-67	99.7	15.3				1-05-67	81.9	13.1			
		1-12-67	99.1	15.9				1-12-67	81.3	13.7			
		1-19-67	99.2	15.8				1-13-67	81.1	13.9			
		1-26-67	98.0	17.0				1-19-67	81.2	13.8			
		2-02-67	97.9	17.1				1-26-67	80.8	14.2			
		2-09-67	97.5	17.5				2-02-67	80.6	14.4			
		2-16-67	99.6	15.4				2-09-67	80.3	14.7			
		2-28-67	99.8	15.2				2-16-67	80.8	14.2			
		3-06-67	99.7	15.3				2-28-67	80.4	14.6			
		3-09-67	99.8	15.2				3-09-67	80.8	14.2			
		3-15-67	100.5	14.5				3-14-67	81.1	13.9			
		3-23-67	100.8	14.2				3-15-67	81.0	14.0			
		3-30-67	100.4	14.6				3-23-67	81.5	13.5			
		4-13-67	101.1	13.9				3-30-67	81.3	13.7			
		7-27-67	101.9	13.1				4-13-67	83.0	12.0			
		8-31-67	101.2	13.8				7-23-67	84.8	10.2			
		9-28-67	100.2	14.8				8-31-67	84.3	10.7			
04S/14W-17M02S	97.0	10-06-66	95.3	1.7	101			9-28-67	83.8	11.2			
		10-13-66	86.0	11.0				04S/14W-17P01S	75.0	11-01-66	81.2	-6.2	101
		10-20-66	85.4	11.6						12-14-66	79.3	-4.3	
		10-27-66	84.8	12.2						3-08-67	77.8	-2.8	
		11-03-66	84.5	12.5						4-10-67	78.6	-3.6	
		11-10-66	84.5	12.5						9-12-67	79.2	-4.2	
		11-17-66	84.0	13.0				04S/14W-17P02S	74.0	4-10-67	75.8	-1.8	050
		11-23-66	82.2	14.8						9-12-67	76.6	-2.6	
		11-30-66	81.7	15.3				04S/14W-18A01S	147.9	10-18-66	158.8	-10.9	101
		12-09-66	81.7	15.3						11-02-66	158.2	-10.3	
		12-15-66	81.2	15.8						4-06-67	155.0	-7.1	
		12-22-66	81.5	15.5				04S/14W-18A02S	147.7	10-18-66	141.8	5.9	101
		12-28-66	80.9	16.1						11-02-66	141.1	6.6	
		1-05-67	80.7	16.3						4-06-67	136.1	11.6	
		1-12-67	80.0	17.0				04S/14W-18A03S	147.7	10-18-66	139.3	8.4	101
		1-19-67	78.7	18.3						11-02-66	157.1	-9.4	
		1-26-67	79.5	17.5						4-06-67	135.2	12.5	
		2-02-67	78.3	18.7				04S/14W-18801S	87.0	11-03-66	80.9	6.1	101
		2-09-67	77.9	19.1						12-12-66	78.0	9.0	
		2-16-67	79.9	17.1						3-27-67	77.6	9.4	050
		2-28-67	80.1	16.9						4-10-67	78.5	8.5	101
		3-06-67	80.5	16.5									

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2	COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2
04S/14W-18F01S	14.0	10-17-66 11-03-66 11-28-66 1-04-67 1-26-67 2-28-67 3-30-67 4-14-67 4-14-67 7-28-67 8-25-67 9-29-67	10.6 10.9 12.0 13.1 12.4 11.2 10.7 13.4 10.9 12.3 11.3 12.1	3.4 3.1 2.0 .9 1.6 2.8 3.3 .6 3.1 1.7 2.7 1.9	101 050 101	04S/14W-20D06S	125.0	11-30-66 12-09-66 12-15-66 12-22-66 12-28-66 1-05-67 1-12-67 1-19-67 4-13-67	115.6 114.7 114.8 115.4 114.9 115.4 113.8 113.7 114.2	9.4 10.3 10.2 9.6 10.1 9.6 11.2 11.3 10.8	101 050
04S/14W-18H01S	147.3	11-02-66 3-23-67 4-12-67 9-22-67	151.0 147.8 148.2 148.6	-3.7 -5 -9 -1.3	101	04S/14W-20D07S	120.0	10-06-66 10-13-66 10-20-66 10-27-66 10-31-66 11-03-66 11-10-66 11-17-66 11-23-66	130.2 126.9 126.7 125.8 125.8 126.4 126.4 126.1 126.0	-10.2 -6.9 -6.7 -5.8 -5.8 -6.4 -6.4 -6.1 -6.0	101
04S/14W-18H02S	147.2	11-02-66 11-28-66 1-04-67 1-26-67 2-28-67 3-23-67 4-03-67 4-03-67 7-28-67 8-25-67 9-22-67	139.3 136.1 134.6 132.8 134.6 134.5 134.8 133.9 137.0 136.8 135.1	7.9 11.1 12.6 14.4 12.6 12.7 12.4 13.3 10.2 10.4 12.1	101 050 101	04S/14W-20D08S	145.0	10-06-66 10-13-66 10-20-66 10-27-66 10-31-66 11-03-66 11-10-66 11-17-66 11-23-66 11-30-66 12-09-66 12-15-66 12-22-66 12-28-66 1-05-67 1-12-67 1-19-67 1-26-67 2-02-67 2-09-67 2-16-67 2-28-67 3-06-67 3-09-67 3-15-67 3-23-67 3-30-67 4-13-67 7-27-67 8-17-67 9-28-67	146.7 138.7 138.3 138.3 138.3 137.7 137.6 137.2 137.2 136.5 136.2 136.1 136.6 136.0 135.6 135.2 135.1 134.7 134.5 134.3 134.5 134.5 134.6 134.6 134.8 134.9 135.1 135.8 135.9 138.4 137.3 136.6 136.3	-1.7 6.3 6.7 6.7 6.7 7.3 7.4 7.8 7.8 8.5 8.8 8.9 8.4 9.0 9.4 9.8 9.9 10.3 10.5 10.7 10.5 10.5 10.4 10.4 10.2 10.1 9.9 9.2 9.1 6.6 7.7 8.4 8.7	101
04S/14W-18H03S	146.6	11-02-66 3-23-67 4-03-67 9-22-67	137.6 134.6 134.9 134.3	9.0 12.0 11.7 12.3	101	04S/14W-20E01S	157.0	10-06-66 10-13-66 10-20-66 10-27-66 11-10-66 11-10-66 11-17-66 11-23-66 11-30-66 12-09-66 12-15-66 12-22-66 12-28-66 1-05-67 1-12-67 1-19-67 1-26-67 2-02-67 2-09-67 2-16-67 2-28-67 3-06-67 3-09-67 3-15-67 3-23-67 3-30-67 4-13-67 4-13-67 7-31-67 8-31-67 9-28-67 10-23-67	163.9 164.5 164.4 164.2 164.1 163.9 163.8 163.6 163.5 163.1 163.0 163.2 162.2 162.0 162.2 162.0 161.7 161.4 161.2 161.1 160.9 160.9	-6.9 -7.5 -7.4 -7.2 -7.1 -6.9 -6.8 -6.6 -6.5 -6.1 -6.0 -6.2 -5.2 -5.0 -5.2 -5.0 -4.7 -4.4 -4.2 -4.1 -3.9 -3.9	101
04S/14W-18H04S	132.0	11-02-66 4-12-67	133.9 131.1	-1.9 .9	101						
04S/14W-18H05S	132.0	11-02-66 4-12-67	120.8 120.1	11.2 11.9	101						
04S/14W-18H06S	132.0	11-02-66 4-12-67	123.3 118.5	8.7 13.5	101						
04S/14W-18H07S	120.0	11-03-66	124.2	-4.2	101						
04S/14W-18H08S	120.0	11-03-66	111.8	8.2	101						
04S/14W-18H09S	120.0	11-03-66	118.2	1.8	101						
04S/14W-18J01S	133.0	11-01-66 12-09-66 3-27-67 4-10-67	125.6 122.7 122.4 123.2	7.4 10.3 10.6 9.8	101 050 101						
04S/14W-18J02S	133.0	11-01-66 3-27-67 4-10-67	139.8 136.4 136.7	-6.8 -3.4 -3.7	101 050 101						
04S/14W-18K01S	73.0	11-01-66 1-05-67 4-10-67 4-10-67 7-18-67	68.9 77.5 79.0 79.2 77.7	4.1 -4.5 -6.0 -6.2 -4.7	101 050 101						
04S/14W-18P01S	47.5	11-01-66 4-10-67	46.4 43.8	1.1 3.7	101						
04S/14W-18Q02S	101.0	11-01-66 12-02-66 4-07-67	99.8 99.5 95.7	1.2 1.5 5.3	101						
04S/14W-18Q03S	103.0	10-28-66 11-04-66 3-29-67 4-07-67	100.1 99.9 94.6 97.7	2.9 3.1 8.4 5.3	101 050 101						
04S/14W-20D02S	116.5	11-01-66 3-29-67 4-12-67	123.5 123.6 120.8	-7.0 -7.1 -4.3	101 050 101						
04S/14W-20D03S	116.4	11-01-66 4-12-67 4-12-67	110.9 108.7 106.6	5.5 7.7 9.8	101 050						
04S/14W-20D05S	116.5	11-01-66 4-12-67	117.1 117.0	-6 -5	101						
04S/14W-20D06S	125.0	10-06-66 10-13-66 10-20-66 10-27-66 10-31-66 11-03-66 11-10-66 11-17-66 11-23-66	124.0 117.2 116.8 116.5 116.5 116.2 116.2 116.2 115.6 115.6	1.0 7.8 8.2 8.5 8.5 8.8 8.8 9.4 9.4	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/14W-20E01S (CONT.)	157.0	3-15-67	161.0	-4.0	101	04S/14W-22D01S (CONT.)	82.0	7-03-67	106.3	-24.3	101
		3-23-67	161.0	-4.0				8-01-67	106.4	-24.4	
		3-30-67	160.9	-3.9				9-05-67	106.7	-24.7	
		4-13-67	161.0	-4.0		04S/14W-22N01S	79.0	3-29-67	102.8	-23.8	050
		7-27-67	161.6	-4.6		04S/14W-22P03S	81.6	3-29-67	107.9	-26.3	050
		8-31-67	161.4	-4.4		04S/14W-22Q01S	75.2	3-29-67	108.6	-33.4	050
		9-28-67	161.3	-4.3		04S/14W-23N02S	113.1	1-31-67	168.5	-55.4	061
04S/14W-20E02S	199.0	10-06-66	200.9	-1.9	101			2-27-67	168.5	-55.4	
		10-13-66	194.7	4.3				3-29-67	161.3	-48.2	050
		10-20-66	194.3	4.7				3-31-67	168.5	-55.4	061
		10-27-66	193.3	5.7				5-01-67	168.5	-55.4	
		10-31-66	193.3	5.7				6-01-67	168.5	-55.4	
		11-03-66	193.8	5.2				7-01-67	168.5	-55.4	
		11-10-66	193.6	5.4				8-01-67	168.5	-55.4	
		11-17-66	193.3	5.7				9-01-67	168.5	-55.4	
		11-23-66	193.2	5.8				9-29-67	168.5	-55.4	
		11-30-66	193.1	5.9		04S/14W-24A01S	57.1	3-29-67	120.3(5)	-63.2	050
		12-09-66	192.3	6.7				3-29-67	116.2	-59.1	
		12-15-66	192.1	6.9		04S/14W-24E01S	66.0	11-02-66	219.6(4)	-153.6	101
		12-22-66	192.7	6.3				3-29-67	118.1	-52.1	050
		12-28-66	192.1	6.9				5-05-67	205.6(4)	-139.6	101
		1-05-67	191.7	7.3		04S/14W-25B01S	65.0	10-03-66	115.7	-50.7	101
		1-12-67	191.3	7.7				11-14-66	115.8	-50.8	
		1-19-67	191.2	7.8				3-29-67	(2)		050
		1-26-67	190.8	8.2				4-04-67	115.5	-50.5	
		2-02-67	190.6	8.4		04S/14W-25G02S	66.7	3-29-67	119.6	-52.9	050
		2-09-67	190.3	8.7		04S/14W-25G04S	70.3	3-06-67	122.0	-51.7	101
		2-16-67	190.6	8.4				3-29-67	122.4	-52.1	050
		2-28-67	190.5	8.5				4-05-67	121.8	-51.5	101
		3-06-67	191.0	8.0				5-08-67	121.8	-51.5	
		3-09-67	190.6	8.4		04S/14W-36G04S	41.0	3-30-67	100.1	-59.1	050
		3-15-67	190.8	8.2				4-12-67	101.1	-60.1	101
		3-23-67	191.0	8.0				8-01-67	102.8	-61.8	
		3-30-67	190.9	8.1		04S/14W-36H01S	44.2	3-30-67	105.1	-60.9	050
		4-13-67	191.7	7.3		04S/14W-36J01S	47.7	3-30-67	110.4	-62.7	050
		7-31-67	193.8	5.2		04S/14W-36M01S	232.2	10-31-66	293.3	-61.1	101
		8-31-67	192.8	6.2				11-17-66	294.3	-62.1	
		9-28-67	192.5	6.5				3-30-67	292.1	-59.9	050
04S/14W-20G02S	90.9	3-29-67	84.9	6.0	050	04S/14W-25G04S	70.3	7-03-67	121.5	-51.2	101
04S/14W-21F01S	72.0	3-30-67	86.0	-14.0	050			8-01-67	121.4	-51.1	
04S/14W-21G01S	73.0	3-29-67	94.7(5)	-21.7	050			9-05-67	121.4	-51.1	
		4-06-67	94.8	-21.8		04S/14W-27B01S	81.0	11-14-66	115.7(8)	-34.7	101
04S/14W-21H03S	73.0	10-03-66	96.4	-23.4	101			4-26-67	120.2(8)	-39.2	
		10-10-66	96.6	-23.6		04S/14W-27N01S	203.4	3-30-67	236.7	-33.3	050
		10-17-66	96.5	-23.5		04S/14W-28G01S	168.0	3-30-67	(2)		050
		10-24-66	96.4	-23.4				4-06-67	184.4	-16.4	
		10-31-66	95.9	-22.9				7-03-67	183.8(8)	-15.8	101
		11-14-66	95.4	-22.4				8-01-67	184.2(8)	-16.2	
		11-21-66	95.2	-22.2				9-05-67	194.1(8)	-26.1	
		11-24-66	95.0	-22.0		04S/14W-28J01S	184.5	3-30-67	210.2	-25.7	050
		12-12-66	94.4	-21.4		04S/14W-34K01S	280.0	3-30-67	36.6	243.4	050
		12-19-66	94.2	-21.2		04S/14W-35D05S	166.9	11-14-66	220.2	-53.3	101
		1-03-67	94.0	-21.0				4-26-67	217.8	-50.9	
		1-09-67	94.0	-21.0		04S/14W-36M01S	232.2	4-10-67	292.0	-59.8	101
		1-16-67	93.9	-20.9				4-12-67	292.9	-60.7	
		1-30-67	93.2	-20.2		04S/14W-35E01S	179.3	3-30-67	232.1(6)	-52.8	050
		2-06-67	93.3	-20.3		04S/14W-35E02S	185.3	1-31-67	341.1(1)	-155.8	061
		2-20-67	92.0	-19.0				1-31-67	238.1	-52.8	
		2-27-67	92.9	-19.9				2-27-67	336.1(1)	-150.8	
		3-06-67	92.8	-19.8				2-27-67	233.1	-47.8	
		3-20-67	92.7	-19.7				3-30-67	239.1(5)	-53.8	050
		3-27-67	92.5	-19.5				3-30-67	239.1(3)	-53.8	
		3-29-67	92.6	-19.6	050			3-31-67	240.1	-54.8	061
		4-05-67	92.6	-19.6	101			5-01-67	328.1(1)	-142.8	
		4-12-67	92.6	-19.6				5-01-67	339.1(1)	-153.8	
		4-17-67	92.4	-19.4				6-01-67	324.1(1)	-138.8	
		4-24-67	92.4	-19.4				6-01-67	240.1	-54.8	
		5-01-67	92.2	-19.2				7-01-67	324.1(1)	-138.8	
		5-08-67	92.2	-19.2				7-01-67	240.1	-54.8	
		5-15-67	92.1	-19.1				8-01-67	330.1(1)	-144.8	
		7-03-67	(9)					8-01-67	239.1	-53.8	
		7-10-67	(9)					9-01-67	240.1	-54.8	
		7-17-67	(9)					9-01-67	323.1(1)	-137.8	
		7-24-67	(9)					9-29-67	315.5(1)	-130.2	
		8-01-67	(9)					9-29-67	238.5	-53.2	
		8-07-67	(9)								
		9-05-67	(9)								
		9-11-67	(9)								
		9-18-67	(9)								
04S/14W-21L02S	70.9	3-30-67	85.6	-14.7	050						
04S/14W-21N01S	101.2	3-30-67	113.7(5)	-12.5	050						
04S/14W-22D01S	82.0	10-03-66	109.6	-27.6	101						
		11-14-66	109.5	-27.5							
		12-12-66	108.2	-26.2							
		1-03-67	107.6	-25.6							
		2-07-67	106.9	-24.9							
		3-06-67	106.5	-24.5							
		3-29-67	106.0	-24.0	050						
		4-05-67	106.0	-24.0	101						
		5-08-67	105.7	-23.7							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		
			U-05.A2						U-05.A2		
04S/14W-35E065	178.4	3-30-67	231.7	-53.3	050	05S/13W-03P175	16.0	11-16-66	44.8	-28.8	101
04S/14W-35F025	260.0	3-30-67	241.9	-41.9	050			2-28-67	20.5	-4.5	
04S/14W-35J015	173.0	3-30-67	236.2	-63.2	050			3-28-67	63.4	-47.4	050
04S/14W-36G025	40.5	11-16-66	101.8	-61.3	101			4-05-67	61.7	-45.7	
		2-02-67	101.1	-60.6				4-13-67	58.6	-42.6	101
		3-30-67	100.6	-60.1	050			8-02-67	47.6	-31.6	
		4-12-67	100.4	-59.9	101	05S/13W-03P185	15.7	11-16-66	48.5	-32.8	101
		8-01-67	104.4	-63.9				2-28-67	51.7	-36.0	
04S/14W-36G035	40.6	11-16-66	101.4	-60.8	101			4-14-67	54.7	-39.0	
		2-02-67	101.3	-60.7				8-02-67	53.5	-37.8	
		3-30-67	100.4	-59.8	050	05S/13W-03P195	15.3	11-16-66	47.1	-31.8	101
		4-12-67	100.9	-60.3	101			2-28-67	52.1	-36.8	
		8-01-67	103.3	-62.7				3-28-67	53.5	-38.2	050
04S/14W-36G045	41.0	11-16-66	101.6	-60.6	101			4-14-67	53.6	-38.3	101
		2-02-67	101.2	-60.2		05S/13W-03Q025	.6	11-14-66	4.5	-3.9	101
05S/12W-03F015	8.0	10-10-66	48.4	-40.4	101			5-04-67	4.5	-3.9	
		11-14-66	49.4	-41.4		05S/13W-04E015	-.6	11-04-66	31.0	-31.6	101
		4-10-67	49.1	-41.1				3-28-67	33.9	-34.5	050
		8-28-67	49.5	-41.5				4-12-67	32.2	-32.8	101
05S/12W-03F025	8.0	10-10-66	6.6	1.4	101	05S/13W-04E025	-.2	11-04-66	28.1	-28.3	101
		11-14-66	6.9	1.1				3-28-67	28.2	-28.4	050
		4-10-67	6.6	1.4				4-12-67	29.9	-30.1	101
		8-28-67	7.0	1.0		05S/13W-04N015	4.8	11-29-66	(1)		101
05S/12W-03J015	5.2	11-14-66	43.2	-38.0	101			5-15-67	29.1	-24.3	
		12-01-66	42.8	-37.6		05S/13W-05C015	12.8	11-10-66	82.0	-69.2	101
		4-10-67	42.8	-37.6				3-28-67	81.3	-68.5	050
05S/12W-10P015	4.7	11-01-66	3.2	1.5	101			4-12-67	82.1	-69.3	101
		3-29-67	3.1	1.6	050	05S/13W-05C025	12.7	11-10-66	34.5	-21.8	101
		4-13-67	3.0	1.7	101			4-12-67	35.4	-22.7	
05S/12W-11G055	16.8	10-07-66	30.9	-14.1	101	05S/13W-06B015	15.0	11-16-66	84.0	-69.0	101
		11-14-66	31.2	-14.4				3-28-67	83.6	-68.6	050
		4-10-67	29.4	-12.6				4-12-67	84.5	-69.5	101
05S/12W-11G065	16.7	10-07-66	43.9	-27.2	101	05S/13W-06B025	15.2	11-16-66	32.4	-17.2	101
		11-14-66	44.3	-27.6				11-21-66	32.3	-17.1	
		4-10-67	44.0	-27.3				3-28-67	32.3	-17.1	050
05S/13W-01A015	35.7	10-26-66	73.3	-37.6	101			4-14-67	32.8	-17.6	101
		11-17-66	73.5	-37.8		05S/13W-06D015	30.8	10-03-66	98.4	-67.6	101
		4-13-67	73.1	-37.4				11-14-66	134.0(5)	-103.2	
05S/13W-02B015	4.2	11-14-66	35.5(2)	-31.3	101			12-13-66	134.0(5)	-103.2	
		5-01-67	37.3(2)	-33.1				1-03-67	134.0(5)	-103.2	
05S/13W-02B025	4.2	11-14-66	62.2(1)	-58.0	101			2-01-67	133.2	-102.4	061
		4-01-67	68.0(1)	-63.8				3-01-67	132.2	-101.4	
05S/13W-02G015	3.2	11-29-66	14.4(8)	-11.2	101			3-07-67	134.0(5)	-103.2	101
		5-02-67	16.3(8)	-13.1				3-30-67	134.2(1)	-103.4	050
05S/13W-02J035	14.7	11-17-66	66.4	-51.7	101			4-01-67	134.2	-103.4	061
		1-13-67	72.6	-57.9				4-10-67	136.0(5)	-105.2	101
		1-26-67	74.3	-59.6				5-01-67	133.2	-102.4	061
		3-31-67	75.2	-60.5	050			5-08-67	134.0(5)	-103.2	101
		4-14-67	75.0	-60.3	101			6-01-67	135.2	-104.4	061
		7-13-67	72.0	-57.3				7-01-67	138.2	-107.4	
05S/13W-02J065	15.0	5-02-67	69.1	-54.1	101			8-01-67	138.2	-107.4	
05S/13W-02K025	22.7	11-14-66	43.9	-21.2	101			8-02-67	140.0(5)	-109.2	101
		5-01-67	41.8	-19.1				9-01-67	139.2	-108.4	061
05S/13W-02K055	22.7	11-14-66	60.6	-37.9	101	05S/13W-08P015	9.3	10-27-66	31.8	-22.5	101
05S/13W-03C015	-11.8	11-15-66	35.3	-47.1	101			11-17-66	21.5	-12.2	
		4-14-67	37.3	-49.1				4-13-67	22.9	-13.6	
		5-01-67	18.3	-30.1		05S/13W-09B025	5.3	10-27-66	28.7	-23.4	101
05S/13W-03C085	-5.6	3-28-67	38.2	-43.8	050			11-17-66	26.4	-21.1	
		4-05-67	37.7	-43.3				3-28-67	28.1	-22.8	050
05S/13W-03D035	-6.0	4-14-67	24.8	-30.8	101			4-13-67	30.7	-25.4	101
05S/13W-03D075	-5.6	11-15-66	39.6	-45.2	101	05S/13W-11G025	14.1	11-15-66	62.9	-48.8	101
		3-08-67	40.7	-46.3				3-03-67	70.3	-56.2	
		4-14-67	41.5	-47.1				4-13-67	76.8	-62.7	
		8-09-67	42.3	-47.9				9-01-67	80.3	-66.2	
05S/13W-03E015	-5.9	5-02-67	30.0	-35.9	101	05S/13W-11H025	21.4	5-02-67	92.8	-71.4	101
05S/13W-03F015	-10.7	11-15-66	34.2	-44.9	101	05S/13W-11N025	12.8	11-29-66	11.9	.9	101
		11-29-66	21.0	-31.7				5-02-67	14.9	-2.1	
		4-14-67	36.1	-46.8		05S/13W-11C035	8.7	11-29-66	20.6	-11.9	101
05S/13W-03L015	11.6	3-28-67	21.5	-9.9	050			5-02-67	29.1	-20.4	
05S/13W-03P145	-10.0	5-02-67	35.2	-45.2	101	05S/13W-11G015	13.6	11-15-66	40.9	-27.3	101
								1-13-67	40.0	-26.4	
								4-13-67	40.2	-26.6	
								7-12-67	41.0	-27.4	
						SANTA MONICA HYDRO SUBAREA					
						U-05.A3					
						01S/15W-23J015	308.3	10-31-66	FLOW		101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
SANTA MONICA HYDRO SUBAREA			U-05.A3			SANTA MONICA HYDRO SUBAREA			U-05.A3		
01S/16W-36K015	265.0	11-15-66 4-26-67	100.8 98.7	164.2 166.3	101	02S/15W-11F08S (CONT.)	92.5	11-04-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 4-11-67 5-01-67 6-01-67 7-01-67 8-15-67 9-15-67	142.9 138.0(5) 139.0(5) 143.0(5) 138.0(5) 140.0(5) 130.9 141.0(5) 141.0(5) 138.0(5) 150.2 150.0(5)	-50.4 -45.5 -46.5 -50.5 -45.5 -47.5 -38.4 -48.5 -48.5 -45.5 -57.7 -57.5	101
01S/15W-23J015	308.3	4-10-67	FLOW		101	02S/15W-11J015	54.0	10-31-66 4-11-67	90.1 89.8	-36.1 -35.8	101
01S/15W-25C015	225.0	10-31-66 11-01-66 11-14-66 11-21-66 4-10-67	(3) (3) (3) 187.3 187.9(3)		101	02S/15W-11J03S	54.0	12-28-66	(0)		101
01S/15W-25K02S	193.3	10-31-66 11-01-66 4-10-67	(3) 118.9 118.8	74.4 74.5	101	02S/15W-11J05S	56.0	12-28-66	(0)		101
01S/15W-29G015	353.0	10-31-66 4-12-67	71.4 70.2	281.6 282.8	101	02S/15W-12B03S	76.0	11-01-66 4-14-67	67.3 65.2	8.7 10.8	101
01S/15W-30M015	324.0	10-31-66 4-12-67	65.6 47.9	258.4 276.1	101	02S/15W-12J02S	66.5	3-28-67 10-19-67	72.1 69.6	-5.6 -3.1	050
01S/15W-32A015	244.0	10-31-66 4-12-67	64.0(2) 61.9(2)	180.0 182.1	101	02S/15W-14Q02S	28.3	11-14-66 3-28-67 4-14-67	30.5(4) 29.1 29.0	-2.2 -.8 -.7	101 050 101
01S/15W-32A02S	240.0	10-31-66 4-12-67	86.0(2) 46.6(2)	154.0 193.4	101	02S/15W-15F01S	34.0	10-03-66 11-04-66 12-12-66 1-03-67 2-06-67 3-01-67 4-12-67 5-02-67 6-05-67 7-03-67 8-01-67 9-05-67	29.3 29.4 29.2 29.2 29.1 29.1 29.0 29.0 29.0 28.9 29.0 29.0	4.7 4.6 4.8 4.8 4.9 4.9 5.0 5.0 5.0 5.1 5.0 5.0	101
02S/14W-07N015	57.0	11-01-66 4-14-67	77.4 76.7	-20.4 -19.7	101	02S/15W-22A05S	21.0	3-28-67	20.8	.2	050
02S/14W-07P02S	54.5	11-01-66 4-14-67	69.5 68.9	-15.0 -14.4	101	02S/15W-22A07S	15.0	4-14-67	13.9	1.1	101
02S/14W-19C015	40.7	11-14-66 4-18-67	84.8 79.2	-44.1 -38.5	101	02S/15W-22B08S	23.0	11-09-66 3-28-67 4-14-67	22.4 22.4 22.3	.6 .6 .7	101 050 101
02S/14W-19C02S	48.5	11-14-66 3-27-67 4-18-67	91.2 88.4 88.0	-42.7 -39.9 -39.5	101 050 101	02S/15W-22B09S	20.0	11-09-66 4-14-67	20.7 20.8	-.7 -.8	101
02S/15W-01P02S	83.7	10-03-66 11-04-66 12-12-66 1-03-67 2-06-67 3-01-67 4-12-67 5-02-67 6-05-67 7-03-67 8-01-67 9-05-67	67.2 67.3 67.3 67.4 67.3 67.3 67.2 67.1 67.7 66.7 66.8 66.7	16.5 16.4 16.4 16.3 16.4 16.4 16.5 16.6 16.0 17.0 16.9 17.0	101	02S/15W-22E03S	10.0	3-28-67	8.0	2.0	050
02S/15W-08M03S	104.6	10-31-66 4-12-67	DRY DRY		101	02S/15W-22E04S	10.0	3-28-67	8.1	1.9	050
02S/15W-11C07S	99.0	10-03-66 11-04-66 12-12-66 1-03-67 2-06-67 3-01-67 4-12-67 5-02-67 6-05-67 7-03-67 8-01-67 9-05-67	143.6 150.6 147.0 148.0 149.9 150.4 146.8 151.4 153.5 153.1 161.9 161.3	-44.6 -51.6 -48.0 -49.0 -50.9 -51.4 -47.8 -52.4 -54.5 -54.1 -62.9 -62.3	101	02S/15W-22E05S	10.0	3-28-67	8.5	1.5	050
02S/15W-11E05S	93.0	10-15-66 11-07-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-15-67 9-15-67	137.3(5) 136.3(5) 137.3(5) 135.3(5) 140.3(5) 140.3(5) 139.3(5) 139.3(5) 137.3(5) 138.3(5) 143.3(5) 143.3(5)	-44.3 -43.3 -44.3 -42.3 -47.3 -47.3 -46.3 -46.3 -44.3 -45.3 -50.3 -50.3	101	02S/15W-22G01S	10.5	11-09-66 4-14-67	7.2 7.4	3.3 3.1	101
02S/15W-11F05S	91.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-15-67 9-15-67	135.5(5) 138.5(5) 137.5(5) 136.5(5) 142.5(5) 142.5(5) 139.5(5) 140.5(5) 138.5(5) 150.0 148.5(5)	-44.5 -47.5 -46.5 -45.5 -51.5 -51.5 -48.5 -49.5 -47.5 -59.0 -57.5	101	02S/15W-22R03S	10.8	3-28-67 9-29-67	13.1 10.1	-2.3 .7	050 101
02S/15W-11F08S	92.5	10-01-66 11-01-66	136.0(5) 137.0(5)	-43.5 -44.5	101	02S/15W-23A02S	16.7	11-14-66 4-19-67	18.4(2) 17.8	-1.7 -1.1	101
						02S/15W-23A03S	17.4	11-14-66 4-19-67	19.5 18.4	-2.1 -1.0	101
						02S/15W-23C01S	20.6	11-09-66 4-14-67	21.1 20.8	-.5 -.2	101
						02S/15W-23C05S	20.0	11-09-66 4-14-67	21.0 21.6	-1.0 -1.6	101
						02S/15W-23C07S	16.5	11-09-66	(6)		101
						02S/15W-23G04S	15.5	11-14-66 4-19-67	16.1 15.7	-.6 -.2	101
						02S/15W-23J07S	14.5	11-14-66 4-19-67	18.4 17.9	-3.9 -3.4	101
						02S/15W-23M05S	10.0	11-09-66 4-14-67	7.8 7.1	2.2 2.9	101
						02S/15W-23N01S	9.3	11-09-66 3-28-67 4-19-67 5-02-67	8.9 8.8 9.0 8.7	.4 .5 .3 .6	101 050 101
						02S/15W-23P01S	10.5	3-28-67	15.5	-5.0	050
						02S/15W-23Q03S	10.0	3-28-67 4-07-67	(6) (6)		050

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
SANTA MONICA HYDRO SUBAREA			U-05.A3			HOLLYWOOD HYDRO SUBAREA			U-05.A4		
025/15W-23Q045	10.6	11-09-66 4-19-67	12.9 12.5	-2.3 -1.9	101	015/15W-12N025	465.0	11-17-66 1-04-67 2-28-67 3-27-67 4-27-67 9-11-67	73.5(5) 73.5(5) 63.5(5) 65.5(5) 63.5(5) 64.5(5)	391.5 391.5 401.5 399.5 401.5 400.5	101
025/15W-23R015	11.3	11-09-66 4-19-67	14.4 13.9	-3.1 -2.6	101	CENTRAL HYDRO SUBAREA					
025/15W-26R015	143.0	3-28-67 4-04-67	151.7 146.8	-8.7 -3.8	050	U-05.A5					
025/15W-27L015	2.2	3-28-67 9-29-67	.1 .0	2.1 2.2	050 101	015/12W-06H015	569.2	10-03-66 11-02-66 12-13-66 1-03-67 2-08-67 3-01-67 4-17-67 5-10-67 6-06-67 6-20-67 7-05-67 8-01-67 9-05-67	(1) 25.9 27.2 24.4 23.6 23.5 24.0 22.9 (1) 23.6 (1) 23.8 24.0	543.3 542.0 544.8 545.6 545.7 545.2 546.3 545.6 545.4 545.2	101
025/15W-27L025	3.0	3-28-67	1.1	1.9	050	015/12W-33P025	255.5	10-31-66 2-28-67 4-30-67 5-31-67 6-30-67 8-31-67	303.0 301.0 302.0 298.0 295.0 299.0	-47.5 -45.5 -46.5 -42.5 -39.5 -43.5	101
025/15W-28J015	10.0	11-09-66 4-17-67	7.5 8.1	2.5 1.9	101	015/13W-12K015	180.0	11-02-66 4-11-67	227.9 218.8	-47.9 -38.8	101
025/15W-28Q015	10.0	11-09-66 4-17-67 9-29-67	8.6 8.1 5.7	1.4 1.9 4.3	101	015/13W-15H015	352.3	10-25-66 11-23-66 12-27-66 1-25-67 2-17-67 3-21-67 4-25-67 5-24-67 6-20-67 7-26-67 8-30-67 9-28-67	51.5 51.6 51.7 51.3 51.0 50.7 50.6 50.6 50.6 50.8 50.9	300.8 300.7 300.6 301.0 301.3 301.6 301.6 301.7 301.7 301.5 301.4	200
025/15W-28R015	5.0	11-09-66 4-17-67	3.1 2.7	1.9 2.3	101	015/13W-15R025	321.3	10-25-66 11-23-66 12-21-66 1-25-67 2-17-67 3-21-67 4-25-67 5-26-67 6-20-67 7-26-67 9-29-67	31.5 31.5 31.5 31.3 31.3 31.2 31.2 (7) (7) (7) 31.4	289.8 289.8 289.8 290.0 290.0 290.1 290.1 289.9	200
025/15W-28R025	10.1	11-09-66 4-17-67	7.3 7.4	2.8 2.7	101	015/13W-15R035	322.1	10-25-66 11-23-66 12-21-66 1-25-67 2-17-67 3-21-67 4-25-67 6-20-67 7-26-67 8-30-67 9-28-67	28.7 28.6 28.5 28.4 28.3 28.1 28.0 27.9 28.0 28.0 28.1	293.4 293.5 293.6 293.7 293.8 294.0 294.1 294.2 294.1 294.1 294.0	200
HOLLYWOOD HYDRO SUBAREA			U-05.A4			015/13W-22R015	296.3	10-04-66 11-28-66 12-16-66 1-06-67 2-06-67 3-08-67 4-10-67 5-09-67 7-05-67 8-02-67 9-05-67	34.4 34.3 34.3 34.3 33.8 33.8 34.2 33.9 33.8 34.1 34.2	261.9 262.0 262.0 262.0 262.5 262.5 262.1 262.4 262.5 262.2 262.1	101
015/14W-10N015	289.0	10-03-66 11-04-66 12-12-66 1-03-67 2-06-67 3-01-67 4-10-67 5-02-67 6-05-67 7-03-67 8-01-67 9-05-67	22.0 22.1 20.7 20.8 20.3 20.4 20.3 19.9 20.3 20.6 20.8 21.0	267.0 266.9 268.3 268.2 268.7 268.6 268.7 269.1 268.7 268.4 268.2 268.0	101	015/14W-14E015	280.0	11-01-66 4-10-67 9-08-67	20.1 (7) 19.2	259.9 260.8	101
015/14W-14E025	280.0	11-01-66 4-10-67	21.5 (7)	258.5	101	015/14W-17E025	188.0	11-17-66 1-04-67 2-28-67 3-27-67 4-27-67 9-11-67	171.0(5) 168.0(5) 170.0(5) 169.0(5) 168.0(5) 168.0(5)	17.0 20.0 18.0 19.0 20.0 20.0	101
015/14W-17E035	188.0	2-28-67 3-27-67 4-27-67 9-11-67	245.5(5) 235.5(5) 234.5(5) 237.5(5)	-57.5 -47.5 -46.5 -49.5	101	015/14W-18A015	300.0	11-01-66	FLOW		101
015/14W-18H025	190.0	11-17-66 1-04-67 2-28-67 3-27-67 4-27-67 9-11-67	195.0(5) 195.0(5) 200.0(5) 199.0(5) 202.0(5) 202.0(5)	-5.0 -5.0 -10.0 -9.0 -12.0 -12.0	101	015/14W-18J015	177.0	10-31-66 11-01-66 4-10-67	(9) 131.9 131.8	45.1 45.2	101
015/14W-18J025	178.0	11-17-66 1-04-67 2-28-67 3-27-67 4-27-67 9-11-67	193.5(5) 200.5(5) 198.5(5) 207.5(5) 206.5(5) 215.5(5)	-15.5 -22.5 -20.5 -29.5 -28.5 -37.5	101	015/14W-18J045	182.5	11-17-66 1-04-67 3-27-67 4-27-67 9-11-67	192.5(5) 189.5(5) 199.5(5) 216.5(5) 225.5(5)	-10.0 -7.0 -17.0 -34.0 -43.0	101
015/14W-18K015	190.0	12-18-66 4-27-67	(7) (0)		101	015/13W-23N015	301.0	11-01-66 4-10-67	26.8 23.5	274.2 277.5	101
015/14W-19D045	235.0	1-04-67	270.0(5)	-35.0	101	015/13W-27G015	282.5	2-09-67 8-17-67	(0) (0)		101 200
015/14W-19D055	230.0	11-17-66 1-04-67 9-11-67	261.0(5) 259.0(5) 224.0(5)	-31.0 -29.0 6.0	101	015/13W-27Q025	268.0	11-01-66 4-10-67	52.8 52.2	215.2 215.8	101
						015/13W-32F015	233.0	11-04-66 4-14-67	148.8 148.7	84.2 84.3	101
						015/13W-32J015	242.3	11-09-66	74.7	167.6	101

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5		
01S/13W-32J015 (CONT.)	242.3	4-10-67	77.3	165.0	101	02S/11W-06G025 (CONT.)	207.0	11-28-66 12-28-66 1-23-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67	12.9 13.8 12.2 11.8 11.4 11.1 11.2 11.8 11.6	194.1 193.2 194.8 195.2 195.6 195.9 195.8 195.2 195.4	733 101 733
01S/13W-33A015	250.0	11-01-66 4-10-67	102.9 101.1	147.1 148.9	101						
01S/13W-35F015	523.8	10-25-66 11-23-66 12-20-66 1-26-67 2-17-67 3-21-67 4-25-67 5-24-67 6-20-67 7-21-67 8-29-67 9-27-67	4.0 5.2 3.3 2.7 2.9 2.5 1.8 2.8 2.3 3.7 3.3 3.4	519.8 518.6 520.5 521.1 520.9 521.3 522.0 521.0 521.5 520.1 520.5 520.4	200	02S/11W-06K015	196.0	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 7-24-67 8-28-67	(9) (9) (9) (9) (9) (9) (9) (9) (9)		101
01S/14W-19J045	159.0	11-17-66 1-04-67 2-28-67 3-27-67 4-27-67 9-11-67	172.5(5) 173.5(5) 178.5(5) 179.5(5) 180.5(5) 186.5(5)	-13.5 -14.5 -19.5 -20.5 -21.5 -27.5	101	02S/11W-06Q015	195.1	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	12.7 12.0 9.9 8.8 10.6 10.5 9.6 9.8 10.1 12.8 9.7 11.2	182.4 183.1 185.2 186.3 184.5 184.6 185.5 185.3 185.0 182.3 185.4 183.9	101
01S/14W-19R055	152.0	11-17-66 1-04-67 2-28-67 3-27-67 4-27-67 9-11-67	164.0(5) 164.0(5) 168.0(5) 163.0(5) 165.0(5) 171.0(5)	-12.0 -12.0 -16.0 -11.0 -13.0 -19.0	101						
01S/14W-20M025	145.0	11-21-66 4-14-67 6-16-67 7-19-67	151.5 151.5 150.4(3) 149.9(3)	-6.5 -6.5 -5.4 -4.9	101	02S/11W-06R025	200.5	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	14.7 14.2 12.9 11.7 12.7 12.7 12.2 12.4 12.5 12.4 13.0 13.8	185.8 186.3 187.6 188.8 187.8 187.8 188.3 188.1 188.0 188.1 187.5 186.7	101
01S/14W-29Q025	129.7	10-03-66 11-04-66 12-12-66 1-03-67 2-06-67 3-01-67 4-10-67 5-02-67 6-05-67 7-03-67 8-01-67 9-05-67	155.4 155.3 155.8 155.5 155.9 155.5 155.9 156.1 155.7 156.3 157.0 158.4	-25.7 -25.6 -26.1 -25.8 -26.2 -25.8 -26.2 -26.4 -26.0 -26.6 -27.3 -28.7	101	02S/11W-078015	196.0	7-24-67 9-25-67	14.2 15.7	181.8 180.3	733
01S/14W-29D035	127.0	12-18-66	(9)		101	02S/11W-078035	197.5	10-25-66 11-15-66 12-19-66 3-20-67 4-19-67 5-19-67 6-15-67 7-19-67 8-16-67 9-19-67	15.0 19.0 16.0 13.0 13.0 14.0 14.0 15.0 15.0 16.0	182.5 178.5 181.5 184.5 184.5 183.5 183.5 182.5 182.5 181.5	101
01S/14W-30G015	151.2	10-31-66 4-10-67	24.4 21.5	126.8 129.7	101	02S/11W-078055	198.0	10-25-66 11-15-66 12-19-66 1-20-67 2-23-67 3-20-67 4-19-67 5-19-67 6-15-67 7-19-67 8-16-67 9-19-67	22.0 23.0 22.0 21.0 20.0 20.0 20.0 20.0 22.0 23.0 23.0	176.0 175.0 176.0 177.0 178.0 178.0 178.0 178.0 176.0 175.0 175.0	101
01S/14W-32Q015	98.6	4-10-67	74.8	23.8	101	02S/11W-07C045	188.8	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	10.7 9.9 7.1 6.1 8.8 8.6 7.1 6.9 7.7 8.8 6.9 9.5	178.1 178.9 181.7 182.7 180.0 180.2 181.7 181.9 181.1 180.0 181.9 179.3	101
01S/14W-32K025	91.0	11-17-66 1-04-67 2-28-67 3-27-67 4-27-67 9-11-67	88.0(5) 134.0(1) 135.0(1) 134.0(1) 87.0(5) 124.0(5)	3.0 -43.0 -44.0 -43.0 4.0 -33.0	101	02S/11W-07D025	193.0	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	21.4 20.4 18.7 18.3 19.2 19.7 18.7 17.8 18.6 19.8 19.6 22.0	171.6 172.6 174.3 174.7 173.8 173.3 174.3 175.2 174.4 173.2 173.4 171.0	101
01S/14W-32L015	91.5	10-03-66 11-04-66 12-12-66 1-03-67 2-06-67 3-01-67 4-10-67 5-02-67 6-05-67 7-03-67 8-01-67 9-05-67	37.7 37.9 37.9 37.9 37.7 37.7 37.4 37.3 37.2 37.3 37.4 37.5	53.8 53.6 53.6 53.6 53.8 53.8 54.1 54.2 54.3 54.2 54.1 54.0	101						
01S/14W-32M055	88.0	11-17-66 1-04-67 2-28-67 3-27-67 4-27-67 9-11-67	185.4(5) 170.4(5) 192.4(5) 191.4(5) 189.4(5) 209.4(5)	-97.4 -82.4 -104.4 -103.4 -101.4 -121.4	101						
01S/14W-32M065	90.0	11-19-66 1-04-67 2-28-67 3-27-67 4-27-67 9-11-67	156.0(5) 173.0(5) 191.0(5) 189.0(5) 189.0(5) 202.0(5)	-66.0 -83.0 -101.0 -99.0 -99.0 -112.0	101						
01S/15W-33C015	225.0	10-31-66 4-12-67	FLOW FLOW		101.						
01S/15W-33Q055	160.0	10-31-66	(4)		101						
02S/11W-06G025	207.0	10-24-66	14.3'	192.7	733						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0	U-05.A5		COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0	U-05.A5	
02S/11W-07D045	187.6	10-24-66	11.4	176.2	101	02S/11W-07P025	185.0	10-24-66	22.1	162.9	733
		11-28-66	10.1	177.5				11-28-66	21.4	163.6	
		12-27-66	7.9	179.7				12-28-66	19.9	165.1	101
		1-30-67	6.8	180.8				1-23-67	20.1	164.9	733
		2-27-67	9.7	177.9				2-27-67	19.7	165.3	
		3-27-67	9.6	178.0				3-27-67	20.1	164.9	
		4-24-67	7.8	179.8				4-24-67	19.3	165.7	
		5-22-67	6.9	180.7				5-22-67	19.4	165.6	
		6-26-67	8.0	179.6				6-26-67	18.8	166.2	
		7-24-67	9.6	178.0				7-24-67	21.8	163.2	
		8-28-67	7.0	180.6				9-25-67	26.7	158.3	
		9-25-67	10.4	177.2							
02S/11W-07D075	186.0	10-24-66	10.3	175.7	101	02S/11W-07R015	183.5	10-24-66	13.9	169.6	101
		11-28-66	9.1	176.9				11-28-66	13.2	170.3	
		12-27-66	7.0	179.0				12-27-66	12.2	171.3	
		1-30-67	6.0	180.0				1-30-67	11.5	172.0	
		2-27-67	8.8	177.2				2-27-67	11.8	171.7	
		3-27-67	8.8	177.2				3-27-67	12.0	171.5	
		4-24-67	7.1	178.9				4-24-67	11.2	172.3	
		5-22-67	5.7	180.3				5-16-67	8.9	174.6	
		6-26-67	7.0	179.0				5-22-67	9.1	174.4	
		7-24-67	8.8	177.2				5-31-67	9.4	174.1	
		8-28-67	5.9	180.1				6-05-67	9.7	173.8	
		9-25-67	9.0	177.0				6-12-67	10.1	173.4	
								6-19-67	10.2	173.3	
								6-26-67	10.2	173.3	
02S/11W-07D085	191.1	10-24-66	14.2	176.9	101			7-05-67	12.7	170.8	
		11-28-66	13.2	177.9				7-10-67	13.4	170.1	
		12-27-66	10.1	181.0				7-17-67	14.7	168.8	
		1-30-67	9.1	182.0				7-24-67	15.4	168.1	
		2-27-67	12.0	179.1				7-31-67	16.1	167.4	
		3-27-67	11.9	179.2				8-07-67	16.7	166.8	
		4-24-67	10.1	181.0				8-14-67	17.5	166.0	
		5-22-67	9.6	181.5				8-21-67	18.5	165.0	
		6-26-67	10.5	180.6				8-28-67	19.1	164.4	
		7-24-67	12.0	179.1				9-06-67	19.7	163.8	
		8-28-67	9.6	181.5				9-12-67	21.4	162.1	
		9-25-67	12.1	179.0				9-18-67	21.3	162.2	
								9-25-67	21.5	162.0	
02S/11W-07H015	193.1	10-10-66	16.4	176.7	101	02S/11W-08N015	202.0	10-24-66	26.1	175.9	733
		10-24-66	16.1	177.0				11-28-66	26.0	176.0	
		11-28-66	15.7	177.4				12-28-66	25.3	176.7	101
		12-27-66	14.9	178.2				1-23-67	24.8	177.2	733
		2-14-67	14.4	178.7				2-27-67	24.8	177.2	
		2-27-67	14.6	178.5				3-27-67	24.4	177.6	
		3-06-67	15.2	177.9				4-24-67	23.2	178.8	
		3-27-67	14.6	178.5				5-22-67	23.3	178.7	
		4-20-67	14.9	178.2				6-26-67	26.0	176.0	412
		4-24-67	14.2	178.9				7-24-67	28.2	173.8	733
		5-15-67	12.8	180.3				9-25-67	33.0	169.0	
		5-22-67	14.5	178.6							
		6-12-67	14.4	178.7							
		6-26-67	14.5	178.6							
		7-12-67	15.4	177.7		02S/11W-18B025	185.0	10-24-66	20.0	165.0	733
		7-24-67	16.6	176.5				11-28-66	19.8	165.2	
		8-13-67	18.2	174.9				12-28-66	23.0	162.0	101
		8-28-67	18.6	174.5				1-23-67	19.6	165.4	733
		9-11-67	19.9	173.2				2-27-67	18.7	166.3	
		9-25-67	20.4	172.7				3-27-67	17.6	167.4	
								4-24-67	16.2	168.8	
								5-22-67	16.4	168.6	
02S/11W-07J015	187.0	10-03-66	7.5	179.5	101			6-26-67	21.6	163.4	
		11-07-66	10.5	176.5				7-24-67	23.4	161.6	
		12-05-66	10.5	176.5				9-25-67	22.6	162.4	
		1-03-67	6.5	180.5							
		2-13-67	10.5	176.5		02S/11W-18B055	178.0	10-31-66	23.4	154.6	101
		3-20-67	9.5	177.5				11-31-66	24.1	153.9	
		4-10-67	8.5	178.5				12-31-66	25.6	152.4	
		5-15-67	9.5	177.5				1-31-67	20.6	157.4	
		6-12-67	9.5	177.5				2-28-67	21.0	157.0	
		7-17-67	8.5	178.5				3-31-67	21.1	156.9	
		8-21-67	8.5	178.5				4-28-67	21.4	156.6	
		9-18-67	10.5	176.5				5-31-67	19.0	159.0	
								6-30-67	24.0	154.0	
02S/11W-07M045	186.0	10-31-66	25.2	160.8	101			7-31-67	28.0	150.0	
		11-31-66	25.3	160.7				8-31-67	31.0	147.0	
		12-31-66	24.4	161.6							
		1-31-67	25.5	160.5		02S/11W-18C035	180.5	10-31-66	29.9	150.6	101
		2-28-67	19.9	166.1				11-31-66	30.9	149.6	
		3-31-67	24.3	161.7				12-31-66	32.4	148.1	
		4-28-67	22.6	163.4				1-31-67	27.0	153.5	
		5-31-67	22.4	163.6				2-28-67	27.3	153.2	
		6-30-67	23.4	162.6				3-31-67	27.3	153.2	
		7-31-67	27.1	158.9				4-28-67	25.9	154.6	
		8-31-67	31.7	154.3				5-31-67	25.9	154.6	
								6-30-67	29.5	151.0	
02S/11W-07P015	184.5	10-24-66	23.4	161.1	101			7-31-67	348.8	168.3	
		11-28-66	22.3	162.2				8-31-67	27.6	152.9	
		12-27-66	21.1	163.4							
		1-30-67	20.6	163.9		02S/11W-18H015	211.5	10-24-66	55.1	156.4	101
		2-27-67	20.2	164.3				11-29-66	53.9	157.6	
		3-27-67	20.4	164.1				12-27-66	52.3	159.2	
		4-24-67	20.1	164.4				1-30-67	52.0	159.5	
		5-22-67	19.3	165.2				2-27-67	51.7	159.8	
		6-26-67	19.5	165.0				3-27-67	52.3	159.2	
		7-24-67	22.0	162.5				4-24-67	51.2	160.3	
		8-28-67	26.2	158.3				5-22-67	53.7	157.8	
		9-25-67	27.1	157.4				6-26-67	54.7	156.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/11W-18H015 (CONT.)	211.5	7-24-67 8-29-67 9-25-67	57.2 61.0 62.3	154.3 150.5 149.2	101	02S/12W-01J015 (CONT.)	193.8	4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	13.4 12.9 13.7 15.3 11.8 14.5	180.4 180.9 180.1 178.5 182.0 179.3	101
02S/11W-19H015	170.0	10-24-66 11-28-66 12-28-66 1-23-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 9-25-67	30.9 25.6 23.5 23.5 22.1 20.9 21.5 20.9 24.0 27.1 33.6	139.1 144.4 146.5 146.5 147.9 149.1 148.5 149.1 146.0 142.9 136.4	733 101 733	02S/12W-01M015	297.0	10-06-66 11-09-66 4-18-67	(1) 56.3 46.7(8)	 240.7 250.3	101
02S/11W-19J025	166.2	10-24-66 11-29-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-29-67 9-25-67	32.6 30.3 28.6 29.7 26.7 28.3 27.0 29.3 29.9 31.9 34.8 36.1	133.6 135.9 137.6 136.5 139.5 137.9 139.2 136.9 136.3 134.3 131.4 130.1	101	02S/12W-01P025	203.0	10-25-66 11-29-66 12-27-66 1-31-67 2-28-67 3-28-67 4-25-67 5-22-67 6-27-67 7-24-67 8-28-67	40.3 36.6 35.4 34.9 (2) 36.5 35.4 34.1 34.2 37.7 35.5	162.7 166.4 167.6 168.1 166.5 167.6 168.9 168.8 165.3 167.5	101
02S/11W-29E015	150.5	10-20-66 11-14-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-30-67 9-30-67	50.2(5) 47.2(5) 46.2(5) 44.2(5) 43.2(5) 43.2(5) 41.2(5) 41.2(5) 43.2(5) 49.2(5) 53.2(5) 51.2(5)	100.3 103.3 104.3 106.3 107.3 107.3 109.3 109.3 107.3 101.3 97.3 99.3	101	02S/12W-01P035	218.0	10-04-66 11-01-66 11-29-66 1-31-67 2-28-67 4-04-67 5-02-67 5-31-67 7-05-67 8-01-67 9-05-67	68.0(5) 68.0(5) 67.0(5) 33.0(5) 44.0(5) 41.0(5) 44.0(5) 40.0(5) 42.6(5) 63.0(5) 72.0(5)	150.0 150.0 151.0 185.0 174.0 177.0 174.0 178.0 175.4 155.0 146.0	101
02S/11W-29L015	153.0	10-24-66 11-29-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-29-67 9-28-67	28.6 27.5 27.0 25.7 25.0 25.8 26.1 26.1 27.0 (7) (9) (5)	124.4 125.5 126.0 127.3 128.0 127.2 126.9 126.9 126.0 	101	02S/12W-01R015	186.0	10-10-66 10-24-66 11-28-66 12-27-66 1-09-67 1-30-67 2-14-67 2-27-67 3-06-67 3-27-67 4-20-67 4-24-67 5-15-67 5-22-67 6-12-67 6-26-67 7-12-67 7-24-67 8-13-67 8-28-67 9-11-67 9-25-67	7.3 8.7 7.7 6.0 8.9 5.2 6.6 7.7 8.0 7.8 6.4 8.3 3.3 5.2 5.3 6.3 7.4 7.7 7.6 4.6 6.4 7.0	178.7 177.3 178.3 180.0 177.1 180.8 179.4 178.3 178.0 178.2 179.6 177.7 182.7 180.8 180.7 179.7 178.6 178.3 178.4 181.4 179.6 179.0	101
02S/11W-32J045	144.0	11-02-66 4-17-67	33.3 28.5	110.7 115.5	101	02S/12W-01R025	186.6	10-25-66 11-15-66 12-19-66 1-20-67 2-23-67 3-20-67 4-19-67 5-19-67 6-15-67 7-19-67 8-16-67 9-19-67	12.0(5) 11.0(5) 10.0(5) 12.0(5) 12.0(5) 12.0(5) 11.0(5) 10.0(5) 10.0(5) 12.0(5) 10.0(5) 11.0(5)	174.6 175.6 176.6 174.6 174.6 174.6 175.6 176.6 176.6 174.6 176.6 175.6	101
02S/11W-32M015	151.0	11-02-66 4-17-67	DRY DRY		101	02S/12W-01R065	189.0	10-25-66 11-15-66 12-19-66 1-20-67 2-23-67 3-20-67 4-19-67 5-19-67 6-15-67 7-19-67 8-16-67 9-19-67	16.6(5) 15.6(5) 14.6(5) 15.6(5) 15.6(5) 16.6(5) 14.6(5) 13.6(5) 13.6(5) 15.6(5) 14.6(5) 16.6(5)	172.4 173.4 174.4 173.4 173.4 172.4 174.4 175.4 175.4 173.4 174.4 172.4	101
02S/11W-32R035	153.0	11-02-66 4-17-67	54.3 60.9	98.7 92.1	101	02S/12W-01R075	186.3	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	7.8 6.7 4.1 2.2 7.1 6.8 .1 2.0 5.1 6.4 1.6 5.3	178.5 179.6 182.2 184.1 179.2 179.5 186.2 184.3 181.2 179.9 184.7 181.0	101
02S/11W-33E025	148.0	10-13-66 11-03-66 11-24-66 12-15-66 1-05-67 1-26-67 2-16-67 3-09-67 3-30-67 4-20-67 5-11-67 6-01-67 6-22-67 7-13-67 8-03-67 9-14-67	35.6 32.2 31.4 31.0 30.2 30.1 29.5 29.2 29.0 28.5 28.2 28.1 29.7 30.8 31.3 32.0	112.4 115.8 116.6 117.0 117.8 117.9 118.5 118.8 119.0 119.5 119.8 119.9 118.3 117.2 116.7 116.0	733	02S/12W-01R095	188.4	10-24-66	12.4	176.0	101
02S/11W-33M015	140.3	12-08-66 2-22-67 5-02-67 7-17-67 9-19-67	82.5(5) 79.5(5) 77.0(5) 80.5 79.5	57.8 60.8 63.3 59.8 60.8	101						
02S/11W-35R015	255.0	10-27-66 4-26-67 7-18-67 9-19-67	218.0(5) 213.0(5) 217.0 216.0	37.0 42.0 38.0 39.0	101						
02S/12W-01J015	193.8	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67	16.7 15.5 15.1 12.7 15.2 15.4	177.1 178.3 178.7 181.1 178.6 178.4	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
02S/12W-01R09S (CONT.)	188.4	11-28-66	10.0	178.4	101	02S/12W-06K07S (CONT.)	210.0	4-10-67	222.8	-12.8	101
		12-27-66	9.4	179.0							
		1-30-67	8.5	179.9							
		2-27-67	11.3	177.1		02S/12W-06M01S	224.9	10-31-66	263.0	-38.1	101
		3-27-67	11.2	177.2				11-30-66	259.0	-34.1	
		4-24-67	9.4	179.0				1-31-67	257.0	-32.1	
		5-22-67	8.0	180.4				2-28-67	254.0	-29.1	
		6-26-67	9.4	179.0				3-31-67	253.0	-28.1	
		7-24-67	11.1	177.3				4-30-67	252.0	-27.1	
		8-28-67	7.9	180.5				5-31-67	252.0	-27.1	
		9-25-67	10.6	177.8				6-30-67	252.0	-27.1	
02S/12W-03C01S	246.0	11-01-66	(3)		101			7-31-67	253.0	-28.1	
		4-10-67	(3)					8-31-67	253.0	-28.1	
02S/12W-04C01S	245.8	10-31-66	290.0	-44.2	101	02S/12W-06P01S	200.4	10-31-66	269.0	-68.6	101
		11-30-66	288.0	-42.2				11-30-66	265.0	-64.6	
		1-31-67	290.0	-44.2				2-28-67	252.0	-51.6	
		2-28-67	287.0	-41.2				6-30-67	(7)		
		5-31-67	283.0	-37.2				7-31-67	260.0	-59.6	
		6-30-67	280.0	-34.2		02S/12W-06P02S	205.2	10-31-66	274.0	-68.8	101
02S/12W-04E02S	228.0	10-31-66	244.0	-16.0	101			11-30-66	261.0	-55.8	
		11-30-66	244.0	-16.0				1-31-67	266.0	-60.8	
		1-31-67	240.0	-12.0				2-28-67	265.0	-59.8	
		2-28-67	241.0	-13.0				3-31-67	261.0	-55.8	
		3-31-67	240.0	-12.0				4-30-67	261.0	-55.8	
		4-30-67	239.0	-11.0				5-31-67	265.0	-59.8	
		5-31-67	243.0	-15.0				6-30-67	265.0	-59.8	
		6-30-67	241.0	-13.0				7-31-67	268.0	-62.8	
		7-31-67	243.0	-15.0				8-31-67	259.0	-53.8	
		8-31-67	243.0	-15.0				9-30-67	273.0	-67.8	
		9-30-67	242.0	-14.0		02S/12W-06P03S	196.0	10-31-66	254.0	-58.0	101
02S/12W-04E03S	227.6	10-31-66	203.0	24.6	101			11-30-66	250.0	-54.0	
		11-30-66	203.0	24.6				1-31-67	248.0	-52.0	
		1-31-67	203.0	24.6				2-28-67	238.0	-42.0	
		2-28-67	203.0	24.6				3-31-67	240.0	-44.0	
		3-31-67	203.0	24.6				4-30-67	237.0	-41.0	
		4-30-67	203.0	24.6				5-31-67	248.0	-52.0	
		5-31-67	203.0	24.6				6-30-67	245.0	-49.0	
		6-30-67	203.0	24.6				7-31-67	249.0	-53.0	
		7-31-67	204.0	23.6				8-31-67	242.0	-46.0	
		8-31-67	204.0	23.6				9-30-67	255.0	-59.0	
		9-30-67	202.0	25.6		02S/12W-06P04S	195.0	10-31-66	251.5	-56.5	101
02S/12W-05J01S	203.0	10-31-66	235.3	-32.3	101			1-31-67	246.5	-51.5	
		11-30-66	194.3	8.7				3-28-67	239.5	-44.5	
		2-28-67	232.3	-29.3				3-31-67	239.5	-44.5	
		4-30-67	230.3	-27.3				4-30-67	239.5	-44.5	
		6-30-67	226.3	-23.3				5-31-67	246.5	-51.5	
		8-31-67	232.3	-29.3				6-30-67	245.5	-50.5	
02S/12W-05M01S	196.5	2-28-67	211.5	-15.0	101			7-31-67	251.5	-56.5	
		3-31-67	211.5	-15.0				8-31-67	241.5	-46.5	
		4-30-67	207.5	-11.0				9-30-67	255.5	-60.5	
		5-31-67	205.5	-9.0		02S/12W-07C01S	188.6	12-20-66	(7)		101
		6-30-67	203.5	-7.0				4-30-67	216.0	-27.4	
		7-31-67	205.5	-9.0				6-30-67	215.0	-26.4	
		8-31-67	207.5	-11.0		02S/12W-07C02S	185.8	10-31-66	243.0	-57.2	101
		9-30-67	207.5	-11.0				2-28-67	228.0	-42.2	
02S/12W-05P01S	197.5	1-31-67	210.0	-12.5	101			6-30-67	(7)		
		2-28-67	204.0	-6.5				8-31-67	233.0	-47.2	
		3-31-67	207.0	-9.5		02S/12W-07C03S	193.0	10-31-66	284.9	-91.9	101
		4-30-67	208.0	-10.5				11-30-66	253.9	-60.9	
		5-31-67	207.0	-9.5				1-31-67	245.9	-52.9	
		6-30-67	207.0	-9.5				2-28-67	237.9	-44.9	
		7-31-67	208.0	-10.5				3-31-67	241.9	-48.9	
		8-31-67	208.0	-10.5				4-30-67	238.9	-45.9	
		9-30-67	212.0	-14.5				6-30-67	(7)		
02S/12W-05P02S	196.0	12-20-66	(0)		101			8-31-67	241.9	-48.9	
		2-28-67	224.2	-28.2		02S/12W-07D01S	182.5	10-31-66	(7)		101
		4-30-67	227.2	-31.2				6-30-67	236.0	-53.5	
		5-31-67	225.2	-29.2		02S/12W-07G01S	168.0	10-31-66	211.2	-43.2	101
		6-30-67	225.2	-29.2				2-28-67	203.2	-35.2	
		7-31-67	228.2	-32.2				4-30-67	200.2	-32.2	
		8-31-67	227.2	-31.2				6-30-67	204.2	-36.2	
		9-30-67	229.2	-33.2				8-31-67	208.2	-40.2	
02S/12W-05001S	190.0	10-31-66	219.5	-29.5	101	02S/12W-07H01S	163.3	12-20-66	(0)		101
		11-30-66	206.5	-16.5				4-30-67	189.5	-26.2	
		6-30-67	197.5	-7.5				6-30-67	199.5	-36.2	
02S/12W-06J01S	197.0	10-31-66	(7)		101	02S/12W-07002S	160.4	10-31-66	197.0	-36.6	101
		11-02-66	(1)					11-02-66	(1)		
		2-28-67	224.0	-27.0				11-30-66	190.0	-29.6	
		4-17-67	(1)					1-31-67	197.0	-36.6	
		5-31-67	227.0	-30.0				2-28-67	195.0	-34.6	
		6-30-67	223.0	-26.0				3-31-67	190.0	-29.6	
02S/12W-06K01S	210.0	4-11-67	(4)		101			4-30-67	189.0	-28.6	
02S/12W-06K04S	210.5	11-01-66	218.5	-8.0	101			5-31-67	189.0	-28.6	
		4-11-67	218.6	-8.1				6-30-67	187.0	-26.6	
02S/12W-06K07S	210.0	11-01-66	230.7	-20.7	101			7-31-67	189.0	-28.6	
								8-31-67	194.0	-33.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/12W-07Q02S (CONT.)	160.4	9-30-67	197.0	-36.6	101	02S/12W-10Q02S (CONT.)	187.0	3-27-67	92.9	94.1	733
								4-03-67	92.7	94.3	
								4-10-67	92.2	94.8	
								4-17-67	91.9	95.1	
								4-24-67	91.1	95.9	
								5-01-67	90.9	96.1	
								5-08-67	92.1	94.9	
								5-15-67	90.7	96.3	
								5-22-67	90.7	96.3	
								5-29-67	89.8	97.2	
								6-05-67	90.0	97.0	
								6-12-67	89.9	97.1	
								6-19-67	89.8	97.2	
								6-26-67	90.5	96.5	
								7-03-67	91.2	95.8	
								7-10-67	91.8	95.2	
								7-17-67	92.6	94.4	
								7-24-67	93.5	93.5	
								7-31-67	94.4	92.6	
								8-07-67	95.0	92.0	
								8-14-67	96.1	90.9	
								8-21-67	96.6	90.4	
								8-28-67	96.4	90.6	
								9-04-67	95.9	91.1	
								9-11-67	96.3	90.7	
								9-18-67	95.9	91.1	
								9-25-67	96.1	90.9	
						02S/12W-11R03S	179.0	10-24-66	40.9	138.1	101
								11-28-66	42.2	136.8	
								1-30-67	40.7	138.3	
								2-27-67	(1)		
								3-27-67	(1)		
								4-10-67	39.0	140.0	
								4-25-67	(1)		
								5-22-67	(1)		
								6-26-67	27.2	151.8	
								7-24-67	42.4	136.6	
								8-28-67	(1)		
						02S/12W-12A01S	185.0	10-25-66	15.0(5)	170.0	101
								11-15-66	14.0(5)	171.0	
								12-19-66	13.0(5)	172.0	
								1-20-67	15.0(5)	170.0	
								2-23-67	16.0(5)	169.0	
								3-20-67	13.0(5)	172.0	
								4-19-67	13.0(5)	172.0	
								5-19-67	12.0(5)	173.0	
								6-15-67	13.0(5)	172.0	
								7-19-67	16.0(5)	169.0	
								8-16-67	16.0(5)	169.0	
								9-19-67	17.0(5)	168.0	
						02S/12W-12A03S	185.0	11-01-66	8.2	176.8	101
								4-12-67	7.3	177.7	
						02S/12W-12A05S	186.0	10-25-66	16.0(5)	170.0	101
								11-15-66	16.0(5)	170.0	
								12-19-66	15.0(5)	171.0	
								1-20-67	16.0(5)	170.0	
								2-23-67	15.0(5)	171.0	
								3-20-67	16.0(5)	170.0	
								4-19-67	15.0(5)	171.0	
								5-19-67	14.0(5)	172.0	
								6-15-67	14.0(5)	172.0	
								7-19-67	18.0(5)	168.0	
								8-16-67	18.0(5)	168.0	
								9-19-67	18.0(5)	168.0	
						02S/12W-12A06S	181.0	10-24-66	8.0	173.0	101
								11-28-66	8.4	172.6	
								12-27-66	4.7	176.3	
								1-30-67	4.5	176.5	
								2-27-67	6.6	174.4	
								3-27-67	6.7	174.3	
								4-24-67	5.6	175.4	
								5-22-67	1.6	179.4	
								6-26-67	5.0	176.0	
								7-24-67	6.5	174.5	
								8-28-67	3.8	177.2	
								9-25-67	7.0	174.0	
						02S/12W-12E02S	200.0	10-17-66	54.0(5)	146.0	101
								11-27-66	55.0(5)	145.0	
								12-18-66	51.0(5)	149.0	
								1-20-67	48.0(5)	152.0	
								2-22-67	46.0(5)	154.0	
								3-05-67	51.0(5)	149.0	
								4-14-67	50.0(5)	150.0	
								5-20-67	42.0(5)	158.0	
								6-20-67	48.0(5)	152.0	
								7-19-67	48.0(5)	152.0	
								9-22-67	60.0(5)	140.0	
						02S/12W-12E05S	200.0	10-21-66	73.0(5)	127.0	101
								11-27-66	75.0(5)	125.0	
								12-17-66	71.0(5)	129.0	
								1-15-67	70.0(5)	130.0	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0 CENTRAL HYDRO SUBAREA U-05.A5						COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0 CENTRAL HYDRO SUBAREA U-05.A5					
02S/12W-12E055 (CONT.)	200.0	2-13-67 3-18-67 4-18-67 5-11-67 6-15-67 7-10-67 8-17-67 9-21-67	69.0(5) 71.0(5) 69.0(5) 67.0(5) 66.0(5) 71.0(5) 85.0(5) 84.0(5)	131.0 129.0 131.0 133.0 134.0 129.0 115.0 116.0	101	02S/12W-13D075 (CONT.)	169.0	11-14-66 4-12-67	(1) (1)		101
						02S/12W-13E015	177.0	10-03-66 10-10-66 10-17-66 10-17-66 10-24-66 10-31-66 10-31-66 11-07-66 11-14-66 11-21-66 11-21-66 11-28-66 11-28-66 12-05-66 12-12-66 12-19-66 12-27-66 12-28-66 1-02-67 1-09-67 1-16-67 1-23-67 1-23-67 1-30-67 1-30-67 2-06-67 2-13-67 2-20-67 2-20-67 2-27-67 2-27-67 3-06-67 3-13-67 3-20-67 3-27-67 3-27-67 4-03-67 4-10-67 4-17-67 4-24-67 4-24-67 5-01-67 5-01-67 5-08-67 5-08-67 5-15-67 5-15-67 5-22-67 5-22-67 5-29-67 6-05-67 6-12-67 6-19-67 6-26-67 6-26-67 7-03-67 7-10-67 7-17-67 7-24-67 7-24-67 7-31-67 8-07-67 8-14-67 8-21-67 8-28-67 8-28-67 9-04-67 9-11-67 9-11-67 9-18-67 9-18-67 9-25-67 9-25-67 9-28-67	25.6 11.0 22.2 22.2 14.8 21.1 21.0 29.6 27.8 32.9 32.8 31.8 31.8 14.4 17.4 24.0 15.9 18.2 24.0 29.3 30.9 20.0 18.7 20.6 20.6 17.4 24.4 28.4 28.4 27.8 27.4 27.6 19.7 24.7 20.7 20.6 161.4 22.8 19.1 15.4 15.4 20.4 20.4 20.4 20.4 17.1 16.6 21.4 21.4 9.4 12.1 16.0 17.8 21.2 21.2 25.2 29.0 28.7 27.2 27.0 21.5 34.8 39.2 43.5 19.8 19.8 27.3 29.6 29.6 12.9 12.8 21.4 19.8 10.8	151.4 166.0 154.8 154.8 162.2 155.9 156.0 147.4 149.2 144.1 144.2 145.2 145.2 162.6 159.6 153.0 161.1 158.8 153.0 147.7 146.1 157.0 158.3 156.4 156.4 159.6 152.6 148.6 148.6 149.2 149.6 149.4 157.3 152.3 156.3 156.4 161.4 154.2 157.9 161.6 156.6 156.6 156.6 156.6 159.9 160.4 155.6 155.6 167.6 164.9 161.0 159.2 155.8 155.8 151.8 148.0 148.3 149.8 150.0 155.5 142.2 137.8 133.5 157.2 157.2 149.7 147.4 147.4 164.1 164.2 155.6 157.2 166.2	733

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
02S/12W-13F06S	167.0	1-23-67	14.6	152.4	101	02S/12W-14E01S	194.7	11-28-66	86.1	108.6	101
(CONT.)		1-30-67	14.5	152.5		(CONT.)		12-12-66	53.5	141.2	
		2-20-67	21.3	145.7				12-27-66	81.9	112.8	
		2-27-67	21.9	145.1				1-09-67	82.0	112.7	
		3-27-67	13.4	153.6				1-30-67	81.7	113.0	
		4-24-67	10.2	156.8				2-14-67	80.7	114.0	
		5-01-67	14.8	152.2				2-27-67	81.0	113.7	
		5-08-67	16.6	150.4				3-06-67	81.3	113.4	
		5-15-67	9.6	157.4				3-27-67	81.0	113.7	
		5-22-67	16.3	150.7				4-20-67	79.7	115.0	
		6-26-67	4.5	162.5				5-15-67	78.5	116.2	
		7-24-67	24.8	142.2				5-22-67	76.9	117.8	
		8-28-67	16.8	150.2				6-12-67	75.1	119.6	
		9-11-67	29.9	137.1				6-26-67	76.7	118.0	
		9-18-67	8.0	159.0				7-12-67	78.6	116.1	
		9-25-67	21.6	145.4				7-24-67	81.2	113.5	
		9-28-67	6.3	160.7				8-13-67	84.5	110.2	
02S/12W-13J02S	174.0	11-29-66	(9)		101			8-28-67	87.3	107.4	
02S/12W-13L05S	174.0	10-31-66	41.6	132.4	101			9-11-67	87.5	107.2	
		11-31-66	42.6	131.4				9-25-67	85.1	109.6	
		12-31-66	43.1	130.9		02S/12W-14J01S	165.0	10-17-66	13.3	151.7	101
		1-31-67	38.5	135.5				10-24-66	16.7	148.3	
		2-28-67	43.0	131.0				10-31-66	20.2	144.8	
		3-31-67	42.4	131.6				11-14-66	24.3	140.7	
		4-28-67	40.4	133.6				11-21-66	28.3	136.7	
		5-31-67	34.9	139.1				11-28-66	18.0	147.0	
		6-30-67	41.2	132.8				12-27-66	14.2	150.8	
		7-31-67	45.6	128.4				1-23-67	14.4	150.6	
		8-31-67	46.8	127.2				1-30-67	8.7	156.3	
02S/12W-13M01S	166.1	10-24-66	49.4	116.7	101			2-20-67	21.7	143.3	
		11-28-66	50.6	115.5				2-27-67	16.7	148.3	
		12-27-66	45.7	120.4				3-27-67	21.7	143.3	
		1-30-67	46.4	119.7				4-24-67	4.0	161.0	
		2-27-67	47.4	118.7				5-01-67	10.5	154.5	
		3-27-67	47.2	118.9				5-08-67	8.0	157.0	
		4-24-67	43.6	122.5				5-15-67	7.8	157.2	
		6-26-67	44.7	121.4				5-22-67	10.3	154.7	
		7-24-67	49.9	116.2				6-26-67	18.7	146.3	
		8-28-67	52.9	113.2				7-24-67	26.6	138.4	
		9-25-67	50.9	115.2				8-28-67	38.4	126.6	
02S/12W-13M02S	165.1	10-24-66	45.3	119.8	101			9-11-67	20.3	144.7	
		11-28-66	47.2	117.9				9-18-67	22.4	142.6	
		12-27-66	41.3	123.8				9-25-67	4.6	160.4	
		1-30-67	41.8	123.3				9-28-67	7.4	157.6	
		2-27-67	42.7	122.4		02S/12W-14J03S	168.1	10-17-66	15.0	153.1	101
		3-27-67	42.0	123.1				10-24-66	17.0	151.1	
		4-24-67	38.7	126.4				10-31-66	17.0	151.1	
		5-22-67	42.0	123.1				11-14-66	22.4	145.7	
		6-26-67	40.4	124.7				11-21-66	28.6	139.5	
		7-24-67	47.5	117.6				11-28-66	26.7	141.4	
		8-28-67	49.7	115.4				12-27-66	12.4	155.7	
		9-25-67	45.8	119.3				1-23-67	9.9	158.2	
02S/12W-13M03S	165.2	10-24-66	33.8	131.4	101			1-30-67	11.3	156.8	
		11-28-66	38.9	126.3				2-20-67	23.1	145.0	
		12-27-66	30.6	134.6				2-27-67	16.9	151.2	
		2-27-67	35.0	130.2				3-27-67	20.8	147.3	
		3-27-67	35.7	129.5				4-24-67	5.6	162.5	
		4-24-67	27.4	137.8				5-01-67	9.3	158.8	
		5-22-67	30.1	135.1				5-08-67	8.7	159.4	
		6-26-67	33.8	131.4				5-15-67	10.4	157.7	
		7-24-67	39.6	125.6				5-22-67	12.2	155.9	
		8-28-67	45.2	120.0				6-26-67	16.7	151.4	
		9-25-67	37.7	127.5				7-24-67	19.1	149.0	
02S/12W-13M04S	165.4	10-24-66	23.3	142.1	101			8-28-67	32.7	135.4	
		11-28-66	30.8	134.6				9-11-67	25.4	142.7	
		12-27-66	18.2	147.2				9-18-67	19.0	149.1	
		1-30-67	18.9	146.5				9-25-67	6.2	161.9	
		2-27-67	24.6	140.8				9-28-67	6.6	161.5	
		3-27-67	24.2	141.2		02S/12W-14P01S	158.1	10-17-66	30.5	127.6	101
		4-24-67	14.0	151.4				10-24-66	25.9	132.2	
		5-22-67	18.6	146.8				10-31-66	30.4	127.7	
		6-26-67	21.9	143.5				11-14-66	35.4	122.7	
		7-24-67	27.8	137.6				11-21-66	37.7	120.4	
		8-28-67	36.3	129.1				11-28-66	34.8	123.3	
		9-25-67	22.5	142.9				12-27-66	24.3	133.8	
02S/12W-14808S	169.0	10-24-66	37.5	131.5	101			1-23-67	31.7	126.4	
		11-28-66	37.7	131.3				1-30-67	22.0	136.1	
		12-27-66	34.3	134.7				2-20-67	26.6	131.5	
		1-30-67	34.4	134.6				2-27-67	29.9	128.2	
		2-27-67	(1)					3-27-67	30.1	128.0	
		3-27-67	36.3	132.7				4-24-67	14.8	143.3	
		4-10-67	33.6	135.4				5-01-67	18.0	140.1	
		4-25-67	30.5	138.5				5-08-67	21.6	136.5	
		5-22-67	32.6	136.4				5-15-67	16.7	141.4	
		6-26-67	(1)					5-22-67	18.2	139.9	
		7-24-67	(1)					6-26-67	27.4	130.7	
		8-28-67	(1)					7-24-67	36.8	121.3	
		9-25-67	36.7	132.3				8-28-67	46.9	111.2	
02S/12W-14E01S	194.7	10-10-66	87.0	107.7	101			9-11-67	38.5	119.6	
		10-24-66	85.6	109.1				9-18-67	27.8	130.3	
						02S/12W-14004S	151.7	10-17-66	23.9	127.8	101
								10-24-66	23.8	127.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
02S/12W-14Q045 (CONT.)	151.7	10-31-66	27.7	124.0	101	02S/12W-16F025 (CONT.)	143.4	9-14-67	100.9	42.5	733
		11-14-66	31.6	120.1				10-31-66	115.0(5)	44.5	101
		11-21-66	34.8	116.9				11-30-66	113.0(5)	46.5	
		11-28-66	33.3	118.4				1-31-67	108.0(5)	51.5	
		12-27-66	21.7	130.0				2-28-67	106.0(5)	53.5	
		1-23-67	29.5	122.2				3-31-67	104.0(5)	55.5	
		1-30-67	17.7	134.0				4-30-67	103.0(5)	56.5	
		2-20-67	15.3	136.4				5-31-67	101.0(5)	58.5	
		2-27-67	27.7	124.0				6-30-67	102.0(5)	57.5	
		3-27-67	27.4	124.3				7-31-67	104.0(5)	55.5	
		4-24-67	10.4	141.3				8-31-67	101.0(5)	58.5	
		5-01-67	15.3	136.4				9-30-67	110.0(5)	49.5	
		5-08-67	17.4	134.3							
		5-15-67	12.1	139.6							
		5-22-67	15.0	136.7							
		6-26-67	24.6	127.1		02S/12W-16L015	151.0	10-31-66	125.2	25.8	101
		7-24-67	24.4	127.3				2-28-67	109.2(5)	41.8	
		8-28-67	34.4	117.3				4-30-67	110.2(5)	40.8	
		9-11-67	35.6	116.1				6-30-67	107.2(5)	43.8	
		9-18-67	28.2	123.5				8-31-67	120.2(5)	30.8	
		9-25-67	20.7	131.0							
		9-28-67	17.8	133.9		02S/12W-16N015	141.0	10-24-66	112.2	28.8	101
								11-28-66	(8)		
								12-27-66	(8)		
								1-30-67	(8)		
								2-27-67	(8)		
								3-27-67	103.3	37.7	
								4-24-67	(8)		
								6-26-67	103.4	37.6	
								7-24-67	105.4	35.6	
								8-28-67	110.3	30.7	
								9-25-67	111.2	29.8	
02S/12W-14R065	162.2	10-17-66	17.0	145.2	101	02S/12W-16Q015	151.0	10-31-66	118.5	32.5	101
		10-24-66	20.3	141.9				2-28-67	107.5	43.5	
		10-31-66	21.0	141.2				4-30-67	108.5	42.5	
		11-14-66	26.0	136.2				6-30-67	104.5	46.5	
		11-21-66	30.0	132.2				8-31-67	115.5	35.5	
		11-28-66	31.1	131.1							
		12-27-66	16.2	146.0		02S/12W-17C015	144.1	10-31-66	153.9	-9.8	101
		1-23-67	23.9	138.3				2-28-67	142.9	1.2	
		1-30-67	13.5	148.7				4-30-67	141.9	2.2	
		2-20-67	20.4	141.8				6-30-67	145.9	-1.8	
		2-27-67	22.2	140.0							
		3-27-67	23.1	139.1		02S/12W-17D025	146.0	10-31-66	168.9	-22.9	101
		4-24-67	7.0	155.2				2-28-67	156.9	-10.9	
		5-01-67	11.9	150.3				3-31-67	168.9	-22.9	
		5-08-67	11.2	151.0				4-30-67	156.9	-10.9	
		5-15-67	9.8	152.4				6-30-67	150.9	-4.9	
		5-22-67	13.3	148.9				8-31-67	159.9	-13.9	
		6-26-67	20.5	141.7		02S/12W-17M015	145.0	11-01-66	152.0	-7.0	101
		7-24-67	31.8	130.4				4-26-67	148.6	-3.6	
		8-28-67	40.0	122.2							
		9-11-67	32.0	130.2		02S/12W-17Q015	138.0	10-31-66	132.0(5)	6.0	101
		9-18-67	29.2	133.0				11-30-66	123.0(5)	15.0	
		9-25-67	18.0	144.2				12-31-66	117.0	21.0	
		9-28-67	12.1	150.1				1-31-67	117.0(5)	21.0	
								2-28-67	117.0(5)	21.0	
								3-31-67	117.0(5)	21.0	
								4-30-67	117.0(5)	21.0	
								5-31-67	122.0(5)	16.0	
								6-30-67	117.0(5)	21.0	
								7-31-67	117.0(5)	21.0	
								8-30-67	124.0(5)	14.0	
								9-30-67	122.0(5)	16.0	
02S/12W-15J035	187.0	11-01-66	(1)		101	02S/12W-19M015	143.0	11-01-66	143.0	.0	101
		4-26-67	73.6	113.4				4-11-67	136.1	6.9	
02S/12W-15N015	157.9	11-01-66	89.8	68.1	101	02S/12W-20E025	139.0	11-01-66	148.0	-9.0	101
		4-17-67	82.2	75.7				5-10-67	133.7	5.3	
02S/12W-15Q015	176.0	10-24-66	87.2	88.8	101	02S/12W-20K025	133.0	10-31-66	132.2(5)	.8	101
		11-28-66	86.3	89.7				11-30-66	127.2(5)	5.8	
		12-27-66	83.2	92.8				12-31-66	127.2(5)	5.8	
		1-30-67	80.7	95.3				1-31-67	117.2(5)	15.8	
		2-27-67	79.3	96.7				2-28-67	119.2(5)	13.8	
		3-27-67	79.0	97.0				3-31-67	122.2(5)	10.8	
		4-24-67	78.7	97.3				4-30-67	124.2(5)	8.8	
		5-22-67	76.8	99.2				5-31-67	124.2(5)	8.8	
		6-26-67	75.0	101.0				6-30-67	124.2(5)	8.8	
		7-24-67	75.9	100.1				7-31-67	127.2(5)	5.8	
		8-28-67	80.0	96.0				8-30-67	127.2(5)	5.8	
		9-25-67	83.2	92.8				9-30-67	127.2(5)	5.8	
02S/12W-16D015	181.7	10-24-66	164.7	17.0	733	02S/12W-20K035	133.0	11-01-66	134.0	-1.0	101
		11-28-66	163.4	18.3				4-26-67	113.7	19.3	
		12-28-66	156.2	25.5	101	02S/12W-20M035	139.0	11-01-66	148.7	-9.7	101
		1-23-67	(9)		733			5-10-67	137.5	1.5	
		1-26-67	(8)			02S/12W-20R015	131.0	10-31-66	125.7(5)	5.3	101
		2-06-67	153.6	28.1				11-28-66	126.7(5)	4.3	
		2-27-67	154.3	27.4				1-30-67	121.7(5)	9.3	
		3-09-67	155.7	26.0				2-27-67	122.7(5)	8.3	
		3-27-67	156.5	25.2				4-03-67	110.7(5)	20.3	
		4-24-67	(9)					5-01-67	110.7(5)	20.3	
		5-22-67	152.0	29.7							
		6-05-67	150.0	31.7	101						
		6-26-67	152.6	29.1	733						
		7-24-67	154.4	27.3							
		9-25-67	159.7	22.0							
02S/12W-16F025	143.4	10-13-66	104.5	38.9	733						
		11-03-66	105.7	37.7							
		11-24-66	106.2	37.2							
		12-15-66	101.7	41.7							
		1-05-67	98.9	44.5							
		1-26-67	99.1	44.3							
		2-16-67	99.0	44.4							
		3-09-67	99.3	44.1							
		3-30-67	101.1	42.3							
		4-20-67	98.1	45.3							
		5-11-67	97.3	46.1							
		6-01-67	99.7	43.7							
		6-26-67	100.2	43.2							
		7-13-67	102.0	41.4							
		8-03-67	103.2	40.2							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		101	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		101
			U-05.A5						U-05.A5		
02S/12W-20R01S (CONT.)	131.0	5-29-67 7-03-67 9-05-67	111.7(5) 115.7(5) 180.7(5)	19.3 15.3 -49.7		02S/12W-21N02S (CONT.)	137.0	1-31-67 2-27-67 2-28-67 3-27-67 3-31-67 4-24-67 4-30-67 5-22-67 5-31-67 6-30-67 7-24-67 7-31-67 8-28-67 8-30-67 9-25-67 9-30-67	100.5 101.0 102.5 100.9 103.5 100.5 102.5 100.6 103.5 102.5 101.8 105.5 103.5 106.5 104.6 108.5	36.5 36.0 34.5 36.1 33.5 36.5 34.5 36.4 33.5 34.5 35.2 31.5 33.5 30.5 32.4 28.5	
02S/12W-21R05S	151.2	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-30-67 9-30-67	123.4(5) 123.4(5) 123.4(5) 118.4(5) 118.4(5) 118.4(5) 118.4(5) 118.4(5) 118.4(5) 118.4(6) 118.4(6) 118.4(6)	27.8 27.8 27.8 32.8 32.8 32.8 32.8 32.8 32.8 32.8 32.8 32.8	101	02S/12W-21N03S	139.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-30-67 9-30-67	119.5 114.5 110.5 112.5 106.5 109.5 106.5 106.5 109.5 114.5 119.5 117.0	19.5 24.5 28.5 26.5 32.5 29.5 32.5 32.5 29.5 24.5 19.5 22.0	101
02S/12W-21G02S	151.2	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-30-67 9-30-67	107.6(5) 104.6(5) 99.6(5) 99.6(5) 96.6(5) 96.6(5) 97.6(5) 104.6(5) 97.6(5) 97.6(5) 103.6(5) 103.6(5)	43.6 46.6 51.6 51.6 54.6 54.6 53.6 46.6 53.6 53.6 47.6 47.6	101	02S/12W-21Q01S	147.0	10-10-66 10-24-66 11-28-66 12-27-66 1-09-67 1-30-67 2-14-67 2-27-67 3-06-67 3-27-67 4-20-67 4-25-67 5-15-67 5-22-67 6-12-67 6-26-67 7-12-67 7-24-67 8-13-67 8-28-67 9-11-67 9-25-67	102.6 102.1 99.2 95.2 94.4 93.3 92.7 92.3 92.2 91.9 91.7 91.0 91.0 91.9 91.0 92.4 94.2 95.1 97.8 100.4 101.3 101.3	44.4 44.9 47.8 51.8 52.6 53.7 54.3 54.7 54.8 55.1 55.3 56.0 56.0 55.1 56.0 54.6 52.8 51.9 49.2 46.6 45.7 45.7	101
02S/12W-21G03S	152.5	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-30-67 9-30-67	170.1(5) 165.1(5) 158.1(5) 158.1(5) 156.1(5) 158.1(5) 158.1(5) 156.1(5) 158.1(5) 162.1(5) 163.1(5) 162.1(5)	-17.6 -12.6 -5.6 -5.6 -3.6 -5.6 -5.6 -3.6 -5.6 -9.6 -10.6 -9.6	101	02S/12W-22G01S	174.9	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-11-67 9-25-67	84.5 84.4 77.2 77.0 75.6 77.1 75.1 72.6 72.8 79.1 87.0 85.9	90.4 90.5 97.7 97.9 99.3 97.8 99.8 102.3 102.1 95.8 87.9 89.0	101
02S/12W-21H01S	160.0	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	99.1 98.5 93.0 94.5 98.4 88.9 88.9 87.8 87.5 90.1 95.8 96.3	60.9 61.5 67.0 65.5 61.6 71.1 71.1 72.2 72.5 69.9 64.2 63.7	101	02S/12W-22J01S	175.0	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	70.2(4) 78.7 77.2 77.0 75.6 77.1 75.1 72.6 72.8 79.1 87.0 85.9	104.8 96.3 97.7 97.9 99.3 97.8 99.8 102.3 102.1 95.8 87.9 89.0	101
02S/12W-21J01S	155.0	10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-01-67 5-29-67 7-03-67 7-31-67 9-05-67	112.5(5) 112.5(5) 112.5(5) 112.5(5) 97.5(5) 95.5(5) 97.5(5) 102.5(5) 98.5(5) 102.5(5)	42.5 42.5 42.5 42.5 57.5 59.5 57.5 52.5 56.5 52.5	101	02S/12W-23A01S	163.8	10-24-66 11-28-66 12-12-66 12-27-66 1-30-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	40.9 44.0 35.4 36.0 36.3 40.4 31.9 32.1 36.8 46.8 53.0 44.5	122.9 119.8 128.4 127.8 127.5 123.4 131.9 131.7 127.0 117.0 110.8 119.3	101
02S/12W-21K02S	149.0	10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-01-67 5-29-67 7-05-67 7-31-67 9-05-67	135.7(5) 134.7(5) 127.7(5) 127.7(5) 120.7(5) 120.7(5) 120.7(5) 125.7(5) 151.7(5) 130.7(5)	13.3 14.3 21.3 21.3 28.3 28.3 28.3 23.3 -2.7 18.3	101	02S/12W-23B04S	164.0	10-25-66 11-15-66 12-19-66 1-20-67 2-23-67 3-20-67 4-19-67 5-19-67 6-15-67 7-19-67 8-16-67 9-19-67	60.1(5) 63.1(5) 58.7(5) 60.7(5) 57.1(5) 55.7(5) 54.1(5) 51.1(5) 51.1(5) 59.1(5) 68.1(5) 63.1(5)	103.9 100.9 105.3 103.3 106.9 108.3 109.9 112.9 112.9 104.9 95.9 100.9	101
02S/12W-21N01S	140.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-31-67 7-31-67 8-30-67 9-30-67	109.0 107.0 103.0 99.0 101.0 102.0 101.0 102.0 101.0 104.0 105.0 107.0	31.0 33.0 37.0 41.0 39.0 38.0 39.0 38.0 39.0 36.0 35.0 33.0	101	02S/12W-23B08S	161.0	10-25-66 11-15-66 12-19-66	61.0(5) 63.0(5) 59.0(5)	100.0 98.0 102.0	101
02S/12W-21N02S	137.0	10-24-66 10-31-66 11-28-66 11-30-66 12-27-66 12-31-66 1-30-67	107.7 110.5 106.4 108.5 103.5 104.5 101.6	29.3 26.5 30.6 28.5 33.5 32.5 35.4	101						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0	U-05.A5		COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0	U-05.A5	
02S/12W-23808S (CONT.)	141.0	1-20-67	61.0(5)	100.0	101	02S/12W-23N025 (CONT.)	146.7	12-27-66	44.9	101.8	101
		2-23-67	56.0(5)	105.0				1-23-67	46.6	100.1	
		3-20-67	56.0(5)	105.0				1-30-67	45.6	101.1	
		4-19-67	56.0(5)	105.0				2-20-67	44.7	102.0	
		5-19-67	51.0(5)	110.0				2-27-67	42.3	104.4	
		6-15-67	51.0(5)	110.0				3-27-67	47.1	99.6	
		7-19-67	59.0(5)	102.0				4-24-67	41.4	105.3	
		8-16-67	68.0(5)	93.0				5-01-67	41.1	105.6	
		9-19-67	65.0(5)	96.0				5-08-67	42.0	104.7	
02S/12W-23E03S	158.0	10-17-66	35.5	122.5	101			5-15-67	43.7	103.0	
		10-24-66	38.8	119.2				5-22-67	43.1	103.6	
		10-31-66	37.6	120.4				6-26-67	47.7	99.0	
		11-14-66	44.9	113.1				7-24-67	55.2	91.5	
		11-21-66	45.4	112.6				8-28-67	61.9	84.8	
		11-28-66	40.6	117.4				9-11-67	60.0	86.7	
		12-27-66	30.4	127.6				9-18-67	58.4	88.3	
		1-23-67	35.7	122.3				9-25-67	53.6	93.1	
		1-30-67	32.8	125.2				9-28-67	54.7	92.0	
		2-20-67	31.3	126.7		02S/12W-23P04S	156.0	12-07-66	55.0(1)	101.0	101
		2-27-67	36.6	121.4				2-22-67	50.0(1)	106.0	
		3-27-67	35.8	122.2				5-01-67	47.0(5)	109.0	
		4-24-67	22.4	135.6				7-17-67	56.0(1)	100.0	
		5-01-67	25.1	132.9				9-13-67	66.0(1)	90.0	
		5-08-67	25.5	132.5		02S/12W-24A05S	168.8	10-24-66	32.8	136.0	101
		5-15-67	30.2	127.8				11-29-66	31.5	137.3	
		5-22-67	21.6	136.4				12-27-66	29.4	139.4	
		6-26-67	36.1	121.9				1-30-67	29.3	139.5	
		7-24-67	46.4	111.6				2-27-67	28.8	140.0	
		8-28-67	55.8	102.2				3-27-67	30.1	138.7	
		9-11-67	51.6	106.4				4-24-67	26.5	142.3	
		9-18-67	39.5	118.5				5-22-67	28.9	139.9	
		9-25-67	33.1	124.9				6-26-67	30.4	138.4	
		9-28-67	35.1	122.9				7-24-67	34.0	134.8	
02S/12W-23K01S	161.0	10-10-66	50.4	110.6	101			8-29-67	37.6	131.2	
		10-24-66	47.5	113.5				9-25-67	38.3	130.5	
		11-28-66	50.2	110.8		02S/12W-24E06S	164.0	10-31-66	46.0	118.0	101
		12-27-66	41.8	119.2				11-31-66	44.0	120.0	
		1-09-67	45.2	115.8				12-31-66	37.0	127.0	
		1-30-67	42.6	118.4				1-31-67	38.0	126.0	
		2-14-67	42.0	119.0				2-28-67	38.0	126.0	
		2-27-67	44.6	116.4				3-31-67	38.0	126.0	
		3-06-67	43.0	118.0				4-28-67	35.0	129.0	
		3-27-67	45.0	116.0				5-31-67	28.0	136.0	
		4-20-67	44.8	116.2				6-30-67	39.0	125.0	
		5-10-67	44.0	117.0				7-31-67	46.0	118.0	
		5-22-67	41.8	119.2				8-31-67	58.0	106.0	
		6-12-67	37.2	123.8		02S/12W-24K01S	164.0	10-24-66	38.4	125.6	101
		6-26-67	43.4	117.6				11-29-66	37.4	126.6	
		7-12-67	56.0	105.0				12-27-66	33.8	130.2	
		7-24-67	51.5	109.5				1-30-67	35.3	128.7	
		8-13-67	63.0	98.0				2-27-67	34.1	129.9	
		8-28-67	62.2	98.8				3-27-67	35.2	128.8	
		9-11-67	(9)					4-24-67	31.5	132.5	
		9-25-67	(9)					5-22-67	34.5	129.5	
02S/12W-23M03S	142.0	10-17-66	13.5	128.5	101			6-26-67	36.2	127.8	
		10-24-66	28.1	113.9				7-24-67	42.4	121.6	
		10-31-66	23.2	118.8				8-29-67	50.0	114.0	
		11-14-66	33.5	108.5				9-25-67	51.5	112.5	
		11-21-66	27.2	114.8		02S/12W-24M03S	160.1	10-06-66	47.9	112.2	101
		11-28-66	17.0	125.0				10-13-66	46.8	113.3	
		12-27-66	16.5	125.5				10-20-66	45.5	114.6	
		1-23-67	19.7	122.3				10-27-66	44.8	115.3	
		1-30-67	14.8	127.2				11-03-66	44.6	115.5	
		2-20-67	11.4	130.6				11-07-66	37.7	122.4	733
		2-27-67	22.3	119.7				11-10-66	44.7	115.4	101
		3-27-67	21.0	121.0				11-17-66	45.0	115.1	
		4-24-67	8.3	133.7				11-23-66	45.2	114.9	
		5-01-67	6.5	135.5				11-28-66	45.0	115.1	
		5-08-67	12.9	129.1				11-28-66	44.9	115.2	733
		5-15-67	17.1	124.9				12-01-66	44.6	115.5	101
		6-26-67	24.5	117.5				12-05-66	43.7	116.4	733
		7-24-67	35.7	106.3				12-08-66	42.7	117.4	101
		8-28-67	44.5	97.5				12-22-66	39.8	120.3	
		9-11-67	32.6	109.4				12-28-66	39.5	120.6	733
		9-18-67	28.1	113.9				12-29-66	39.3	120.8	101
		9-25-67	21.3	120.7				1-02-67	39.5	120.6	733
		9-28-67	25.8	116.2				1-05-67	40.0	120.1	101
02S/12W-23M04S	138.4	10-24-66	.6	137.8	101			1-12-67	41.0	119.1	
		11-28-66	(9)					1-19-67	41.7	118.4	
		12-27-66	(9)					1-26-67	41.0	119.1	
		1-30-67	(9)					2-03-67	39.8	120.3	
		2-27-67	(9)					2-06-67	39.6	120.5	733
		3-27-67	-.2	138.6				2-09-67	39.4	120.7	101
		4-24-67	(9)					2-13-67	39.3	120.8	733
		6-26-67	.0	138.4				2-16-67	39.1	121.0	101
		8-28-67	7.3	131.1				2-23-67	39.5	120.6	
		9-25-67	4.4	134.0				2-27-67	39.9	120.2	733
02S/12W-23N02S	146.7	10-17-66	49.5	97.2	101			3-02-67	40.5	119.6	412
		10-24-66	52.9	93.8				3-06-67	39.9	120.2	733
		10-31-66	50.8	95.9				3-09-67	39.9	120.2	412
		11-14-66	55.1	91.6				3-16-67	40.0	120.1	101
		11-21-66	55.4	91.3				3-20-67	40.3	119.8	733
		11-28-66	51.9	94.8				3-23-67	40.5	119.6	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
025/12W-24M035 (CONT.)	160.1	3-30-67	41.1	119.0	101	025/12W-25M015 (CONT.)	152.0	7-31-67	57.5(5)	94.5	101
		4-06-67	40.5	119.6				9-05-67	62.5(5)	89.5	
		4-10-67	39.7	120.4	733						
		4-12-67	39.5	120.6	101	025/12W-25M095	151.0	10-24-66	64.2	86.8	733
		4-19-67	37.8	122.3				11-28-66	64.7	86.3	
		4-28-67	36.5	123.6				12-29-66	51.9	99.1	101
		5-01-67	36.5	123.6	733			1-23-67	51.8	99.2	733
		5-04-67	36.6	123.5	101			2-27-67	51.1	99.9	
		5-18-67	36.0	124.1				3-27-67	50.9	100.1	
		5-22-67	36.7	123.4	733			4-24-67	49.1	101.9	
		5-25-67	36.0	124.1	101			5-22-67	49.8	101.2	
		6-01-67	34.6	125.5				6-26-67	54.8	96.2	
		6-12-67	36.7	123.4	733			7-24-67	58.7	92.3	
		7-03-67	41.3	118.8				9-25-67	64.5	86.5	
		7-24-67	46.6	113.5		025/12W-25P075	146.0	10-24-66	46.2(4)	99.8	101
		8-14-67	50.8	109.3				11-29-66	(1)		
		8-21-67	52.5	107.6				12-14-66	44.8	101.2	
		9-25-67	57.1	103.0				12-27-66	43.0	103.0	
025/12W-25A015	155.4	10-24-66	28.0	127.4	101			1-30-67	44.2	101.8	
		11-29-66	28.3	127.1				2-27-67	40.8	105.2	
		12-27-66	25.6	129.8				3-27-67	43.7	102.3	
		1-30-67	27.9	127.5				4-24-67	40.6	105.4	
		2-27-67	26.0	129.4				5-22-67	42.7	103.3	
		3-27-67	27.8	127.6				6-27-67	45.0	101.0	
		4-24-67	24.0	131.4				7-24-67	49.0	97.0	
		5-22-67	26.6	128.8				8-29-67	52.1	93.9	
		6-26-67	27.1	128.3				9-25-67	53.3	92.7	
		7-24-67	28.9	126.5		025/12W-25Q055	146.0	12-07-66	129.4(1)	16.6	101
		8-29-67	31.0	124.4				2-22-67	112.4(1)	33.6	
		9-25-67	32.2	123.2				5-01-67	118.4(1)	27.6	
025/12W-25C085	153.0	10-24-66	43.5	109.5	101			6-06-67	124.4(1)	21.6	
		11-29-66	(4)					7-17-67	134.4(1)	11.6	
		12-13-66	39.9	113.1				9-12-67	171.4(1)	-25.4	
		12-27-66	39.0	114.0		025/12W-26E035	145.0	10-03-66	61.0(5)	84.0	101
		1-30-67	40.0	113.0				10-31-66	61.0(5)	84.0	
		2-27-67	38.2	114.8				11-28-66	59.0(5)	86.0	
		3-27-67	43.3	109.7				1-30-67	61.0(5)	84.0	
		4-24-67	36.5	116.5				2-27-67	59.0(5)	86.0	
		5-22-67	39.9	113.1				5-01-67	66.0(5)	79.0	
		6-27-67	42.2	110.8				5-29-67	68.0(5)	77.0	
		7-24-67	46.4	106.6				7-03-67	57.0(5)	88.0	
		8-29-67	52.6	100.4				7-31-67	58.0(5)	87.0	
		9-25-67	53.6	99.4				9-05-67	60.0(5)	85.0	
025/12W-25E065	154.0	12-07-66	52.0(5)	102.0	101	025/12W-26F015	148.0	10-24-66	61.2	86.8	101
		2-22-67	46.0(5)	108.0				11-28-66	60.1	87.9	
		5-01-67	46.0(5)	108.0				12-27-66	55.0	93.0	
		7-17-67	55.0	99.0				1-30-67	54.1	93.9	
		9-13-67	70.0	84.0				2-27-67	54.7	93.3	
025/12W-25E105	156.0	10-31-66	48.0(5)	108.0	101			3-27-67	55.1	92.9	
		11-31-66	55.0(5)	101.0				4-24-67	53.5	94.5	
		12-31-66	61.0(5)	95.0				5-22-67	52.3	95.7	
		1-31-67	53.0(5)	103.0				6-26-67	55.3	92.7	
		2-28-67	43.0(5)	113.0				7-24-67	61.3	86.7	
		3-31-67	48.0(5)	108.0				8-28-67	67.3	80.7	
		4-28-67	48.0(5)	108.0				9-25-67	64.1	83.9	
		5-31-67	45.0(5)	111.0		025/12W-26L025	148.0	10-24-66	60.1	87.9	101
		6-30-67	56.0(5)	100.0				11-28-66	59.6	88.4	
		7-31-67	53.0(5)	103.0				12-27-66	56.8	91.2	
		8-31-67	63.0(5)	93.0				1-30-67	55.9	92.1	
025/12W-25G015	155.0	10-25-66	36.0(5)	119.0	101			3-27-67	53.7	94.3	
		11-15-66	33.0(5)	122.0				4-24-67	53.4	94.6	
		12-19-66	30.0(5)	125.0				5-22-67	51.8	96.2	
		1-20-67	32.0(5)	123.0				6-26-67	51.2	96.8	
		2-23-67	30.0(5)	125.0				7-24-67	53.9	94.1	
		3-20-67	28.0(5)	127.0				8-28-67	58.3	89.7	
		4-19-67	27.0(5)	128.0				9-25-67	60.0	88.0	
		5-19-67	32.0(5)	123.0		025/12W-26P065	142.0	10-15-66	82.4	59.6	101
		7-17-67	38.0(5)	117.0				11-15-66	77.0(5)	65.0	
		8-16-67	42.0(5)	113.0				12-15-66	73.0(5)	69.0	
		9-19-67	46.0(5)	109.0				1-01-67	71.4	70.6	
025/12W-25G025	155.0	10-25-66	41.0(5)	114.0	101			2-01-67	71.0(5)	71.0	
		11-15-66	37.0(5)	118.0				3-01-67	70.0(5)	72.0	
		12-19-66	34.0(5)	121.0				4-01-67	71.0(5)	71.0	
		1-20-67	36.0(5)	119.0				5-01-67	68.0(5)	74.0	
		2-23-67	33.0(5)	122.0				6-01-67	68.0(5)	74.0	
		3-20-67	34.0(5)	121.0				7-01-67	70.0(5)	72.0	
		4-19-67	32.0(5)	123.0				8-07-67	81.0(5)	61.0	
		5-19-67	31.0(5)	124.0				9-07-67	79.0(5)	63.0	
		6-15-67	35.0(5)	120.0		025/12W-26Q015	141.0	10-03-66	112.0(5)	29.0	101
		7-19-67	41.0(5)	114.0				10-31-66	109.0(5)	32.0	
		8-16-67	45.0(5)	110.0				11-28-66	106.0(5)	35.0	
		9-19-67	51.0(5)	104.0				1-30-67	108.0(5)	33.0	
025/12W-25M015	152.0	10-03-66	60.5(5)	91.5	101			2-27-67	108.0(5)	33.0	
		10-31-66	60.5(5)	91.5				4-03-67	93.0(5)	48.0	
		11-28-66	58.5(5)	93.5				5-01-67	69.0(5)	72.0	
		1-30-67	59.5(5)	92.5				5-29-67	68.0(5)	73.0	
		2-27-67	58.5(5)	93.5				7-03-67	71.0(5)	70.0	
		4-03-67	53.5(5)	98.5				7-31-67	73.0(5)	68.0	
		5-01-67	52.5(5)	99.5				9-05-67	61.0(5)	80.0	
		5-29-67	67.5(5)	84.5		025/12W-26R055	150.0	4-17-67	(4)		101
		7-03-67	69.5(5)	82.5							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
02S/12W-27802S	149.0	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	71.4 70.0 64.3 63.8 63.9 64.4 62.7 61.2 63.4 69.0 75.0 72.0	77.6 79.0 84.7 85.2 85.1 84.6 86.3 87.8 85.6 80.0 74.0 77.0	101	02S/12W-28G01S (CONT.)	134.5	8-28-67 9-25-67	89.8 90.2	44.7 44.3	101
02S/12W-27803S	149.0	11-01-66 4-17-67	69.8 60.9	79.2 88.1	101	02S/12W-28J06S	135.0	10-03-66 11-01-66 11-02-66 12-30-66 1-31-67 2-28-67 3-31-67 4-26-67 4-30-67 5-31-67 7-30-67 8-30-67 9-30-67	103.0(1) 103.0(1) (2) 103.0(1) 103.0(1) 98.0(1) 103.0(1) 106.0(5) 102.0(1) 102.0(1) 110.0(1) 110.0(1) 110.0(1)	32.0 32.0 32.0 32.0 37.0 32.0 29.0 33.0 33.0 25.0 25.0 25.0	101
02S/12W-27C01S	156.0	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	82.7 80.9 77.2 76.1 76.5 76.3 72.3 72.1 73.8 81.3 84.0 83.2(4)	73.3 75.1 78.8 79.9 79.5 79.7 83.7 83.9 82.2 74.7 72.0 72.8	101	02S/12W-28J07S	135.0	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	89.3 85.7 81.7 79.4 79.1 79.0 77.5 79.5 79.9 83.7 88.5 88.5	45.7 49.3 53.3 55.6 55.9 56.0 57.5 55.5 55.1 51.3 46.5 46.5	101
02S/12W-27F01S	141.4	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	75.5 74.5 67.8 66.7 66.7 67.2 66.2 65.3 64.2 68.5 72.5 74.3	65.9 66.9 73.6 74.7 74.7 74.2 75.2 76.1 77.2 72.9 68.9 67.1	101	02S/12W-28K01S	127.5	10-15-66 11-01-66 12-15-66 1-15-67 2-15-67 3-15-67 4-15-67 5-15-67 6-15-67 7-01-67 8-15-67 9-15-67	100.4 97.3(5) 85.4 84.3(5) 82.3(5) 82.3(5) 82.3(5) 81.3(5) 82.3(5) 83.3(5) 94.3(5) 84.3(5)	27.1 30.2 42.1 43.2 45.2 45.2 45.2 46.2 45.2 44.2 33.2 43.2	101
02S/12W-27H01S	146.0	11-01-66 7-30-67 8-30-67 9-30-67	(0) 93.0(5) 102.0(5) 100.0(5)	53.0 44.0 46.0	101	02S/12W-28N03S	120.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 2-21-67 3-15-67 4-21-67 6-01-67 6-21-67 7-15-67 8-21-67 9-15-67	103.0(5) 99.0(5) 93.3 93.0(5) 92.0(5) 92.3 92.0(5) 89.3 89.3 92.0(5) 97.0(5) 103.0(5) 101.0(5)	17.0 21.0 26.7 27.0 28.0 27.7 28.0 30.7 30.7 28.0 23.0 17.0 19.0	101
02S/12W-27K02S	142.0	11-01-66 5-31-67	(0) (0)		101	02S/12W-28Q01S	129.0	10-03-66 11-01-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 7-30-67 8-30-67 9-30-67	94.0 93.0 82.0 79.0 79.0 80.0 80.0 82.0 89.0 94.0 89.0	35.0 36.0 47.0 50.0 50.0 49.0 49.0 47.0 40.0 35.0 40.0	101
02S/12W-27Q01S	137.0	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-25-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	76.8 73.6 69.1 66.7 67.9 68.2 65.4 69.8 70.7 (4) 80.9 79.5	60.2 63.4 67.9 70.3 69.1 68.8 71.6 67.2 66.3 56.1 57.5	101	02S/12W-29A02S	128.3	11-01-66 4-26-67	112.7(4) 102.7	15.6 25.6	101
02S/12W-27Q03S	136.6	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-25-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	67.9 67.1 65.5 64.3 (9) 61.7 61.8 60.0 59.0 59.9 62.2 64.0	68.7 69.5 71.1 72.3 74.9 74.8 76.6 77.6 76.7 74.4 72.6	101	02S/12W-29A04S	130.0	11-01-66 4-26-67	119.6 102.8	10.4 27.2	101
02S/12W-28A04S	142.0	10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-01-67 5-29-67 7-03-67 7-31-67 9-05-67	118.0(5) 117.0(5) 118.0(5) 118.0(5) 116.0(5) 108.0(5) 110.0(5) 97.0(5) 103.0(5) 102.0(5)	24.0 25.0 24.0 24.0 26.0 34.0 32.0 45.0 39.0 40.0	101	02S/12W-29J01S	122.0	10-07-66 11-07-66 12-07-66 1-07-67 2-07-67 3-15-67 4-01-67 5-01-67 5-21-67 7-01-67 8-07-67 9-15-67	104.0(5) 100.0(5) 98.0(5) 93.5 93.0(5) 91.5 91.5 92.0(5) 92.5 94.0(5) 105.0(5) 104.0(5)	18.0 22.0 24.0 28.5 29.0 30.5 30.5 29.5 28.0 17.0 18.0	101
02S/12W-28G01S	134.5	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67	92.6 89.4 86.2 83.6 82.9 81.3 80.8 82.3 82.9 85.9	41.9 45.1 48.3 50.9 51.6 53.2 53.7 52.2 51.6 48.6	101	02S/12W-29K02S	121.4	4-26-67	DRY		101
						02S/12W-29M05S	118.0	10-15-66 11-15-66 12-01-66 1-01-67 2-15-67 3-15-67 4-15-67 5-15-67	108.0(5) 105.0(5) 102.0 97.0(5) 101.0 99.0(5) 100.0(5) 100.0(5)	10.0 13.0 16.0 21.0 17.0 19.0 18.0 18.0	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
02S/12W-29M05S (CONT.)	118.0	6-15-67	101.0(5)	17.0	101	02S/12W-33D02S (CONT.)	118.0	5-22-67	81.2	36.8	101
		7-01-67	103.0(5)	15.0				6-26-67	81.0	37.0	
		8-30-67	114.0(5)	4.0				7-24-67	86.9	31.1	
		9-30-67	114.0(5)	4.0				8-28-67	82.7	35.3	
								9-25-67	82.2	35.8	
02S/12W-29P06S	116.0	10-24-66	102.4	13.6	733	02S/12W-33L01S	117.7	11-02-66	97.7	20.0	101
		11-28-66	101.0	15.0				4-17-67	80.1	37.6	
		12-28-66	97.2	18.8	101	02S/12W-33L03S	115.6	11-02-66	77.4	38.2	101
		1-23-67	95.7	20.3	733			4-17-67	73.7	41.9	
		2-27-67	95.9	20.1		02S/12W-33M01S	114.5	10-31-66	102.2(5)	12.3	101
		3-27-67	97.1	18.9				11-28-66	102.2(5)	12.3	
		4-24-67	92.8	23.2				1-31-67	103.2(5)	11.3	
		5-22-67	93.4	22.6				2-28-67	102.2(5)	12.3	
		6-26-67	93.6	22.4				4-04-67	99.2(5)	15.3	
		7-24-67	94.3	21.7				5-02-67	93.4(5)	21.1	
		9-25-67	97.0	19.0				5-31-67	88.2(5)	26.3	
02S/12W-30N01S	125.0	11-01-66	102.4	22.6	101			7-03-67	91.2(5)	23.3	
		4-11-67	99.5	25.5				8-01-67	99.2(5)	15.3	
02S/12W-31D01S	122.0	11-01-66	132.3(5)	-10.3	101			9-05-67	104.2(5)	10.3	
		12-01-66	123.3(5)	-1.3		02S/12W-33P02S	114.0	10-24-66	76.0	38.0	101
		1-01-67	119.3(5)	2.7				11-28-66	76.2	37.8	
		2-01-67	119.3(5)	2.7				12-27-66	76.6	37.4	
		3-01-67	119.3(5)	2.7				1-30-67	74.9	39.1	
		4-01-67	119.3(5)	2.7				2-27-67	74.4	39.6	
		5-01-67	119.3(5)	2.7				3-27-67	73.5	40.5	
		6-01-67	121.3(5)	.7				4-24-67	72.9	41.1	
		7-01-67	125.3(5)	-3.3				5-22-67	72.0	42.0	
		8-01-67	129.3(5)	-7.3				6-26-67	71.6	42.4	
		9-01-67	133.3(5)	-11.3				7-24-67	71.0	43.0	
02S/12W-31H01S	107.7	1-31-67	99.0	8.7	061			8-28-67	71.0	43.0	
		2-28-67	99.0	8.7				9-25-67	70.5	43.5	
		3-31-67	104.0	3.7		02S/12W-34A01S	134.5	10-10-66	63.3	71.2	101
		5-01-67	97.0	10.7				10-24-66	63.0	71.5	
		5-31-67	99.0	8.7				11-28-66	62.3	72.2	
		6-30-67	101.0	6.7				12-13-66	61.7	72.8	
		7-31-67	116.0	-8.3				12-27-66	60.7	73.8	
		8-31-67	119.0	-11.3				1-01-67	60.0	74.5	
		9-28-67	117.0	-9.3				1-30-67	58.5	76.0	
02S/12W-31M02S	111.0	10-01-66	120.0(5)	-9.0	101			2-14-67	57.3	77.2	
		11-01-66	118.0(5)	-7.0				2-27-67	55.8	78.7	
		11-29-66	109.8	1.2				3-06-67	57.5	77.0	
		12-01-66	109.0(5)	2.0				3-27-67	57.7	76.8	
		1-01-67	117.0(5)	-6.0				4-25-67	56.5	78.0	
		2-01-67	105.0(5)	6.0				5-15-67	55.6	78.9	
		3-01-67	110.0(5)	1.0				5-22-67	55.1	79.4	
		4-01-67	108.0(5)	3.0				6-12-67	54.5	80.0	
		5-01-67	104.0(5)	7.0				6-26-67	54.2	80.3	
		5-03-67	108.4	2.6				7-12-67	58.4	76.1	
		6-01-67	108.0(5)	3.0				7-24-67	53.8	80.7	
		7-01-67	108.0(5)	3.0				8-13-67	57.5	77.0	
		8-01-67	127.0(5)	-16.0				8-28-67	57.6	76.9	
		9-01-67	127.0(5)	-16.0				9-11-67	58.8	75.7	
02S/12W-31N01S	107.0	11-01-66	105.7	1.3	101			9-25-67	59.6	74.9	
		4-11-67	92.9	14.1		02S/12W-34G01S	129.0	10-03-66	90.0(5)	39.0	101
02S/12W-33B01S	123.0	10-31-66	87.0(5)	36.0	101			11-01-66	88.0(5)	41.0	
		11-28-66	87.0(5)	36.0				1-31-67	78.0(5)	51.0	
		1-30-67	73.0(5)	50.0				2-28-67	78.0(5)	51.0	
		2-27-67	72.0(5)	51.0				3-31-67	78.0(5)	51.0	
		4-03-67	75.0(5)	48.0				4-30-67	78.0(5)	51.0	
		5-01-67	70.0(5)	53.0				5-31-67	88.0(5)	41.0	
		5-29-67	83.0(5)	40.0				7-30-67	86.0(5)	43.0	
		7-03-67	88.0(5)	35.0				8-30-67	89.0(5)	40.0	
		8-01-67	84.0(5)	39.0				9-30-67	93.0(5)	36.0	
		9-05-67	86.0(5)	37.0		02S/12W-34P01S	124.0	10-03-66	89.0(5)	35.0	101
02S/12W-33B04S	126.2	10-13-66	85.8	40.4	733			11-01-66	84.0(5)	40.0	
		11-03-66	86.2	40.0				12-30-66	82.0(5)	42.0	
		11-24-66	82.6	43.6				1-31-67	79.0(5)	45.0	
		12-15-66	81.8	44.4				2-28-67	79.0(5)	45.0	
		1-05-67	80.4	45.8				3-31-67	79.0(5)	45.0	
		1-26-67	79.7	46.5				4-30-67	77.0(5)	47.0	
		2-16-67	79.6	46.6				5-31-67	79.0(5)	45.0	
		3-09-67	79.3	46.9				8-30-67	98.0(5)	26.0	
		3-30-67	79.9	46.3		02S/12W-34R01S	129.4	10-03-66	85.4(5)	44.0	101
		4-20-67	77.8	48.4				10-31-66	87.4(5)	42.0	
		5-11-67	78.4	47.8				11-28-66	87.4(5)	42.0	
		6-01-67	79.6	46.6				1-30-67	91.4(5)	38.0	
		6-22-67	82.1	44.1				2-28-67	91.4(5)	38.0	
		7-13-67	86.1	40.1				4-03-67	73.4(5)	56.0	
		8-03-67	86.7	39.5				5-02-67	71.4(5)	58.0	
		9-14-67	87.0	39.2				5-29-67	75.4(5)	54.0	
02S/12W-33C02S	121.2	11-02-66	DRY		101			7-03-67	78.4(5)	51.0	
		4-17-67	DRY					8-01-67	80.4(5)	49.0	
02S/12W-33D02S	118.0	10-24-66	87.0	31.0	101			9-06-67	86.4(5)	43.0	
		11-28-66	85.4	32.6		02S/12W-35C01S	145.0	10-24-66	71.4	73.6	101
		12-27-66	84.0	34.0				11-28-66	68.4	76.6	
		1-30-67	88.0	30.0				12-27-66	64.7	80.3	
		2-27-67	81.9	36.1				1-30-67	64.1	80.9	
		3-27-67	81.7	36.3				2-27-67	64.8	80.2	
		4-24-67	80.9,	37.1				3-27-67	65.0	80.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5		
02S/12W-35C01S (CONT.)	145.0	4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	64.0(3) 64.1 66.8 72.2 74.3 75.5	81.0 80.9 78.2 72.8 70.7 69.5	101	02S/12W-36L03S (CONT.)	134.0	1-30-67 2-27-67 6-26-67 7-24-67 8-13-67 8-28-67	41.0 35.0 46.7 50.0 (6) (9)	93.0 99.0 87.3 84.0	101
02S/12W-35D02S	142.5	10-01-66 11-15-66 12-15-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-07-67 9-01-67	84.6(5) 79.6(5) 76.6(5) 71.7 70.6(5) 72.6(5) 74.6(5) 72.6(5) 72.6(5) 75.6(5) 81.6(5) 87.7	57.9 62.9 65.9 70.8 71.9 69.9 67.9 69.9 69.9 66.9 60.9 54.8	101	02S/12W-36R02S	133.5	12-07-66 2-22-67 5-01-67 7-17-67 9-12-67	54.0(5) 50.0(5) 48.5(5) 55.0 60.0	79.5 83.5 85.0 78.5 73.5	101
02S/12W-35F01S	136.5	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-25-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	67.0 65.3 63.7 62.3 61.9 60.4 59.9 58.8 58.7 59.5 61.6 63.3	69.5 71.2 72.8 74.2 74.6 76.1 76.6 77.7 77.8 77.0 74.9 73.2	101	02S/13W-01K01S	197.5	11-01-66 11-15-66 4-11-67	267.3(1) 236.3 232.0	-69.8 -38.8 -34.5	101
02S/12W-35H12S	142.5	10-24-66 11-29-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-27-67 7-24-67 8-29-67 9-25-67	61.9 57.6 54.6 56.3 53.8 55.0 (9) 56.7 58.1 60.3 62.0 (9)	80.6 84.9 87.9 86.2 88.7 87.5 (9) 85.8 84.4 82.2 80.5	101	02S/13W-01N01S	196.0	11-01-66 4-11-67	260.0 246.4	-64.0 -50.4	101
02S/12W-35K01S	138.0	10-03-66 10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-01-67 5-29-67 7-03-67 7-31-67 9-05-67	112.5(5) 107.5(5) 102.5(5) 101.5(5) 98.5(5) 83.5(5) 85.5(5) 87.5(5) 96.5(5) 101.5(5) 116.5(5)	25.5 30.5 35.5 36.5 39.5 54.5 52.5 50.5 41.5 36.5 21.5	101	02S/13W-02M01S	252.0	11-01-66 11-18-66 4-20-67	540.0(1) 339.0(5) 542.0(5)	-288.0 -87.0 -290.0	101
02S/12W-35P01S	129.0	10-03-66 10-31-66 11-28-66 1-30-67 2-28-67 4-03-67 5-01-67 5-29-67 7-03-67 7-31-67 9-06-67	76.0(5) 77.0(5) 77.0(5) 78.0(5) 77.0(5) 69.0(5) 67.0(5) 67.0(5) 70.0(5) 74.0(5) 77.0(5)	53.0 52.0 52.0 51.0 52.0 60.0 62.0 62.0 59.0 55.0 52.0	101	02S/13W-02N01S	253.0	11-01-66 4-20-67	(4) (4)		101
02S/12W-36B01S	139.0	10-24-66 11-29-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-27-67 7-24-67 8-29-67 9-25-67	(9) 31.3 29.2 34.4 28.4 34.9 31.9 36.7 41.6 48.1 54.7 56.0	107.7 109.8 104.6 110.6 104.1 107.1 102.3 97.4 90.9 84.3 83.0	101	02S/13W-04D01S	230.8	11-01-66 4-10-67	254.7 256.0	-23.9 -25.2	101
02S/12W-36G01S	134.0	10-24-66 11-29-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-27-67 7-24-67 8-29-67	33.3 32.5 31.8 35.6 29.7 35.6 30.7 34.4 38.9 42.2 46.6	100.7 101.5 102.2 98.4 104.3 98.4 103.3 99.6 95.1 91.8 87.4	101	02S/13W-05A01S	227.0	11-01-66 4-10-67	281.3 280.9	-54.3 -53.9	101
02S/12W-36L03S	134.0	10-24-66 11-28-66 12-27-66	39.0 36.3 36.7	95.0 97.7 97.3	101	02S/13W-05B01S	224.0	11-09-66 4-10-67	281.9(4) (9)	-57.9	101
						02S/13W-05G01S	219.0	11-09-66 4-10-67	(4) (9)		101
						02S/13W-06R02S	195.0	11-01-66	(6)		101
						02S/13W-10A01S	214.2	10-04-66 11-28-66 12-13-66 1-04-67 2-08-67 3-07-67 4-10-67 5-09-67 7-05-67 8-02-67 9-06-67	301.6 298.2 296.8 293.8 295.3 293.8 294.9 295.5 295.6 295.3 295.0	-87.4 -84.0 -82.6 -79.6 -81.1 -79.6 -80.7 -81.3 -81.4 -81.1 -80.8	101
						02S/13W-10A03S	230.6	11-02-66 4-10-67	310.2 303.7	-79.6 -73.1	101
						02S/13W-10A04S	226.0	11-09-66 4-10-67 4-20-67	312.6 (1) 304.1	-86.6 -78.1	101
						02S/13W-10B01S	224.5	11-15-66 4-10-67	313.6 314.4	-89.1 -89.9	101
						02S/13W-10M01S	206.0	10-01-66 11-01-66 11-21-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-07-67 9-15-67	287.7(5) 289.7(5) 284.4 283.7(5) 287.4 282.7(5) 282.7(5) 283.7(5) 277.7(5) 276.7(5) 278.7(5) 282.7(5) 282.7(5)	-81.7 -83.7 -78.4 -77.7 -81.4 -76.7 -76.7 -71.7 -70.7 -72.7 -76.7	101
						02S/13W-10P04S	203.8	12-20-66 7-27-67	(0) (6)		101
						02S/13W-10P05S	202.0	10-02-66 11-06-66 12-04-66 1-02-67 2-05-67 3-05-67 4-02-67 5-01-67 7-04-67 8-04-67 9-04-67	283.6(5) 288.6(5) 286.6(5) 276.6(5) 272.6(5) 276.6(5) 270.6(5) 270.6(5) 266.6(5) 276.6(5) 270.6(5)	-81.6 -86.6 -84.6 -74.6 -70.6 -74.6 -68.6 -68.6 -64.6 -74.6 -68.6	101
						02S/13W-10P06S	200.9	10-02-66 11-04-66 12-11-66 1-08-67 2-03-67 3-03-67	291.2(5) 294.2(5) 284.2(5) 288.2(5) 285.2(5) 289.2(5)	-90.3 -93.3 -83.3 -87.3 -84.3 -88.3	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
02S/13W-10P06S (CONT.)	200.9	4-02-67 5-01-67 7-04-67 8-04-67 9-01-67	278.2(5) 279.2(5) 272.2(5) 284.2(4) 284.2(4)	-77.3 -78.3 -71.3 -83.3 -83.3	101	02S/13W-11R04S (CONT.)	187.8	4-02-67 5-01-67 7-04-67 8-06-67 9-04-67	269.3(5) 285.3(5) 267.3(5) 270.3(5) 263.3(5)	-81.5 -97.5 -79.5 -82.5 -75.5	101
02S/13W-10R05S	199.7	10-04-66 11-23-66 12-13-66 1-04-67 2-08-67 3-07-67 4-10-67 5-09-67 7-05-67 8-02-67 9-06-67	208.6 208.3 208.2 207.9 207.6 208.3 208.2 208.2 207.3 207.6 207.7	-8.9 -8.6 -8.5 -8.2 -7.9 -8.6 -8.5 -8.5 -7.6 -7.9 -8.0	101	02S/13W-12A01S	185.2	10-31-66 2-28-67 4-30-67 6-30-67 8-31-67	249.0 241.0 239.0 240.0 252.0	-63.8 -55.8 -53.8 -54.8 -66.8	101
02S/13W-10R06S	199.7	11-02-66 11-26-66 4-10-67	293.0 292.5(5) 296.1	-93.3 -92.8 -96.4	101	02S/13W-12C01S	185.0	11-01-66 4-11-67	220.6(4) 221.8	-35.6 -36.8	101
02S/13W-11E03S	208.7	10-04-66 11-28-66 12-13-66 2-08-67 3-07-67 4-10-67 5-09-67 7-05-67 8-02-67 9-06-67	271.2 271.0 270.4 269.6 269.1 268.4 268.7 267.4 267.9 268.0	-62.5 -62.3 -61.7 -60.9 -60.4 -59.7 -60.0 -58.7 -59.2 -59.3	101	02S/13W-12M03S	187.0	11-02-66 4-10-67	224.4 (3)	-37.4	101
02S/13W-11E04S	208.0	10-02-66 11-06-66 12-04-66 1-02-67 2-05-67 3-05-67 4-02-67 5-07-67 7-04-67 8-06-67 9-04-67	298.0(5) 297.0(5) 304.0(5) 290.0(5) 290.0(5) 291.0(5) 291.0(5) 290.0(5) 289.0(5) 290.0(5) 288.0(5)	-90.0 -89.0 -96.0 -82.0 -82.0 -83.0 -83.0 -82.0 -81.0 -82.0 -80.0	101	02S/13W-13A01S	168.5	11-02-66 4-11-67	215.7(4) 205.0(4)	-47.2 -36.5	101
02S/13W-11G06S	199.0	11-02-66 4-10-67	288.2 279.2	-89.2 -80.2	101	02S/13W-13E01S	181.4	11-03-66 4-17-67	225.7 224.1	-44.3 -42.7	101
02S/13W-11L03S	197.6	10-04-66 11-28-66 2-08-67 3-07-67 4-10-67 5-09-67 7-05-67 8-02-67 9-06-67	206.2 206.0 205.7 205.4 205.3 205.1 205.5 205.6 205.8	-8.6 -8.4 -8.1 -7.8 -7.7 -7.5 -7.9 -8.0 -8.2	101	02S/13W-13E06S	181.3	11-03-66 4-17-67	(1) 230.5	-49.2	101
02S/13W-11N05S	200.0	11-02-66 4-10-67	289.4 281.4	-89.4 -81.4	101	02S/13W-13F01S	167.7	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-30-67 9-30-67	245.0(5) 255.0(5) 235.0(5) 240.0(5) 235.0(5) 240.0(5) 235.0(5) 241.0(5) 227.0(5) 240.0(5) 235.0(5) 232.0(5)	-77.3 -87.3 -67.3 -72.3 -67.3 -72.3 -67.3 -73.3 -59.3 -72.3 -67.3 -64.3	101
02S/13W-11P02S	200.0	11-09-66 11-15-66 4-10-67 4-17-67 4-20-67 4-24-67	(1) 284.1 (1) (1) (1) 272.6	-84.1	101	02S/13W-13H01S	162.2	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-30-67 9-30-67	203.0(5) 187.0(5) 184.0(5) 184.0(5) 186.0(5) 184.0(5) 187.0(5) 187.0(5) 189.0(5) 194.0(5) 194.0(5) 189.0(5)	-40.8 -24.8 -21.8 -21.8 -23.8 -21.8 -24.8 -24.8 -26.8 -31.8 -31.8 -26.8	101
02S/13W-11R02S	189.8	10-02-66 11-04-66 12-02-66 1-02-67 2-05-67 3-05-67 4-02-67 5-01-67 7-04-67 8-06-67 9-04-67	260.2(5) 264.2(5) 268.2(5) 266.2(5) 260.2(5) 258.2(5) 260.2(5) 263.2(5) 258.2(5) 262.2(5) 258.2(5)	-70.4 -74.4 -78.4 -76.4 -70.4 -68.4 -70.4 -73.4 -68.4 -72.4 -68.4	101	02S/13W-14A01S	187.0	10-02-66 11-06-66 12-04-66 1-02-67 2-07-67 3-03-67 4-02-67 5-07-67 7-04-67 8-04-67 9-01-67	261.4(5) 257.4(5) 253.4(5) 247.4(5) 267.4(5) 265.4(5) 248.4(5) 243.4(5) 247.4(5) 275.4(5) 271.4(5)	-74.4 -70.4 -66.4 -60.4 -80.4 -78.4 -61.4 -56.4 -60.4 -88.4 -84.4	101
02S/13W-11R03S	188.7	10-02-66 11-06-66 12-04-66 1-02-67 2-03-67 3-03-67 4-02-67 5-07-67 7-04-67 8-04-67 9-01-67	281.3(5) 276.3(5) 272.3(5) 262.3(5) 309.3(5) 296.3(5) 269.3(5) 264.3(5) 266.3(5) 304.3(5) 302.3(5)	-92.6 -87.6 -83.6 -73.6 -120.6 -107.6 -80.6 -75.6 -77.6 -115.6 -113.6	101	02S/13W-14H01S	180.7	10-02-66 11-04-66 12-02-66 1-02-67 2-03-67 3-03-67 4-02-67 5-01-67 7-04-67 8-04-67 9-01-67	227.8(5) 226.8(5) 222.8(5) 218.8(5) 218.8(5) 219.8(5) 218.8(5) 222.8(5) 218.8(5) 223.8(5) 226.8(5)	-47.1 -46.1 -42.1 -38.1 -38.1 -39.1 -38.1 -42.1 -38.1 -43.1 -46.1	101
02S/13W-11R04S	187.8	10-02-66 11-04-66 12-02-66 1-02-67 2-05-67 3-05-67	282.3(5) 271.3(5) 306.3(5) 263.3(5) 265.3(5) 265.3(5)	-94.5 -83.5 -118.5 -75.5 -77.5 -77.5	101	02S/13W-14H02S	185.0	10-16-66 11-13-66 12-11-66 1-08-67 2-05-67 3-05-67 4-09-67 5-01-67 7-04-67 8-06-67 9-04-67	253.8(5) 260.8(5) 258.8(5) 246.8(5) 241.8(5) 241.8(5) 241.8(5) 236.8(5) 235.8(5) 241.8(5) 236.8(5)	-68.8 -75.8 -73.8 -61.8 -56.8 -56.8 -56.8 -51.8 -50.8 -56.8 -51.8	101
						02S/13W-14H03S	187.0	10-02-66 11-04-66 12-02-66 1-02-67 2-03-67 3-03-67 4-02-67 5-01-67 7-04-67	273.9(5) 273.9(5) 276.9(5) 258.9(5) 269.9(5) 267.9(5) 260.9(5) 253.9(5) 253.9(5)	-86.9 -86.9 -89.9 -71.9 -82.9 -80.9 -73.9 -66.9 -66.9	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
02S/13W-14H03S (CONT.)	187.0	8-06-67 9-04-67	257.9(5) 249.9(5)	-70.9 -62.9	101	02S/13W-23H01S (CONT.)	154.0	11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 7-01-67 8-01-67 9-01-67	206.1(5) 199.1(5) 194.1(5) 192.1(5) 190.1(5) 201.1(5) 197.1(5) 199.1(5) 199.1(5) 204.1(5)	-52.1 -45.1 -40.1 -38.1 -36.1 -47.1 -43.1 -45.1 -45.1 -50.1	101
02S/13W-15C01S	195.0	11-02-66 4-10-67	185.8 186.7	9.2 8.3	101						
02S/13W-15L01S	190.0	11-03-66 4-17-67	85.7 85.6	104.3 104.4	101						
02S/13W-16Q06S	175.0	7-07-67 8-17-67 9-05-67	176.3 (0) 176.8	-1.3 -1.8	200	02S/13W-23J02S	145.7	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 7-01-67 8-01-67 9-01-67	194.1(5) 192.1(5) 185.1(5) 181.1(5) 181.1(5) 184.1(5) 179.1(5) 178.1(5) 182.1(5) 189.1(5) 192.1(5)	-48.4 -46.4 -39.4 -35.4 -35.4 -38.4 -33.4 -32.4 -36.4 -43.4 -46.4	101
02S/13W-16Q07S	176.0	7-07-67 8-04-67 8-17-67 9-05-67	210.6 212.5 (0) 212.3	-34.6 -36.5 -36.3	200						
02S/13W-20J03S	158.0	12-20-66 6-14-67	(0) (0)		101 412						
02S/13W-20R02S	154.0	11-03-66 4-17-67 6-13-67	135.1 (1) (0)	18.9	101 412	02S/13W-24Q02S	146.0	10-01-66 11-07-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-15-67 9-15-67	187.0(5) 180.6 176.0(5) 171.6 174.0(5) 169.0(5) 175.0(5) 171.0(5) 171.6 174.0(5) 178.0(5) 177.0(5)	-41.0 -34.6 -30.0 -25.6 -28.0 -23.0 -29.0 -25.0 -25.6 -28.0 -32.0 -31.0	101
02S/13W-20R03S	152.0	10-01-66 11-01-66 11-03-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 4-17-67 5-01-67 7-01-67 8-01-67 9-01-67	193.5(5) 195.5 211.4 190.5(5) 193.5(5) 190.5(5) 191.5(5) 193.5(5) (4) 177.5(6) 192.5(5) 191.5(5) 191.5(5)	-41.5 -43.5 -59.4 -38.5 -41.5 -38.5 -39.5 -41.5 -25.5 -40.5 -39.5 -39.5	101						
02S/13W-21E01S	166.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-21-67 9-15-67	223.9(5) 224.9(5) 224.1 219.9(5) 219.9(5) 219.9(5) 219.9(5) 219.9(5) 217.9(5) 219.9(5) 221.1 221.9(5)	-57.9 -58.9 -58.1 -53.9 -53.9 -53.9 -53.9 -53.9 -51.9 -53.9 -55.1 -55.9	101	02S/13W-25C02S	142.1	12-21-66 4-17-67	(0) 161.1	-19.0	101
						02S/13W-25D03S	140.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 7-01-67 8-01-67 9-01-67	185.6(5) 192.6(5) 173.6(5) 172.6(5) 170.6(5) 217.6(6) 167.6(5) 166.6(5) 172.6(5) 178.6(5) 183.6(5)	-45.6 -52.6 -33.6 -32.6 -30.6 -77.6 -27.6 -26.6 -32.6 -38.6 -43.6	101
02S/13W-21K04S	164.7	11-03-66 4-17-67	205.4 205.8	-40.7 -41.1	101	02S/13W-25D04S	142.7	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 7-01-67 8-01-67 9-01-67	210.0(5) 202.0(5) 198.0(5) 200.0(5) 193.0(5) 190.0(5) 192.0(5) 191.0(5) 195.0(5) 203.0(5) 203.0(5)	-67.3 -59.3 -55.3 -57.3 -50.3 -47.3 -49.3 -48.3 -52.3 -60.3 -60.3	101
02S/13W-21K07S	165.0	11-07-66 4-17-67	232.9 225.4	-67.9 -60.4	101						
02S/13W-21Q08S	183.6	11-03-66 4-17-67	222.5 220.0	-38.9 -36.4	101						
02S/13W-22D07S	178.0	12-29-66	(0)		101	02S/13W-25D05S	140.7	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	(0) 151.5(5) 144.5(5) 141.5(5) 141.5(5) 141.5(5) 142.5(5) 142.5(5) 142.5(5) 144.5(5) 152.5(5) 154.5(5)	-10.8 -3.8 -.8 -.8 -.8 -1.8 -1.8 -1.8 -3.8 -11.8 -13.8	101
02S/13W-22P02S	162.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 7-01-67 8-01-67 9-01-67	237.0(5) 236.0(5) 232.0(5) 228.0(5) 228.0(5) 235.0(5) 230.0(5) 231.0(5) 232.0(5) 235.0(5) 237.0(5)	-75.0 -74.0 -70.0 -66.0 -66.0 -73.0 -68.0 -69.0 -70.0 -73.0 -75.0	101						
02S/13W-23A02S	162.1	10-13-66 11-03-66 11-24-66 12-14-66 1-05-67 1-26-67 2-16-67 3-09-67 3-30-67	165.9 166.2 165.4 163.3 161.9 160.0 159.4 (7) (7)	-3.8 -4.1 -3.3 -1.2 .2 2.1 2.7	733	02S/13W-25H01S	137.0	10-04-66 11-08-66 12-06-66 1-03-67 2-06-67 3-05-67 4-05-67 5-24-67 6-01-67 7-03-67 8-12-67 9-11-67	169.7(5) 167.7(5) 151.7(5) 153.7(5) 147.7(5) 148.7(5) 148.7(5) 153.7(5) 148.7(5) 153.7(5) 158.7(5) 163.7(5)	-32.7 -30.7 -14.7 -16.7 -10.7 -11.7 -11.7 -16.7 -11.7 -16.7 -21.7 -26.7	101
02S/13W-23Q05S	178.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 7-01-67 8-01-67 9-01-67	236.3(5) 233.3(5) 227.3(5) 225.3(5) 226.3(5) 231.3(5) 228.3(5) 225.3(5) 229.3(5) 238.3(5) 252.3(5)	-58.3 -55.3 -49.3 -47.3 -48.3 -53.3 -50.3 -47.3 -51.3 -60.3 -74.3	101	02S/13W-25H03S	136.0	10-04-66 11-08-66 12-06-66 1-03-67 2-06-67 3-06-67 4-05-67 5-24-67 6-01-67	138.5(5) 138.5(5) 133.5(5) 133.5(5) 133.5(5) 143.5(5) 143.5(5) 168.5(5) 168.5(5)	-2.5 -2.5 2.5 2.5 2.5 -7.5 -7.5 -32.5 -32.5	101
02S/13W-23H01S	154.0	10-01-66	205.1(5)	-51.1	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/13W-25H03S (CONT.)	136.0	7-03-67 8-12-67 9-11-67	168.5(5) 158.5(5) 163.5(5)	-32.5 -22.5 -27.5	101	02S/13W-28H01S (CONT.)	142.0	3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-21-67 9-15-67	119.0(5) 119.0(5) 120.0(5) 120.0(5) 120.0(5) 121.6 121.0(5)	23.0 23.0 22.0 22.0 22.0 20.4 21.0	101
02S/13W-25001S	125.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 7-01-67 8-01-67 9-01-67	148.7(5) 147.7(5) 138.7(5) 136.7(5) 136.7(5) 138.7(5) 139.7(5) 133.7(5) 143.7(5) 143.7(5) 178.7(6)	-23.7 -22.7 -13.7 -11.7 -11.7 -13.7 -14.7 -8.7 -18.7 -18.7 -53.7	101	02S/13W-31C02S	132.9	11-14-66 4-17-67	190.5 189.8	-57.6 -56.9	101
02S/13W-27807S	157.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 7-31-67 8-31-67 9-30-67	217.5(5) 214.5(5) 209.5(5) 206.5(5) 206.5(5) 206.5(5) 206.5(5) 214.5(5) 218.5(5) 211.5(5)	-60.5 -57.5 -52.5 -49.5 -49.5 -49.5 -49.5 -57.5 -61.5 -54.5	101	02S/13W-32C04S	130.0	7-07-67 8-04-67 8-17-67 9-05-67	196.7 200.6 (0) 201.8	-66.7 -70.6 (0) -71.8	200
02S/13W-27807S	157.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 7-31-67 8-31-67 9-30-67	217.5(5) 214.5(5) 209.5(5) 206.5(5) 206.5(5) 206.5(5) 206.5(5) 214.5(5) 218.5(5) 211.5(5)	-60.5 -57.5 -52.5 -49.5 -49.5 -49.5 -49.5 -57.5 -61.5 -54.5	101	02S/13W-32F02S	128.0	2-09-67 7-13-67 8-11-67 8-17-67 9-14-67	(0) 200.0 207.0 (0) 199.0	(0) -72.0 -79.0 (0) -71.0	101 200
02S/13W-27811S	157.0	11-09-66 4-17-67	138.9(2) 138.5	18.1 18.5	101	02S/13W-32R06S	118.0	10-31-66 4-13-67 7-21-67	286.0(1) 296.0(1) 194.0	-168.0 -178.0 -76.0	101
02S/13W-27819S	157.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 7-31-67 8-31-67 9-30-67	214.5(5) 216.5(5) 206.5(5) 207.5(5) 210.5(5) 205.5(5) 205.5(5) 209.5(5) 214.5(5) 220.5(5) 211.5(5)	-57.5 -59.5 -49.5 -50.5 -53.5 -48.5 -48.5 -52.5 -57.5 -63.5 -54.5	101	02S/13W-32R07S	117.0	2-09-67 7-14-67 8-13-67 8-17-67 9-07-67	(0) 322.8(1) 326.8(1) (0) 325.8(1)	(0) -205.8 -209.8 (0) -208.8	101 200
02S/13W-27E04S	142.5	10-01-66 11-01-66 12-01-66 12-21-66 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-15-67 9-15-67	182.0(5) 179.0(5) 177.0(5) 174.4 173.4 175.0(5) 173.0(5) 172.0(5) 176.0(5) 174.0(5) 179.0(5) 181.0(5)	-39.5 -36.5 -34.5 -31.9 -30.9 -32.5 -30.5 -29.5 -33.5 -31.5 -36.5 -38.5	101	02S/13W-32R08S	117.0	11-03-66 3-08-67 4-13-67	185.9 192.8(5) 308.8(1)	-68.9 -75.8 -191.8	101
02S/13W-27E04S	142.5	10-01-66 11-01-66 12-01-66 12-21-66 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-15-67 9-15-67	182.0(5) 179.0(5) 177.0(5) 174.4 173.4 175.0(5) 173.0(5) 172.0(5) 176.0(5) 174.0(5) 179.0(5) 181.0(5)	-39.5 -36.5 -34.5 -31.9 -30.9 -32.5 -30.5 -29.5 -33.5 -31.5 -36.5 -38.5	101	02S/13W-32R09S	117.0	7-07-67 8-04-67 8-17-67 9-05-67	197.2 200.2 (0) 202.1	-80.2 -83.2 (0) -85.1	200
02S/13W-28G01S	142.0	10-07-66 11-01-66 12-07-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-15-67 9-21-67	186.4 187.4 179.3(5) 177.3(5) 179.3(5) 174.3(5) 175.3(5) 175.3(5) 178.3(5) 176.3(5) 181.3(5) 177.4	-44.4 -45.4 -37.3 -35.3 -37.3 -32.3 -33.3 -33.3 -36.3 -34.3 -39.3 -35.4	101	02S/13W-32R12S	118.0	2-09-67 7-14-67 8-13-67 8-17-67 9-07-67	(0) 301.0(1) 313.0(1) (0) 312.0(1)	(0) -183.0 -195.0 (0) -194.0	101 200
02S/13W-28G01S	142.0	10-07-66 11-01-66 12-07-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-15-67 9-21-67	186.4 187.4 179.3(5) 177.3(5) 179.3(5) 174.3(5) 175.3(5) 175.3(5) 178.3(5) 176.3(5) 181.3(5) 177.4	-44.4 -45.4 -37.3 -35.3 -37.3 -32.3 -33.3 -33.3 -36.3 -34.3 -39.3 -35.4	101	02S/13W-34001S	126.1	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 8-27-67 9-03-67 9-10-67	114.0(5) 113.0(5) 113.0(5) 113.0(5) 113.0(5) 114.0(5) 113.0(5) 113.0(5) 114.0(5) 114.0 122.0(1) 114.0(5)	12.1 13.1 13.1 13.1 13.1 12.1 13.1 13.1 12.1 12.1 4.1 12.1	101 412 101
02S/13W-28G02S	142.0	10-07-66 11-07-66 12-15-66 1-15-67 2-15-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-07-67 9-21-67	188.3(5) 188.3(5) 177.3(5) 188.3(5) 178.3(5) 205.3(5) 180.3(5) 180.3(5) 181.3(5) 181.3(5) 178.8 177.8	-46.3 -46.3 -35.3 -46.3 -36.3 -63.3 -38.3 -38.3 -39.3 -39.3 -36.8 -35.8	101	02S/13W-34002S	130.3	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 8-27-67 9-03-67	118.0(5) 118.0(5) 118.0(5) 119.0(5) 118.0(5) 119.0(5) 120.0(5) 119.0(5) 119.0(5) 119.0(5) 119.0(5)	12.3 12.3 12.3 11.3 12.3 11.3 10.3 11.3 11.3 11.3 11.3	101
02S/13W-28G03S	142.0	10-15-66 11-07-66 12-15-66 1-15-67 2-15-67 3-15-67 4-15-67 5-15-67 6-15-67 7-15-67 8-15-67 9-15-67	188.4(5) 183.4(5) 178.4(5) 181.4(5) 178.4(5) 177.4(5) 175.4(5) 177.4(5) 178.4(5) 179.4(5) 185.4(5) 185.7	-46.4 -41.4 -36.4 -39.4 -36.4 -35.4 -33.4 -35.4 -36.4 -37.4 -43.4 -43.7	101	02S/13W-34003S	127.1	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 8-27-67 9-03-67	112.5(5) 112.5(5) 112.5(5) 112.5(5) 111.5(5) 111.5(5) 111.5(5) 111.5(5) 112.5(5) 120.7(1) 122.7(1)	14.6 14.6 14.6 14.6 15.6 15.6 15.6 15.6 14.6 6.3 4.3	101
02S/13W-28H01S	142.0	10-01-66 11-01-66 12-21-66 2-01-67	121.0(5) 121.0(5) 122.6 124.6	21.0 21.0 19.4 17.4	101	02S/13W-34004S	127.0	10-01-66 11-15-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 8-27-67 9-03-67	114.7(5) 113.7(5) 112.7(5) 112.7(5) 111.7(5) 110.7(5) 111.7(5) 111.7(5) 112.7(5) 120.7(1) 122.7(1)	12.3 13.3 14.3 14.3 15.3 16.3 15.3 15.3 14.3 6.3 4.3	101
02S/13W-28H01S	142.0	10-01-66 11-01-66 12-21-66 2-01-67	121.0(5) 121.0(5) 122.6 124.6	21.0 21.0 19.4 17.4	101	02S/13W-35A01S	121.0	11-09-66 4-17-67 4-20-67 6-13-67	162.7(5) (1) 129.2 (0)	-41.7 (1) -8.2 (0)	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/13W-36B015	122.0	11-01-66	129.8(5)	-7.8	101	02S/14W-05C04S	85.0	2-01-67	165.0(5)	-80.0	101
		12-01-66	121.8(5)	.2		(CONT.)		3-01-67	165.0(5)	-80.0	
		1-01-67	120.8(5)	1.2				4-01-67	163.0(5)	-78.0	
		2-01-67	117.8(5)	4.2				5-01-67	163.0(5)	-78.0	
		3-01-67	121.8(5)	.2				6-01-67	162.0(5)	-77.0	
		4-01-67	119.8(5)	2.2				7-01-67	164.0(5)	-79.0	
		5-01-67	116.8(5)	5.2				8-15-67	165.0(5)	-80.0	
		6-01-67	120.8(5)	1.2				9-15-67	165.0(5)	-80.0	
		7-01-67	117.8(5)	4.2							
		8-01-67	135.8(5)	-13.8		02S/14W-05D08S	88.0	10-15-66	159.0(5)	-71.0	101
		9-01-67	135.8(5)	-13.8				11-07-66	159.0(5)	-71.0	
02S/13W-36F015	120.0	6-13-67	(0)		101			11-18-66	165.0(5)	-77.0	
02S/13W-36F02S	120.0	10-01-66	146.0(5)	-26.0	101			12-01-66	165.0(5)	-77.0	
		11-01-66	149.0(5)	-29.0				1-01-67	166.0(5)	-78.0	
		12-01-66	132.0(5)	-12.0				2-01-67	165.0(5)	-77.0	
		1-01-67	117.0(5)	3.0				3-01-67	165.0(5)	-77.0	
		2-01-67	116.0(5)	4.0				4-01-67	167.0(5)	-79.0	
		3-01-67	117.0(5)	3.0				4-14-67	165.7	-77.7	
		4-01-67	116.0(5)	4.0				5-01-67	164.0(5)	-76.0	
		5-01-67	119.0(5)	1.0				6-01-67	165.0(5)	-77.0	
		7-01-67	138.0(5)	-18.0				7-01-67	165.0(5)	-77.0	
		8-01-67	168.0(5)	-48.0				8-15-67	162.0(5)	-74.0	
		9-01-67	173.0(5)	-53.0				9-15-67	162.0(5)	-74.0	
02S/13W-36Q01S	114.0	10-01-66	126.0(5)	-12.0	101	02S/14W-10Q01S	132.0	6-07-67	(0)		101
		11-01-66	121.0(5)	-7.0		02S/14W-10Q02S	126.3	10-26-66	197.7	-71.4	101
		11-03-66	124.4	-10.4				11-27-66	193.9	-67.6	
		12-01-66	113.0(5)	1.0				12-27-66	193.0	-66.7	
		3-01-67	111.0(5)	3.0				1-27-67	194.3	-68.0	
		4-01-67	111.0(5)	3.0				2-21-67	194.8	-68.5	
		4-17-67	110.9	3.1				3-29-67	195.2	-68.9	
		5-01-67	108.0(5)	6.0				4-25-67	193.7	-67.4	
		6-01-67	112.0(5)	2.0				5-26-67	193.8	-67.5	
		8-01-67	129.0	-15.0				7-29-67	200.6	-74.3	
		9-01-67	124.6	-10.6				8-29-67	198.2	-71.9	
02S/13W-36R01S	115.4	10-01-66	126.3(5)	-10.9	101			9-28-67	218.0	-91.7	
		11-01-66	125.3(5)	-9.9		02S/14W-14C01S	129.9	10-26-66	192.0	-62.1	101
		12-01-66	116.3(5)	-.9				11-27-66	193.8	-63.9	
		1-01-67	(6)					1-27-67	190.4	-60.5	
02S/14W-03K01S	110.0	10-01-66	162.9	-52.9	101			2-21-67	196.1	-66.2	
		11-05-66	162.8	-52.8				3-29-67	190.5	-60.6	
		12-10-66	162.1	-52.1				4-25-67	190.1	-60.2	
		1-07-67	162.4	-52.4				5-26-67	193.3	-63.4	
		2-04-67	162.4	-52.4				7-30-67	198.4	-68.5	
		3-04-67	162.6	-52.6				8-29-67	194.7	-64.8	
		4-15-67	163.9	-53.9				9-27-67	193.7	-63.8	
		5-06-67	164.1	-54.1				12-27-67	192.9	-63.0	
		6-03-67	164.5	-54.5		02S/14W-14C02S	130.7	10-26-66	193.8	-63.1	101
		7-01-67	163.2	-53.2				11-28-66	198.9	-68.2	
		8-05-67	163.0	-53.0				12-27-66	197.4	-66.7	
		9-02-67	164.0	-54.0				1-27-67	195.3	-64.6	
02S/14W-03K03S	110.0	10-01-66	162.8	-52.8	101			2-23-67	197.6	-66.9	
		11-05-66	162.8	-52.8				3-29-67	195.2	-64.5	
		12-10-66	162.7	-52.7				4-26-67	196.8	-66.1	
		2-04-67	162.4	-52.4				5-26-67	196.7	-66.0	
		3-04-67	162.6	-52.6				7-26-67	201.9	-71.2	
		4-15-67	162.7	-52.7				8-29-67	200.6	-69.9	
		5-06-67	162.8	-52.8				9-28-67	198.1	-67.4	
		6-03-67	163.0	-53.0		02S/14W-14C05S	129.7	10-26-66	190.6	-60.9	101
		7-01-67	163.2	-53.2				11-28-66	189.1	-59.4	
		8-05-67	163.6	-53.6				12-27-66	189.4	-59.7	
		9-02-67	164.0	-54.0				1-27-67	189.2	-59.5	
02S/14W-03Q01S	110.7	10-01-66	154.8	-44.1	101			2-22-67	192.1	-62.4	
		11-05-66	156.6	-45.9				3-29-67	188.6	-58.9	
		12-10-66	120.5	-9.8				4-25-67	187.0(5)	-57.3	
		1-07-67	128.7	-18.0				7-27-67	193.6	-63.9	
		2-04-67	112.0	-1.3				8-29-67	193.3	-63.6	
		3-04-67	121.9	-11.2				9-27-67	192.2	-62.5	
		4-15-67	123.6	-12.9		02S/14W-14F02S	101.0	10-01-66	167.0	-66.0	101
		5-06-67	118.7	-8.0				10-26-66	167.9	-66.9	
		6-03-67	127.8	-17.1				11-28-66	169.3	-68.3	
		7-01-67	135.0	-24.3				12-27-66	168.5	-67.5	
		8-05-67	142.0	-31.3				1-28-67	168.4	-67.4	
		9-02-67	145.9	-35.2				2-21-67	169.8	-68.8	
02S/14W-04N01S	105.0	11-01-66	196.1	-91.1	101			3-29-67	168.4	-67.4	
		4-17-67	187.2	-82.2				4-25-67	168.5	-67.5	
02S/14W-05B03S	82.0	12-18-66	(0)		101			5-29-67	170.7	-69.7	
		1-04-67	153.0(5)	-71.0				7-28-67	173.5	-72.5	
		4-12-67	(7)					8-29-67	172.6	-71.6	
02S/14W-05C03S	80.0	11-01-66	(1)		101			9-28-67	172.7	-71.7	
		11-10-66	151.4(5)	-71.4		02S/14W-15A01S	122.3	4-25-67	187.5	-65.2	101
		11-17-66	150.4(5)	-70.4				5-26-67	188.0	-65.7	
		1-04-67	149.4(5)	-69.4				6-07-67	(0)		
		4-10-67	151.4(5)	-71.4		02S/14W-22A02S	166.8	10-21-66	218.7	-51.9	101
02S/14W-05C04S	85.0	10-01-66	158.0(5)	-73.0	101			11-05-66	218.1	-51.3	
		11-01-66	158.0(5)	-73.0				2-01-67	192.6(5)	-40.6	061
		12-01-66	164.0(5)	-79.0				3-08-67	194.0(5)	-42.0	
		1-01-67	165.0(5)	-80.0				3-27-67	192.8	-40.8	050
								4-03-67	192.8(5)	-40.8	061
								5-01-67	193.0(5)	-41.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
02S/14W-22N04S	152.0	6-01-67	192.0(5)	-40.0	061	03S/11W-01P01S	264.0	5-01-67	205.5	58.5	101
(CONT.)		6-30-67	192.0(5)	-40.0		(CONT.)		5-31-67	207.5	56.5	
		7-31-67	191.5(5)	-39.5				7-03-67	209.5	54.5	
		8-31-67	191.0(5)	-39.0				7-17-67	229.5(1)	34.5	
02S/14W-22P01S	150.0	3-27-67	194.8	-44.8	050			8-01-67	209.5	54.5	
		10-17-67	194.6	-44.6				9-01-67	214.5	49.5	
								9-11-67	219.5(1)	44.5	
02S/14W-22P02S	158.6	2-01-67	214.1(5)	-55.5	061	03S/11W-01P02S	266.0	12-08-66	34.0	232.0	101
		3-06-67	211.6(5)	-53.0				2-22-67	33.0	233.0	
		3-27-67	222.9	-64.3	050			5-02-67	32.0	234.0	
		4-03-67	222.8(5)	-64.2	061			7-18-67	56.0(1)	210.0	
		5-01-67	212.1(5)	-53.5				9-11-67	61.0(5)	205.0	
		6-02-67	210.1(5)	-51.5		03S/11W-02K01S	216.0	12-08-66	186.0(5)	30.0	101
		7-06-67	211.1(5)	-52.5				2-22-67	183.0(5)	33.0	
		7-31-67	210.6(5)	-52.0				5-02-67	178.0(5)	38.0	
		8-30-67	210.1(5)	-51.5				7-18-67	178.0(5)	38.0	
02S/14W-22P03S	168.0	3-28-67	224.6	-56.6	050			9-11-67	220.0(1)	-4.0	
02S/14W-22P04S	170.0	3-28-67	220.7	-50.7	050	03S/11W-02001S	214.0	12-08-66	173.0(5)	41.0	101
02S/14W-23C02S	159.0	10-17-66	35.7	123.3	101			2-22-67	253.0(1)	-39.0	
		10-24-66	32.5	126.5				5-02-67	168.0(5)	46.0	
		10-31-66	38.5	120.5				7-18-67	218.0(1)	-4.0	
		11-14-66	DRY					9-27-67	259.0(1)	-45.0	
		11-21-66	DRY			03S/11W-04M02S	150.0	11-02-66	(7)		101
		11-28-66	DRY					2-07-67	41.4	108.6	
		12-27-66	29.2	129.8				4-17-67	39.2	110.8	
		1-23-67	35.4	123.6		03S/11W-05803S	161.5	10-24-66	55.3	106.2	101
		1-30-67	28.1	130.9				11-29-66	55.2	106.3	
		2-20-67	27.0	132.0				12-27-66	55.2	106.3	
		2-27-67	33.5	125.5				1-30-67	54.4	107.1	
		3-27-67	34.0	125.0				2-27-67	54.0	107.5	
		4-24-67	19.9	139.1				3-27-67	55.0	106.5	
		5-01-67	22.5	136.5				4-24-67	53.9	107.6	
		5-08-67	26.3	132.7				5-22-67	53.4	108.1	
		5-15-67	23.2	135.8				6-27-67	53.7	107.8	
		5-22-67	11.5	147.5				7-24-67	55.8	105.7	
		6-26-67	30.8	128.2				8-29-67	57.9	103.6	
		7-24-67	DRY					9-25-67	58.8	102.7	
		8-28-67	DRY			03S/11W-05H03S	161.0	12-08-66	59.0	102.0	101
		9-11-67	DRY					2-22-67	55.0	106.0	
		9-18-67	34.5	124.5				5-02-67	55.0	106.0	
		9-25-67	26.8	132.2				7-17-67	58.0	103.0	
		9-28-67	27.4	131.6				9-19-67	58.0	103.0	
02S/14W-23H02S	136.7	5-29-66	236.0(1)	-99.3	200	03S/11W-05N04S	151.0	11-02-66	113.6	37.4	101
		10-11-66	198.5	-61.8				4-17-67	85.8	65.2	
		7-13-67	237.5(1)	-100.8		03S/11W-05R02S	171.0	10-24-66	87.0	84.0	101
		8-09-67	237.5(1)	-100.8				11-29-66	81.8	89.2	
		9-14-67	241.5(1)	-104.8				12-27-66	81.6	89.4	
02S/14W-23H03S	136.0	12-22-66	195.2	-59.2	200			1-30-67	84.0	87.0	
		7-07-67	(1)					2-27-67	84.1	86.9	
		8-04-67	(1)					3-27-67	84.5	86.5	
		9-05-67	(1)					4-24-67	81.4	89.6	
02S/14W-23H06S	135.7	10-11-66	197.6(5)	-61.9	200			5-22-67	81.7	89.3	
		7-13-67	254.5(1)	-118.8				6-27-67	82.1	88.9	
		8-09-67	255.6(1)	-119.9				7-24-67	85.0	86.0	
		9-14-67	258.5(1)	-122.8				8-29-67	86.3	84.7	
02S/14W-24G01S	138.6	11-14-66	99.2	39.4	101			9-25-67	87.0	84.0	
02S/14W-27C01S	160.0	3-28-67	(5)		050	03S/11W-07802S	123.0	10-24-66	95.8	27.2	101
		4-04-67	(9)					11-29-66	94.3	28.7	
02S/14W-27C07S	165.0	3-28-67	(5)		050			12-27-66	96.5	26.5	
		4-04-67	(9)					1-30-67	92.1	30.9	
02S/14W-27C09S	158.0	3-28-67	212.4	-54.4	050			2-27-67	96.5	26.5	
								3-27-67	96.6	26.4	
02S/14W-27004S	170.0	4-03-67	223.5(5)	-53.5	061			4-24-67	91.6	31.4	
		6-01-67	221.5(5)	-51.5				5-22-67	96.0	27.0	
		6-30-67	220.5(5)	-50.5				6-27-67	98.6	24.4	
		7-31-67	220.5(5)	-50.5				7-24-67	100.0	23.0	
		8-30-67	220.0(5)	-50.0				8-29-67	103.3	19.7	
02S/14W-27007S	141.0	2-01-67	198.4(5)	-57.4	061			9-25-67	103.5	19.5	
		2-27-67	196.4(5)	-55.4		03S/11W-07C08S	116.0	12-07-66	78.0(5)	38.0	101
		3-27-67	194.5	-53.5	050			5-01-67	76.0(5)	40.0	
		4-03-67	194.7(5)	-53.7	061			7-17-67	210.0(1)	-94.0	
		5-01-67	196.4(5)	-55.4				9-12-67	223.0(1)	-107.0	
		6-01-67	195.4(5)	-54.4		03S/11W-07E01S	116.0	10-15-66	98.1(5)	17.9	101
		6-30-67	195.9(5)	-54.9				11-07-66	96.1(5)	19.9	
		7-31-67	193.4(5)	-52.4				12-01-66	94.1(5)	21.9	
		8-30-67	193.4(5)	-52.4				1-01-67	91.1(5)	24.9	
03S/11W-01P01S	264.0	10-03-66	212.5	51.5	101			2-01-67	88.1(5)	27.9	
		11-01-66	212.5	51.5				3-01-67	88.1(5)	27.9	
		12-01-66	209.5	54.5				4-01-67	89.1(5)	26.9	
		1-03-67	209.5	54.5				5-01-67	87.1(5)	28.9	
		2-01-67	208.5	55.5				6-01-67	88.1(5)	27.9	
		2-22-67	229.5(1)	34.5				7-01-67	88.1(5)	27.9	
		3-01-67	214.5	49.5				8-15-67	94.1(5)	21.9	
		4-03-67	207.5	56.5		03S/11W-07E02S	117.0	9-15-67	90.1(5)	25.9	
		4-28-67	205.5	58.5				10-15-66	98.0(5)	19.0	101
								11-15-66	93.0(5)	24.0	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA						COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA					
U-05.A0						U-05.A5					
03S/11W-07E02S (CONT.)	117.0	12-01-66	91.0(5)	26.0	101	03S/11W-10N02S (CONT.)	145.0	1-30-67	77.9	67.1	101
		1-01-67	90.0(5)	27.0				2-27-67	76.9	68.1	
		2-01-67	88.0(5)	29.0				3-27-67	77.0	68.0	
		3-01-67	86.0(5)	31.0				4-24-67	78.3	66.7	
		4-01-67	88.0(5)	29.0				5-22-67	79.0	66.0	
		5-01-67	86.0(5)	31.0				6-27-67	80.9	64.1	
		6-01-67	88.0(5)	29.0				7-24-67	82.1	62.9	
		7-01-67	88.0(5)	29.0				8-29-67	83.7	61.3	
		8-15-67	93.0(5)	24.0				9-25-67	84.1	60.9	
		9-15-67	91.0(5)	26.0							
03S/11W-07H02S	125.0	11-01-66	99.5	25.5	101	03S/11W-14B01S	237.0	11-02-66	(2)		101
		4-17-67	92.1	32.9				4-18-67	(2)		
03S/11W-07J01S	125.0	10-24-66	114.8	10.2	733	03S/11W-14H04S	268.5	11-02-66	230.6	37.9	101
		11-28-66	114.2	10.8				4-18-67	241.2	27.3	
		12-28-66	111.1	13.9	101	03S/11W-14N02S	161.5	11-02-66	138.8	22.7	101
		1-23-67	111.0	14.0	733			4-18-67	134.2	27.3	
		2-27-67	109.7	15.3		03S/11W-14R02S	220.0	11-02-66	178.6	41.4	101
		3-27-67	107.9	17.1				4-18-67	175.4	44.6	
		4-24-67	109.6	15.4		03S/11W-15G01S	161.0	11-02-66	127.2	33.8	101
		5-22-67	109.9	15.1				4-17-67	127.2	33.8	
		6-27-67	107.9	17.1		03S/11W-15P01S	125.0	11-01-66	102.5(5)	22.5	101
		7-24-67	109.0	16.0				12-01-66	104.5(5)	20.5	
		9-25-67	108.4	16.6				1-03-67	92.5(5)	32.5	
03S/11W-07P02S	109.0	10-13-66	98.1	10.9	733			2-01-67	91.5(5)	33.5	
		11-03-66	97.4	11.6				2-28-67	89.5(5)	35.5	
		11-24-66	96.8	12.2				4-01-67	88.5(5)	36.5	
		12-15-66	93.4	15.6				5-01-67	90.5(5)	34.5	
		1-05-67	91.8	17.2				5-31-67	88.5(5)	36.5	
		1-26-67	89.6	19.4				8-01-67	110.5(5)	14.5	
		2-16-67	91.2	17.8				9-01-67	92.5(5)	32.5	
		3-09-67	90.8	18.2		03S/11W-16B01S	103.0	10-03-66	94.8	8.2	101
		3-30-67	91.0	18.0				10-04-66	94.3(5)	8.7	
		4-20-67	90.4	18.6				10-31-66	94.3(5)	8.7	
		5-11-67	88.6	20.4				11-09-66	95.0	8.0	
		5-19-67	90.4	18.6	101			11-29-66	94.3(5)	8.7	
		6-01-67	87.1	21.9	733			12-12-66	94.1	8.9	
		6-22-67	87.1	21.9				1-03-67	93.5	9.5	
		7-13-67	90.2	18.8				1-31-67	87.3(5)	15.7	
		8-03-67	92.4	16.6				2-06-67	92.8	10.2	
		9-14-67	90.9	18.1				2-28-67	87.3(5)	15.7	
03S/11W-07P03S	107.5	11-01-66	94.7	12.8	101			3-22-67	92.0	11.0	
		4-17-67	86.0	21.5				4-04-67	87.3(5)	15.7	
03S/11W-08H01S	160.0	10-07-66	137.5(5)	22.5	101			4-18-67	91.7	11.3	
		10-21-66	135.5(5)	24.5				5-01-67	92.7	10.3	
		11-07-66	136.5(5)	23.5				5-02-67	87.3(5)	15.7	
		12-01-66	135.5(5)	24.5				5-31-67	87.3(5)	15.7	
		1-01-67	132.5(5)	27.5				6-05-67	91.2	11.8	
		2-01-67	129.5(5)	30.5				7-05-67	87.3(5)	15.7	
		3-01-67	128.5(5)	31.5				7-12-67	91.3	11.7	
		4-01-67	125.5(5)	34.5				8-01-67	(7)		
		5-01-67	126.5(5)	33.5				8-08-67	95.2	7.8	
		6-01-67	127.5(5)	32.5				9-05-67	92.1	10.9	
		7-01-67	128.5(5)	31.5		03S/11W-16F01S	110.0	11-02-66	108.2	1.8	101
		8-15-67	133.5(5)	26.5				4-17-67	(3)		
		9-21-67	144.5(5)	15.5		03S/11W-16F03S	110.0	11-02-66	91.7(4)	18.3	101
03S/11W-09G01S	154.0	11-03-66	116.1	37.9	101			4-17-67	102.3(4)	7.7	
		4-17-67	117.6	36.4		03S/11W-16H02S	105.0	10-04-66	118.5(5)	-13.5	101
03S/11W-09J01S	114.0	11-02-66	93.6	20.4	101			10-31-66	104.5(5)	.5	
		4-17-67	73.9	40.1				11-29-66	114.5(5)	-9.5	
03S/11W-09N01S	99.0	10-24-66	88.9	10.1	733			1-31-67	118.5(5)	-13.5	
		11-28-66	89.1	9.9				2-28-67	118.5(5)	-13.5	
		12-28-66	87.4	11.6	101			4-04-67	104.5(5)	.5	
		1-23-67	87.4	11.6	733			5-02-67	88.5(5)	16.5	
		2-27-67	85.8	13.2				5-31-67	95.5(5)	9.5	
		3-27-67	84.2	14.8				7-05-67	93.5(5)	11.5	
		4-24-67	87.4	11.6				8-02-67	108.5(5)	-3.5	
		5-22-67	84.0	15.0				9-06-67	105.5(5)	-.5	
		6-27-67	87.4	11.6		03S/11W-16M02S	90.0	11-02-66	79.5	10.5	101
		7-24-67	89.3	9.7				4-17-67	75.7(4)	14.3	
		9-15-67	87.2	11.8		03S/11W-16N02S	85.0	11-02-66	88.4	-3.4	101
03S/11W-10N01S	144.0	10-14-66	108.6	35.4	733			4-17-67	80.1	4.9	
		11-04-66	107.4	36.6		03S/11W-17M03S	96.0	10-04-66	90.5(5)	5.5	101
		11-25-66	105.8	38.2				11-01-66	91.5(5)	4.5	
		12-16-66	104.0	40.0				11-29-66	91.5(5)	4.5	
		1-06-67	101.2	42.8				1-31-67	106.5(5)	-10.5	
		1-27-67	100.6	43.4				2-28-67	107.5(5)	-11.5	
		2-17-67	101.1	42.9				4-04-67	106.5(5)	-10.5	
		3-10-67	102.1	41.9				5-02-67	88.5(5)	7.5	
		3-31-67	102.8	41.2				5-31-67	91.5(5)	4.5	
		4-21-67	100.2	43.8				7-05-67	90.5(5)	5.5	
		5-12-67	100.6	43.4				8-01-67	88.5(5)	7.5	
		6-02-67	102.9	41.1				9-06-67	91.5(5)	4.5	
		6-23-67	101.6	42.4		03S/11W-18B04S	88.0	10-17-66	105.2(5)	-17.2	101
		7-14-67	102.2	41.8				11-15-66	99.2(5)	-11.2	
		8-04-67	104.1	39.9				12-15-66	93.2(5)	-5.2	
		9-15-67	107.2	36.8							
03S/11W-10N02S	145.0	12-14-66	74.4	70.6	101						
		12-27-66	73.6	71.4							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
03S/11W-18B04S (CONT.)	88.0	1-20-67	87.2(5)	.8	101	03S/11W-19A02S (CONT.)	87.0	5-02-67	87.5(5)	-.5	101
		2-15-67	92.2(5)	-4.2				5-31-67	83.5(5)	3.5	
		3-15-67	98.2(5)	-10.2				7-05-67	89.5(5)	-2.5	
		4-11-67	92.2(5)	-4.2				8-01-67	93.5(5)	-6.5	
		5-17-67	95.2(5)	-7.2				9-06-67	98.5(5)	-11.5	
		6-15-67	105.2(5)	-17.2		03S/11W-19A03S	87.0	10-04-66	101.0(5)	-14.0	101
		7-17-67	101.2(5)	-13.2				11-02-66	101.0(5)	-14.0	
		8-14-67	104.2(5)	-16.2				11-29-66	99.0(5)	-12.0	
		9-15-67	103.2(5)	-15.2				1-31-67	100.0(5)	-13.0	
03S/11W-18G04S	102.0	10-15-66	97.0(5)	5.0	101			2-28-67	103.0(5)	-16.0	
		11-07-66	97.0(5)	5.0				4-04-67	91.0(5)	-4.0	
		12-01-66	95.0(5)	7.0				5-02-67	97.0(5)	-10.0	
		12-15-66	97.0(5)	5.0				5-31-67	91.0(5)	-4.0	
		1-01-67	95.0(5)	7.0				7-05-67	91.0(5)	-4.0	
		2-01-67	92.0(5)	10.0				8-01-67	97.0(5)	-10.0	
		3-01-67	90.0(5)	12.0				9-06-67	107.0(5)	-20.0	
		4-01-67	90.0(5)	12.0		03S/11W-19A04S	87.7	11-02-66	DRY		101
		5-01-67	87.0(5)	15.0				4-17-67	DRY		
		6-01-67	91.0(5)	11.0		03S/11W-19E02S	86.0	10-04-66	110.2(5)	-24.2	101
		7-01-67	90.0(5)	12.0				11-02-66	110.2(5)	-24.2	
		8-15-67	96.0(5)	6.0				11-29-66	109.2(5)	-23.2	
		9-15-67	94.0(5)	8.0				1-31-67	113.2(5)	-27.2	
03S/11W-18G05S	100.5	10-15-66	96.5(5)	4.0	101			2-28-67	112.2(5)	-26.2	
		11-21-66	94.5(5)	6.0				4-04-67	88.2(5)	-2.2	
		12-01-66	95.5(5)	5.0				5-31-67	93.2(5)	-7.2	
		1-01-67	93.3	7.2				7-05-67	96.2(5)	-10.2	
		2-01-67	90.5(5)	10.0				8-01-67	103.2(5)	-17.2	
		3-01-67	90.5(5)	10.0				9-06-67	98.2(5)	-12.2	
		4-01-67	89.5(5)	11.0		03S/11W-19J02S	76.5	10-04-66	93.0(5)	-16.5	101
		5-01-67	88.5(5)	12.0				11-02-66	91.0(5)	-14.5	
		6-01-67	90.5(5)	10.0				11-29-66	91.0(5)	-14.5	
		7-01-67	90.5(5)	10.0				1-31-67	93.0(5)	-16.5	
		8-21-67	95.5(5)	5.0				2-28-67	92.0(5)	-15.5	
		9-15-67	93.5(5)	7.0				4-04-67	75.0(5)	1.5	
03S/11W-18L01S	96.0	10-17-66	112.4(5)	-16.4	101			5-02-67	75.0(5)	1.5	
		11-15-66	98.4(5)	-2.4				5-31-67	71.0(5)	5.5	
		12-15-66	97.4(5)	-1.4				7-05-67	70.0(5)	6.5	
		1-20-67	96.4(5)	-.4				8-01-67	87.0(5)	-10.5	
		2-15-67	105.4(5)	-9.4				9-06-67	81.0(5)	-4.5	
		3-15-67	90.4(5)	5.6		03S/11W-19O01S	71.0	10-04-66	89.5(5)	-18.5	101
		4-11-67	97.4(5)	-1.4				11-02-66	89.5(5)	-18.5	
		5-18-67	112.4(5)	-16.4				11-29-66	88.5(5)	-17.5	
		6-15-67	96.4(5)	-.4				1-31-67	91.5(5)	-20.5	
		7-17-67	93.4(5)	2.6				2-28-67	91.5(5)	-20.5	
		8-15-67	90.4(5)	5.6				4-04-67	93.5(5)	-22.5	
		9-15-67	91.4(5)	4.6				5-31-67	73.5(5)	-2.5	
03S/11W-18L02S	95.5	10-17-66	103.8(5)	-8.3	101			7-05-67	75.5(5)	-4.5	
		11-15-66	98.8(5)	-3.3				8-02-67	90.5(5)	-19.5	
		12-15-66	91.8(5)	3.7				9-06-67	85.5(5)	-14.5	
		1-20-67	101.8(5)	-6.3		03S/11W-20A01S	82.0	11-15-66	86.0	-4.0	101
		2-15-67	102.8(5)	-7.3				4-17-67	75.9	6.1	
		3-15-67	99.8(5)	-4.3		03S/11W-20C01S	80.0	10-04-66	87.0(5)	-7.0	101
		4-11-67	108.8(5)	-13.3				11-02-66	83.0(5)	-3.0	
		5-18-67	103.8(5)	-8.3				11-29-66	83.0(5)	-3.0	
		6-15-67	88.8(5)	6.7				1-31-67	88.0(5)	-8.0	
		7-17-67	87.8(5)	7.7				2-28-67	88.0(5)	-8.0	
		8-15-67	88.8(5)	6.7				4-04-67	79.0(5)	1.0	
		9-15-67	86.8(5)	8.7				5-02-67	78.0(5)	2.0	
03S/11W-18M01S	96.0	10-04-66	106.0(5)	-10.0	101			5-31-67	80.0(5)	.0	
		11-02-66	106.0(5)	-10.0				7-05-67	84.0(5)	-4.0	
		11-29-66	108.0(5)	-12.0				8-01-67	97.0(5)	-17.0	
		1-31-67	105.0(5)	-9.0				9-06-67	94.0(5)	-14.0	
		2-28-67	105.0(5)	-9.0		03S/11W-20F01S	79.0	10-31-66	82.5	-3.5	101
		4-04-67	100.0(5)	-4.0				4-10-67	80.3	-1.3	
		5-02-67	95.0(5)	1.0		03S/11W-20J01S	77.0	10-31-66	87.9(2)	-10.9	101
		5-31-67	91.0(5)	5.0				4-10-67	85.5(2)	-8.5	
		7-05-67	93.0(5)	3.0				4-18-67	84.6(4)	-7.6	
		8-01-67	103.0(5)	-7.0		03S/11W-21B01S	92.0	11-02-66	9.4	82.6	101
		9-06-67	108.0(5)	-12.0				4-17-67	9.4(3)	82.6	
03S/11W-18Q04S	93.5	10-14-66	95.3	-1.8	733	03S/11W-21D03S	81.4	11-02-66	(9)		101
		11-04-66	93.8	-.3				11-15-66	83.8	-2.4	
		11-25-66	95.0	-1.5				4-17-67	78.1	3.3	
		12-16-66	93.9	-.4		03S/11W-21N04S	75.0	10-31-66	84.6	-9.6	101
		1-06-67	94.6	-1.1				4-10-67	80.8	-5.8	
		1-27-67	94.4	-.9		03S/11W-22K01S	83.0	1-10-67	(0)		101
		2-17-67	94.2	-.7		03S/11W-22L01S	85.0	1-10-67	(0)		101
		3-10-67	93.8	-.3		03S/11W-27G03S	64.0	10-26-66	62.6	1.4	102
		3-31-67	93.4	.1				11-01-66	63.5	.5	101
		4-21-67	91.9	1.6				11-25-66	53.3	10.7	102
		5-12-67	92.8	.7				12-28-66	46.7	17.3	
		6-02-67	92.6	.9				1-26-67	43.8	20.2	
		6-23-67	92.2	1.3				2-23-67	43.5	20.5	
		7-14-67	92.6	.9				3-28-67	40.7	23.3	
		8-04-67	93.1	.4							
		9-15-67	91.9	1.6							
03S/11W-19A02S	87.0	10-04-66	101.5(5)	-14.5	101						
		11-02-66	101.5(5)	-14.5							
		11-29-66	100.5(5)	-13.5							
		1-31-67	100.5(5)	-13.5							
		2-28-67	101.5(5)	-14.5							
		4-04-67	81.5(5)	5.5							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
03S/11W-27G03S (CONT.)	64.0	4-10-67	39.6	24.4	101	03S/11W-30P02S (CONT.)	56.5	8-21-67	76.3	-19.8	101
		4-24-67	44.2	19.8				9-21-67	72.3	-15.8	
		5-25-67	48.9	15.1							
		6-27-67	54.1	9.9		03S/11W-31C02S	58.0	10-13-66	81.4	-23.4	733
		7-20-67	65.7	-1.7				11-03-66	77.7	-19.7	
		8-30-67	69.0	-5.0				11-24-66	69.9	-11.9	
		9-14-67	64.3	-3.3				12-15-66	66.0	-8.0	
								1-05-67	68.5	-10.5	
03S/11W-27L01S	62.0	1-10-67	(0)		101			1-26-67	65.0	-7.0	
03S/11W-27R02S	65.1	10-03-66	72.3	-7.2	102			2-16-67	64.3	-6.3	
		10-26-66	71.2	-6.1				3-09-67	67.1	-9.1	
		11-25-66	62.5	2.6				3-30-67	66.6	-8.6	
		12-28-66	55.4	9.7				4-20-67	63.4	-5.4	
		1-27-67	49.6	15.5				5-11-67	65.6	-7.6	
		2-23-67	51.3	13.8				6-01-67	70.5	-12.5	
		3-28-67	51.7	13.4				6-22-67	72.1	-14.1	
		4-24-67	49.1	16.0				7-13-67	74.3	-16.3	
		5-25-67	62.3	2.8				8-03-67	76.1	-18.1	
		6-27-67	65.5	-4.4				9-14-67	75.4	-17.4	
		7-20-67	70.9	-5.8		03S/11W-31M03S	51.5	10-01-66	78.8	-27.3	101
		8-30-67	74.5	-9.4				11-07-66	67.0(5)	-15.5	
		9-14-67	74.2	-9.1				12-01-66	65.0(5)	-13.5	
03S/11W-28B02S	63.0	10-31-66	72.0	-9.0	101			1-01-67	55.0(5)	-3.5	
		4-10-67	62.4	.6				2-01-67	53.0(5)	-1.5	
03S/11W-28D06S	74.0	11-25-66	83.4	-9.4	102			3-01-67	52.0(5)	-5.5	
		12-28-66	81.7(3)	-7.7				4-01-67	52.0(5)	-5.5	
		5-25-67	80.3	-6.3				5-01-67	49.0(5)	2.5	
		7-20-67	81.5	-7.5				6-01-67	56.0(5)	-4.5	
		8-30-67	81.2	-7.2				7-01-67	59.0(5)	-7.5	
03S/11W-28E02S	68.0	11-01-66	(6)		101			8-15-67	66.0(5)	-14.5	
03S/11W-28K01S	62.0	10-31-66	74.5	-12.5	101	03S/11W-32A01S	60.0	10-31-66	77.1	-17.1	101
		4-10-67	69.9	-7.9				4-10-67	64.8	-4.8	
03S/11W-28L01S	65.0	10-31-66	73.4	-8.4	101	03S/11W-32K02S	50.0	10-31-66	70.2	-20.2	101
		4-10-67	57.4	7.6				4-10-67	56.2	-6.2	
03S/11W-28N01S	62.5	10-13-66	79.5	-17.0	733	03S/11W-32R03S	46.2	10-13-66	72.4	-26.2	733
		11-03-66	75.6	-13.1				11-03-66	67.9	-21.7	
		11-24-66	70.4	-7.9				11-24-66	62.8	-16.6	
		12-15-66	68.7	-6.2				12-15-66	54.9	-8.7	
		1-05-67	67.3	-4.8				1-05-67	54.1	-7.9	
		1-26-67	64.9	-2.4				1-26-67	52.4	-6.2	
		2-16-67	62.9	-4.4				2-16-67	51.6	-5.4	
		3-09-67	64.2	-1.7				3-09-67	53.6	-7.4	
		3-30-67	65.3	-2.8				3-30-67	53.2	-7.0	
		4-20-67	62.7	-2.2				4-20-67	50.2	-4.0	
		5-11-67	64.3	-1.8				5-11-67	53.4	-7.2	
		6-01-67	68.5	-6.0				6-01-67	59.4	-13.2	
		6-23-67	69.4	-6.9				6-22-67	60.3	-14.1	
		7-13-67	71.8	-9.3				7-13-67	63.0	-16.8	
		8-03-67	72.5	-10.0				8-03-67	66.2	-20.0	
		9-14-67	73.3	-10.8				9-14-67	65.6	-19.4	
03S/11W-28P02S	59.7	10-03-66	74.6	-14.9	102	03S/11W-32R04S	47.0	10-31-66	70.0	-23.0	101
		10-26-66	73.8	-14.1				4-10-67	53.5	-6.5	
		11-25-66	70.7	-11.0		03S/11W-32R06S	47.0	10-03-66	73.3	-26.3	102
		12-28-66	67.8	-8.1				10-26-66	73.4	-26.4	
		1-26-67	67.0(3)	-7.3				11-25-66	57.4	-10.4	
		2-23-67	65.1(2)	-5.4				12-28-66	57.2	-10.2	
		3-28-67	63.4(2)	-3.7				1-26-67	52.6	-5.6	
		4-24-67	61.7	-2.0				2-23-67	54.8	-7.8	
		5-25-67	66.0	-6.3				4-24-67	50.4	-3.4	
		6-27-67	67.1	-7.4				5-25-67	62.1	-15.1	
		7-20-67	68.4(2)	-8.7				6-27-67	64.0	-17.0	
		8-30-67	69.6	-9.9				7-20-67	66.0	-19.0	
		9-14-67	68.8	-9.1				8-30-67	70.5	-23.5	
03S/11W-29E03S	68.0	11-01-66	78.7	-10.7	101			9-14-67	70.1	-23.1	
		4-18-67	57.0	11.0		03S/11W-33B02S	57.0	10-31-66	69.3	-12.3	101
03S/11W-29R01S	65.0	11-01-66	75.2	-10.2	101			4-10-67	56.6	.4	
		4-10-67	58.9(4)	6.1		03S/11W-33F04S	53.0	10-31-66	67.7	-14.7	101
03S/11W-29R02S	57.0	11-01-66	76.5(3)	-19.5	101			4-10-67	54.2	-1.2	
		4-10-67	63.7	-6.7		03S/12W-01A04S	130.0	10-24-66	60.1	69.9	101
03S/11W-30D01S	71.0	11-01-66	79.3	-8.3	101			11-29-66	58.1	71.9	
		4-17-67	70.6	.4				12-27-66	57.4	72.6	
03S/11W-30K02S	65.0	11-01-66	75.3	-10.3	101			1-30-67	(8)		
		4-17-67	69.4	-4.4				2-27-67	55.6	74.4	
03S/11W-30P02S	56.5	10-01-66	112.8(1)	-56.3	101			3-27-67	58.0	72.0	
		10-21-66	114.8(1)	-58.3				4-24-67	53.8	76.2	
		11-21-66	98.8(1)	-42.3				5-22-67	54.1	75.9	
		12-15-66	97.8(1)	-41.3				6-27-67	56.2	73.8	
		1-15-67	98.8(1)	-42.3				7-24-67	57.7	72.3	
		2-01-67	96.8(1)	-40.3		03S/12W-01A06S	136.0	8-29-67	59.1	70.9	
		3-01-67	99.8(1)	-43.3				9-25-67	62.7	67.3	
		4-01-67	96.8(1)	-40.3				10-10-66	65.2	70.8	733
		5-01-67	93.8(1)	-37.3				11-07-66	65.8	70.2	
		6-01-67	101.8(1)	-45.3				11-28-66	65.6	70.4	
		7-01-67	111.8(1)	-55.3				12-19-66	65.8	70.2	
								1-30-67	54.7	81.3	
								2-17-67	56.9	79.1	
								3-20-67	58.8	77.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
03S/12W-01A065 (CONT.)	136.0	4-10-67	55.1	80.9	733	03S/12W-02C02S (CONT.)	130.0	2-27-67	67.2	62.8	101
		5-01-67	53.5	82.5				3-27-67	65.0	65.0	
		5-24-67	51.6	84.4				4-25-67	66.2	63.8	
		8-07-67	59.2	76.8				5-22-67	65.0	65.0	
		9-11-67	62.1	73.9				6-26-67	64.5	65.5	
								7-24-67	65.0	65.0	
03S/12W-01B01S	128.5	11-01-66	73.1	55.4	101			8-28-67	66.2	63.8	
		4-17-67	65.1	63.4				9-25-67	67.4	62.6	
03S/12W-01001S	127.0	10-24-66	58.3	68.7	101	03S/12W-02F01S	127.5	11-01-66	(7)		101
		11-29-66	57.9	69.1				11-02-66	78.2	49.3	
		12-27-66	54.7	72.3				4-17-67	(9)		
		1-30-67	55.5	71.5				4-26-67	(9)		
		2-27-67	55.5	71.5		03S/12W-02H04S	119.5	10-03-66	80.0(5)	39.5	101
		3-27-67	57.9	69.1				10-31-66	80.0(5)	39.5	
		4-24-67	53.1	73.9				11-28-66	79.0(5)	40.5	
		5-22-67	57.0	70.0				1-30-67	81.0(5)	38.5	
		6-27-67	62.1	64.9				2-28-67	82.0(5)	37.5	
		7-24-67	65.9	61.1				4-03-67	81.0(5)	38.5	
		8-29-67	68.9	58.1				5-01-67	71.0(5)	48.5	
		9-25-67	(6)					5-29-67	79.0(5)	40.5	
03S/12W-01F06S	127.6	10-24-66	73.1	54.5	101			7-03-67	73.0(5)	46.5	
		11-29-66	69.5	58.1				7-31-67	79.0(5)	40.5	
		12-27-66	(1)					9-05-67	77.0(5)	42.5	
		1-30-67	66.9	60.7		03S/12W-02J06S	122.3	10-10-66	79.3	43.0	101
		2-27-67	66.0	61.6				10-24-66	77.9	44.4	
		3-27-67	66.7	60.9				11-28-66	73.9	48.4	
		4-24-67	58.8	68.8				12-13-66	71.8	50.5	
		5-22-67	(1)					12-27-66	71.0	51.3	
		5-23-67	64.9	62.7				1-09-67	71.1	51.2	
		6-27-67	69.5	58.1				1-30-67	70.5	51.8	
		7-24-67	177.1(3)	-49.5				2-14-67	69.8	52.5	
		8-29-67	77.7	49.9				2-27-67	69.9	52.4	
		9-25-67	79.4	48.2				3-06-67	69.9	52.4	
03S/12W-01K01S	125.0	10-03-66	97.0(1)	28.0	101			3-27-67	69.3	53.0	
		11-01-66	97.0(1)	28.0				4-20-67	68.8	53.5	
		12-01-66	93.0(1)	32.0				5-15-67	67.1	55.2	
		1-03-67	90.0(1)	35.0				5-22-67	68.3	54.0	
		2-01-67	72.0(5)	53.0				6-12-67	69.2	53.1	
		3-01-67	72.0(5)	53.0				6-26-67	69.8	52.5	
		4-03-67	71.0(5)	54.0				7-12-67	71.2	51.1	
		4-28-67	70.0(5)	55.0				7-24-67	72.3	50.0	
		5-31-67	71.0(5)	54.0				8-13-67	(6)		
		7-03-67	74.0	51.0		03S/12W-02L01S	116.0	11-01-66	(0)		101
		8-01-67	75.0	50.0				6-30-67	(0)		
		9-01-67	77.0	48.0				7-30-67	74.0(5)	42.0	
03S/12W-01K02S	122.0	10-24-66	79.2	42.8	101			8-30-67	88.0(5)	28.0	
		11-29-66	78.4	43.6				9-30-67	84.0(5)	32.0	
		12-27-66	76.9	45.1		03S/12W-02R01S	115.5	10-15-66	87.0(5)	28.5	101
		1-30-67	75.1	46.9				11-01-66	87.0(5)	28.5	
		2-27-67	74.0	48.0				11-21-66	82.0(5)	33.5	
		3-27-67	75.4	46.6				12-01-66	79.5(5)	36.0	
		4-24-67	(9)					1-01-67	83.0(5)	32.5	
		5-01-67	71.7	50.3				2-01-67	83.0(5)	32.5	
		5-22-67	73.1	48.9				3-01-67	83.0(5)	32.5	
		6-27-67	75.0	47.0				4-07-67	77.0(5)	38.5	
		7-24-67	76.7	45.3				5-01-67	76.0(5)	39.5	
		8-29-67	79.2	42.8				6-01-67	78.0(5)	37.5	
		9-25-67	81.0	41.0				7-01-67	80.0(5)	35.5	
03S/12W-01L03S	120.0	10-24-66	78.3	41.7	101			8-15-67	84.0(5)	31.5	
		11-28-66	74.1	45.9				9-15-67	87.0(5)	28.5	
		12-27-66	71.2	48.8		03S/12W-03J01S	118.0	10-03-66	90.4(5)	27.6	101
		1-30-67	70.5	49.5				11-01-66	88.4(5)	29.6	
		2-27-67	70.5	49.5				6-30-67	(0)		
		3-27-67	70.3	49.7				8-30-67	87.0	31.0	
		5-22-67	71.1	48.9		03S/12W-03M01S	113.0	10-03-66	91.0	22.0	101
		6-26-67	72.4	47.6				11-01-66	93.0	20.0	
		7-24-67	75.7	44.3				4-30-67	77.0	36.0	
		8-28-67	76.8	43.2				5-31-67	82.0	31.0	
		9-25-67	78.1	41.9				7-30-67	92.0	21.0	
03S/12W-01M04S	119.0	10-24-66	81.3	37.7	101			8-30-67	99.0	14.0	
		11-28-66	76.3	42.7				9-30-67	91.0	22.0	
		12-27-66	73.8	45.2		03S/12W-04D02S	113.0	10-03-66	96.0(5)	17.0	101
		1-30-67	71.6	47.4				11-01-66	96.0(5)	17.0	
		2-27-67	72.5	46.5				12-30-66	86.0(5)	27.0	
		3-27-67	72.5	46.5	412			1-31-67	86.0(5)	27.0	
		4-25-67	70.6	48.4	101			6-31-67	(7)		
		5-22-67	74.2	44.8				7-30-67	94.0(5)	19.0	
		6-26-67	73.4	45.6				8-30-67	90.0(5)	23.0	
		7-24-67	79.1	39.9				9-30-67	91.0(5)	22.0	
		8-28-67	83.2	35.8		03S/12W-04N01S	106.0	12-28-66	(0)		101
		9-25-67	81.1	37.9							
03S/12W-01N05S	118.0	12-07-66	78.5	39.5	101	03S/12W-04P01S	110.0	10-24-66	83.5	26.5	101
		2-22-67	75.5	42.5				11-28-66	83.0	27.0	
		5-01-67	102.5	15.5				12-27-66	82.5	27.5	
		7-17-67	113.5(1)	4.5				1-30-67	81.8	28.2	
		9-12-67	107.5(1)	10.5				2-27-67	81.3	28.7	
03S/12W-02C02S	130.0	10-24-66	71.9	58.1	101			3-27-67	80.5	29.5	
		11-28-66	71.0	59.0				4-25-67	80.0	30.0	
		12-27-66	69.6	60.4				5-22-67	79.3	30.7	
		1-30-67	68.5	61.5							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0	U-05.A5		COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0	U-05.A5	
03S/12W-04P01S (CONT.)	110.0	6-26-67	79.0	31.0	101	03S/12W-06D02S	109.0	10-01-66	120.0(5)	-11.0	101
		7-24-67	75.0	35.0				11-01-66	118.0(5)	-9.0	
		8-28-67	78.6	31.4				12-01-66	110.0(5)	-1.0	
		9-25-67	78.6	31.4				1-01-67	105.0(5)	4.0	
03S/12W-04002S	112.0	10-03-66	109.0	3.0	101			2-01-67	102.0(5)	7.0	
		11-01-66	107.0	5.0				3-01-67	109.0(5)	.0	
		12-30-66	99.0	13.0				4-01-67	107.0(5)	2.0	
		1-31-67	102.0	10.0				5-01-67	106.0(5)	3.0	
		2-28-67	102.0	10.0				6-01-67	109.0(5)	.0	
		3-31-67	105.0	7.0				7-01-67	112.0(5)	-3.0	
		4-30-67	90.0	22.0				8-01-67	131.0(5)	-22.0	
		5-31-67	90.0	22.0				9-01-67	134.0(5)	-25.0	
		7-30-67	89.0	23.0		03S/12W-06D03S	107.0	10-01-66	120.0(5)	-13.0	101
		8-30-67	89.0	23.0				11-01-66	120.0(5)	-13.0	
		9-30-67	85.0	27.0				12-01-66	115.0(5)	-8.0	
03S/12W-05A01S	109.0	10-31-66	118.0(5)	-9.0	101			1-01-67	109.0(5)	-2.0	
		11-28-66	117.0(5)	-8.0				2-01-67	105.0(5)	2.0	
		1-30-67	115.0(5)	-6.0				3-01-67	111.0(5)	-4.0	
		2-27-67	116.0(5)	-7.0				4-01-67	109.0(5)	-2.0	
		4-03-67	87.0(5)	22.0				5-01-67	128.0(5)	-21.0	
		5-01-67	91.0(5)	18.0				6-01-67	121.0(5)	-14.0	
		5-29-67	93.0(5)	16.0				7-01-67	127.0(5)	-20.0	
		7-03-67	97.0(5)	12.0				8-01-67	128.0(5)	-21.0	
		9-05-67	99.0(5)	10.0				9-01-67	133.0(5)	-26.0	
03S/12W-05B06S	108.0	10-31-66	79.5(5)	28.5	101	03S/12W-06D04S	107.0	10-01-66	150.0(5)	-43.0	101
		11-28-66	78.5(5)	29.5				11-01-66	148.0(5)	-41.0	
		1-30-67	78.5(5)	29.5				12-01-66	137.0(5)	-30.0	
		2-27-67	78.5(5)	29.5				1-01-67	137.0(5)	-30.0	
		4-03-67	78.5(5)	29.5				2-01-67	133.0(5)	-26.0	
		5-01-67	78.5(5)	29.5				3-01-67	141.0(5)	-34.0	
		5-29-67	79.5(5)	28.5				4-01-67	139.0(5)	-32.0	
		7-03-67	78.5(5)	29.5				5-01-67	132.0(5)	-25.0	
		9-05-67	73.5(5)	34.5				6-01-67	138.0(5)	-31.0	
03S/12W-05D02S	105.0	10-24-66	80.7	24.3	101			7-01-67	138.0(5)	-31.0	
		11-28-66	79.0	26.0				8-01-67	160.0(5)	-53.0	
		12-27-66	78.0	27.0				9-01-67	163.0(5)	-56.0	
		1-30-67	77.2	27.8		03S/12W-06E01S	105.0	10-01-66	123.0(5)	-18.0	101
		2-27-67	76.8	28.2				11-01-66	122.0(5)	-17.0	
		3-27-67	76.6	28.4				12-01-66	113.0(5)	-8.0	
		4-24-67	75.9	29.1				1-01-67	112.0(5)	-7.0	
		5-22-67	76.0	29.0				2-01-67	109.0(5)	-4.0	
		6-26-67	75.9	29.1				3-01-67	113.0(5)	-8.0	
		7-24-67	77.0	28.0				4-01-67	114.0(5)	-9.0	
		8-28-67	78.0	27.0				5-01-67	109.0(5)	-4.0	
		9-25-67	77.1	27.9				6-01-67	113.0(5)	-8.0	
03S/12W-05H06S	105.5	10-24-66	78.5	27.0	101			7-01-67	118.0(5)	-13.0	
		11-28-66	77.3	28.2				8-01-67	130.0(5)	-25.0	
		12-27-66	77.2	28.3				9-01-67	135.0(5)	-30.0	
		1-30-67	76.5	29.0		03S/12W-07C02S	93.0	11-01-66	DRY		101
		2-27-67	76.4	29.1				4-11-67	DRY		
		3-27-67	74.9	30.6		03S/12W-07C04S	92.0	10-05-66	102.5(5)	-10.5	101
		4-24-67	75.0	30.5				11-16-66	95.5(5)	-3.5	
		5-22-67	74.8	30.7				12-07-66	102.5(1)	-10.5	
		6-26-67	74.2	31.3				1-04-67	89.5(5)	2.5	
		7-24-67	73.4	32.1				2-01-67	86.5(5)	5.5	
		8-28-67	73.7	31.8				3-01-67	90.5(5)	1.5	
		9-25-67	73.3	32.2				4-05-67	87.5(5)	4.5	
03S/12W-05M01S	99.0	10-31-66	89.5(5)	9.5	101			5-03-67	87.5(5)	4.5	
		11-28-66	88.5(5)	10.5				6-07-67	94.5(5)	-2.5	
		1-30-67	83.5(5)	15.5				7-05-67	96.5(5)	-4.5	
		2-27-67	81.5(5)	17.5				8-02-67	107.5(5)	-15.5	
		4-03-67	85.5(5)	13.5				9-06-67	104.5(5)	-12.5	
		5-01-67	75.5(5)	23.5		03S/12W-07L02S	85.0	12-19-66	(0)		101
		5-29-67	77.5(5)	21.5				6-13-67	(0)		
		7-03-67	76.5(5)	22.5		03S/12W-07Q04S	84.6	11-01-66	DRY		101
		9-05-67	68.5(5)	30.5				4-11-67	DRY		
03S/12W-05R01S	102.0	10-15-66	101.0(5)	1.0	101	03S/12W-07Q05S	83.0	10-15-66	73.2(5)	9.8	101
		11-21-66	89.1	12.9				11-15-66	72.2(5)	10.8	
		12-15-66	85.0(5)	17.0				12-01-66	71.3	11.7	
		1-15-67	85.0(5)	17.0				1-01-67	69.3(5)	13.7	
		2-21-67	84.1	17.9				2-01-67	69.3(5)	13.7	
		3-15-67	83.0(5)	19.0				3-01-67	69.3(5)	13.7	
		4-15-67	84.0(5)	18.0				4-01-67	69.3(5)	13.7	
		5-15-67	83.0(5)	19.0				5-01-67	67.3(5)	15.7	
		6-21-67	93.0(5)	9.0				6-01-67	69.3(5)	13.7	
		7-21-67	97.1	4.9				7-01-67	68.3(5)	14.7	
		8-21-67	103.1	-1.1				8-15-67	72.3(5)	10.7	
		9-30-67	95.1	6.9				9-15-67	73.3(5)	9.7	
03S/12W-06D01S	106.0	10-01-66	110.5(5)	-4.5	101	03S/12W-08C01S	97.3	10-24-66	76.8	20.5	733
		11-01-66	109.5(5)	-3.5				11-28-66	74.3	23.0	
		12-01-66	94.5(5)	11.5				12-28-66	73.8	23.5	101
		1-01-67	(7)					1-23-67	73.0	24.3	733
		2-01-67	110.5(5)	-4.5				2-27-67	73.4	23.9	
		3-01-67	101.5(5)	4.5				3-27-67	71.8	25.5	
		4-01-67	99.5(5)	6.5				4-24-67	71.4	25.9	
		5-01-67	93.5(5)	12.5				5-22-67	71.9	25.4	
		6-01-67	98.5(5)	7.5				6-26-67	72.3	25.0	
		7-01-67	104.5(5)	1.5				7-24-67	73.2	24.1	
		8-01-67	119.5(5)	-13.5							
		9-01-67	126.5(5)	-20.5							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/12W-08C01S (CONT.)	97.3	9-25-67	72.3	25.0	733	03S/12W-09B01S (CONT.)	107.0	11-01-66 2-28-67 3-31-67 4-30-67 5-31-67 7-30-67 8-30-67 9-30-67	(0) 97.0(5) 89.0(5) 87.0(5) 90.0(5) 97.0(5) 97.0(5) 90.0(5)	10.0 18.0 20.0 17.0 10.0 10.0 17.0	101
03S/12W-08C04S	92.0	11-02-66 4-17-67	20.6 21.0	71.4 71.0	101						
03S/12W-08D01S	96.0	10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-01-67 5-29-67 7-03-67 9-05-67	80.5(5) 77.5(5) 76.5(5) 76.5(5) 76.5(5) 76.5(5) 76.5(5) 77.5(5) 73.5(5)	15.5 18.5 19.5 19.5 19.5 19.5 19.5 18.5 22.5	101	03S/12W-09B02S	106.0	10-03-66 10-13-66 10-17-66 10-24-66 10-31-66 11-07-66 11-14-66 11-21-66 11-28-66 12-05-66 12-12-66 12-19-66 12-26-66 1-02-67 1-09-67 1-16-67 1-23-67 1-30-67 2-06-67 2-13-67 2-20-67 2-27-67 3-06-67 3-13-67 3-20-67 3-27-67 4-03-67 4-10-67 4-17-67 4-24-67 5-01-67 5-08-67 5-15-67 5-22-67 5-29-67 6-05-67 6-12-67 6-19-67 6-26-67 7-03-67 7-10-67 7-17-67 7-24-67 7-31-67 8-07-67 8-14-67 8-21-67 9-04-67 9-11-67 9-18-67 9-25-67	93.3 105.4 93.0 92.8 92.0 89.8 86.8 85.3 85.0 84.5 82.5 81.6 81.9 81.4 81.6 82.6 79.9 79.0 78.8 80.0 80.6 82.0 81.2 79.8 79.8 80.7 84.6(2) 79.5 78.9 77.4 78.8 81.1 83.7 86.5 82.3 84.6 83.8 85.8 87.0 87.9 94.8 92.7 94.1 95.3 97.6 95.6 101.7 100.4 96.6 96.2 95.9	12.7 .6 13.0 13.2 14.0 16.2 19.2 20.7 21.0 21.5 23.5 24.4 24.1 24.6 24.4 23.4 26.1 27.0 27.2 26.0 25.4 24.0 24.8 26.2 26.2 25.3 21.4 26.5 27.1 28.6 27.2 24.9 22.3 19.5 23.7 21.4 22.2 20.2 19.0 18.1 11.2 13.3 11.9 10.7 8.4 10.4 4.3 5.6 9.4 9.8 10.1	733
03S/12W-08D03S	95.6	10-24-66 11-28-66 12-28-66 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 9-25-67	78.0 75.1 75.3 74.1 72.8 72.2 72.8 73.2 74.1 74.0	17.6 20.5 20.3 21.5 22.8 23.4 22.8 22.4 21.5 21.6	733						
03S/12W-08F01S	88.8	11-02-66 4-17-67	87.0 81.1	1.8 7.7	101						
03S/12W-08L03S	92.0	10-03-66 10-10-66 10-17-66 10-24-66 10-31-66 11-07-66 11-14-66 11-21-66 11-28-66 12-05-66 12-12-66 12-19-66 12-26-66 1-02-67 1-09-67 1-16-67 1-23-67 1-30-67 2-06-67 2-13-67 2-20-67 2-27-67 3-06-67 3-13-67 3-20-67 3-27-67 4-03-67 4-10-67 4-17-67 4-24-67 5-01-67 5-08-67 5-15-67 5-22-67 5-29-67 6-05-67 6-12-67 6-19-67 6-26-67 7-03-67 7-10-67 7-17-67 7-24-67 7-31-67 8-07-67 8-14-67 8-21-67 9-04-67 9-11-67 9-18-67 9-25-67	76.1 75.6 75.8 75.8 75.4 74.8 74.6 74.3 74.2 73.4 74.4 73.4 74.5 74.0 74.2 73.5 73.4 73.1 73.2 72.8 72.6 72.7 72.6 72.0 71.8 71.7 71.6 71.4 71.4 71.2 71.2 71.9 72.3 73.2 71.6 72.6 71.6 72.5 73.1 72.6 73.1 73.2 73.8 74.4 73.6 73.6 73.6 74.5 75.0 74.8 73.8 73.6 73.4	15.9 16.4 16.2 16.2 16.6 17.2 17.4 17.7 17.8 18.6 17.6 18.6 17.5 18.0 17.8 18.5 18.6 18.9 18.8 19.2 19.4 19.3 19.4 20.0 20.2 20.3 20.4 20.6 20.6 20.8 20.8 20.1 19.7 18.8 20.4 19.4 20.4 19.5 18.9 19.4 18.9 18.8 18.2 17.6 18.4 17.5 17.0 17.2 18.2 18.4 18.6	733						
03S/12W-08M02S	88.0	10-15-66 11-01-66 11-15-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-15-67 9-30-67	78.2(5) 80.4 75.2(5) 75.2(5) 73.2(5) 73.2(5) 72.2(5) 73.2(5) 71.2(5) 73.2(5) 73.2(5) 75.2(5) 74.4	9.8 7.6 12.8 12.8 14.8 14.8 15.8 14.8 16.8 14.8 14.8 12.8 13.6	101	03S/12W-09D05S	105.0	10-07-66 11-15-66 12-01-66 1-01-67 2-01-67 2-21-67 3-15-67 4-15-67 5-21-67 6-15-67 7-01-67 8-21-67 9-21-67	98.3 89.0(5) 87.3 83.3 83.0(5) 83.3 82.0(5) 81.0(5) 86.0(5) 84.0(5) 84.0(5) 96.3 97.3	6.7 16.0 17.7 21.7 22.0 21.7 23.0 24.0 19.0 21.0 21.0 8.7 7.7	101
						03S/12W-09E03S	99.0	10-31-66 11-29-66 1-31-67 2-28-67 4-03-67 5-02-67 5-31-67 7-03-67 8-01-67 9-06-67	80.5(5) 79.5(5) 82.5(5) 81.5(5) 87.5(5) 80.5(5) 83.5(5) 86.5(5) 83.5(5) 85.5(5)	18.5 19.5 16.5 17.5 11.5 18.5 15.5 12.5 15.5 13.5	101
						03S/12W-09G01S	103.0	10-31-66 11-29-66 1-31-67 2-28-67 4-03-67 5-01-67 5-31-67 7-03-67 8-01-67 9-06-67	100.0(5) 100.0(5) 99.0(5) 97.0(5) 91.0(5) 83.0(5) 88.0(5) 95.0(5) 94.0(5) 96.0(5)	3.0 3.0 4.0 6.0 12.0 20.0 15.0 8.0 9.0 7.0	101
03S/12W-09B01S	107.0	10-03-66	97.0(5)	10.0	101	03S/12W-09G02S	103.0	10-24-66	84.0	19.0	101

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
03S/12W-09G025 (CONT.)	103.0	11-28-66	83.6	19.4	101	03S/12W-11K065 (CONT.)	105.0	7-05-67	84.5(5)	20.5	101
		12-27-66	83.2	19.8				8-01-67	87.5(5)	17.5	
		1-30-67	82.3	20.7				9-06-67	89.5(5)	15.5	
		2-27-67	81.7	21.3		03S/12W-11M11S	103.0	11-02-66	(7)		101
		3-27-67	83.3	19.7				11-15-66	79.5	23.5	
		4-25-67	80.5	22.5				5-18-67	75.6	27.4	
		5-22-67	79.7	23.3		03S/12W-11P01S	104.0	10-24-66	79.3	24.7	101
		6-26-67	79.5	23.5				11-28-66	78.7	25.3	
		7-24-67	79.9	23.1				12-27-66	78.8	25.2	
		8-28-67	79.9	23.1				1-30-67	78.0	26.0	
		9-25-67	79.5	23.5				2-27-67	77.6	26.4	
03S/12W-10C025	107.0	11-02-66	80.3	26.7	101			3-27-67	77.7	26.3	
		4-26-67	76.4	30.6				4-25-67	76.3	27.7	
03S/12W-10C03S	106.0	10-04-66	83.5(5)	22.5	101			5-22-67	75.5	28.5	
		10-31-66	81.5(5)	24.5				6-26-67	74.8	29.2	
		11-29-66	80.5(5)	25.5				7-24-67	74.4	29.6	
		1-31-67	82.5(5)	23.5				8-28-67	74.1	29.9	
		2-28-67	81.5(5)	24.5				9-25-67	74.1	29.9	
		4-03-67	76.5(5)	29.5		03S/12W-12A02S	116.0	10-15-66	99.3(5)	16.7	101
		5-02-67	75.5(5)	30.5				11-21-66	105.0	11.0	
		5-29-67	77.5(5)	28.5				12-21-66	90.3(5)	25.7	
		7-03-67	81.5(5)	24.5				1-01-67	90.3(5)	25.7	
		7-31-67	104.5(5)	1.5				2-01-67	89.3(5)	26.7	
		9-06-67	105.5(5)	.5				3-01-67	89.3(5)	26.7	
03S/12W-10K02S	100.0	10-24-66	82.5	17.5	733			4-01-67	86.3(5)	29.7	
		11-28-66	82.7	17.3				5-01-67	84.3(5)	31.7	
		12-28-66	77.3	22.7	101			6-01-67	86.3(5)	29.7	
		1-23-67	77.0	23.0	733			6-15-67	89.0	27.0	
		2-27-67	75.8	24.2				7-01-67	88.3(5)	27.7	
		3-27-67	74.8	25.2				8-15-67	90.3(5)	25.7	
		4-24-67	74.3	25.7				9-15-67	90.3(5)	25.7	
		5-22-67	73.7	26.3		03S/12W-12E03S	113.0	11-02-66	89.6	23.4	101
		6-26-67	73.2	26.8				5-15-67	78.8	34.2	
		7-24-67	72.9	27.1		03S/12W-12G04S	112.0	10-24-66	93.3	18.7	101
		9-25-67	72.8	27.2				11-29-66	87.3	24.7	
03S/12W-10N03S	94.0	10-31-66	87.5(5)	6.5	101			12-27-66	85.6	26.4	
		11-29-66	87.5(5)	6.5				1-30-67	79.9	32.1	
		1-31-67	75.5(5)	18.5				2-27-67	83.4	28.6	
		2-28-67	75.5(5)	18.5				3-27-67	74.7	37.3	
		4-03-67	73.5(5)	20.5				4-24-67	86.8	25.2	
		5-02-67	72.5(5)	21.5				5-22-67	87.7	24.3	
		5-29-67	75.5(5)	18.5				6-27-67	88.2	23.8	
		7-05-67	79.5(5)	14.5				7-24-67	90.2	21.8	
		8-01-67	84.5(5)	9.5				8-29-67	91.5	20.5	
		9-06-67	88.5(5)	5.5				9-25-67	90.2	21.8	
03S/12W-11B04S	109.0	11-02-66	85.2	23.8	101	03S/12W-13A02S	104.0	10-15-66	102.5(5)	1.5	101
		4-18-67	72.9	36.1				11-07-66	89.5(5)	14.5	
03S/12W-11B06S	115.0	10-10-66	80.0	35.0	101			12-01-66	87.5(5)	16.5	
		10-24-66	80.1	34.9				1-01-67	86.5(5)	17.5	
		11-28-66	81.2	33.8				2-01-67	86.5(5)	17.5	
		2-21-67	78.0	37.0				3-01-67	86.5(5)	17.5	
		2-27-67	78.0	37.0				4-01-67	82.5(5)	21.5	
		3-27-67	77.5	37.5				5-01-67	80.5(5)	23.5	
		4-25-67	76.6	38.4				6-01-67	89.5(5)	14.5	
		5-22-67	75.7	39.3				7-01-67	96.5(5)	7.5	
		6-26-67	75.7	39.3				8-07-67	93.5(5)	10.5	
		7-24-67	(4)					9-15-67	92.5(5)	11.5	
		8-28-67	76.6	38.4		03S/12W-13B04S	104.0	10-07-66	92.9(5)	11.1	101
		9-25-67	75.7	39.3				11-07-66	88.9(5)	15.1	
03S/12W-11E01S	107.0	10-04-66	90.3(5)	16.7	101			12-01-66	87.9(5)	16.1	
		11-01-66	94.3(5)	12.7				1-01-67	86.9(5)	17.1	
		11-29-66	92.3(5)	14.7				2-01-67	84.9(5)	19.1	
		1-31-67	84.3(5)	22.7				3-01-67	84.9(5)	19.1	
		2-28-67	82.3(5)	24.7				4-01-67	82.9(5)	21.1	
		4-04-67	76.3(5)	30.7				5-01-67	78.9(5)	25.1	
		5-02-67	74.3(5)	32.7				6-01-67	81.5	22.5	
		5-31-67	84.3(5)	22.7				7-21-67	89.5	14.5	
		7-05-67	84.3(5)	22.7				8-15-67	98.9(5)	5.1	
		8-01-67	86.3(5)	20.7				9-15-67	106.9(5)	-2.9	
		9-06-67	92.3(5)	14.7		03S/12W-13B06S	104.0	10-07-66	96.5(5)	7.5	101
03S/12W-11F10S	110.0	10-24-66	(3)		101			11-07-66	94.5(5)	9.5	
		11-28-66	(3)					12-01-66	91.5(5)	12.5	
		12-27-66	(3)					1-01-67	88.5(5)	15.5	
		1-30-67	(3)					2-01-67	87.5(5)	16.5	
		2-27-67	(3)					3-01-67	88.5(5)	15.5	
		4-25-67	78.5	31.5				4-01-67	87.5(5)	16.5	
		5-22-67	79.0	31.0				5-01-67	84.5(5)	19.5	
		6-26-67	82.8	27.2				6-01-67	96.5(5)	7.5	
		7-24-67	83.8	26.2				7-01-67	97.5(5)	6.5	
		8-28-67	88.9	21.1				8-07-67	94.5(5)	9.5	
		9-25-67	87.5	22.5				9-15-67	95.5(5)	8.5	
03S/12W-11K06S	105.0	10-04-66	108.5(5)	-3.5	101	03S/12W-13C06S	101.0	11-02-66	DRY		101
		11-01-66	107.5(5)	-2.5				4-17-67	18.5	82.5	
		11-29-66	107.5(5)	-2.5		03S/12W-13F01S	98.0	10-04-66	106.8(5)	-8.8	101
		1-31-67	102.5(5)	2.5				11-02-66	106.8(5)	-8.8	
		2-28-67	102.5(5)	2.5				11-29-66	108.8(5)	-10.8	
		4-04-67	98.5(5)	6.5				1-31-67	92.8(5)	5.2	
		5-02-67	74.5(5)	30.5				2-28-67	90.8(5)	7.2	
		5-31-67	81.5(5)	23.5							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/12W-13F01S (CONT.)	98.0	4-04-67 5-02-67 7-05-67 8-01-67 9-06-67	82.8(5) 84.8(5) 88.8(5) 118.8(5) 118.8(5)	15.2 13.2 9.2 -20.8 -20.8	101	03S/12W-15N02S (CONT.)	87.0	11-29-66 1-31-67 2-28-67 4-04-67 5-02-67 5-31-67 7-05-67 8-01-67 9-06-67	79.0(5) 77.0(5) 77.0(5) 75.0(5) 75.0(5) 76.0(5) 77.0(5) 79.0(5) 78.0(5)	8.0 10.0 10.0 12.0 12.0 11.0 10.0 8.0 9.0	101
03S/12W-13K03S	89.0	11-02-66 4-17-67	87.9(1) 81.7	1.1 7.3	101						
03S/12W-13L01S	92.0	11-02-66 4-17-67	80.6(1) 75.4	11.4 16.6	101	03S/12W-16F03S	95.0	10-31-66 11-29-66 1-31-67 2-28-67 4-03-67 5-02-67 5-31-67 7-05-67 8-01-67 9-05-67	80.0(5) 80.0(5) 81.0(5) 81.0(5) 81.0(5) 79.0(5) 82.0(5) 87.0(5) 81.0(5) 81.0(5)	15.0 15.0 14.0 14.0 14.0 16.0 13.0 8.0 14.0 14.0	101
03S/12W-13Q01S	89.0	11-02-66 4-17-67	93.6 83.7	-4.6 5.3	101						
03S/12W-14A04S	96.0	11-02-66 4-17-67	84.8 81.4	11.2 14.6	101						
03S/12W-14C06S	97.5	10-04-66 11-01-66 11-29-66 1-31-67 2-28-67 4-04-67 5-02-67 5-03-67 7-05-67 8-01-67 9-06-67	89.0(5) 88.0(5) 88.0(5) 77.0(5) 76.0(5) 75.0(5) 73.0(5) 80.0(5) 84.0(5) 89.0(5) 95.0(5)	8.5 9.5 9.5 20.5 21.5 22.5 24.5 17.5 13.5 8.5 2.5	101	03S/12W-16H01S	92.0	10-31-66 11-29-66 1-31-67 2-28-67 4-03-67 5-02-67 5-31-67 7-05-67 8-01-67 9-06-67	88.5(5) 78.5(5) 72.5(5) 71.5(5) 68.5(5) 70.5(5) 76.5(5) 80.5(5) 88.5(5) 88.5(5)	3.5 13.5 19.5 20.5 23.5 21.5 15.5 11.5 3.5 3.5	101
03S/12W-14F01S	91.0	10-04-66 11-01-66 11-29-66 1-31-67 2-28-67 4-04-67 5-02-67 5-31-67 7-05-67 8-01-67 9-06-67	89.7(5) 87.7(5) 87.7(5) 79.7(5) 78.7(5) 74.7(5) 72.7(5) 80.7(5) 83.7(5) 91.7(5) 87.7(5)	1.3 3.3 3.3 11.3 12.3 16.3 18.3 10.3 7.3 -7 3.3	101	03S/12W-17A01S	87.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-07-67 5-07-67 6-01-67 7-01-67 8-15-67 9-15-67	73.2(5) 73.2(5) 73.2(5) 71.2(5) 71.2(5) 74.2(5) 68.2(5) 68.2(5) 68.2(5) 71.2(5) 72.2(5) 71.2(5)	13.8 13.8 13.8 15.8 15.8 12.8 18.8 18.8 15.8 14.8 15.8	101
03S/12W-14F03S	93.3	10-03-66 11-09-66 12-12-66 1-03-67 2-06-67 3-22-67 4-18-67 5-01-67 6-05-67 7-12-67 8-07-67 9-05-67	80.9 80.7 79.5 79.6 78.7 77.0 74.3 77.0 76.5 77.9 76.5 76.7	12.4 12.6 13.8 13.7 14.6 16.3 19.0 16.3 16.8 15.4 16.8 16.6	101	03S/12W-17A02S	87.0	10-15-66 11-15-66 12-15-66 12-28-66 1-15-67 2-15-67 3-01-67 7-15-67 8-15-67 9-30-67	80.0(5) 79.0(5) 76.2 (0) 75.0(5) 74.0(5) 74.0(5) 104.0(1) 107.0(1) 99.2(1)	7.0 8.0 10.8 12.0 13.0 13.0 -17.0 -20.0 -12.2	101
03S/12W-14J01S	89.0	10-04-66 11-01-66 11-29-66 1-31-67 2-28-67 3-04-67 4-02-67 5-31-67 6-05-67 7-05-67 8-01-67 9-06-67	90.0(5) 91.0(5) 91.0(5) 90.0(5) 90.0(5) 90.0(5) 74.0(5) 86.0(5) 103.0(5) 103.0(5) 108.0(5) 89.0(5)	-1.0 -2.0 -2.0 -1.0 -1.0 -1.0 15.0 3.0 -14.0 -14.0 -19.0 .0	101	03S/12W-17K01S	80.3	10-04-66 11-29-66 1-31-67 2-28-67 4-04-67 5-02-67 5-31-67 7-05-67 8-01-67 9-06-67	71.3(5) 72.3(5) 72.3(5) 71.3(5) 63.3(5) 62.3(5) 64.3(5) 67.3(5) 66.3(5) 67.3(5)	9.0 8.0 8.0 9.0 17.0 18.0 16.0 13.0 14.0 13.0	101
03S/12W-15A03S	93.0	10-04-66 11-01-66 11-29-66 1-31-67 2-28-67 4-04-67 5-02-67 5-31-67 7-05-67 8-01-67 9-06-67	107.0(5) 115.0(5) 105.0(5) 101.0(5) 104.0(5) 75.0(5) 73.0(5) 78.0(5) 82.0(5) 87.0(5) 87.0(5)	-14.0 -22.0 -12.0 -8.0 -11.0 18.0 20.0 15.0 11.0 6.0 6.0	101	03S/12W-17P03S	77.0	11-02-66 4-17-67	DRY DRY		101
						03S/12W-18005S	83.0	12-19-66 4-14-67 6-13-67	(0) 65.0 (0)	18.0	101
						03S/12W-18H03S	79.0	10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-01-67 5-29-67 7-03-67 9-05-67	59.0(5) 59.0(5) 57.0(5) 56.0(5) 54.0(5) 56.0(5) 58.0(5) 57.0(5) 57.0(5)	20.0 20.0 22.0 23.0 25.0 23.0 21.0 22.0 22.0	101
03S/12W-15M01S	86.5	10-13-66 11-03-66 11-24-66 12-15-66 1-05-67 1-26-67 2-16-67 3-09-67 3-30-67 4-20-67 5-11-67 6-01-67 6-22-67 7-13-67 8-03-67 9-14-67	76.8 77.3 76.7 75.4 74.8 74.5 74.6 73.8 73.3 72.6 72.6 73.2 73.1 73.6 74.1 71.1	9.7 9.2 9.8 11.1 11.7 12.0 11.9 12.7 13.2 13.9 13.9 13.3 13.4 12.9 12.4 15.4	733	03S/12W-18H04S	77.0	10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-01-67 5-29-67 7-03-67 9-05-67	71.5(5) 68.5(5) 65.5(5) 63.5(5) 61.5(5) 63.5(5) 65.5(5) 63.5(5) 59.5(5)	5.5 8.5 11.5 13.5 15.5 13.5 11.5 13.5 17.5	101
						03S/12W-18J02S	77.0	11-01-66 4-11-67	63.9 60.7	13.1 16.3	101
03S/12W-15N02S	87.0	10-31-66	81.0(5)	6.0	101	03S/12W-18L01S	70.0	10-31-66	72.5(5)	-2.5	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
03S/12W-18L01S (CONT.)	70.0	11-28-66	70.5(5)	-0.5	101	03S/12W-21G04S (CONT.)	79.0	4-10-67	68.6	10.4	101
		1-30-67	69.5(5)	.5				10-04-66	77.0(5)	-1.0	101
		2-27-67	69.5(5)	.5				11-29-66	77.0(5)	-1.0	
		4-03-67	69.5(5)	.5				1-31-67	76.0(5)	.0	
		5-01-67	66.5(5)	3.5				2-27-67	77.0(5)	-1.0	
		5-29-67	68.5(5)	1.5				4-04-67	72.0(5)	4.0	
		7-03-67	70.5(5)	-0.5				5-31-67	73.0(5)	3.0	
		8-01-67	72.5(5)	-2.5				7-05-67	75.0(5)	1.0	
		9-05-67	75.5(5)	-5.5				8-01-67	74.0(5)	2.0	
								9-06-67	77.0(5)	-1.0	
03S/12W-19C01S	72.0	6-30-66	68.5(5)	3.5	101	03S/12W-21Q01S	70.0	10-14-66	75.8	-5.8	733
		10-31-66	63.5(5)	8.5				11-04-66	77.4	-7.4	
		11-28-66	62.5(5)	9.5				11-25-66	67.2	2.8	
		1-30-67	61.5(5)	10.5				12-16-66	63.3	6.7	
		2-27-67	59.5(5)	12.5				1-06-67	61.3	8.7	
		4-03-67	60.5(5)	11.5				1-27-67	60.3	9.7	
		5-29-67	61.5(5)	10.5				2-17-67	61.1	8.9	
		7-03-67	61.5(5)	10.5				3-10-67	62.9	7.1	
		9-06-67	66.5(5)	5.5				3-31-67	61.7	8.3	
03S/12W-19C03S	72.8	10-31-66	33.6(5)	39.2	101			4-10-67	61.4	8.6	101
		11-28-66	33.6(5)	39.2				4-21-67	59.3	10.7	733
		1-30-67	33.6(5)	39.2				5-12-67	61.1	8.9	
		2-27-67	33.6(5)	39.2				6-02-67	64.6	5.4	
		4-03-67	33.6(5)	39.2				6-23-67	71.1	-1.1	
		5-29-67	33.6(5)	39.2				7-14-67	77.8	-7.8	
		7-03-67	33.6(5)	39.2				8-04-67	81.1	-11.1	
		9-06-67	38.6(5)	34.2				9-15-67	82.7	-12.7	
03S/12W-19F06S	71.0	11-22-66	DRY		101	03S/12W-21Q02S	70.5	11-01-66	DRY		101
		4-19-67	DRY					4-10-67	DRY		
03S/12W-19G01S	70.9	10-14-66	60.9	10.0	733	03S/12W-21Q03S	71.0	11-01-66	71.0(5)	.0	101
		11-04-66	61.2	9.7				12-01-66	65.0(5)	6.0	
		11-22-66	61.0	9.9	101			1-31-67	63.0(5)	8.0	
		11-25-66	60.9	10.0	733			2-28-67	65.0(5)	6.0	
		12-16-66	60.5	10.4				3-31-67	63.0(5)	8.0	
		1-06-67	60.3	10.6				4-30-67	62.0(5)	9.0	
		1-27-67	60.1	10.8				5-31-67	64.0(5)	7.0	
		2-17-67	59.7	11.2				6-30-67	67.0(5)	4.0	
		3-10-67	59.5	11.4				7-30-67	70.0(5)	1.0	
		3-31-67	59.3	11.6				8-30-67	71.0(5)	.0	
		4-19-67	59.1	11.8	101			9-30-67	66.0(5)	5.0	
		4-21-67	59.0	11.9	733	03S/12W-22A01S	83.0	10-04-66	88.3(5)	-5.3	101
		5-12-67	58.7	12.2				10-31-66	88.3(5)	-5.3	
		6-02-67	65.7	5.2				11-29-66	78.3(5)	4.7	
		6-23-67	58.6	12.3				1-31-67	72.3(5)	10.7	
		7-14-67	58.7	12.2				2-28-67	71.3(5)	11.7	
		8-04-67	59.2	11.7				4-03-67	68.3(5)	14.7	
		9-15-67	59.7	11.2				5-02-67	70.3(5)	12.7	
03S/12W-19P05S	64.0	11-22-66	98.9	-34.9	101			5-31-67	76.3(5)	6.7	
		11-25-66	98.5(1)	-34.5				7-05-67	87.3(5)	-4.3	
		12-30-66	80.5	-16.5				8-01-67	101.3(5)	-18.3	
		1-27-67	80.5	-16.5				9-06-67	96.3(5)	-13.3	
		2-24-67	92.5(1)	-28.5				10-18-66	84.0(1)	-9.0	101
		3-30-67	98.5	-34.5				11-18-66	84.0(1)	-9.0	
		4-19-67	84.3	-20.3				12-30-66	84.0(1)	-9.0	
		4-28-67	93.5	-29.5				1-20-67	84.0(1)	-9.0	
		5-26-67	96.5	-32.5				2-28-67	83.0(1)	-8.0	
		7-28-67	166.5(1)	-102.5				3-20-67	84.0(1)	-9.0	
		8-30-67	168.5(1)	-104.5				4-25-67	83.0(1)	-8.0	
		9-29-67	130.5	-66.5				5-25-67	83.0(1)	-8.0	
03S/12W-19Q02S	67.0	11-22-66	10.7	56.3	101			6-25-67	83.0(1)	-8.0	
		4-19-67	5.8	61.2				7-10-67	88.0(1)	-13.0	
03S/12W-19R03S	66.0	10-04-66	63.0(5)	3.0	101			8-15-67	90.0(1)	-15.0	
		11-29-66	67.0(5)	-1.0				9-20-67	90.0(1)	-15.0	
		1-21-67	67.0(5)	-1.0				10-18-66	86.0(5)	-5.0	101
		2-28-67	68.0(5)	-2.0				11-07-66	88.0(5)	-7.0	
		4-04-67	63.0(5)	3.0				11-21-66	79.0(5)	2.0	
		5-31-67	64.0(5)	2.0				12-22-66	73.0(5)	8.0	
		7-05-67	62.0(5)	4.0				1-20-67	73.0(5)	8.0	
		8-02-67	66.0(5)	.0				2-02-67	69.0(5)	12.0	
		9-06-67	68.0(5)	-2.0				3-28-67	71.0(5)	10.0	
03S/12W-21B01S	86.0	10-04-66	84.0(5)	2.0	101			4-25-67	68.0(5)	13.0	
		11-29-66	82.0(5)	4.0				5-31-67	71.0(5)	10.0	
		1-31-67	81.0(5)	5.0				6-13-67	72.0(5)	9.0	
		2-28-67	80.0(5)	6.0				7-10-67	101.0(1)	-20.0	
		4-04-67	78.0(5)	8.0				8-21-67	106.0(1)	-25.0	
		5-31-67	81.0(5)	5.0				9-20-67	106.0(1)	-25.0	
		7-05-67	81.0(5)	5.0				10-14-66	118.0(1)	-37.0	101
		8-01-67	77.0(5)	9.0				11-04-66	119.0(1)	-38.0	
		9-06-67	83.0(5)	3.0				12-27-66	75.0(5)	6.0	
03S/12W-21E01S	77.0	10-04-66	72.0(5)	5.0	101			1-20-67	75.0(5)	6.0	
		11-29-66	68.0(5)	9.0				2-08-67	75.0(5)	6.0	
		1-31-67	66.0(5)	11.0				3-28-67	75.0(5)	6.0	
		2-28-67	65.0(5)	12.0				4-25-67	75.0(5)	6.0	
		4-04-67	67.0(5)	10.0				5-25-67	75.0(5)	6.0	
		5-31-67	63.0(5)	14.0				6-20-67	75.0(5)	6.0	
		7-05-67	63.0(5)	14.0				7-10-67	78.0(5)	3.0	
		8-01-67	67.0(5)	10.0				8-16-67	77.0(5)	4.0	
		9-06-67	67.0(5)	10.0				9-20-67	77.0(5)	4.0	
03S/12W-21G04S	79.0	11-01-66	74.6	4.4	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/12W-22H01S	82.0	11-03-66	74.7	7.3	733	03S/12W-23R02S	75.0	4-10-67	DRY		101
		11-25-66	72.6	9.4		(CONT.)					
		12-16-66	73.9	8.1		03S/12W-24B01S	87.0	10-04-66	87.5(5)	-0.5	101
		1-05-67	72.9	9.1				11-02-66	87.5(5)	-0.5	
		1-26-67	72.3	9.7				11-29-66	89.5(5)	-2.5	
		2-16-67	72.1	9.9				1-31-67	91.5(5)	-4.5	
		3-09-67	72.1	9.9				2-28-67	91.5(5)	-4.5	
		3-30-67	71.7	10.3				4-04-67	80.5(5)	6.5	
		4-20-67	70.7	11.3				5-31-67	85.5(5)	1.5	
		5-11-67	71.0	11.0				7-05-67	87.5(5)	-0.5	
		6-01-67	71.6	10.4				8-01-67	72.5(5)	14.5	
		6-23-67	72.2	9.8				9-06-67	82.5(5)	4.5	
		7-13-67	73.4	8.6							
		8-03-67	73.6	8.4		03S/12W-24D01S	85.0	10-04-66	87.0(5)	-2.0	101
		9-14-67	73.6	8.4				11-02-66	83.0(5)	2.0	
03S/12W-22P02S	75.0	11-01-66	80.0(5)	-5.0	101			11-29-66	83.0(5)	2.0	
		12-01-66	73.0(5)	2.0				1-31-67	76.0(5)	9.0	
		1-31-67	71.0(5)	4.0				2-28-67	75.0(5)	10.0	
		2-28-67	73.0(5)	2.0				4-04-67	68.0(5)	17.0	
		3-31-67	73.0(5)	2.0				5-02-67	65.0(5)	20.0	
		4-30-67	67.0(5)	8.0				5-31-67	73.0(5)	12.0	
		5-31-67	71.0(5)	4.0				7-05-67	77.0(5)	8.0	
		6-30-67	71.0(5)	4.0				8-01-67	92.0(5)	-7.0	
		7-30-67	74.0(5)	1.0				9-06-67	96.0(5)	-11.0	
		8-30-67	75.0(5)	.0		03S/12W-24O04S	84.0	11-02-66	DRY		101
		9-30-67	72.0(5)	3.0				4-17-67	DRY		
03S/12W-23C03S	85.5	10-14-66	81.1	4.4	733	03S/12W-24F01S	76.0	10-04-66	82.0(5)	-6.0	101
		11-04-66	79.9	5.6				11-02-66	84.0(5)	-8.0	
		11-25-66	77.6	7.9				11-29-66	84.0(5)	-8.0	
		12-15-66	76.0	9.5				1-31-67	78.0(5)	-2.0	
		1-06-67	74.1	11.4				2-28-67	78.0(5)	-2.0	
		1-27-67	73.8	11.7				4-04-67	75.0(5)	1.0	
		2-17-67	73.3	12.2				5-31-67	75.0(5)	1.0	
		3-10-67	(5)					7-05-67	78.0(5)	-2.0	
		3-31-67	(5)					8-01-67	78.0(5)	-2.0	
		5-03-67	76.2	9.3	101			9-06-67	79.0(5)	-3.0	
		5-12-67	77.6	7.9	733	03S/12W-24K01S	82.0	10-04-66	92.5(5)	-10.5	101
		6-02-67	76.8	8.7				11-02-66	94.5(5)	-12.5	
		6-23-67	77.0	8.5				11-29-66	89.5(5)	-7.5	
		7-14-67	77.3	8.2				1-31-67	92.5(5)	-10.5	
		8-04-67	78.8	6.7				2-28-67	91.5(5)	-9.5	
		9-15-67	77.8	7.7				4-04-67	81.5(5)	.5	
03S/12W-23D03S	84.0	10-21-66	81.0(5)	3.0	101			5-31-67	81.5(5)	.5	
		11-04-66	80.0(5)	4.0				7-05-67	83.5(5)	-1.5	
		11-25-66	78.0(5)	6.0				8-01-67	84.5(5)	-2.5	
		12-30-66	78.0(5)	6.0				9-06-67	81.5(5)	.5	
		1-20-67	78.0(5)	6.0		03S/12W-25C01S	70.5	11-01-66	81.7	-11.2	101
		2-02-67	77.0(5)	7.0				4-10-67	64.7	5.8	
		3-20-67	87.0(1)	-3.0		03S/12W-25H01S	68.0	11-01-66	77.1	-9.1	101
		4-26-67	76.0(5)	8.0				4-19-67	67.1	.9	
		5-25-67	86.0(1)	-2.0		03S/12W-25P01S	63.0	11-15-66	(6)		101
		6-20-67	86.0(1)	-2.0		03S/12W-26C02S	74.0	10-18-66	109.0(1)	-35.0	101
		7-07-67	87.0(1)	-3.0				11-30-66	75.0(5)	-1.0	
		8-21-67	87.0(1)	-3.0				12-30-66	71.0(5)	3.0	
		9-20-67	87.0(1)	-3.0				1-30-67	66.0(5)	8.0	
03S/12W-23E02S	82.0	7-10-67	83.0(5)	-1.0	101			2-20-67	66.0(5)	8.0	
		8-21-67	84.0(5)	-2.0				3-30-67	67.0(5)	7.0	
		9-20-67	84.0(5)	-2.0				4-25-67	64.0(5)	10.0	
03S/12W-23E03S	82.0	10-04-66	76.5(5)	5.5	101			5-11-67	64.0(5)	10.0	
		11-29-66	77.5(5)	4.5				6-20-67	99.0(1)	-25.0	
		1-31-67	77.5(5)	4.5				7-10-67	104.0(1)	-30.0	
		2-28-67	76.5(5)	5.5				8-15-67	109.0(1)	-35.0	
		4-04-67	72.5(5)	9.5				9-21-67	109.0(1)	-35.0	
		5-31-67	72.5(5)	9.5		03S/12W-26D03S	74.0	10-03-66	88.6	-14.6	101
		7-05-67	72.5(5)	9.5				11-09-66	84.7	-10.7	
		8-01-67	71.5(5)	10.5				12-12-66	75.5	-1.5	
		9-06-67	75.5(5)	6.5				1-03-67	67.1	6.9	
03S/12W-23E05S	82.5	10-14-66	84.0(5)	-1.5	101			2-06-67	65.7	8.3	
		11-15-66	81.0(5)	1.5				3-22-67	66.3	7.7	
		12-30-66	72.0(5)	10.5				4-18-67	65.3	8.7	
		1-30-67	70.0(5)	12.5				5-01-67	63.9	10.1	
		2-20-67	70.0(5)	12.5				6-05-67	67.0	7.0	
		3-30-67	69.0(5)	13.5				7-12-67	76.3	-2.3	
		4-25-67	69.0(5)	13.5				8-07-67	85.6	-11.6	
		5-25-67	69.0(5)	13.5				9-05-67	87.3	-13.3	
		6-26-67	78.0(5)	4.5		03S/12W-26J01S	71.4	11-02-66	78.5	-7.1	101
		7-10-67	82.0(5)	.5				4-10-67	65.8(4)	5.6	
		8-15-67	84.0(5)	-1.5		03S/12W-26K01S	65.0	11-01-66	75.3	-10.3	101
		9-14-67	84.0(5)	-1.5				4-10-67	65.2(4)	-0.2	
03S/12W-23R01S	76.0	10-04-66	79.0(5)	-3.0	101	03S/12W-26L03S	67.0	10-17-66	95.0(5)	-28.0	101
		11-02-66	77.0(5)	-1.0				11-04-66	100.0(5)	-33.0	
		11-29-66	77.0(5)	-1.0				11-30-66	93.0(5)	-26.0	
		1-31-67	78.0(5)	-2.0				12-30-66	93.0(5)	-26.0	
		2-28-67	78.0(5)	-2.0				1-20-67	92.0(5)	-25.0	
		4-04-67	78.0(5)	-2.0				2-20-67	92.0(5)	-25.0	
		5-31-67	75.0(5)	1.0				3-31-67	89.0(5)	-22.0	
		7-05-67	73.0(5)	3.0							
		8-01-67	93.0(5)	-17.0							
		9-06-67	97.0(5)	-21.0							
03S/12W-23R02S	75.0	11-01-66	DRY		101						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA						COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA					
U-05.A0						U-05.A5					
03S/12W-26L03S	67.0	4-25-67	84.0(5)	-17.0	101	03S/12W-28H03S	67.0	9-30-67	65.0(5)	2.0	101
(CONT.)		5-25-67	84.0(5)	-17.0		(CONT.)		11-01-66	57.0(5)	7.0	101
		6-20-67	89.0(5)	-22.0				12-01-66	53.0(5)	11.0	
		7-06-67	91.0(5)	-24.0				1-31-67	51.0(5)	13.0	
		8-16-67	162.0(1)	-95.0		03S/12W-28J02S	64.0	2-28-67	54.0(5)	10.0	
		9-29-67	92.0(5)	-25.0				3-31-67	52.0(5)	12.0	
03S/12W-26N02S	63.0	3-28-67	66.0(5)	-3.0	101			4-30-67	49.0(5)	15.0	
		4-23-67	76.0(5)	-13.0				5-31-67	53.0(5)	11.0	
		5-20-67	79.0(5)	-16.0				6-30-67	55.0(5)	9.0	
		7-13-67	82.0(5)	-19.0				7-30-67	58.0(5)	6.0	
		8-21-67	83.0(5)	-20.0				8-30-67	58.0(5)	6.0	
		9-29-67	83.0(5)	-20.0				9-30-67	55.0(5)	9.0	
03S/12W-26N03S	63.0	10-14-66	74.0(5)	-11.0	101	03S/12W-28P04S	59.0	11-02-66	DRY		101
		11-07-66	79.0(5)	-16.0				4-10-67	(3)		
		11-30-66	71.0(5)	-8.0		03S/12W-28Q01S	63.0	11-01-66	67.0(5)	-4.0	101
		12-30-66	67.0(5)	-4.0				12-01-66	61.0(5)	2.0	
		1-25-67	67.0(5)	-4.0				1-31-67	58.0(5)	5.0	
		2-08-67	65.0(5)	-2.0				2-28-67	61.0(5)	2.0	
		3-22-67	67.0(5)	-4.0				3-31-67	59.0(5)	4.0	
		4-25-67	65.0(5)	-2.0				4-30-67	57.0(5)	6.0	
		5-29-67	66.0(5)	-3.0				5-31-67	61.0(5)	2.0	
		6-15-67	71.0(5)	-8.0				6-30-67	63.0(5)	.0	
		7-08-67	72.0(5)	-9.0				7-30-67	67.0(5)	-4.0	
		8-10-67	74.0(5)	-11.0				8-31-67	68.0(5)	-5.0	
		9-29-67	74.0(5)	-11.0				9-30-67	62.0(5)	1.0	
03S/12W-27C02S	71.0	11-01-66	79.0(5)	-8.0	101	03S/12W-29J01S	63.0	10-14-66	60.9	2.1	733
		12-01-66	69.0(5)	2.0				11-04-66	61.1	1.9	
		1-31-67	62.0(5)	9.0				11-25-66	59.9	3.1	
		2-28-67	66.0(5)	5.0				12-16-66	55.5	7.5	
		3-31-67	63.0(5)	8.0				1-06-67	55.1	7.9	
		4-30-67	59.0(5)	12.0				1-27-67	54.6	8.4	
		5-31-67	67.0(5)	4.0				2-17-67	54.1	8.9	
		6-30-67	76.0(5)	-5.0				3-10-67	54.7	8.3	
		7-20-67	85.0(5)	-14.0				3-31-67	54.6	8.4	
		8-30-67	86.0(5)	-15.0				4-21-67	54.3	8.7	
		9-30-67	75.0(5)	-4.0				5-12-67	54.6	8.4	
03S/12W-27G01S	71.0	11-01-66	81.0(5)	-10.0	101			6-02-67	57.3	5.7	
		12-01-66	71.0(5)	.0				6-23-67	(1)		
		1-31-67	68.0(5)	3.0				7-14-67	58.6	4.4	
		2-28-67	71.0(5)	.0				8-04-67	61.4	1.6	
		3-31-67	68.0(5)	3.0				9-15-67	63.3	-3.3	
		4-30-67	67.0(5)	4.0		03S/12W-29M01S	62.5	11-01-66	(9)		101
		5-31-67	70.0(5)	1.0				11-15-66	57.5	5.0	
		6-30-67	73.0(5)	-2.0				4-10-67	52.9	9.6	
		7-30-67	75.0(5)	-4.0		03S/12W-29M02S	63.0	11-01-66	60.8	2.2	101
		8-30-67	80.0(5)	-9.0				4-10-67	52.9	10.1	
		9-30-67	71.0(5)	.0		03S/12W-30C03S	64.0	10-28-66	102.5(1)	-38.5	101
03S/12W-27M01S	66.0	11-01-66	67.0(5)	-1.0	101			11-22-66	107.6	-43.6	
		12-01-66	63.0(5)	3.0				11-25-66	98.5(1)	-34.5	
		1-31-67	61.0(5)	5.0				12-30-66	78.5(5)	-14.5	
		2-28-67	61.0(5)	5.0				1-27-67	60.5(5)	3.5	
		3-31-67	61.0(5)	5.0				2-24-67	75.5(5)	-11.5	
		4-30-67	59.0(5)	7.0				3-30-67	91.5(5)	-27.5	
		5-31-67	63.0(5)	3.0				4-19-67	96.8	-32.8	
		6-30-67	64.0(5)	2.0				4-28-67	92.5(5)	-28.5	
		7-30-67	68.0(5)	-2.0				5-26-67	90.5(1)	-26.5	
		8-30-67	67.0(5)	-1.0				7-28-67	106.5(5)	-42.5	
		9-30-67	62.0(5)	4.0				8-30-67	113.5(5)	-49.5	
03S/12W-27R01S	62.0	10-14-66	86.5(5)	-24.5	101			9-29-67	95.5(5)	-31.5	
		11-15-66	82.5(5)	-20.5		03S/12W-30E01S	60.0	11-22-66	(3)		101
		12-30-66	75.5(1)	-13.5				4-01-67	(3)		
		1-25-67	84.5(1)	-22.5		03S/12W-30G01S	60.0	11-22-66	36.7	23.3	101
		2-08-67	84.5(1)	-22.5				4-19-67	35.0	25.0	
		3-15-67	79.5(1)	-17.5							
		4-13-67	80.5(5)	-18.5		03S/12W-30K02S	59.0	11-22-66	65.2	-6.2	101
		5-25-67	82.5(1)	-20.5				4-19-67	56.8	2.2	
		6-15-67	82.5(1)	-20.5		03S/12W-30P03S	56.5	11-22-66	DRY		101
		7-06-67	82.5(1)	-20.5				4-19-67	DRY		
		7-07-67	139.5(1)	-77.5		03S/12W-31E03S	51.7	10-03-66	101.6	-49.9	206
		8-18-67	95.5(1)	-33.5				10-10-66	98.1	-46.4	
		9-21-67	95.5(1)	-33.5				10-17-66	96.1	-44.4	
03S/12W-28H02S	67.0	1-31-67	61.0(5)	6.0	101			10-24-66	95.1	-43.4	
		2-28-67	63.0(5)	4.0				10-31-66	99.0	-47.3	
		3-31-67	64.0(5)	3.0				11-07-66	96.7	-45.0	
		4-30-67	61.0(5)	6.0				11-14-66	91.5	-39.8	
		5-31-67	64.0(5)	3.0				11-21-66	89.0	-37.3	
		6-30-67	67.0(5)	.0				11-28-66	88.4	-36.7	
		7-31-67	68.0(5)	-1.0				12-05-66	87.1	-35.4	
		8-30-67	71.0(5)	-4.0				12-12-66	85.3	-33.6	
		9-30-67	66.0(5)	1.0				12-19-66	84.4	-32.7	
03S/12W-28H03S	67.0	11-01-66	70.0(5)	-3.0	101			12-26-66	83.2	-31.5	
		12-01-66	62.0(5)	5.0				1-02-67	82.4	-30.7	
		1-31-67	60.0(5)	7.0				1-09-67	81.3	-29.6	
		2-28-67	62.0(5)	5.0				1-16-67	81.0	-29.3	
		3-31-67	63.0(5)	4.0				1-23-67	80.0	-28.3	
		4-30-67	60.0(5)	7.0				1-30-67	79.3	-27.6	
		5-31-67	63.0(5)	4.0							
		6-30-67	66.0(5)	1.0							
		7-31-67	67.0(5)	.0							
		8-30-67	70.0(5)	-3.0							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/12W-31E03S (CONT.)	51.7	2-06-67	78.6	-26.9	206	03S/12W-33A06S (CONT.)	63.0	4-15-67	76.6(5)	-13.6	101
		2-13-67	77.5	-25.8				5-18-67	78.6(5)	-15.6	
		2-20-67	77.0	-25.3				6-25-67	90.6(5)	-27.6	
		2-27-67	76.8	-25.1				7-18-67	89.6(5)	-26.6	
		3-06-67	77.9	-26.2				8-27-67	77.6(5)	-14.6	
		3-13-67	76.8	-25.1				9-30-67	69.6(5)	-6.6	
		3-20-67	75.9	-24.2		03S/12W-33F02S	56.0	11-02-66	54.3(1)	1.7	101
		3-27-67	75.5	-23.8				4-10-67	49.4(1)	6.6	
		4-03-67	75.3	-23.6		03S/12W-33G02S	60.0	11-01-66	79.4(5)	-19.4	101
		4-10-67	74.7	-23.0				12-01-66	71.4(5)	-11.4	
		4-17-67	74.4	-22.7				1-31-67	67.4(5)	-7.4	
		4-24-67	74.4	-22.7				2-28-67	72.4(5)	-12.4	
		5-01-67	73.2	-21.5				3-31-67	68.4(5)	-8.4	
		5-08-67	73.3	-21.6				4-30-67	61.4(5)	-1.4	
		5-15-67	73.7	-22.0				5-31-67	68.4(5)	-8.4	
		5-22-67	70.5	-18.8				6-30-67	83.4(5)	-23.4	
		5-29-67	75.3	-23.6				7-30-67	91.4(5)	-31.4	
		6-05-67	76.0	-24.3		03S/12W-33R01S	48.0	10-15-66	55.5(5)	-7.5	101
		6-12-67	80.3	-28.6				11-04-66	56.5(5)	-8.5	
		6-19-67	81.6	-29.9				11-30-66	52.5(5)	-4.5	
		6-26-67	82.9	-31.2				12-25-66	50.5(5)	-2.5	
		7-03-67	85.1	-33.4				1-20-67	50.5(5)	-2.5	
		7-10-67	85.6	-33.9				2-20-67	49.5(5)	-1.5	
		7-17-67	90.9	-39.2				3-20-67	49.5(5)	-1.5	
		7-24-67	92.6	-40.9				4-20-67	48.5(5)	-0.5	
		7-31-67	92.1	-40.4				5-20-67	51.5(5)	-3.5	
		8-04-67	93.1	-41.4				6-20-67	71.5(5)	-23.5	
		8-14-67	94.0	-42.3				7-25-67	51.5(5)	-3.5	
		8-21-67	93.8	-42.1				8-25-67	51.5(5)	-3.5	
		8-28-67	93.3	-41.6				9-25-67	49.5(5)	-1.5	
		9-04-67	94.1	-42.4		03S/12W-33R04S	56.0	10-15-66	77.0(5)	-21.0	101
		9-11-67	91.9	-40.2				11-03-66	76.0(5)	-20.0	
		9-18-67	90.1	-38.4				11-30-66	63.0(5)	-7.0	
		9-25-67	89.2	-37.5				12-20-66	64.0(5)	-8.0	
03S/12W-32L01S	52.2	11-01-66	53.7	-1.5	101			1-20-67	72.0(5)	-16.0	
		1-31-67	48.1	4.1	061			2-20-67	65.0(5)	-9.0	
		2-28-67	48.4	3.8				3-20-67	65.0(5)	-9.0	
		3-31-67	47.8	4.4				4-20-67	71.0(5)	-15.0	
		4-13-67	48.5	3.7	101			5-30-67	71.0(5)	-15.0	
		5-01-67	47.4	4.8	061			6-25-67	77.0(5)	-21.0	
		5-31-67	123.1	-70.9				7-29-67	85.0(5)	-29.0	
		6-30-67	48.7	3.5				8-30-67	85.0(5)	-29.0	
		7-31-67	49.8	2.4				9-25-67	83.0(5)	-27.0	
		8-31-67	50.0	2.2		03S/12W-34A01S	62.4	11-02-66	DRY		101
		9-28-67	49.5	2.7				4-10-67	DRY		
03S/12W-32Q01S	51.6	10-24-66	53.2	-1.6	101	03S/12W-34C01S	63.0	11-01-66	84.0(5)	-21.0	101
		11-14-66	50.7	.9				12-01-66	70.0(5)	-7.0	
		12-12-66	48.5	3.1				1-31-67	67.0(5)	-4.0	
		1-16-67	47.9	3.7				2-28-67	71.0(5)	-8.0	
		2-20-67	47.4	4.2				3-31-67	72.0(5)	-9.0	
		3-20-67	50.1	1.5				4-30-67	58.0(5)	5.0	
		4-17-67	47.1	4.5				5-31-67	75.0(5)	-12.0	
		5-15-67	48.1	3.5				6-30-67	83.0(5)	-20.0	
		6-19-67	50.3	1.3				7-30-67	92.0(5)	-29.0	
		7-24-67	51.3	.3				8-30-67	95.0(5)	-32.0	
		8-21-67	48.7	2.9				9-30-67	79.0(5)	-16.0	
		9-18-67	51.4	.2		03S/12W-34D01S	62.0	11-01-66	72.0(5)	-10.0	101
03S/12W-33A01S	62.0	10-23-66	77.0(5)	-15.0	101			12-01-66	67.0(5)	-5.0	
		11-04-66	75.0(5)	-13.0				1-31-67	63.0(5)	-1.0	
		11-30-66	68.0(5)	-6.0				2-28-67	65.0(5)	-3.0	
		12-26-66	67.0(5)	-5.0				3-30-67	64.0(5)	-2.0	
		1-15-67	64.0(5)	-2.0				4-31-67	63.0(5)	-1.0	
		2-15-67	61.0(5)	1.0				5-30-67	71.0(5)	-9.0	
		3-15-67	61.0(5)	1.0				6-31-67	71.0(5)	-9.0	
		4-15-67	59.0(5)	3.0				8-30-67	71.0(5)	-9.0	
		5-20-67	67.0(5)	-5.0				9-30-67	71.0(5)	-9.0	
		6-25-67	66.0(5)	-4.0		03S/12W-34F01S	62.0	6-15-66	138.0(1)	-76.0	101
		7-15-67	69.0(5)	-7.0				10-13-66	77.0(5)	-15.0	
		8-16-67	64.0(5)	-2.0				11-08-66	94.0(5)	-32.0	
03S/12W-33A03S	62.0	11-02-66	80.9	-18.9	101			11-15-66	68.8	-6.8	
		4-10-67	53.3	8.7				11-30-66	70.0(5)	-8.0	
03S/12W-33A04S	61.0	11-02-66	82.6	-21.6	101			12-28-66	68.0(5)	-6.0	
		4-10-67	68.2	-7.2				1-25-67	66.0(5)	-4.0	
03S/12W-33A05S	62.0	11-01-66	63.0(5)	-1.0	101			2-25-67	69.0(5)	-7.0	
		12-01-66	56.0(5)	6.0				3-25-67	71.0(5)	-9.0	
		1-31-67	54.0(5)	8.0				4-25-67	65.0(5)	-3.0	
		2-28-67	54.0(5)	8.0				5-01-67	66.0(5)	-4.0	
		3-31-67	55.0(5)	7.0				6-24-67	79.0(5)	-17.0	
		4-30-67	54.0(5)	8.0				7-18-67	87.0(5)	-25.0	
		5-31-67	56.0(5)	6.0				8-25-67	127.0(1)	-65.0	
		6-30-67	58.0(5)	4.0				9-11-67	84.0(5)	-22.0	
		7-30-67	64.0(5)	-2.0		03S/12W-34F03S	62.0	11-02-66	(6)		101
		8-30-67	68.0(5)	-6.0		03S/12W-34G01S	62.0	10-14-66	75.1	-13.1	733
		9-30-67	57.0(5)	5.0				11-04-66	74.5	-12.5	
03S/12W-33A06S	63.0	10-18-66	88.6(5)	-25.6	101			11-25-66	68.2	-6.2	
		11-03-66	79.6(5)	-16.6				12-16-66	63.4	-1.4	
		11-22-66	78.6(5)	-15.6				1-06-67	61.2	.8	
		12-26-66	86.6(5)	-23.6				1-27-67	60.5	1.5	
		1-16-67	79.6(5)	-16.6							
		2-13-67	71.6(5)	-8.6							
		3-17-67	86.6(5)	-23.6							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA						COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA					
U-05.A0						U-05.A0					
U-05.A5						U-05.A5					
03S/12W-34G01S (CONT.)	62.0	2-17-67	60.5	1.5	733	03S/13W-02Q01S (CONT.)	97.0	7-05-67	79.0(5)	18.0	101
		3-10-67	63.4	-1.4				8-02-67	79.0(5)	18.0	
		3-31-67	62.0	.0				9-06-67	79.0(5)	18.0	
		4-21-67	59.4	2.6		03S/13W-03E01S	104.0	11-03-66	62.9	41.1	101
		5-12-67	60.3	1.7				4-14-67	62.8	41.2	
		6-02-67	62.1	-.1		03S/13W-03R01S	98.5	11-09-66	142.8	-44.3	101
		6-23-67	70.6	-8.6				11-16-66	264.0(1)	-165.5	
		7-14-67	76.4	-14.4				12-07-66	258.0(1)	-159.5	
		8-04-67	78.2	-16.2				1-04-67	268.0(1)	-169.5	
		9-15-67	76.4	-14.4				2-01-67	268.0(1)	-169.5	
03S/12W-34H02S	59.5	11-02-66	(1)		101			3-01-67	156.0(5)	-57.5	
		11-15-66	58.5(4)	1.0				4-05-67	153.0(5)	-54.5	
		4-10-67	51.5(4)	8.0				4-17-67	(1)		
03S/12W-35C01S	64.0	11-01-66	73.7	-9.7	101			4-20-67	153.0(5)	-54.5	
		4-10-67	57.8	6.2				5-03-67	150.0(5)	-51.5	
03S/12W-35D02S	61.0	10-14-66	46.2	14.8	733			6-07-67	156.0(5)	-57.5	
		11-04-66	45.7	15.3				7-05-67	133.0(5)	-34.5	
		11-25-66	43.2	17.8				8-02-67	153.0(5)	-54.5	
		12-16-66	46.4	14.6				9-06-67	163.0(5)	-64.5	
		1-06-67	44.9	16.1		03S/13W-04D01S	115.0	10-31-66	258.0(1)	-143.0	200
		1-27-67	43.1	17.9				2-09-67	(0)		101
		2-17-67	41.8	19.2				4-13-67	260.0(1)	-145.0	
		3-10-67	46.4	14.6				8-17-67	(0)		200
		3-31-67	44.5	16.5		03S/13W-04N01S	98.0	10-21-66	174.6(5)	-76.6	101
		4-21-67	42.2	18.8				11-21-66	169.6(5)	-71.6	
		5-12-67	42.8	18.2				12-01-66	171.6(5)	-73.6	
		6-02-67	44.1	16.9				1-01-67	170.6(5)	-72.6	
		6-23-67	47.7	13.3				2-01-67	175.6(5)	-77.6	
		7-14-67	52.3	8.7				3-01-67	172.6(5)	-74.6	
		8-04-67	49.1	11.9				4-01-67	173.6(5)	-75.6	
		9-15-67	48.5	12.5				5-01-67	172.6(5)	-74.6	
03S/12W-35L02S	56.0	11-01-66	68.7	-12.7	101			6-01-67	174.6(5)	-76.6	
		4-10-67	56.0(4)	.0				7-01-67	175.6(5)	-77.6	
03S/12W-35P01S	53.0	11-01-66	DRY		101			8-15-67	177.6(5)	-79.6	
		4-10-67	DRY					9-15-67	177.6(5)	-79.6	
03S/12W-36C01S	61.0	11-01-66	50.1	10.9	101	03S/13W-04N03S	98.0	10-01-66	260.4(1)	-162.4	101
		4-10-67	42.3	18.7				11-01-66	258.4(1)	-160.4	
03S/12W-36F01S	59.0	10-31-66	70.5(3)	-11.5	101			11-15-66	257.4(1)	-159.4	
		4-17-67	(7)					12-01-66	265.4(1)	-167.4	
03S/13W-01G01S	106.0	10-01-66	118.0(5)	-12.0	101			1-01-67	265.4(1)	-167.4	
		11-01-66	117.0(5)	-11.0				2-01-67	263.4(1)	-165.4	
		12-01-66	108.0(5)	-2.0				3-01-67	263.4(1)	-165.4	
		1-01-67	107.0(5)	-1.0				4-01-67	263.4(1)	-165.4	
		2-01-67	104.0(5)	2.0				5-01-67	264.4(1)	-166.4	
		3-01-67	108.0(5)	-2.0				6-01-67	266.4(1)	-168.4	
		4-01-67	106.0(5)	.0				7-01-67	267.4(1)	-169.4	
		5-01-67	104.0(5)	2.0				8-15-67	267.4(1)	-169.4	
		6-01-67	107.0(5)	-1.0		03S/13W-05F01S	114.0	10-31-66	193.9	-79.9	101
		7-01-67	111.0(5)	-5.0				2-09-67	(0)		
		8-01-67	123.0(5)	-17.0				3-05-67	186.0	-72.0	
		9-01-67	128.0(5)	-22.0				4-13-67	263.0(1)	-149.0	
03S/13W-01P03S	94.0	11-03-66	DRY		101			8-17-67	(0)		200
		4-17-67	DRY			03S/13W-05F02S	114.0	10-31-66	189.7	-75.7	200
03S/13W-02A02S	106.2	10-04-66	68.7	37.5	101			2-09-67	(0)		101
		11-28-66	67.3	38.9				3-05-67	184.0	-70.0	
		12-13-66	68.2	38.0				3-29-67	84.2	29.8	050
		2-08-67	67.9	38.3				4-13-67	261.0(1)	-147.0	101
		3-07-67	67.9	38.3				8-17-67	(0)		200
		4-10-67	67.6	38.6		03S/13W-06R01S	131.0	2-03-67	202.7	-71.7	061
		5-09-67	68.0	38.2				3-07-67	202.3	-71.3	
		7-05-67	67.6	38.6				4-07-67	204.0	-73.0	
		8-02-67	67.9	38.3				5-03-67	203.9	-72.9	
		9-06-67	68.1	38.1				6-02-67	204.0	-73.0	
03S/13W-02B01S	100.0	11-09-66	80.0	20.0	101			7-07-67	204.9	-73.9	
		4-20-67	(6)					8-04-67	205.6	-74.6	
		6-13-67	(0)					9-05-67	205.8	-74.8	
03S/13W-02M01S	98.4	10-04-66	75.8	22.6	101	03S/13W-08C04S	125.0	8-17-67	(0)		200
		11-28-66	75.6	22.8		03S/13W-09A01S	93.0	10-31-66	126.0(5)	-33.0	101
		12-13-66	75.5	22.9				11-28-66	123.0(5)	-30.0	
		2-08-67	75.2	23.2				1-30-67	128.0(5)	-35.0	
		3-07-67	74.9	23.5				2-27-67	128.0(5)	-35.0	
		4-10-67	74.6	23.8				4-03-67	119.0(5)	-26.0	
		5-09-67	74.3	24.1				5-01-67	117.0(5)	-24.0	
		7-05-67	74.6	23.8				5-29-67	124.0(5)	-31.0	
		8-02-67	74.7	23.7				7-03-67	126.0(5)	-33.0	
		9-06-67	75.2	23.2		03S/13W-09K01S	81.7	10-31-66	156.0(5)	-74.3	101
03S/13W-02Q01S	97.0	10-05-66	82.0(5)	15.0	101			11-28-66	156.0(5)	-74.3	
		11-02-66	82.0(5)	15.0				1-30-67	145.0(5)	-63.3	
		12-07-66	91.0(1)	6.0				2-27-67	145.0(5)	-63.3	
		1-04-67	89.0(1)	8.0				4-03-67	145.0(5)	-63.3	
		2-01-67	89.0(1)	8.0				5-01-67	151.0(5)	-69.3	
		3-01-67	79.0(5)	18.0				5-29-67	156.0(5)	-74.3	
		4-05-67	79.0(5)	18.0				7-03-67	154.0(5)	-72.3	
		5-03-67	78.0(5)	19.0				9-05-67	171.0(5)	-89.3	
		6-07-67	79.0(5)	18.0							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
03S/13W-09R01S	86.0	11-04-66	128.9	-42.9	733	03S/13W-12J01S	85.0	10-05-66	91.0(5)	-6.0	101
		11-25-66	120.7	-34.7				11-02-66	113.0(5)	-28.0	
		12-16-66	117.7	-31.7				12-07-66	100.0(5)	-15.0	
		1-06-67	117.2	-31.2				1-04-67	178.0(1)	-93.0	
		1-27-67	115.5	-29.5				2-01-67	114.0(5)	-29.0	
		2-17-67	115.2	-29.2				3-01-67	125.0(5)	-40.0	
		3-10-67	114.8	-28.8				4-05-67	101.0(5)	-16.0	
		3-31-67	114.4	-28.4				5-03-67	92.0(5)	-7.0	
		4-21-67	113.5	-27.5				6-07-67	99.0(5)	-14.0	
		5-12-67	114.3	-28.3				7-05-67	98.0(5)	-13.0	
		6-02-67	116.5	-30.5				8-02-67	98.0(5)	-13.0	
		6-23-67	118.0	-32.0				9-06-67	98.0(5)	-13.0	
		7-14-67	120.8	-34.8							
		8-04-67	120.5	-34.5							
		9-15-67	119.7	-33.7							
03S/13W-10G01S	85.0	10-01-66	127.0(5)	-42.0	101	03S/13W-12Q01S	82.5	10-05-66	120.0(5)	-37.5	101
		11-01-66	128.0(5)	-43.0				11-02-66	149.0(5)	-66.5	
		12-01-66	122.0(5)	-37.0				11-23-66	104.0(5)	-21.5	
		1-01-67	124.0(5)	-39.0				12-07-66	109.0(5)	-26.5	
		2-01-67	121.0(5)	-36.0				1-04-67	95.0(5)	-12.5	
		3-01-67	120.0(5)	-35.0				2-01-67	117.0(5)	-34.5	
		4-01-67	120.0(5)	-35.0				3-01-67	99.0(5)	-16.5	
		5-01-67	122.0(5)	-37.0				4-05-67	97.0(5)	-14.5	
		6-01-67	121.0(5)	-36.0				5-03-67	103.0(5)	-20.5	
		8-27-67	125.0(5)	-40.0				6-07-67	103.0(5)	-20.5	
		9-03-67	126.0(5)	-41.0				7-05-67	104.0(5)	-21.5	
								8-02-67	117.0(5)	-34.5	
								9-06-67	113.0(5)	-30.5	
03S/13W-10G02S	85.0	10-01-66	131.5(5)	-46.5	101	03S/13W-12Q03S	83.6	12-19-66	(0)		101
		11-01-66	126.5(5)	-41.5				6-13-67	(0)		
		12-01-66	125.5(5)	-40.5		03S/13W-13001S	79.0	10-05-66	106.0(5)	-27.0	101
		1-01-67	123.5(5)	-38.5				11-02-66	107.0(5)	-28.0	
		2-01-67	127.5(5)	-42.5				12-07-66	113.0(1)	-34.0	
		3-01-67	119.5(5)	-34.5				1-04-67	108.0(1)	-29.0	
		4-01-67	118.5(5)	-33.5				2-01-67	93.0(5)	-14.0	
		5-01-67	119.5(5)	-34.5				3-01-67	94.0(5)	-15.0	
		6-01-67	120.5(5)	-35.5				4-05-67	91.0(5)	-12.0	
		8-27-67	125.5(5)	-40.5				5-03-67	92.0(5)	-13.0	
		9-03-67	124.5(5)	-39.5				6-07-67	98.0(5)	-19.0	
								7-05-67	99.0(5)	-20.0	
03S/13W-10L01S	85.0	11-03-66	155.4	-70.4	101			8-02-67	108.0(5)	-29.0	
		4-17-67	114.5	-29.5				9-06-67	108.0(5)	-29.0	
03S/13W-10L02S	86.0	11-04-66	145.5(1)	-59.5	101	03S/13W-13F01S	77.5	11-09-66	65.9	11.6	101
		11-15-66	126.4	-40.4				4-17-67	64.6	12.9	
		4-17-67	116.0	-30.0		03S/13W-13F04S	78.5	10-31-66	104.5(5)	-26.0	101
03S/13W-11H02S	88.0	11-03-66	114.1	-26.1	101			11-28-66	98.5(5)	-20.0	
		4-17-67	97.4	-9.4				1-30-67	90.5(5)	-12.0	
03S/13W-11C01S	88.5	10-05-66	122.5(5)	-34.0	101			2-27-67	91.5(5)	-13.0	
		11-02-66	121.5(5)	-33.0				4-03-67	88.5(5)	-10.0	
		12-07-66	162.5(1)	-74.0				5-01-67	86.5(5)	-8.0	
		1-04-67	152.5(1)	-64.0				5-29-67	92.5(5)	-14.0	
		2-01-67	98.5(5)	-10.0				7-03-67	95.5(5)	-17.0	
		3-01-67	101.5(5)	-13.0				9-05-67	101.5(5)	-23.0	
		4-05-67	98.5(5)	-10.0		03S/13W-13F07S	78.0	11-09-66	17.1	60.9	101
		5-03-67	97.5(5)	-9.0				4-11-67	17.2	60.8	
		6-07-67	103.5(5)	-15.0		03S/13W-13G01S	79.0	10-31-66	80.0(5)	-1.0	101
		7-05-67	104.5(5)	-16.0				11-28-66	80.0(5)	-1.0	
		8-02-67	116.5(5)	-28.0				1-30-67	80.0(5)	-1.0	
		9-06-67	119.5(5)	-31.0				2-27-67	80.0(5)	-1.0	
03S/13W-11E01S	85.0	10-05-66	137.0(5)	-52.0	101			4-03-67	76.0(5)	3.0	
		11-02-66	122.0(5)	-37.0				5-01-67	76.0(5)	3.0	
		11-23-66	123.0(5)	-38.0				5-29-67	78.0(5)	1.0	
		12-07-66	170.0(1)	-85.0				7-03-67	84.0(5)	-5.0	
		1-04-67	168.0(1)	-83.0				9-05-67	87.0(5)	-8.0	
		2-01-67	130.0(5)	-45.0		03S/13W-13J01S	80.0	10-31-66	73.0(5)	7.0	101
		3-01-67	125.0(5)	-40.0				11-28-66	72.0(5)	8.0	
		4-05-67	140.0(5)	-55.0				1-30-67	71.0(5)	9.0	
		5-03-67	114.0(5)	-29.0				2-27-67	71.0(5)	9.0	
		6-07-67	134.0(5)	-49.0				4-03-67	71.0(5)	9.0	
		7-05-67	151.0(5)	-66.0				5-01-67	68.0(5)	12.0	
		8-02-67	130.0(5)	-45.0				5-29-67	70.0(5)	10.0	
		9-06-67	132.0(5)	-47.0				7-03-67	70.0(5)	10.0	
03S/13W-11K01S	86.4	11-09-66	63.0(5)	23.4	101			9-05-67	68.0(5)	12.0	
		4-17-67	64.0(5)	22.4		03S/13W-13M01S	76.0	12-19-66	(0)		101
03S/13W-12A01S	94.0	11-01-66	105.8(8)	-11.8	101			1-31-67	89.0	-13.0	
		12-19-66	(0)					2-28-67	90.0	-14.0	
		4-11-67	90.6(8)	3.4				3-31-67	89.0	-13.0	
		6-13-67	(0)					4-30-67	88.0	-12.0	
03S/13W-12E04S	89.0	10-05-66	95.0(5)	-6.0	101			5-31-67	94.0	-18.0	
		11-02-66	102.0(5)	-13.0				7-31-67	112.0	-36.0	
		12-07-66	143.0(1)	-54.0				8-31-67	110.0	-34.0	
		1-04-67	136.0(1)	-47.0				9-30-67	103.0	-27.0	
		2-01-67	83.0(5)	6.0		03S/13W-13M02S	74.0	10-31-66	105.0	-31.0	101
		3-01-67	83.0(5)	6.0				1-31-67	91.0	-17.0	
		4-05-67	95.0(5)	-6.0				2-28-67	92.0	-18.0	
		5-03-67	98.0(5)	-9.0				3-31-67	92.0	-18.0	
		6-07-67	88.0(5)	1.0				4-30-67	90.0	-16.0	
		7-05-67	88.0(5)	1.0				5-31-67	95.0	-21.0	
		8-02-67	101.0(5)	-12.0				7-15-67	104.0	-30.0	
		9-06-67	98.0(5)	-9.0				8-31-67	132.0(1)	-58.0	
								9-30-67	106.0	-32.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00						
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.40			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.40			
CENTRAL HYDRO SUBAREA			U-05.45			CENTRAL HYDRO SUBAREA			U-05.45			
035/13W-13P015	78.2	10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-01-67 5-29-67 7-03-67 9-05-67	63.4(5) 62.4(5) 61.4(5) 61.4(5) 57.4(5) 59.4(5) 61.4(5) 62.4(5) 63.4(5)	14.8 15.8 16.8 16.8 20.8 18.8 16.8 15.8 14.8	101	035/13W-21A015	80.0	1-30-67 (CONT.) 2-27-67 7-03-67 9-05-67	129.5(5) 129.5(5) 137.5(5) 140.5(5)	-49.5 -49.5 -57.5 -60.5	101	
035/13W-13R025	77.0	10-31-66 11-28-66 7-31-67 9-05-67	116.5(5) 117.5(5) 135.5(5) 139.5(5)	-39.5 -40.5 -58.5 -62.5	101	035/13W-21B015	85.0	10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-29-67 7-03-67 9-05-67	139.5(5) 138.5(5) 138.5(5) 137.5(5) 131.5(5) 132.5(5) 134.5(5) 131.5(5)	-54.5 -53.5 -53.5 -52.5 -46.5 -47.5 -49.5 -46.5	101	
035/13W-14M015	73.0	11-03-66 4-11-67	108.8 96.0	-35.8 -23.0	101	035/13W-21C065	95.0	10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-29-67 7-03-67 9-05-67	174.5(5) 173.5(5) 184.5(5) 183.5(5) 163.5(5) 167.5(5) 118.5(5) 167.5(5)	-79.5 -78.5 -89.5 -88.5 -68.5 -72.5 -23.5 -72.5	101	
035/13W-15C025	79.0	10-30-66 3-31-67	146.5(1) 146.5(1)	-67.5 -67.5	101	035/13W-21R015	91.8	10-14-66 11-04-66 11-25-66 12-16-66 1-06-67 1-27-67 2-17-67 3-10-67 3-30-67 3-31-67 4-21-67 5-12-67 6-02-67 6-23-67 7-14-67 8-04-67 9-15-67	173.0 173.3 162.6 161.1 159.6 159.0 158.0 157.2 167.7 156.6 156.1 158.8 163.5 166.0 167.8 167.0 163.2	-81.2 -81.5 -70.8 -69.3 -67.8 -67.2 -66.2 -65.4 -75.9 -64.8 -64.3 -67.0 -71.7 -74.2 -76.0 -75.2 -71.4	733	
035/13W-15G015	75.0	10-30-66 3-31-67	131.0(1) 127.0(1)	-56.0 -52.0	101	035/13W-21R035	93.0	10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-29-67 7-03-67 9-05-67	174.0(5) 174.0(5) 166.0(5) 166.0(5) 160.0(5) 161.0(5) 160.0(5) 192.0(5)	-81.0 -81.0 -73.0 -73.0 -67.0 -68.0 -67.0 -99.0	101	
035/13W-15M035	80.0	11-03-66 4-17-67	129.6 113.8	-49.6 -33.8	101	035/13W-22H025	68.5	10-31-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 7-31-67 8-31-67 9-30-67	143.5(1) 103.5 130.5(1) 133.5(1) 101.5 131.5(1) 136.5(1) 146.5(1) 148.5(1) 143.5(1)	-75.0 -35.0 -62.0 -65.0 -33.0 -63.0 -68.0 -78.0 -80.0 -75.0	101 412 101	
035/13W-15M055	77.0	10-30-66 3-31-67	145.5(1) 144.5(1)	-68.5 -67.5	101	035/13W-22H075	68.5	10-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 7-15-67 8-31-67 9-30-67	122.8 109.8 108.3 107.8 106.8 113.3 126.8 121.8 123.8	-54.3 -41.3 -39.8 -39.3 -38.3 -44.8 -58.3 -53.3 -55.3	101	
035/13W-15R015	71.5	10-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 7-31-67 8-31-67 9-30-67 11-30-67 12-31-67	131.0(1) 104.0 105.0 121.0(1) 120.0(1) 123.0(1) 132.0(1) 133.0(1) 129.0(1) 126.0(1) 123.0(1)	-59.5 -32.5 -33.5 -49.5 -48.5 -51.5 -60.5 -61.5 -57.5 -54.5 -51.5	101	035/13W-22Q045	70.1	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 7-31-67 8-31-67 9-30-67	206.0(1) 129.0 129.0 128.0 128.0 126.0 126.0 204.0(1) 205.0(1) 206.0(1) 132.0	-135.9 -58.9 -58.9 -57.9 -57.9 -55.9 -55.9 -133.9 -134.9 -135.9 -61.9	101	
035/13W-16A015	81.0	10-31-66 11-28-66 1-30-67 2-27-67 4-03-67 5-01-67 5-29-67 7-03-67 9-05-67	131.0(5) 133.0(5) 132.0(5) 131.0(5) 109.0(5) 120.0(5) 122.0(5) 124.0(5) 129.0(5)	-50.0 -52.0 -51.0 -50.0 -28.0 -39.0 -41.0 -43.0 -48.0	101	035/13W-23J045	67.0	11-22-66 4-21-67	DRY 27.8		39.2	101
035/13W-16D015	95.0	11-03-66 4-17-67	158.0 152.1	-63.0 -57.1	101	035/13W-23R025	66.3	10-14-66 11-04-66 11-25-66 12-16-66 1-06-67 1-27-67 2-17-67 3-10-67 3-31-67 4-21-67 5-12-67 6-02-67	68.3 68.6 67.2 67.6 67.4 65.8 67.6 67.4 67.3 67.1 66.1 69.4	-2.0 -2.3 -.9 -1.3 -1.1 -.5 -1.3 -1.1 -1.0 -.8 -.2 -3.1	733	
035/13W-16E015	93.5	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 7-15-67 8-31-67	151.0 194.0(1) 193.0(1) 147.0 191.0(1) 145.0 144.0 145.0 145.0 195.0	-57.5 -100.5 -99.5 -53.5 -97.5 -51.5 -50.5 -51.5 -51.5 -101.5	101							
035/13W-16H015	83.0	11-03-66 4-17-67	DRY DRY		101							
035/13W-16H025	82.0	10-15-66 11-07-66 12-01-66 1-07-67 2-07-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-15-67 9-15-67	142.4(5) 141.4(5) 138.4(5) 138.0 127.0 124.4(5) 123.4(5) 122.4(5) 125.4(5) 126.4(5) 128.4(5) 130.4(5)	-60.4 -59.4 -56.4 -56.0 -45.0 -42.4 -41.4 -40.4 -43.4 -44.4 -46.4 -48.4	101							
035/13W-16N065	107.0	11-16-66 4-20-67	167.8 163.1	-60.8 -56.1	101							
035/13W-17Q025	121.0	11-03-66 4-14-67	188.3 185.6	-67.3 -64.6	101							
035/13W-20H065	106.0	11-23-66 12-29-66	185.2 (0)	-79.2	101							
035/13W-20H075	108.0	11-22-66	267.3	-159.3	101							
035/13W-20H085	107.0	12-29-66	(0)		101							
035/13W-21A015	80.0	10-31-66 11-28-66	135.5(5) 132.5(5)	-55.5 -52.5	101							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
03S/13W-23R02S (CONT.)	66.3	6-23-67	65.8	.5	733	03S/13W-26M01S	61.0	10-31-66	151.9	-90.9	101
		7-14-67	66.9	-6.6				11-30-66	151.3	-90.3	
		8-04-67	66.3	.0				12-31-66	150.3	-89.3	
		9-15-67	66.4	-1.1				1-31-67	150.3	-89.3	
03S/13W-24Q01S	70.7	10-31-66	64.4	6.3	101			2-28-67	149.3	-88.3	
		11-30-66	63.4	7.3				3-31-67	150.3	-89.3	
		12-31-66	66.4	4.3				4-30-67	149.3	-88.3	
		1-31-67	62.4	8.3				5-31-67	153.3	-92.3	
		2-28-67	62.4	8.3				8-15-67	157.3	-96.3	
		3-31-67	62.4	8.3				8-31-67	152.3	-91.3	
		4-30-67	62.4	8.3				9-30-67	155.3	-94.3	
		5-31-67	63.4	7.3		03S/13W-27E02S	89.3	10-31-66	178.4(5)	-89.1	101
		7-31-67	63.4	7.3				12-15-66	173.3(5)	-84.0	
		8-31-67	62.4	8.3				1-15-67	171.3(5)	-82.0	
		9-30-67	62.4	8.3				2-15-67	167.3(5)	-78.0	
03S/13W-24Q03S	64.8	10-14-66	83.4	-18.6	733			3-15-67	166.0(5)	-76.7	
		11-04-66	83.8	-19.0				3-29-67	166.0(5)	-76.7	050
		11-25-66	82.6	-17.8				4-15-67	164.0(5)	-74.7	101
		12-16-66	73.4	-8.6				5-15-67	170.5(5)	-81.2	
		1-06-67	72.6	-7.8				7-31-67	175.0(5)	-85.7	
		1-27-67	71.7	-6.9				8-31-67	171.0(5)	-81.7	
		2-17-67	70.6	-5.8				9-30-67	172.0(5)	-82.7	
		3-10-67	70.2	-5.4		03S/13W-27G01S	68.2	10-31-66	229.0(1)	-160.8	101
		3-31-67	70.5	-5.7				11-30-66	146.0(5)	-77.8	
		4-21-67	70.3	-5.5				12-31-66	145.0(5)	-76.8	
		5-12-67	71.0	-6.2				1-31-67	142.0(5)	-73.8	
		6-02-67	72.8	-8.0				2-28-67	142.5(5)	-74.3	
		6-23-67	75.1	-10.3				3-31-67	212.0(1)	-143.8	
		7-14-67	76.9	-12.1				4-30-67	214.0(1)	-145.8	
		8-04-67	82.3	-17.5				5-31-67	146.0(5)	-77.8	
		9-15-67	84.4	-19.6				7-31-67	157.0(5)	-88.8	
03S/13W-24Q06S	65.0	11-22-66	(8)		101			8-31-67	156.0(5)	-87.8	
		4-21-67	65.2	-2.2				9-31-67	150.0(5)	-81.8	
03S/13W-24Q07S	65.0	11-22-66	67.6	-2.6	101	03S/13W-28F01S	85.0	3-30-67	182.0(6)	-97.0	050
		4-21-67	65.3	-3.3				4-04-67	(7)		
03S/13W-25Q04S	64.0	10-31-66	66.0(5)	-2.0	101	03S/13W-28G01S	91.9	3-30-67	165.2	-73.3	050
		11-28-66	65.0(5)	-1.0		03S/13W-28G04S	96.0	11-22-66	165.9	-69.9	101
		1-30-67	62.0(5)	2.0				4-19-67	159.6	-63.6	
		2-27-67	63.0(5)	1.0		03S/13W-33A02S	146.0	11-22-66	243.6	-97.6	101
		4-03-67	59.0(5)	5.0				3-29-67	238.2(2)	-92.2	050
		5-29-67	61.0(5)	3.0				4-19-67	244.9	-98.9	101
		7-03-67	63.0(5)	1.0		03S/13W-33A03S	146.0	11-22-66	254.0	-108.0	101
		9-05-67	69.0(5)	-5.0				3-29-67	(1)		050
03S/13W-25G02S	63.0	10-31-66	121.6(5)	-58.6	101			4-04-67	(1)		
		11-28-66	120.6(5)	-57.6				4-19-67	269.5	-123.5	101
		11-29-66	103.5	-40.5		03S/13W-33B01S	155.8	11-22-66	244.9	-89.1	101
		1-30-67	119.6(5)	-56.6				3-29-67	237.9	-82.1	050
		2-27-67	120.6(5)	-57.6				4-19-67	247.1	-91.3	101
		4-03-67	113.6(5)	-50.6		03S/13W-34D03S	125.0	3-29-67	211.4	-86.4	050
		5-03-67	100.1	-37.1		03S/13W-34G01S	125.0	10-31-66	255.5(2)	-130.5	061
		5-29-67	98.6(5)	-35.6				11-30-66	255.0(2)	-130.0	
		7-03-67	111.6(5)	-48.6				12-31-66	256.0(2)	-131.0	
		9-05-67	108.6(5)	-45.6				1-31-67	255.2(2)	-130.2	
03S/13W-25P02S	52.5	11-22-66	DRY		101			2-28-67	254.5(2)	-129.5	
		4-21-67	DRY			03S/13W-34H01S	132.0	11-16-66	240.3	-108.3	101
03S/13W-25Q02S	57.1	11-22-66	90.0	-32.9	101			4-19-67	240.7	-108.7	
		4-21-67	83.3	-26.2		03S/13W-34H02S	130.0	11-16-66	244.9	-114.9	101
03S/13W-26C01S	62.6	10-15-66	125.0	-62.4	101			3-29-67	263.8(5)	-133.8	050
		10-31-66	120.5	-57.9				4-04-67	245.0	-115.0	
		11-30-66	114.0	-51.4				4-19-67	240.7	-110.7	101
		12-31-66	111.0	-48.4		03S/13W-35A02S	55.0	11-16-66	75.3(8)	-20.3	101
		1-31-67	109.0	-46.4				4-24-67	74.8(8)	-19.8	
		2-28-67	107.0	-44.4				5-12-67	74.9(8)	-19.9	
		3-31-67	106.0	-43.4		03S/13W-35K03S	46.5	10-31-66	150.5(2)	-104.0	061
		4-30-67	106.0	-43.4				11-30-66	146.5(2)	-100.0	
		5-31-67	114.0	-51.4				12-31-66	144.5(2)	-98.0	
		7-31-67	129.0	-66.4				1-31-67	141.5(2)	-95.0	
		8-31-67	164.0(1)	-101.4				2-28-67	141.0(2)	-94.5	
		9-30-67	123.0	-60.4				5-12-67	139.9	-93.4	101
03S/13W-26F01S	61.0	3-30-67	112.6	-51.6	050	03S/13W-35K04S	47.5	11-16-66	(1)		101
03S/13W-26J03S	59.3	10-14-66	68.6	-9.3	206			4-24-67	(1)		
		11-04-66	68.2	-8.9				8-28-67	77.7	-30.2	
		11-25-66	68.3	-9.0		03S/13W-35P01S	48.0	3-30-67	222.0(1)	-174.0	050
		12-16-66	68.5	-9.2				5-12-67	152.9	-104.9	101
		1-06-67	67.5	-8.2				9-12-67	143.0(5)	-95.0	050
		1-27-67	67.6	-8.3		03S/13W-35Q01S	46.0	2-09-67	150.4	-104.4	050
		2-17-67	74.8	-15.5				3-30-67	(1)		
		3-03-67	73.3	-14.0				5-12-67	139.8	-93.8	101
		3-24-67	73.0	-13.7		03S/13W-35Q03S	47.0	2-09-67	128.8	-81.8	050
		4-14-67	67.3	-8.0							
		5-05-67	67.2	-7.9							
		5-26-67	67.2	-7.9							
		6-23-67	67.2	-7.9							
		7-14-67	67.2	-7.9							
		8-04-67	67.4	-8.1							
		8-25-67	67.3	-8.0							
		9-15-67	67.4	-8.1							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
03S/13W-35Q03S (CONT.)	47.0	2-09-67	128.8	-81.8	050	04S/11W-07L02S (CONT.)	33.5	1-01-67	42.0(5)	-8.5	101
		3-06-67	142.8	-95.8				2-15-67	40.0(5)	-6.5	
		5-12-67	140.9	-93.9	101			3-07-67	42.0(5)	-8.5	
								4-15-67	42.0(5)	-8.5	
03S/13W-36N03S	53.0	10-31-66	84.0(2)	-31.0	061			5-01-67	39.0(5)	-5.5	
		11-30-66	84.0(2)	-31.0				6-01-67	47.0(5)	-13.5	
		12-31-66	84.0(2)	-31.0				7-01-67	53.0(5)	-19.5	
		1-31-67	84.0(2)	-31.0				8-15-67	56.0(5)	-22.5	
		2-28-67	84.3(2)	-31.3				9-15-67	61.0(5)	-27.5	
03S/14W-01F01S	227.8	11-14-66	(8)		101	04S/11W-07N01S	31.0	10-04-66	68.0(5)	-37.0	101
		4-17-67	283.8	-56.0				11-29-66	63.0(5)	-32.0	
03S/14W-01F03S	225.0	11-14-66	277.3	-52.3	101			1-31-67	51.0(5)	-20.0	
		4-17-67	277.3	-52.3				2-28-67	53.0(5)	-22.0	
04S/11W-05C02S	44.0	10-31-66	66.5	-22.5	101			4-04-67	39.0(5)	-8.0	
		4-10-67	54.4	-10.4				5-02-67	60.0(5)	-29.0	
04S/11W-06F01S	46.0	10-31-66	70.4	-24.4	101			5-31-67	49.0(5)	-18.0	
		4-17-67	53.6	-7.6				7-05-67	70.0(5)	-39.0	
04S/11W-06N03S	44.0	10-31-66	(6)		101			8-02-67	68.0(5)	-37.0	
04S/11W-06P01S	41.6	10-13-66	69.5	-27.9	733			9-06-67	69.0(5)	-38.0	
		11-03-66	66.7	-25.1		04S/11W-07P02S	33.0	10-04-66	28.0(5)	5.0	101
		11-24-66	62.1	-20.5				11-29-66	30.0(5)	3.0	
		12-15-66	58.7	-17.1				1-31-67	28.0(5)	5.0	
		12-20-66	50.9	-9.3	102			2-28-67	28.0(5)	5.0	
		12-27-66	51.3	-9.7				4-04-67	38.0(5)	-5.0	
		1-03-67	50.7	-9.1				5-02-67	31.0(5)	2.0	
		1-05-67	57.1	-15.5	733			5-31-67	36.0(5)	-3.0	
		1-10-67	51.5	-9.9	102			7-05-67	33.0(5)	.0	
		1-17-67	50.9	-9.3				8-02-67	34.0(5)	-1.0	
		1-26-67	54.4	-12.8	733			9-06-67	33.0(5)	.0	
		2-07-67	49.6	-8.0	102	04S/11W-08E02S	35.0	10-31-66	68.5	-33.5	101
		2-16-67	53.9	-12.3	733			4-17-67	(6)		
		2-27-67	50.3	-8.7	102	04S/11W-16Q01S	43.0	10-27-66	21.1	21.9	102
		3-07-67	51.2	-9.6				11-28-66	16.7	26.3	
		3-09-67	55.2	-13.6	733			12-22-66	15.5	27.5	
		3-14-67	51.8	-10.2	102			1-27-67	14.9	28.1	
		3-21-67	51.6	-10.0				2-24-67	16.8	26.2	
		3-28-67	51.3	-9.7				3-29-67	16.6	26.4	
		3-30-67	54.7	-13.1	733			4-25-67	15.5	27.5	
		4-11-67	48.8	-7.2	102			5-29-67	16.8	26.2	
		4-18-67	48.7	-7.1				6-28-67	20.3	22.7	
		4-20-67	48.9	-7.3	733			7-18-67	20.9	22.1	
		5-02-67	46.8	-5.2	102			8-28-67	22.0	21.0	
		5-09-67	46.9	-5.3				9-15-67	21.6	21.4	
		5-11-67	52.1	-10.5	733	04S/11W-18A01S	33.0	10-31-66	57.8	-24.8	101
		5-16-67	57.5	-15.9	102			4-10-67	41.6	-8.6	
		5-23-67	59.1	-17.5		04S/11W-18J01S	31.0	5-15-67	40.4	-9.4	101
		6-01-67	55.5	-13.9	733			6-01-67	47.4	-16.4	
		6-20-67	61.4	-19.8	102			7-01-67	49.4	-18.4	
		6-22-67	61.5	-19.9	733			9-21-67	49.4	-18.4	
		6-27-67	62.5	-20.9	102	04S/11W-19P01S	26.4	10-14-66	37.2	-10.8	206
		7-13-67	65.0	-23.4	733			11-04-66	40.5	-14.1	
		7-25-67	64.1	-22.5	102			11-25-66	33.8	-7.4	
		8-03-67	69.0	-27.4	733			12-16-66	26.9	-0.5	
		8-08-67	65.3	-23.7	102			1-06-67	23.5	2.9	
		8-15-67	66.0	-24.4				1-27-67	23.7	2.7	
		8-22-67	66.8	-25.2				2-17-67	22.1	4.3	
		8-29-67	68.5	-26.9				3-03-67	23.5	2.9	
		9-11-67	69.4	-27.8				3-24-67	25.2	1.2	
		9-14-67	64.9	-23.3	733			4-14-67	26.7	-0.3	
		9-18-67	70.5	-28.9	102			5-05-67	20.2	6.2	
		9-25-67	70.7	-29.1				5-26-67	31.2	-4.8	
04S/11W-07A01S	44.5	10-31-66	73.7	-29.2	101			6-23-67	32.7	-6.3	
		4-10-67	57.5	-13.0				7-14-67	37.0	-10.6	
04S/11W-07H01S	38.0	10-31-66	64.5	-26.5	101			8-04-67	40.7	-14.3	
		4-10-67	46.9	-8.9				8-25-67	43.4	-17.0	
04S/11W-07H02S	38.5	12-15-66	60.7(5)	-22.2	101			9-15-67	53.4	-27.0	
		1-01-67	46.7(5)	-8.2		04S/12W-01Q01S	50.5	10-31-66	(6)		101
		2-01-67	55.7(5)	-17.2							
		3-01-67	56.7(5)	-18.2		04S/12W-01K02S	46.0	11-02-66	66.6	-20.6	101
		4-15-67	57.7(5)	-19.2				4-17-67	50.2(4)	-4.2	
		7-07-67	72.7(5)	-34.2							
		8-15-67	73.7(5)	-35.2		04S/12W-02H01S	50.0	10-14-66	68.4	-18.4	733
		9-15-67	73.7(5)	-35.2				11-04-66	66.7	-16.7	
04S/11W-07L01S	33.5	10-15-66	58.5	-25.0	101			11-25-66	53.4	-3.4	
		11-21-66	49.5(5)	-16.0				12-16-66	48.8	1.2	
		1-01-67	44.5(5)	-11.0				1-06-67	45.7	4.3	
		2-15-67	42.5(5)	-9.0				1-27-67	42.9	7.1	
		3-15-67	43.5(5)	-10.0				2-17-67	42.0	8.0	
		4-15-67	42.5(5)	-9.0				3-10-67	49.1	.9	
		5-15-67	44.5	-11.0				3-31-67	50.7	-0.7	
		6-01-67	51.5	-18.0				4-21-67	44.4	5.6	
		7-01-67	65.5(5)	-32.0				5-12-67	44.9	5.1	
		8-15-67	58.5(5)	-25.0				6-02-67	52.9	-2.9	
		9-15-67	58.5	-25.0				6-23-67	(1)		
04S/11W-07L02S	33.5	10-07-66	59.0(5)	-25.5	101			7-14-67	55.0	-5.0	
		11-07-66	60.0(5)	-26.5				8-04-67	69.8	-19.8	
		12-01-66	50.0(5)	-16.5				9-15-67	70.0	-20.0	
						04S/12W-02K01S	48.0	10-15-66	60.0(5)	-12.0	101
								11-03-66	63.0(5)	-15.0	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
04S/12W-02K01S	48.0	11-15-66	58.9	-10.9	101	04S/12W-05H02S	50.0	4-10-67	49.7	.3	206
(CONT.)		12-25-66	54.0 (5)	-6.0		(CONT.)		4-17-67	49.5	.5	
		1-20-67	53.0 (5)	-5.0				4-24-67	49.4	.6	
		2-15-67	55.0 (5)	-7.0				5-01-67	49.2	.8	
		3-20-67	48.0 (5)	.0				5-08-67	49.1	.9	
		4-20-67	47.0 (5)	1.0				5-15-67	49.2	.8	
		5-20-67	51.0 (5)	-3.0				5-22-67	49.5	.5	
		6-25-67	53.0 (5)	-5.0				6-19-67	49.8	.2	
		7-28-67	56.0 (5)	-8.0				6-26-67	50.1	-.1	
04S/12W-02Q01S	47.0	10-03-66	36.3 (5)	10.7	101			7-03-67	50.2	-.2	
		11-06-66	45.6 (5)	1.4				7-10-67	50.4	-.4	
		11-13-66	22.5 (5)	24.5				7-17-67	50.6	-.6	
		1-22-67	29.0 (5)	18.0				7-24-67	50.8	-.8	
		2-13-67	45.0 (5)	2.0				7-31-67	51.6	-1.6	
		3-21-67	32.0 (5)	15.0				8-04-67	51.5	-1.5	
		4-20-67	16.0 (5)	31.0				8-14-67	51.6	-1.6	
		5-28-67	20.0 (5)	27.0				8-21-67	51.4	-1.4	
		6-25-67	26.0 (5)	21.0				8-28-67	51.5	-1.5	
04S/12W-03D01S	54.0	10-15-66	77.2 (5)	-23.2	101			9-04-67	51.6	-1.6	
		11-03-66	77.2 (5)	-23.2				9-11-67	51.5	-1.5	
		11-30-66	65.2 (5)	-11.2				9-18-67	51.4	-1.4	
		12-31-66	63.2 (5)	-9.2				9-25-67	51.2	-1.2	
		1-25-67	60.2 (5)	-6.2		04S/12W-06D01S	49.2	10-24-66	78.5	-29.3	101
		2-25-67	66.2 (5)	-12.2				11-21-66	76.6	-27.4	
		3-25-67	68.2 (5)	-14.2				12-12-66	75.2	-26.0	
		4-25-67	70.2 (5)	-16.2				1-16-67	73.5	-24.3	
		5-25-67	67.2 (5)	-13.2				2-20-67	72.6	-23.4	
		6-26-67	85.2 (5)	-31.2				3-20-67	72.6	-23.4	
		7-25-67	96.2 (5)	-42.2				4-17-67	72.7	-23.5	
		8-27-67	83.2 (5)	-29.2				5-15-67	72.1	-22.9	
		9-25-67	78.2 (5)	-24.2				6-19-67	74.1	-24.9	
04S/12W-03E01S	53.0	10-20-66	80.0 (5)	-27.0	101			7-24-67	76.3	-27.1	
		11-03-66	77.0 (5)	-24.0				8-21-67	77.9	-28.7	
		11-21-66	70.0 (5)	-17.0		04S/12W-06D02S	48.0	9-18-67	78.5	-29.3	
		12-15-66	77.0 (5)	-24.0				10-31-66	51.1	-3.1	101
		1-19-67	70.0 (5)	-17.0				11-21-66	50.8	-2.8	
		2-16-67	63.0 (5)	-10.0				12-12-66	50.6	-2.6	
04S/12W-03H01S	55.0	10-17-66	72.0 (5)	-17.0	101			1-23-67	50.2	-2.2	
		11-05-66	71.0 (5)	-16.0				2-20-67	50.2	-2.2	
		11-25-66	62.0 (5)	-7.0				3-20-67	50.2	-2.2	
		12-25-66	55.0 (5)	.0				4-17-67	50.3	-2.3	
		1-30-67	77.0 (5)	-22.0				5-15-67	50.2	-2.2	
		2-27-67	61.0 (5)	-6.0				6-19-67	51.2	-3.2	
		3-29-67	63.0 (5)	-8.0				7-24-67	59.5	-11.5	
		4-29-67	45.0 (5)	10.0				8-21-67	59.2	-11.2	
		5-30-67	63.0 (5)	-8.0		04S/12W-06D03S	46.3	9-18-67	49.9	-1.9	
		6-10-67	64.0 (5)	-9.0				10-03-66	105.2	-58.9	101
		7-23-67	74.0 (5)	-19.0				11-21-66	109.3 (1)	-63.0	
		8-28-67	156.0 (1)	-101.0				12-12-66	108.8 (1)	-62.5	
		9-28-67	77.0 (5)	-22.0				1-23-67	107.2 (1)	-60.9	
04S/12W-04J03S	53.0	10-15-66	75.0 (5)	-22.0	101			2-27-67	88.3	-42.0	
		11-05-66	80.0 (5)	-27.0				3-20-67	112.4 (1)	-66.1	
		11-30-66	72.0 (5)	-19.0				4-17-67	113.6 (1)	-67.3	
		12-25-66	74.0 (5)	-21.0				5-15-67	117.5 (1)	-71.2	
		1-24-67	62.0 (5)	-9.0				6-19-67	115.0 (1)	-68.7	
		2-19-67	83.0 (5)	-30.0				7-24-67	125.2 (1)	-78.9	
		3-17-67	75.0 (5)	-22.0				8-21-67	108.9 (1)	-62.6	
		4-20-67	83.0 (5)	-30.0		04S/12W-06J01S	47.0	9-18-67	97.0	-50.7	
		5-07-67	85.0 (5)	-32.0				10-26-66	113.7	-66.7	101
		6-22-67	65.0 (5)	-12.0				11-22-66	108.3	-61.3	
		7-26-67	77.0 (5)	-24.0				12-13-66	104.1	-57.1	
		8-26-67	77.0 (5)	-24.0				1-17-67	100.0	-53.0	
04S/12W-05H01S	50.0	11-01-66	51.2	-1.2	101			2-21-67	96.8	-49.8	
		4-10-67	48.5	1.5				3-20-67	94.7	-47.7	
04S/12W-05H02S	50.0	10-03-66	54.4	-4.4	206			4-18-67	93.7	-46.7	
		10-10-66	54.1	-4.1				5-16-67	93.7	-46.7	
		10-17-66	53.8	-3.8				6-20-67	95.7	-48.7	
		10-24-66	53.6	-3.6				7-24-67	101.8	-54.8	
		10-31-66	53.5	-3.5				8-15-67	105.1	-58.1	
		11-07-66	53.3	-3.3				9-19-67	107.4	-60.4	
		11-14-66	53.0	-3.0		04S/12W-06J02S	45.9	10-18-66	193.2 (1)	-147.3	101
		11-21-66	52.8	-2.8				11-15-66	186.0 (1)	-140.1	
		11-28-66	52.5	-2.5				12-13-66	181.2 (1)	-135.3	
		12-05-66	51.9	-1.9				1-17-67	180.3 (1)	-134.4	
		12-12-66	51.8	-1.8				3-21-67	178.7 (1)	-132.8	
		12-19-66	51.7	-1.7				4-18-67	173.7 (1)	-127.8	
		12-26-66	51.6	-1.6				5-16-67	174.2 (1)	-128.3	
		1-02-67	51.4	-1.4				6-20-67	175.4 (1)	-129.5	
		1-09-67	51.0	-1.0				7-24-67	184.9 (1)	-139.0	
		1-16-67	51.0	-1.0				8-22-67	191.4 (1)	-145.5	
		1-23-67	50.7	-.7				9-19-67	190.1 (1)	-144.2	
		1-30-67	50.4	-.4		04S/12W-06K01S	47.7	10-26-66	113.4	-65.7	101
		2-06-67	50.3	-.3				11-15-66	103.2	-55.5	
		2-13-67	50.1	-.1				12-13-66	103.2	-55.5	
		2-20-67	50.1	-.1				1-17-67	99.4	-51.7	
		2-27-67	50.1	-.1				2-21-67	95.3	-47.6	
		3-06-67	50.2	-.2				3-21-67	93.3	-45.6	
		3-13-67	50.0	.0				4-18-67	92.8	-45.1	
		3-20-67	50.0	.0				5-16-67	92.6	-44.9	
		3-27-67	49.9	.1				6-20-67	94.8	-47.1	
		4-03-67	49.8	.2				7-24-67	98.6	-50.9	
								8-15-67	105.2	-57.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0	U-05.A5		COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0	U-05.A5	
04S/12W-06K01S (CONT.)	47.7	9-19-67	106.7	-59.0	101	04S/12W-10A02S (CONT.)	52.0	11-06-66	97.8(5)	-45.8	101
								11-30-66	67.8(5)	-15.8	
								12-28-66	71.8(5)	-19.8	
								1-25-67	62.8(5)	-10.8	
								2-25-67	77.8(5)	-25.8	
								3-25-67	79.8(5)	-27.8	
								4-26-67	61.8(5)	-9.8	
								5-30-67	67.8(5)	-15.8	
								6-28-67	79.8(5)	-27.8	
								7-25-67	82.8(5)	-30.8	
								8-25-67	85.8(5)	-33.8	
								9-25-67	84.8(5)	-32.8	
04S/12W-06K02S	47.1	10-18-66	95.0	-47.9	101						
		11-15-66	90.2	-43.1							
		12-13-66	83.9	-36.8							
		1-17-67	78.9	-31.8							
		2-21-67	75.9	-28.8							
		3-21-67	75.1	-28.0							
		4-18-67	73.5	-26.4							
		5-16-67	74.1	-27.0							
		6-20-67	137.3(1)	-90.2							
		7-24-67	92.2	-45.1							
		8-15-67	95.3	-48.2							
		9-19-67	90.5	-43.4							
04S/12W-06K04S	46.6	10-18-66	94.8	-48.2	101	04S/12W-10G01S	47.0	10-14-66	95.0(5)	-48.0	101
		11-15-66	90.2	-43.6				11-19-66	86.0(5)	-39.0	
		12-13-66	83.2	-36.6				12-21-66	79.0(5)	-32.0	
		1-17-67	78.7	-32.1				1-07-67	77.0(5)	-30.0	
		2-21-67	74.9	-28.3				2-25-67	75.0(5)	-28.0	
		3-21-67	74.0	-27.4				3-14-67	72.0(5)	-25.0	
		4-18-67	71.5	-24.9				4-26-67	71.0(5)	-24.0	
		5-16-67	71.8	-25.2				5-25-67	91.0(5)	-44.0	
		6-20-67	82.2	-35.6				7-25-67	97.0(5)	-50.0	
		7-24-67	91.8	-45.2				8-26-67	95.0(5)	-48.0	
		8-15-67	105.4	-58.8				9-30-67	87.0(5)	-40.0	
		9-19-67	88.2	-41.6							
04S/12W-06K05S	45.0	11-22-66	DRY		101	04S/12W-10H01S	46.0	10-22-66	110.0(5)	-64.0	101
		4-24-67	DRY					11-05-66	118.0(1)	-72.0	
								12-12-66	96.0(5)	-50.0	
								1-28-67	102.0(1)	-56.0	
								2-13-67	83.0(1)	-37.0	
								7-25-67	109.0(1)	-63.0	
								8-28-67	108.0(1)	-62.0	
								9-29-67	64.0(5)	-18.0	
04S/12W-08B01S	42.0	10-13-66	78.0(5)	-36.0	101	04S/12W-10H03S	46.5	10-26-66	89.2(5)	-42.7	101
		11-09-66	79.0(5)	-37.0				11-09-66	77.7(5)	-31.2	
		11-30-66	71.0(5)	-29.0				12-18-66	73.7(5)	-27.2	
		12-15-66	87.0(5)	-45.0				1-30-67	71.4	-24.9	
		1-15-67	90.0(5)	-48.0				2-28-67	52.9	-6.4	
		2-15-67	82.0(5)	-40.0				3-30-67	52.9	-6.4	
		3-15-67	80.0(5)	-38.0				4-13-67	52.9	-6.4	
		4-15-67	82.0(5)	-40.0				7-15-67	72.0(5)	-25.5	
		5-15-67	82.0(5)	-40.0				8-25-67	75.0(5)	-28.5	
		6-16-67	(0)					9-27-67	88.0(5)	-41.5	
		7-15-67	112.0(5)	-70.0							
		8-15-67	116.0(5)	-74.0							
		9-15-67	111.0(5)	-69.0							
		10-13-67	102.0(5)	-60.0							
		11-09-67	94.0(5)	-52.0							
04S/12W-08F01S	67.0	10-15-66	110.0(5)	-43.0	101	04S/12W-10J02S	45.5	10-30-66	103.0(5)	-57.5	101
		11-30-66	101.0(5)	-34.0				11-06-66	102.0(5)	-56.5	
		12-15-66	97.0(5)	-30.0				11-30-66	98.0(5)	-52.5	
		1-10-67	95.0(5)	-28.0				12-23-66	92.0(5)	-46.5	
		2-09-67	90.0(5)	-23.0				1-12-67	84.0(5)	-38.5	
		3-15-67	88.0(5)	-21.0				2-22-67	95.0(5)	-49.5	
		4-15-67	86.0(5)	-19.0				3-19-67	82.0(5)	-36.5	
		5-15-67	85.0(5)	-18.0				4-20-67	85.0(5)	-39.5	
		6-20-67	95.0(5)	-28.0				5-21-67	96.0(5)	-50.5	
		7-07-67	97.0(5)	-30.0				6-18-67	90.0(5)	-44.5	
		9-10-67	117.0(5)	-50.0				7-26-67	106.0(5)	-60.5	
								8-15-67	92.0(5)	-46.5	
								9-25-67	95.0(5)	-49.5	
04S/12W-08N02S	70.0	10-14-66	144.9	-74.9	733	04S/12W-11B03S	42.0	10-20-66	83.0(5)	-41.0	101
		11-04-66	146.1	-76.1				11-03-66	86.0(5)	-44.0	
		11-25-66	140.8	-70.8				11-30-66	79.0(5)	-37.0	
		12-16-66	123.4	-53.4				12-20-66	61.0(5)	-19.0	
		1-06-67	120.8	-50.8				1-22-67	73.0(5)	-31.0	
		2-27-67	118.9	-48.9				2-20-67	63.0(5)	-21.0	
		3-10-67	116.1	-46.1				3-20-67	63.0(5)	-21.0	
		3-31-67	115.5	-45.5				4-20-67	46.0(5)	-4.0	
		4-21-67	112.6	-42.6				5-20-67	67.0(5)	-25.0	
		5-12-67	111.4	-41.4				6-20-67	65.0(5)	-23.0	
		6-02-67	113.1	-43.1				7-25-67	75.0(5)	-33.0	
		6-23-67	117.0	-47.0				8-25-67	76.0(5)	-34.0	
		7-14-67	120.9	-50.9				9-25-67	77.0(5)	-35.0	
		8-04-67	(9)								
		9-15-67	(4)								
04S/12W-08P06S	69.5	10-15-66	126.4(5)	-56.9	101	04S/12W-11B04S	47.7	11-01-66	DRY		101
		4-13-67	102.3	-32.8				4-10-67	DRY		
04S/12W-08R01S	58.0	10-21-66	113.0(5)	-55.0	101	04S/12W-12J01S	40.0	10-07-66	60.8(5)	-20.8	101
		11-04-66	116.0(5)	-58.0				11-07-66	57.8(5)	-17.8	
		11-25-66	106.0(5)	-48.0				12-01-66	49.8(5)	-9.8	
		12-30-66	100.0(5)	-42.0				1-15-67	44.8(5)	-4.8	
		1-27-67	97.0(5)	-39.0				2-15-67	42.8(5)	-2.8	
		2-24-67	93.0(5)	-35.0				3-15-67	43.8(5)	-3.8	
		3-24-67	91.0(5)	-33.0				4-15-67	46.2	-6.2	
		4-21-67	91.0(5)	-33.0				5-07-67	43.2	-3.2	
		5-26-67	117.0(5)	-59.0				6-15-67	53.2	-13.2	
		6-16-67	110.0(5)	-52.0				7-15-67	54.8(5)	-14.8	
		7-14-67	95.0(5)	-37.0				8-15-67	56.8(5)	-16.8	
		8-18-67	109.0(5)	-51.0				9-15-67	57.8(5)	-17.8	
		9-22-67	110.0(5)	-52.0							
04S/12W-09C01S	49.0	11-02-66	DRY		101	04S/12W-13C01S	33.5	10-18-66	72.7	-39.2	101
		4-10-67	18.8	30.2				11-15-66	59.6	-26.1	
04S/12W-10A02S	52.0	10-23-66	84.8(5)	-32.8	101			12-13-66	52.8	-19.3	
								1-24-67	53.6	-20.1	
								2-14-67	48.7	-15.2	
								3-21-67	47.3	-13.8	
								4-18-67	46.1	-12.6	
								5-31-67	60.7	-27.2	
								6-27-67	61.6	-28.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
04S/12W-13C015 (CONT.)	33.5	7-24-67 8-15-67 9-19-67	71.3 71.6 79.3	-37.8 -38.1 -45.8	101	04S/12W-13N015 (CONT.)	28.5	6-26-67 7-24-67 8-21-67 9-18-67	59.3 71.1 81.3 80.5	-30.8 -42.6 -52.8 -52.0	101
04S/12W-13C025	36.5	10-14-66 11-25-66 12-16-66 12-21-66 1-27-67 2-17-67 3-03-67 4-14-67 5-26-67 6-23-67 7-14-67 8-25-67 9-15-67	62.9 53.2 44.8 43.8 41.0 40.0 43.2 41.0 49.8 53.6 56.8 62.8 96.4	-26.4 -16.7 -8.3 -7.3 -4.5 -3.5 -6.7 -4.5 -13.3 -17.1 -20.3 -26.3 -59.9	101	04S/12W-13N025	29.0	10-17-66 11-14-66 12-12-66 1-16-67 2-20-67 3-20-67 4-17-67 5-22-67 6-26-67 7-17-67 8-21-67 9-18-67	68.4 55.8 48.7 45.5 43.0 41.0 103.6(1) 111.1(1) 55.5 55.3 126.4(1) 125.4(1)	-39.4 -26.8 -19.7 -16.5 -14.0 -12.0 -74.6 -82.1 -26.5 -26.3 -97.4 -96.4	101
04S/12W-13C035	33.0	10-18-66 11-15-66 12-13-66 1-17-67 2-21-67 3-21-67 4-18-67 5-23-67 6-27-67 7-24-67 8-22-67 9-25-67	64.4 55.7 46.0 44.4 41.5 41.4 43.1 51.9 53.7 60.5 63.2 138.3(1)	-31.4 -22.7 -13.0 -11.4 -8.5 -8.4 -10.1 -18.9 -20.7 -27.5 -30.2 -105.3	101	04S/12W-13P015	37.3	11-14-66 12-01-66 4-10-67	63.1 62.4 48.1	-25.8 -25.1 -10.8	101
04S/12W-130015	36.1	10-14-66 11-25-66 12-16-66 1-27-67 2-17-67 3-24-67 4-14-67 5-26-67 6-27-67 7-14-67 8-04-67 9-15-67	64.5 53.6 46.1 42.2 41.6 41.9 42.9 51.3 54.3 58.7 62.9 90.9	-28.4 -17.5 -10.0 -6.1 -5.5 -5.8 -6.8 -15.2 -18.2 -22.6 -26.8 -54.8	101	04S/12W-14A025	36.0	10-11-66 11-09-66 12-13-66 1-17-67 2-21-67 3-14-67 4-18-67 5-16-67 6-20-67 7-17-67 8-15-67 9-26-67	79.9 73.5 62.1 131.3(1) 58.0 54.8 121.5(1) 131.9(1) 136.3(1) 75.0 81.3 83.9	-43.9 -37.5 -26.1 -95.3 -22.0 -18.8 -85.5 -95.9 -100.3 -39.0 -45.3 -47.9	101
04S/12W-130035	36.0	10-18-66 11-15-66 12-13-66 1-24-67 2-28-67 3-21-67 4-25-67 5-23-67 6-26-67 7-24-67 8-15-67 9-19-67	67.6 58.4 49.2 46.9 45.8 43.0 39.0 54.4 56.0 62.5 64.6 88.8	-31.6 -22.4 -13.2 -10.9 -9.8 -7.0 -3.0 -18.4 -20.0 -26.5 -28.6 -52.8	101	04S/12W-14A035	34.4	10-14-66 11-04-66 11-25-66 12-16-66 1-06-67 1-27-67 2-17-67 3-03-67 3-24-67 4-14-67 5-05-67 5-26-67 6-23-67 7-14-67 8-04-67 8-25-67 9-15-67	52.1 51.4 49.3 47.6 46.7 46.3 45.7 46.1 45.6 41.7 40.8 46.4 47.5 49.5 51.0 51.6 51.3	-17.7 -17.0 -14.9 -13.2 -12.3 -11.9 -11.3 -11.7 -11.2 -7.3 -6.4 -12.0 -13.1 -15.1 -16.6 -17.2 -16.9	206
04S/12W-13G015	35.0	10-14-66 11-04-66 11-25-66 12-16-66 1-06-67 1-27-67 2-17-67 3-03-67 3-24-67 4-14-67 5-05-67 5-26-67 6-23-67 7-14-67 8-04-67 8-25-67 9-15-67	64.2 54.7 47.5 41.1 37.7 36.1 37.4 39.6 38.3 (9) (9) 47.2 45.6 58.8 62.6 64.0 90.2	-29.2 -19.7 -12.5 -6.1 -2.7 -1.1 -2.4 -4.6 -3.3 -3.3 -12.2 -10.6 -23.8 -27.6 -29.0 -55.2	206	04S/12W-14B015	39.0	10-18-66 11-15-66 12-06-66 1-17-67 2-21-67 3-14-67 4-18-67 5-16-67 6-20-67 7-24-67 8-15-67 9-19-67	95.3 80.4 79.3 74.4 68.2 65.0 57.4 85.7 85.3 92.7 90.7 98.6	-56.3 -41.4 -40.3 -35.4 -29.2 -26.0 -18.4 -46.7 -46.3 -53.7 -51.7 -59.6	101
04S/12W-13J025	28.0	11-04-66 1-06-67 3-03-67 3-03-67 3-24-67 4-14-67 4-14-67 5-05-67 5-05-67 5-26-67 7-14-67 8-04-67 8-25-67 9-15-67	48.3 32.6 41.8 34.4 32.9 39.6 68.0(1) 38.4 29.5 50.0 55.2 60.3 65.1 82.0	-20.3 -4.6 -13.8 -6.4 -4.9 -11.6 -40.0 -10.4 -1.5 -22.0 -27.2 -32.3 -37.1 -54.0	206 101 206 101 206 101 206	04S/12W-14C015	44.0	10-14-66 11-25-66 12-16-66 1-27-67 2-17-67 3-03-67 4-14-67 5-05-67 6-23-67 7-11-67 8-25-67 9-15-67	92.7 83.5 72.4 70.3 70.1 73.2 54.9 61.9 83.1 83.7 91.9 96.7	-48.7 -39.5 -28.4 -26.3 -26.1 -29.2 -10.9 -17.9 -39.1 -39.7 -47.9 -52.7	101
04S/12W-13N015	28.5	10-10-66 11-14-66 12-12-66 1-16-67 2-20-67 3-20-67 4-17-67 5-22-67	72.1 56.7 49.4 46.8 44.3 42.7 49.1 61.1	-43.6 -28.2 -20.9 -18.3 -15.8 -14.2 -20.6 -32.6	101	04S/12W-14C025	46.0	10-18-66 11-15-66 12-13-66 7-24-67 8-15-67 9-19-67	81.3 75.5 70.0 67.2 71.0 73.6	-35.3 -29.5 -24.0 -21.2 -25.0 -27.6	101
						04S/12W-14C065	36.2	10-26-66 11-15-66 12-13-66 1-17-67 2-21-67 3-27-67 4-18-67 5-09-67 6-20-67 7-24-67 8-08-67 9-19-67	140.3(1) 132.0(1) 127.3(1) 129.1(1) 124.4(1) 58.7 53.3 60.7 131.6(1) 135.4(1) 73.2 85.5	-104.1 -95.8 -91.1 -92.9 -88.2 -22.5 -17.1 -24.5 -95.4 -99.2 -37.0 -49.3	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
04S/12W-14001S	46.0	10-26-66	80.3	-34.3	101	04S/12W-15C01S	40.0	11-01-66	DRY		101
		11-15-66	75.7	-29.7				4-13-67	19.2	20.8	
		12-13-66	70.5	-24.5		04S/12W-15K03S	37.0	10-24-66	76.2	-39.2	101
		1-17-67	66.1	-20.1				11-14-66	69.4	-32.4	
		2-21-67	62.6	-16.6				12-12-66	62.7	-25.7	
		3-21-67	61.6	-15.6				1-16-67	58.2	-21.2	
		4-18-67	59.4	-13.4				2-20-67	56.6	-19.6	
		5-16-67	60.2	-14.2				3-20-67	54.9	-17.9	
		6-20-67	61.2	-15.2				4-17-67	51.1	-14.1	
		7-24-67	65.0	-19.0				5-15-67	57.6	-20.6	
		8-15-67	69.6	-23.6				6-19-67	60.3	-23.3	
		9-19-67	72.3	-26.3				7-24-67	67.5	-30.5	
								8-21-67	74.7	-37.7	
								9-25-67	73.5	-36.5	
04S/12W-14002S	52.7	10-14-66	98.1	-45.4	733	04S/12W-16C01S	46.5	11-01-66	DRY		101
		11-04-66	97.8	-45.1				4-13-67	DRY		
		11-25-66	95.3	-42.6		04S/12W-16J01S	34.0	10-17-66	83.0	-49.0	101
		12-16-66	80.4	-27.7				11-14-66	77.3	-43.3	
		1-06-67	78.9	-26.2				12-12-66	69.0	-35.0	
		1-27-67	78.3	-25.6				1-16-67	67.8	-33.8	
		2-17-67	77.0	-24.3				2-20-67	65.8	-31.8	
		3-31-67	76.8	-24.1				3-13-67	62.5	-28.5	
		4-21-67	63.0	-10.3				4-17-67	53.3	-19.3	
		5-12-67	63.4	-10.7				5-15-67	62.2	-28.2	
		6-02-67	84.5	-31.8				6-19-67	65.7	-31.7	
		6-23-67	86.7	-34.0				9-18-67	77.1	-43.1	
		7-14-67	90.2	-37.5		04S/12W-16R01S	31.9	10-10-66	79.0	-47.1	101
		8-04-67	94.0	-41.3				11-07-66	72.0	-40.1	
		9-15-67	100.7	-48.0				12-12-66	107.6(1)	-75.7	
04S/12W-14K01S	29.7	10-24-66	74.1	-44.4	101			1-16-67	106.8(1)	-74.9	
		11-21-66	59.7	-30.0				2-20-67	106.1(1)	-74.2	
		12-12-66	54.5	-24.8				3-13-67	105.5(1)	-73.6	
		1-23-67	52.4	-22.7				4-17-67	53.5	-21.6	
		2-20-67	50.4	-20.7				5-15-67	105.9(1)	-74.0	
		4-17-67	44.6	-14.9				6-19-67	108.7(1)	-76.8	
		5-29-67	56.8	-27.1				7-24-67	117.5(1)	-85.6	
		6-19-67	62.9	-33.2				8-21-67	122.2(1)	-90.3	
		7-24-67	69.7	-40.0				9-18-67	122.7(1)	-90.8	
		8-21-67	78.1	-48.4		04S/12W-17E01S	66.0	10-26-66	118.1	-52.1	101
		9-18-67	82.4	-52.7				11-15-66	114.0	-48.0	
04S/12W-14P01S	28.0	10-18-66	62.2	-34.2	101			12-13-66	107.6	-41.6	
		11-15-66	56.3	-28.3				1-17-67	103.7	-37.7	
		1-17-67	48.7	-20.7				2-21-67	99.7	-33.7	
		2-21-67	44.4	-16.4				3-14-67	99.2	-33.2	
		3-14-67	41.3	-13.3				4-18-67	96.8	-30.8	
		4-11-67	42.3	-14.3				5-16-67	97.8	-31.8	
		5-16-67	41.9	-13.9				6-20-67	101.4	-35.4	
		6-20-67	43.7	-15.7				7-24-67	113.7	-47.7	
		7-24-67	47.1	-19.1				8-08-67	115.4	-49.4	
		8-15-67	49.8	-21.8				9-19-67	112.9	-46.9	
		9-19-67	54.3	-26.3		04S/12W-17N01S	57.0	10-26-66	103.5	-46.5	101
04S/12W-14R01S	20.0	10-17-66	61.7	-41.7	101			11-15-66	99.0	-42.0	
		11-14-66	48.4	-28.4				12-13-66	92.0	-35.0	
		12-12-66	41.0	-21.0				1-17-67	87.7	-30.7	
		1-23-67	37.7	-17.7				2-21-67	83.9	-26.9	
		2-27-67	35.9	-15.9				3-14-67	83.1	-26.1	
		3-27-67	40.0	-20.0				4-18-67	79.3	-22.3	
		4-24-67	31.0	-11.0				5-16-67	81.4	-24.4	
		5-29-67	46.1	-26.1				6-20-67	87.3	-30.3	
		6-26-67	50.2	-30.2				7-24-67	112.3	-55.3	
		7-24-67	58.4	-38.4				8-15-67	115.1	-58.1	
		8-21-67	66.9	-46.9				9-19-67	99.1	-42.1	
		9-18-67	69.4	-49.4		04S/12W-17N02S	56.0	10-18-66	102.1	-46.1	101
04S/12W-15801S	40.0	10-26-66	83.0	-43.0	101			11-15-66	96.9	-40.9	
		11-15-66	78.6	-38.6				12-13-66	89.5	-33.5	
		12-13-66	72.8	-32.8				1-17-67	85.2	-29.2	
		1-17-67	69.0	-29.0				2-21-67	81.4	-25.4	
		2-21-67	65.2	-25.2				3-14-67	80.6	-24.6	
		3-14-67	63.8	-23.8				4-18-67	76.8	-20.8	
		4-18-67	61.9	-21.9				5-16-67	79.8	-23.8	
		5-16-67	63.0	-23.0				6-20-67	84.6	-28.6	
		6-20-67	63.8	-23.8				7-24-67	110.5	-54.5	
		7-24-67	68.4	-28.4				8-15-67	113.0	-57.0	
		8-15-67	72.0	-32.0				9-19-67	96.6	-40.6	
		9-19-67	75.3	-35.3		04S/12W-17P01S	50.0	10-14-66	96.8	-46.8	206
04S/12W-15802S	40.0	10-14-66	56.3	-16.3	206			11-04-66	96.7	-46.7	
		11-04-66	55.4	-15.4				11-25-66	93.1	-43.1	
		11-25-66	53.3	-13.3				12-16-66	90.1	-40.1	
		12-16-66	51.4	-11.4				1-06-67	(6)		
		1-06-67	50.4	-10.4		04S/12W-17P04S	46.0	10-26-66	92.6	-46.6	101
		1-27-67	50.1	-10.1				11-15-66	88.1	-42.1	
		2-17-67	49.4	-9.4				12-13-66	81.0	-35.0	
		3-03-67	49.7	-9.7				1-17-67	76.6	-30.6	
		3-24-67	49.1	-9.1				2-21-67	72.9	-26.9	
		4-14-67	47.9	-7.9				3-14-67	72.1	-26.1	
		5-05-67	47.5	-7.5				4-18-67	68.1	-22.1	
		5-26-67	51.4	-11.4				5-16-67	70.4	-24.4	
		6-23-67	51.9	-11.9				6-20-67	75.9	-29.9	
		7-14-67	52.0	-12.0				7-05-67	79.7	-33.7	
		8-04-67	53.9	-13.9							
		8-25-67	54.9	-14.9							
		9-15-67	55.5	-15.5							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
04S/12W-17P04S (CONT.)	46.0	8-15-67 9-19-67	103.2 87.9	-57.2 -41.9	101	04S/12W-21F015 (CONT.)	29.0	7-17-67 7-24-67 7-31-67 8-04-67 8-14-67 8-21-67 8-28-67 9-04-67 9-11-67 9-18-67 9-25-67	65.0 66.6 68.6 69.4 70.8 75.8 79.0 77.0 74.0 72.7 72.7	-36.0 -37.6 -39.6 -40.4 -41.8 -46.8 -50.0 -48.0 -45.0 -43.7 -43.7	206
04S/12W-17Q015	47.2	10-26-66 11-15-66 12-12-66 1-17-67 2-21-67 3-14-67 4-18-67 5-16-67 6-20-67 7-24-67 8-15-67 9-19-67	95.6 91.2 84.5 80.4 76.9 76.8 71.3 75.2 79.4 100.2 101.8 93.4	-48.4 -44.0 -37.3 -33.2 -29.7 -29.6 -24.1 -28.0 -32.2 -53.0 -54.6 -46.2	101	04S/12W-21J04S	36.7	10-18-66 11-15-66 12-13-66 1-17-67 2-14-67 3-21-67 4-18-67 5-16-67 6-20-67 7-24-67 8-15-67 9-19-67	86.9 81.5 74.8 78.8 67.2 65.7 63.3 64.9 67.6 78.1 82.1 78.7	-50.2 -44.8 -38.1 -42.1 -30.5 -29.0 -26.6 -28.2 -30.9 -41.4 -45.4 -42.0	101
04S/12W-18R015	63.0	10-18-66 11-15-66 12-13-66 1-17-67 2-21-67 3-14-67 4-18-67 5-16-67 6-20-67 7-24-67 8-15-67 9-26-67	111.6 106.8 100.0 96.7 93.4 92.4 89.5 93.4 96.9 117.8 120.3 106.4	-48.6 -43.8 -37.0 -33.7 -30.4 -29.4 -26.5 -30.4 -33.9 -54.8 -57.3 -43.4	101	04S/12W-21M02S	31.7	10-18-66 11-15-66 12-13-66 1-16-67 2-21-67 3-21-67 4-18-67 5-16-67 6-20-67 7-24-67 8-15-67 9-19-67	82.0 76.1 68.9 65.0 61.7 60.8 56.2 60.1 64.9 85.5 89.2 73.7	-50.3 -44.4 -37.2 -33.3 -30.0 -29.1 -24.5 -28.4 -33.2 -53.8 -57.5 -42.0	101
04S/12W-19A01S	71.0	10-28-66 11-25-66 12-30-66 1-27-67 2-24-67 3-30-67 4-28-67 5-26-67 7-28-67 8-30-67 9-29-67	134.0(1) 142.0(1) 133.0 142.0 133.0 133.0 131.0 133.0 152.0(1) 152.0(1) 152.0(1)	-63.0 -71.0 -62.0 -71.0 -62.0 -62.0 -60.0 -62.0 -81.0 -81.0 -81.0	101	04S/12W-21M04S	30.1	10-18-66 11-15-66 12-13-66 1-17-67 2-17-67 3-21-67 4-18-67 5-16-67 6-20-67 7-24-67 8-15-67 9-19-67	76.1 70.3 63.0 59.3 54.6 54.3 50.0 53.0 58.4 79.9 84.2 71.0	-46.0 -40.2 -32.9 -29.2 -24.5 -24.2 -19.9 -22.9 -28.3 -49.8 -54.1 -40.9	101
04S/12W-19Q01S	130.0	3-31-67 10-19-67	150.9 151.6	-20.9 -21.6	050	04S/12W-21M05S	36.7	10-26-66 11-15-66 12-13-66 1-17-67 2-17-67 3-21-67 4-18-67 5-16-67 6-20-67 7-24-67 8-15-67 9-19-67	81.7 77.1 70.6 66.9 63.5 62.7 58.7 62.5 66.9 85.0 88.2 78.0	-45.0 -40.4 -33.9 -30.2 -26.8 -26.0 -22.0 -25.8 -30.2 -48.3 -51.5 -41.3	101
04S/12W-20G01S	34.1	10-26-66 11-15-66 12-13-66 1-17-67 2-21-67 3-14-67 4-11-67 5-16-67 6-20-67 7-24-67 8-15-67 9-19-67	92.3 87.6 81.7 75.7 72.5 71.8 69.5 70.2 75.6 98.0 99.6 87.8	-58.2 -53.5 -47.6 -41.6 -38.4 -37.7 -35.4 -36.1 -41.5 -63.9 -65.5 -53.7	101	04S/12W-22L01S	22.8	10-14-66 11-04-66 11-25-66 12-16-66 1-06-67 1-27-67 2-17-67 3-03-67 3-24-67 4-14-67 5-05-67 5-26-67 6-23-67 7-14-67 8-04-67 8-25-67 9-15-67	57.2 57.4 51.2 47.9 47.9 45.5 44.9 45.0 43.6 41.0 41.3 49.1 49.5 51.1 53.6 57.2 58.2	-34.4 -34.6 -28.4 -25.1 -25.1 -22.7 -22.1 -22.2 -20.8 -18.2 -18.5 -26.3 -26.7 -28.3 -30.8 -34.4 -35.4	206
04S/12W-21F01S	29.0	10-03-66 10-10-66 10-17-66 10-24-66 10-31-66 11-07-66 11-14-66 11-21-66 11-28-66 12-05-66 12-12-66 12-19-66 12-26-66 1-02-67 1-09-67 1-16-67 1-23-67 1-30-67 2-06-67 2-13-67 2-20-67 2-27-67 3-06-67 3-13-67 3-20-67 3-27-67 4-03-67 4-10-67 4-17-67 4-24-67 5-01-67 5-08-67 5-15-67 5-22-67 5-29-67 6-05-67 6-12-67 6-19-67 6-26-67 7-03-67 7-10-67	83.6 81.8 81.0 79.5 77.8 77.5 75.6 73.9 72.4 70.4 69.6 68.5 67.5 66.7 65.7 65.5 64.4 63.4 62.4 61.8 61.4 61.6 61.0 60.7 59.9 59.7 60.2 58.8 57.9 57.6 56.2 57.8 59.1 60.4 60.6 59.4 60.4 60.8 61.4 62.4 63.0	-54.6 -52.8 -52.0 -50.5 -48.8 -48.5 -46.6 -44.9 -43.4 -41.4 -40.6 -39.5 -38.5 -37.7 -36.7 -36.5 -35.4 -34.4 -33.4 -32.8 -32.4 -32.6 -32.0 -31.7 -30.9 -30.7 -31.2 -29.8 -28.9 -28.6 -27.2 -28.8 -30.1 -31.4 -31.6 -30.4 -31.4 -31.8 -32.4 -33.4 -34.0	206	04S/12W-22M01S	26.0	10-14-66 11-04-66 11-25-66 12-16-66 1-06-67 1-27-67 2-17-67 3-10-67 3-31-67 4-21-67 5-12-67 6-02-67 6-23-67 7-14-67 8-04-67 8-25-67 9-15-67	68.3 68.0 63.4 60.8 59.3 59.1 58.7 56.9 56.1 46.1 46.7 50.8 62.6 66.8 68.5 72.7	-42.3 -42.0 -37.4 -34.8 -33.3 -33.1 -32.7 -30.9 -30.1 -20.1 -20.7 -24.8 -36.6 -40.8 -42.5 -46.7	733

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
04S/12W-23C01S	30.7	10-18-66	116.8(1)	-86.1	101	04S/12W-24M04S	22.7	10-24-66	61.3	-38.6	101
		11-09-66	64.8	-34.1				11-28-66	44.1	-21.4	
		12-13-66	54.0	-23.3				12-12-66	41.2	-18.5	
		1-17-67	51.2	-20.5				1-16-67	37.5	-14.8	
		2-21-67	48.4	-17.7				2-20-67	34.3	-11.6	
		3-14-67	46.1	-15.4				3-20-67	30.7	-8.0	
		4-11-67	46.7	-16.0				4-17-67	31.7	-9.0	
		5-31-67	55.6	-24.9				5-15-67	36.3	-13.6	
		6-13-67	58.1	-27.4				6-19-67	43.4	-20.7	
		7-24-67	66.6	-35.9				7-24-67	54.3	-31.6	
		8-22-67	73.4	-42.7				8-14-67	58.1	-35.4	
		9-19-67	117.3(1)	-86.6				9-25-67	54.5	-31.8	
04S/12W-23K02S	17.9	10-24-66	51.9	-34.0	101	04S/12W-24M08S	21.6	10-17-66	86.8(1)	-65.2	101
		11-14-66	47.0	-29.1				11-14-66	47.6	-26.0	
		12-12-66	40.9	-23.0				12-12-66	40.1	-18.5	
		1-16-67	38.1	-20.2				1-16-67	36.8	-15.2	
		2-20-67	37.9	-20.0				2-20-67	33.8	-12.2	
		3-20-67	33.3	-15.4				3-20-67	27.8	-6.2	
		4-17-67	32.3	-14.4				4-17-67	27.5	-5.9	
		5-22-67	32.7	-14.8				5-22-67	40.0	-18.4	
		6-26-67	34.0	-16.1				6-12-67	42.2	-20.6	
		7-24-67	36.9	-19.0				7-24-67	82.1(1)	-60.5	
		8-21-67	39.0	-21.1				8-14-67	87.5(1)	-65.9	
		9-18-67	43.6	-25.7				9-18-67	58.0	-36.4	
04S/12W-23K03S	19.6	10-10-66	59.6	-40.0	101	04S/12W-24Q01S	24.0	11-14-66	45.5	-21.5	101
		11-07-66	48.3	-28.7				11-29-66	34.9	-10.9	
		12-12-66	58.5(1)	-38.9				4-10-67	34.3	-10.3	
		1-23-67	33.4	-13.8				9-21-67	55.9	-31.9	
		2-06-67	30.5	-10.9							
		3-27-67	31.7	-12.1		04S/12W-25E01S	15.7	10-17-66	46.0	-30.3	101
		4-17-67	31.0	-11.4				11-14-66	41.3	-25.6	
		5-15-67	57.1(1)	-37.5				12-12-66	38.2	-22.5	
		6-12-67	36.8	-17.2				1-16-67	33.6	-17.9	
		7-10-67	45.5	-25.9				2-20-67	61.2(1)	-45.5	
		8-21-67	59.1	-39.5				3-13-67	29.9	-14.2	
		9-04-67	58.5	-38.9				4-24-67	23.5	-7.8	
								5-22-67	26.4	-10.7	
04S/12W-24R01S	25.5	10-14-66	43.9	-18.4	733			6-26-67	29.2	-13.5	
		11-04-66	42.7	-17.2				7-24-67	59.2(1)	-43.5	
		11-25-66	(6)					8-14-67	34.3	-18.6	
04S/12W-24J01S	24.0	10-31-66	60.9(4)	-36.9	101			9-25-67	34.6	-18.9	
		4-10-67	33.0	-9.0		04S/12W-25P01S	26.9	10-06-66	36.2	-9.3	101
04S/12W-24J02S	0022.5	11-28-66	0043.0(2)	-020.5	102			10-13-66	36.1	-9.2	
		12-22-66	0035.5(2)	-013.0				10-20-66	36.0	-9.1	
		1-27-67	0032.3	-009.8				10-27-66	36.0	-9.1	
		2-24-67	0034.7(2)	-012.2				11-03-66	35.9	-9.0	
		3-29-67	0033.3(2)	-010.8				11-10-66	35.8	-8.9	
		4-25-67	0031.0	-008.5				11-16-66	35.6	-8.7	
		6-28-67	0047.4(2)	-024.9				11-23-66	35.3	-8.4	
		9-15-67	0061.2(2)	-038.7				11-30-66	34.8	-7.9	
04S/12W-24L05S	24.0	10-14-66	62.3	-38.3	733			12-07-66	34.2	-7.3	
		11-04-66	61.2	-37.2				12-28-66	33.3	-6.4	
		11-25-66	46.2	-22.2				1-18-67	32.8	-5.9	
		12-16-66	40.8	-16.8				2-01-67	31.8	-4.9	
		1-06-67	39.2	-15.2				2-08-67	31.8	-4.9	
		1-27-67	35.6	-11.6				2-23-67	31.7	-4.8	
		2-17-67	34.5	-10.5				3-08-67	31.7	-4.8	
		3-10-67	35.8	-11.8				3-15-67	31.7	-4.8	
		3-31-67	37.2	-13.2				3-29-67	31.4	-4.5	
		4-21-67	33.8	-9.8				4-12-67	31.5	-4.6	
		5-12-67	34.5	-10.5				7-24-67	30.0	-3.1	
		6-02-67	44.8	-20.8				9-13-67	31.5	-4.6	
		6-23-67	52.6	-28.6		04S/12W-26F02S	16.0	10-14-66	38.2	-22.2	206
		7-14-67	55.0	-31.0				11-04-66	52.4	-36.4	101
		8-04-67	62.0	-38.0				11-04-66	52.4	-36.4	206
		9-15-67	62.2	-38.2				11-25-66	40.9	-24.9	
04S/12W-24M02S	22.0	10-24-66	64.0	-42.0	101			12-16-66	34.2	-18.2	
		11-14-66	48.2	-26.2				1-06-67	35.0	-19.0	
		12-12-66	40.0	-18.0				1-27-67	33.5	-17.5	101
		1-16-67	36.8	-14.8				1-27-67	33.5	-17.5	206
		2-20-67	33.3	-11.3				2-17-67	32.3	-16.3	101
		3-20-67	31.6	-9.6				2-17-67	32.3	-16.3	206
		5-15-67	42.4	-20.4				3-03-67	33.2	-17.2	
		6-19-67	46.3	-24.3				3-24-67	31.4	-15.4	
		7-24-67	57.2	-35.2				4-14-67	30.4	-14.4	
		8-14-67	61.3	-39.3				5-05-67	30.8	-14.8	
		9-25-67	53.7	-31.7				5-26-67	39.4	-23.4	
04S/12W-24M03S	26.5	10-27-66	48.5	-22.0	102			6-23-67	39.2	-23.2	
		11-28-66	44.5	-18.0				7-14-67	44.0	-28.0	
		12-22-66	42.2	-15.7				8-04-67	48.9	-32.9	
		1-27-67	38.9	-12.4				8-25-67	52.8	-36.8	
		2-24-67	38.1	-11.6				9-11-67	53.4	-37.4	101
		3-29-67	35.9	-9.4				9-15-67	53.5	-37.5	206
		4-25-67	31.6	-5.1		04S/12W-26G01S	15.0	10-14-66	45.7	-30.7	206
		5-29-67	41.6	-15.1				11-04-66	50.4	-35.4	
		6-28-67	53.6	-27.1				11-25-66	40.3	-25.3	
		7-18-67	55.6	-29.1				12-16-66	32.1	-17.1	
		8-28-67	67.8	-41.3				1-06-67	31.4	-16.4	
		9-15-67	70.0	-43.5				1-27-67	31.0	-16.0	
								2-17-67	29.8	-14.8	
								3-03-67	30.3	-15.3	
								3-24-67	28.5	-13.5	
								4-14-67	26.5	-11.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

[illegible]

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
04S/12W-35A015	11.0	7-26-67	25.6	-14.6	101	04S/12W-35H025	10.1	2-21-67	15.2	-5.1	101
		8-25-67	29.4	-18.4		(CONT.)		3-30-67	14.8	-4.7	
		9-13-67	30.9	-19.9				7-26-67	15.1	-5.0	
								8-25-67	16.1	-6.0	
04S/12W-35C015	10.6	10-14-66	41.6	-31.0	206			9-29-67	16.0	-5.9	
		11-04-66	43.4	-32.8	101	04S/12W-35H045	10.7	10-26-66	30.1	-19.4	101
		11-04-66	43.4	-32.8	206			11-15-66	24.8	-14.1	
		11-25-66	30.1	-19.5				11-30-66	22.2	-11.5	
		12-16-66	28.3	-17.7				12-13-66	21.2	-10.5	
		1-06-67	26.5	-15.9				12-27-66	21.3	-10.6	
		1-27-67	25.5	-14.9				1-25-67	20.9	-10.2	
		2-17-67	24.8	-14.2	101			2-17-67	24.3	-13.6	
		2-17-67	24.8	-14.2	206			2-21-67	21.2	-10.5	
		3-03-67	24.6	-14.0				3-30-67	19.9	-9.2	
		3-24-67	22.4	-11.8				4-03-67	19.1	-8.4	
		4-14-67	22.9	-12.3				4-04-67	19.1	-8.4	
		5-05-67	21.6	-11.0				7-26-67	25.7	-15.0	
		5-26-67	30.1	-19.5				8-25-67	29.0	-18.3	
		6-23-67	33.2	-22.6				9-29-67	27.6	-16.9	
		7-14-67	34.5	-23.9		04S/12W-35H055	9.0	10-26-66	37.2	-28.2	101
		8-04-67	38.8	-28.2				11-15-66	30.0	-21.0	
		8-25-67	42.2	-31.6				11-30-66	24.9	-15.9	
		9-11-67	43.9	-33.3	101			12-22-66	22.6	-13.6	
		9-15-67	43.9	-33.3	206			12-27-66	22.6	-13.6	
04S/12W-35C025	11.8	10-03-66	30.5	-18.7	206			1-25-67	21.3	-12.3	
		10-10-66	30.8	-19.0				2-17-67	20.9	-11.9	
		10-17-66	30.4	-18.6				2-21-67	21.2	-12.2	
		10-24-66	31.4	-19.6				3-24-67	19.7	-10.7	
		10-31-66	30.3	-18.5				4-13-67	19.9	-10.9	
		11-07-66	29.8	-18.0				7-26-67	32.3	-23.3	
		11-14-66	26.0	-14.2	101			8-25-67	36.8	-27.8	
		11-14-66	26.0	-14.2	206			9-29-67	34.6	-25.6	
		11-21-66	24.8	-13.0		04S/12W-35J015	9.0	10-25-66	26.1	-17.1	101
		11-28-66	24.6	-12.8				11-15-66	21.7	-12.7	
		12-05-66	23.9	-12.1				11-30-66	19.5	-10.5	
		12-12-66	22.6	-10.8				12-29-66	17.4	-8.4	
		12-19-66	22.1	-10.3				1-25-67	18.6	-9.6	
		12-26-66	21.6	-9.8				2-17-67	22.5	-13.5	
		1-02-67	21.1	-9.3				2-21-67	18.1	-9.1	
		1-09-67	21.4	-9.6				3-23-67	16.3	-7.3	
		1-16-67	21.4	-9.6				4-04-67	17.7	-8.7	
		1-23-67	20.9	-9.1				7-24-67	21.4	-12.4	
		1-30-67	20.5	-8.7				8-25-67	23.2	-14.2	
		2-06-67	20.0	-8.2				9-29-67	22.0	-13.0	
		2-13-67	19.8	-8.0		04S/12W-35J035	9.0	10-25-66	13.4	-4.4	101
		2-20-67	20.4	-8.6				11-15-66	13.2	-4.2	
		2-27-67	20.6	-8.8				12-29-66	11.1	-2.1	
		3-06-67	20.1	-8.3				1-25-67	11.5	-2.5	
		3-13-67	20.0	-8.2				2-17-67	14.4	-5.4	
		3-20-67	20.1	-8.3				2-21-67	12.3	-3.3	
		3-27-67	19.2	-7.4				3-23-67	10.4	-1.4	
		4-03-67	30.2	-18.4	101			4-04-67	11.1	-2.1	
		4-03-67	19.4	-7.6	206			7-24-67	13.7	-4.7	
		4-10-67	19.7	-7.9				8-25-67	15.1	-6.1	
		4-17-67	18.7	-6.9				9-29-67	15.3	-6.3	
		4-24-67	17.5	-5.7		04S/12W-35J055	9.0	10-26-66	25.0	-16.0	101
		5-01-67	16.8	-5.0				11-15-66	20.6	-11.6	
		5-08-67	18.2	-6.4				11-30-66	18.2	-9.2	
		5-15-67	20.1	-8.3				12-19-66	17.1	-8.1	
		5-22-67	21.7	-9.9				12-30-66	16.5	-7.5	
		5-29-67	24.1	-12.3				1-25-67	17.6	-8.6	
		6-05-67	24.8	-13.0				2-17-67	21.2	-12.2	
		6-12-67	23.5	-11.7				2-21-67	17.1	-8.1	
		6-19-67	23.2	-11.4				3-23-67	15.2	-6.2	
		6-26-67	24.3	-12.5				4-13-67	15.7	-6.7	
		7-03-67	24.3	-12.5				7-24-67	21.4	-12.4	
		7-10-67	24.8	-13.0				8-25-67	22.9	-13.9	
		7-17-67	25.3	-13.5				9-29-67	22.6	-13.6	
		7-24-67	26.0	-14.2		04S/12W-35J065	9.0	10-26-66	32.4	-23.4	101
		7-31-67	27.1	-15.3	101			11-15-66	26.0	-17.0	
		7-31-67	27.1	-15.3	206			11-30-66	21.7	-12.7	
		8-07-67	27.6	-15.8				12-19-66	20.3	-11.3	
		8-14-67	28.2	-16.4				12-30-66	20.0	-11.0	
		8-21-67	29.1	-17.3				1-25-67	20.4	-11.4	
		8-28-67	29.5	-17.7				2-17-67	22.2	-13.2	
		9-05-67	30.2	-18.4				2-21-67	19.7	-10.7	
		9-11-67	30.4	-18.6				3-23-67	17.5	-8.5	
		9-18-67	30.0	-18.2				4-13-67	18.1	-9.1	
		9-25-67	29.4	-17.6	101			7-24-67	27.7	-18.7	
		9-25-67	29.4	-17.6	206			8-25-67	30.8	-21.8	
04S/12W-35E015	10.1	11-16-66	26.0	-15.9	101			9-29-67	29.7	-20.7	
		12-09-66	24.5	-14.4		04S/12W-35J075	10.0	10-25-66	26.8	-16.8	101
		4-14-67	20.9	-10.8				11-15-66	21.1	-11.1	
		7-21-67	24.7	-14.6				11-23-66	20.7	-10.7	
04S/12W-35H015	10.9	11-15-66	34.8	-23.9	101			11-30-66	18.0	-8.0	
		2-17-67	24.2	-13.3				12-28-66	15.7	-5.7	
		2-21-67	24.9	-14.0				1-25-67	17.0	-7.0	
		4-03-67	23.5	-12.6				2-17-67	19.0	-9.0	
04S/12W-35H025	10.1	10-26-66	18.2	-8.1	101			2-21-67	16.2	-6.2	
		11-15-66	17.2	-7.1				2-27-67	14.9	-4.9	
		12-13-66	16.1	-6.0				3-31-67	17.3	-7.3	
		12-27-66	16.0	-5.9							
		1-25-67	14.7	-4.6							
		2-17-67	16.2	-6.1							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00						
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			
04S/12W-35J07S (CONT.)	10.0	4-13-67 7-27-67 8-25-67 9-29-67	14.2 24.7 26.9 26.7	-4.2 -14.7 -16.9 -16.7	101	04S/12W-35Q01S (CONT.)	19.6	11-16-66 11-28-66 12-22-66 1-27-67 2-24-67 4-13-67 4-25-67 5-29-67 6-28-67 7-18-67 8-28-67 9-15-67	21.8 22.2 19.4 20.9 19.2 18.7 16.8 20.5 22.4 23.0 25.3 26.3	-2.2 -2.6 .2 -1.3 .4 .9 2.8 -.9 -2.8 -3.4 -5.7 -6.7	101 102 101 102	
04S/12W-35K01S	9.0	11-16-66 11-30-66 1-10-67 2-17-67 2-21-67 4-12-67 7-28-67	21.1 18.5 18.8 20.7 18.4 16.3 22.0	-12.1 -9.5 -9.8 -11.7 -9.4 -7.3 -13.0	101	04S/12W-35Q02S	21.3	11-16-66 2-17-67 2-21-67 3-31-67 4-13-67 7-27-67	23.4 22.1 30.3 27.9 20.2 28.0	-2.1 -.8 -9.0 -6.6 1.1 -6.7	101	
04S/12W-35K03S	9.0	11-15-66 12-14-66 2-17-67 2-21-67 4-06-67	17.9 15.9 18.9 14.6 13.7	-8.9 -6.9 -9.9 -5.6 -4.7	101	04S/12W-35R03S	9.0	10-25-66 11-15-66 12-29-66 1-11-67 1-25-67 2-21-67 3-30-67 4-13-67 7-27-67 8-25-67 9-29-67	24.4 19.1 15.4 16.2 16.1 14.4 14.0 13.6 18.2 19.2 18.4	-15.4 -10.1 -6.4 -7.2 -7.1 -5.4 -5.0 -4.6 -9.2 -10.2 -9.4	101	
04S/12W-35K04S	9.0	11-15-66 12-14-66 2-17-67 2-21-67 4-06-67 7-05-67	22.5 19.3 22.0 18.9 18.3 22.4	-13.5 -10.3 -13.0 -9.9 -9.3 -13.4	101	04S/12W-35R04S	9.3	10-25-66 11-15-66 11-30-66 12-15-66 12-28-66 1-25-67 2-17-67 2-21-67 3-27-67 4-13-67 7-27-67 8-25-67 9-25-67	16.7 12.4 10.9 10.1 9.7 11.6 16.6 10.7 8.8 9.2 14.4 14.7 16.5	-7.4 -3.1 -1.6 -.8 -.4 -2.3 -7.3 -1.4 .5 .1 -5.1 -5.4 -7.2	101	
04S/12W-35K05S	9.0	11-15-66 2-17-67 2-21-67 4-06-67	15.1 14.3 13.0 11.0	-6.1 -5.3 -4.0 -2.0	101	04S/12W-35R09S	8.0	10-25-66 11-15-66 11-30-66 12-15-66 12-28-66 1-25-67 2-17-67 2-21-67 3-27-67 4-13-67 7-27-67 8-25-67 9-25-67	24.3 19.0 16.2 14.3 14.4 16.2 19.0 14.3 13.5 13.1 21.9 23.8 23.6	-16.3 -11.0 -8.2 -6.3 -6.4 -8.2 -11.0 -6.3 -5.5 -5.1 -13.9 -15.8 -15.6	101	
04S/12W-35K06S	9.0	10-04-66 10-13-66 10-18-66 10-25-66 11-01-66 11-08-66 11-15-66 11-22-66 11-29-66 12-06-66 12-27-66 1-25-67 1-31-67 2-07-67 2-17-67 2-21-67 3-01-67 3-07-67 3-28-67 4-11-67 7-25-67 9-05-67	21.4 21.0 21.3 21.5 21.1 20.2 17.9 17.0 17.2 15.9 14.2 14.7 14.0 13.8 17.2 14.2 13.8 13.4 12.9 12.5 18.2 21.3	-12.4 -12.0 -12.3 -12.5 -12.1 -11.2 -8.9 -8.0 -8.2 -6.9 -5.2 -5.7 -5.0 -4.8 -8.2 -5.2 -4.8 -4.4 -3.9 -3.5 -9.2 -12.3	101	04S/12W-35R10S	9.0	10-25-66 11-15-66 11-30-66 12-15-66 12-28-66 1-25-67 2-17-67 2-21-67 3-27-67 4-13-67 7-27-67 8-25-67 9-25-67	13.1 11.5 16.2 14.3 14.4 16.2 19.0 14.3 13.5 13.1 21.9 23.8 23.6	-4.1 -2.5 -.4 -.3 -.5 -1.2 -5.8 -.9 .6 -2.7 -3.4 -2.0	101	
04S/12W-35K07S	9.0	10-04-66 10-13-66 10-18-66 10-25-66 11-01-66 11-08-66 11-15-66 11-22-66 11-29-66 12-06-66 12-27-66 1-25-67 1-31-67 2-07-67 2-17-67 2-21-67 3-01-67 3-07-67 3-28-67 4-11-67 7-25-67 9-05-67	31.5 31.2 31.5 31.8 31.0 29.8 24.6 24.6 23.7 21.7 19.6 19.5 18.5 17.9 20.2 20.0 18.5 17.8 17.7 17.0 27.7 32.7	-22.5 -22.2 -22.5 -22.8 -22.0 -20.8 -15.6 -15.6 -14.7 -12.7 -10.6 -10.5 -9.5 -8.9 -11.2 -11.0 -9.5 -8.8 -8.7 -8.0 -18.7 -23.7	101	04S/12W-35R11S	9.0	10-25-66 11-15-66 11-30-66 12-15-66 12-28-66 1-25-67 2-17-67 2-21-67 3-31-67 4-13-67 7-27-67 8-25-67 9-25-67	20.6 16.2 14.1 12.7 12.9 16.3 12.0 10.7 10.1 15.6 17.1 17.7	-11.6 -7.2 -5.1 -3.7 -3.9 -7.3 -3.0 -1.7 -1.1 -6.6 -8.1 -8.7	101	
04S/12W-35M01S	60.0	11-01-66 4-13-67	101.0 (5) 76.6	-41.0 -16.6	101	04S/12W-35R12S	9.0	10-25-66 11-15-66 11-30-66 12-15-66 12-28-66 1-25-67 2-17-67 2-21-67 3-31-67 4-13-67 7-27-67 8-25-67 9-26-67	23.6 19.7 16.8 17.1 20.6 16.9 15.6 15.0 19.8 21.3 19.9	-14.6 -10.7 -7.8 -8.1 -11.6 -7.9 -6.6 -6.0 -10.8 -12.3 -10.9	101	
04S/12W-35P01S	57.0	7-28-67 8-25-67 9-29-67	65.8 66.4 67.6	-8.8 -9.4 -10.6	101							
04S/12W-35P02S	57.0	11-16-66 12-29-66 1-16-67 1-25-67 2-17-67 2-21-67 3-24-67 4-13-67 7-28-67 8-25-67 9-29-67	60.3 60.4 60.7 60.4 64.2 59.6 57.7 57.8 59.9 60.5 61.0	-3.3 -3.4 -3.7 -3.4 -7.2 -2.6 -.7 -.8 -2.9 -3.5 -4.0	101							
04S/12W-35Q01S	19.6	10-27-66 11-15-66	26.8 21.7	-7.2 -2.1	102 101							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA						COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA					
U-05.A0						U-05.A0					
U-05.A5						U-05.A5					
04S/12W-35R135	9.0	10-25-66	16.5	-7.5	101	04S/12W-36E02S	24.7	1-19-67	30.6	-5.9	101
		11-15-66	14.4	-5.4		(CONT.)		1-26-67	29.8	-5.1	
		12-30-66	13.1	-4.1				2-24-67	29.5	-4.8	
		1-12-67	11.7	-2.7				3-24-67	29.3	-4.6	
		1-25-67	13.0	-4.0				4-10-67	29.4	-4.7	
		2-17-67	15.8	-6.8				7-24-67	30.0	-5.3	
		2-21-67	13.4	-4.4				8-25-67	30.9	-6.2	
		3-31-67	12.0	-3.0				9-29-67	31.4	-6.7	
		4-13-67	11.9	-2.9							
		7-27-67	14.7	-5.7		04S/12W-36M01S	22.3	10-17-66	41.8	-19.5	101
		8-25-67	15.8	-6.8				10-26-66	42.4	-20.1	
		9-26-67	16.1	-7.1				11-15-66	35.4	-13.1	
								12-28-66	29.3	-7.0	
								1-20-67	30.5	-8.2	
								2-17-67	30.9	-8.6	
								2-21-67	29.3	-7.0	
								3-24-67	27.4	-5.1	
								4-10-67	28.1	-5.8	
								7-24-67	38.5	-16.2	
								8-17-67	40.9	-18.6	
								9-29-67	40.0	-17.7	
04S/12W-35R145	9.0	10-25-66	15.3	-6.3	101	04S/12W-36M02S	22.1	10-19-66	44.5	-22.4	101
		11-15-66	14.6	-5.6				10-26-66	40.5	-18.4	
		12-22-66	13.6	-4.6				11-15-66	35.1	-13.0	
		1-25-67	12.6	-3.6				12-28-66	30.0	-7.9	
		2-17-67	13.7	-4.7				1-20-67	30.8	-8.7	
		2-21-67	13.3	-4.3				2-17-67	35.0	-12.9	
		3-31-67	12.7	-3.7				2-21-67	29.7	-7.6	
		4-13-67	12.9	-3.9				3-24-67	28.7	-6.6	
		7-27-67	12.5	-3.5				4-10-67	29.6	-7.5	
		8-25-67	12.7	-3.7				7-24-67	36.4	-14.3	
		9-26-67	13.6	-4.6				8-17-67	37.4	-15.3	
								9-29-67	37.0	-14.9	
04S/12W-35R175	9.0	10-26-66	15.3	-6.3	101	04S/12W-36M03S	22.1	10-19-66	33.8	-11.7	101
		11-16-66	11.3	-2.3				10-26-66	34.4	-12.3	
		12-29-66	7.7	1.3				11-15-66	29.1	-7.0	
		1-04-67	7.8	1.2				12-28-66	26.1	-4.0	
		1-26-67	10.7	-1.7				1-18-67	24.9	-2.8	
		2-17-67	16.2	-7.2				1-20-67	24.9	-2.8	
		2-21-67	9.2	-0.2				2-17-67	28.2	-6.1	
		3-30-67	7.1	1.9				2-21-67	25.0	-2.9	
		4-10-67	8.2	.8				3-24-67	23.0	-0.9	
		7-27-67	13.1	-4.1				4-10-67	24.1	-2.0	
		8-31-67	14.7	-5.7				7-24-67	28.3	-6.2	
		9-28-67	13.6	-4.6				8-22-67	33.0	-10.9	
04S/12W-35R185	9.0	10-26-66	18.0	-9.0	101			9-29-67	32.2	-10.1	
		11-16-66	13.2	-4.2							
		12-29-66	9.4	-0.4							
		1-26-67	11.0	-2.0							
		2-17-67	17.1	-8.1							
		2-21-67	10.5	-1.5							
		3-30-67	9.7	-0.7							
		4-10-67	9.7	-0.7							
		7-25-67	15.4	-6.4							
		8-31-67	17.7	-8.7							
		9-28-67	15.9	-6.9							
04S/12W-35R195	9.0	10-26-66	31.5	-22.5	101	04S/12W-36M04S	22.3	10-04-66	30.1	-7.8	101
		11-16-66	24.9	-15.9				10-13-66	30.1	-7.8	
		12-29-66	18.5	-9.5				10-18-66	30.0	-7.7	
		1-04-67	18.3	-9.3				10-25-66	30.1	-7.8	
		1-26-67	19.2	-10.2				11-01-66	29.8	-7.5	
		2-17-67	21.3	-12.3				11-08-66	29.9	-7.6	
		2-21-67	18.5	-9.5				11-16-66	29.4	-7.1	
		3-30-67	17.1	-8.1				11-23-66	29.2	-6.9	
		4-10-67	16.6	-7.6				11-30-66	29.0	-6.7	
		7-25-67	26.0	-17.0				12-07-66	28.3	-6.0	
		8-31-67	30.3	-21.3				12-28-66	27.5	-5.2	
		9-28-67	28.2	-19.2				1-18-67	27.3	-5.0	
04S/12W-36C01S	15.9	10-14-66	33.7	-17.8	206			1-25-67	26.9	-4.6	
		11-04-66	37.3	-21.4	101			2-01-67	26.7	-4.4	
		11-04-66	35.2	-19.3	206			2-08-67	26.6	-4.3	
		11-25-66	28.3	-12.4	101			2-17-67	27.1	-4.8	
		11-25-66	26.2	-10.3	206			2-20-67	26.8	-4.5	
		12-16-66	27.5	-11.6	101			2-21-67	26.9	-4.6	
		12-16-66	25.4	-9.5	206			3-08-67	26.4	-4.1	
		1-06-67	20.7	-4.8				3-15-67	26.4	-4.1	
		1-27-67	20.1	-4.2				3-29-67	26.3	-4.0	
		2-17-67	20.9	-5.0				4-12-67	26.2	-3.9	
		3-03-67	20.8	-4.9				7-26-67	26.8	-4.5	
		3-24-67	18.7	-3.8				8-30-67	27.4	-5.1	
		4-14-67	19.0	-3.1				9-27-67	27.9	-5.6	
		5-05-67	17.8	-1.9							
		5-26-67	24.7	-8.8		04S/12W-36N02S	11.0	10-25-66	20.3	-9.3	101
		6-23-67	27.4	-11.5				11-15-66	16.6	-5.6	
		7-14-67	29.8	-13.9				12-28-66	13.2	-2.2	
		8-04-67	32.4	-16.5				1-25-67	13.7	-2.7	
		8-25-67	35.6	-19.7				2-17-67	19.0	-8.0	
		9-11-67	37.7	-21.8	101			2-21-67	12.8	-1.8	
		9-15-67	35.6	-19.7	206			3-30-67	11.7	-0.7	
04S/12W-36E01S	24.7	10-26-66	44.3	-19.6	101			4-05-67	11.4	-0.4	
		11-15-66	37.3	-12.6				7-26-67	16.5	-5.5	
		12-28-66	31.1	-6.4				8-25-67	18.0	-7.0	
		1-19-67	31.7	-7.0				9-29-67	17.7	-6.7	
		1-26-67	31.2	-6.5		04S/12W-36N03S	11.0	10-25-66	18.4	-7.4	101
		2-24-67	30.7	-6.0				11-15-66	15.1	-4.1	
		3-24-67	29.7	-5.0				12-28-66	12.2	-1.2	
		4-10-67	30.5	-5.8				1-25-67	14.0	-3.0	
		7-24-67	40.5	-15.8				2-17-67	19.3	-8.3	
04S/12W-36E02S	24.7	10-26-66	32.6	-7.9	101			2-21-67	13.9	-2.9	
		11-15-66	29.8	-5.1				3-30-67	12.5	-1.5	
		12-28-66	30.9	-6.2				4-05-67	13.1	-2.1	
								7-26-67	14.9	-3.9	
								8-25-67	15.6	-4.6	
								9-29-67	14.7	-3.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00							
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5		
04S/12W-36N04S	11.0	10-25-66	15.0	-4.0	101	04S/13W-12K015 (CONT.)	90.0	1-16-67	135.7	-45.7	206		
		11-15-66	12.7	-1.7				1-23-67	134.7	-44.7			
		12-28-66	9.6	1.4				1-30-67	133.8	-43.8			
		1-25-67	11.3	-.3				2-06-67	132.9	-42.9			
		2-17-67	15.7	-4.7				2-13-67	132.0	-42.0			
		2-21-67	11.6	-.6				2-20-67	131.3	-41.3			
		3-30-67	9.8	1.2				2-27-67	131.0	-41.0			
		4-05-67	10.4	.6				3-06-67	130.4	-40.4			
		7-26-67	13.1	-2.1				3-13-67	130.0	-40.0			
		8-25-67	14.3	-3.3				3-20-67	129.5	-39.5			
		9-29-67	14.1	-3.1				3-27-67	128.9	-38.9			
04S/13W-01F015	44.5	10-17-66	98.2	-53.7	101			4-03-67	128.8	-38.8			
		11-21-66	93.9	-49.4				4-10-67	128.1	-38.1			
		12-12-66	91.9	-47.4				4-17-67	127.7	-37.7			
		1-23-67	88.6	-44.1				4-24-67	126.9	-36.9			
		2-20-67	87.4	-42.9				5-01-67	126.5	-36.5			
		3-20-67	86.9	-42.4				5-08-67	126.1	-36.1			
		4-17-67	86.2	-41.7				5-15-67	126.3	-36.3			
		5-15-67	86.4	-41.9				5-22-67	126.5	-36.5			
		6-19-67	91.6	-47.1				5-29-67	126.8	-36.8			
		7-24-67	97.4	-52.9				6-05-67	126.9	-36.9			
		8-21-67	98.4	-53.9				6-12-67	127.5	-37.5			
		9-18-67	96.8	-52.3				6-19-67	127.7	-37.7			
04S/13W-02P04S	41.2	3-27-67	75.2	-34.0	050			6-26-67	128.1	-38.1			
04S/13W-11R06S	28.4	11-16-66	DRY		101			7-03-67	128.7	-38.7			
		4-28-67	DRY					7-10-67	129.1	-39.1			
04S/13W-12B02S	40.0	11-22-66	14.0	26.0	101			7-17-67	130.7	-40.7			
		4-24-67	13.9	26.1				7-24-67	132.1	-42.1			
04S/13W-12E01S	33.0	10-14-66	122.9	-89.9	206			7-31-67	133.8	-43.8			
		11-04-66	122.0	-89.0				8-07-67	134.8	-44.8			
		11-25-66	120.6	-87.6				8-14-67	136.2	-46.2			
		12-16-66	118.0	-85.0				8-21-67	139.5	-49.5			
		1-06-67	115.9	-82.9				8-28-67	143.0	-53.0			
		1-27-67	114.7	-81.7		04S/13W-12M01S	28.0	9-04-67	144.1	-54.1			
		2-17-67	116.3	-83.3				9-11-67	143.0	-53.0			
		3-03-67	116.7	-83.7				9-18-67	141.8	-51.8			
		3-24-67	117.6	-84.6				9-25-67	140.9	-50.9			
		3-27-67	117.2	-84.2	050								
		4-14-67	116.0	-83.0	206			10-04-66	58.9	-30.9	101		
		5-05-67	118.3	-85.3				11-16-66	59.1	-31.1			
		5-26-67	118.0	-85.0				12-13-66	58.6	-30.6			
		6-28-67	117.4	-84.4				1-04-67	58.2	-30.2			
		7-14-67	119.0	-86.0				2-08-67	58.4	-30.4			
		8-25-67	120.5	-87.5				3-07-67	58.2	-30.2			
		9-15-67	119.3	-86.3				4-26-67	58.4	-30.4			
04S/13W-12E04S	34.0	10-04-66	64.0	-30.0	101			5-09-67	58.5	-30.5			
		11-16-66	64.0	-30.0				7-05-67	59.3	-31.3			
		11-17-66	65.4	-31.4				8-02-67	60.8	-32.8			
		12-13-66	64.2	-30.2				9-06-67	61.6	-33.6			
		1-04-67	64.0	-30.0				04S/13W-12M04S	38.0	11-22-66	123.2(4)	-85.2	101
		2-08-67	64.0	-30.0				4-24-67	119.8	-81.8			
		3-07-67	63.9	-29.9				04S/13W-12N01S	28.0	10-04-66	20.0	8.0	101
		4-13-67	64.0	-30.0				11-16-66	19.8	8.2			
		4-26-67	63.6	-29.6				12-13-66	16.2	11.8			
		5-09-67	63.8	-29.8				1-04-67	20.1	7.9			
		7-05-67	64.2	-30.2				2-08-67	16.6	11.4			
		8-02-67	64.4	-30.4				3-07-67	18.3	9.7			
		9-06-67	64.6	-30.6				4-26-67	17.4	10.6			
04S/13W-12E06S	38.0	3-27-67	128.7	-90.7	050			5-09-67	18.2	9.8			
04S/13W-12E09S	27.2	10-04-66	17.5	9.7	101			7-05-67	20.2	7.8			
		11-16-66	17.3	9.9				8-02-67	21.0	7.0			
		12-13-66	11.8	15.4				9-06-67	21.9	6.1			
		1-04-67	17.4	9.8				04S/13W-13D01S	25.0	11-16-66	112.8	-87.8	101
		2-08-67	12.5	14.7				3-27-67	108.7	-83.7	050		
		3-07-67	15.0	12.2				4-26-67	109.8	-84.8	101		
		4-26-67	14.4	12.8				04S/13W-13D02S	74.0	11-22-66	151.7(8)	-77.7	101
		5-09-67	15.1	12.1				3-27-67	149.2	-75.2	050		
		7-05-67	17.4	9.8				5-01-67	150.1(8)	-76.1	101		
		8-02-67	16.9	10.3				05S/12W-01E01S	9.0	11-15-66	31.7	-22.7	101
		9-06-67	19.6	7.6				12-12-66	24.6	-15.6			
04S/13W-12F01S	85.2	11-22-66	129.0	-43.8	101			4-10-67	15.8	-6.8			
		4-24-67	128.1	-42.9				05S/12W-01E02S	9.0	10-27-66	17.4	-8.4	101
04S/13W-12K01S	90.0	10-03-66	157.5	-67.5	206			11-15-66	14.8	-5.8			
		10-10-66	154.8	-64.8				12-12-66	10.7	-1.7			
		10-17-66	153.4	-63.4				12-28-66	9.7	-.7			
		10-24-66	151.9	-61.9				1-26-67	11.0	-2.0			
		10-31-66	150.2	-60.2				2-24-67	14.6	-5.6			
		11-09-66	148.3	-58.3				3-28-67	11.1	-2.1			
		11-14-66	148.0	-58.0				4-10-67	10.5	-1.5			
		11-21-66	146.5	-56.5				7-27-67	8.3	.7			
		11-28-66	145.0	-55.0				8-25-67	10.4	-1.4			
		12-07-66	141.7	-51.7				9-29-67	8.5	.5			
		12-12-66	140.8	-50.8				05S/12W-01E03S	9.0	10-06-66	19.1	-10.1	101
		12-19-66	139.6	-49.6				10-13-66	19.1	-10.1			
		12-26-66	138.4	-48.4				10-19-66	18.9	-9.9			
		1-02-67	137.4	-47.4				10-27-66	18.9	-9.9			
		1-09-67	136.3	-46.3				11-02-66	18.8	-9.8			
								11-15-66	17.9	-8.9			
								11-23-66	17.1	-8.1			
								11-30-66	17.2	-8.2			
								12-12-66	15.8	-6.8			

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
055/12W-01E03S (CONT.)	9.0	12-27-66	15.3	-6.3	101	055/12W-02A10S (CONT.)	8.0	2-23-67	3.2	4.8	101
		1-12-67	15.0	-6.0				3-03-67	3.4	4.6	
		1-17-67	15.4	-6.4				3-08-67	2.8	5.2	
		1-26-67	14.9	-5.9				3-16-67	2.6	5.4	
		1-31-67	14.9	-5.9				3-23-67	3.9	4.1	
		2-09-67	14.7	-5.7				3-29-67	4.2	3.8	
		2-16-67	15.4	-6.4				4-12-67	3.8	4.2	
		2-24-67	10.7	-1.7				7-26-67	7.2	.8	
		3-08-67	14.4	-5.4				8-30-67	10.0	-2.0	
		3-15-67	14.6	-5.6				9-27-67	8.9	-.9	
		3-23-67	14.6	-5.6		055/12W-02A11S	8.0	10-06-66	17.0	-9.0	101
		3-28-67	14.8	-5.8				10-13-66	17.2	-9.2	
		4-10-67	14.5	-5.5				10-19-66	17.4	-9.4	
		7-27-67	15.5	-6.5				10-27-66	17.2	-9.2	
		8-30-67	16.5	-7.5				11-02-66	16.9	-8.9	
		9-27-67	16.4	-7.4				11-09-66	14.8	-6.8	
055/12W-02A05S	20.9	10-06-66	23.9	-3.0	101			11-17-66	12.7	-4.7	
		10-13-66	24.7	-3.8				11-23-66	11.9	-3.9	
		10-20-66	25.1	-4.2				11-30-66	12.4	-4.4	
		10-27-66	24.8	-3.9				12-08-66	10.2	-2.2	
		11-03-66	24.5	-3.6				12-15-66	8.9	-.9	
		11-10-66	22.1	-1.2				12-22-66	8.4	-.4	
		11-16-66	20.2	.7				12-28-66	8.4	-.4	
		11-23-66	19.9	1.0				1-05-67	7.8	-.2	
		11-30-66	21.5	-.6				1-12-67	8.8	-.8	
		12-07-66	18.5	2.4				1-17-67	10.3	-2.3	
		12-14-66	17.6	3.3				1-26-67	9.5	-1.5	
		12-22-66	17.1	3.8				1-31-67	8.9	-.9	
		12-29-66	17.0	3.9				2-09-67	8.6	-.6	
		1-04-67	16.5	4.4				2-16-67	15.6	-7.6	
		1-11-67	18.3	2.6				2-23-67	7.9	.1	
		1-17-67	19.4	1.5				3-03-67	8.3	-.3	
		1-25-67	19.3	1.6				3-08-67	7.2	.8	
		2-01-67	18.7	2.2				3-16-67	6.9	1.1	
		2-08-67	18.7	2.2				3-23-67	7.4	.6	
		2-14-67	27.8	-6.9				3-29-67	8.7	-.7	
		2-16-67	27.7	-6.8				4-12-67	8.3	-.3	
		2-23-67	17.1	3.8				7-06-67	11.3	-3.3	
		3-08-67	16.8	4.1				7-26-67	12.7	-4.7	
		3-15-67	16.6	4.3				8-30-67	15.4	-7.4	
		3-22-67	16.5	4.4				9-27-67	15.0	-7.0	
		3-29-67	18.7	2.2		055/12W-02A12S	8.0	10-06-66	24.4	-16.4	101
		4-12-67	19.9	1.0				10-13-66	24.2	-16.2	
		7-26-67	22.3	-1.4				10-19-66	24.2	-16.2	
		8-30-67	24.5	-3.6				10-27-66	24.4	-16.4	
		9-27-67	24.5	-3.6				11-02-66	23.8	-15.8	
055/12W-02A09S	8.0	10-06-66	9.0	-1.0	101			11-09-66	21.8	-13.8	
		10-13-66	9.4	-1.4				11-17-66	18.2	-10.2	
		10-19-66	9.2	-1.2				11-23-66	17.3	-9.3	
		10-27-66	9.1	-1.1				11-30-66	16.5	-8.5	
		11-02-66	9.0	-1.0				12-08-66	14.5	-6.5	
		11-17-66	6.2	1.8				12-15-66	13.3	-5.3	
		11-23-66	5.7	2.3				12-22-66	12.5	-4.5	
		11-30-66	-1.0	9.0				12-28-66	12.2	-4.2	
		12-08-66	4.3	3.7				1-05-67	11.5	-3.5	
		12-15-66	3.2	4.8				1-12-67	12.6	-4.6	
		12-22-66	2.9	5.1				1-17-67	13.9	-5.9	
		12-28-66	3.1	4.9				1-26-67	12.9	-4.9	
		1-05-67	2.5	5.5				1-31-67	12.1	-4.1	
		1-12-67	3.0	5.0				2-09-67	11.4	-3.4	
		1-18-67	4.2	3.8				2-16-67	14.2	-6.2	
		1-26-67	4.1	3.9				2-23-67	12.2	-4.2	
		1-31-67	3.8	4.2				3-03-67	12.5	-4.5	
		2-09-67	3.5	4.5				3-08-67	11.2	-3.2	
		2-16-67	12.1	-4.1				3-16-67	10.7	-2.7	
		2-23-67	16.0	-8.0				3-23-67	10.6	-2.6	
		3-03-67	3.3	4.7				3-29-67	12.2	-4.2	
		3-08-67	2.7	5.3				4-12-67	11.0	-3.0	
		3-16-67	2.4	5.6				7-26-67	21.4	-13.4	
		3-23-67	3.7	4.3				8-30-67	22.7	-14.7	
		3-29-67	4.0	4.0				9-27-67	22.2	-14.2	
		4-12-67	3.5	4.5		055/12W-02A13S	11.0	10-06-66	1.4	9.6	101
		7-26-67	7.1	.9				10-13-66	2.1	8.9	
		8-30-67	9.8	-1.8				10-20-66	2.3	8.7	
		9-27-67	8.8	-.8				11-03-66	2.4	8.6	
055/12W-02A10S	8.0	10-06-66	9.3	-1.3	101			11-10-66	.6	10.4	
		10-13-66	9.6	-1.6				11-16-66	-.6	11.6	
		10-19-66	9.6	-1.6				11-23-66	-1.2	12.2	
		10-27-66	9.4	-1.4				11-30-66	1.4	9.6	
		11-02-66	9.2	-1.2				12-07-66	-1.9	12.9	
		11-09-66	8.1	-.1				12-14-66	-3.0	14.0	
		11-17-66	6.4	1.6				12-21-66	-2.0	13.0	
		11-23-66	5.9	2.1				12-28-66	-2.8	13.8	
		11-30-66	7.2	.8				1-04-67	-3.7	14.7	
		12-08-66	4.5	3.5				1-11-67	-1.0	12.0	
		12-15-66	3.4	4.6				1-16-67	-.6	11.6	
		12-22-66	3.1	4.9				1-25-67	-.7	11.7	
		12-28-66	3.2	4.8				2-01-67	-.6	11.6	
		1-05-67	2.7	5.3				2-08-67	-.5	11.5	
		1-12-67	3.2	4.8				2-16-67	15.6	-4.6	
		1-18-67	4.4	3.6				2-23-67	-2.8	13.8	
		1-26-67	4.2	3.8				3-08-67	-3.1	14.1	
		1-31-67	3.9	4.1				3-15-67	-2.6		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
05S/12W-02A13S (CONT.)	11.0	4-14-67 7-26-67 8-30-67 9-27-67	.2 3.7 4.4 1.6	10.8 7.3 6.6 9.4	101	05S/12W-02B01S (CONT.)	11.4	11-25-66 12-16-66 1-06-67 1-27-67 2-17-67 3-03-67 3-24-67 4-13-67 4-14-67 5-05-67 5-25-67 6-23-67 7-14-67 8-04-67 8-25-67 9-15-67	9.4 6.8 5.8 8.8 16.7 6.9 5.7 7.5 6.9 4.5 8.6 9.5 10.8 12.0 12.5 13.9	2.0 4.6 5.6 2.6 -5.3 4.5 5.7 3.9 4.5 6.9 2.8 1.9 -.6 -.6 -1.1 -2.5	206 206
05S/12W-02A14S	11.0	10-06-66 10-13-66 10-20-66 10-27-66 11-03-66 11-10-66 11-16-66 11-23-66 11-30-66 12-07-66 12-14-66 12-21-66 12-28-66 1-04-67 1-11-67 1-16-67 1-25-67 2-01-67 2-08-67 2-16-67 2-23-67 3-08-67 3-15-67 3-22-67 3-29-67 4-14-67 7-26-67 8-30-67 9-27-67	3.6 4.7 5.0 3.7 4.5 2.7 1.7 .9 3.0 -.3 -3.7 -3.3 -2.2 -2.2 -.7 .6 .9 .2 16.2 -1.8 -1.8 -1.6 -1.9 .8 1.0 5.1 6.4 4.8	7.4 6.3 6.0 7.3 6.5 8.3 9.3 10.1 8.0 11.3 14.7 14.3 13.2 13.2 11.7 10.4 10.1 11.0 10.8 -5.2 12.8 12.8 12.6 12.9 10.2 10.0 5.9 4.6 6.2	101	05S/12W-02B08S	9.0	10-06-66 11-15-66 2-17-67 4-13-67	35.6 32.7 18.6 17.2	-26.6 -23.7 -9.6 -8.2	101
05S/12W-02A15S	11.0	10-06-66 10-13-66 10-20-66 10-27-66 11-03-66 11-10-66 11-16-66 11-30-66 12-07-66 12-14-66 12-16-66 12-21-66 12-28-66 1-04-67 1-11-67 1-16-67 1-18-67 1-25-67 2-01-67 2-08-67 2-16-67 2-23-67 3-08-67 3-15-67 3-22-67 3-29-67 4-03-67 4-12-67 7-26-67 8-30-67 9-27-67	13.1 13.6 14.1 13.9 13.6 11.2 9.1 10.1 7.5 6.4 6.4 6.0 6.1 5.5 7.2 8.6 8.8 8.3 8.0 7.7 17.0 6.1 5.6 5.4 5.5 7.2 8.2 7.6 11.4 13.6 13.5	-2.1 -2.6 -3.1 -2.9 -2.6 -2.2 1.9 .9 3.5 4.6 4.6 5.0 4.9 5.5 3.8 2.4 2.2 2.7 3.0 3.3 -6.0 4.9 5.4 5.6 5.5 3.8 2.8 3.4 -4 -2.6 -2.5	101	05S/12W-02B09S	9.0	10-06-66 10-25-66 10-25-66 12-28-66 1-26-67 2-17-67 3-22-67 4-13-67 7-26-67 8-25-67 9-29-67	13.3 13.6 6.7 10.1 16.5 8.4 7.3 12.5 13.7 13.0	-4.3 -4.6 2.3 -1.1 -7.5 .6 1.7 -3.5 -4.7 -4.0	101
05S/12W-02A16S	11.0	10-06-66 10-13-66 10-20-66 10-27-66 11-03-66 11-10-66 11-16-66 11-30-66 12-07-66 12-14-66 12-16-66 12-21-66 12-28-66 1-04-67 1-11-67 1-16-67 1-18-67 1-25-67 2-01-67 2-08-67 2-16-67 2-23-67 3-08-67 3-15-67 3-22-67 3-29-67 4-03-67 4-12-67 7-26-67 8-30-67 9-27-67	27.1 27.0 27.7 27.3 26.9 24.0 18.6 16.4 15.4 15.3 16.6 16.1 15.4 16.2 18.5 17.7 16.6 16.5 19.5 15.1 14.9 14.6 14.4 15.5 15.1 15.5 24.8 27.6 25.7	-16.1 -16.0 -16.7 -16.3 -15.9 -13.0 -7.6 -5.4 -4.4 -4.3 -5.6 -5.1 -4.4 -5.2 -7.5 -6.7 -5.6 -5.5 -8.5 -4.1 -3.9 -3.6 -3.4 -4.5 -4.1 -4.5 -13.8 -16.6 -14.7	101	05S/12W-02B12S	9.0	10-06-66 10-25-66 11-15-66 11-30-66 12-28-66 1-26-67 1-30-67 2-17-67 2-21-67 3-22-67 4-13-67 7-26-67 8-25-67 9-29-67	12.2 12.8 8.8 7.8 6.1 8.9 8.2 15.7 8.7 6.7 6.7 10.8 11.7 11.6	-3.2 -3.8 .2 1.2 2.9 .1 .8 -6.7 3 2.3 2.3 -1.8 -2.7 -2.6	101
05S/12W-02A16S	11.0	10-06-66 10-13-66 10-20-66 10-27-66 11-03-66 11-10-66 11-16-66 11-30-66 12-07-66 12-14-66 12-16-66 12-21-66 12-28-66 1-04-67 1-11-67 1-16-67 1-18-67 1-25-67 2-01-67 2-08-67 2-16-67 2-23-67 3-08-67 3-15-67 3-22-67 3-29-67 4-03-67 4-12-67 7-26-67 8-30-67 9-27-67	27.1 27.0 27.7 27.3 26.9 24.0 18.6 16.4 15.4 15.3 16.6 16.1 15.4 16.2 18.5 17.7 16.6 16.5 19.5 15.1 14.9 14.6 14.4 15.5 15.1 15.5 24.8 27.6 25.7	-16.1 -16.0 -16.7 -16.3 -15.9 -13.0 -7.6 -5.4 -4.4 -4.3 -5.6 -5.1 -4.4 -5.2 -7.5 -6.7 -5.6 -5.5 -8.5 -4.1 -3.9 -3.6 -3.4 -4.5 -4.1 -4.5 -13.8 -16.6 -14.7	101	05S/12W-02B13S	8.8	10-26-66 11-16-66 2-17-67 4-12-67 7-05-67	26.1 24.5 18.4 21.3 19.2	-17.3 -15.7 -9.6 -12.5 -10.4	101
05S/12W-02A16S	11.0	10-06-66 10-13-66 10-20-66 10-27-66 11-03-66 11-10-66 11-16-66 11-30-66 12-07-66 12-14-66 12-16-66 12-21-66 12-28-66 1-04-67 1-11-67 1-16-67 1-18-67 1-25-67 2-01-67 2-08-67 2-16-67 2-23-67 3-08-67 3-15-67 3-22-67 3-29-67 4-03-67 4-12-67 7-26-67 8-30-67 9-27-67	27.1 27.0 27.7 27.3 26.9 24.0 18.6 16.4 15.4 15.3 16.6 16.1 15.4 16.2 18.5 17.7 16.6 16.5 19.5 15.1 14.9 14.6 14.4 15.5 15.1 15.5 24.8 27.6 25.7	-16.1 -16.0 -16.7 -16.3 -15.9 -13.0 -7.6 -5.4 -4.4 -4.3 -5.6 -5.1 -4.4 -5.2 -7.5 -6.7 -5.6 -5.5 -8.5 -4.1 -3.9 -3.6 -3.4 -4.5 -4.1 -4.5 -13.8 -16.6 -14.7	101	05S/12W-02B15S	10.0	10-06-66 10-13-66 10-19-66 10-27-66 11-02-66 11-10-66 11-16-66 11-23-66 11-30-66 12-08-66 12-15-66 12-22-66 12-29-66 1-05-67 1-09-67 1-12-67 1-19-67 1-26-67 1-31-67 2-09-67 2-16-67 2-23-67 3-03-67 3-16-67 3-23-67 3-30-67 4-12-67 7-27-67 8-30-67 9-27-67	18.8 19.0 19.1 19.1 18.6 16.2 13.5 13.2 12.9 11.1 9.7 9.0 8.5 8.0 10.2 9.6 13.3 12.8 12.8 11.6 16.9 11.1 11.1 9.7 9.7 10.6 10.2 19.4 21.6 21.1	-8.8 -9.0 -9.1 -9.1 -8.6 -6.2 -3.5 -3.2 -2.9 -1.1 .3 1.0 1.5 2.0 -.2 .4 -3.3 -2.8 -2.8 -1.6 -6.9 -1.1 -1.1 .3 .3 -.6 -.2 -9.4 -11.6 -11.1	101
05S/12W-02B01S	11.4	11-16-66	9.5	1.9	101	05S/12W-02B16S	10.8	10-06-66 10-13-66 10-19-66 10-27-66 11-02-66 11-16-66 11-23-66 11-30-66 12-08-66 12-15-66 12-22-66 12-29-66 1-05-67	12.8 13.3 13.4 13.2 12.9 8.8 9.2 10.7 8.8 7.4 7.0 6.7 6.2	-2.0 -2.5 -2.6 -2.4 -2.1 2.0 1.6 .1 2.0 3.4 3.8 4.1 4.6	101

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
055/12W-02016S (CONT.)	10.8	1-09-67	8.9	1.9	101	055/12W-02C06S (CONT.)	18.0	4-11-67	19.9	-1.9	101
		1-12-67	8.3	2.5				7-06-67	20.2	-2.2	
		1-19-67	10.6	-.2				7-25-67	20.4	-2.4	
		1-25-67	11.5	-.7				8-29-67	20.8	-2.8	
		1-31-67	9.8	1.0				9-26-67	20.8	-2.8	
		2-09-67	12.1	-1.3							
		2-16-67	17.2	-6.4		055/12W-02C07S	18.0	10-04-66	25.0	-7.0	101
		2-23-67	7.6	3.2				10-13-66	24.9	-6.9	
		3-03-67	7.8	3.0				10-18-66	25.0	-7.0	
		3-09-67	6.6	4.2				10-26-66	25.2	-7.2	
		3-16-67	6.8	4.0				11-01-66	24.4	-6.4	
		3-23-67	6.7	4.1				11-10-66	22.8	-4.8	
		3-30-67	7.5	3.3				11-15-66	21.1	-3.1	
		4-12-67	7.8	3.0				11-22-66	20.2	-2.2	
		7-27-67	12.2	-1.4				11-30-66	21.6	-3.6	
		8-30-67	13.7	-2.9				12-06-66	20.0	-2.0	
		9-27-67	13.4	-2.6				12-13-66	19.4	-1.4	
								12-20-66	18.9	-.9	
055/12W-02017S	10.8	10-06-66	15.6	-4.8	101			12-30-66	18.1	-.1	
		10-13-66	15.7	-4.9				1-03-67	18.1	-.1	
		10-19-66	15.8	-5.0				1-10-67	20.3	-2.3	
		10-27-66	15.7	-4.9				1-17-67	21.2	-3.2	
		11-02-66	15.2	-4.4				1-25-67	20.7	-2.7	
		11-10-66	13.1	-2.3				1-31-67	20.0	-2.0	
		11-23-66	11.7	-.9				2-07-67	19.9	-1.9	
		11-30-66	12.5	-1.7				2-16-67	25.1	-7.1	
		12-08-66	10.9	-.1				2-21-67	20.0	-2.0	
		12-15-66	9.6	1.2				3-03-67	19.0	-1.0	
		12-22-66	9.1	1.7				3-09-67	18.2	-.2	
		12-29-66	8.7	2.1				3-14-67	18.1	-.1	
		1-05-67	8.3	2.5				3-21-67	17.8	.2	
		1-09-67	11.1	-.3				3-28-67	18.5	-.5	
		1-12-67	10.5	.3				4-11-67	18.1	-.1	
		1-19-67	12.8	-2.0				7-25-67	22.8	-4.8	
		1-25-67	12.3	-1.5				8-29-67	23.6	-5.6	
		1-31-67	11.7	-.9				9-26-67	22.4	-4.4	
		2-09-67	10.7	.1							
		2-16-67	18.0	-7.2							
		2-23-67	10.4	.4		055/12W-02C08S	16.0	10-04-66	22.1	-6.1	101
		3-03-67	10.5	.3				10-13-66	22.1	-6.1	
		3-09-67	9.2	1.6				10-18-66	22.1	-6.1	
		3-16-67	9.2	1.6				10-27-66	22.0	-6.0	
		3-23-67	9.3	1.5				11-02-66	21.9	-5.9	
		4-12-67	9.7	1.1				11-10-66	22.0	-6.0	
		7-27-67	14.9	-4.1				11-16-66	21.6	-5.6	
		8-30-67	16.3	-5.5				11-23-66	21.4	-5.4	
		9-27-67	15.6	-4.8				11-30-66	21.5	-5.5	
								12-08-66	21.4	-5.4	
055/12W-02C01S	25.0	10-26-66	29.0	-4.0	101			12-15-66	21.2	-5.2	
		10-27-66	30.2	-5.2	102			12-22-66	21.0	-5.0	
		11-16-66	26.9	-1.9	101			12-29-66	19.6	-3.6	
		11-28-66	28.6	-3.6	102			1-05-67	20.6	-4.6	
		12-16-66	26.3	-1.3	101			1-09-67	20.8	-4.8	
		12-22-66	26.7	-1.7	102			1-12-67	20.6	-4.6	
		1-25-67	26.9	-1.9	101			1-19-67	20.6	-4.6	
		1-27-67	27.3	-2.3	102			1-25-67	20.6	-4.6	
		2-17-67	31.6	-6.6	101			1-31-67	20.0	-4.0	
		2-21-67	26.2	-1.2				2-09-67	20.2	-4.2	
		2-24-67	26.2	-1.2	102			2-16-67	20.5	-4.5	
		3-24-67	24.4	.6	101			2-23-67	20.3	-4.3	
		3-29-67	25.6	-.6	102			3-03-67	20.2	-4.2	
		4-13-67	24.5	.5	101			3-09-67	19.8	-3.8	
		4-25-67	23.9	1.1	102			3-16-67	19.7	-3.7	
		5-29-67	26.0	-1.0				3-23-67	19.5	-3.5	
		6-28-67	27.3	-2.3				3-29-67	19.4	-3.4	
		7-18-67	28.1	-3.1				4-11-67	19.1	-3.1	
		7-28-67	27.4	-2.4	101			7-26-67	19.2	-3.2	
		8-25-67	26.6	-1.6				8-30-67	19.4	-3.4	
		8-28-67	28.5	-3.5	102			9-27-67	19.9	-3.9	
		9-15-67	29.2	-4.2							
		9-29-67	27.3	-2.3	101						
055/12W-02C06S	18.0	10-04-66	22.6	-4.6	101	055/12W-02C09S	16.0	10-04-66	20.4	-4.4	101
		10-13-66	22.9	-4.9				10-13-66	20.3	-4.3	
		10-18-66	22.7	-4.7				10-18-66	20.3	-4.3	
		10-26-66	22.5	-4.5				10-27-66	20.2	-4.2	
		11-01-66	22.4	-4.4				11-02-66	19.9	-3.9	
		11-08-66	22.5	-4.5				11-10-66	19.5	-3.5	
		11-15-66	22.0	-4.0				11-16-66	18.5	-2.5	
		11-22-66	21.8	-3.8				11-23-66	19.7	-3.7	
		11-30-66	21.7	-3.7				11-30-66	19.9	-3.9	
		12-06-66	20.4	-2.4				12-08-66	19.3	-3.3	
		12-13-66	20.3	-2.3				12-15-66	19.0	-3.0	
		12-20-66	20.8	-2.8				12-22-66	18.6	-2.6	
		12-30-66	20.6	-2.6				12-29-66	18.4	-2.4	
		1-03-67	20.7	-2.7				1-05-67	18.1	-2.1	
		1-10-67	20.8	-2.8				1-09-67	19.0	-3.0	
		1-17-67	20.9	-2.9				1-12-67	18.6	-2.6	
		1-25-67	20.8	-2.8				1-19-67	18.8	-2.8	
		1-31-67	20.6	-2.6				1-25-67	18.6	-2.6	
		2-07-67	20.7	-2.7				1-31-67	18.2	-2.2	
		2-16-67	21.3	-3.3				2-09-67	18.0	-2.0	
		2-21-67	21.1	-3.1				2-16-67	22.3	-6.3	
		3-03-67	20.2	-2.2				2-23-67	17.5	-1.5	
		3-09-67	20.2	-2.2				3-03-67	17.3	-1.3	
		3-14-67	20.3	-2.3				3-09-67	16.7	-.7	
		3-21-67	19.9	-1.9				3-16-67	16.6	-.6	
		3-28-67	20.0	-2.0				3-23-67	16.4	-.4	
								3-29-67	16.5	-.5	
								4-11-67	16.2	-.2	
								7-26-67	18.2	-2.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
05S/12W-02C09S	16.0	8-30-67	19.1	-3.1	101	05S/12W-02F01S	8.1	4-13-67	11.6	-3.5	101
(CONT.)		9-27-67	19.4	-3.4		(CONT.)					
05S/12W-02D04S	15.0	10-06-66	16.8	-1.8	101	05S/12W-02F04S	10.0	11-15-66	22.2	-12.2	101
		10-13-66	16.9	-1.9				3-22-67	15.9	-5.9	
		10-19-66	16.7	-1.7				4-12-67	15.7	-5.7	
		10-27-66	16.9	-1.9				8-15-67	24.7	-14.7	
		11-02-66	16.2	-1.2		05S/12W-02F13S	10.0	10-04-66	20.4	-10.4	101
		11-10-66	16.3	-1.3				10-13-66	20.5	-10.5	
		11-16-66	16.2	-1.2				10-18-66	20.4	-10.4	
		11-23-66	16.2	-1.2				10-27-66	20.0	-10.0	
		11-30-66	16.1	-1.1				11-03-66	19.8	-9.8	
		12-08-66	15.7	-.7				11-16-66	19.1	-9.1	
		12-15-66	15.4	-.4				11-19-66	19.4	-9.4	
		12-22-66	15.2	-.2				11-23-66	19.0	-9.0	
		12-29-66	15.5	-.5				11-30-66	18.8	-8.8	
		1-05-67	15.3	-.3				12-08-66	18.4	-8.4	
		1-09-67	15.4	-.4				12-15-66	17.9	-7.9	
		1-12-67	15.1	-.1				12-22-66	17.8	-7.8	
		1-19-67	15.8	-.8				12-29-66	17.4	-7.4	
		1-25-67	15.7	-.7				1-05-67	17.3	-7.3	
		1-31-67	16.0	-1.0				1-11-67	17.2	-7.2	
		2-09-67	15.6	-.6				1-12-67	17.8	-7.8	
		2-16-67	16.5	-1.5				1-19-67	17.9	-7.9	
		2-24-67	14.9	.1				1-25-67	17.7	-7.7	
		3-03-67	15.5	-.5				1-31-67	16.9	-6.9	
		3-08-67	15.6	-.6				2-09-67	16.6	-6.6	
		3-16-67	15.6	-.6				2-16-67	17.4	-7.4	
		3-29-67	15.6	-.6				2-23-67	16.6	-6.6	
		4-12-67	15.4	-.4				3-09-67	14.4	-4.4	
		7-27-67	15.9	-.9				3-16-67	16.4	-6.4	
		8-30-67	16.1	-1.1				3-23-67	16.6	-6.6	
		9-27-67	16.0	-1.0				3-29-67	16.6	-6.6	
05S/12W-02D05S	15.0	10-06-66	19.1	-4.1	101			4-12-67	16.5	-6.5	
		10-13-66	19.3	-4.3				7-27-67	15.8	-5.8	
		10-19-66	19.4	-4.4				8-30-67	15.6	-5.6	
		10-27-66	19.2	-4.2				9-27-67	14.6	-4.6	
		11-02-66	18.8	-3.8		05S/12W-02G04S	9.6	10-25-66	16.9	-7.3	101
		11-10-66	17.0	-2.0				11-15-66	16.1	-6.5	
		11-23-66	16.0	-1.0				11-16-66	16.2	-6.6	
		11-30-66	16.3	-1.3				12-29-66	14.6	-5.0	
		12-08-66	14.6	.4				1-25-67	13.9	-4.3	
		12-15-66	13.4	1.6				2-17-67	14.7	-5.1	
		12-22-66	13.0	2.0				2-21-67	14.8	-5.2	
		12-29-66	12.7	2.3				3-23-67	14.3	-4.7	
		1-05-67	12.3	2.7				4-04-67	14.0	-4.4	
		1-09-67	14.6	.4				4-07-67	13.7	-4.1	
		1-12-67	14.1	.9				7-24-67	14.0	-4.4	
		1-19-67	15.7	-.7				8-25-67	14.7	-5.1	
		1-25-67	15.4	-.4				9-29-67	15.1	-5.5	
		1-31-67	14.9	.1							
		2-09-67	14.3	.7		05S/12W-02G05S	9.0	11-16-66	26.4	-17.4	101
		2-16-67	21.6	-6.6				4-07-67	22.9	-13.9	
		2-24-67	12.9	2.1		05S/12W-02G06S	9.0	11-16-66	26.5	-17.5	101
		3-03-67	13.6	1.4							
		3-08-67	13.2	1.8		05S/12W-02G07S	9.7	11-01-66	16.8	-7.1	101
		3-16-67	13.5	1.5				4-13-67	14.1	-4.4	
		3-23-67	12.3	2.7		05S/12W-02G19S	9.9	10-06-66	23.2	-13.3	101
		3-29-67	13.1	1.9				10-13-66	23.4	-13.5	
		4-12-67	13.1	1.9				10-20-66	23.2	-13.3	
		7-27-67	17.6	-2.6				10-27-66	23.0	-13.1	
		8-30-67	19.1	-4.1				11-03-66	22.8	-12.9	
		9-27-67	18.7	-3.7				11-09-66	22.2	-12.3	
05S/12W-02D06S	15.0	10-06-66	21.3	-6.3	101			11-16-66	21.6	-11.7	
		10-13-66	21.4	-6.4				11-23-66	20.9	-11.0	
		10-19-66	21.5	-6.5				11-30-66	20.6	-10.7	
		10-27-66	21.4	-6.4				12-08-66	19.6	-9.7	
		11-02-66	20.8	-5.8				12-15-66	18.7	-8.8	
		11-10-66	18.8	-3.8				12-22-66	18.9	-9.0	
		11-16-66	16.3	-1.3				12-30-66	18.4	-8.5	
		11-23-66	18.2	-3.2				1-04-67	18.5	-8.6	
		11-30-66	17.8	-2.8				1-11-67	18.5	-8.6	
		12-08-66	16.0	-1.0				1-18-67	18.8	-8.9	
		12-15-66	14.8	.2				1-25-67	18.3	-8.4	
		12-22-66	14.3	.7				1-31-67	18.2	-8.3	
		12-29-66	13.9	1.1				2-08-67	18.0	-8.1	
		1-05-67	13.5	1.5				2-16-67	19.8	-9.9	
		1-09-67	16.1	-1.1				2-23-67	18.3	-8.4	
		1-13-67	15.4	-.4				3-08-67	16.0	-6.1	
		1-19-67	17.4	-2.4				3-15-67	18.2	-8.3	
		1-25-67	16.9	-1.9				3-16-67	18.1	-8.2	
		1-31-67	16.4	-1.4				3-23-67	18.9	-9.0	
		2-09-67	15.3	-.3				3-29-67	18.4	-8.5	
		2-16-67	22.2	-7.2				4-12-67	18.2	-8.3	
		2-24-67	15.5	-.5				7-31-67	17.6	-7.7	
		3-03-67	15.1	-.1				8-30-67	18.5	-8.6	
		3-08-67	14.7	.3				9-27-67	17.6	-7.7	
		3-16-67	14.0	1.0		05S/12W-02H08S	19.9	10-06-66	30.6	-10.7	101
		3-23-67	13.9	1.1				10-13-66	30.7	-10.8	
		3-29-67	14.7	.3				10-20-66	30.8	-10.9	
		4-12-67	14.4	.6				10-21-66	30.7	-10.8	
		7-27-67	20.0	-5.0				10-27-66	30.5	-10.6	
		8-30-67	21.5	-6.5				11-03-66	30.3	-10.4	
		9-27-67	21.0	-6.0							
05S/12W-02F01S	8.1	11-01-66	13.7	-5.6	101						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
055/12W-02H08S (CONT.)	19.9	11-10-66	29.1	-9.2	101	055/12W-020015 (CONT.)	5.2	12-08-66	12.1	-6.9	101
		11-16-66	27.9	-8.0				12-15-66	12.0	-6.8	
		11-23-66	28.7	-8.8				12-22-66	12.2	-7.0	
		11-30-66	28.9	-9.0				12-30-66	12.1	-6.9	
		12-07-66	28.9	-9.0				1-04-67	12.2	-7.0	
		12-28-66	23.4	-3.5				1-11-67	12.2	-7.0	
		1-16-67	25.0	-5.1				1-18-67	12.3	-7.1	
		1-26-67	24.9	-5.0				1-25-67	11.4	-6.2	
		2-17-67	26.4	-6.5				1-31-67	11.6	-6.4	
		2-23-67	24.3	-4.4				2-08-67	11.6	-6.4	
		3-28-67	24.7	-4.8				2-16-67	12.1	-6.9	
		4-10-67	24.4	-4.5				2-23-67	11.8	-6.6	
		7-25-67	23.2	-3.3				3-08-67	11.4	-6.2	
		8-25-67	24.0	-4.1				3-15-67	11.8	-6.6	
		9-28-67	24.5	-4.6				3-16-67	11.8	-6.6	
								3-23-67	11.9	-6.7	
055/12W-02H09S	19.9	10-06-66	30.1	-10.2	101			3-29-67	11.9	-6.7	
		10-13-66	30.1	-10.2				4-12-67	11.7	-6.5	
		10-20-66	30.0	-10.1				7-31-67	11.9	-6.7	
		10-21-66	29.9	-10.0				8-30-67	11.5	-6.3	
		10-27-66	29.9	-10.0				9-27-67	12.1	-6.9	
		11-03-66	29.8	-9.9							
		11-10-66	29.3	-9.4		055/12W-02R01S	17.9	10-26-66	42.4	-24.5	101
		11-16-66	28.9	-9.0				11-16-66	41.4	-23.5	
		11-23-66	28.4	-8.5				4-10-67	38.9	-21.0	
		11-30-66	28.2	-8.3				7-06-67	38.7	-20.8	
		12-07-66	26.8	-6.9							
		12-28-66	25.9	-6.0		055/12W-02R02S	17.9	10-25-66	35.9	-18.0	101
		1-26-67	25.7	-5.8				11-16-66	34.8	-16.9	
		1-31-67	25.7	-5.8				12-30-66	32.5	-14.6	
		2-17-67	27.6	-7.7				1-26-67	32.4	-14.5	
		2-23-67	25.9	-6.0				2-23-67	32.3	-14.4	
		3-28-67	25.8	-5.9				3-28-67	32.2	-14.3	
		4-10-67	25.9	-6.0				4-07-67	32.6	-14.7	
		7-25-67	25.7	-5.8				7-25-67	31.4	-13.5	
		8-25-67	26.4	-6.5				8-25-67	33.1	-15.2	
		9-28-67	25.6	-5.7				9-29-67	33.1	-15.2	
055/12W-02H10S	19.4	10-25-66	34.8	-15.4	101	055/12W-03A01S	18.0	11-14-66	26.2	-8.2	101
		11-16-66	33.6	-14.2				12-16-66	26.0	-8.0	
		12-30-66	30.9	-11.5				2-17-67	25.8	-7.8	
		1-26-67	30.8	-11.4				2-21-67	26.4	-8.4	
		2-23-67	30.9	-11.5				4-12-67	24.7	-6.7	
		3-28-67	31.0	-11.6		055/12W-03C01S	75.7	11-14-66	83.0	-7.3	101
		4-07-67	31.1	-11.7				1-10-67	75.6	.1	
		7-25-67	31.0	-11.6				4-12-67	69.7	6.0	
		8-25-67	31.6	-12.2				7-21-67	79.6	-3.9	
		9-29-67	31.8	-12.4		055/12W-11C02S	5.6	11-16-66	25.3	-19.7	101
055/12W-02H11S	19.2	10-26-66	43.8	-24.6	101			4-13-67	14.5	-8.9	
		11-16-66	42.8	-23.6		055/12W-11G02S	5.7	10-04-66	25.5	-19.8	101
		4-10-67	40.1	-20.9				10-13-66	25.5	-19.8	
		7-06-67	39.8	-20.6				10-18-66	25.3	-19.6	
055/12W-02J02S	9.9	10-14-66	34.3	-24.4	206			10-25-66	25.3	-19.6	
		11-04-66	32.9	-23.0	101			11-01-66	25.3	-19.6	
		11-04-66	32.9	-23.0	206			11-09-66	25.8	-20.1	
		11-25-66	29.7	-19.8	101			11-14-66	24.8	-19.1	
		11-25-66	29.7	-19.8	206			11-22-66	24.6	-18.9	
		12-16-66	23.7	-13.8				11-29-66	23.3	-17.6	
		1-03-67	21.2	-11.3				12-06-66	22.5	-16.8	
		1-27-67	18.5	-8.6				12-27-66	19.3	-13.6	
		2-17-67	16.1	-6.2				1-17-67	16.6	-10.9	
		3-03-67	16.9	-7.0				1-25-67	15.8	-10.1	
		3-24-67	16.2	-6.3				1-31-67	15.3	-9.6	
		3-29-67	16.7	-6.8	050			2-07-67	14.7	-9.0	
		4-14-67	15.3	-5.4	206			2-21-67	13.8	-8.1	
		5-05-67	13.8	-3.9				3-08-67	13.5	-7.8	
		5-26-67	17.3	-7.4				3-29-67	12.9	-7.2	
		6-23-67	21.5	-11.6				4-12-67	12.6	-6.9	
		7-14-67	21.2	-11.3				7-25-67	17.8	-12.1	
		8-04-67	26.0	-16.1				9-05-67	22.4	-16.7	
		8-25-67	30.3	-20.4		055/12W-11G03S	6.0	10-07-66	24.6	-18.6	101
		9-11-67	32.5	-22.6	101			11-15-66	23.7	-17.7	
		9-15-67	32.5	-22.6	206			1-18-67	17.3	-11.3	
055/12W-02H01S	8.2	11-15-66	29.2	-21.0	101			4-12-67	14.2	-8.2	
		11-30-66	27.1	-18.9				9-14-67	20.4	-14.4	
		4-14-67	18.4	-10.2		055/12W-11G04S	8.0	10-04-66	11.9	-3.9	101
055/12W-02P01S	4.8	11-16-66	27.5	-22.7	101			10-13-66	12.2	-4.2	
		4-13-67	12.3	-7.5				10-18-66	12.1	-4.1	
055/12W-02P05S	5.0	11-01-66	9.3	-4.3	101			10-25-66	12.2	-4.2	
		4-13-67	7.4	-2.4				11-01-66	11.8	-3.8	
055/12W-02P07S	4.2	11-16-66	24.4	-20.2	101			11-09-66	12.0	-4.0	
		4-13-67	14.2	-10.0				11-15-66	11.5	-3.5	
055/12W-02Q01S	5.2	10-06-66	14.4	-9.2	101			11-22-66	11.8	-3.8	
		10-13-66	14.4	-9.2				11-29-66	11.5	-3.5	
		10-20-66	14.3	-9.1				12-06-66	11.0	-3.0	
		10-27-66	14.3	-9.1				12-27-66	11.2	-3.2	
		11-03-66	14.1	-8.9				1-17-67	10.6	-2.6	
		11-09-66	14.0	-8.8				1-18-67	10.5	-2.5	
		11-16-66	13.7	-8.5				1-25-67	10.3	-2.3	
		11-23-66	13.6	-8.4				1-31-67	10.1	-2.1	
		11-30-66	13.3	-8.1				2-07-67	10.9	-2.9	
								2-21-67	11.0	-3.0	
								3-08-67	10.9	-2.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			SAN FERNANDO HYDRO SUBUNIT			U-05.B0		
CENTRAL HYDRO SUBAREA			U-05.A5			SAN FERNANDO HYDRO SUBAREA			U-05.B1		
055/12W-11G045 (CONT.)	8.0	3-29-67	10.8	-2.8	101	01N/13W-05K015	374.1	10-18-66	23.3	350.8	200
		4-12-67	10.7	-2.7				11-30-66	23.2	350.9	
		7-25-67	11.1	-3.1				12-21-66	23.2	350.9	
		9-14-67	11.2	-3.2				1-26-67	23.3	350.8	
								3-21-67	23.5	350.6	
								4-26-67	23.2	350.9	
								5-25-67	23.5	350.6	
								6-20-67	29.7	344.4	
								7-26-67	23.5	350.6	
								8-30-67	23.4	350.7	
								9-27-67	23.4	350.7	
						01N/13W-198015	470.9	10-04-66	217.9(5)	253.0	101
					10-11-66			227.9(5)	243.0		
					11-01-66			236.9(1)	234.0		
					11-22-66			220.9(5)	250.0		
								12-06-66	218.9(5)	252.0	
								12-20-66	209.9(5)	261.0	
								1-03-67	209.9(5)	261.0	
								1-24-67	210.4(5)	260.5	
								2-07-67	209.4(5)	261.5	
								2-28-67	216.9(5)	254.0	
								3-14-67	221.9(5)	249.0	
								3-21-67	221.4(5)	249.5	
								4-11-67	220.9(5)	250.0	
								4-25-67	218.9(5)	252.0	
								5-02-67	217.9(5)	253.0	
								7-11-67	236.9(1)	234.0	
								8-08-67	236.9(1)	234.0	
								9-12-67	239.9(1)	231.0	
						01N/13W-198075	470.0	10-04-66	221.0(5)	249.0	101
					10-11-66			221.0(5)	249.0		
					11-08-66			227.0(5)	243.0		
					11-15-66			224.0(5)	246.0		
								11-22-66	218.0(5)	252.0	
								12-13-66	209.0(5)	261.0	
								12-27-66	214.0(5)	256.0	
								1-10-67	209.5(5)	260.5	
								1-31-67	210.0(5)	260.0	
								2-21-67	223.0(5)	247.0	
								3-14-67	224.0(5)	246.0	
								4-11-67	221.0(5)	249.0	
								4-25-67	218.0(5)	252.0	
								5-02-67	218.0(5)	252.0	
								5-30-67	225.0(5)	245.0	
								6-13-67	228.0(5)	242.0	
								6-20-67	228.5(5)	241.5	
								7-04-67	232.0(5)	238.0	
								8-08-67	256.0(1)	214.0	
								9-12-67	261.0(1)	209.0	
						01N/13W-19C015	471.2	10-04-66	227.2(5)	244.0	101
					10-11-66			221.2(5)	250.0		
					11-01-66			244.2(1)	227.0		
					11-22-66			223.2(5)	248.0		
								12-06-66	207.2(5)	264.0	
								12-27-66	214.2(5)	257.0	
								1-10-67	214.2(5)	257.0	
								1-31-67	210.2(5)	261.0	
								2-14-67	217.2(5)	254.0	
								2-28-67	220.2(5)	251.0	
								3-14-67	225.2(5)	246.0	
								4-11-67	224.2(5)	247.0	
								4-25-67	220.2(5)	251.0	
								5-02-67	220.2(5)	251.0	
								5-30-67	227.2(5)	244.0	
								6-06-67	228.2(5)	243.0	
								8-08-67	247.2(1)	224.0	
								9-12-67	249.2(1)	222.0	
						01N/13W-19D035	461.0	10-04-66	239.0(1)	222.0	101
					11-01-66			244.0(1)	217.0		
					12-06-66			209.0(5)	252.0		
					12-27-66			209.0(5)	252.0		
								1-10-67	209.0(5)	252.0	
								1-31-67	209.0(5)	252.0	
								2-14-67	209.0(5)	252.0	
								3-14-67	237.0(1)	224.0	
								4-11-67	234.0(1)	227.0	
								5-02-67	214.0(5)	247.0	
								6-13-67	241.0(1)	220.0	
								7-11-67	244.0(1)	217.0	
								8-08-67	242.0(1)	219.0	
								9-12-67	248.0(1)	213.0	
						01N/13W-19G015	438.0	10-18-66	190.7	247.3	200
					11-15-66			188.4	249.6		
					12-20-66			183.0	255.0		
					1-17-67			185.7	252.3		
								2-21-67	185.6	252.4	
								3-21-67	186.6	251.4	
								4-18-67	186.8	251.2	
								5-16-67	187.9	250.1	
								6-20-67	188.9	249.1	
								7-18-67	191.7	246.3	
								8-15-67	193.9	244.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA			
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00								
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80					
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81					
01N/13W-19G01S (CONT.)	438.0	9-12-67	195.8	242.2	200	01N/13W-32Q01S (CONT.)	415.2	4-25-67	54.1	361.1	200			
01N/13W-19J02S	462.0	10-27-66	182.4	279.6	200			5-24-67	54.1	361.1				
		11-28-66	177.8	284.2				6-20-67	54.4	360.8				
		12-21-66	177.8	284.2				7-26-67	55.2	360.0				
		1-26-67	177.7	284.3				8-30-67	56.0	359.2				
		2-17-67	177.8	284.2				9-27-67	56.4	358.8				
		3-21-67	174.8	287.2		01N/13W-33N02S	440.9	11-15-66	90.9	350.0	101			
		4-25-67	178.4	283.6				4-10-67	82.3	358.6				
		5-24-67	179.9	282.1		01N/13W-33N03S	435.7	11-15-66	84.1	351.6	101			
		6-20-67	180.4	281.6				4-10-67	80.6	355.1				
		7-21-67	192.4	269.6		01N/14W-04N03S	693.0	11-15-66	250.0(5)	443.0	101			
8-29-67	185.2	276.8			4-10-67	244.0(5)	449.0							
9-27-67	186.4	275.6												
01N/13W-19K02S	448.0	4-10-67	(1)		101	01N/14W-05N01S	707.2	10-20-66	248.2	459.0	200			
01N/13W-19K03S	450.0	10-26-66	205.4	244.6	200			4-10-67	244.9	462.3				
		11-28-66	200.2	249.8				01N/14W-05P01S	707.0	10-20-66		251.7	455.3	200
		12-22-66	216.8	233.2						4-10-67		248.0	459.0	
		1-27-67	199.6	250.4				01N/14W-05P02S	708.2	10-21-66		250.9	457.3	200
		2-21-67	(1)							4-10-67		247.7	460.5	
		3-21-67	(1)			01N/14W-06F01S	738.0	10-27-66	249.9	488.1	200			
		4-26-67	201.1	248.9				11-28-66	247.9	490.1				
		5-26-67	(1)					12-22-66	254.4	483.6				
		6-21-67	(1)					1-27-67	253.0	485.0				
		7-26-67	(1)					2-21-67	258.5	479.5				
8-30-67	(1)		3-22-67	261.0	477.0									
9-28-67	(1)		4-25-67	247.6	490.4									
			5-26-67	255.4	482.6									
			6-21-67	257.6	480.4									
			7-21-67	259.9	478.1									
			8-27-67	263.0	475.0									
01N/13W-19Q02S	439.1	11-15-66	152.8	286.3	101			9-02-67	252.3	485.7				
01N/13W-19Q03S	443.3	4-10-67	152.9	286.2	200	01N/14W-06L01S	732.0	10-21-66	(3)		200			
			(0)					4-13-67	245.3	486.7				
		10-27-66	152.2	331.6		01N/14W-06N01S	717.9	10-21-66	233.3	484.6	200			
		11-15-66	153.0	330.8				4-13-67	233.6	484.3				
		11-28-66	152.8	331.0		01N/14W-06P01S	721.1	10-21-66	239.9	481.2	200			
		12-21-66	150.5	333.3				4-13-67	239.8	481.3				
		1-26-67	149.3	334.5		01N/14W-06Q01S	713.0	10-20-66	243.4	469.6	200			
		2-17-67	150.5	333.3				4-10-67	241.7	471.3				
		3-21-67	151.1	332.7		01N/14W-06Q02S	714.0	10-21-66	245.1	468.9	200			
		4-10-67	150.8	333.0				4-10-67	239.9	474.1				
4-25-67	151.4	332.4	01N/14W-06Q03S	712.0	10-20-66	238.5	473.5	200						
5-24-67	151.9	331.9			4-10-67	235.9	476.1							
6-20-67	151.6	332.2	01N/14W-06R01S	713.3	10-21-66	246.9	466.4	200						
7-21-67	149.5	334.3			4-10-67	244.2	469.1							
8-29-67	148.5	335.3	01N/14W-06R05S	710.0	10-20-66	251.4	458.6	200						
9-27-67	148.6	335.2			4-13-67	250.5	459.5							
01N/13W-20H01S	542.0	11-15-66	208.6	333.4	101	01N/14W-07A01S	699.0	10-20-66	(4)		200			
		4-12-67	209.6	332.4				11-23-66	(4)					
								4-10-67	254.5	444.5	200			
						01N/14W-07G02S	691.6	10-06-66	221.0	470.6				
								11-15-66	222.0	469.6	200			
								12-20-66	219.2	472.4				
								1-17-67	218.8	472.8	200			
								2-21-67	219.7	471.9				
								6-20-67	219.0	472.6	200			
01N/13W-20R01S	540.0	11-15-66	197.7	342.3	101	01N/14W-07H01S	681.0	10-20-66	213.5	467.5	200			
01N/13W-21Q01S	605.0	4-12-67	198.5	341.5	200			11-23-66	210.7	470.3	200			
								4-13-67	209.8	471.2				
		10-27-66	252.8	352.2							200			
		11-28-66	252.6	352.4										
		12-21-66	252.7	352.3					200					
		1-26-67	252.4	352.6										
		2-17-67	252.4	352.6					200					
		3-21-67	252.6	352.4										
		4-25-67	252.7	352.3					200					
		5-24-67	252.6	352.4										
6-20-67	252.6	352.4				200								
7-21-67	252.6	352.4												
8-29-67	253.1	351.9				200								
9-27-67	252.9	352.1												
01N/13W-28D01S	536.0	11-15-66	131.9	404.1	101	01N/14W-07J01S	677.5	10-20-66	205.7	471.8	200			
01N/13W-29A01S	540.4	4-12-67	133.2	402.8	101			11-23-66	203.9	473.6	200			
								1-17-67	218.1	459.4				
		11-15-66	94.0	446.4				2-21-67	219.0	458.5	200			
		4-12-67	97.3	443.1				3-21-67	219.9	457.6				
		11-15-66	113.2	347.8				4-18-67	220.0	457.5	200			
		4-10-67	113.3	347.7				5-16-67	218.1	459.4				
								7-18-67	219.6	457.9	200			
								8-15-67	221.2	456.3				
								9-19-67	223.0	454.5	200			
01N/13W-29L01S	461.0	11-15-66	113.2	347.8	101	01N/14W-07J03S	667.5	11-23-66	204.4	463.1	200			
01N/13W-32C01S	425.5	4-10-67	113.3	347.7	101			4-13-67	203.4	464.1	200			
		10-05-66	73.1	352.4							200			
		11-15-66	72.7	352.8										
		12-13-66	72.3	353.2					200					
		1-04-67	72.4	353.1										
		2-01-67	71.3	354.2					200					
		3-06-67	68.2	357.3										
		4-10-67	71.7	353.8					200					
		5-03-67	72.0	353.5										
6-14-67	72.7	352.8				200								
7-05-67	72.4	353.1												
8-01-67	72.8	352.7				200								
9-06-67	73.4	352.1												
01N/13W-32Q01S	415.2	10-26-66	56.1	359.1	200	01N/14W-08A02S	687.0	10-21-66	244.7	442.3	200			
		11-23-66	55.6	359.6				4-13-67	245.2	441.8				
		12-21-66	55.0	360.2										
		1-26-67	54.8	360.4										
		2-17-67	54.5	360.7										
		3-21-67	54.4	360.8										
01N/13W-32Q01S	415.2	10-26-66	56.1	359.1	200	01N/14W-08B01S	690.0	10-20-66	245.1	444.9	200			
		11-23-66	55.6	359.6				10-21-66	246.8	443.2				
		12-21-66	55.0	360.2				4-13-67	244.4	445.6				
		1-26-67	54.8	360.4										
		2-17-67	54.5	360.7										
		3-21-67	54.4	360.8										

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT						SAN FERNANDO HYDRO SUBUNIT					
SAN FERNANDO HYDRO SUBAREA						SAN FERNANDO HYDRO SUBAREA					
U-05.80						U-05.81					
01N/14W-08D01S	690.0	8-17-67	(0)		200	01N/14W-09H01S	644.9	3-06-67	216.0	428.9	101
01N/14W-08E01S	682.3	2-10-67	(0)		101	(CONT.)		4-03-67	217.1	427.8	
		8-17-67	(0)		200			5-08-67	219.1	425.8	
01N/14W-08F01S	673.5	2-10-66	(0)		101			6-05-67	220.6	424.3	
		8-17-67	(0)		200			7-03-67	223.1	421.8	
01N/14W-08J01S	665.5	11-14-66	230.2	435.3	200	01N/14W-09K01S	621.0	8-07-67	226.1	418.8	
		11-23-66	224.4	441.1				9-04-67	229.6	415.3	
		8-17-67	(0)					10-02-66	201.8	419.2	101
01N/14W-08J03S	656.0	11-23-66	212.3	443.7	200			11-06-66	208.0	413.0	
		4-13-67	208.4	447.6				12-05-66	195.2	425.8	
01N/14W-08J04S	665.0	11-23-66	209.1	455.9	200			1-02-67	194.3	426.7	
		4-13-67	202.4	462.6				2-06-67	200.5	420.5	
01N/14W-08K01S	654.6	8-17-67	(0)		200			3-06-67	202.5	418.5	
01N/14W-08L01S	669.0	11-23-66	222.0	447.0	200			4-03-67	201.5	419.5	
		4-13-67	219.6	449.4				5-08-67	200.8	420.2	
01N/14W-08L02S	665.0	11-23-66	211.8	453.2	200			6-05-67	214.5	406.5	
		4-13-67	212.6	452.4				7-03-67	210.5	410.5	
01N/14W-08P01S	654.5	2-10-67	(0)		101			8-07-67	207.7	413.3	
		8-17-67	(0)		200			9-11-67	214.0	407.0	
01N/14W-08R01S	635.0	2-10-67	(0)		101	01N/14W-09L04S	650.5	10-02-66	210.7(5)	439.8	101
		8-17-67	(0)		200			11-06-66	218.4(5)	432.1	
01N/14W-09A02S	661.8	10-02-66	233.9	427.9	101			12-05-66	214.4(5)	436.1	
		11-06-66	233.5	428.3				1-02-67	214.3(5)	436.2	
		12-05-66	228.8	433.0				2-06-67	208.9(5)	441.6	
		1-02-67	229.2	432.6				3-06-67	216.5(5)	434.0	
		2-06-67	229.0	432.8				4-03-67	213.5(5)	437.0	
01N/14W-09B04S	662.4	10-02-66	229.4	433.0	101			5-08-67	218.4(5)	432.1	
		11-06-66	228.3	434.1				6-05-67	216.9(5)	433.6	
		12-05-66	223.6	438.8				7-03-67	225.1(5)	425.4	
		1-02-67	221.6	440.8				8-07-67	224.9(5)	425.6	
		2-06-67	219.8	442.6				9-04-67	226.7(5)	423.8	
		3-06-67	218.9	443.5		01N/14W-09P01S	636.9	10-02-66	210.0	426.9	101
		4-03-67	218.0	444.4				11-06-66	215.0	421.9	
		5-08-67	214.8	447.6				12-05-66	210.4	426.5	
		6-05-67	218.6	443.8				1-02-67	205.3	431.6	
		7-03-67	223.8	438.6				2-06-67	205.5	431.4	
		8-07-67	225.8	436.6				3-06-67	208.5	428.4	
		9-04-67	226.1	436.3				4-03-67	198.0	438.9	
01N/14W-09D06S	693.0	11-15-66	284.0	409.0	101			5-08-67	206.5	430.4	
		4-10-67	(3)					6-05-67	212.8	424.1	
01N/14W-09E03S	665.0	10-18-66	232.3	432.7	200			7-03-67	216.2	420.7	
		11-15-66	230.8	434.2				8-07-67	216.2	420.7	
		1-17-67	230.2	434.8				9-04-67	217.3	419.6	
		2-14-67	229.5	435.5		01N/14W-11Q01S	555.0	10-02-66	140.9(5)	414.1	101
		3-14-67	228.9	436.1				11-06-66	140.1(5)	414.9	
		4-18-67	226.8	438.2				12-05-66	139.6(5)	415.4	
		5-16-67	225.2	439.8				1-02-67	139.4(5)	415.6	
		6-20-67	228.3	436.7				2-06-67	141.9(5)	413.1	
		7-18-67	230.9	434.1				3-06-67	140.2(5)	414.8	
		8-15-67	232.8	432.2				4-03-67	142.9(5)	412.1	
		9-19-67	233.8	431.2				5-08-67	142.5(5)	412.5	
01N/14W-09G02S	641.0	10-02-66	220.2	420.8	101			6-05-67	143.1(5)	411.9	
		11-06-66	219.2	421.8				7-03-67	146.5(5)	408.5	
		12-05-66	218.8	422.2				8-07-67	155.7(5)	399.3	
		1-02-67	214.5	426.5				9-04-67	142.4(5)	412.6	
		2-06-67	214.0	427.0		01N/14W-13G01S	532.0	11-15-66	60.9	471.1	101
		3-06-67	213.3	427.7				4-10-67	62.5	469.5	
		4-03-67	214.3	426.7				10-04-66	259.8(1)	229.0	101
		5-08-67	214.5	426.5				11-01-66	261.8(1)	227.0	
		6-05-67	217.0	424.0				11-15-66	232.8(5)	256.0	
		7-03-67	218.8	422.2				11-22-66	228.8(5)	260.0	
		8-07-67	221.0	420.0				12-06-66	214.8(5)	274.0	
		9-04-67	222.2	418.8				12-27-66	220.8(5)	268.0	
01N/14W-09G03S	653.0	10-02-66	229.1	423.9	101			1-10-67	228.8(5)	260.0	
		11-06-66	229.1	423.9				1-24-67	224.8(5)	264.0	
		12-05-66	227.3	425.7				2-07-67	223.8(5)	265.0	
		1-02-67	225.1	427.9				2-28-67	226.8(5)	262.0	
		2-06-67	224.3	428.7				3-14-67	234.8(5)	254.0	
		3-06-67	224.1	428.9				3-21-67	231.8(5)	257.0	
		4-03-67	224.5	428.5				4-11-67	231.3(5)	257.5	
		5-08-67	224.1	428.9				4-25-67	225.8(5)	263.0	
		6-05-67	224.8	428.2				5-16-67	255.8(1)	233.0	
		7-03-67	227.1	425.9				6-20-67	260.8(1)	228.0	
		8-07-67	230.1	422.9				7-18-67	263.8(1)	225.0	
		9-04-67	232.9	420.1				8-15-67	265.8(1)	223.0	
01N/14W-09H01S	644.9	10-02-66	223.3	421.6	101	01N/14W-13R01S	488.8	9-12-67	269.8(1)	219.0	
		11-06-66	223.6	421.3				10-04-66	226.0(5)	253.0	101
		12-05-66	216.9	428.0				10-11-66	225.0(5)	254.0	
		1-02-67	218.1	426.8				11-22-66	223.0(5)	256.0	
		2-06-67	217.3	427.6				11-29-66	222.0(5)	257.0	
								12-06-66	216.0(5)	263.0	
								12-27-66	216.0(5)	263.0	
								1-10-67	218.0(5)	261.0	
								1-24-67	218.0(5)	261.0	
								2-14-67	219.0(5)	260.0	
								2-28-67	221.0(5)	258.0	
								5-23-67	266.0(1)	213.0	
								6-27-67	274.0(1)	205.0	
								7-11-67	276.0(1)	203.0	
								8-08-67	273.0(1)	206.0	
								9-12-67	278.0(1)	201.0	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
01N/14W-14B085	559.0	10-02-66	142.4(5)	416.6	101	01N/14W-20F025	594.1	7-04-67	153.9	440.2	200
		11-06-66	141.0(5)	418.0		(CONT.)		8-01-67	153.9	440.2	
		12-05-66	140.3(5)	418.7				9-05-67	155.3	438.8	
		1-02-67	139.9(5)	419.1		01N/14W-22H035	535.6	11-15-66	180.9	354.7	101
		2-06-67	142.6(5)	416.4				4-10-67	187.5	348.1	
		3-06-67	143.0(5)	416.0		01N/14W-23A035	480.6	10-26-66	40.3	440.3	200
		4-03-67	142.5(5)	416.5				10-27-66	(1)		
		5-08-67	144.0(5)	415.0				11-28-66	197.3	283.3	
		6-05-67	143.8(5)	415.2				12-22-66	(4)		
		7-03-67	146.0(5)	413.0				1-27-67	187.5	293.1	
		8-07-67	156.5(5)	402.5				2-21-67	198.7	281.9	
		9-04-67	142.0(5)	417.0				3-22-67	(1)		
01N/14W-14F055	545.9	10-05-66	131.4	414.5	101			4-25-67	40.1	440.5	
		11-15-66	130.2	415.7				4-26-67	180.8	299.8	
		12-13-66	128.4	417.5				5-26-67	(1)		
		1-04-67	131.2	414.7				6-21-67	(1)		
		2-01-67	131.7	414.2				7-26-67	(1)		
		3-06-67	131.0	414.9				8-30-67	(1)		
		4-10-67	131.5	414.4				9-28-67	(1)		
		5-03-67	130.9	415.0		01N/14W-23L015	487.6	10-18-66	77.3	410.3	200
		6-14-67	132.1	413.8				11-15-66	95.2	392.4	
		7-05-67	132.5	413.4				1-17-67	DRY		
		8-01-67	132.9	413.0				2-14-67	DRY		
		9-06-67	134.0	411.9				3-14-67	DRY		
01N/14W-15P025	553.9	10-18-66	185.3	368.6	200			3-28-67	91.9	395.7	
		11-15-66	183.7	370.2				4-18-67	108.3	379.3	
		12-20-66	185.4	368.5				4-25-67	DRY		
		1-17-67	187.4	366.5				5-16-67	94.2	393.4	
		2-14-67	188.2	365.7				6-20-67	90.7	396.9	
		3-14-67	189.3	364.6				7-18-67	100.8	386.8	
		4-18-67	186.7	367.2				8-15-67	95.5	392.1	
		5-16-67	186.6	367.3				9-19-67	DRY		
		6-20-67	188.0	365.9		01N/14W-23M025	512.0	10-26-66	142.0	370.0	200
		7-18-67	190.1	363.8				11-28-66	150.1	361.9	
		8-15-67	191.2	362.7				12-22-66	163.6	348.4	
		9-19-67	192.8	361.1				1-27-67	169.8	342.2	
01N/14W-16D015	621.7	10-22-66	DRY		200			2-21-67	173.0	339.0	
		11-28-66	DRY					3-22-67	172.7	339.3	
		12-22-66	DRY					4-26-67	161.6	350.4	
		2-10-67	(0)		101			5-26-67	157.4	354.6	
		4-28-67	DRY		200			6-21-67	157.8	354.2	
		8-17-67	(0)					7-26-67	159.4	352.6	
01N/14W-16E015	613.2	11-23-66	198.0	415.2	200			8-29-67	159.9	352.1	
		4-13-67	196.1	417.1		01N/14W-24D035	475.8	4-10-67	(1)		101
01N/14W-16P045	592.9	10-27-66	DRY		200	01N/14W-24E095	477.5	10-18-66	186.4	291.1	200
		11-28-66	DRY					11-15-66	178.3	299.2	
		12-22-66	DRY					12-20-66	183.1	294.4	
		4-13-67	DRY					1-17-67	187.6	289.9	
01N/14W-17A015	626.3	2-10-67	(0)		101			2-21-67	190.2	287.3	
		8-17-67	(0)		200			3-21-67	191.3	286.2	
01N/14W-17H015	620.0	11-15-66	DRY		101			4-25-67	180.6	296.9	
		4-10-67	DRY					5-16-67	184.6	292.9	
01N/14W-18L025	641.9	10-18-66	158.4	483.5	200			6-20-67	187.7	289.8	
		11-15-66	158.6	483.3				7-18-67	191.7	285.8	
		12-20-66	158.3	483.6				8-15-67	195.1	282.4	
		1-17-67	158.9	483.0				9-19-67	218.4	259.1	
		2-21-67	159.5	482.4		01N/14W-24H015	461.0	10-18-66	210.5	250.5	200
		3-14-67	159.8	482.1				11-15-66	205.7	255.3	
		7-18-67	160.9	481.0				12-13-66	200.9	260.1	
		8-15-67	161.4	480.5				1-16-67	203.3	257.7	
		9-19-67	162.1	479.8				2-14-67	202.3	258.7	
01N/14W-19A055	611.1	10-27-66	112.0	499.1	200			3-14-67	206.0	255.0	
		4-11-67	112.9	498.2				4-18-67	203.6	257.4	
01N/14W-19B035	627.8	10-27-66	132.6	495.2	200			5-16-67	205.2	255.8	
		11-28-66	132.7	495.1				6-13-67	209.4	251.6	
		1-27-67	133.2	494.6				6-16-67	209.4	251.6	
		2-21-67	133.6	494.2				7-10-67	212.9	248.1	
		3-07-67	133.9	493.9				8-15-67	215.6	245.4	
		4-25-67	134.3	493.5				9-19-67	217.2	243.8	
		5-26-67	134.1	493.7		01N/14W-24H035	462.0	10-26-66	(1)		200
		6-21-67	134.5	493.3				11-28-66	200.3	261.7	
		7-21-67	135.0	492.8				12-22-66	(1)		
		8-29-67	135.7	492.1				1-27-67	199.9	262.1	
		9-28-67	136.1	491.7				2-21-67	(1)		
01N/14W-19D015	639.1	10-27-66	138.6	500.5	200			4-26-67	198.9	263.1	
		4-10-67	138.8	500.3				5-26-67	(1)		
01N/14W-20F025	594.1	10-11-66	153.8	440.3	200			6-21-67	(1)		
		11-15-66	153.9	440.2				7-18-67	(1)		
		12-06-66	153.1	441.0		01N/14W-27E025	525.8	10-28-66	37.0	488.8	200
		1-03-67	153.9	440.2				11-15-66	37.1	488.7	101
		2-07-67	153.7	440.4				4-10-67	35.4	490.4	
		3-07-67	153.9	440.2				4-28-67	35.1	490.7	200
		4-11-67	153.8	440.3		01N/14W-28B015	544.3	10-27-66	(1)		200
		5-02-67	154.2	439.9				11-29-66	(1)		
		6-06-67	153.6	440.5				12-22-66	(1)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
01N/14W-288015 (CONT.)	544.3	1-27-67 2-21-67 3-30-67 4-26-67 5-26-67 6-21-67 7-26-67 8-29-67 9-28-67	167.1 (1) (1) (1) (1) (1) (1) (1) (1) (1)	377.2	200	01N/15W-10H025 (CONT.)	707.2	3-13-67 4-13-67 5-11-67 6-15-67 7-17-67 8-17-67 9-14-67	183.1 179.1 177.3 177.0 179.6 179.7 179.4	524.1 528.1 529.9 530.2 527.6 527.5 527.8	200
01N/14W-28R015	768.0	11-15-66 4-10-67	100.7 100.3	667.3 667.7	101	01N/15W-11R045	673.7	10-05-66 11-15-66 12-13-66 1-04-67 2-01-67 3-06-67 4-10-67 5-03-67 6-14-67 7-05-67 8-01-67 9-06-67	DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY	101	
01N/15W-01K015	725.6	10-21-66 4-13-67	225.1 225.3	500.5 500.3	200	01N/15W-14E015	687.6	10-27-66 4-11-67	153.8 154.3	533.8 533.3	200
01N/15W-01P045	719.9	10-21-66 4-10-67	217.8 219.2	502.1 500.7	200	01N/15W-14J015	668.1	10-18-66 11-15-66 1-17-67 2-21-67 3-14-67 4-18-67 5-16-67 6-20-67 7-18-67 8-15-67 9-19-67	148.7 149.4 150.5 152.1 152.5 148.6 148.4 148.6 150.4 150.8 150.4	519.4 518.7 517.6 516.0 515.6 519.5 519.7 519.5 517.7 517.3 517.7	200
01N/15W-01Q025	721.2	10-21-66 4-13-67	223.2 223.9	498.0 497.3	200	01N/15W-15A025	679.3	10-27-66 11-21-66 12-12-66 1-16-67 2-13-67 3-13-67 4-13-67 5-11-67 6-15-67 7-17-67 8-17-67 9-14-67	146.8 148.1 146.6 149.6 150.8 151.4 147.2 145.6 145.6 146.0 148.1 147.8	532.5 531.2 532.7 529.7 528.5 527.9 532.1 533.7 533.7 533.3 531.2 531.5	200
01N/15W-01Q035	720.0	10-21-66 4-13-67	226.3 226.9	493.7 493.1	200	01N/15W-15R015	658.9	12-13-66 4-10-67	DRY DRY		101
01N/15W-01Q045	719.9	10-21-66 4-13-67	223.4 223.9	496.5 496.0	200	01N/15W-16H015	677.3	10-27-66 4-11-67	(8) (8)		200
01N/15W-02Q015	711.1	10-20-66 4-10-67	(9) (4)		200	01N/15W-16H045	678.2	10-27-66 8-17-67	119.3 (0)	558.9	200
01N/15W-02R015	723.9	10-21-66 4-10-67	206.1 206.2	517.8 517.7	200	01N/15W-17N025	688.0	11-15-66	DRY		101
01N/15W-06N015	743.0	10-19-66 11-23-66 12-21-66 1-19-67 2-21-67 3-15-67 4-12-67 5-17-67 6-15-67 7-20-67 8-16-67 9-14-67	142.8 142.9 142.9 143.1 143.3 143.4 143.3 143.1 142.6 141.7 140.7 140.2	600.2 600.1 600.1 599.9 599.7 599.6 599.7 599.9 600.4 601.3 602.3 602.8	200	01N/15W-18N015	717.1	10-19-66 11-23-66 12-21-66 1-19-67 2-21-67 3-15-67 4-17-67 6-15-67 7-20-67 8-16-67 9-14-67	7.4 7.4 7.0 7.4 6.8 6.8 6.7 6.7 6.9 7.0 7.1	709.7 709.7 710.1 709.7 710.3 710.3 710.4 710.4 710.2 710.1 710.0	200
01N/15W-06P015	740.0	2-09-67 8-17-67	(0) (0)		101 200	01N/15W-21A025	659.3	10-26-66 11-21-66 12-12-66 1-16-67 2-13-67 3-13-67 4-13-67 5-11-67 6-15-67 7-17-67 8-17-67 9-14-67	88.9 89.4 89.4 89.9 90.4 90.7 90.5 89.7 89.5 89.6 89.7 89.6	570.4 569.9 569.9 569.4 568.9 568.6 568.8 569.6 569.8 569.7 569.6 569.7	200
01N/15W-07E015	724.8	10-19-66 11-23-66 12-21-66 1-19-67 2-21-67 3-15-67 4-13-67 7-20-67 8-16-67 9-14-67	97.6 98.0 97.9 98.5 98.5 98.9 98.4 95.5 95.1 94.8	627.2 626.8 626.9 626.3 626.3 625.9 626.4 629.3 629.7 630.0	200	01N/15W-23A015	652.4	10-27-66 4-11-67	132.1 133.1	520.3 519.3	200
01N/15W-07F025	718.0	10-28-66 8-17-67	108.3 (0)	609.7	200	01N/15W-23Q015	651.9	10-05-66 11-15-66 12-13-66 2-01-67 3-06-67 4-11-67 5-03-67 6-14-67 7-05-67 8-01-67	109.5 109.8 109.1 110.7 111.3 111.1 110.0 108.3 108.2 108.6	542.4 542.1 542.8 541.2 540.6 540.8 541.9 543.6 543.7 543.3	101
01N/15W-07Q015	705.3	10-28-66 4-13-67	(3) (4)		200						
01N/15W-08R015	700.4	10-26-66 11-21-66 12-12-66 1-16-67 2-13-67 3-15-67 4-13-67 5-11-67 6-15-67 7-17-67 8-17-67 9-14-67	121.5 122.0 121.9 122.7 122.9 123.0 122.2 121.3 120.4 120.9 119.6 119.4	578.9 578.4 578.5 577.7 577.5 577.4 578.2 579.1 580.0 579.5 580.8 581.0	200						
01N/15W-09R025	689.8	10-26-66 11-21-66 12-12-66 1-16-67 2-13-67 3-13-67 4-13-67 5-11-67 6-15-67 7-17-67 8-17-67 9-14-67	84.9 81.0 79.9 80.7 80.4 80.6 80.9 81.0 81.7 82.5 83.2 83.6	604.9 608.8 609.9 609.1 609.4 609.2 608.9 608.8 608.1 607.3 606.6 606.2	200						
01N/15W-10H025	707.2	10-26-66 11-21-66 12-12-66 1-16-67 2-15-67	178.6 180.0 178.2 181.2 182.4	528.6 527.2 529.0 526.0 524.8	200						

See page I17 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80		U-05.81	SAN FERNANDO HYDRO SUBUNIT			U-05.80		U-05.81
SAN FERNANDO HYDRO SUBAREA						SAN FERNANDO HYDRO SUBAREA					
01N/15W-23D015 (CONT.)	651.9	9-06-67	108.5	543.4	101	01N/16W-03Q035 (CONT.)	737.5	6-15-67 7-20-67 8-16-67 9-15-67	(1) 15.2 27.0 26.9	 722.3 710.5 710.6	 200
01N/15W-23J015	631.8	10-27-66 4-11-67	14.0 13.3	617.8 618.5	200	01N/16W-03R015	732.1	10-19-66 11-23-66 12-21-66 1-25-67 2-16-67 3-16-67 4-13-67 5-17-67 6-15-67 7-20-67 8-16-67 9-14-67	32.5 32.2 31.3 30.8 30.5 33.2 33.0 34.5 34.4 31.4 31.2 31.3	699.6 699.9 700.8 701.3 701.6 698.9 699.1 697.6 697.7 700.7 700.9 700.8	200
01N/15W-23J025	632.0	10-27-66 8-17-67	47.4 (0)	584.6	200	01N/16W-04D015	771.0	10-19-66 11-23-66 12-22-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	8.4 7.8 5.7 6.5 6.5 6.4 6.8 7.1 7.6 8.1 8.4	762.6 763.2 765.3 764.5 764.5 764.6 764.2 763.9 763.4 762.9 762.6	200
01N/15W-23L015	636.0	10-27-66 4-11-67	43.0 42.4	593.0 593.6	200	01N/16W-04E015	778.0	10-19-66 11-23-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	DRY DRY 8.5 8.4 8.4 8.3 8.6 8.8 DRY DRY DRY	 769.5 769.6 769.6 769.7 769.4 769.2	200
01N/16W-02Q015	728.4	10-05-66 11-16-66 12-13-66 1-04-67 2-01-67 3-06-67 4-12-67 5-03-67 6-14-67 7-05-67 8-01-67 9-06-67	30.7 30.0 28.3 27.8 27.5 28.5 30.1 28.3 30.0 29.7 29.5 29.8	697.7 698.4 700.1 700.6 700.9 699.9 698.3 700.1 698.4 698.7 698.9 698.6	101	01N/16W-04E025	776.0	11-23-66 12-22-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	DRY 20.7 20.3 20.0 20.0 19.9 20.8 20.9 20.8	755.3 755.7 756.0 756.0 756.1 755.2 755.1 755.2	200
01N/16W-03B015	739.1	10-05-66 11-16-66 12-13-66 1-04-67 2-01-67 3-06-67 4-12-67 5-03-67 6-14-67 7-05-67 8-01-67 9-06-67	13.3 12.7 12.0 11.9 11.4 11.2 10.9 10.7 11.5 11.9 12.5 13.0	725.8 726.4 727.1 727.2 727.7 727.9 728.2 728.4 727.6 727.2 726.6 726.1	101	01N/16W-04F015	758.0	10-19-66 11-23-66 12-22-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	DRY DRY 9.0 8.4 8.2 8.1 8.0 8.2 8.3 8.9 11.5 DRY	749.0 749.6 749.8 749.9 750.0 749.8 749.7 749.1 746.5	200
01N/16W-03D015	753.0	10-19-66 11-23-66 12-22-66 1-26-67 2-23-67 3-16-67 4-13-67 5-18-67 6-14-67 7-19-67 8-22-67 9-27-67	6.5 6.2 6.1 5.8 5.3 5.2 5.2 5.4 5.8 6.3 6.8 7.0	746.5 746.8 746.9 747.2 747.7 747.8 747.6 747.2 746.7 746.2 746.0	200	01N/16W-04K015	752.0	10-19-66 11-23-66 12-22-66 1-26-67 2-23-67 3-16-67 4-16-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	11.8 11.5 11.3 10.9 10.7 10.1 10.3 10.6 10.4	740.2 740.5 740.7 741.1 741.3 741.9 741.7 741.4 741.6	200
01N/16W-03E015	1096.5	10-19-66 11-23-66 12-22-66 1-26-67 2-23-67 3-16-67 4-13-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	361.8 361.3 360.7 360.5 360.4 360.3 360.2 360.2 360.6 360.8 361.5 361.2	734.7 735.2 735.8 736.0 736.1 736.2 736.3 736.3 735.9 735.7 735.0 735.3	200	01N/16W-04M015	761.5	10-19-66 11-23-66 12-22-66 1-26-67 2-03-67 3-16-67 4-14-67 5-18-67 6-14-67 7-19-67 8-22-67 9-22-67	13.9 13.3 12.6 12.3 12.1 12.0 11.9 12.1 12.2 12.7 13.2 13.2	747.6 748.2 748.9 749.2 749.4 749.5 749.6 749.4 749.3 748.8 748.3 748.3	200
01N/16W-03G025	735.8	10-05-66 11-16-66 12-13-66 1-04-67 2-01-67 3-06-67 4-12-67 5-03-67 6-14-67 7-05-67 8-01-67 9-06-67	DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY		101	01N/16W-04R015	741.0	10-19-66 11-23-66 12-21-66 2-16-67 3-16-67 4-13-67 5-17-67 6-15-67 7-20-67	16.6 16.1 15.1 14.3 15.1 15.5 16.2 16.5 15.4	724.4 724.9 725.9 726.7 725.9 725.5 724.8 724.5 725.6	200
01N/16W-03G035	738.7	10-05-66 11-16-66 12-13-66 1-04-67 2-01-67 3-06-67 4-12-67 5-03-67 6-14-67 7-05-67 8-01-67 9-06-67	13.8 13.4 12.6 12.6 12.0 11.8 11.2 11.3 12.0 12.4 12.9 13.5	724.9 725.3 726.1 726.1 726.7 726.9 727.5 727.4 726.7 726.3 725.8 725.2	101	01N/16W-03Q035	737.5	10-19-66 11-23-66 12-21-66 1-25-67 2-16-67 3-16-67 4-16-67 5-17-67	28.1 27.8 26.5 25.8 25.3 28.5 30.4 (1)	709.4 709.7 711.0 711.7 712.2 709.0 707.1	200

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
01N/16W-04R015	741.0	8-16-67	15.7	725.3	200	01N/16W-09D015	757.0	4-13-67	16.3	740.7	200
(CONT.)		9-19-67	16.0	725.0		(CONT.)		5-18-67	16.1	740.9	
01N/16W-05D015	790.0	10-19-66	DRY		200			6-15-67	16.2	740.8	
		11-23-66	DRY					7-20-67	16.4	740.6	
		12-22-66	8.5	781.5				8-16-67	16.5	740.5	
		1-26-67	8.3	781.7				9-19-67	16.7	740.3	
		2-23-67	8.3	781.7		01N/16W-09G015	752.0	11-16-66	DRY		101
		3-16-67	8.4	781.6				4-10-67	DRY		
		4-14-67	8.4	781.6		01N/16W-11D025	727.0	11-16-66	29.7	697.3	101
		5-18-67	8.5	781.5				4-12-67	28.0	699.0	
		6-15-67	8.7	781.3		01N/16W-11L025	728.0	11-15-66	DRY		101
		7-19-67	8.7	781.3				4-10-67	DRY		
		8-22-67	DRY			01N/16W-15K015	813.0	10-19-66	24.7	788.3	200
		9-27-67	DRY					11-23-66	24.8	788.2	
01N/16W-05E015	784.0	10-19-66	8.6	775.4	200			12-21-66	24.9	788.1	
		11-23-66	7.9	776.1				1-19-67	25.1	787.9	
		12-22-66	7.0	777.0				2-16-67	24.7	788.3	
		1-26-67	6.7	777.3				3-15-67	24.6	788.4	
		2-16-67	6.8	777.2				4-13-67	24.4	788.6	
		3-16-67	6.8	777.2				5-17-67	24.1	788.9	
		4-13-67	6.7	777.3				6-15-67	24.0	789.0	
		5-18-67	7.0	777.0				7-20-67	24.1	788.9	
		6-15-67	7.3	776.7				8-16-67	24.3	788.7	
		7-19-67	7.7	776.3				9-14-67	24.6	788.4	
		8-17-67	8.5	775.5		01N/16W-16G055	788.5	10-19-66	13.4	775.1	200
		9-27-67	8.6	775.4				11-23-66	12.7	775.8	
01N/16W-05F025	777.2	10-19-66	DRY		200			12-22-66	12.3	776.2	
		11-23-66	4.5	772.7				1-26-67	11.8	776.7	
		12-22-66	3.8	773.4				2-16-67	11.6	776.9	
		1-26-67	3.0	774.2				3-16-67	11.5	777.0	
		2-16-67	3.7	773.5				4-13-67	11.5	777.0	
		3-16-67	3.7	773.5				5-18-67	11.9	776.6	
		4-13-67	3.6	773.6				6-14-67	11.8	776.7	
		5-18-67	4.0	773.2				7-19-67	12.3	776.2	
		6-15-67	4.3	772.9				8-17-67	12.8	775.7	
		7-19-67	DRY					9-27-67	13.2	775.3	
		8-17-67	DRY			01N/16W-18F015	867.0	10-19-66	15.2	851.8	200
		9-27-67	DRY					11-23-66	15.0	852.0	
01N/16W-05K015	772.0	10-19-66	17.9	754.1	200			12-21-66	14.8	852.2	
		11-23-66	17.5	754.5				1-25-67	14.6	852.4	
		12-22-66	16.8	755.2				2-16-67	14.6	852.4	
		1-26-67	16.5	755.5				3-16-67	14.6	852.4	
		2-16-67	16.2	755.8				4-13-67	14.5	852.5	
		3-16-67	16.1	755.9				5-17-67	14.6	852.4	
		4-13-67	16.0	756.0				6-15-67	14.5	852.5	
		5-18-67	16.1	755.9				7-19-67	14.4	852.6	
		6-14-67	16.3	755.7				8-16-67	14.5	852.5	
01N/16W-05M015	780.0	10-19-66	15.2	764.8	200			9-19-67	14.5	852.5	
		11-23-66	14.6	765.4		01N/17W-01K015	800.0	10-05-66	12.4	787.6	101
		12-22-66	14.0	766.0				11-16-66	11.8	788.2	
		1-26-67	13.7	766.3				12-14-66	11.3	788.7	
		2-16-67	13.6	766.4				1-04-67	11.8	788.2	
		3-16-67	13.5	766.5				2-01-67	11.3	788.7	
		4-13-67	13.5	766.5				3-06-67	11.5	788.5	
		5-18-67	13.7	766.3				4-14-67	11.3	788.7	
		6-14-67	13.9	766.1				5-03-67	11.5	788.5	
		7-19-67	14.3	765.7				6-14-67	11.7	788.3	
		8-17-67	14.8	765.2				7-05-67	11.8	788.2	
		9-27-67	15.1	764.9				8-01-67	12.1	787.9	
01N/16W-05Q025	768.0	10-28-66	17.5	750.5	200			9-06-67	12.3	787.7	
		4-13-67	16.7	751.3		01N/17W-03N035	898.0	11-16-66	53.7	844.3	101
01N/16W-06G025	788.7	10-05-66	18.3	770.4	101			4-12-67	42.9	855.1	
		11-21-66	17.5	771.2		01N/17W-03P015	870.0	11-16-66	27.2	842.8	101
		12-14-66	16.8	771.9				4-14-67	25.8	844.2	
		1-04-67	16.4	772.3		01N/17W-11F065	842.0	11-16-66	26.0	816.0	101
		2-01-67	16.3	772.4				4-14-67	25.2	816.8	
		3-06-67	15.9	772.8		01N/17W-11G045	833.0	11-16-66	28.0	805.0	101
		4-14-67	16.6	772.1				4-14-67	24.0	809.0	
		5-03-67	16.1	772.6		01N/17W-12N015	844.6	4-01-67	(7)		200
		6-14-67	16.6	772.1				6-01-67	(7)		
		7-05-67	16.6	772.1		01N/17W-13L015	871.8	12-13-66	8.1	863.7	101
		8-01-67	16.4	772.3				4-14-67	7.5	864.3	
		9-06-67	16.6	772.1		01S/13W-04E015	394.8	10-26-66	42.2	352.6	200
01N/16W-06K045	784.8	10-05-66	DRY		101			11-23-66	42.2	352.6	
		11-16-66	14.6	770.2				12-21-66	41.8	353.0	
		12-14-66	14.6	770.2				1-26-67	41.4	353.4	
		1-04-67	DRY					2-17-67	41.1	353.7	
		2-01-67	DRY					3-21-67	41.6	353.2	
		3-06-67	DRY					4-26-67	40.2	354.6	
		4-12-67	14.6	770.2				5-24-67	40.0	354.8	
		5-03-67	(6)					6-20-67	39.9	354.9	
01N/16W-06K055	786.8	11-16-66	DRY		101			7-26-67	40.3	354.5	
		4-10-67	DRY					8-30-67	40.7	354.1	
01N/16W-09D015	757.0	10-19-66	17.2	739.8	200			9-27-67	41.0	353.8	
		11-23-66	15.7	741.3							
		12-21-66	16.6	740.4							
		2-16-67	16.3	740.7							
		3-16-67	16.3	740.7							

See page 117 for key to terms & abbreviations

TABLE C-I
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT						SAN FERNANDO HYDRO SUBUNIT					
SAN FERNANDO HYDRO SUBAREA						SAN FERNANDO HYDRO SUBAREA					
U-05.80						U-05.80					
U-05.81						U-05.81					
01S/13W-04J01S	373.7	10-25-66	109.1	264.6	200	01S/13W-09801S (CONT.)	346.4	5-24-67	53.2	293.2	200
		11-23-66	108.8	264.9				7-26-67	51.8	294.6	
		12-20-66	109.4	264.3				8-30-67	50.6	295.8	
		1-26-67	110.8	262.9				9-28-67	48.5	297.9	
		2-17-67	109.4	264.3		01S/13W-09802S	346.0	10-25-66	64.1	281.9	200
		3-21-67	107.6	266.1				11-23-66	61.6	284.4	
		4-25-67	105.4	268.3				12-20-66	61.7	284.3	
		5-24-67	103.3	270.4				1-25-67	(8)		
		6-20-67	101.4	272.3				2-17-67	60.1	285.9	
		7-26-67	99.8	273.9				7-26-67	(1)		
		8-30-67	98.4	275.3				8-30-67	(1)		
		9-27-67	96.6	277.1				9-28-67	(1)		
01S/13W-04K01S	381.1	10-25-66	(1)		200	01S/13W-10N01S	335.0	10-24-66	30.4	304.6	200
		11-23-66	(1)					11-23-66	28.6	306.4	
		12-21-66	(1)					12-20-66	28.6	306.4	
		2-17-67	(1)					1-25-67	27.2	307.8	
		3-21-67	(1)					2-17-67	26.6	308.4	
		4-26-67	(1)					3-21-67	26.4	308.6	
		5-24-67	(1)					4-27-67	25.7	309.3	
		6-20-67	(1)					6-27-67	25.9	309.1	
		7-26-67	(1)					7-26-67	25.7	309.3	
		8-30-67	(1)					8-30-67	25.7	309.3	
		9-28-67	(1)					9-28-67	25.1	309.9	
01S/13W-04L03S	381.2	10-25-66	(1)		200	02N/14W-18N01S	940.0	11-02-66	DRY		101
		11-23-66	(1)					12-13-66	165.5	774.5	
		12-21-66	(1)					12-19-66	158.9	781.1	
		1-25-67	(9)					12-27-66	156.8	783.2	
		2-17-67	(9)					1-03-67	150.5	789.5	
		3-21-67	(9)					1-10-67	143.7	796.3	
		4-26-67	(9)					1-17-67	136.5	803.5	
		5-24-67	(9)					1-25-67	148.0	792.0	
		6-20-67	(9)					2-01-67	150.3	789.7	
		7-26-67	(9)					2-08-67	136.0	804.0	
		8-30-67	(9)					2-15-67	135.6	804.4	
		9-28-67	(9)					2-21-67	144.0	796.0	
01S/13W-04L04S	367.0	10-25-66	(1)		200			3-01-67	154.3	785.7	
		11-23-66	(1)					3-08-67	161.2	778.8	
		12-21-66	(1)					3-21-67	142.2	797.8	
		1-25-67	(1)					3-28-67	109.7	830.3	
		2-17-67	(1)					4-04-67	113.7	826.3	
		3-21-67	(1)					4-12-67	131.7	808.3	
		4-21-67	(1)					4-19-67	120.7	819.3	
		5-24-67	(1)					4-28-67	95.5	844.5	
		6-20-67	(1)					5-02-67	88.4	851.6	
		7-26-67	98.2	268.8				5-08-67	81.6	858.4	
		8-30-67	96.0	271.0				5-16-67	76.9	863.1	
		9-28-67	92.9	274.1				6-04-67	118.5	821.5	
01S/13W-04P01S	367.4	10-25-66	(2)		200			6-12-67	133.0	807.0	
		11-23-66	(2)					6-19-67	141.5	798.5	
		12-20-66	108.1	259.3				6-23-67	113.7	826.3	
		1-25-67	(2)					6-28-67	105.9	834.1	
		2-17-67	(2)					7-03-67	112.0	828.0	
		3-21-67	(2)					7-10-67	125.9	814.1	
		4-26-67	(2)					7-17-67	138.3	801.7	
		5-24-67	(2)					7-26-67	149.0	791.0	
		6-20-67	(2)					8-01-67	154.6	785.4	
		7-26-67	91.4	276.0				8-09-67	160.6	779.4	
		8-30-67	88.7	278.7				8-16-67	165.3	774.7	
		9-28-67	86.3	281.1				9-20-67	160.2	779.8	
01S/13W-04P02S	367.7	10-11-66	107.0	260.7	200	02N/14W-18N06S	940.0	11-02-66	DRY		101
		11-15-66	105.2	262.5				12-13-66	12.6	927.4	
		12-20-66	109.2	258.5				12-19-66	9.8	930.2	
		1-17-67	110.8	256.9				12-27-66	50.6	889.4	
		2-14-67	100.0	267.7				1-03-67	46.7	893.3	
		3-14-67	105.9	261.8				1-10-67	28.2	911.8	
		4-18-67	103.2	264.5				1-17-67	55.5	884.5	
		5-16-67	100.6	267.1				1-25-67	83.0	857.0	
		6-20-67	97.1	270.6				2-01-67	42.0	898.0	
		7-18-67	94.5	273.2				2-08-67	31.1	908.9	
		8-15-67	92.9	274.8				2-15-67	61.6	878.4	
		9-19-67	90.2	277.5				2-21-67	79.2	860.8	
01S/13W-04P03S	366.8	10-25-66	106.8	260.0	200			3-01-67	87.6	852.4	
		11-23-66	105.3	261.5				3-08-67	92.1	847.9	
		12-20-66	109.2	257.6				3-21-67	4.4	935.6	
		1-25-67	108.6	258.2				3-28-67	3.3	936.7	
		2-17-67	106.4	260.4				4-04-67	54.8	885.2	
		3-21-67	104.8	262.0				4-12-67	86.0	854.0	
		4-26-67	101.9	264.9				4-19-67	6.8	933.2	
		5-24-67	99.4	267.4				4-28-67	3.6	936.4	
		6-20-67	96.5	270.3				5-02-67	3.1	936.9	
		7-26-67	93.8	273.0				5-08-67	3.1	936.9	
		8-30-67	91.4	275.4				5-16-67	4.3	935.7	
		9-28-67	88.7	278.1				6-04-67	90.5	849.5	
01S/13W-09801S	346.4	10-25-66	63.9	282.5	200			6-12-67	94.8	845.2	
		11-23-66	62.2	284.2				6-19-67	96.7	843.3	
		12-20-66	60.9	285.5				6-23-67	4.5	935.5	
		1-25-67	60.4	286.0				6-28-67	20.4	919.6	
		2-17-67	60.3	286.1				7-03-67	61.4	878.6	
		3-21-67	58.5	287.9				7-17-67	94.3	845.7	
		4-26-67	55.6	290.8		02N/14W-19M02S	906.0	8-01-67	105.6	834.4	
								10-28-66	247.3	658.7	200
								11-17-66	252.3	653.7	
								12-15-66	251.8	654.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
02N/14W-19M02S (CONT.)	906.0	1-19-67	231.6	674.4	200	02N/15W-09G02S (CONT.)	1001.0	5-01-67	299.5(3)	701.5	101
		2-06-67	217.4	688.6	101			6-05-67	305.0(3)	696.0	
		2-17-67	212.2	693.8	200			7-03-67	300.5(3)	700.5	
		3-17-67	218.5	687.5				8-01-67	300.4(3)	700.6	
		3-21-67	218.4	687.6	101			9-05-67	300.5(3)	700.5	
		3-28-67	214.4	691.6		02N/15W-15C01S	965.1	11-02-66	(7)		101
		4-14-67	205.2	700.8	200			12-12-66	(7)		
		4-17-67	205.4	700.6	101			1-03-67	(7)		
		5-02-67	198.4(5)	707.6		02N/15W-15L02S	937.1	11-02-66	359.7	577.4	101
		5-11-67	178.7	727.3	200			12-13-66	364.2	572.9	
		5-16-67	218.4(5)	687.6	101			12-20-66	349.9	587.2	
		6-05-67	183.4(5)	722.6				1-03-67	262.0	675.1	
		6-16-67	188.4	717.6	200			2-01-67	184.7	752.4	
		7-26-67	189.3	716.7				2-15-67	172.5	764.6	
		8-25-67	209.2	696.8				3-01-67	164.1	773.0	
		9-15-67	213.5	692.5				3-21-67	158.8	778.3	
02N/14W-19001S	782.4	10-01-66	113.4	669.0	101			3-28-67	157.7	779.4	
		11-03-66	118.4	664.0				4-10-67	154.9	782.2	
		12-12-66	120.4	662.0				5-01-67	151.7	785.4	
		1-16-67	117.4(5)	665.0				5-16-67	148.8	788.3	
		1-25-67	116.4(5)	666.0				6-05-67	144.8	792.3	
		1-30-67	114.4(5)	668.0				7-03-67	142.7	794.4	
		2-06-67	113.4(5)	669.0				7-10-67	142.0	795.1	
		2-13-67	109.4(5)	673.0				7-17-67	141.7	795.4	
		2-27-67	107.4(5)	675.0				8-01-67	140.9	796.2	
		3-06-67	107.4(5)	675.0		02N/15W-16J01S	920.5	10-10-66	222.7	697.8	101
		3-13-67	106.4(5)	676.0				11-02-66	225.4	695.1	
		3-20-67	107.4(5)	675.0				12-13-66	228.8	691.7	
		3-27-67	104.4(5)	678.0				12-20-66	162.6	757.9	
		4-03-67	104.4(5)	678.0				1-03-67	147.8	772.7	
		4-10-67	102.4(5)	680.0				2-01-67	147.5	773.0	
		4-17-67	100.4(5)	682.0				2-15-67	127.7	792.8	
		4-22-67	99.4(5)	683.0				3-01-67	177.0	743.5	
		5-29-67	88.4(5)	694.0				3-21-67	172.2	748.3	
		7-10-67	83.4(5)	699.0				3-28-67	137.5	783.0	
02N/14W-22P01S	1062.2	10-21-66	68.5	993.7	200			4-10-67	149.4	771.1	
		11-15-66	69.3	992.9				5-01-67	156.1	764.4	
		12-13-66	70.3	991.9				5-16-67	125.9	794.6	
		1-17-67	71.0	991.2				6-05-67	166.1	754.4	
		2-14-67	71.2	991.0				7-03-67	171.1	749.4	
		3-14-67	70.9	991.3				7-10-67	171.9	748.6	
		4-17-67	68.9	993.3				7-17-67	155.0	765.5	
		5-12-67	65.8	996.4				8-01-67	165.2	755.3	
		6-20-67	60.3	1001.9	101			9-05-67	170.2	750.3	
		7-18-67	58.8	1003.4	200	02N/15W-16J02S	913.4	12-20-66	56.1	857.3	101
		8-17-67	58.8	1003.4				12-27-66	57.6	855.8	
		9-14-67	50.0	1012.2				1-03-67	57.9	855.5	
02N/14W-30A01S	890.0	10-09-66	258.6	631.4	101			2-01-67	57.5	855.9	
		11-06-66	255.7	634.3				2-15-67	58.5	854.9	
		12-11-66	256.9	633.1				3-21-67	57.9	855.5	
		1-01-67	249.3	640.7				3-28-67	58.1	855.3	
		1-15-67	244.7	645.3				4-10-67	59.2	854.2	
		1-29-67	245.0	645.0				5-01-67	59.5	855.9	
		2-12-67	257.6	632.4				5-16-67	58.2	855.2	
		3-05-67	247.1	642.9				7-10-67	59.5	853.9	
		3-19-67	246.1	643.9				7-17-67	58.2	855.2	
		4-09-67	239.8	650.2		02N/15W-16J03S	914.5	12-20-66	15.5	899.0	101
		4-30-67	228.6	661.4				12-27-66	28.4	886.1	
		5-14-67	226.5	663.5				1-03-67	DRY		
		6-04-67	221.3	668.7				2-01-67	18.3	896.2	
		6-11-67	219.5	670.5				2-15-67	27.0	887.5	
		6-18-67	223.1	666.9				3-21-67	15.7	898.8	
		7-02-67	214.9	675.1				3-28-67	22.7	891.8	
		7-16-67	215.8	674.2				4-10-67	DRY		
		7-30-67	210.5	679.5				5-01-67	14.4	900.1	
		9-03-67	209.8	680.2				5-16-67	31.1	883.4	
02N/14W-30A03S	871.5	10-09-66	240.4	631.1	101			7-10-67	24.6	889.9	
		11-06-66	242.0	629.5				7-17-67	23.6	890.9	
		12-11-66	239.6	631.9		02N/15W-16R01S	902.0	10-10-66	249.8	652.2	101
		12-18-66	236.8	634.7				11-02-66	250.2	651.8	
		1-01-67	237.7	633.8				12-13-66	253.2	648.8	
		1-15-67	238.0	633.5				12-20-66	159.5	742.5	
		1-29-67	239.1	632.4				12-27-66	136.9	765.1	
		2-12-67	238.9	632.6				1-03-67	142.2	759.8	
		3-05-67	231.8	639.7				2-01-67	144.2	757.8	
		3-19-67	239.0	632.5				2-15-67	137.9	764.1	
		4-09-67	237.1	634.4				3-01-67	148.4	753.6	
		4-30-67	223.7	647.8				3-21-67	152.3	749.7	
		5-14-67	223.9	647.6				3-28-67	144.2	757.8	
		5-29-67	216.4	655.1				4-10-67	147.5	754.5	
		6-04-67	219.2	652.3				5-01-67	126.4	775.6	
		6-11-67	215.6	655.9				5-16-67	119.0	783.0	
		6-18-67	213.4	658.1				6-05-67	142.2	759.8	
		7-02-67	210.6	660.9				7-03-67	149.8	752.2	
		7-16-67	208.6	662.9				7-10-67	152.1	749.9	
		7-30-67	207.1	664.4				7-17-67	149.2	752.8	
		9-03-67	206.2	665.3				8-01-67	151.7	750.3	
02N/15W-09G02S	1001.0	10-10-66	(9)		101			9-05-67	152.9	749.1	
		12-12-66	289.2(3)	711.8		02N/15W-16R02S	902.0	12-20-66	107.0	795.0	101
		1-03-67	297.7(3)	703.3				12-27-66	107.3	794.7	
		2-07-67	298.1(3)	702.9				1-03-67	118.4	783.6	
		3-01-67	298.0(5)	703.0							
		4-10-67	298.7	702.3							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT						SAN FERNANDO HYDRO SUBUNIT					
SAN FERNANDO HYDRO SUBAREA						SAN FERNANDO HYDRO SUBAREA					
U-05.80						U-05.80					
U-05.81						U-05.81					
02N/15W-16R02S (CONT.)	902.0	2-01-67	115.5	786.5	101	02N/15W-24H01S (CONT.)	918.9	8-25-67	199.7	719.2	200
		2-15-67	112.4	789.6				9-15-67	202.8	716.1	200
		3-21-67	(7)								
		3-28-67	(7)			02N/15W-24J01S	901.0	11-02-66	DRY		101
		4-10-67	125.9	776.1				12-27-66	DRY		
		5-01-67	97.2	804.8				1-10-67	350.7	550.3	
		5-16-67	90.1	811.9				1-17-67	338.4	562.6	
		6-05-67	122.7	779.3				2-06-67	330.7	570.3	
		7-03-67	DRY					3-21-67	332.6	568.4	
		7-10-67	126.2	775.8				4-17-67	310.7	590.3	
		7-10-67	DRY		412			5-02-67	306.3	594.7	
		7-17-67	DRY					5-16-67	277.3	623.7	
		9-05-67	125.7	776.3	101			6-05-67	271.1	629.9	
		9-05-67	DRY		412			6-12-67	278.0	623.0	
02N/15W-16R03S	903.0	12-20-66	DRY		101			6-19-67	285.3	615.7	
		12-27-66	DRY					7-03-67	296.2	604.8	
		1-03-67	DRY					7-17-67	296.0	605.0	
		2-01-67	15.4	887.6				8-03-67	302.2	598.8	
		2-15-67	DRY			02N/15W-25G01S	858.7	10-28-66	324.7	534.0	200
		3-21-67	DRY					11-17-66	329.2	529.5	
		3-28-67	DRY					12-15-66	325.0	533.7	
		4-10-67	DRY					1-19-67	324.9	533.8	
		5-01-67	22.8	880.2				2-17-67	323.1	535.6	
		5-16-67	DRY					3-17-67	319.7	539.0	
		6-05-67	DRY					4-14-67	319.4	539.3	
		7-03-67	DRY					5-11-67	315.4	543.3	
		7-10-67	DRY					6-16-67	306.4	552.3	
		7-17-67	DRY					7-26-67	301.1	557.6	
02N/15W-19K01S	890.5	10-28-66	351.8	538.7	200			8-25-67	301.1	557.6	
		11-17-66	354.4	536.1				9-05-67	302.4	556.3	
		12-15-66	354.0	536.5		02N/15W-25L01S	832.0	10-28-66	304.1	527.9	200
		1-19-67	348.9	541.6				11-15-66	304.4	527.6	
		3-17-67	336.9	553.6				12-15-66	304.7	527.3	
		4-14-67	332.8	557.7				1-19-67	305.2	526.8	
		5-11-67	334.9	555.6				2-09-67	204.8	627.2	
		6-16-67	303.8	586.7				3-17-67	303.7	528.3	
		7-26-67	310.0	580.5				4-14-67	302.5	529.5	
		8-25-67	315.7	574.8				5-11-67	299.6	532.4	
		9-15-67	326.7	563.8				6-16-67	293.2	538.8	
02N/15W-21D01S	878.9	10-10-66	313.5	565.4	101			7-21-67	286.4	545.6	
		11-02-66	312.7	566.2				8-25-67	285.7	546.3	
		12-12-66	314.2	564.7				9-15-67	286.6	545.4	
		1-03-67	314.7	564.2		02N/15W-25P01S	817.0	10-18-66	293.1	523.9	200
		2-06-67	315.1	563.8				11-15-66	293.2	523.8	
		3-01-67	314.5	564.4				12-13-66	293.0	524.0	
		4-10-67	319.2	559.7				1-17-67	293.3	523.7	
		5-01-67	(7)					2-21-67	293.8	523.2	
		7-03-67	(7)					3-14-67	293.5	523.5	
		8-01-67	(7)					4-18-67	291.9	525.1	
		9-01-67	(7)					5-16-67	289.0	528.0	
02N/15W-22A01S	908.5	10-10-66	360.2	548.3	101			6-13-67	285.6	531.4	
		11-02-66	360.7	547.8				7-18-67	279.7	537.3	
		12-12-66	356.8	551.7				8-15-67	278.0	539.0	
		1-03-67	357.2	551.3				9-19-67	278.6	538.4	
		2-06-67	358.9	549.6		02N/15W-26H01S	831.9	11-02-66	DRY		101
		3-06-67	358.3	550.2				1-03-67	DRY		
		4-10-67	358.9	549.6				4-10-67	DRY		
		5-01-67	358.4	550.1				5-01-67	289.3	542.6	
		6-07-67	354.6	553.9				6-05-67	280.1	551.8	
		7-03-67	345.9(3)	562.6				6-12-67	275.1	556.8	
		8-01-67	345.9(3)	562.6				7-03-67	267.2	564.7	
		9-05-67	347.9	560.6				7-17-67	267.0	564.9	
02N/15W-22C01S	902.0	2-14-67	(0)		200	02N/15W-26P02S	794.5	10-10-66	257.9	536.6	101
		8-17-67	(0)					11-02-66	259.0	535.5	
02N/15W-24H01S	918.9	10-28-66	237.7	681.2	200			12-12-66	255.4	539.1	
		11-17-66	245.4	673.5				1-03-67	258.8	535.7	
		12-15-66	242.6	676.3				2-01-67	259.3	535.2	
		12-27-66	236.7	682.2	101			3-06-67	255.6(3)	538.9	
		1-10-67	229.6	689.3				4-04-67	263.2	531.3	
		1-17-67	196.6	722.3				5-01-67	261.6	532.9	
		1-19-67	204.5	714.4	200			6-05-67	259.2	535.3	
		2-07-67	200.7	718.2	101			7-03-67	256.2	538.3	
		2-15-67	196.2	722.7				8-01-67	252.8	541.7	
		2-17-67	185.5	733.4	200			9-05-67	250.6	543.9	
		3-17-67	201.8	717.1		02N/15W-27J01S	818.2	10-26-66	275.8	542.4	200
		3-21-67	202.7	716.2	101			11-16-66	276.6	541.6	
		3-28-67	201.1	717.8				12-15-66	276.9	541.3	
		4-14-67	182.0	736.9	200			1-18-67	277.8	540.4	
		4-17-67	185.1	733.8	101			2-14-67	277.7	540.5	
		5-02-67	165.3	753.6				3-14-67	278.3	539.9	
		5-11-67	156.3	762.6	200			4-21-67	276.8	541.4	
		5-16-67	152.9	766.0	101			5-11-67	273.6	544.6	
		5-29-67	160.1	758.8				6-16-67	270.2	548.0	
		6-05-67	172.5	746.4				7-20-67	267.7	550.5	
		6-12-67	174.9	744.0				8-18-67	266.6	551.6	
		6-16-67	178.4	740.5	200			9-14-67	268.8	549.4	
		6-19-67	181.7	737.2	101	02N/15W-28C01S	837.2	10-10-66	245.6	591.6	101
		7-03-67	173.1	745.8				11-02-66	246.1	591.1	
		7-06-67	172.7	746.2				12-12-66	246.2	591.0	
		7-17-67	179.2	739.7				1-03-67	246.4	590.8	
		7-26-67	184.8	734.1	200			2-01-67	246.4	590.8	
		8-01-67	187.9	731.0	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00							
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80				
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81				
02N/15W-28C01S (CONT.)	837.2	3-06-67	245.8	591.4	101	02N/16W-27F02S	801.9	10-19-66	17.9	784.0	200		
		4-04-67	DRY					11-23-66	18.5	783.4			
		5-01-67	246.0	591.2				12-21-66	16.2	785.7			
		6-05-67	243.3	593.9				1-25-67	15.8	786.1			
		7-03-67	241.6	595.6				2-21-67	15.8	786.1			
		8-01-67	242.7	594.5				3-16-67	17.8	784.1			
		9-05-67	243.1 (3)	594.1				4-13-67	19.9	782.0			
02N/15W-28P01S	805.0	10-10-66	215.6	589.4	101			5-17-67	(1)				
		11-02-66	215.9	589.1				6-15-67	(1)				
		12-12-66	216.2	588.8				7-20-67	(1)				
		1-03-67	216.5	588.5				8-16-67	(1)				
		2-01-67	215.7	589.3				9-14-67	(1)				
		3-01-67	216.5	588.5		02N/16W-27F03S	1300.0	10-05-66	520.5	779.5	101		
		4-04-67	218.1	586.9				11-16-66	520.1	779.9			
		5-01-67	218.1	586.9				12-13-66	519.2	780.8			
		6-05-67	218.0	587.0				1-04-67	519.3	780.7			
		7-03-67	218.7	586.3				2-01-67	518.9	781.1			
		8-01-67	219.2	585.8				3-06-67	519.3	780.7			
		9-05-67	219.6	585.4				4-12-67	519.4	780.6			
02N/15W-35L01S	754.0	10-10-66	231.5	522.5	101			5-03-67	519.1	780.9			
		11-02-66	230.7	523.3				6-14-67	520.1	779.9			
		12-12-66	228.2	525.8				7-05-67	520.4	779.6			
		1-03-67	230.5	523.5				8-01-67	520.7	779.3			
								9-06-67	521.0	779.0			
02N/16W-02G01S	1242.1	11-16-66	(3)		101	02N/16W-27F04S	792.0	10-05-66	13.1	778.9	101		
02N/16W-07Q01S	1017.0	11-16-66	46.8	970.2	101			11-16-66	12.8	779.2			
		4-12-67	43.1	973.9				12-13-66	11.6	780.4			
02N/16W-20R01S	867.0	10-05-66	65.3	801.7	101			1-04-67	11.8	780.2			
		11-16-66	65.3	801.7				2-01-67	11.3	780.7			
		12-13-66	65.3	801.7				3-06-67	11.9	780.1			
		1-04-67	65.2	801.8				4-12-67	11.9	780.1			
		2-01-67	65.0	802.0				6-14-67	12.5	779.5			
		3-06-67	65.2	801.8				7-05-67	12.9	779.1			
		4-12-67	65.4	801.6				8-01-67	13.2	778.8			
		5-03-67	65.2	801.8				9-06-67	13.7	778.3			
		6-14-67	65.4	801.6		02N/16W-27G01S	814.0	3-06-67	DRY		101		
		7-05-67	65.5	801.5				02N/16W-27H01S	804.1	4-12-67	19.7	784.4	101
		8-01-67	65.5	801.5				02N/16W-27K01S	790.9	11-16-66	13.3	777.6	101
		9-06-67	65.8	801.2					4-12-67	13.3	777.6		
02N/16W-21L01S	872.1	4-13-67	69.9	802.2	200	02N/16W-27L01S	783.3	10-19-66	7.1	776.2	200		
02N/16W-21P02S	773.7	10-19-66	FLOW		200			11-23-66	6.5	776.8			
		11-23-66	FLOW					12-23-66	6.0	777.3			
		12-21-66	FLOW					1-26-67	5.7	777.6			
		1-25-67	FLOW					2-23-67	6.1	777.2			
		2-21-67	FLOW					3-16-67	6.1	777.2			
		3-16-67	FLOW					4-13-67	6.2	777.1			
		4-13-67	FLOW					5-18-67	6.4	776.9			
		5-17-67	(1)					6-15-67	6.7	776.6			
		6-15-67	(1)					7-19-67	7.0	776.3			
		7-15-67	(1)					8-22-67	7.4	775.9			
		8-16-67	(1)					9-27-67	7.6	775.7			
		9-15-67	(1)			02N/16W-27P03S	773.3	10-05-66	10.8	762.5	101		
02N/16W-22K01S	850.4	10-19-66	47.1	803.3	200			11-16-66	10.4	762.9			
		11-23-66	47.2	803.2				12-13-66	10.1	763.2			
		12-22-66	47.0	803.4				1-04-67	10.2	763.1			
		1-25-67	46.8	803.6				2-01-67	10.0	763.3			
		2-16-67	46.8	803.6				3-06-67	10.2	763.1			
		3-16-67	46.8	803.6				4-12-67	10.1	763.2			
		4-13-67	46.9	803.5				5-03-67	10.2	763.1			
		5-17-67	46.9	803.5				6-14-67	10.3	763.0			
		6-15-67	47.0	803.4				7-05-67	10.6	762.7			
		7-20-67	47.3	803.1				8-01-67	10.9	762.4			
		8-16-67	47.6	802.8				9-06-67	11.3	762.0			
		9-14-67	56.7	793.7		02N/16W-27P04S	769.9	10-05-66	10.4	759.5	101		
02N/16W-25P01S	782.7	10-19-66	68.8	713.9	200			11-16-66	9.8	760.1			
		11-23-66	69.0	713.7				12-13-66	9.4	760.5			
		12-21-66	68.9	713.8				1-04-67	9.5	760.4			
		1-19-67	69.1	713.6				2-01-67	9.3	760.6			
		2-21-67	69.2	713.5				3-06-67	9.9 (2)	760.0			
		3-15-67	69.3	713.4				4-12-67	9.8 (2)	760.1			
		4-13-67	69.4	713.3				5-03-67	9.4 (2)	760.5			
		5-17-67	69.3	713.4				6-14-67	10.0 (2)	759.9			
		6-15-67	69.3	713.4				7-05-67	10.2 (2)	759.7			
		7-20-67	69.4	713.3				8-01-67	10.4	759.5			
		8-16-67	69.7	713.0				9-06-67	10.7 (2)	759.2			
		9-14-67	69.7	713.0		02N/16W-27P05S	771.5	10-05-66	10.9	760.6	101		
02N/16W-27F01S	793.4	10-05-66	13.3	780.1	101			11-16-66	10.5	761.0			
		11-16-66	13.0	780.4				12-13-66	10.2	761.3			
		12-13-66	11.9	781.5				1-04-67	10.2	761.3			
		1-04-67	11.9	781.5				2-01-67	10.2	761.3			
		2-01-67	10.8	782.6				3-06-67	10.3	761.2			
		3-06-67	12.2	781.2				4-12-67	10.3	761.2			
		4-12-67	12.5	780.9				6-14-67	10.5	761.0			
		5-03-67	11.8	781.6				7-05-67	10.7	760.8			
		6-14-67	13.0	780.4				8-01-67	10.9	760.6			
		7-05-67	13.4	780.0				9-06-67	11.2	760.3			
		8-01-67	13.6	779.8		02N/16W-28B02S	830.3	10-28-66	29.9	800.4	200		
		9-06-67	13.9	779.5				4-13-67	30.4	799.9			

See page I17 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
02N/16W-28J025	796.0	10-19-66 11-23-66 12-23-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	12.6 12.3 11.4 11.1 10.8 11.0 10.9 10.9 11.4 11.9 12.6 13.2	783.4 783.7 784.6 784.9 785.2 785.0 785.1 785.1 784.6 784.1 783.4 782.8	200	02N/16W-33G065	776.9	6-15-67 (CONT.) 7-19-67 8-22-67 9-27-67	DRY DRY DRY DRY		200
02N/16W-29M015	846.0	10-19-66 11-23-66 12-22-66 1-25-67 2-16-67 3-16-67 4-13-67 5-17-67 6-15-67 7-20-67 8-16-67 9-14-67	47.6 47.6 46.8 46.9 46.9 47.4 46.6 46.9 47.3 47.1 47.8 48.0	798.4 798.4 799.2 799.1 799.1 798.6 799.4 799.1 798.7 798.9 798.2 798.0	200	02N/16W-33G075	785.0	10-19-66 11-23-66 12-23-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	13.0 13.4 13.1 12.7 12.6 12.2 12.0 11.9 12.1 12.8 13.6 14.4	772.0 771.6 771.9 772.3 772.4 772.8 773.0 773.1 772.9 772.2 771.4 770.6	200
02N/16W-30M025	859.0	10-19-66 11-23-66 12-22-66 1-25-67 2-16-67 3-16-67 5-17-67 6-15-67 7-20-67 8-16-67 9-14-67	55.9 56.1 55.1 55.4 55.3 55.5 55.6 55.9 56.1 56.3 56.4	803.1 802.9 803.9 803.6 803.7 803.5 803.4 803.1 802.9 802.7 802.6	200	02N/16W-33H015	772.5	10-19-66 11-23-66 12-23-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	DRY 9.3 8.2 8.0 8.0 8.0 7.9 8.2 8.2 9.0 DRY DRY	763.2 764.3 764.5 764.5 764.5 764.6 764.3 764.3 763.5	200
02N/16W-32F015	805.0	10-19-66 11-23-66 12-23-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	18.2 18.4 18.3 17.7 17.4 17.4 17.3 17.3 17.4 17.9 18.5 DRY	786.8 786.6 786.7 787.3 787.6 787.6 787.7 787.6 787.6 787.1 786.5	200	02N/16W-33Q015	770.0	10-19-66 11-23-66 12-22-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	9.9 10.0 9.9 9.8 9.6 9.4 9.3 9.4 8.8 9.0 9.4 10.2	760.1 760.0 760.1 760.2 760.4 760.6 760.7 760.6 761.2 761.0 760.6 759.8	200
02N/16W-32H015	800.0	10-19-66 11-23-66 12-23-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	17.9 17.8 17.5 17.1 16.8 16.6 16.5 16.4 16.5 17.2 17.9 18.2	782.1 782.2 782.5 782.9 783.2 783.4 783.5 783.6 783.5 782.8 782.1 781.8	200	02N/16W-34D015	772.2	10-19-66 11-23-66 12-23-66 1-26-67 2-23-67 3-16-67 4-13-67 5-18-67 6-14-67 7-19-67 8-22-67 9-27-67	7.6 7.3 7.1 5.6 5.8 5.8 6.0 6.4 6.8 7.1 7.7 7.8	764.6 764.9 765.1 766.6 766.4 766.4 766.2 765.8 765.4 765.1 764.5 764.4	200
02N/16W-32M015	799.0	10-19-66 11-23-66 12-22-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	13.0 12.9 12.6 12.2 12.0 11.6 11.6 11.5 11.8 12.3 13.0 13.3	786.0 786.1 786.4 786.8 787.0 787.4 787.4 787.5 787.2 786.7 786.0 785.7	200	02N/16W-34E015	1237.0	10-19-66 11-23-66 12-23-66 1-26-67 2-23-67 3-16-67 4-13-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	DRY 469.0 468.7 468.6 468.6 468.6 468.6 468.6 468.6 468.1 468.0 468.4 468.5	768.0 768.3 768.4 768.4 768.4 768.4 768.4 768.4 768.9 769.0 768.6 768.5	200
02N/16W-32P015	794.0	10-19-66 11-23-66 12-26-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	13.5 13.3 12.5 12.3 12.0 12.0 11.9 12.0 12.2 12.6 13.1 13.8	780.5 780.7 781.5 781.7 782.0 782.0 782.1 782.0 781.8 781.4 780.9 780.2	200	02N/16W-34G015	758.0	6-13-67	(7)		200
02N/16W-33G065	776.9	11-23-66 12-23-66 1-26-67 2-23-67 3-16-67 4-14-67 5-18-67	DRY DRY DRY DRY DRY DRY		200	02N/16W-34G025	763.0	10-19-66 11-23-66 12-21-66 1-25-67 7-20-67 8-16-67 9-14-67	FLOW FLOW FLOW FLOW (1) (1) (1)		200
						02N/16W-34K025	750.3	10-19-66 11-23-66 12-21-66 1-25-67 2-16-67 3-16-67 4-13-67 5-17-67 6-15-67 7-20-67 8-16-67 9-14-67	6.3 6.4 4.8 4.4 4.3 8.2 10.5 16.0 15.6 17.1 18.0 (1)	744.0 743.9 745.5 745.9 746.0 742.1 739.8 734.3 734.7 733.2 732.3	200
						02N/16W-34N015	755.0	10-19-66 11-23-66 12-22-66 1-26-67 2-23-67	10.7 10.7 10.6 10.5 10.5	744.3 744.3 744.4 744.5 744.5	200

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
02N/16W-34N01S (CONT.)	755.0	3-16-67 4-14-67 5-18-67 6-15-67 7-19-67 8-22-67 9-27-67	10.4 10.4 10.4 10.3 10.3 10.7 10.8	744.6 744.6 744.6 744.7 744.7 744.3 744.2	200	03N/15W-35J02S (CONT.)	1204.0	4-23-67 4-24-67 4-25-67 4-26-67 4-27-67 4-28-67 4-29-67 5-01-67 5-08-67 5-15-67 5-19-67 6-11-67 6-17-67 6-24-67 6-30-67 7-03-67	41.3 35.0 27.4 22.9 20.1 19.5 19.4 18.6 20.1 30.2 22.1 26.2 27.7 32.0 37.9 39.9	1162.7 1169.0 1176.6 1181.1 1183.9 1184.5 1184.6 1185.4 1183.9 1173.8 1181.9 1177.8 1176.3 1172.0 1166.1 1164.1	101
02N/17W-13A01S	970.5	11-16-66 4-12-67	7.1 4.0	963.4 966.5	101						
02N/17W-13D01S	1000.0	4-12-67	(1)		101						
02N/17W-13H02S	960.7	11-16-66 4-12-67	9.0 6.3	951.7 954.4	101						
02N/17W-13K01S	954.9	10-05-66 12-13-66 1-04-67 2-01-67 3-06-67 4-12-67 5-03-67 6-14-67 7-05-67 8-01-67 9-06-67	4.6 5.4 5.6 3.8 5.0 4.4 4.2 5.8 6.4 7.3 8.4	950.3 949.5 949.3 951.1 949.9 950.5 950.7 949.1 948.5 947.6 946.5	101	03N/15W-35M01S	1209.4	3-27-67 4-22-67 4-23-67 4-24-67 4-25-67 4-26-67 4-27-67 4-28-67 4-29-67 5-01-67 5-08-67 5-15-67 5-19-67 6-11-67 6-17-67 6-26-67 6-30-67	46.9 43.7 43.2 42.9 40.6 37.9 30.7 34.2 33.6 32.5 31.5 35.1 34.1 32.2 35.1 37.9 40.5	1162.5 1165.7 1166.2 1166.5 1168.8 1171.5 1178.7 1175.2 1175.8 1176.9 1177.9 1174.3 1175.3 1177.2 1174.3 1171.5 1168.9	101
02N/17W-13L02S	940.0	11-16-66 4-12-67	6.0 3.6	934.0 936.4	101						
02N/17W-14J01S	1066.0	11-16-66 4-12-67	59.8 43.5	1006.2 1022.5	101						
02N/17W-34P01S	959.2	11-16-66 4-14-67	49.9 (4) 25.6	909.3 933.6	101	03N/15W-36E01S	1226.0	10-10-66 11-16-66 12-13-66 12-19-66 12-20-66 12-27-66 1-03-67 2-01-67 3-06-67 4-12-67 5-01-67 6-05-67 7-05-67 8-02-67 9-05-67	21.3 22.0 16.5 4.8 4.4 5.1 6.9 7.4 9.2 8.3 7.3 7.4 9.7 9.2 8.8	1204.7 1204.0 1209.5 1221.2 1221.6 1220.9 1219.1 1218.6 1216.8 1217.7 1218.7 1218.6 1216.3 1216.8 1217.2	101
02N/17W-35J01S	825.6	10-05-66 11-16-66 12-13-66 1-04-67 2-01-67 3-06-67 4-14-67 5-03-67 6-14-67 7-05-67 8-01-67 9-06-67	15.2 15.0 14.4 14.5 14.4 14.5 14.0 14.4 14.7 14.8 15.3 15.8	810.4 810.6 811.2 811.1 811.2 811.1 811.6 811.2 810.9 810.8 810.3 809.8	101	SYLMAR HYDRO SUBAREA					
03N/15W-29C01S	1381.0	11-02-66 4-12-67 7-07-67 7-14-67 7-22-67 7-23-67 7-28-67 8-04-67 8-10-67 8-25-67 9-01-67 9-07-67 9-15-67 9-22-67 9-29-67	87.3 84.3 83.8 83.9 84.2 84.3 84.7 85.2 85.4 87.0 87.1 87.2 88.1 88.8 89.3	1293.7 1296.7 1297.2 1297.1 1296.8 1296.7 1296.3 1295.8 1295.6 1294.0 1293.9 1293.8 1292.9 1292.2 1291.7	101	02N/15W-04809S	1145.0	10-16-66 11-13-66 12-11-66 2-14-67 3-14-67 4-14-67 5-11-67 6-15-67 7-20-67 8-18-67 9-21-67	146.2 (1) 145.2 (1) 72.2 (5) (1) (1) 62.0 56.9 (1) (1) (1) (1) 76.0	998.8 999.8 1072.8 1083.0 1088.1 1069.0	200
03N/15W-34K02S	1149.0	12-16-66 1-17-67 2-16-67 3-14-67 4-14-67 5-17-67 6-15-67 7-20-67 8-18-67 9-14-67	(7) 79.4 78.1 77.8 77.6 76.3 76.1 77.9 80.2 81.5	1069.6 1070.9 1071.2 1071.4 1072.7 1072.9 1071.1 1068.8 1067.5	200	03N/15W-20R01S	1428.1	10-10-66 11-02-66 11-06-66 12-12-66 1-03-67 2-07-67 4-02-67 5-02-67 6-05-67 7-05-67 8-01-67 9-05-67	(1) (1) 136.5 114.2 112.4 104.4 95.1 86.1 (1) (1) (1) (1)	1291.6 1313.9 1315.7 1323.7 1333.0 1342.0 1307.2 1337.5	101
03N/15W-34P01S	1130.3	11-15-66 4-10-67	76.9 67.2	1053.4 1063.1	101	03N/15W-20R02S	1421.8	11-06-66 4-12-67	114.6 84.3	1307.2 1337.5	101
03N/15W-34P07S	1125.0	11-15-66 4-10-67	66.8 63.5	1058.2 1061.5	101	03N/15W-21Q01S	1417.0	11-02-66 4-12-67	159.9 160.1 (3)	1257.1 1256.9	101
03N/15W-34P10S	1133.0	10-10-66 11-02-66 12-12-66 1-03-67 2-07-67 3-01-67 4-10-67 5-01-67 6-05-67 7-03-67 8-01-67 9-05-67	72.4 72.7 70.2 69.2 67.2 67.3 67.6 65.6 66.4 68.9 72.0 74.6	1060.6 1060.3 1062.8 1063.8 1065.8 1065.7 1065.4 1067.4 1066.6 1064.1 1061.0 1058.4	101	03N/15W-25G01S	1501.8	4-14-67	(2)		200
						03N/15W-26G01S	1422.5	11-15-66 4-11-67	263.6 254.2	1158.9 1168.3	101
						03N/15W-33E01S	1188.9	10-26-66 11-16-66 11-21-66 12-15-66 1-17-67 2-14-67 3-14-67	102.4 74.6 (3) 93.6 102.5 101.9 101.6 99.9	1086.5 1114.3 1095.3 1086.4 1087.0 1087.3 1089.0	200 101 200
03N/15W-35J02S	1204.0	2-15-67 4-22-67	20.8 41.3	1183.2 1162.7	101						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SYLMAR HYDRO SUBAREA			U-05.82			TUJUNGA HYDRO SUBAREA			U-05.83		
03N/15W-33E015 (CONT.)	1188.9	4-14-67 5-11-67 6-16-67 7-28-67 8-18-67 9-14-67	101.6 (8) (8) 102.3 103.0 103.5	1087.3 1086.6 1085.9 1085.4	200	02N/14W-09N025	1088.7	10-10-66 11-02-66 12-13-66 1-03-67 2-06-67 3-06-67 4-04-67 5-01-67 6-05-67 7-03-67 8-01-67 9-01-67	14.3 15.0 12.1 13.0 12.8 13.1 12.9 11.8 12.3 12.5 12.6 14.9	1074.4 1073.7 1076.6 1075.7 1075.9 1075.6 1075.8 1076.9 1076.4 1076.2 1076.1 1073.8	101
03N/15W-34A015	1244.0	11-15-66 4-10-67	181.4 172.0	1062.6 1072.0	101	02N/14W-10F015	1192.6	11-18-66 4-14-67	43.6 39.5	1149.0 1153.1	200
03N/15W-34B015	1222.5	11-15-66 4-10-67	158.9 150.9	1063.6 1071.6	101	02N/14W-10R015	1222.5	11-18-66 4-14-67	28.9 26.6	1193.6 1195.9	200
03N/15W-34C015	1237.0	11-15-66 4-10-67	(3) 163.7	1073.3	101	02N/14W-10R025	1215.0	10-28-66 11-18-66 12-13-66 1-17-67 2-14-67 3-14-67 4-14-67 5-12-67 6-16-67 7-21-67 8-18-67 9-14-67	30.5 29.8 27.1 27.6 27.5 28.0 27.8 25.8 26.9 29.6 32.0 34.1	1184.5 1185.2 1187.9 1187.4 1187.5 1187.0 1187.2 1189.2 1188.1 1185.4 1183.0 1180.9	200
03N/15W-34H015	1220.0	11-15-66 4-10-67	108.8 104.6	1111.2 1115.4	101	02N/14W-11K015	1285.5	4-17-67	(3)		200
03N/15W-34K035	1153.9	10-10-66 11-02-66 11-16-66 12-12-66 1-03-67 2-07-67 3-01-67 4-10-67 4-14-67 5-01-67 6-05-67 7-03-67 8-01-67 9-05-67	84.9 89.9 85.6 85.3 93.5 83.1 86.5 82.1 82.1 81.4 86.7 84.5 84.5 85.4	1069.0 1064.0 1068.3 1068.6 1060.4 1070.8 1067.4 1071.8 1071.8 1072.5 1067.2 1069.4 1069.4 1068.5	101 200 101	02N/14W-12C025	1356.1	10-28-66 11-15-66 12-13-66 1-17-67 2-14-67 3-14-67 4-17-67 5-12-67 6-20-67 7-25-67 8-17-67 9-14-67	5.8 3.1 10.3 5.4 7.3 8.5 7.1 6.5 4.5 5.7 4.3 8.6	1350.3 1353.0 1345.8 1350.7 1348.8 1347.6 1349.0 1349.6 1351.6 1350.4 1351.8 1347.5	200
03N/15W-34P065	1130.3	11-15-66 4-10-67	70.9 66.9	1059.4 1063.4	101	02N/14W-130025	1453.4	11-18-66 4-17-67	102.6 87.0	1350.8 1366.4	200
03N/15W-36C015	1280.5	11-18-66 12-27-66 3-28-67 4-14-67 5-01-67 5-02-67 5-10-67 5-17-67 6-11-67 7-03-67	42.8 34.4 34.2 35.0 34.4 34.3 33.6 33.4 33.8 34.7	1237.7 1246.1 1246.3 1245.5 1246.1 1246.2 1246.9 1247.1 1246.7 1245.8	200 101 200 101	02N/14W-130045	1467.0	11-02-66 4-11-67	116.2 96.2	1350.8 1370.8	101
TUJUNGA HYDRO SUBAREA			U-05.83			02N/14W-13E025	1439.9	11-18-66 4-17-67	91.3 74.3	1348.6 1365.6	200
02N/13W-18N015	1796.2	10-28-66 11-15-66 12-13-66 1-17-67 2-14-67 3-14-67 4-17-67 5-12-67 6-15-67 7-25-67 8-17-67 9-15-67	368.1 364.4 362.6 358.1 354.5 354.6 353.1 (9) (8) (8) (8) (8)	1428.1 1431.8 1433.6 1438.1 1441.7 1441.6 1443.1	200	02N/14W-13E035	1454.0	10-28-66 11-18-66 12-13-66 1-17-67 2-14-67 3-14-67 4-17-67 5-12-67 6-20-67 7-18-67 8-17-67 9-15-67	109.1 104.3 99.1 94.5 91.4 95.0 86.2 84.4 82.0 80.3 78.6 87.5	1344.9 1349.7 1354.9 1359.5 1362.6 1359.0 1367.8 1369.6 1372.0 1373.7 1375.4 1366.5	200
02N/14W-05L015	1141.0	11-02-66 4-17-67	5.8 5.1	1135.2 1135.9	101	02N/14W-13E045	1456.4	11-18-66 4-17-67	106.4 89.3	1350.0 1367.1	200
02N/14W-06J015	1202.0	11-18-66 4-14-67	188.3 156.9	1013.7 1045.1	200	02N/14W-14A015	1402.0	11-18-66 4-17-67	59.9 44.8	1342.1 1357.2	200
02N/14W-08G025	1063.9	10-28-66 11-18-66 12-13-66 1-17-67 2-14-67 3-14-67 4-14-67 5-12-67 6-16-67 7-21-67 8-18-67 9-14-67	14.2 13.8 11.9 10.6 9.1 8.4 7.2 7.3 7.8 7.8 8.5 9.8	1049.7 1050.1 1052.0 1053.3 1054.8 1055.5 1056.7 1056.6 1056.1 1056.1 1055.4 1054.1	200	02N/14W-14B015	1334.4	10-10-66 11-15-66 12-13-66 1-03-67 2-06-67 3-06-67 4-04-67 5-01-67 6-05-67 7-03-67 8-01-67 9-01-67	21.8 15.2 13.7 12.8 11.4 10.1 8.5 7.8 6.8 (2) (2) (2)	1312.6 1319.2 1320.7 1321.6 1323.0 1324.3 1325.9 1326.6 1327.6	101
02N/14W-09E015	1098.6	11-18-66	40.1	1058.5	200	02N/14W-14C045	1325.3	11-18-66 4-17-67	15.1 14.1	1310.2 1311.2	200
02N/14W-09H015	1164.0	10-28-66 11-18-66 12-13-66 1-17-67 2-14-67 3-14-67 4-14-67 5-12-67 6-16-67 7-21-67 8-18-67 9-14-67	47.3 47.2 43.0 40.2 40.6 43.9 41.6 40.7 43.9 45.5 47.4 49.0	1116.7 1116.8 1121.0 1123.8 1123.4 1120.1 1122.4 1123.3 1120.1 1118.5 1116.6 1115.0	200	02N/14W-14G015	1372.0	11-18-66 4-17-67	50.6 43.3	1321.4 1328.7	200
						02N/14W-14H025	1415.7	10-28-66 11-18-66 12-13-66	80.6 74.7 69.9	1335.1 1341.0 1345.8	200

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
TUJUNGA HYDRO SUBAREA			U-05.83			VERDUGO HYDRO SUBAREA			U-05.84		
02N/14W-14H02S (CONT.)	1415.7	1-17-67	65.4	1350.3	200	01N/13W-10F03S (CONT.)	966.1	5-17-67	31.1(1)	935.0	101
		2-14-67	62.5	1353.2				6-14-67	21.1(5)	945.0	
		3-14-67	60.2	1355.5				7-12-67	50.1(1)	916.0	
		4-17-67	57.7	1358.0				8-09-67	55.1(1)	911.0	
		5-12-67	56.0	1359.7				9-13-67	55.1(1)	911.0	
		6-20-67	53.6	1362.1		01N/13W-10Q01S	884.9	10-05-66	12.9	872.0	101
		7-18-67	52.1	1363.6				11-02-66	12.9	872.0	
		8-17-67	50.5	1365.2				12-07-66	11.9	873.0	
		9-15-67	58.1	1357.6				1-04-67	11.9	873.0	
02N/14W-18A01S	999.0	1-03-67	(7)		101			2-01-67	9.9	875.0	
		2-01-67	(7)					3-01-67	9.9	875.0	
		3-06-67	(7)					4-05-67	9.9	875.0	
		4-04-67	(7)					5-03-67	8.9	876.0	
		7-03-67	(7)					6-07-67	8.9	876.0	
								7-12-67	8.4	876.5	
								8-16-67	9.4	875.5	
								9-13-67	10.9	874.0	
VERDUGO HYDRO SUBAREA			U-05.84			02N/13W-19J01S	1840.0	11-02-66	23.6	1816.4	101
01N/13W-03B01S	1222.0	11-15-66	111.6	1110.4	101			4-17-67	(7)		
		4-17-67	(9)			02N/13W-28N01S	1413.0	12-06-66	48.4(5)	1364.6	101
01N/13W-03O02S	1230.0	11-15-66	83.7	1146.3	101			12-23-66	56.4(5)	1356.6	
		4-17-67	68.7	1161.3				1-22-67	45.4(5)	1367.6	
01N/13W-03D05S	1160.0	10-14-66	87.5(5)	1072.5	101			2-19-67	43.4(5)	1369.6	
		11-13-66	86.5(5)	1073.5				3-12-67	43.4(5)	1369.6	
		12-06-66	83.5(5)	1076.5				4-21-67	43.4(5)	1369.6	
		1-22-67	78.5(5)	1081.5				5-25-67	43.4(5)	1369.6	
		2-19-67	72.5(5)	1087.5				7-22-67	47.4(5)	1365.6	
		3-12-67	71.5(5)	1088.5				8-29-67	47.4(5)	1365.6	
		4-21-67	65.5(5)	1094.5				9-01-67	45.4(5)	1367.6	
		5-25-67	61.5(5)	1098.5		02N/13W-29A01S	1750.0	7-12-67	123.1	1626.9	101
		7-22-67	63.5(5)	1096.5				8-02-67	122.5	1627.5	
		8-29-67	87.5(5)	1072.5				9-06-67	122.3	1627.7	
		9-01-67	64.5(5)	1095.5		02N/13W-29F01S	1590.0	10-12-66	28.0(5)	1562.0	101
01N/13W-03G01S	1170.0	4-17-67	112.6	1057.4	101			11-13-66	28.0(5)	1562.0	
01N/13W-05D01S	399.7	10-26-66	23.1	376.6	200			12-06-66	32.0(5)	1558.0	
		11-28-66	22.8	376.9				1-22-67	34.0(5)	1556.0	
		12-21-66	22.1	377.6				2-19-67	36.0(5)	1554.0	
		1-26-67	22.2	377.5				3-12-67	29.0(5)	1561.0	
		2-17-67	21.4	378.3				4-21-67	27.0(5)	1563.0	
		3-21-67	21.4	378.3				5-25-67	28.0(5)	1562.0	
		4-25-67	21.7	378.0				7-22-67	29.0(5)	1561.0	
		5-24-67	21.7	378.0				8-29-67	26.0(5)	1564.0	
		6-20-67	22.1	377.6				9-01-67	57.0(5)	1533.0	
		7-26-67	22.5	377.2		02N/13W-29J01S	1540.0	11-16-66	64.6	1475.4	101
		8-30-67	22.8	376.9				4-17-67	61.9	1478.1	
		9-27-67	23.1	376.6		02N/13W-29R01S	1435.0	10-12-66	23.0(5)	1412.0	101
01N/13W-10B01S	1010.0	10-05-66	32.0(5)	978.0	101			11-13-66	24.0(5)	1411.0	
		11-02-66	33.0(5)	977.0				12-06-66	22.0(5)	1413.0	
		12-07-66	32.0(5)	978.0				1-22-67	23.0(5)	1412.0	
		1-04-67	30.0(5)	980.0				2-19-67	22.0(5)	1413.0	
		2-01-67	29.0(5)	981.0				3-12-67	23.0(5)	1412.0	
		3-01-67	27.0(5)	983.0				4-21-67	22.0(5)	1413.0	
		4-05-67	25.0(5)	985.0				5-25-67	23.0(5)	1412.0	
		5-03-67	23.0(5)	987.0				7-22-67	24.0(5)	1411.0	
		6-07-67	22.0(5)	988.0				8-29-67	23.0(5)	1412.0	
		7-12-67	22.0(5)	988.0				9-01-67	22.0(5)	1413.0	
		8-09-67	22.0(5)	988.0		02N/13W-33C01S	1374.0	10-12-66	52.2(5)	1321.8	101
		9-13-67	22.0(5)	988.0				11-13-66	59.2(5)	1314.8	
01N/13W-10F01S	965.2	10-05-66	26.2(5)	939.0	101			12-06-66	46.2(5)	1327.8	
		11-02-66	26.2(5)	939.0				1-22-67	45.2(5)	1328.8	
		12-07-66	24.2(5)	941.0				2-19-67	43.2(5)	1330.8	
		1-04-67	24.2(5)	941.0				3-12-67	44.2(5)	1329.8	
		2-01-67	20.2(5)	945.0				4-21-67	41.2(5)	1332.8	
		3-01-67	17.2(5)	948.0				5-25-67	43.2(5)	1330.8	
		4-05-67	17.2(5)	948.0				7-22-67	46.2(5)	1327.8	
		5-03-67	17.2(5)	948.0				8-29-67	55.2(5)	1318.8	
		6-07-67	17.2(5)	948.0				9-01-67	44.2(5)	1329.8	
		7-12-67	24.2(5)	941.0		02N/13W-33C03S	1350.0	11-13-66	38.0(5)	1312.0	101
		8-09-67	26.2(5)	939.0				3-31-67	29.0(5)	1321.0	
		9-13-67	26.2(5)	939.0		02N/13W-33C05S	1341.0	11-15-66	32.3	1308.7	101
01N/13W-10F02S	964.5	10-05-66	23.0	941.5	101						
		11-02-66	24.0	940.5		02N/13W-33C06S	1350.0	11-13-66	71.0(5)	1279.0	101
		12-07-66	21.5	943.0				3-31-67	51.0(5)	1299.0	
		1-04-67	21.5	943.0		02N/13W-33G01S	1300.0	10-12-66	50.8(5)	1249.2	101
		2-01-67	18.5	946.0				11-13-66	48.8(5)	1251.2	
		3-01-67	17.5	947.0				12-06-66	44.8(5)	1255.2	
		4-05-67	16.5	948.0				1-22-67	41.8(5)	1258.2	
		5-03-67	13.5	951.0				2-19-67	39.8(5)	1260.2	
		6-07-67	15.5	949.0				3-12-67	38.8(5)	1261.2	
		7-12-67	19.5	945.0				4-21-67	36.8(5)	1263.2	
		8-09-67	20.5	944.0				5-25-67	37.8(5)	1262.2	
01N/13W-10F03S	966.1	10-05-66	29.1(5)	937.0	101			7-22-67	50.8(5)	1249.2	
		11-09-66	31.1(5)	935.0				8-29-67	51.8(5)	1248.2	
		12-14-66	37.1(5)	929.0				9-01-67	39.8(5)	1260.2	
		1-25-67	25.6(5)	940.5		02N/13W-33R01S	1237.0	10-12-66	73.0(5)	1164.0	101
		2-01-67	24.1(5)	942.0				11-13-66	73.0(5)	1164.0	
		3-01-67	26.1(5)	940.0							
		4-19-67	26.1(5)	940.0							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT						RAYMOND HYDRO SUBUNIT					
VERDUGO HYDRO SUBAREA						PASADENA HYDRO SUBAREA					
U-05.80						U-05.C0					
U-05.84						U-05.C1					
02N/13W-33R01S (CONT.)	1237.0	12-06-66	69.0(5)	1168.0	101	01N/11W-07N01S	1340.0	10-21-66	179.3	1160.7	050
		1-22-67	64.0(5)	1173.0				10-21-66	179.3	1160.7	
		2-19-67	59.0(5)	1178.0				4-07-67	177.4	1162.6	
		3-12-67	60.0(5)	1177.0		01N/11W-07N02S	1330.0	10-21-66	178.2	1151.8	050
		4-21-67	58.0(5)	1179.0				10-21-66	178.2	1151.8	
		5-25-67	56.0(5)	1181.0				4-07-67	162.6	1167.4	
		7-22-67	56.0(5)	1181.0		01N/11W-18C01S	1189.0	10-21-66	72.3	1116.7	050
		8-29-67	70.0(5)	1167.0				4-07-67	59.2	1129.8	
		9-01-67	59.0(5)	1178.0		01N/11W-29M01S	572.0	10-05-66	172.0(1)	400.0	062
02N/13W-33R03S	1226.2	10-05-66	49.7	1176.5	101			10-19-66	172.0(1)	400.0	
		11-15-66	47.3	1178.9				10-21-66	82.5	489.5	050
		12-13-66	42.8	1183.4				10-21-66	82.5	489.5	
		1-04-67	41.0	1185.2				11-02-66	93.0(5)	479.0	062
		2-07-67	37.5	1188.7				11-16-66	88.0(5)	484.0	
		3-06-67	35.7	1190.5				12-07-66	87.0(5)	485.0	
		4-17-67	32.2	1194.0				12-21-66	165.0(1)	407.0	
		5-02-67	29.6	1196.6				1-04-67	89.0(5)	483.0	
		6-07-67	32.0	1194.2				1-18-67	165.0(1)	407.0	
		7-05-67	35.6	1190.6				2-01-67	87.0(5)	485.0	
		8-01-67	35.0	1191.2				2-15-67	162.0(1)	410.0	
		9-06-67	30.2	1196.0				3-01-67	82.0(5)	490.0	
02N/13W-33R05S	1232.6	10-05-66	51.6(5)	1181.0	101			3-15-67	79.0(5)	493.0	
		11-15-66	46.6(5)	1186.0				4-05-67	66.0(5)	506.0	
		12-13-66	46.6(5)	1186.0				4-07-67	65.7	506.3	050
		1-04-67	(1)					4-19-67	144.0(1)	428.0	062
		2-07-67	(1)					5-03-67	60.0(5)	512.0	
		3-06-67	(1)					5-17-67	152.0(1)	420.0	
		4-17-67	(1)					6-07-67	89.0(5)	483.0	
		5-02-67	31.6	1201.0				6-21-67	165.0(1)	407.0	
		6-07-67	36.6(5)	1196.0				7-05-67	86.5(5)	485.5	
		7-05-67	(1)					7-19-67	170.0(1)	402.0	
		8-01-67	(1)					8-02-67	95.4(5)	476.6	
02N/13W-33R07S	1232.0	10-12-66	56.0(5)	1176.0	101			8-16-67	119.1(5)	452.9	
		11-13-66	54.0(5)	1178.0				9-06-67	94.0(5)	478.0	
		12-06-66	51.0(5)	1181.0				9-21-67	169.0(1)	403.0	
		1-22-67	46.0(5)	1186.0		01N/11W-29M02S	570.8	10-21-66	79.4	491.4	050
		2-19-67	45.0(5)	1187.0				4-07-67	58.6	512.2	
		3-12-67	40.0(5)	1192.0		01N/11W-30D01S	699.1	10-21-66	191.9	507.2	062
		4-21-67	39.0(5)	1193.0				11-26-66	192.0	507.1	
		5-25-67	38.0(5)	1194.0				12-21-66	192.4	506.7	
		7-27-67	39.0(5)	1193.0				1-18-67	192.7	506.4	
		8-29-67	58.0(5)	1174.0				2-08-67	192.2	506.9	
		9-01-67	38.0(5)	1194.0				3-07-67	190.0	509.1	
02N/13W-33R08S	1214.0	4-17-67	(7)		101			4-07-67	189.4	509.7	
EAGLE ROCK HYDRO SUBAREA						U-05.85					
01N/13W-34B01S	519.9	10-27-66	188.4	331.5	200	01N/11W-30D02S	701.9	10-01-66	195.0(5)	506.9	067
		11-28-66	188.2	331.7				10-01-66	218.0(1)	483.9	
		12-21-66	188.0	331.9				10-21-66	195.4	506.5	050
		1-26-67	188.0	331.9				10-21-66	195.4	506.5	
		2-17-67	187.8	332.1				11-01-66	194.0(5)	507.9	062
		3-21-67	187.9	332.0				11-01-66	221.0(1)	480.9	
		4-25-67	188.1	331.8				12-01-66	195.0(5)	506.9	
		5-24-67	187.9	332.0				12-01-66	223.0(1)	478.9	
		6-20-67	188.2	331.7				1-01-67	195.0(5)	506.9	
		7-21-67	(7)					1-01-67	224.0(1)	477.9	
		8-29-67	188.3	331.6				2-01-67	194.0(5)	507.9	
		9-27-67	188.7	331.2				2-01-67	224.0(1)	477.9	
								3-01-67	193.0(5)	508.9	
								3-01-67	221.0(1)	480.9	
								4-01-67	194.0(5)	507.9	
								4-01-67	229.0(1)	472.9	
								4-07-67	193.8	508.1	050
								5-01-67	193.0(5)	508.9	062
								5-01-67	229.0(1)	472.9	
								6-01-67	193.0(5)	508.9	
								6-01-67	232.0(1)	469.9	
								7-01-67	194.0(5)	507.9	
								7-01-67	(1)		
						01N/11W-30G01S	649.7	10-21-66	DRY		050
								10-21-66	(6)		062
								10-21-66	DRY		050
								11-26-66	(7)		062
								12-21-66	(6)		
								1-18-67	(6)		
								2-08-67	(6)		
								3-07-67	(7)		
								4-07-67	142.0	507.7	
								4-10-67	150.9	498.8	050
								5-04-67	141.0	508.7	062
								6-08-67	140.8	508.9	
								7-12-67	(6)		
								8-05-67	(6)		
								9-08-67	(6)		
						01N/11W-30M01S	625.6	10-21-66	130.4(5)	495.2	050
								10-21-66	129.9(5)	495.7	062

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT			U-05.C0			RAYMOND HYDRO SUBUNIT			U-05.C0		
PASADENA HYDRO SUBAREA			U-05.C1			PASADENA HYDRO SUBAREA			U-05.C1		
01N/11W-30H015	625.6	10-21-66	130.4(5)	495.2	050	01N/11W-30Q025	600.3	7-01-67	96.1(5)	504.2	062
(CONT.)		11-30-66	145.9(5)	479.7		(CONT.)		8-01-67	97.1(5)	503.2	
		12-20-66	139.8(5)	485.8				9-01-67	101.1(5)	499.2	
		1-31-67	136.8(5)	488.8				10-01-66	108.1(5)	483.0	067
		2-28-67	122.8(5)	502.8		01N/11W-30Q035	591.1	10-01-66	143.1(1)	448.0	
		3-31-67	122.8(5)	502.8				10-21-66	96.4	494.7	050
		4-07-67	114.9	510.7	050			11-01-66	143.1(5)	448.0	062
		4-30-67	113.8(5)	511.8	062			11-01-66	146.1(1)	445.0	
		5-31-67	127.8(5)	497.8				12-01-66	107.1(5)	484.0	
		6-29-67	152.8(5)	472.8				12-01-66	143.1(1)	448.0	
		7-26-67	158.8(5)	466.8				1-01-67	107.1(5)	484.0	
		8-30-67	138.8(5)	486.8				1-01-67	142.1(1)	449.0	
01N/11W-30H025	626.3	10-21-66	122.0	504.3	050			2-01-67	97.1(5)	494.0	
		4-07-67	114.0	512.3				2-01-67	135.1(1)	456.0	
01N/11W-30J015	600.6	10-01-66	125.4(5)	475.2	067			3-01-67	101.1(5)	490.0	
		10-01-66	176.4(1)	424.2				3-01-67	136.1(1)	455.0	
		10-21-66	111.6	489.0	050			4-01-67	101.1(5)	490.0	
		10-21-66	111.6	489.0				4-01-67	136.1(1)	455.0	
		11-01-66	131.4(5)	469.2	062			4-07-67	90.0(5)	501.1	050
		11-01-66	182.4(1)	418.2				5-01-67	86.1(5)	505.0	062
		12-01-66	127.4(5)	473.2				5-01-67	123.1(1)	468.0	
		12-01-66	177.4(1)	423.2				6-01-67	109.1(5)	482.0	
		1-01-67	125.4(5)	475.2				6-01-67	143.1(1)	448.0	
		1-01-67	176.4(1)	424.2				7-01-67	112.1(5)	479.0	
		2-01-67	116.4(5)	484.2				7-01-67	146.1(1)	445.0	
		2-01-67	169.4(1)	431.2				8-01-67	114.1(5)	477.0	
		3-01-67	111.4(5)	489.2				8-01-67	149.1(1)	442.0	
		3-01-67	164.4(1)	436.2				9-01-67	124.1(5)	467.0	
		4-01-67	109.4(5)	491.2				9-01-67	155.1(1)	436.0	
		4-01-67	164.4(1)	436.2		01N/11W-30R015	581.0	10-05-66	99.2(5)	481.8	062
		4-07-67	98.0	502.6	050			10-19-66	141.2(1)	439.8	
		5-01-67	97.4(5)	503.2	062			10-21-66	89.9	491.1	050
		5-01-67	149.4(1)	451.2				11-02-66	100.2(5)	480.8	062
		6-01-67	119.4(5)	481.2				11-16-66	136.2(1)	444.8	
		6-01-67	171.4(1)	429.2				12-07-66	96.2(5)	484.8	
		7-01-67	129.4(5)	471.2				12-21-66	135.2(1)	445.8	
		7-01-67	180.4(1)	420.2				1-04-67	98.2(5)	482.8	
		8-01-67	133.4(5)	467.2				1-18-67	134.2(1)	446.8	
		8-01-67	181.4(1)	419.2				2-01-67	92.2(5)	488.8	
		9-01-67	149.4(5)	451.2				2-15-67	132.2(1)	448.8	
		9-01-67	194.4(1)	406.2				3-01-67	90.2(5)	490.8	
01N/11W-30K015	631.3	10-01-66	142.5(5)	488.8	067			3-15-67	125.2(1)	455.8	
		10-01-66	173.5(1)	457.8				4-05-67	77.2(5)	503.8	
		10-21-66	135.9	495.4	050			4-07-67	77.7	503.3	050
		10-21-66	135.9	495.4				4-19-67	76.2(5)	504.8	062
		11-01-66	151.5(5)	479.8	062			5-03-67	73.7(5)	507.3	
		11-01-66	185.5(1)	445.8				5-17-67	79.8(5)	501.2	
		12-01-66	143.5(5)	487.8				6-07-67	22.2(5)	558.8	
		12-01-66	174.5(1)	456.8				6-21-67	141.2(1)	439.8	
		1-01-67	142.5(5)	488.8				7-05-67	76.5(5)	504.5	
		1-01-67	172.5(1)	458.8				7-19-67	152.2(1)	428.8	
		2-01-67	137.5(5)	493.8				8-02-67	95.4(5)	485.6	
		2-01-67	168.5(1)	462.8				8-16-67	153.6(1)	427.4	
		3-01-67	134.5(5)	496.8				9-06-67	107.2(5)	473.8	
		3-01-67	167.5(1)	463.8				9-21-67	144.2(1)	436.8	
		4-01-67	132.5(5)	498.8		01N/11W-31C015	591.4	10-21-66	92.4	499.0	050
		4-01-67	163.5(1)	467.8				4-07-67	(3)		
		4-07-67	127.0	504.3	050			4-10-67	(9)		
		5-01-67	127.5(5)	503.8	062						
		5-01-67	158.5(1)	472.8		01N/11W-31D015	596.0	11-09-66	121.2	474.8	101
		6-01-67	140.5(5)	490.8				4-07-67	100.9	495.1	050
		6-01-67	170.5(1)	460.8				4-25-67	107.7	488.3	101
		7-01-67	144.5(5)	486.8							
		7-01-67	175.5(1)	455.8		01N/11W-31D025	591.7	10-21-66	109.5	482.2	050
		8-01-67	147.5(5)	483.8				4-07-67	96.1	495.6	
		8-01-67	177.5(1)	453.8							
		9-01-67	150.5(5)	480.8		01N/12W-09R015	1109.3	10-21-66	213.4	895.9	050
		9-01-67	182.5(1)	448.8				10-21-66	213.4	895.9	
01N/11W-30O015	603.6	10-01-66	85.0(6)	518.6	067			11-01-66	213.7	895.6	062
		10-21-66	86.6	517.0	050			11-01-66	254.3(1)	855.0	
		10-21-66	86.6	517.0				11-29-66	210.7	898.6	
		11-01-66	86.0(6)	517.6	062			11-29-66	252.6(1)	856.7	
		12-01-66	85.0(6)	518.6				1-01-67	209.5	899.8	
		1-01-67	85.0(6)	518.6				1-01-67	251.3(1)	858.0	
		2-01-67	85.0(6)	518.6				1-30-67	209.1	900.2	
		3-01-67	85.0(6)	518.6				1-30-67	250.1(1)	859.2	
		4-01-67	85.0(6)	518.6				3-01-67	207.2	902.1	
		4-07-67	86.1	517.5	050			3-30-67	206.0	903.3	
		5-01-67	84.0(6)	519.6	062			4-07-67	205.5	903.8	050
		6-01-67	85.0(6)	518.6				4-30-67	204.4	904.9	062
		7-01-67	85.0(6)	518.6				6-01-67	203.6	905.7	
		8-01-67	85.0(6)	518.6				6-01-67	250.0(1)	859.3	
		9-01-67	86.0(6)	517.6				6-29-67	209.3	900.0	
01N/11W-30Q025	600.3	10-01-66	98.1(5)	502.2	067			6-29-67	250.8(1)	858.5	
		10-21-66	93.5	506.8	050			8-01-67	210.7	898.6	
		11-01-66	98.1(5)	502.2	062			8-01-67	251.7(1)	857.6	
		12-01-66	96.1(5)	504.2				8-31-67	211.6	897.7	
		1-01-67	97.1(5)	503.2				8-31-67	252.1(1)	857.2	
		2-01-67	93.1(5)	507.2				9-30-67	210.0	899.3	
		3-01-67	94.1(5)	506.2				9-30-67	249.8(1)	859.5	
		4-01-67	94.1(5)	506.2		01N/12W-10G015	1330.0	12-13-66	DRY		050
		4-07-67	87.7	512.6	050			12-13-66	DRY		101
		6-01-67	95.1(5)	505.2	062			4-18-67	DRY		050
								6-08-67	DRY		

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT PASADENA HYDRO SUBAREA			U-05.C0		U-05.C1	RAYMOND HYDRO SUBUNIT PASADENA HYDRO SUBAREA			U-05.C0		U-05.C1
01N/12W-10G015 (CONT.)	1330.0	8-31-67	DRY		050	01N/12W-24B025 (CONT.)	775.6	11-16-66	24.6	751.0	101
								3-01-67	(9)		
								4-18-67	(9)		
								5-11-67	(7)		
								8-01-67	(7)		
01N/12W-11J015	1115.4	10-21-66	49.7	1065.7	050						
		4-07-67	15.6	1099.8							
01N/12W-13C015	958.0	4-07-67	18.6	939.4	050	01N/12W-24B045	775.7	10-21-66	239.9	535.8	050
01N/12W-13E035	964.6	4-07-67	236.7	727.9	050			10-21-66	239.9	535.8	
								11-09-66	2.2	773.5	101
01N/12W-13H015	1155.0	10-21-66	101.0	1054.0	050			11-16-66	222.8(3)	552.9	
		4-07-67	82.5	1072.5				11-17-66	239.3	536.4	
								3-01-67	(9)		
								4-10-67	(9)		050
01N/12W-13K015	864.0	10-21-66	348.0	516.0	050			4-18-67	(9)		101
		4-07-67	346.6	517.4				5-11-67	(7)		
								8-01-67	(7)		
01N/12W-13L015	889.6	10-21-66	144.1	745.5	050			10-20-67	236.0	539.7	050
		4-07-67	142.6	747.0							
01N/12W-20A015	934.3	10-21-66	344.3	590.0	062	01N/12W-25A015	698.0	10-21-66	193.0	505.0	062
		11-26-66	344.3(5)	590.0				11-26-66	193.6	504.4	
		12-21-66	342.0(5)	592.3				12-21-66	193.8	504.2	
		1-18-67	(1)					1-18-67	194.1	503.9	
		2-08-67	337.4(5)	596.9				2-08-67	193.8	504.2	
		3-07-67	333.9(5)	600.4				3-07-67	190.7	507.3	
		4-07-67	332.8(5)	601.5				4-07-67	190.1	507.9	
		5-04-67	330.5(5)	603.8				5-04-67	189.6	508.4	
		6-06-67	332.8(5)	601.5				6-06-67	189.9	508.1	
		7-13-67	(1)					7-12-67	191.6	506.4	
		8-05-67	(1)					8-05-67	192.1	505.9	
		9-19-67	342.0(5)	592.3				9-08-67	183.8	514.2	
01N/12W-20B015	915.9	10-21-66	323.6(5)	592.3	062	01N/12W-25B015	710.2	10-21-66	204.7(5)	505.5	062
		11-26-66	323.6	592.3				11-26-66	204.7(5)	505.5	
		12-21-66	321.3(5)	594.6				12-21-66	204.7(5)	505.5	
		1-18-67	323.6(5)	592.3				1-18-67	205.9(5)	504.3	
		2-08-67	316.7(5)	599.2				2-08-67	207.1(5)	503.1	
		3-07-67	315.6(5)	600.3				3-07-67	205.1	505.1	
		4-07-67	313.3(5)	602.6				5-04-67	204.3	505.9	
		5-04-67	313.3(5)	602.6				6-06-67	203.6(5)	506.6	
		6-06-67	313.3(5)	602.6				7-12-67	207.2	503.0	
		7-17-67	316.7(5)	599.2				8-05-67	208.2(5)	502.0	
		8-05-67	(1)					9-08-67	208.2	502.0	
		9-19-67	323.6(5)	592.3		01N/12W-25E015	719.8	10-01-66	217.0(5)	502.8	101
01N/12W-21K015	897.2	10-21-66	304.1(5)	593.1	062			10-21-66	222.3	497.5	050
		11-26-66	307.6(5)	589.6				10-21-66	222.3	497.5	
		12-21-66	304.1(5)	593.1				10-28-66	217.8(1)	502.0	062
		1-18-67	307.6(5)	589.6				10-28-66	235.8(5)	484.0	
		2-08-67	299.5(5)	597.7				11-01-66	216.0(5)	503.8	101
		3-07-67	297.2(5)	600.0				11-24-66	216.8(5)	503.0	062
		4-07-67	294.9(5)	602.3				11-24-66	236.8(1)	483.0	
		5-04-67	298.3(5)	598.9				12-01-66	216.0(5)	503.8	101
		6-06-67	299.5(5)	597.7				12-30-66	233.8(1)	486.0	062
		7-16-67	303.0(5)	594.2				12-30-66	216.8(5)	503.0	
		8-05-67	301.8(5)	595.4				1-01-67	213.0(5)	506.8	101
		9-19-67	303.0(5)	594.2				1-31-67	213.8(5)	506.0	062
01N/12W-21K025	889.4	10-21-66	299.0	590.4	062			2-01-67	217.0(5)	502.8	101
		11-26-66	(1)					2-23-67	233.8(1)	486.0	062
		12-21-66	301.0	588.4				2-23-67	217.8(5)	502.0	
		1-18-67	(1)					3-01-67	220.0(5)	499.8	101
		2-08-67	292.4	597.0				3-22-67	237.8(1)	482.0	062
		3-07-67	290.0	599.4				3-22-67	220.8(5)	499.0	
		4-07-67	287.2(5)	602.2				4-01-67	219.0(5)	500.8	101
		5-04-67	(1)					4-07-67	220.2(3)	499.6	050
		6-06-67	(1)					4-26-67	234.8(1)	485.0	062
		7-13-67	(1)					4-26-67	219.8(5)	500.0	
		8-05-67	(1)					5-01-67	221.0(5)	498.8	101
		9-19-67	295.9	593.5				5-25-67	237.8(1)	482.0	062
01N/12W-23G015	878.0	10-21-66	373.0(5)	505.0	062			5-25-67	221.8(5)	498.0	
		11-26-66	375.3(5)	502.7				6-27-67	220.8(1)	499.0	
		12-21-66	375.3(5)	502.7				6-27-67	237.8(5)	482.0	
		1-18-67	374.9(5)	503.1				7-01-67	221.0(5)	498.8	101
		2-08-67	370.7(5)	507.3				7-19-67	238.8(1)	481.0	062
		3-07-67	369.5(5)	508.5				7-19-67	221.8(5)	498.0	
		4-07-67	366.1(5)	511.9				8-01-67	222.0(5)	497.8	101
		5-04-67	368.4(5)	509.6				8-17-67	222.8(5)	497.0	062
		6-08-67	368.4(5)	509.6				8-17-67	235.8(1)	484.0	
		7-13-67	368.4(5)	509.6				9-01-67	224.0(5)	495.8	101
		8-05-67	368.4(5)	509.6				9-18-67	224.8(5)	495.0	062
		9-07-67	373.0(5)	505.0				9-18-67	240.8(1)	479.0	
01N/12W-23L015	843.0	10-21-66	342.8(5)	500.2	062	01N/12W-25G015	698.8	10-21-66	199.3	499.5	050
		11-26-66	342.8(5)	500.2				4-07-67	197.2	501.6	
		12-21-66	342.8(5)	500.2		01N/12W-25J015	666.4	10-21-66	157.5	508.9	050
		1-18-67	342.8(5)	500.2				4-07-67	154.3	512.1	
		2-08-67	334.7(5)	508.3		01N/12W-25K015	679.6	4-10-67	174.1	505.5	050
		3-07-67	339.3(5)	503.7		01N/12W-25L015	683.0	10-21-66	191.5	491.5	050
		4-07-67	337.0(5)	506.0				4-07-67	190.1	492.9	
		5-04-67	338.2(5)	504.8		01N/12W-25L025	675.5	4-07-67	180.5	495.0	050
		6-08-67	339.2	503.8		01N/12W-25R015	642.0	10-21-66	145.4	496.6	050
		7-13-67	338.2(5)	504.8				4-10-67	(5)		
		8-05-67	338.2(5)	504.8				10-20-67	(5)		
		9-07-67	342.8(5)	500.2							
01N/12W-24B025	775.6	11-09-66	- .7	776.3	101						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT PASADENA HYDRO SUBAREA			U-05.C0			RAYMOND HYDRO SUBUNIT PASADENA HYDRO SUBAREA			U-05.C0		
			U-05.C1						U-05.C1		
01N/12W-25R025	634.4	4-07-67	120.1	514.3	050	01N/12W-28R015	776.0	12-28-66	209.6	566.4	062
01N/12W-26A015	754.6	10-01-66	258.1(5)	496.5	101	(CONT.)		1-18-67	209.8	566.2	
		10-21-66	257.9	496.7	050			2-08-67	210.5	565.5	
		10-21-66	257.9	496.7				3-07-67	211.0	565.0	
		10-27-66	253.0(1)	501.6	062			4-07-67	211.2	564.8	
		10-27-66	320.0(5)	434.6				5-04-67	211.6	564.4	
		11-01-66	258.1(5)	496.5	101			6-06-67	210.7	565.3	
		11-27-66	253.0(5)	501.6	062			7-12-67	212.2	563.8	
		11-27-66	320.0(1)	434.6				8-05-67	211.0	565.0	
		12-01-66	256.1(5)	498.5	101	01N/12W-33D015	772.6	9-14-67	214.0	562.0	
		12-28-66	319.0(1)	435.6	062			4-07-67	(9)		050
		12-28-66	251.0(5)	503.6				4-10-67	168.2	604.4	
		1-31-67	321.0(1)	433.6		01N/12W-33E015	757.8	10-22-66	159.8	598.0	050
		2-01-67	266.1(5)	488.5	101			4-01-67	163.1	594.7	
		2-21-67	261.0(5)	493.6	062	01N/12W-33E025	756.8	10-20-66	150.7	606.1	050
		2-21-67	333.0(1)	421.6				4-07-67	141.3	615.5	
		3-01-67	266.1(5)	488.5	101	01N/12W-33G015	750.0	10-03-66	159.0	591.0	101
		3-22-67	336.0(1)	418.6	062			10-21-66	159.6	590.4	062
		3-22-67	261.0(5)	493.6				11-02-66	159.8	590.2	101
		4-01-67	259.1(5)	495.5	101			11-26-66	160.1	589.9	062
		4-07-67	254.1	500.5	050			12-13-66	161.2(2)	588.8	101
		4-26-67	329.0(1)	425.6	062			12-28-66	160.5	589.5	062
		4-26-67	254.0(5)	500.6				1-03-67	161.8(2)	588.2	101
		5-01-67	258.1(5)	496.5	101			1-18-67	162.2	587.8	062
		5-27-67	329.0(1)	425.6	062			2-08-67	163.0	587.0	
		5-27-67	253.0(5)	501.6				3-01-67	163.1(2)	586.9	101
		6-27-67	252.0(1)	502.6				3-07-67	163.4	586.6	062
		6-27-67	326.0(5)	428.6				4-07-67	163.5	586.5	
		7-01-67	260.1(5)	494.5	101			4-17-67	164.1	585.9	101
		7-18-67	330.0(1)	424.6	062			5-04-67	164.3	585.7	062
		7-18-67	255.0(5)	499.6				5-10-67	164.6	585.4	101
		8-01-67	263.1(5)	491.5	101			6-06-67	165.1	584.9	
		8-16-67	336.0(1)	418.6	062			6-06-67	164.1	585.9	062
		8-16-67	258.0(5)	496.6				7-05-67	166.8	583.2	101
		9-01-67	264.1(5)	490.5	101			7-12-67	165.0	585.0	062
		9-18-67	338.0(1)	416.6	062			8-01-67	165.5	584.5	101
		9-18-67	259.0(5)	495.6				8-05-67	165.4	584.6	062
01N/12W-26A025	764.0	10-21-66	265.4	498.6	050			9-05-67	165.9	584.1	101
		10-21-66	265.4	498.6				9-14-67	165.9	584.1	062
		4-07-67	253.2	510.8		01N/12W-33M015	750.1	10-21-66	108.1	642.0	062
01N/12W-26C015	791.0	10-21-66	293.0(5)	498.0	062			11-26-66	108.4	641.7	
		11-26-66	(1)					12-28-66	108.4	641.7	
		12-21-66	(1)					1-18-67	109.0	641.1	
		1-19-67	(1)					2-08-67	108.5	641.6	
		2-08-67	291.8(5)	499.2				3-07-67	107.8	642.3	
		3-07-67	288.6	502.4				4-07-67	107.8	642.3	
		4-07-67	287.2(5)	503.8				5-04-67	107.6	642.5	
		5-04-67	(1)					6-06-67	106.7	643.4	
		6-08-67	(1)					7-12-67	107.2	642.9	
		7-13-67	(1)					8-05-67	107.5	642.6	
		8-05-67	(1)					9-14-67	107.3	642.8	
		9-07-67	296.4(5)	494.6		01N/12W-33R015	689.3	10-21-66	110.8	578.5	050
01N/12W-26R015	681.6	10-01-66	187.0(5)	494.6	101			4-07-67	107.1	582.2	
		10-21-66	185.8	495.8	050	01N/12W-34A015	736.3	10-21-66	233.5	502.8	050
		10-30-66	187.0(1)	494.6	062			4-07-67	230.7	505.6	
		10-30-66	217.0(5)	464.6		01N/12W-34C015	725.8	10-01-66	194.8(5)	531.0	101
		11-01-66	186.0(5)	495.6	101			10-21-66	190.3	535.5	050
		11-23-66	186.0(5)	495.6	062			10-28-66	192.5(1)	533.3	062
		11-23-66	217.0(1)	464.6				10-28-66	213.5(5)	512.3	
		12-01-66	189.0(5)	492.6	101			11-01-66	194.8(5)	531.0	101
		12-30-66	213.0(1)	468.6	062			11-25-66	192.5(5)	533.3	062
		12-30-66	189.0(5)	492.6				11-25-66	214.5(1)	511.3	
		1-01-67	181.0(5)	500.6	101			12-01-66	194.8(5)	531.0	101
		1-26-67	181.0(5)	500.6	062			12-22-66	192.5(5)	533.3	062
		2-01-67	184.0(5)	497.6	101			1-01-67	205.8(5)	520.0	101
		2-23-67	210.0(1)	471.6	062			1-27-67	225.5(1)	500.3	062
		2-23-67	184.0(5)	497.6				1-27-67	203.5(5)	522.3	
		3-01-67	183.0(5)	498.6	101			2-01-67	196.8(5)	529.0	101
		3-23-67	183.0(5)	498.6	062			2-23-67	217.5(1)	508.3	062
		3-23-67	209.0(1)	472.6				2-23-67	194.5(5)	531.3	
		4-01-67	180.0(5)	501.6	101			3-01-67	196.8(5)	529.0	101
		4-07-67	182.9	498.7	050			3-22-67	215.5(1)	510.3	062
		4-26-67	180.0(5)	501.6	062			3-22-67	194.5(5)	531.3	
		5-01-67	181.0(5)	500.6	101			4-01-67	195.8(5)	530.0	101
		5-26-67	209.0(1)	472.6	062			4-07-67	191.5	534.3	050
		5-26-67	181.0(5)	500.6				4-26-67	215.5(1)	510.3	062
		6-27-67	186.0(1)	495.6				4-26-67	193.5(5)	532.3	
		6-27-67	209.0(5)	472.6				5-01-67	214.8(5)	511.0	101
		7-01-67	184.0(5)	497.6	101			5-26-67	232.5(1)	493.3	062
		7-19-67	209.0(1)	472.6	062			5-26-67	212.5(5)	513.3	
		7-19-67	184.0(5)	497.6				6-22-67	201.5(1)	524.3	
		8-01-67	188.0(5)	493.6	101			6-22-67	225.5(5)	500.3	
		8-19-67	207.0(1)	474.6	062			7-01-67	208.8(5)	517.0	101
		8-19-67	188.0(5)	493.6				7-18-67	239.5(1)	486.3	062
		9-01-67	189.0(5)	492.6	101			7-18-67	206.5(5)	519.3	
		9-18-67	217.0(1)	464.6	062	01N/12W-34E015	695.8	10-06-66	142.0(5)	553.8	062
		9-18-67	189.0(5)	492.6				10-21-66	140.0(5)	555.8	
01N/12W-28N015	793.9	10-22-66	196.6	597.3	050			10-30-66	140.0(5)	555.8	101
		4-01-67	200.9	593.0							
01N/12W-28R015	776.0	10-21-66	208.5	567.5	062						
		11-26-66	209.1	566.9							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT			U-05.C0			RAYMOND HYDRO SUBUNIT			U-05.C0		
PASADENA HYDRO SUBAREA			U-05.C1			PASADENA HYDRO SUBAREA			U-05.C1		
01N/12W-34E01S (CONT.)	695.8	11-14-66	140.0(5)	555.8	062	01N/12W-34E04S (CONT.)	671.8	4-07-67	142.0(5)	529.8	050
		11-27-66	142.0(5)	553.8	062			4-26-67	141.0(5)	530.8	062
		11-30-66	140.0(5)	555.8	101			4-30-67	141.0(5)	530.8	101
		12-01-66	142.0(5)	553.8	062			5-05-67	142.0(5)	529.8	062
		12-11-66	142.0(5)	553.8				5-29-67	145.0(5)	526.8	
		12-30-66	142.0(5)	553.8	101			5-30-67	145.0(5)	526.8	101
		1-03-67	170.0(1)	525.8	062			6-05-67	149.0(5)	522.8	062
		1-28-67	172.0(1)	523.8				6-27-67	150.0(5)	521.8	
		1-30-67	142.0(5)	553.8	101			7-04-67	148.0(5)	523.8	
		2-06-67	142.0(5)	553.8	062			7-29-67	150.0(5)	521.8	
		2-26-67	172.0(1)	523.8				7-30-67	150.0(5)	521.8	101
		2-30-67	142.0(5)	553.8	101			8-05-67	147.0(5)	524.8	062
		3-05-67	140.0(5)	555.8	062			8-26-67	145.0(5)	526.8	
		3-25-67	172.0(1)	523.8				8-30-67	145.0(5)	526.8	101
		3-30-67	140.0(5)	555.8	101			9-06-67	144.0(5)	527.8	062
		4-07-67	143.8	552.0	050			9-28-67	143.0(5)	528.8	
		4-07-67	142.0(5)	553.8	062			9-30-67	143.0(5)	528.8	101
		4-07-67	143.8	552.0	050						
		4-30-67	144.0(5)	551.8	101	01N/12W-34E11S	710.0	10-21-66	170.5	539.5	050
		4-30-67	144.0(5)	551.8	062			4-07-67	148.5	561.5	
		5-05-67	172.0(1)	523.8							
		5-28-67	172.0(1)	523.8		01N/12W-34H01S	659.0	10-01-66	146.6	512.4	067
		5-30-67	144.0(5)	551.8	101			10-21-66	144.7	514.3	050
		6-08-67	144.0(5)	551.8	062			11-01-66	145.0	514.0	062
		6-29-67	147.0(5)	548.8				12-01-66	142.6	516.4	
		7-05-67	147.0(5)	548.8				1-09-67	143.2	515.8	
		7-08-67	255.0(5)	440.8				2-01-67	140.0	519.0	
		7-23-67	159.0(5)	536.8				3-01-67	145.0	514.0	
		7-30-67	159.0(5)	536.8	101			4-04-67	145.0	514.0	
		7-30-67	258.0(5)	437.8	062			4-07-67	145.5	513.5	050
		8-05-67	152.0(5)	543.8				5-02-67	142.8	516.2	062
		8-05-67	535.0(5)	160.8				6-01-67	142.8	516.2	
		8-28-67	149.0(5)	546.8				7-05-67	146.0	513.0	
		8-28-67	536.0(5)	159.8				8-01-67	148.1	510.9	
		8-30-67	149.0(5)	546.8	101			9-05-67	149.7	509.3	
		9-06-67	147.0(5)	548.8	062						
		9-10-67	536.0(5)	159.8		01N/12W-34L01S	703.6	10-21-66	164.0	539.6	050
		9-24-67	534.0(5)	161.8				4-06-67	171.2	532.4	
		9-29-67	147.0(5)	548.8							
		9-30-67	147.0(5)	548.8	101	01N/12W-34N01S	705.2	10-21-66	162.1(1)	543.1	050
01N/12W-34E02S	752.6	10-01-66	195.0(5)	557.6	101			4-06-67	127.4	577.8	
		10-21-66	199.7	552.9	050	01N/12W-35B01S	652.3	10-01-66	162.7(5)	489.6	101
		10-30-66	195.0(1)	557.6	062			10-21-66	158.0	494.3	050
		10-30-66	219.0(5)	533.6				10-21-66	158.0	494.3	
		11-01-66	193.0(5)	559.6	101			10-27-66	162.5(1)	489.8	062
		11-25-66	193.0(5)	559.6	062			10-27-66	181.5(5)	470.8	
		12-01-66	194.0(5)	558.6	101			11-01-66	161.7(5)	490.6	101
		12-22-66	194.0(5)	558.6	062			11-25-66	161.5(5)	490.8	062
		1-01-67	195.0(5)	557.6	101			11-25-66	181.5(1)	470.8	
		1-26-67	219.0(1)	533.6	062			12-28-66	180.5(1)	471.8	
		1-26-67	195.0(5)	557.6				1-01-67	165.7(5)	486.6	101
		2-01-67	196.0(5)	556.6	101			1-31-67	165.5(5)	486.8	062
		2-23-67	219.0(1)	533.6	062			2-01-67	156.7(5)	495.6	101
		2-23-67	196.0(5)	556.6				2-21-67	176.5(1)	475.8	062
		3-01-67	196.0(5)	556.6	101			2-21-67	156.5(5)	495.8	
		3-22-67	219.0(1)	533.6	062			3-01-67	156.7(5)	495.6	101
		3-22-67	196.0(5)	556.6				3-22-67	156.5(5)	495.8	062
		4-01-67	196.0(5)	556.6	101			3-22-67	173.5(1)	478.8	
		4-07-67	195.6	557.0	050			4-01-67	155.7(5)	496.6	101
		4-19-67	196.0(5)	556.6	062			4-07-67	154.9	497.4	050
		5-01-67	197.0(5)	555.6	101			4-26-67	155.5(5)	496.8	062
		5-26-67	220.0(1)	532.6	062			5-01-67	156.7(5)	495.6	101
		5-26-67	197.0(5)	555.6				5-26-67	173.5(1)	478.8	062
		6-22-67	194.0(1)	558.6				5-26-67	156.5(5)	495.8	
		6-22-67	218.0(5)	534.6				6-27-67	156.5(1)	495.8	
		7-01-67	198.0(5)	554.6	101			6-27-67	175.5(5)	476.8	
		7-19-67	221.0(1)	531.6	062			7-01-67	156.7(5)	495.6	101
		7-19-67	198.0(5)	554.6				7-19-67	175.5(1)	476.8	062
		8-01-67	207.0(5)	545.6	101			7-19-67	156.5(5)	495.8	
		8-16-67	225.0(1)	527.6	062			8-01-67	160.7(5)	491.6	101
		8-16-67	207.0(5)	545.6				8-17-67	178.5(1)	473.8	062
		9-01-67	209.0(5)	543.6	101			8-17-67	160.5(5)	491.8	
		9-18-67	227.0(1)	525.6	062			9-01-67	160.7(5)	491.6	101
		9-18-67	209.0(5)	543.6				9-15-67	160.5(5)	491.8	062
01N/12W-34E04S	671.8	10-05-66	132.0(5)	539.8	062			9-15-67	171.5(1)	480.8	
		10-21-66	133.8	538.0	050	01N/12W-35C01S	693.0	10-01-66	200.8	492.2	067
		10-21-66	133.8	538.0				10-21-66	201.4	491.6	050
		10-28-66	136.0(5)	535.8	062			11-01-66	201.8	491.2	062
		10-30-66	138.0(5)	533.8	101			12-01-66	198.8	494.2	
		11-05-66	138.0(5)	533.8	062			1-09-67	198.4	494.6	
		11-29-66	135.0(5)	536.8				2-01-67	186.8	506.2	
		11-30-66	135.0(5)	536.8	101			3-01-67	197.8	495.2	
		12-04-66	135.0(5)	536.8	062			4-04-67	196.8	496.2	
		12-27-66	137.0(5)	534.8				4-07-67	196.2	496.8	050
		12-30-66	137.0(5)	534.8	101			5-02-67	194.6	498.4	062
		1-06-67	139.0(5)	532.8	062			6-01-67	195.4	497.6	
		1-27-67	140.0(5)	531.8				7-05-67	196.8	496.2	
		1-30-67	139.0(5)	532.8	101			8-01-67	199.8	493.2	
		2-10-67	141.0(5)	530.8	062			9-05-67	203.4	489.6	
		2-26-67	142.0(5)	529.8		01N/12W-36A01S	608.6	10-21-66	129.1	479.5	050
		2-28-67	142.0(5)	529.8	101			10-31-66	137.8(5)	470.8	062
		3-04-67	143.0(5)	528.8	062			11-30-66	135.8(5)	472.8	
		3-26-67	143.0(5)	528.8				12-31-66	116.8(5)	491.8	
		3-30-67	141.0(5)	530.8	101			1-31-67	112.8(5)	495.8	
		4-05-67	142.0(5)	529.8	062			2-07-67	191.8(1)	416.8	
		4-07-67	139.1	532.7	050						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT			U-05.C0			RAYMOND HYDRO SUBUNIT			U-05.C0		
PASADENA HYDRO SUBAREA			U-05.C1			PASADENA HYDRO SUBAREA			U-05.C1		
01N/12W-36A01S (CONT.)	608.6	2-28-67	122.8(5)	485.8	062	01N/12W-36H02S (CONT.)	606.9	5-24-67	174.6(5)	432.3	062
		3-09-67	192.8(1)	415.8				5-31-67	226.6(1)	380.3	
		3-31-67	121.8(5)	486.8				6-27-67	225.6(1)	381.3	
		4-05-67	187.8(1)	420.8				6-30-67	149.6(5)	457.3	
		4-07-67	123.1	485.5	050			7-30-67	226.6(1)	380.3	
		4-30-67	122.8(5)	485.8	062			7-31-67	152.6(5)	454.3	
		5-23-67	195.8(1)	412.8				8-26-67	147.6(5)	459.3	
		5-31-67	137.8(5)	470.8				8-31-67	227.6(1)	379.3	
		6-29-67	194.8(1)	413.8				9-22-67	225.6(1)	381.3	
		6-30-67	138.8(5)	469.8				9-30-67	131.6(5)	475.3	
		7-31-67	137.8(5)	470.8		MONK HILL HYDRO SUBAREA			U-05.C2		
		8-30-67	139.8(5)	468.8		01N/12W-03D01S	1800.0	10-21-66	60.3	1739.7	050
		8-31-67	198.8(1)	409.8				4-07-67	54.7	1745.3	
		9-06-67	194.8(1)	413.8		01N/12W-04D01S	1515.0	10-21-66	274.2	1240.8	050
		9-30-67	119.8(5)	488.8				4-07-67	272.1	1242.9	
01N/12W-36C01S	663.9	10-21-66	170.2	493.7	050	01N/12W-05G01S	1301.9	10-21-66	305.4	996.5	050
		4-07-67	169.2	494.7				4-07-67	192.2	1109.7	
01N/12W-36E01S	623.1	10-21-66	189.8	433.3	050			4-10-67	287.9	1014.0	
		10-21-66	189.8	433.3		01N/12W-05K01S	1258.0	11-09-66	DRY		101
		10-31-66	191.6	431.5	062			4-18-67	86.5	1171.5	
		11-30-66	182.6	440.5		01N/12W-05M01S	1090.0	10-21-66	175.0	915.0	062
		12-29-66	193.6	429.5				11-27-66	(9)		
		1-30-67	192.6	430.5				12-28-66	(7)		
		2-28-67	188.6	434.5				1-19-67	(3)		
		3-30-67	184.6	438.5				2-08-67	110.8	979.2	
		4-07-67	181.8	441.3	050			3-08-67	131.2	958.8	
		4-29-67	189.6	433.5	062			5-04-67	(9)		
		5-27-67	190.6	432.5				6-12-67	83.9	1006.1	
		6-30-67	190.6	432.5				7-12-67	97.3	992.7	
		7-29-67	190.6	432.5				8-03-67	103.3	986.7	
		8-31-67	196.6	426.5				9-14-67	113.1	976.9	
		9-29-67	201.6	421.5		01N/12W-05N01S	1070.7	10-21-66	153.4(5)	917.3	062
01N/12W-36E02S	626.0	10-21-66	194.4	431.6	050			11-27-66	195.0(5)	875.7	
		10-21-66	194.4	431.6				12-28-66	133.4(5)	937.3	
		10-31-66	193.3	432.7	062			1-19-67	(1)		
		11-30-66	188.3	437.7				2-08-67	106.7	964.0	
		12-29-66	192.3	433.7				3-08-67	112.3	958.4	
		1-30-67	193.3	432.7				4-07-67	87.2(5)	983.5	
		2-28-67	192.3	433.7				5-04-67	66.1	1004.6	
		3-30-67	190.3	435.7				6-06-67	58.3	1012.4	
		4-07-67	186.5	439.5	050			7-12-67	(1)		
		4-29-67	196.3	429.7	062			8-03-67	76.9	993.8	
		5-27-67	194.3	431.7				9-14-67	100.6	970.1	
		6-30-67	195.3	430.7		01N/12W-05P01S	1201.7	10-03-66	288.4	913.3	101
		7-29-67	198.3	427.7				10-21-66	290.6	911.1	050
		8-31-67	202.3	423.7				11-01-66	291.0(5)	910.7	062
		9-29-67	206.3	419.7				11-15-66	287.1	914.6	101
01N/12W-36G01S	603.0	10-21-66	139.9	463.1	050			11-30-66	291.0	910.7	062
		4-07-67	135.2	467.8				12-13-66	287.6	914.1	101
01N/12W-36H01S	606.0	10-21-66	140.0	466.0	050			1-03-67	273.4	928.3	
		10-21-66	140.0	466.0				1-03-67	279.5	922.2	062
		10-29-66	141.7(5)	464.3	062			1-31-67	262.0	939.7	
		10-31-66	223.7(1)	382.3				2-08-67	260.6	941.1	101
		11-26-66	137.7(5)	468.3				2-28-67	261.5	940.2	062
		11-30-66	223.7(1)	382.3				3-03-67	260.2	941.5	101
		12-30-66	134.7(5)	471.3				3-31-67	259.0	942.7	062
		12-31-66	192.7(1)	413.3				4-07-67	243.0	958.7	050
		1-26-67	195.7(1)	410.3				4-17-67	261.8	939.9	101
		1-31-67	130.7(5)	475.3				5-01-67	247.1(5)	954.6	062
		2-26-67	134.7(5)	471.3				5-10-67	224.8	976.9	101
		2-28-67	195.7(1)	410.3				5-31-67	221.8(5)	979.9	062
		3-20-67	129.7(5)	476.3				6-06-67	214.1	987.6	101
		3-31-67	194.7(1)	411.3				6-30-67	217.1(5)	984.6	062
		4-07-67	124.5	481.5	050			7-05-67	221.7	980.0	101
		4-18-67	144.7(5)	461.3	062			7-31-67	232.8	968.9	
		4-30-67	189.7(1)	416.3				8-01-67	(1)		
		5-21-67	160.7(5)	445.3				8-01-67	232.4(5)	969.3	062
		5-31-67	225.7(1)	380.3				9-01-67	233.3(5)	968.4	
		6-29-67	221.7(1)	384.3				9-05-67	229.8	971.9	101
		6-30-67	157.7(5)	448.3		01N/12W-05P02S	1202.4	10-21-66	292.7	909.7	050
		7-30-67	224.7(1)	381.3				11-01-66	289.1(5)	913.3	062
		7-31-67	160.7(5)	445.3				11-30-66	287.1	915.3	
		8-26-67	154.7(5)	451.3				1-03-67	282.1	920.3	
		8-31-67	235.7(1)	370.3				1-31-67	263.1	939.3	
		9-25-67	203.7(1)	402.3				2-28-67	263.6	938.8	
		9-30-67	138.7(5)	467.3				3-31-67	259.1	943.3	050
01N/12W-36H02S	606.9	10-21-66	135.6	471.3	050			4-07-67	254.1	948.3	
		10-21-66	135.6	471.3				5-01-67	242.8(5)	959.6	062
		10-29-66	135.6(5)	471.3	062			5-31-67	228.9(5)	973.5	
		10-31-66	225.6(1)	381.3				6-30-67	224.3(5)	978.1	
		11-26-66	131.6(5)	475.3				8-01-67	228.9(5)	973.5	
		11-30-66	223.6(1)	383.3				9-01-67	231.7(5)	970.7	
		12-07-66	225.6(1)	381.3		01N/12W-06D03S	1249.5	11-09-66	50.7	1198.8	101
		12-31-66	124.6(5)	482.3				4-17-67	48.9	1200.6	
		1-31-67	125.6(5)	481.3		01N/12W-06M01S	1179.0	10-21-66	228.4	950.6	050
		2-07-67	223.6(1)	383.3							
		2-28-67	146.6(5)	460.3							
		3-26-67	199.6(1)	407.3							
		3-31-67	129.6(5)	477.3							
		4-07-67	129.6	477.3	050						
		4-24-67	144.6(5)	462.3	062						
		4-30-67	209.6(1)	397.3							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT			U-05.C0			RAYMOND HYDRO SUBUNIT			U-05.C0		
MONK HILL HYDRO SUBAREA			U-05.C2			MONK HILL HYDRO SUBAREA			U-05.C2		
01N/12W-06M015 (CONT.)	1179.0	4-07-67	195.4	983.6	050	01N/12W-08M015 (CONT.)	1140.4	9-30-67	185.5	954.9	062
								9-30-67	210.7(1)	929.7	
								10-20-67	189.6	950.8	050
01N/12W-06M025	1148.5	10-21-66	199.8	948.7	050	01N/12W-08M025	1154.5	10-03-66	256.5	898.0	067
		4-07-67	163.4	985.1				10-21-66	254.7	899.8	050
								11-01-66	255.1	899.4	062
01N/12W-06M045	1169.5	10-21-66	219.0	950.5	050			12-01-66	256.5	898.0	
		10-21-66	219.0	950.5				1-03-67	246.5	908.0	
		10-31-66	218.9	950.6	062			2-01-67	243.5	911.0	
		11-30-66	216.6	952.9				3-01-67	236.5	918.0	
		1-06-67	209.1	960.4				4-03-67	247.5	907.0	
		2-04-67	209.0	960.5				4-07-67	236.1	918.4	050
		3-01-67	194.6	974.9				6-01-67	217.5	937.0	062
		3-31-67	184.1	985.4				7-03-67	211.0	943.5	
		4-07-67	185.5	984.0	050			8-01-67	207.5	947.0	
		5-01-67	177.6	991.9	062			9-01-67	209.5	945.0	
		6-01-67	170.1	999.4		01N/12W-08M035	1150.6	10-21-66	250.4	900.2	050
		7-01-67	174.6	994.9				11-01-66	251.9	898.7	062
		8-01-67	176.6	992.9				11-01-66	273.5(1)	877.1	
		9-05-67	178.9	990.6				11-30-66	247.1	903.5	
		9-29-67	174.3	995.2				11-30-66	267.9(1)	882.7	
01N/12W-06M055	1192.9	10-21-66	243.2	949.7	050			1-01-67	241.5	909.1	
		11-09-66	239.6	953.3	101			1-30-67	237.9	912.7	
		12-13-66	236.2	956.7				3-01-67	233.7	916.9	
		1-03-67	230.0	962.9				3-30-67	227.6	923.0	
		2-08-67	221.6	971.3				4-07-67	221.3	929.3	050
		3-01-67	216.0	976.9				4-30-67	218.7	931.9	062
		4-07-67	207.2	985.7	050			6-01-67	210.7	939.9	
		4-17-67	204.0	988.9	101			6-30-67	204.5	946.1	
		5-10-67	197.8	995.1				7-31-67	202.7	947.9	
		6-06-67	194.7	998.2				8-31-67	(1)		
		7-05-67	194.7	998.2				8-31-67	215.5(1)	935.1	
		8-01-67	195.8	997.1				9-30-67	196.1	954.5	
		9-05-67	204.6	988.3				9-30-67	208.6(1)	942.0	
01N/12W-06M065	1161.0	10-21-66	212.5	948.5	050	01N/12W-08L025	1085.2	10-21-66	167.7	917.5	062
		4-07-67	177.8	983.2				11-27-66	169.3	915.9	
01N/12W-08A015	1192.8	10-21-66	289.4	903.4	050			12-28-66	162.6	922.6	
		11-01-66	313.9(5)	878.9	062			1-19-67	161.1	924.1	
		11-30-66	299.9	892.9				2-08-67	150.8	934.4	
		1-03-67	299.5	893.3				3-08-67	144.6	940.6	
		1-31-67	278.9	913.9				4-07-67	136.4	948.8	
		2-28-67	278.8	914.0				5-04-67	123.5	961.7	
		3-31-67	277.3	915.5				6-06-67	114.4	970.8	
		4-07-67	265.0	927.8	050			7-12-67	105.2	980.0	
		5-01-67	288.2(5)	904.6	062			8-03-67	107.1	978.1	
		5-31-67	264.9(5)	927.9				9-14-67	110.2	975.0	
		6-30-67	253.3(5)	939.5		01N/12W-09E015	1188.5	10-21-66	325.6	862.9	050
		8-01-67	253.3(5)	939.5				4-07-67	303.5	885.0	
		9-01-67	253.3(5)	939.5		01N/12W-09K015	1130.0	10-21-66	233.2	896.8	050
01N/12W-08D015	1151.2	10-21-66	233.3(5)	917.9	062			11-01-66	236.3	893.7	062
		11-27-66	(1)					11-01-66	258.7(1)	871.3	
		12-28-66	(1)					11-29-66	230.9	899.1	
		1-19-67	(1)					11-29-66	256.5(1)	873.5	
		2-08-67	195.9	955.3				1-01-67	229.2	900.8	
		3-08-67	195.7	955.5				1-01-67	254.9(1)	875.1	
		4-07-67	177.8(5)	973.4				1-30-67	229.3	900.7	
		5-04-67	156.1	995.1				1-30-67	254.5(1)	875.5	
		6-06-67	(9)					3-01-67	227.0	903.0	
		7-12-67	(9)					3-30-67	226.3	903.7	
		8-03-67	(9)					3-30-67	251.4(1)	878.6	
		9-14-67	(9)					4-07-67	226.3	903.7	050
01N/12W-08E015	1108.7	10-21-66	190.6	918.1	062			4-30-67	225.3	904.7	062
		11-27-66	191.1	917.6				6-01-67	227.6	902.4	
		12-28-66	181.5	927.2				6-01-67	252.8(1)	877.2	
		1-19-67	177.7	931.0				6-29-67	229.0	901.0	
		2-08-67	166.6	942.1				6-29-67	254.2(1)	875.8	
		3-08-67	159.4	949.3				8-01-67	230.7	899.3	
		4-07-67	149.7	959.0				8-01-67	255.8(1)	874.2	
		5-04-67	134.1	974.6				8-31-67	232.1	897.9	
		6-07-67	127.3	981.4				8-31-67	257.4(1)	872.6	
		7-12-67	117.5	991.2				9-30-67	229.8	900.2	
		8-03-67	119.3	989.4				9-30-67	255.2(1)	874.8	
		9-14-67	129.0	979.7		01N/12W-09Q015	1129.2	10-21-66	225.6	903.6	050
01N/12W-08M015	1140.4	10-21-66	243.1	897.3	050			4-07-67	186.5	942.7	
		11-01-66	242.5	897.9	062	01N/12W-17D015	1045.7	10-21-66	125.7	920.0	062
		11-01-66	278.9(1)	861.5				11-27-66	126.2	919.5	
		11-30-66	237.8	902.6				12-28-66	122.2	923.5	
		11-30-66	270.6(1)	869.8				1-19-67	121.3	924.4	
		1-01-67	231.1	909.3				2-08-67	117.3	928.4	
		1-30-67	227.8	912.6				3-08-67	112.6	933.1	
		3-01-67	223.2	917.2				4-07-67	106.8	938.9	
		3-01-67	252.1(1)	888.3				5-04-67	100.6	945.1	
		3-30-67	217.3	923.1				6-06-67	90.7	955.0	
		4-07-67	215.0	925.4	050			7-12-67	79.5	966.2	
		4-30-67	208.1	932.3	062			8-03-67	77.1	968.6	
		6-01-67	200.1	940.3				9-14-67	78.2	967.5	
		6-30-67	192.6	947.8		01N/13W-018015	1294.0	11-09-66	181.8	1112.2	101
		6-30-67	220.3(1)	920.1				4-19-67	178.0	1116.0	
		8-01-67	191.3	949.1		01N/13W-01J015	1193.0	10-21-66	239.6	953.4	050
		8-01-67	217.1(1)	923.3							
		8-31-67	(1)								
		8-31-67	218.3(1)	922.1							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00						
RAYMOND HYDRO SUBUNIT			U-05.C0			RAYMOND HYDRO SUBUNIT			U-05.C0			
MONK HILL HYDRO SUBAREA			U-05.C2			SANTA ANITA HYDRO SUBAREA			U-05.C3			
01N/13W-01J015 (CONT.)	1193.0	11-09-66 4-07-67	240.2 207.5	952.8 985.5	101	01N/11W-21C015 (CONT.)	694.0	4-15-67 4-30-67 5-15-67 5-31-67 6-15-67 6-30-67 7-15-67 7-31-67 8-15-67 8-31-67 9-15-67 9-30-67	101.9(6) 100.9(6) 101.2(6) 105.2(6) 104.9(6) 104.9(6) 108.9(6) 111.9(6) 122.9(6) 119.9(6) 114.9(6) 100.9(6)	592.1 593.1 592.8 588.8 589.1 589.1 585.1 582.1 571.1 574.1 579.1 593.1	062 062	
01N/13W-02A015	1355.0	11-09-66 4-19-67	121.9 119.5	1233.1 1235.5	101							
02N/12W-33Q015	1685.0	10-21-66 3-07-67	35.1 30.5	1649.9 1654.5	050							
SANTA ANITA HYDRO SUBAREA			U-05.C3									
01S/11W-02L03S	346.5	10-03-66 11-02-66 12-14-66 12-20-66 12-27-66 1-03-67 1-10-67 1-17-67 1-31-67 2-07-67 2-15-67 2-21-67 3-01-67 3-07-67 3-15-67 3-21-67 3-29-67 4-04-67 4-12-67 4-26-67 5-10-67 5-16-67 5-24-67 5-31-67 6-06-67 6-13-67 6-20-67 6-27-67 7-05-67 7-11-67 7-25-67 8-01-67 8-23-67 9-05-67 9-20-67	116.2 119.0 117.2 115.3 111.3 107.8 105.8 104.4 100.1 97.5 94.3 92.8 91.3 90.6 90.8 89.2 86.7 85.9 82.6 78.9 74.0 71.9 69.8 66.7 65.2 62.7 61.7 61.7 62.2 63.9 64.7 67.4 69.6 71.7	230.3 227.5 229.3 231.2 235.2 238.7 240.7 242.1 246.4 249.0 252.2 253.7 255.2 255.9 255.7 257.3 259.8 260.6 263.9 267.6 272.5 274.6 276.7 279.8 281.3 283.8 284.8 284.8 284.3 282.6 281.8 279.1 276.9 274.8	101	01N/11W-21C025	702.5	10-15-66 10-21-66 10-21-66 10-31-66 11-15-66 11-30-66 12-15-66 1-15-67 1-31-67 2-15-67 2-28-67 3-15-67 3-31-67 4-07-67 4-15-67 4-30-67 5-15-67 5-31-67 6-15-67 6-30-67 7-15-67 7-31-67 8-15-67 8-31-67 9-15-67 9-30-67	183.0(6) 177.1 177.1 179.0(6) 172.0(6) 166.0(6) 160.3(6) 153.0(6) 150.0(6) 145.0(6) 137.0(6) 130.0(6) 120.2(6) 116.0(6) 113.1 113.0(6) 112.0(6) 112.8(6) 115.4(6) 109.0(6) 116.0(6) 120.0(6) 123.0(6) 135.0(6) 153.0(6) 148.0(6) 136.0(6)	519.5 525.4 525.4 523.5 530.5 536.5 542.2 549.5 552.5 557.5 565.5 572.5 582.3 586.5 589.4 589.5 590.5 589.7 587.1 593.5 586.5 582.5 579.5 567.5 549.5 554.5 566.5	062 050 062	
01N/11W-15P01S	740.3	11-02-66 1-03-67 1-10-67 1-31-67 2-07-67 2-15-67 2-21-67 3-01-67 3-07-67 3-15-67 3-21-67 3-29-67 4-04-67 4-10-67 4-26-67 5-02-67 5-11-67 5-16-67 5-24-67 5-31-67 6-06-67 6-13-67 6-20-67 6-27-67 7-11-67 8-23-67 9-05-67 9-20-67	(3) DRY DRY DRY DRY 68.4 67.1 67.4 68.0 65.9 69.6 68.5 69.1 63.7 59.5 60.0 59.4 59.3 59.1 60.6 61.4 62.7 64.6 66.9 73.3 73.3 69.7 65.7	671.9 673.2 672.9 672.3 674.4 670.7 671.8 671.2 676.6 680.8 680.3 680.9 681.0 681.2 679.7 678.9 677.6 675.7 673.4 667.0 670.6 674.6	101	01N/11W-21C03S	703.0	10-15-66 10-21-66 10-31-66 11-15-66 11-30-66 12-15-66 12-31-66 1-15-67 1-31-67 2-15-67 2-28-67 3-15-67 3-31-67 4-07-67 4-15-67 4-30-67 5-15-67 5-31-67 6-15-67 6-30-67 7-15-67 7-31-67 8-15-67 8-31-67 9-15-67 9-30-67	184.2(6) 178.7 181.2(6) 175.2(6) 169.2(6) 163.2(6) 148.2(6) 151.2(6) 146.2(6) 138.2(6) 130.2(6) 122.0(6) 118.2(6) 113.5 113.2(6) 113.2(6) 113.6(6) 117.3(6) 107.2(6) 111.2(6) 120.2(6) 123.2(6) 134.2(6) 149.2(6) 145.2(6) 132.2(6)	518.8 524.3 521.8 527.8 533.8 539.8 554.8 551.8 556.8 564.8 572.8 581.0 584.8 589.5 589.8 589.8 589.4 585.7 595.8 591.8 582.8 579.8 568.8 553.8 557.8 570.8	062 050 062	
						01N/11W-21C04S	676.0	10-21-66 4-07-67	151.1 85.7	524.9 590.3	050	
						01N/11W-21C06S	705.0	10-15-66 10-21-66 10-21-66 10-31-66 11-15-66 11-30-66 12-15-66 12-31-66 1-15-67 1-31-67 2-15-67 2-28-67 3-15-67 3-31-67 4-07-67 4-15-67 4-30-67 5-15-67 5-31-67 6-15-67 6-30-67 7-15-67 7-31-67 8-15-67 8-31-67 9-15-67 9-30-67	184.0(6) 180.9 180.9 180.0(6) 174.0(6) 168.0(6) 162.0(6) 156.0(6) 153.0(6) 148.0(6) 140.0(6) 134.0(6) 126.0(6) 122.0(6) 119.2 119.0(6) 118.0(6) 118.6(6) 121.3(6) 116.0(6) 122.0(6) 124.0(6) 127.0(6) 139.0(6) 154.0(6) 148.0(6) 137.0(6)	521.0 524.1 524.1 525.0 531.0 537.0 543.0 549.0 552.0 557.0 565.0 571.0 579.0 583.0 585.8 586.0 587.0 586.4 583.7 589.0 583.0 581.0 578.0 566.0 551.0 557.0 568.0	062 050 062	
01N/11W-20Q01S	653.3	10-21-66 4-07-67	145.7 106.9	507.6 546.4	050							
01N/11W-20Q02S	697.5	10-21-66 4-07-67	80.4 79.6	617.1 617.9	050							
01N/11W-21C01S	694.0	10-15-66 10-21-66 10-31-66 11-15-66 11-30-66 12-15-66 12-31-66 1-15-67 1-31-67 2-15-67 2-28-67 3-15-67 3-31-67 4-07-67 4-15-67 4-30-67 5-15-67 5-31-67 6-15-67 6-30-67 7-15-67 7-31-67 8-15-67 8-31-67 9-15-67 9-30-67	171.9(6) 171.9 168.9(6) 163.9(6) 157.9(6) 151.9(6) 137.9(6) 135.9(6) 131.9(6) 122.9(6) 114.9(6) 108.5(6) 103.9(6) 101.7	522.1 522.1 525.1 530.1 536.1 542.1 556.1 558.1 562.1 571.1 579.1 585.5 590.1 592.3	062 050 062	050						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT			U-05.C0			RAYMOND HYDRO SUBUNIT			U-05.C0		
SANTA ANITA HYDRO SUBAREA			U-05.C3			SANTA ANITA HYDRO SUBAREA			U-05.C3		
01N/11W-21G075	680.0	10-15-66	156.4(6)	523.6	062	01N/11W-21G055	608.0	5-17-67	33.3(5)	574.7	062
		10-21-66	155.3	524.7	050	(CONT.)		6-07-67	29.3(5)	578.7	
		10-31-66	152.4(6)	527.6	062			6-21-67	28.4(5)	579.6	
		11-15-66	145.4(6)	534.6				7-05-67	30.5(5)	577.5	
		11-30-66	140.9(6)	539.1				7-19-67	31.6(5)	576.4	
		12-15-66	133.9(6)	546.1				8-02-67	33.2(5)	574.8	
		1-15-67	125.4(6)	554.6				8-16-67	52.5(5)	555.5	
		1-31-67	119.4(6)	560.6				9-06-67	54.3	553.7	
		2-15-67	117.4(6)	562.6				9-21-67	47.1	560.9	
		2-28-67	111.4(6)	568.6		01N/11W-21H025	602.4	10-05-66	125.2(5)	477.2	062
		3-15-67	91.4(6)	588.6				10-19-66	125.2(5)	477.2	
		3-31-67	88.4(6)	591.6				10-21-66	77.3	525.1	050
		4-07-67	94.4	585.6	050			11-02-66	108.2(5)	494.2	062
		4-15-67	93.4(6)	586.6	062			11-16-66	74.2(5)	528.2	
		4-30-67	92.4(6)	587.6				12-07-66	72.2(5)	530.2	
		5-15-67	92.6(6)	587.4				12-21-66	71.2(5)	531.2	
		5-31-67	85.8(6)	594.2				1-04-67	63.2(5)	539.2	
		6-15-67	95.4(6)	584.6				1-18-67	61.2(5)	541.2	
		6-30-67	95.4(6)	584.6				2-01-67	62.2(5)	540.2	
		7-15-67	100.4(6)	579.6				2-15-67	52.2(5)	550.2	
		7-31-67	103.4(6)	576.6				3-01-67	49.2(5)	553.2	
		8-15-67	115.4(6)	564.6				3-15-67	48.2(5)	554.2	
		8-31-67	130.4(6)	549.6				4-05-67	27.1(5)	575.3	
		9-15-67	125.4(6)	554.6				4-07-67	26.6	575.8	050
		9-30-67	110.4(6)	569.6				4-19-67	24.2(5)	578.2	062
								5-03-67	22.3(5)	580.1	
01N/11W-21G025	602.0	10-05-66	75.6(5)	526.4	062			5-17-67	33.2(5)	569.2	
		10-19-66	129.6(1)	472.4				6-07-67	25.2(5)	577.2	
		10-21-66	78.4	523.6	050			6-21-67	24.3(5)	578.1	
		11-02-66	100.6(5)	501.4	062			7-05-67	25.1(5)	577.3	
		11-16-66	84.1(5)	517.9				7-19-67	26.0(5)	576.4	
		12-07-66	75.6(5)	526.4				8-02-67	29.6(5)	572.8	
		12-21-66	72.6(5)	529.4				8-16-67	50.8(1)	551.6	
		1-04-67	64.6(5)	537.4				9-06-67	46.3	556.1	
		1-18-67	60.6(5)	541.4				9-21-67	40.7	561.7	
		2-01-67	60.6(5)	541.4		01N/11W-21H035	609.5	10-05-66	85.5(5)	524.0	062
		2-15-67	54.6(5)	547.4				10-19-66	112.5(5)	497.0	
		3-01-67	47.6(5)	554.4				10-21-66	85.1	524.4	050
		3-15-67	46.6(5)	555.4				11-02-66	102.5(5)	507.0	062
		4-05-67	29.6(5)	572.4				11-16-66	82.1(5)	527.4	
		4-07-67	28.9	573.1	050			12-07-66	74.5(5)	535.0	
		4-19-67	26.9(5)	575.1	062			12-21-66	72.5(5)	537.0	
		5-03-67	(9)					1-04-67	68.5(5)	541.0	
		5-17-67	(9)					1-18-67	66.5(5)	543.0	
		6-07-67	25.8(5)	576.2				2-01-67	66.5(5)	543.0	
		6-21-67	26.0(5)	576.0				2-15-67	56.5(5)	553.0	
		7-05-67	27.8(5)	574.2				3-01-67	53.5(5)	556.0	
		7-19-67	28.4(5)	573.6				3-15-67	52.5(5)	557.0	
		8-02-67	31.5(5)	570.5				4-05-67	31.5(5)	578.0	
		8-16-67	96.6(1)	505.4				4-07-67	31.2	578.3	050
		9-06-67	46.4	555.6				4-19-67	27.5(5)	582.0	062
		9-21-67	42.1	559.9				5-03-67	26.8(5)	582.7	
01N/11W-21G035	611.5	10-05-66	87.7(5)	523.8	062			5-17-67	40.5(5)	569.0	
		10-19-66	97.0(5)	514.5				6-07-67	30.6(5)	578.9	
		10-21-66	86.7	524.8	050			6-21-67	29.5(5)	580.0	
		11-02-66	96.8(5)	514.7	062			7-05-67	27.9(5)	581.6	
		11-16-66	84.7(5)	526.8				7-19-67	30.0(5)	579.5	
		12-07-66	72.2(5)	539.3				8-02-67	33.5(5)	576.0	
		12-21-66	71.2(5)	540.3				8-16-67	52.9(5)	556.6	
		1-04-67	69.2(5)	542.3				9-06-67	54.8	554.7	
		1-18-67	65.0(5)	546.5				9-21-67	46.5	563.0	
		2-01-67	67.2(5)	544.3		01N/11W-22F015	591.6	10-21-66	16.7	574.9	050
		2-15-67	59.7(5)	551.8				4-07-67	8.1	583.5	
		3-01-67	55.6(5)	555.9				5-02-67	7.8	583.8	101
		3-15-67	42.8(5)	568.7				5-11-67	7.2	584.4	
		4-05-67	36.0(5)	575.5				5-16-67	8.0	583.6	
		4-07-67	35.4	576.1	050			6-06-67	9.4	582.2	
		4-19-67	33.0(5)	578.5	062			6-13-67	9.5	582.1	
		5-03-67	31.2(5)	580.3				6-20-67	9.7	581.9	
		5-17-67	44.1(5)	567.4				6-27-67	10.0	581.6	
		6-07-67	34.2(5)	577.3				7-05-67	10.5	581.1	
		6-21-67	33.2(5)	578.3				7-11-67	11.0	580.6	
		7-05-67	34.8(5)	576.7				7-25-67	12.2	579.4	
		7-19-67	35.5(5)	576.0				8-01-67	12.6	579.0	
		8-02-67	39.0(5)	572.5				8-23-67	11.3	580.3	
		8-16-67	59.2(5)	552.3				9-05-67	8.3	583.3	
		9-06-67	57.7	553.8				9-20-67	8.9	582.7	
		9-21-67	49.7	561.8		01N/11W-28C015	546.3	10-03-66	28.6	517.7	101
01N/11W-21G055	608.0	10-05-66	83.1(5)	524.9	062			10-21-66	27.6	518.7	050
		10-19-66	113.1(5)	494.9				10-21-66	27.6	518.7	
		10-21-66	84.6(5)	523.4	050			11-02-66	30.9	515.4	101
		11-02-66	100.1(5)	507.9	062			12-13-66	16.1	530.2	
		11-16-66	80.1(5)	527.9				12-20-66	14.8	531.5	
		12-07-66	73.1(5)	534.9				12-27-66	14.0	532.3	
		12-21-66	71.1(5)	536.9				1-03-67	14.0	532.3	
		1-04-67	68.1(5)	539.9				1-10-67	13.8	532.5	
		1-18-67	65.1(5)	542.9				1-17-67	13.9	532.4	
		2-01-67	65.1(5)	542.9				1-31-67	13.9	532.4	
		2-15-67	57.1(5)	550.9				2-08-67	13.8	532.5	
		3-01-67	54.1(5)	553.9				2-17-67	13.9	532.4	
		3-15-67	53.1(5)	554.9				2-21-67	13.2	533.1	
		4-05-67	31.3(5)	576.7				3-01-67	12.0	534.3	
		4-07-67	(9)		050			3-07-67	11.2	535.1	
		4-19-67	28.2(5)	579.8	062			3-15-67	9.8	536.5	
		5-03-67	23.6(5)	584.4							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT			U-05.C0			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
SANTA ANITA HYDRO SUBAREA			U-05.C3			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01N/11W-28C01S	546.3	3-21-67	8.8	537.5	101	01S/08W-06C01S	1153.5	11-14-66 4-10-67	231.0 218.9	922.5 934.6	101
(CONT.)		3-29-67	8.8	537.5		01S/09W-01A01S	1131.0	10-20-66 11-14-66 12-19-66	191.0 187.5 183.8	940.0 943.5 947.2	101
		4-04-67	6.0	540.3				1-02-67 2-06-67	179.9 180.9	951.1 950.1	
		4-07-67	4.2	542.1	050			3-06-67	180.4	950.6	
		4-10-67	3.3	543.0	101			4-28-67	177.4	953.6	
		4-26-67	3.7	542.6				5-08-67	166.7	964.3	
		5-02-67	2.7	543.6				6-14-67	178.6	952.4	
		5-10-67	2.9	543.4				7-10-67	181.9	949.1	
		5-16-67	4.5	541.8				8-02-67	182.7	948.3	
		5-24-67	3.7	542.6				9-06-67	174.2	956.8	
		5-31-67	4.4	541.9		01S/09W-01C02S	1131.0	11-15-66 4-10-67 4-11-67	214.2 (1) 203.5	916.8 (1) 927.5	101 733
		6-06-67	4.3	542.0		01S/09W-01D01S	1122.0	10-11-66 11-15-66 12-19-66 1-02-67	217.6 215.6 211.3 209.6	904.4 906.4 910.7 912.4	101
		6-13-67	3.4	542.9				2-06-67 3-06-67	207.0 203.8	915.0 918.2	
		6-20-67	4.0	542.3				4-10-67 5-08-67	205.3 204.5	916.7 917.5	
		6-27-67	3.4	542.9				6-14-67 7-10-67	208.2 212.0	913.8 910.0	
		7-05-67	4.0	542.3				8-01-67 9-06-67	214.4 208.6	907.6 913.4	
		7-11-67	4.6	541.7		01S/09W-01F01S	1119.3	10-11-66 12-19-66 1-02-67	238.1 (1) 207.3 208.0	881.2 912.0 911.3	101
		7-25-67	5.7	540.6				2-06-67 3-06-67	203.3 201.0	916.0 918.3	
		8-01-67	5.9	540.4				4-10-67 5-08-67	200.0 197.0	919.3 922.3	
		8-23-67	7.0	539.3				6-13-67 7-10-67	210.4 (1)	908.9	
		9-05-67	9.8	536.5				8-01-67 8-02-67	(1) (1)		
		9-20-67	9.0	537.3				9-06-67 9-11-67	(1) 215.6	903.7	
						01S/09W-01F02S	1118.0	10-11-66 11-15-66 12-19-66	(1) 211.1 208.8	906.9 909.2	101
								1-02-67 2-06-67	207.3 201.9	910.7 916.1	
								3-06-67 4-10-67	205.1 201.0	912.9 917.0	
								5-08-67 6-13-67	195.6 209.3	922.4 908.7	
								7-10-67 8-01-67	(1) (1)		
								8-02-67 9-06-67	(1) (1)		
								9-11-67	216.1	901.9	
						01S/09W-01G01S	1107.5	11-14-66 4-11-67	201.8 208.8	905.7 898.7	101
						01S/09W-01K01S	1083.0	11-15-66 4-13-67	171.0 161.5	912.0 921.5	101
						01S/09W-02C01S	1046.1	11-14-66 4-10-67	190.2 158.0	855.9 888.1	101
						01S/09W-02C03S	1051.0	10-11-66 11-14-66 12-19-66	202.8 197.6 172.5	848.2 853.4 878.5	101
								1-02-67 2-06-67	186.4 178.4	864.6 872.6	
								3-06-67 4-10-67	170.6 158.1	880.4 892.9	
								5-01-67 6-13-67	149.8 132.1	901.2 918.9	
								7-10-67 8-01-67	128.2 122.7	922.8 928.3	
								9-06-67	106.2	944.8	
						01S/09W-02D01S	1029.0	10-11-66 11-14-66 11-22-66 11-23-66 11-28-66	150.3 (1) (1) (1) (1)	878.7	101
								12-19-66 1-02-67 2-06-67	143.2 142.9 137.0	885.8 886.1 892.0	
								3-06-67 4-10-67	(1) 125.8	903.2	
								5-01-67 5-10-67	(1) 125.8	903.2	
								6-13-67	108.1	920.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA						SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.00						U-05.00					
U-05.01						U-05.01					
01S/09W-02D01S	1029.0	7-10-67	104.5	924.5	101	01S/09W-04G01S	879.6	1-02-67	91.5	788.1	101
(CONT.)		8-01-67	102.6	926.4		(CONT.)		2-06-67	90.8	788.8	
		9-06-67	98.6	930.4				3-06-67	90.2	789.4	
								4-10-67	90.1	789.5	
01S/09W-02H01S	1080.0	10-11-66	184.8(1)	895.2	101			5-01-67	91.0	788.6	
		11-14-66	180.4(1)	899.6				5-15-67	90.2	789.4	
		12-19-66	171.0	909.0				5-18-67	90.4	789.2	
		1-02-67	169.5	910.5				5-22-67	90.3	789.3	
		2-06-67	172.1(1)	907.9				5-25-67	90.3	789.3	
		3-06-67	171.7(1)	908.3				5-29-67	90.2	789.4	
		4-10-67	170.8(1)	909.2				6-05-67	90.0	789.6	
		5-08-67	164.6	915.4				6-13-67	89.5	790.1	
		6-14-67	173.2	906.8				6-19-67	88.9	790.7	
		7-10-67	178.5	901.5				6-21-67	88.7	790.9	
		8-01-67	178.9(1)	901.1				6-22-67	88.6	791.0	
		9-06-67	176.2	903.8				7-10-67	86.9	792.7	
								7-11-67	86.9	792.7	
01S/09W-02Q01S	1020.0	11-22-66	(1)		101			7-19-67	86.4	793.2	
		11-28-66	312.9	707.1				8-09-67	87.5	792.1	
		4-10-67	(1)					9-06-67	85.3	794.3	
		4-14-67	308.7	711.3							
01S/09W-02Q02S	1023.0	10-11-66	118.8	904.2	101	01S/09W-04J01S	906.6	10-14-66	106.3	800.3	101
		11-14-66	119.6	903.4				11-14-66	111.2	795.4	
		12-19-66	119.4	903.6				12-15-66	102.5	804.1	
		1-02-67	118.9	904.1				1-14-67	84.6	822.0	
		2-06-67	118.7	904.3				2-14-67	83.4	823.2	
		3-06-67	120.9	902.1				3-15-67	(1)		
		4-10-67	106.7	916.3				4-14-67	83.1	823.5	
		5-08-67	114.9	908.1				5-14-67	98.5	808.1	
		6-14-67	115.8	907.2				6-14-67	83.9	822.7	
		7-11-67	115.8	907.2				7-12-67	85.5	821.1	
		8-01-67	116.1	906.9				8-14-67	90.3	816.3	
		9-06-67	97.4	925.6				9-14-67	84.7	821.9	
01S/09W-03B01S	975.0	10-06-66	103.1	871.9	101	01S/09W-04R01S	867.7	10-14-66	223.0	644.7	101
		10-13-66	156.0	819.0				11-14-66	221.5	646.2	
		10-19-66	159.6	815.4				12-15-66	221.1	646.6	
		10-27-66	164.8	810.2				1-14-67	229.6	638.1	
		11-03-66	166.7	808.3				2-14-67	219.7	648.0	
		11-09-66	159.8	815.2				3-15-67	(1)		
		11-17-66	150.6	824.4				4-14-67	219.7	648.0	
		11-23-66	138.8	836.2				5-14-67	225.1	642.6	
		12-15-66	122.3	852.7				6-14-67	222.4	645.3	
		12-22-66	120.2	854.8				7-12-67	222.2	645.5	
		12-29-66	116.0	859.0				8-14-67	221.5	646.2	
		1-06-67	130.5	844.5				8-15-67	228.4	639.3	
		1-14-67	134.5	840.5				9-14-67	222.3	645.4	
		1-18-67	147.3	827.7		01S/09W-05F01S	790.0	10-04-66	173.3	616.7	101
		1-25-67	127.2	847.8				11-02-66	175.0	615.0	
		2-01-67	115.2	859.8		01S/09W-05G01S	797.0	11-14-66	145.2	651.8	101
		2-08-67	113.3	861.7				4-10-67	(1)		
		2-15-67	120.6	854.4				4-14-67	143.8	653.2	
		3-01-67	131.6	843.4				7-10-67	(1)		
		3-08-67	125.5	849.5				7-19-67	(1)		
		3-15-67	113.5	861.5				8-10-67	131.6	665.4	
		3-22-67	113.1	861.9		01S/09W-05G02S	795.0	11-14-66	141.2	653.8	101
		3-29-67	111.0	864.0				4-10-67	141.8	653.2	
		4-05-67	103.9	871.1				7-10-67	154.0	641.0	
		4-13-67	99.6	875.4				7-19-67	139.7	655.3	
		4-19-67	97.6	877.4				8-09-67	131.5	663.5	
		4-26-67	95.8	879.2		01S/09W-05G03S	797.5	11-14-66	139.0	658.5	101
		5-03-67	98.3	876.7				4-10-67	134.2	663.3	
		5-10-67	113.5	861.5				7-10-67	(1)		
		5-16-67	132.8	842.2				7-19-67	(1)		
		5-23-67	124.9	850.1				8-09-67	(1)		
		5-31-67	106.7	868.3				8-10-67	(1)		
		6-07-67	123.7	851.3		01S/09W-05J01S	821.6	10-11-66	153.9	667.7	101
		6-14-67	103.5	871.5				11-07-66	144.9	676.7	
		6-21-67	117.1	857.9				12-19-66	128.9	692.7	
		6-29-67	130.2	844.8				1-02-67	131.6	690.0	
		7-05-67	136.1	838.9				2-06-67	127.6	694.0	
		7-21-67	141.1	833.9				3-06-67	(1)		
		8-17-67	126.4	848.6				4-10-67	127.5	694.1	
		8-22-67	146.1	828.9				5-01-67	125.1	696.5	
		8-31-67	146.8	828.2				5-15-67	(1)		
		9-07-67	126.6	848.4				5-18-67	(1)		
		9-14-67	143.8	831.2				5-22-67	(1)		
		9-21-67	142.3	832.7				5-23-67	(1)		
		9-29-67	142.2	832.8				6-13-67	123.5	698.1	
01S/09W-03C01S	957.0	11-14-66	131.6	825.4	101			6-21-67	(1)		
		4-10-67	83.8	873.2				6-22-67	(1)		
01S/09W-03C06S	948.0	4-10-67	(3)		101			7-10-67	(1)		
01S/09W-03E01S	930.0	11-14-66	72.3	857.7	101			7-19-67	(1)		
		4-10-67	60.8	869.2				8-09-67	(1)		
01S/09W-03H01S	1018.0	11-14-66	154.4	863.6	101			8-10-67	(1)		
		4-10-67	153.2	864.8				9-06-67	(1)		
01S/09W-04O01S	842.0	11-02-66	92.6	749.4	101	01S/09W-08E01S	728.4	4-13-67	(3)		101
		4-17-67	87.4	754.6		01S/09W-09B01S	840.0	10-14-66	226.3	613.7	101
01S/09W-04G01S	879.6	10-11-66	96.8	782.8	101			11-14-66	224.6	615.4	
		11-14-66	90.3	789.3				12-15-66	223.6	616.4	
		12-19-66	92.3	787.3				1-14-67	225.0	615.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01S/09W-09B01S (CONT.)	840.0	2-14-67 3-15-67 4-14-67 5-14-67 6-14-67 7-12-67 8-14-67 9-14-67	223.5 225.3 219.9 224.3 218.4 227.4 211.0 224.8	616.5 614.7 620.1 615.7 621.6 612.6 629.0 615.2	101	01S/09W-19C03S (CONT.)	526.0	5-17-67 5-24-67 5-31-67 6-08-67 6-14-67 6-21-67 6-29-67 7-05-67 7-13-67 7-26-67 8-09-67 8-23-67 8-30-67 9-06-67 9-20-67	(3) 118.9 122.2 (3) (1) (1) 121.8 (1) (1) (1) (1) (1) (1) (1) (1)	407.1 403.8 404.2	101
01S/09W-09E01S	795.0	10-04-66 11-02-66 12-13-66 3-02-67 4-13-67 5-08-67 6-01-67 7-03-67 8-01-67	(8) (8) (9) (9) (3) (8) 246.0 (9) (9)	 549.0	101	01S/09W-32C02S	736.0	11-14-66	16.1	719.9	101
01S/09W-09E04S	793.0	11-02-66 4-17-67	118.6 116.2	674.4 676.8	101	01S/09W-32C03S	723.5	11-14-66	(6)		101
01S/09W-10A01S	934.4	11-14-66 4-10-67	210.3 212.5	724.1 721.9	101	01S/09W-32G02S	700.0	11-14-66 4-17-67	18.0 (1) 8.0	682.0 692.0	101
01S/09W-17H01S	660.5	11-14-66 4-17-67	48.7 46.0	611.8 614.5	101	01S/10W-01R01S	657.0	10-20-66 11-10-66 12-01-66 12-22-66 6-29-67 7-20-67 8-10-67 9-21-67	315.4 313.9 312.0 308.0 272.1 274.7 277.2 286.6	341.6 343.1 345.0 349.0 384.9 382.3 379.8 370.4	733
01S/09W-18A04S	673.0	11-14-66 4-17-67	169.5 168.8	503.5 504.2	101	01S/10W-02Q01S	552.5	10-05-66 10-13-66 10-19-66 10-26-66 11-30-66 1-05-67 2-16-67	DRY DRY DRY DRY DRY DRY DRY		101
01S/09W-19C01S	530.0	10-06-66 10-11-66 10-19-66 10-26-66 11-16-66 12-22-66 12-29-66 1-05-67 1-12-67 1-19-67 1-26-67 2-01-67 2-08-67 2-15-67 2-23-67 3-02-67 3-08-67 3-15-67 3-22-67 3-29-67 4-05-67 4-13-67 4-19-67 4-26-67 5-03-67 5-10-67 5-17-67 5-24-67 5-31-67 6-08-67 6-14-67 6-21-67 6-29-67 7-05-67 7-13-67 7-27-67 8-09-67 8-23-67 9-06-67 9-20-67	131.9 125.9 134.7 131.7 121.7 118.2 119.3 111.1 112.0 119.9 117.2 116.8 116.6 127.4 (2) 123.4 121.4 (2) 119.6 117.1 114.5 114.8 114.8 113.8 109.5 112.1 114.5 119.3 (2) 120.5 116.0 122.0 117.9 121.7 124.7 127.5 130.4 132.4 130.8 134.5 (2) 134.7 (2) 139.1	398.1 404.1 395.3 398.3 408.3 411.8 410.7 418.9 418.0 410.1 412.8 413.2 413.4 402.6 406.6 408.6 410.4 412.9 415.5 415.2 415.2 416.2 420.5 417.9 415.5 410.7 409.5 414.0 408.0 412.1 408.3 405.3 402.5 399.6 397.6 399.2 395.5 395.3 390.9	101	01S/10W-02Q02S	552.5	10-05-66 10-13-66 10-19-66 10-26-66 11-30-66 1-05-67 2-16-67	DRY DRY DRY DRY DRY DRY DRY		101
						01S/10W-02Q03S	553.0	10-05-66 10-13-66 10-19-66 10-26-66 11-30-66 1-03-67 2-16-67	DRY DRY DRY DRY DRY DRY DRY		101
						01S/10W-02Q04S	560.0	10-05-66 10-13-66 10-19-66 10-26-66 11-30-66 2-16-67	DRY DRY DRY DRY DRY DRY		101
						01S/10W-02Q05S	559.8	10-05-66 10-13-66 10-19-66 10-26-66 11-30-66 1-05-67 2-16-67	3.8 3.8 3.9 3.8 3.5 3.5 3.5	556.0 556.0 555.9 556.0 556.3 556.3 556.3	101
						01S/10W-02R07S	567.8	10-05-66 10-13-66 10-19-66 10-26-66 11-30-66 2-16-67	7.1 6.8 5.1 7.1 7.1 DRY	560.7 561.0 562.7 560.7 560.7	101
						01S/10W-02R09S	568.3	10-05-66 10-13-66 10-19-66 10-26-66 11-30-66 2-16-67	DRY DRY DRY DRY DRY DRY		101
						01S/10W-02R10S	568.3	10-05-66 10-13-66 10-19-66 10-26-66 11-30-66 2-16-67	9.8 10.8 12.5 DRY DRY DRY	558.5 557.5 555.8	101
						01S/10W-02R11S	568.0	10-05-66 10-13-66 10-19-66 10-26-66 11-30-66 1-05-67	8.1 8.1 11.2 11.1 10.9 11.1	559.9 559.9 556.8 556.9 557.1 556.9	101
01S/09W-19C03S	526.0	10-05-66 10-11-66 10-19-66 10-26-66 11-16-66 12-22-66 12-29-66 1-05-67 1-12-67 1-19-67 1-26-67 2-01-67 2-08-67 2-15-67 2-23-67 3-02-67 3-08-67 3-15-67 3-22-67 3-29-67 4-05-67 4-13-67 4-19-67 4-26-67 5-03-67 5-10-67	(8) (8) (1) (1) 116.7 (1) 115.6 (4) 114.6 (1) (1) 111.7 112.9 (1) (1) (1) 118.6 (1) (1) (1) 109.8 112.4 112.3 113.0 112.5 (1) 111.1 (3)	409.3 410.4 411.4 414.3 413.1 407.4 416.2 413.6 413.7 413.0 413.5 414.9	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0			MAIN SAN GABRIEL HYDRO SUBAREA U-05.D1			SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0			MAIN SAN GABRIEL HYDRO SUBAREA U-05.D1		
015/10W-02R115 (CONT.)	568.0	2-16-67	11.1	556.9	101	015/10W-04G015 (CONT.)	0504.8	5-10-67	0220.5	0284.3	101
								5-17-67	0218.5	0286.3	
015/10W-03A015	525.0	1-04-67	276.8	248.2	101			5-24-67	0217.7	0287.1	
		1-11-67	275.2	249.8				5-31-67	0215.5	0289.3	
		4-24-67	251.3	273.7				6-07-67	0214.2	0290.6	
		6-07-67	(2)					6-14-67	0212.8	0292.0	
015/10W-03H015	517.0	11-01-66	281.0(5)	236.0	101			6-21-67	0211.6	0293.2	
		12-14-66	279.0(5)	238.0				6-28-67	0211.1	0293.7	
		12-21-66	279.0(5)	238.0				7-12-67	0211.1	0293.7	
		1-04-67	269.1	247.9				7-26-67	0211.8	0293.0	
		1-11-67	268.4	248.6				8-09-67	0212.8	0292.0	
		1-18-67	266.3	250.7				8-23-67	0214.7	0290.1	
		1-25-67	265.0	252.0				8-30-67	0215.9	0288.9	
		2-01-67	263.8	253.2				9-05-67	0217.2	0287.6	
		2-08-67	262.2	254.8				9-20-67	0219.5	0285.3	
		2-15-67	260.6	256.4		015/10W-04R015	478.5	11-16-66	245.2	233.3	101
		2-23-67	258.9	258.1				12-14-66	241.4	237.1	
		3-08-67	256.5	260.5				12-21-66	241.8	236.7	
		3-15-67	255.3	261.7				12-28-66	238.2	240.3	
		3-22-67	254.5	262.5				1-04-67	234.1	244.4	
		3-29-67	253.3	263.7				1-11-67	233.0	245.5	
		4-05-67	251.5	265.5				1-18-67	232.9	245.6	
		4-12-67	250.1	266.9				1-25-67	231.0	247.5	
		4-19-67	248.8	268.2				2-01-67	229.4	249.1	
		4-26-67	246.5	270.5				2-08-67	226.6	251.9	
		5-03-67	244.7	272.3				2-15-67	223.6	254.9	
		5-10-67	243.3	273.7				2-23-67	221.8	256.7	
		5-17-67	243.9	273.1				3-01-67	221.1	257.4	
		5-24-67	242.8	274.2				3-08-67	219.1	259.4	
		5-31-67	239.5	277.5				3-15-67	219.3	259.2	
		6-08-67	238.6	278.4				3-22-67	217.2	261.3	
		6-14-67	236.4	280.6				3-29-67	215.9	262.6	
		6-21-67	237.5	279.5				4-05-67	214.0	264.5	
		6-28-67	235.3	281.7				4-12-67	211.7	266.8	
		7-12-67	236.0	281.0				4-20-67	209.0	269.5	
		7-26-67	236.4(12)	280.6				4-26-67	206.2	272.3	
		8-09-67	233.0	284.0				5-03-67	204.9	273.6	
		8-23-67	233.2	283.8				5-10-67	202.6	275.9	
		9-05-67	233.5	283.5				5-17-67	201.0	277.5	
		9-20-67	233.4	283.6				5-24-67	200.2	278.3	
015/10W-03K015	507.0	10-20-66	278.4	228.6	733			5-31-67	198.5	280.0	
		11-10-66	277.6	229.4				6-01-67	194.6	283.9	
		12-01-66	276.9	230.1				6-07-67	197.2	281.3	
015/10W-03K025	496.0	10-20-66	260.0	236.0	733			6-14-67	195.8	282.7	
		11-10-66	258.9	237.1				6-28-67	194.1	284.4	
		12-01-66	257.6	238.4				7-12-67	194.1	284.4	
		12-14-66	256.6	239.4				7-26-67	196.5	282.0	
		12-21-66	255.4	240.6				8-09-67	194.7	283.8	
		1-04-67	251.6	244.4				8-23-67	196.1	282.4	
		1-11-67	249.6	246.4				8-30-67	196.9(12)	281.6	
		1-18-67	248.2	247.8				9-05-67	(19)		
		1-25-67	246.7	249.3				9-20-67	199.1	279.4	
		2-01-67	(1)			015/10W-04R035	479.0	11-16-66	245.2	233.8	101
		2-08-67	243.7	252.3				12-14-66	241.0	238.0	
		2-15-67	241.8	254.2				12-21-66	241.0	238.0	
		2-22-67	240.1	255.9				12-28-66	237.9	241.1	
		3-01-67	239.1	256.9				1-04-67	233.1	245.9	
		3-08-67	(1)					1-11-67	232.0	247.0	
		3-16-67	235.6	260.4				1-18-67	230.3	248.7	
		3-22-67	235.1	260.9				1-25-67	233.1	245.9	
		3-29-67	233.8	262.2				2-01-67	227.8	251.2	
		4-05-67	232.1	263.9				2-08-67	224.8	254.2	
		4-12-67	230.5	265.5				2-15-67	226.5	252.5	
		4-19-67	229.0	267.0				2-23-67	220.5	258.5	
		4-26-67	226.6	269.4				3-01-67	427.5	51.5	
		5-03-67	224.8	271.2				3-08-67	227.1(4)	251.9	
		5-10-67	223.7	272.3				3-15-67	216.7	262.3	
		5-17-67	224.4	271.6				3-22-67	215.7	263.3	
		5-24-67	(1)					3-29-67	214.4	264.6	
		5-31-67	219.4	276.6				4-05-67	212.3	266.7	
		6-07-67	218.9	277.1				4-12-67	210.0	269.0	
		6-14-67	216.3	279.7				4-20-67	207.8	271.2	
		6-21-67	(1)					4-26-67	206.7	272.3	
		6-28-67	216.4	279.6				5-03-67	203.1	275.9	
		7-05-67	(1)					5-10-67	200.9	278.1	
		7-12-67	215.3	280.7				5-17-67	199.6	279.4	
		7-26-67	(1)					5-24-67	198.6	280.4	
		8-09-67	(1)					5-31-67	196.8	282.2	
		9-20-67	215.2	280.8				6-07-67	195.6	283.4	
015/10W-04G015	0504.8	11-09-66	0268.3	0236.5	101			6-14-67	194.1	284.9	
		2-02-67	0258.5	0246.3				6-21-67	193.1	285.9	
		2-09-67	0245.4	0259.4				6-28-67	192.7	286.3	
		2-15-67	0242.5	0262.3				7-12-67	192.6	286.4	
		3-01-67	0238.5	0266.3				7-26-67	193.0	286.0	
		3-08-67	0237.5	0267.3				8-09-67	193.4	285.6	
		3-15-67	0236.8	0268.0				8-23-67	195.2	283.8	
		3-22-67	0236.1	0268.7				8-30-67	195.8(4)	283.2	
		3-29-67	0234.7	0270.1				9-05-67	(19)		
		4-05-67	0232.5	0272.3				9-20-67	198.1	280.9	
		4-12-67	0230.2	0274.6		015/10W-05J015	473.0	10-12-66	DRY		733
		4-19-67	0227.6	0277.2				11-02-66	DRY		101
		4-26-67	0229.1	0275.7				11-02-66	DRY		733
		5-03-67	0222.9	0281.9				11-23-66	DRY		
								12-14-66	225.7(6)	247.3	101
								12-16-66	DRY		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA						SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.D0						U-05.D0					
U-05.D1						U-05.D1					
015/10W-05J015	473.0	12-17-66	DRY		101	015/10W-07L015	389.1	1-04-67	136.3	252.8	101
(CONT.)		12-20-66	DRY			(CONT.)		1-04-67	(2)		733
		12-21-66	DRY		733			1-11-67	138.1	251.0	101
		12-31-66	206.5	266.5	101			1-11-67	137.2	251.9	733
		1-04-67	209.7	263.3	733			1-18-67	140.0	249.1	101
		1-11-67	211.3	261.7				1-18-67	139.1	250.0	733
		1-18-67	216.7	256.3				1-25-67	139.4	249.7	
		1-25-67	216.8	256.2				2-01-67	136.8	252.3	101
		2-01-67	214.9	258.1				2-01-67	136.2	252.9	733
		2-08-67	207.7	265.3				2-08-67	127.7	261.4	101
		2-15-67	203.8	269.2				2-08-67	127.2	261.9	733
		2-22-67	205.3	267.7				2-15-67	125.1	264.0	101
		3-01-67	202.5	270.5				2-15-67	124.3	264.8	733
		3-08-67	202.7	270.3				2-22-67	122.8	266.3	
		3-15-67	203.2	269.8				2-23-67	126.0	263.1	101
		3-22-67	202.3	270.7				3-01-67	126.2	262.9	
		3-29-67	199.2	273.8				3-01-67	125.3	263.8	733
		4-05-67	195.2	277.8				3-08-67	125.6	263.5	
		4-12-67	191.9	281.1				3-15-67	125.7	263.4	
		4-19-67	189.7	283.3				3-22-67	(9)		
		4-26-67	188.2	284.8				4-12-67	(2)		
		5-03-67	184.7	288.3				5-13-67	96.4	292.7	
		5-10-67	182.0	291.0				6-07-67	95.0	294.1	
		5-17-67	179.6	293.4				6-28-67	(2)		
		5-24-67	177.3	295.7				7-19-67	99.4	289.7	
		5-31-67	173.3	299.7				8-09-67	103.3	285.8	
		6-07-67	175.3	297.7				9-27-67	111.4	277.7	
		6-14-67	174.0	299.0							
		6-21-67	173.2	299.8							
		6-28-67	173.9	299.1		015/10W-07R025	386.7	10-03-66	153.4	233.3	101
		7-05-67	174.0	299.0				10-05-66	153.6	233.1	733
		7-12-67	174.7	298.3				10-07-66	153.7	233.0	101
		7-26-67	176.5	296.5				10-10-66	153.8	232.9	
		8-09-67	178.5	294.5				10-12-66	153.9	232.8	733
		9-13-67	187.5	285.5				10-14-66	153.9	232.8	101
								10-17-66	154.1	232.6	
								10-19-66	154.2	232.5	733
015/10W-05N015	443.0	10-12-66	208.5	234.5	733			10-21-66	154.3	232.4	101
		11-02-66	209.7	233.3				10-24-66	154.6	232.1	
		11-23-66	210.1	232.9				10-26-66	154.7	232.0	733
		12-21-66	(9)					10-28-66	154.8	231.9	101
		12-28-66	143.3	299.7	101			11-02-66	155.1	231.6	733
		1-04-67	169.2	273.8	733			11-04-66	155.2	231.5	101
		1-11-67	179.5	263.5				11-07-66	155.3	231.4	
		1-18-67	185.2	257.8				11-09-66	155.4	231.3	733
		1-25-67	(9)					11-11-66	155.4	231.3	101
		2-01-67	(9)					11-14-66	155.3	231.4	
		2-08-67	(9)					11-16-66	155.3	231.4	733
		2-15-67	164.7	278.3				11-18-66	155.3	231.4	101
		2-22-67	168.3	274.7				11-21-66	155.2	231.5	
		3-01-67	170.0	273.0				11-23-66	155.3	231.4	733
		3-08-67	171.2	271.8				11-25-66	155.3	231.4	101
		3-15-67	171.9	271.1				11-28-66	155.1	231.6	
		3-22-67	170.1	272.9				11-30-66	155.2	231.5	733
		3-25-67	161.4	281.6				12-02-66	155.1	231.6	101
		4-05-67	157.4	285.6				12-05-66	155.0	231.7	
		4-12-67	154.5	288.5				12-07-66	155.1	231.6	733
		4-19-67	153.0	290.0				12-09-66	155.0	231.7	101
		4-26-67	152.0	291.0				12-12-66	154.9	231.8	
		5-03-67	148.0	295.0				12-14-66	154.6	232.1	733
		5-10-67	144.8	298.2				12-16-66	154.2	232.5	101
		5-17-67	142.7	300.3				12-19-66	152.7	234.0	
		5-24-67	141.5	301.5				12-21-66	151.1	235.6	733
		5-31-67	140.0	303.0				12-23-66	149.1	237.6	101
		6-07-67	138.6	304.4				12-26-66	145.1	241.6	
		6-14-67	137.2	305.8				12-30-66	141.2	245.5	
		6-21-67	137.8	305.2				1-02-67	139.3	247.4	
		6-28-67	140.4	302.6				1-04-67	138.6	248.1	733
		7-05-67	141.2	301.8				1-06-67	138.3	248.4	101
		7-12-67	142.4	300.6				1-09-67	138.2	248.5	
		7-26-67	143.7	299.3				1-11-67	138.2	248.5	733
		8-09-67	148.0	295.0				1-13-67	138.3	248.4	101
		9-13-67	158.6	284.4				1-16-67	138.5	248.2	
								1-18-67	138.7	248.0	733
015/10W-06N025	404.0	11-05-66	177.1(4)	226.9	101			1-20-67	138.8	247.9	101
								1-23-67	138.8	247.9	
015/10W-07A065	422.4	11-16-66	192.4	230.0	101			1-25-67	138.8	247.9	733
		4-27-67	141.2(4)	281.2				1-27-67	138.5	248.2	101
								1-30-67	137.9	248.8	
015/10W-07A075	422.4	11-16-66	192.9(4)	229.5	101			2-01-67	137.4	249.3	733
		4-27-67	139.4(4)	283.0				2-03-67	136.2	250.5	101
								2-06-67	134.2	252.5	
015/10W-07K025	393.5	11-16-66	162.2	231.3	101			2-08-67	132.7	254.0	733
		12-14-66	160.7	232.8				2-10-67	131.3	255.4	101
		12-21-66	153.0	240.5				2-13-67	129.5	257.2	
		12-28-66	140.5	253.0				2-15-67	128.8	257.9	733
		1-04-67	138.6	254.9				2-17-67	128.3	258.4	101
		1-11-67	141.0	252.5				2-20-67	127.7	259.0	
		1-18-67	142.9	250.6				2-22-67	127.4	259.3	733
		1-25-67	143.4	250.1				2-24-67	127.1	259.6	101
		2-01-67	(6)					2-27-67	126.9	259.8	
								3-01-67	126.7	260.0	733
015/10W-07L015	389.1	10-19-66	157.2	231.9	733			3-03-67	126.6	260.1	101
		11-09-66	163.1	226.0				3-06-67	126.3	260.4	
		11-30-66	162.1	227.0				3-08-67	126.2	260.5	733
		12-14-66	161.7	227.4				3-10-67	126.2	260.5	101
		12-21-66	150.0	239.1	101			3-13-67	125.9	260.8	
		12-21-66	149.7	239.4	733			3-15-67	125.8	260.9	733
		12-28-66	138.4	250.7	101			3-17-67	125.7	261.0	101

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA						SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.D0						U-05.D0					
U-05.D1						U-05.D1					
01S/10W-07R02S	386.7	3-20-67	125.4	261.3	101	01S/10W-08R01S	410.3	4-26-67	141.4	268.9	101
(CONT.)		3-22-67	124.9	261.8	733	(CONT.)		5-03-67	139.1	271.2	
		3-24-67	124.4	262.3	101			5-10-67	136.6	273.7	
		3-27-67	123.3	263.4				5-17-67	135.0	275.3	
		3-29-67	122.4	264.3	733			5-24-67	133.6	276.7	
		3-31-67	121.6	265.1	101			5-31-67	132.1	278.2	
		4-04-67	119.9	266.8				6-07-67	130.6	279.7	
		4-05-67	119.6	267.1	733			6-14-67	129.1	281.2	
		4-07-67	118.9	267.8	101			6-21-67	128.0	282.3	
		4-12-67	117.2	269.5	733			6-28-67	127.4	282.9	
		4-14-67	116.7	270.0	101			7-12-67	127.0	283.3	
		4-17-67	115.8	270.9				7-26-67	127.4	282.9	
		4-19-67	115.2	271.5	733			8-09-67	128.0	282.3	
		4-21-67	114.6	272.1	101			8-23-67	129.3	281.0	
		4-24-67	113.9	272.8				8-30-67	130.1	280.2	
		4-26-67	113.4	273.3	733			9-06-67	131.2	279.1	
		4-28-67	112.8	273.9	101			9-20-67	132.5	277.8	
		5-01-67	111.9	274.8		01S/10W-09F01S	440.0	11-05-66	210.5	229.5	101
		5-03-67	111.2	275.5	733			12-14-66	204.4	235.6	
		5-05-67	110.5	276.2	101			12-21-66	201.9(2)	238.1	
		5-08-67	109.3	277.4				12-28-66	203.6(2)	236.4	
		5-10-67	108.6	278.1	733			1-04-67	195.6(2)	244.4	
		5-12-67	108.0	278.7	101			1-11-67	196.7	243.3	
		5-15-67	106.9	279.8				5-03-67	(2)		
		5-17-67	106.4	280.3	733			5-06-67	174.3	265.7	
		5-19-67	105.8	280.9	101	01S/10W-09F02S	440.0	11-05-66	208.6	231.4	101
		5-22-67	105.0	281.7				12-14-66	204.8(2)	235.2	
		5-24-67	104.4	282.3	733			12-21-66	202.3(2)	237.7	
		5-26-67	103.9	282.8	101			12-28-66	204.0(2)	236.0	
		5-31-67	102.4	284.3	733			1-04-67	196.0(2)	244.0	
		6-02-67	102.0	284.7	101			1-11-67	197.1(2)	242.9	
		6-05-67	101.4	285.3				1-18-67	201.1(2)	238.9	
		6-07-67	100.9	285.8	733			1-25-67	201.2(2)	238.8	
		6-09-67	100.5	286.2	101			2-01-67	202.4(2)	237.6	
		6-12-67	99.7	287.0				2-09-67	194.0(2)	246.0	
		6-14-67	99.4	287.3	733			2-15-67	204.4(2)	235.6	
		6-16-67	98.9	287.8	101			2-23-67	(1)		
		6-21-67	98.5	288.2	733			3-01-67	182.8(2)	257.2	
		6-28-67	98.6	288.1				3-08-67	181.7(2)	258.3	
		7-03-67	99.0	287.7	101			3-15-67	181.0(2)	259.0	
		7-05-67	99.1	287.6	733			3-22-67	184.2(2)	255.8	
		7-07-67	99.2	287.5	101			3-29-67	184.2(2)	255.8	
		7-10-67	99.5	287.2				4-05-67	183.6(2)	256.4	
		7-12-67	99.7	287.0	733			4-12-67	175.6(2)	264.4	
		7-14-67	99.9	286.8	101			4-19-67	171.3(2)	268.7	
		7-17-67	100.3	286.4	733			4-26-67	170.8	269.2	
		7-21-67	100.5	286.2	101			5-03-67	(4)		
		7-24-67	100.8	285.9				5-10-67	185.0(2)	255.0	
		7-26-67	101.0	285.7	733			5-17-67	164.7	275.3	
		7-31-67	101.6	285.1	101			5-24-67	162.8	277.2	
		8-02-67	101.8	284.9	733			5-31-67	161.3	278.7	
		8-04-67	101.9	284.8	101			6-07-67	159.5	280.5	
		8-07-67	102.3	284.4				6-14-67	158.2	281.8	
		8-09-67	102.4	284.3	733			6-21-67	157.4	282.6	
		8-11-67	102.7	284.0	101			6-28-67	157.4	282.6	
		8-14-67	103.0	283.7				7-26-67	158.8	281.2	
		8-16-67	103.2	283.5	733			8-09-67	158.1(2)	281.9	
		8-18-67	103.7	283.0	101			8-23-67	160.5(2)	279.5	
		8-21-67	104.1	282.6				8-30-67	(1)		
		8-25-67	104.9	281.8				9-06-67	161.6(2)	278.4	
		8-28-67	105.4	281.3				9-20-67	166.0(2)	274.0	
		9-01-67	106.1	280.6		01S/10W-09H01S	452.0	11-05-66	218.2	233.8	101
		9-08-67	107.1	279.6				12-14-66	211.4	240.6	
		9-11-67	107.5	279.2				12-21-66	210.6	241.4	
		9-13-67	107.8	278.9	733			12-28-66	208.1	243.9	
		9-15-67	108.1	278.6	101			1-04-67	205.8	246.2	
		9-18-67	108.5	278.2				1-11-67	205.3	246.7	
		9-20-67	108.7	278.0	733			1-18-67	204.7	247.3	
		9-22-67	108.9	277.8	101			1-25-67	203.9	248.1	
		9-25-67	109.2	277.5				2-01-67	201.4	250.6	
		9-27-67	109.4	277.3	733			2-09-67	197.8(2)	254.2	
		9-29-67	109.7	277.0	101			2-15-67	195.9	256.1	
01S/10W-08A02S	454.5	4-27-67	(1)		101			2-23-67	194.4	257.6	
01S/10W-08N01S	418.0	12-08-66	(6)		101			3-01-67	192.6	259.4	
01S/10W-08R01S	410.3	10-03-66	177.8	232.5	101			3-08-67	191.7	260.3	
		11-05-66	179.4	230.9				3-15-67	191.3	260.7	
		12-14-66	177.9	232.4				3-22-67	189.6	262.4	
		12-21-66	175.6	234.7				3-29-67	188.6	263.4	
		12-28-66	170.9	239.4				4-05-67	187.0	265.0	
		1-04-67	167.0	243.3				4-12-67	184.6	267.4	
		1-11-67	165.6	244.7				4-19-67	182.4	269.6	
		1-18-67	165.2	245.1				4-26-67	179.3	272.7	
		1-25-67	164.5	245.8				5-03-67	176.0	276.0	
		2-01-67	163.4	246.9				5-10-67	173.2	278.8	
		2-08-67	161.9	248.4				5-17-67	173.1	278.9	
		2-15-67	157.8	252.5				5-24-67	172.9	279.1	
		2-23-67	155.7	254.6				5-31-67	171.6	280.4	
		3-01-67	154.7	255.6				6-07-67	170.2	281.8	
		3-08-67	153.7	256.6				6-14-67	168.8	283.2	
		3-15-67	152.2	258.1				6-21-67	(9)		
		3-22-67	151.0	259.3				6-28-67	167.9	284.1	
		3-29-67	149.6	260.7				7-26-67	167.9	284.1	
		4-05-67	147.9	262.4				8-09-67	168.5(2)	283.5	
		4-12-67	145.6	264.7				8-23-67	169.3	282.7	
		4-19-67	143.5	266.8				8-30-67	169.6	282.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1		
01S/10W-09H01S	452.0	9-06-67	170.1	281.9	101	01S/10W-12C03S	604.0	8-13-67	44.5	559.5	101
(CDNT.)		9-20-67	171.4	280.6		(CDNT.)		9-07-67	DRY		
								9-14-67	45.9	558.1	
01S/10W-10C01S	471.0	10-12-66	236.3	234.7	733	01S/10W-12C04S	604.0	12-28-66	DRY		101
		11-02-66	236.3	234.7				1-19-67	DRY		
		11-23-66	235.8	235.2				2-16-67	DRY		
		12-14-66	235.5	235.5				3-02-67	DRY		
		1-04-67	228.1	242.9				3-16-67	DRY		
		2-08-67	222.7	248.3				3-24-67	DRY		
		3-01-67	217.5	253.5				3-30-67	DRY		
		3-22-67	213.5	257.5				4-07-67	DRY		
		4-12-67	207.5	263.5				4-13-67	DRY		
		5-03-67	202.9	268.1				8-13-67	DRY		
		5-24-67	201.7	269.3				9-07-67	DRY		
		6-14-67	194.1	276.9				9-14-67	DRY		
		7-05-67	(1)								
		7-26-67	194.3	276.7		01S/10W-12C05S	604.0	12-28-66	DRY		101
		8-09-67	193.6	277.4				1-19-67	DRY		
		9-13-67	194.1	276.9				2-16-67	DRY		
								3-02-67	DRY		
01S/10W-10P01S	461.9	10-12-66	223.3	238.6	733			3-16-67	DRY		
		11-09-66	224.3	237.6				3-24-67	DRY		
		11-21-66	223.7	238.2	101			3-30-67	DRY		
		11-30-66	224.1	237.8	733			4-07-67	DRY		
		12-14-66	223.6	238.3				4-13-67	DRY		
		12-21-66	222.5	239.4				8-13-67	DRY		
		12-28-66	221.2	240.7	101			9-07-67	DRY		
		1-04-67	219.5	242.4	733			9-14-67	DRY		
		1-11-67	218.0	243.9							
		1-18-67	216.9	245.0		01S/10W-12C08S	608.9	12-28-66	DRY		101
		1-25-67	216.1	245.8				1-19-67	DRY		
		2-01-67	214.6	247.3				2-16-67	DRY		
		2-08-67	213.6	248.3				3-02-67	DRY		
		2-15-67	211.8	250.1				3-16-67	12.2	596.7	
		2-22-67	210.3	251.6				3-24-67	12.0	596.9	
		3-01-67	208.7	253.2				3-30-67	12.0	596.9	
		3-08-67	207.4	254.5				4-07-67	12.2	596.7	
		3-15-67	205.9	256.0				4-13-67	11.9	597.0	
		3-22-67	205.1	256.8				4-27-67	12.8	596.1	
		3-29-67	203.8	258.1				8-13-67	12.9	596.0	
		4-05-67	202.7	259.2				9-07-67	11.1	597.8	
		4-12-67	201.8	260.1				9-14-67	12.6	596.3	
		4-18-67	199.3	262.6	101						
		4-19-67	199.6	262.3	733	01S/10W-12C09S	603.1	12-28-66	DRY		101
		4-26-67	197.9	264.0				1-19-67	DRY		
		5-03-67	195.9	266.0				2-16-67	DRY		
		5-10-67	194.1	267.8				3-02-67	DRY		
		5-17-67	192.4	269.5				3-16-67	DRY		
		5-24-67	190.6	271.3				3-24-67	(9)		
		5-31-67	190.1	271.8				3-30-67	(9)		
		6-07-67	188.9	273.0				4-07-67	(9)		
		6-14-67	187.7	274.2				4-13-67	(9)		
		6-21-67	186.0	275.9				4-27-67	(9)		
		6-28-67	185.1	276.8				8-13-67	DRY		
		7-05-67	184.3	277.6		01S/10W-12C11S	597.3	12-28-66	DRY		101
		7-12-67	183.8	278.1				1-19-67	DRY		
		7-26-67	184.4	277.5				2-16-67	DRY		
		8-09-67	182.6	279.3				3-02-67	DRY		
		9-13-67	182.9	279.0				3-16-67	DRY		
								3-24-67	DRY		
01S/10W-12C01S	603.9	11-16-66	DRY		101			3-30-67	DRY		
		12-28-66	DRY					4-07-67	DRY		
		1-19-67	DRY					4-13-67	DRY		
		2-16-67	DRY					8-13-67	DRY		
		3-02-67	DRY					9-07-67	DRY		
		3-16-67	DRY					9-14-67	DRY		
		3-24-67	DRY								
		3-30-67	DRY								
		4-07-67	DRY								
		4-13-67	DRY			01S/10W-12C12S	600.0	12-28-66	DRY		101
		8-13-67	DRY					1-19-67	DRY		
		9-07-67	DRY					2-16-67	DRY		
		9-14-67	DRY					3-02-67	DRY		
								3-16-67	DRY		
01S/10W-12C02S	602.2	11-16-66	37.0	565.2	101			3-24-67	DRY		
		12-28-66	36.2	566.0				3-30-67	DRY		
		1-19-67	31.7	570.5				4-07-67	DRY		
		2-16-67	19.1	583.1				4-13-67	DRY		
		3-02-67	17.4	584.8				8-13-67	DRY		
		3-16-67	18.8	583.4				9-06-67	DRY		
		3-24-67	21.9	580.3				9-14-67	DRY		
		3-30-67	23.3	578.9							
		4-07-67	24.5	577.7		01S/10W-12C13S	599.7	1-19-67	DRY		101
		4-13-67	25.2	577.0				2-16-67	23.5	576.2	
		4-27-67	28.7	573.5				3-02-67	DRY		
		8-13-67	15.5	586.7				3-16-67	24.3	575.4	
		9-07-67	22.9	579.3				3-24-67	26.6	573.1	
		9-14-67	17.7	584.5				3-30-67	26.4	573.3	
								4-07-67	26.4	573.3	
01S/10W-12C03S	604.0	12-28-66	DRY		101			4-13-67	26.8	572.9	
		1-19-67	DRY					4-27-67	28.5	571.2	
		2-16-67	45.8	558.2				8-13-67	30.8	568.9	
		3-02-67	DRY					9-06-67	27.8	571.9	
		3-16-67	DRY					9-14-67	30.5	569.2	
		3-24-67	DRY			01S/10W-12C14S	597.6	12-28-66	DRY		101
		3-30-67	DRY					1-19-67	DRY		
		4-07-67	DRY					2-16-67	DRY		
		4-13-67	DRY								

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00						SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00					
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01						MAIN SAN GABRIEL HYDRO SUBAREA U-05.01					
01S/10W-12C14S (CONT.)	597.6	3-02-67	29.9	567.7	101	01S/10W-12F07S (CONT.)	587.2	3-16-67	DRY		101
		3-16-67	30.4	567.2				3-23-67	DRY		
		3-24-67	36.0	561.6				3-30-67	DRY		
		3-30-67	36.1	561.5				4-07-67	DRY		
		4-07-67	36.3	561.3				4-13-67	DRY		
		4-13-67	36.5	561.1							
		4-27-67	36.5	561.1		01S/10W-12F08S	587.2	12-28-66	DRY		101
		8-13-67	33.3	564.3				1-19-67	DRY		
		9-07-67	29.9	567.7				2-16-67	DRY		
		9-14-67	30.8	566.8				3-02-67	DRY		
								3-16-67	5.4	581.8	
01S/10W-12C15S	597.6	12-28-66	DRY		101			3-23-67	DRY		
		1-19-67	DRY					3-30-67	DRY		
		2-16-67	DRY					4-07-67	DRY		
		3-02-67	DRY					4-13-67	DRY		
		3-16-67	DRY					4-27-67	5.4	581.8	
		3-24-67	DRY			01S/10W-12F09S	603.2	12-28-66	DRY		101
		3-30-67	DRY					1-19-67	DRY		
		4-07-67	DRY					2-16-67	DRY		
		4-13-67	DRY					3-02-67	DRY		
		8-13-67	DRY					3-16-67	DRY		
		9-07-67	DRY					3-23-67	DRY		
		9-14-67	DRY					3-30-67	DRY		
01S/10W-12C16S	599.3	12-28-66	DRY		101			4-07-67	DRY		
		1-19-67	DRY					4-13-67	DRY		
		2-16-67	DRY			01S/10W-12F10S	603.2	12-28-66	DRY		101
		3-02-67	DRY					1-19-67	DRY		
		3-16-67	DRY					2-16-67	DRY		
		3-23-67	DRY					3-02-67	DRY		
		3-30-67	DRY					3-16-67	DRY		
		4-07-67	DRY					3-23-67	DRY		
		4-13-67	DRY					3-30-67	DRY		
01S/10W-12C17S	599.3	12-28-66	DRY		101			4-07-67	DRY		
		1-19-67	DRY					4-13-67	DRY		
		2-16-67	DRY			01S/10W-14B01S	533.0	10-20-66	336.4 (1)	196.6	733
		3-02-67	DRY					11-10-66	339.4 (5)	193.6	
		3-16-67	DRY					12-01-66	339.4 (1)	193.6	
		3-23-67	DRY					12-22-66	291.4 (5)	241.6	
		3-30-67	DRY					1-12-67	342.4 (5)	190.6	
		4-07-67	DRY					2-02-67	340.4 (5)	192.6	
		4-13-67	DRY					2-23-67	337.4 (5)	195.6	
01S/10W-12F02S	592.0	12-28-66	DRY		101			3-16-67	337.4 (5)	195.6	
		1-19-67	DRY					4-06-67	336.4 (5)	196.6	
		2-16-67	DRY					4-27-67	336.4 (5)	196.6	
		3-02-67	DRY					5-18-67	336.4 (5)	196.6	
		3-16-67	DRY					6-08-67	274.4 (5)	258.6	
		3-23-67	DRY					6-29-67	274.4 (5)	258.6	
		3-30-67	DRY					7-20-67	274.4 (5)	258.6	
		4-07-67	DRY					8-10-67	277.8	255.2	
		4-13-67	DRY					9-21-67	256.9	276.1	
01S/10W-12F03S	595.3	12-28-66	DRY		101	01S/10W-14M01S	493.0	10-20-66	250.8	242.2	733
		1-19-67	DRY					11-10-66	250.3	242.7	
		2-16-67	DRY					12-01-66	249.7	243.3	
		3-02-67	DRY					12-14-66	249.6	243.4	
		3-16-67	DRY					12-21-66	248.9	244.1	
		3-23-67	DRY					12-28-66	247.9	245.1	101
		3-30-67	DRY					1-04-67	247.1	245.9	733
		4-07-67	DRY					1-11-67	246.4	246.6	
		4-13-67	DRY					1-18-67	245.8	247.2	
01S/10W-12F04S	598.1	12-28-66	DRY		101			1-25-67	245.2	247.8	
		1-19-67	DRY					2-01-67	244.5	248.5	
		2-16-67	DRY					2-08-67	243.6	249.4	
		3-02-67	DRY					2-15-67	243.2	249.8	
		3-16-67	DRY					2-22-67	241.9	251.1	
		3-23-67	DRY					3-01-67	240.5	252.5	
		3-30-67	DRY					3-08-67	240.2	252.8	
		4-07-67	DRY					3-15-67	239.3	253.7	
		4-13-67	DRY					3-22-67	239.0	254.0	
01S/10W-12F05S	598.1	11-16-66	DRY		101			3-29-67	238.2	254.8	
		12-28-66	DRY					4-05-67	236.5	256.5	
		2-16-67	DRY					4-12-67	236.2	256.8	
		3-02-67	DRY					4-19-67	234.3	258.7	
		3-16-67	DRY					4-26-67	232.6	260.4	
		3-23-67	DRY					5-03-67	232.6	260.4	
		3-30-67	DRY					5-10-67	231.2	261.8	
		4-07-67	DRY					5-17-67	230.5	262.5	
		4-13-67	DRY					5-24-67	300.0	193.0	
01S/10W-12F06S	587.2	12-28-66	DRY		101			5-31-67	228.5	264.5	
		1-19-67	42.0	545.2				6-07-67	227.2	265.8	
		2-16-67	DRY					6-14-67	225.3	267.7	
		3-02-67	DRY					6-21-67	226.6	266.4	
		3-16-67	DRY					6-28-67	226.3	266.7	
		3-23-67	DRY					7-05-67	225.9	267.1	
		3-30-67	DRY					7-12-67	225.8	267.2	
		4-07-67	DRY					7-26-67	226.0	267.0	
		4-13-67	38.6	548.6				8-09-67	222.6	270.4	
01S/10W-12F07S	587.2	12-28-66	DRY		101			9-21-67	221.2	271.8	
		1-19-67	DRY			01S/10W-17A01S	401.5	10-20-66	172.2	229.3	733
		2-16-67	DRY					11-10-66	170.6	230.9	
		3-02-67	DRY					12-01-66	171.4	230.1	
		3-16-67	DRY					12-14-66	(1)		
		3-23-67	DRY					12-21-66	168.1	233.4	
		3-30-67	DRY					1-04-67	160.3	241.2	
		4-07-67	DRY								
		4-13-67	DRY								

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01S/10W-17A01S (CONT.)	401.5	1-11-67	159.0	242.5	733	01S/10W-18F01S (CONT.)	362.0	11-29-66	135.0(5)	227.0	101
		1-18-67	158.4	243.1				1-31-67	123.0(5)	239.0	
		1-25-67	156.6	244.9				2-28-67	111.0(5)	251.0	
		2-01-67	156.6	244.9				4-04-67	103.0(5)	259.0	
		2-08-67	154.0	247.5				5-02-67	106.0(5)	256.0	
		2-15-67	151.9	249.6				5-31-67	101.0(5)	261.0	
		2-22-67	149.2	252.3				7-05-67	105.0(5)	257.0	
		3-01-67	(1)					8-01-67	103.0(5)	259.0	
		3-08-67	(1)					9-05-67	105.0(5)	257.0	
		3-15-67	144.6	256.9		01S/10W-19C02S	343.0	11-16-66	(6)		101
		3-22-67	143.8	257.7		01S/10W-19K01S	335.0	4-18-67	91.1	243.9	101
		3-29-67	142.0	259.5		01S/10W-19L01S	331.0	10-25-66	100.5	230.5	101
		4-05-67	140.0	261.5				11-15-66	101.5	229.5	
		4-12-67	137.9	263.6				12-19-66	101.5	229.5	
		4-19-67	136.0	265.5				1-20-67	95.5	235.5	
		4-26-67	133.9	267.6				2-23-67	88.5	242.5	
		5-03-67	132.1	269.4				3-20-67	83.5	247.5	
		5-10-67	129.5	272.0				4-19-67	77.5	253.5	
		5-17-67	127.8	273.7				5-19-67	72.5	258.5	
		5-24-67	126.3	275.2				6-15-67	65.5	265.5	
		5-31-67	124.7	276.8				7-19-67	63.5	267.5	
		6-07-67	123.4	278.1				8-16-67	64.5	266.5	
		6-14-67	121.8	279.7				9-19-67	65.5	265.5	
		6-21-67	120.7	280.8		01S/10W-19L02S	332.0	10-25-66	105.5	226.5	101
		6-28-67	120.1	281.4				11-15-66	106.5	225.5	
		7-05-67	119.6	281.9				12-19-66	106.5	225.5	
		7-12-67	119.6	281.9				1-20-67	99.5	232.5	
		7-26-67	121.8	279.7				2-23-67	90.5	241.5	
		8-09-67	120.6	280.9				3-20-67	86.5	245.5	
		9-13-67	124.2	277.3				4-19-67	79.5	252.5	
01S/10W-17A02S	401.3	10-20-66	171.7	229.6	733			5-19-67	73.5	258.5	
		11-10-66	170.4	230.9				6-15-67	66.5	265.5	
		12-01-66	171.2	230.1				7-19-67	66.5	265.5	
		12-21-66	167.9	233.4				8-16-67	67.5	264.5	
		1-11-67	159.0	242.3				9-19-67	67.5	264.5	
		2-01-67	156.9	244.4		01S/10W-19Q07S	335.0	11-14-66	107.5	227.5	101
		2-22-67	149.9	251.4				4-18-67	85.9	249.1	
		3-15-67	144.9	256.4		01S/10W-22C01S	430.0	12-15-66	202.5(1)	227.5	101
		4-12-67	138.0	263.3				3-19-67	198.5(1)	231.5	
		5-03-67	131.9	269.4				5-03-67	196.5(1)	233.5	
		5-24-67	126.6	274.7				7-20-67	233.5(1)	196.5	
		6-14-67	121.8	279.5				9-21-67	228.5(1)	201.5	
		7-05-67	119.7	281.6		01S/10W-22N01S	409.0	12-15-66	262.5(1)	146.5	101
		7-26-67	120.5	280.8				3-03-67	263.5(1)	145.5	
		8-09-67	120.9	280.4				5-04-67	160.5(5)	248.5	
		9-13-67	124.1	277.2				7-25-67	152.5(5)	256.5	
01S/10W-17E01S	381.6	11-16-66	151.3	230.3	101			9-29-67	153.5(5)	255.5	
		4-27-67	114.0	267.6		01S/10W-22R01S	427.2	10-20-66	198.0	229.2	733
01S/10W-17G01S	389.5	11-16-66	159.3	230.2	101			11-10-66	197.8	229.4	
		4-27-67	124.5	265.0				11-14-66	197.6	229.6	101
01S/10W-17N01S	364.0	11-16-66	136.8	227.2	101			12-01-66	197.6	229.6	733
		4-27-67	100.7	263.3				12-16-66	196.1	231.1	101
01S/10W-18B01S	422.7	10-20-66	188.4	234.3	733			12-21-66	195.7	231.5	
		11-10-66	189.0	233.7				12-22-66	196.1	231.1	733
		12-01-66	189.8	232.9				12-28-66	195.7	231.5	101
		12-14-66	187.6	235.1				1-04-67	194.7	232.5	
		12-21-66	186.0	236.7				1-11-67	194.4	232.8	
		12-28-66	184.2	238.5	101			1-12-67	194.0	233.2	733
		1-04-67	182.0	240.7	733			1-18-67	213.9	213.3	101
		1-11-67	180.8	241.9				1-26-67	193.4	233.8	
		1-18-67	(1)					2-02-67	192.5	234.7	733
		1-25-67	179.3	243.4				2-23-67	190.6	236.6	
		2-01-67	176.5	246.2				3-16-67	188.9	238.3	
		2-08-67	(1)					4-06-67	186.4	240.8	
		2-15-67	173.9	248.8				4-12-67	185.2	242.0	101
		2-22-67	172.3	250.4				4-27-67	183.9	243.3	733
		3-01-67	170.8	251.9				5-18-67	182.3	244.9	
		3-08-67	169.4	253.3				6-08-67	180.8	246.4	101
		3-15-67	168.2	254.5				6-08-67	180.8	246.4	733
		3-22-67	167.2	255.5				6-14-67	179.5	247.7	101
		3-29-67	166.1	256.6				6-21-67	179.6	247.6	
		4-05-67	164.5	258.2				6-29-67	179.3	247.9	
		4-12-67	162.9	259.8				6-29-67	179.3	247.9	733
		4-19-67	161.1	261.6				7-12-67	178.8	248.4	101
		4-26-67	159.8	262.9				7-20-67	178.3	248.9	733
		5-03-67	156.6	266.1				7-26-67	178.2	249.0	101
		5-10-67	154.6	268.1				8-09-67	177.6	249.6	
		5-17-67	152.8	269.9				8-10-67	177.7	249.5	733
		5-24-67	150.6	272.1				8-23-67	176.7	250.5	101
		5-31-67	188.6	234.1				9-06-67	176.4	250.8	
		6-07-67	(1)					9-20-67	174.6	252.6	
		6-14-67	148.0	274.7				9-21-67	175.7	251.5	733
		6-21-67	(1)								
		6-28-67	(1)					01S/10W-23F01S	505.0	233.6	733
		7-05-67	(1)					10-20-66	271.4	234.5	
		7-12-67	(1)					11-10-66	270.5	234.5	
		7-26-67	149.1	273.6				12-01-66	270.1	234.9	
		8-09-67	(1)					12-22-66	264.2	240.8	
		8-16-67	144.9	277.8				1-12-67	263.7	241.3	
		9-21-67	(1)					2-02-67	261.2	243.8	
01S/10W-18F01S	362.0	10-04-66	134.0(5)	228.0	101			2-23-67	260.0	245.0	
		11-01-66	138.0(5)	224.0							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT						SAN GABRIEL VALLEY HYDRO SUBUNIT					
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D0			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D0		
			U-05.D1						U-05.D1		
015/10W-23F015 (CONT.)	505.0	3-16-67 4-06-67 4-27-67 5-18-67 6-08-67 6-29-67 7-20-67 8-10-67 9-21-67	258.2 253.7 252.0 250.8 249.7 250.2 255.7 257.0 246.1	246.8 251.3 253.0 254.2 255.3 254.8 249.3 248.0 258.9	733	015/10W-24F015	484.4	10-05-66 10-19-66 10-26-66 11-16-66 12-15-66 12-22-66 12-29-66 1-05-67 1-12-67 1-19-67 1-26-67 2-01-67 2-08-67 2-15-67 2-23-67 3-02-67 3-08-67 3-15-67 3-22-67 3-29-67 4-05-67 4-13-67 4-20-67 4-26-67 5-03-67 5-10-67 5-17-67 5-24-67 5-31-67 6-08-67 6-14-67 6-21-67 6-29-67 8-23-67 8-30-67 9-06-67 9-20-67	218.6 (1) (1) 211.1 212.3 207.2 206.7 207.8 (7) (7) 208.4 204.1 208.3 203.4 (1) 203.8 203.3 (1) (1) 200.6 206.4 200.7 198.8(1) (1) 197.7 197.7 (1) (1) (3) (3) 196.9 200.1 (1) (1) (1) (1) 209.5(6)	265.8 273.3 272.1 277.2 277.7 276.6 276.0 280.3 276.1 281.0 280.6 281.1 283.8 278.0 283.7 285.6 286.7 286.7 287.5 284.3 274.9	101
015/10W-23J035	470.0	12-15-66 3-03-67 5-04-67 7-21-67 9-21-67	219.0(5) 211.0(5) 208.0(5) 216.0(5) 219.0(5)	251.0 259.0 262.0 254.0 251.0	101						
015/10W-23K015	458.0	12-15-66 3-03-67 5-04-67 7-21-67 9-21-67	215.5(5) 210.5(5) 202.5(5) 264.5(1) 255.5(1)	242.5 247.5 255.5 193.5 202.5	101						
015/10W-23K025	460.0	12-15-66 3-03-67 7-21-67 9-21-67	218.8(5) 203.8(5) 262.8(1) 214.8(5)	241.2 256.2 197.2 245.2	101						
015/10W-23L015	448.5	12-15-66 3-03-67 5-04-67 7-21-67 9-21-67	210.5(5) 202.5(5) 192.5(5) 223.5(1) 213.5(1)	238.0 246.0 256.0 225.0 235.0	101						
015/10W-23M045	444.0	12-15-66 3-03-67 5-04-67 7-21-67 9-21-67	205.5(5) 197.5(5) 188.5(5) 227.5(1) 218.5(1)	238.5 246.5 255.5 216.5 225.5	101						
015/10W-24A025	473.8	10-05-66 10-11-66 10-19-66 10-26-66 11-16-66 5-03-67 5-10-67 5-17-67 5-24-67 5-31-67 6-08-67 6-14-67 6-21-67 7-26-67 8-30-67	(9) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9)		101	015/10W-24H015	500.0	10-05-66 10-11-66 10-19-66 10-26-66 11-16-66 12-15-66 12-22-66 12-29-66 1-05-67 1-12-67 1-19-67 1-26-67 2-01-67 2-08-67 2-15-67 2-23-67 3-02-67 3-08-67 3-15-67 3-22-67 3-29-67 4-05-67 4-13-67 4-20-67 4-26-67 5-03-67 5-10-67 5-17-67 5-24-67 5-31-67 6-08-67 6-14-67 6-21-67 6-29-67 7-05-67 7-13-67 7-26-67 8-09-67 8-23-67 8-30-67 9-06-67 9-20-67	66.2 65.5 65.8 66.1 66.5 66.3 65.7 58.4 55.9 57.8 56.3 58.1 61.2 60.1 58.4 60.1 61.4 61.7 61.7 62.0 62.7 62.0 56.1 54.3 55.0 51.8 49.0 48.2 48.7 50.7 52.8 54.2 55.7 57.3 58.7 59.9 60.9 62.3 62.9 63.0 62.9 63.7	433.8 434.5 434.2 433.9 433.5 433.7 434.3 441.6 444.1 442.2 443.7 441.9 438.8 439.9 441.6 439.9 438.6 438.3 438.3 438.0 437.3 438.0 443.9 445.7 445.0 448.2 451.0 451.8 451.3 449.3 447.2 445.8 444.3 442.7 441.3 440.1 439.1 437.7 437.1 437.0 437.1 436.3	101
015/10W-24D015	503.0	10-05-66 10-11-66 10-19-66 10-26-66 11-16-66 12-15-66 12-22-66 12-29-66 1-05-67 1-12-67 1-19-67 1-26-67 2-01-67 2-08-67 2-15-67 2-23-67 3-02-67 3-08-67 3-15-67 3-22-67 3-29-67 4-05-67 4-13-67 4-20-67 4-26-67 5-03-67 5-10-67 5-17-67 5-24-67 5-31-67 6-08-67 6-14-67 6-21-67 6-29-67 7-05-67 7-13-67 7-26-67 8-09-67 8-23-67 8-30-67 9-06-67 9-20-67	DRY DRY DRY DRY DRY 241.0 243.0 DRY 								

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00 MAIN SAN GABRIEL HYDRO SUBAREA U-05.01						SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00 MAIN SAN GABRIEL HYDRO SUBAREA U-05.01					
01S/10W-24H02S (CONT.)	500.0	3-08-67	DRY		101	01S/10W-29E07S (CONT.)	338.0	4-12-67	96.1	241.9	101
		3-15-67	DRY					4-19-67	95.1	242.9	
		3-22-67	DRY					4-19-67	95.2	242.8	733
		3-29-67	DRY					4-26-67	93.7	244.3	101
		4-05-67	DRY					5-03-67	93.1	244.9	
		4-13-67	DRY					5-10-67	91.7	246.3	
		4-20-67	DRY					5-10-67	91.6	246.4	733
		4-26-67	DRY					5-17-67	92.4	245.6	101
		5-03-67	DRY					5-24-67	90.4	247.6	
		5-10-67	DRY					5-31-67	88.4	249.6	
		5-17-67	DRY					5-31-67	88.3	249.7	733
		5-24-67	DRY					6-07-67	87.7	250.3	101
		5-31-67	DRY					6-14-67	86.2	251.8	
		6-08-67	DRY					6-21-67	86.5	251.5	
		6-14-67	DRY					6-21-67	86.5	251.5	733
		6-21-67	DRY					6-29-67	85.6	252.4	101
		6-29-67	DRY					7-12-67	84.7	253.3	
		7-05-67	DRY					7-26-67	84.4	253.6	
		7-13-67	DRY					7-26-67	85.1	252.9	733
		7-26-67	DRY					8-02-67	83.8	254.2	
		8-09-67	DRY					8-09-67	83.4	254.6	101
		8-23-67	DRY					8-23-67	83.1	254.9	
		8-30-67	DRY					8-30-67	83.6	254.4	
		9-06-67	DRY					9-06-67	82.8	255.2	
		9-20-67	DRY					9-13-67	82.4	255.6	733
								9-20-67	81.9	256.1	101
01S/10W-24H01S	472.0	4-17-67	211.6	260.4	101	01S/10W-29G02S	354.0	10-20-66	126.3	227.7	733
01S/10W-24H02S	472.0	12-15-66	215.8	256.2	101			11-10-66	127.0	227.0	
		4-17-67	207.0	265.0				12-01-66	127.6	226.4	
								12-21-66	129.0	225.0	
01S/10W-27C02S	412.0	12-15-66	210.0(1)	202.0	101			1-12-67	128.7	225.3	
		3-03-67	203.0(1)	209.0				2-02-67	128.3	225.7	
		5-05-67	201.0(1)	211.0				2-23-67	127.6	226.4	
		7-25-67	199.0(1)	213.0				3-16-67	120.3	233.7	
		9-21-67	203.0(1)	209.0				4-06-67	117.3	236.7	
								4-27-67	117.1	236.9	
01S/10W-28H02S	397.0	12-15-66	177.0	220.0	101			5-18-67	(1)		
		4-26-67	159.0	238.0				6-08-67	(1)		
		5-04-67	159.0	238.0				7-20-67	102.5	251.5	
		7-25-67	157.0	240.0				8-10-67	104.2	249.8	
		9-25-67	153.0	244.0				9-21-67	103.3	250.7	
01S/10W-28K01S	380.0	12-15-66	195.5(1)	184.5	101	01S/10W-30K01S	327.1	11-14-66	DRY		101
		3-02-67	152.5(5)	227.5				4-18-67	DRY		
		5-04-67	141.5(5)	238.5		01S/10W-30L03S	321.0	11-14-66	97.3	223.7	101
		7-18-67	167.5(1)	212.5				4-18-67	80.5	240.5	
		9-25-67	169.5(1)	210.5		01S/10W-30L05S	321.0	11-14-66	97.6	223.4	101
01S/10W-29A05S	367.0	10-03-66	137.1	229.9	101			4-18-67	88.9	232.1	
		11-14-66	138.2	228.8		01S/10W-31A02S	320.0	10-20-66	99.5	220.5	733
		12-16-66	137.8	229.2				11-10-66	98.9	221.1	
		12-21-66	137.8	229.2				12-01-66	98.4	221.6	
		12-28-66	137.3	229.7				12-22-66	93.3	226.7	
		1-04-67	136.7	230.3				1-12-67	92.1	227.9	
		1-11-67	136.0	231.0				2-02-67	87.5	232.5	
		1-18-67	(1)					2-23-67	85.6	234.4	
		1-26-67	138.8	228.2				3-16-67	81.5	238.5	
		4-12-67	121.8	245.2				4-06-67	79.3	240.7	
		6-07-67	111.3	255.7				4-27-67	77.1	242.9	
		6-14-67	109.7	257.3				5-18-67	75.9	244.1	
		6-21-67	109.1	257.9				6-08-67	75.1	244.9	
		6-29-67	(1)					6-29-67	73.6	246.4	
		7-12-67	(1)					7-20-67	71.5	248.5	
		7-26-67	105.4	261.6				8-10-67	71.3	248.7	
		8-09-67	(1)					9-21-67	68.7	251.3	
		8-23-67	(1)			01S/10W-31A03S	320.5	12-13-66	89.5(5)	231.0	101
		9-06-67	(1)					2-27-67	127.5(1)	193.0	
		9-20-67	(1)					5-03-67	118.5(1)	202.0	
01S/10W-29E07S	338.0	10-03-66	111.9	226.1	101			7-25-67	118.5(1)	202.0	
		10-12-66	116.0	222.0	733			9-22-67	113.5(1)	207.0	
		11-02-66	113.6	224.4		01S/10W-31B01S	314.0	11-12-66	83.5(5)	230.5	101
		11-14-66	111.9	226.1	101			4-07-67	67.5(5)	246.5	
		11-23-66	111.9	226.1	733	01S/10W-31E01S	306.4	11-12-66	76.0(5)	230.4	101
		12-14-66	111.8	226.2				4-07-67	61.0(5)	245.4	
		12-16-66	111.4	226.6	101	01S/10W-31F03S	309.0	11-12-66	78.5(5)	230.5	101
		12-21-66	111.0	227.0				4-07-67	64.5(5)	244.5	
		12-28-66	110.4	227.6		01S/10W-31G04S	312.0	12-13-66	83.5(5)	228.5	101
		1-04-67	109.8	228.2				4-26-67	72.5(5)	239.5	
		1-04-67	109.8	228.2	733			5-03-67	72.5(5)	239.5	
		1-11-67	109.4	228.6	101			7-24-67	128.5(1)	183.5	
		1-18-67	110.2	227.8				9-22-67	81.5(5)	230.5	
		1-25-67	107.8	230.2	733	01S/10W-31G06S	312.0	12-13-66	78.4(5)	233.6	101
		1-26-67	107.7	230.3	101			2-27-67	68.4(5)	243.6	
		2-01-67	106.9	231.1				5-03-67	57.4(5)	254.6	
		2-08-67	106.0	232.0				7-24-67	176.4(1)	135.6	
		2-15-67	104.9	233.1				9-22-67	180.4(1)	131.6	
		2-15-67	104.8	233.2	733	01S/10W-31L01S	308.1	11-14-66	79.5(5)	228.6	101
		2-23-67	104.2	233.8	101			4-07-67	61.5(5)	246.6	
		3-01-67	103.0	235.0							
		3-08-67	122.4	215.6							
		3-08-67	101.6	236.4	733						
		3-15-67	102.4	235.6	101						
		3-22-67	99.6	238.4							
		3-29-67	98.9	239.1							
		3-29-67	99.0	239.0	733						
		4-05-67	97.8	240.2	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA			U-05.00		
			U-05.01						U-05.01		
01S/10W-31P01S	304.6	11-12-66 4-07-67	87.5(5) 57.5(5)	217.1 247.1	101	01S/11W-02F01S (CONT.)	360.0	6-07-67 6-21-67 7-05-67 7-19-67 8-02-67 8-16-67 9-06-67 9-21-67	96.3(5) 104.3(5) 91.3(5) 118.3(1) 91.3(5) 97.3(5) 97.3(5) 87.8	263.7 255.7 268.7 241.7 268.7 262.7 262.7 272.2	062
01S/10W-31P05S	303.0	11-12-66 4-07-67	89.5(5) 61.5(5)	213.5 241.5	101						
01S/10W-32B01S	341.0	12-15-66 3-02-67 5-04-67 7-25-67 9-15-67	139.2(5) 133.2(1) 123.2(1) 116.2(1) 111.2(1)	201.8 207.8 217.8 224.8 229.8	101	01S/11W-02F02S	361.3	10-05-66 10-19-66 11-02-66 11-17-66 12-07-66 12-21-66 1-04-67 1-18-67 2-01-67 2-15-67 3-01-67 3-15-67 4-05-67 4-19-67 5-03-67 5-17-67 6-07-67 6-21-67 7-05-67 7-19-67 8-02-67 8-16-67 9-06-67 9-21-67	148.0(1) 148.0(1) 133.0(5) 132.0(5) 132.0(5) 127.0(5) 119.0(5) 118.0(5) 115.0(5) 107.0(5) 105.0(5) 104.0(5) 98.0(5) 94.0(5) 90.0(5) 109.0(5) 104.0(5) 121.0(1) 93.0(5) 100.0(5) 92.0(5) 96.0(5) 86.0(5) 89.0	213.3 213.3 228.3 229.3 229.3 234.3 242.3 243.3 246.3 254.3 256.3 257.3 263.3 267.3 271.3 252.3 257.3 240.3 268.3 261.3 269.3 265.3 275.3 272.3	062
01S/10W-33P01S	343.0	11-09-66 4-18-67	83.8 87.8	259.2 255.2	101						
01S/11W-01B01S	413.0	11-05-66 12-15-66 12-21-66 12-29-66 1-03-67 1-11-67 1-18-67 1-26-67 2-01-67 3-12-67 6-07-67 6-14-67 6-29-67 7-12-67 7-26-67 8-09-67 8-23-67 9-06-67 9-20-67	DRY 169.0 (9) 164.1 160.4 168.8 164.7 161.1 148.0 (2) 131.7 (2) (2) 109.4 112.1 (9) (9) (9) (9) (9)	244.0 248.9 252.6 244.2 248.3 251.9 265.0 281.3 303.6 300.9	101	01S/11W-02G01S	368.0	10-30-66 11-30-66 12-30-66 1-30-67 2-30-67 3-30-67 4-30-67 5-30-67 7-30-67 8-30-67 9-30-67	146.9(5) 142.9(5) 131.9(5) 129.9(5) 119.9(5) 113.9(5) 105.9(5) 91.9(5) 91.9(5) 94.9(5) 98.9(5)	221.1 225.1 236.1 238.1 248.1 254.1 262.1 276.1 276.1 273.1 269.1	101
01S/11W-02A01S	375.0	11-02-66 12-15-66 12-26-66 12-29-66 1-03-67 1-11-67 1-18-67 1-26-67 4-12-67 6-07-67 6-14-67 6-21-67 6-29-67 7-12-67 7-26-67 8-09-67 8-23-67 9-06-67 9-20-67	144.2 140.0 136.5 129.9 128.0 127.7 127.0 124.8 101.9 83.7 82.6 82.5 84.8 84.4 85.9 87.7 89.9 93.5 94.9	230.8 235.0 238.5 245.1 247.0 247.3 248.0 250.2 273.1 291.3 292.4 292.5 290.2 290.6 289.1 287.3 285.1 281.5 280.1	101	01S/11W-02H01S	376.0	10-30-66 11-30-66 12-30-66 1-30-67 2-30-67 3-30-67 4-30-67 5-30-67 7-30-67 8-30-67 9-30-67	146.5(5) 144.5(5) 131.5(5) 126.5(5) 120.5(5) 111.5(5) 103.5(5) 102.5(5) 90.5(5) 92.5(5) 96.5(5)	229.5 231.5 244.5 249.5 255.5 264.5 272.5 273.5 285.5 283.5 279.5	101
01S/11W-02B01S	368.0	10-30-66 11-30-66 12-30-66 1-30-67 2-30-67 3-30-67 4-30-67 5-30-67 7-30-67 8-30-67 9-30-67	138.5(5) 136.5(5) 127.5(5) 124.5(5) 113.5(5) 105.5(5) 97.5(5) 87.5(5) 85.5(5) 86.5(5) 89.5(5)	229.5 231.5 240.5 243.5 254.5 262.5 270.5 280.5 282.5 281.5 278.5	101	01S/11W-02J01S	364.0	11-02-66 12-15-66 12-21-66 12-29-66 1-03-67 1-11-67 1-18-67 1-26-67 4-12-67 6-07-67 6-14-67 6-29-67 7-12-67 7-26-67 8-09-67 8-23-67 9-06-67 9-20-67	135.7 142.1 141.7 133.1 128.8 121.1 127.4 127.2 102.3 91.3 76.8(3) (1) 76.4 78.1 80.3 85.3 84.6 87.3	228.3 221.9 222.3 230.9 235.2 242.9 236.6 236.8 261.7 272.7 287.2 287.6 285.9 283.7 278.7 279.4 276.7	101
01S/11W-02C01S	367.5	11-01-66 11-15-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 6-15-67 7-21-67 8-07-67 9-21-67	137.5 138.0(5) 136.0(5) 132.0(5) 122.0(5) 110.0(5) 109.0(5) 97.0(5) 89.0(5) 81.0(5) 79.0(5) 86.0(5) 86.5	230.0 229.5 231.5 235.5 245.5 257.5 258.5 270.5 278.5 286.5 288.5 281.5 281.0	101	01S/11W-02K04S	357.0	10-21-66 11-11-66 12-02-66 12-23-66 1-13-67 2-03-67 2-24-67 3-17-67 4-07-67 4-28-67 5-19-67 6-09-67 6-30-67 7-21-67 8-11-67 9-22-67	127.3 126.7 127.1 124.3 114.9 110.7 101.6 99.1 97.4 87.4 80.1 78.7 76.9 75.7 73.9 74.7	229.7 230.3 229.9 232.7 242.1 246.3 255.4 257.9 259.6 269.6 276.9 278.3 280.1 281.3 283.1 282.3	733
01S/11W-02F01S	360.0	10-05-66 10-19-66 11-02-66 11-17-66 12-07-66 12-21-66 1-04-67 1-18-67 2-01-67 2-15-67 3-01-67 3-15-67 4-05-67 4-19-67 5-03-67 5-17-67	134.3(5) 134.3(5) 134.3(5) 132.3(5) 132.3(5) 126.3(5) 118.3(5) 117.3(5) 114.3(5) 108.3(5) 105.3(5) 104.3(5) 98.3(5) 94.3(5) 90.3(5) 106.3(5)	225.7 225.7 225.7 227.7 227.7 233.7 241.7 242.7 245.7 251.7 254.7 255.7 261.7 265.7 269.7 253.7	062	01S/11W-02L02S	354.0	10-03-66 11-02-66 12-14-66 12-20-66	DRY DRY DRY DRY	101	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00							
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA						SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA							
U-05.00						U-05.00							
U-05.01						U-05.01							
01S/11W-02L02S	354.0	12-27-66	DRY		101	01S/11W-04L02S	369.5	11-02-66	138.5	231.0	101		
(CDNT.)		1-03-67	116.9	237.1		(CONT.)		11-02-66	141.9(5)	227.6			
		1-10-67	116.1	237.9				11-17-66	158.9(1)	210.6			
		1-17-67	109.1	244.9				12-07-66	141.9(5)	227.6			
		4-12-67	86.6	267.4				12-14-66	137.6	231.9	101		
01S/11W-02N01S	348.0	10-03-66	113.9	234.1	101			12-20-66	137.0	232.5			
		10-21-66	114.5(5)	233.5				12-21-66	157.9(1)	211.6	062		
		11-02-66	115.9	232.1				12-27-66	136.2	233.3	101		
		11-21-66	116.5(5)	231.5				1-03-67	135.5	234.0			
		12-01-66	115.5(5)	232.5				1-04-67	137.9(5)	231.6	062		
		12-14-66	115.2	232.8				1-10-67	135.2	234.3	101		
		12-20-66	112.0	236.0				1-17-67	134.5	235.0			
		12-27-66	107.9	240.1				1-18-67	155.9(1)	213.6	062		
		1-01-67	109.5(5)	238.5				1-31-67	133.3	236.2	101		
		1-03-67	105.2	242.8				2-01-67	136.9(5)	232.6	062		
		1-10-67	103.5	244.5				2-07-67	132.7	236.8	101		
		1-17-67	102.5	245.5				2-15-67	131.7	237.8			
		2-01-67	100.5(5)	247.5				2-15-67	134.9(5)	234.6	062		
		3-01-67	92.5(5)	255.5				2-21-67	131.2	238.3	101		
		4-01-67	87.5(5)	260.5				3-01-67	131.0	238.5			
		4-12-67	84.6	263.4				3-01-67	133.9(5)	235.6	062		
		5-01-67	80.5(5)	267.5				3-07-67	130.5	239.0	101		
01S/11W-02N02S	345.0	11-02-66	DRY		101			3-15-67	128.9	240.6			
		12-14-66	DRY					3-21-67	151.9(1)	217.6	062		
		12-20-66	DRY					3-21-67	129.5	240.0	101		
		12-27-66	104.6	240.4				3-29-67	128.2	241.3			
		1-03-67	100.8	244.2				4-04-67	128.2	241.3			
		1-10-67	99.4	245.6				4-05-67	132.9(5)	236.6	062		
		1-17-67	98.5	246.5				4-12-67	127.0	242.5	101		
		4-12-67	80.7	264.3				4-19-67	130.9(5)	238.6	062		
		9-20-67	69.6	275.4				4-26-67	125.9	243.6	101		
01S/11W-03P02S	342.5	10-21-66	111.2	231.3	733			5-03-67	129.9(5)	239.6	062		
		11-02-66	112.3	230.2	101			5-10-67	124.0	245.5	101		
		11-11-66	110.7	231.8	733			5-17-67	129.9(5)	239.6	062		
		12-02-66	110.9	231.6				5-24-67	122.7	246.8	101		
		12-14-66	110.3	232.2	101			5-31-67	121.6	247.9			
		12-20-66	111.0	231.5				6-06-67	120.6	248.9			
		12-23-66	108.4	234.1	733			6-07-67	130.9(5)	238.6	062		
		12-27-66	105.9	236.6	101			6-13-67	119.0	250.5	101		
		1-03-67	104.4	238.1				6-20-67	119.6	249.9			
		1-10-67	103.3	239.2				6-21-67	132.9(5)	236.6	062		
		1-13-67	102.7	239.8	733			6-27-67	118.9	250.6	101		
		1-17-67	101.8	240.7	101			7-05-67	118.7	250.8			
		2-03-67	96.2	246.3	733			7-05-67	137.9(5)	231.6	062		
		2-24-67	92.0	250.5				7-11-67	118.5	251.0	101		
		3-17-67	89.6	252.9				7-19-67	141.9(1)	227.6	062		
		4-07-67	86.9	255.6				7-25-67	117.6	251.9	101		
		4-12-67	86.3	256.2	101			8-01-67	117.6	251.9			
		4-28-67	84.1	258.4	733			8-02-67	143.9(5)	225.6	062		
		5-19-67	80.0	262.5				8-16-67	139.9(5)	229.6			
		6-09-67	75.7	266.8				8-23-67	117.0	252.5	101		
		6-30-67	73.3	269.2				9-05-67	116.7	252.8			
		7-21-67	72.1	270.4				9-06-67	141.9(5)	227.6	062		
		8-11-67	71.9	270.6				9-21-67	123.9(4)	245.6			
		9-22-67	73.5	269.0									
01S/11W-03Q05S	345.7	10-03-66	108.4	237.3	101	01S/11W-06001S	506.0	10-19-66	331.0(5)	175.0	101		
		11-02-66	110.2	235.5				11-20-66	327.0(5)	179.0			
		12-14-66	109.6	236.1				12-20-66	326.0(5)	180.0			
		12-20-66	107.6	238.1				1-17-67	321.0(5)	185.0			
		12-27-66	105.4	240.3				2-15-67	320.0(5)	186.0			
		1-03-67	104.8	240.9				3-15-67	318.0(5)	188.0			
		1-10-67	102.2	243.5				4-22-67	311.0(5)	195.0			
		1-17-67	101.0	244.7				5-31-67	308.0(5)	198.0			
		1-31-67	97.5	248.2				8-11-67	342.0(1)	164.0			
		2-07-67	96.7	249.0				9-06-67	316.0(5)	190.0			
		2-15-67	95.1	250.6									
		2-21-67	94.0	251.7				01S/11W-06D02S	505.0	10-17-66	333.7(5)	171.3	101
		3-01-67	93.6	252.1				11-18-66	326.7(5)	178.3			
		3-07-67	91.2	254.5				12-19-66	323.7(5)	181.3			
		3-15-67	92.0	253.7				1-16-67	321.7(5)	183.3			
		3-21-67	91.0	254.7				2-15-67	318.7(5)	186.3			
		3-29-67	89.3	256.4				3-15-67	316.7(5)	188.3			
		4-04-67	89.0	256.7				4-22-67	313.7(5)	191.3			
		4-12-67	86.9	258.8				5-31-67	310.7(5)	194.3			
		4-26-67	84.2	261.5				7-03-67	319.7(5)	185.3			
		5-10-67	79.8	265.9				8-15-67	324.7(5)	180.3			
		5-16-67	79.1	266.6				9-16-67	324.7(5)	180.3			
		5-24-67	76.6	269.1									
		5-31-67	74.4	271.3				01S/11W-06M01S	470.0	10-21-66	298.0(5)	172.0	101
		6-06-67	73.6	272.1				11-25-66	297.0(5)	173.0			
		6-13-67	72.0	273.7				12-27-66	296.0(5)	174.0			
		6-20-67	71.0	274.7				1-17-67	366.0(5)	104.0			
		6-27-67	70.3	275.4				2-16-67	366.0(5)	104.0			
		7-05-67	69.9	275.8				3-07-67	286.0(5)	184.0			
		7-11-67	69.4	276.3				4-22-67	277.0(5)	193.0			
		7-25-67	70.0	275.7				5-31-67	275.0(5)	195.0			
		8-01-67	70.3	275.4				7-11-67	280.0(5)	190.0			
		8-23-67	71.4	274.3				8-09-67	281.0(5)	189.0			
		9-05-67	72.4	273.3				9-18-67	282.0(5)	188.0			
		9-20-67	73.5	272.2									
01S/11W-04L02S	369.5	10-03-66	137.9	231.6	101	01S/11W-07H02S	385.0	11-01-66	182.0(5)	203.0	101		
		10-05-66	160.9(1)	208.6	062			12-01-66	181.0(5)	204.0			
		10-19-66	160.9(1)	208.6				1-01-67	177.0(5)	208.0			
								2-01-67	174.0(5)	211.0			
								3-01-67	173.0(5)	212.0			
								4-01-67	172.0(5)	213.0			
								5-01-67	174.0(5)	211.0			
								7-01-67	174.0(5)	211.0			

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

[illegible]

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01S/11W-10P02S	321.0	11-02-66	93.0	228.0	101	01S/11W-11C04S	355.0	11-02-66	129.9(5)	225.1	062
		12-13-66	88.1	232.9		(CONT.)		11-17-66	128.5(5)	226.5	
		12-20-66	86.2	234.8				12-21-66	(7)		
		12-27-66	83.2	237.8				1-04-67	110.9(5)	244.1	
		1-03-67	81.8	239.2				1-18-67	118.9(1)	236.1	
		1-10-67	81.1	239.9				2-01-67	106.9(5)	248.1	
		1-17-67	80.6	240.4				2-15-67	96.9(5)	258.1	
		4-12-67	66.4	254.6				3-01-67	96.9(5)	258.1	
		9-20-67	54.0	267.0				3-15-67	94.9(5)	260.1	
								4-05-67	87.9(5)	267.1	
01S/11W-10R02S	326.0	11-02-66	93.4	232.6	101			4-19-67	84.9(5)	270.1	
		12-14-66	DRY					5-03-67	79.9(5)	275.1	
		12-20-66	100.0	226.0				5-17-67	119.9(5)	235.1	
		12-27-66	89.6	236.4				6-07-67	101.9(5)	253.1	
		1-03-67	77.5	248.5				6-21-67	74.5(5)	280.5	
		1-10-67	80.7	245.3				7-05-67	74.9(5)	280.1	
		1-17-67	78.1	247.9				7-19-67	109.9(1)	245.1	
		1-31-67	82.7	243.3				8-02-67	78.6(5)	276.4	
		2-07-67	81.2	244.8				8-16-67	112.9(1)	242.1	
		2-15-67	71.2	254.8				9-06-67	78.9(5)	276.1	
		2-21-67	71.5	254.5				9-21-67	91.9(1)	263.1	
		3-01-67	-10.4	336.4							
		3-07-67	66.7	259.3		01S/11W-11C05S	328.5	10-03-66	99.5	229.0	101
		3-15-67	66.6	259.4				11-16-66	101.0	227.5	
		3-21-67	66.2	259.8				4-12-67	64.5	264.0	
		3-29-67	63.2	262.8				9-20-67	(1)		
		4-04-67	62.1	263.9		01S/11W-11F04S	337.0	10-12-66	103.8	233.2	733
		4-12-67	60.5	265.5				11-02-66	104.2	232.8	
		4-26-67	58.3	267.7				11-16-66	104.5	232.5	101
		5-10-67	52.2	273.8				11-23-66	104.5	232.5	733
		5-16-67	45.0	281.0				12-14-66	95.9	241.1	101
		5-24-67	45.6	280.4				12-14-66	91.0	246.0	733
		5-31-67	47.7	278.3				12-20-66	94.5	242.5	101
		6-06-67	46.7	279.3				12-27-66	(9)		
		6-13-67	45.0	281.0				1-03-67	85.0	252.0	
		6-20-67	44.1	281.9				1-04-67	84.8	252.2	733
		6-27-67	44.3	281.7				1-10-67	88.4	248.6	101
		7-05-67	44.9	281.1				1-17-67	85.5	251.5	
		7-11-67	45.6	280.4				1-25-67	84.6	252.4	733
		7-25-67	47.1	278.9				1-31-67	80.6	256.4	101
		8-01-67	48.0	278.0				2-07-67	77.1	259.9	
		8-23-67	50.8	275.2				2-15-67	74.8	262.2	
		9-05-67	51.8	274.2				2-15-67	74.8	262.2	733
		9-20-67	51.9	274.1				2-21-67	74.3	262.7	101
01S/11W-10R03S	326.5	10-03-66	90.1	236.4	101			3-01-67	73.7	263.3	
		11-02-66	91.7	234.8				3-07-67	73.5	263.5	
		12-14-66	72.6	253.9				3-08-67	73.4	263.6	733
		12-20-66	74.4	252.1				3-15-67	73.2	263.8	101
		12-27-66	65.9	260.6				3-21-67	71.2	265.8	
		1-03-67	65.9	260.6				3-29-67	67.4	269.6	
		1-10-67	68.0	258.5				3-29-67	67.4	269.6	733
		1-17-67	70.9	255.6				4-04-67	67.0	270.0	101
		4-12-67	57.8	268.7				4-12-67	65.3	271.7	
		9-22-67	52.3	274.2				4-19-67	64.4	272.6	733
01S/11W-11B01S	300.0	11-01-66	70.0	230.0	101			4-26-67	64.0	273.0	101
		12-13-66	69.5	230.5				5-10-67	55.0	282.0	733
		2-07-67	47.3	252.7				5-16-67	53.5	283.5	101
		2-13-67	43.8	256.2	412			5-24-67	51.7	285.3	
		2-14-67	42.7	257.3				5-31-67	49.8	287.2	
		2-22-67	41.5	258.5				5-31-67	49.9	287.1	733
		3-01-67	40.3	259.7				6-06-67	48.3	288.7	101
		3-06-67	39.8	260.2				6-13-67	46.7	290.3	
		3-13-67	39.3	260.7				6-20-67	45.5	291.5	
		3-22-67	38.0	262.0				6-21-67	45.5	291.5	733
		3-29-67	35.6	264.4				6-27-67	45.8	291.2	101
		4-05-67	33.4	266.6				7-05-67	46.9	290.1	
		4-10-67	32.3	267.7				7-12-67	47.8	289.2	733
		4-12-67	31.7	268.3				7-25-67	49.9	287.1	101
		4-18-67	30.5	269.5	101			8-01-67	51.0	286.0	
		4-24-67	29.0	271.0				8-02-67	51.2	285.8	733
		5-02-67	26.5	273.5				8-23-67	54.6	282.4	101
		5-11-67	22.8	277.2				9-05-67	56.6	280.4	
		5-15-67	21.2	278.8				9-13-67	57.8	279.2	733
		5-19-67	19.5	280.5				9-20-67	58.6	278.4	101
		5-25-67	17.5	282.5		01S/11W-11L03S	339.0	10-25-66	103.0	236.0	101
		6-01-67	15.1	284.9				11-02-66	109.4	229.6	
		6-05-67	13.8	286.2				11-15-66	105.0	234.0	
		6-09-67	12.5	287.5				12-14-66	107.8	231.2	
		6-12-67	11.7	288.3				12-19-66	105.0	234.0	
		6-19-67	9.8	290.2				12-20-66	103.8	235.2	
		6-23-67	9.4	290.6				12-27-66	102.7	236.3	
		6-27-67	9.3	290.7				1-03-67	96.3	242.7	
		6-28-67	9.4	290.6				1-10-67	95.1	243.9	
		7-03-67	9.6	290.4				1-17-67	94.2	244.8	
		7-10-67	10.2	289.8				1-20-67	91.0	248.0	
		7-25-67	12.1	287.9				2-23-67	77.0	262.0	
		8-08-67	14.1	285.9				3-20-67	75.0	264.0	
		8-14-67	14.9	285.1				4-12-67	71.8	267.2	
		8-24-67	16.5	283.5				4-19-67	67.0	272.0	
		9-05-67	18.8	281.2				5-19-67	59.0	280.0	
		9-18-67	20.8	279.2				6-15-67	49.0	290.0	
		9-29-67	22.1	277.9				7-19-67	51.0	288.0	
01S/11W-11C04S	355.0	10-03-66	126.4(6)	228.6	062			8-16-67	57.0	282.0	
		10-19-66	127.9(5)	227.1				9-19-67	59.0	280.0	
						01S/11W-12A01S	377.7	10-03-66	147.4	230.3	101

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA						SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.00						U-05.00					
U-05.01						U-05.01					
01S/11W-12A01S	377.7	11-05-66	149.7	228.0	101	01S/11W-14E02S	324.0	3-20-67	66.0	258.0	101
(CONT.)		12-13-66	(1)			(CONT.)		4-19-67	59.0	265.0	
		12-16-66	141.8(4)	235.9				5-19-67	52.0	272.0	
		12-21-66	130.3	247.4				6-15-67	45.0	279.0	
		12-28-66	(1)					7-19-67	48.0	276.0	
		1-04-67	124.5	253.2				8-16-67	52.0	272.0	
		1-11-67	128.1	249.6				9-19-67	51.0	273.0	
		1-18-67	129.9	247.8							
		1-26-67	(1)			01S/11W-14K01S	315.0	11-02-66	84.0	231.0	101
		2-08-67	101.1(4)	276.6				1-30-67	44.4	270.6	
		2-15-67	111.7(4)	266.0				2-06-67	43.5	271.5	
		2-23-67	116.8(4)	260.9				2-14-67	41.6	273.4	
		3-01-67	115.0(4)	262.7				2-20-67	40.7	274.3	
		3-08-67	115.5(4)	262.2				2-27-67	41.6	273.4	
		3-15-67	115.7(4)	262.0				3-06-67	39.8	275.2	
		3-22-67	104.0(4)	273.7				3-20-67	43.0	272.0	
		3-29-67	96.3(4)	281.4				3-27-67	42.8	272.2	
		4-05-67	(1)					4-04-67	40.4	274.6	
		4-12-67	93.1(4)	284.6				4-17-67	36.7	278.3	
		4-19-67	96.3(4)	281.4				4-25-67	36.1	278.9	
		4-26-67	93.4(4)	284.3				5-01-67	32.4	282.6	
		5-03-67	87.5	290.2				5-08-67	30.1	284.9	
		5-10-67	83.0	294.7				5-15-67	27.7	287.3	
		5-17-67	80.3	297.4				5-22-67	26.7	288.3	
		5-24-67	77.1	300.6				6-05-67	24.4	290.6	
		5-31-67	76.1	301.6				6-13-67	30.2	284.8	
		6-07-67	75.2	302.5				6-19-67	32.3	282.7	
		6-14-67	74.6	303.1				6-26-67	35.0	280.0	
		6-21-67	80.4	297.3				7-10-67	38.3	276.7	
		6-28-67	84.6(4)	293.1				7-24-67	41.4	273.6	
		7-03-67	85.3	292.4				8-28-67	29.3	285.7	
		7-12-67	87.4	290.3				9-05-67	37.1	277.9	
		7-26-67	90.3	287.4				9-11-67	28.2	286.8	
		8-01-67	90.8	286.9				9-18-67	26.9	288.1	
		8-09-67	92.5	285.2				9-25-67	26.6	288.4	
		8-23-67	95.5	282.2							
		8-30-67	97.3	280.4							
		9-05-67	98.6	279.1		01S/11W-14M04S	324.5	10-25-66	90.0	234.5	101
		9-20-67	101.3	276.4				11-15-66	93.0	231.5	
								12-19-66	92.0	232.5	
								1-20-67	77.0	247.5	
01S/11W-12B01S	334.4	12-14-66	DRY		101			2-23-67	63.0	261.5	
		12-20-66	DRY					3-20-67	62.0	262.5	
		4-12-67	DRY					4-19-67	56.0	268.5	
		6-05-67	39.4	295.0				5-19-67	49.0	275.5	
		6-09-67	38.4	296.0				7-19-67	48.0	276.5	
		6-12-67	37.9	296.5				8-16-67	53.0	271.5	
		6-19-67	37.6	296.8				9-19-67	46.0	278.5	
		6-28-67	40.3	294.1							
		7-03-67	41.7	292.7		01S/11W-15C02S	318.0	11-02-66	85.1	232.9	101
		7-10-67	42.9	291.5				12-14-66	83.6	234.4	
		7-25-67	45.6	288.8				12-20-66	80.5	237.5	
		8-08-67	47.9	286.5				12-27-66	69.3	248.7	
		8-14-67	48.8	285.6				1-03-67	65.3	252.7	
		8-24-67	51.1	283.3				1-10-67	64.9	253.1	
		9-05-67	53.1	281.3				1-17-67	65.5	252.5	
		9-18-67	55.2	279.2				1-31-67	66.2	251.8	
		9-29-67	56.5	277.9				2-07-67	64.6	253.4	
01S/11W-12J01S	370.7	10-19-66	139.1	231.6	733			2-15-67	63.6	254.4	
		11-09-66	139.7	231.0				2-21-67	63.3	254.7	
		11-30-66	142.9	227.8				3-01-67	63.1	254.9	
		12-21-66	139.5	231.2				3-07-67	63.0	255.0	
		1-11-67	120.1	250.6				3-15-67	62.9	255.1	
		2-01-67	112.7	258.0				3-21-67	62.6	255.4	
		2-22-67	106.0	264.7				3-29-67	61.3	256.7	
		3-15-67	107.2	263.5				4-04-67	61.0	257.0	
		4-05-67	93.5	277.2				4-12-67	66.9	251.1	
		4-26-67	89.9	280.8				4-26-67	56.9	261.1	
		5-17-67	76.8	293.9				5-10-67	52.6	265.4	
		6-07-67	70.2	300.5				5-16-67	50.3	267.7	
		6-28-67	76.1	294.6				5-24-67	48.7	269.3	
		7-19-67	80.9	289.8				5-31-67	49.5	268.5	
		8-09-67	84.3	286.4				6-06-67	46.8	271.2	
		9-20-67	91.8	278.9				6-13-67	45.8	272.2	
01S/11W-12J03S	367.0	11-14-66	137.6(2)	229.4	101			6-20-67	44.9	273.1	
		4-01-67	111.6	255.4				6-27-67	44.1	273.9	
01S/11W-12R01S	352.0	11-02-66	119.3	232.7	101			7-05-67	43.9	274.1	
		4-17-67	77.5	274.5				7-11-67	43.9	274.1	
01S/11W-13B02S	348.6	6-08-67	53.9	294.7	101			7-25-67	44.6	273.4	
		6-12-67	53.9	294.7				8-01-67	44.9	273.1	
		6-21-67	54.2	294.4				8-23-67	46.9	271.1	
		6-28-67	60.8	287.8				9-05-67	47.9	270.1	
		7-12-67	62.3	286.3				9-20-67	48.7	269.3	
		7-26-67	64.6	284.0							
		8-09-67	66.8	281.8		01S/11W-15E05S	309.5	12-19-66	(0)		101
		8-23-67	69.0	279.6				1-20-67	72.0	237.5	
		8-30-67	69.6	279.0				2-23-67	66.0	243.5	
		9-06-67	69.8	278.8				3-20-67	61.0	248.5	
		9-20-67	71.7	276.9				4-19-67	57.0	252.5	
01S/11W-14E02S	324.0	10-25-66	93.0	231.0	101			5-19-67	53.0	256.5	
		11-15-66	95.0	229.0							
		12-19-66	94.0	230.0		01S/11W-15L02S	309.0	10-31-66	82.9	226.1	101
		1-20-67	81.0	243.0				11-02-66	83.0(4)	226.0	
		2-23-67	68.0	256.0				4-18-67	56.5	252.5	
						01S/11W-16B02S	291.0	4-17-67	46.2	244.8	101
						01S/11W-16F01S	296.0	11-01-66	82.2	213.8	101
								4-17-67	55.2	240.8	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01S/11W-16N01S	285.0	10-31-66	71.0(5)	214.0	101	01S/11W-19R01S (CONT.)	243.6	4-04-67	27.4	216.2	101
		11-30-66	72.0(5)	213.0				4-10-67	27.3	216.3	
		12-30-66	71.0(5)	214.0				4-17-67	27.2	216.4	
		1-03-67	71.0(5)	214.0				5-01-67	26.8	216.8	
		1-31-67	66.0(5)	219.0				5-08-67	26.7	216.9	
		2-28-67	58.0(5)	227.0				5-15-67	26.6	217.0	
		4-03-67	58.0(5)	227.0				5-22-67	26.5	217.1	
		4-28-67	55.0(5)	230.0				6-05-67	26.4	217.2	
		5-31-67	57.0(5)	228.0				6-13-67	26.3	217.3	
		6-30-67	50.0(5)	235.0				6-26-67	26.2	217.4	
		7-31-67	54.0(5)	231.0				7-27-67	25.9	217.7	
		8-31-67	50.0(5)	235.0				8-28-67	25.6	218.0	
		9-29-67	44.0(5)	241.0				9-05-67	25.6	218.0	
								9-25-67	25.3	218.3	
01S/11W-17B02S	314.6	11-02-66	98.7(2)	215.9	101	01S/11W-20A03S	275.0	11-01-66	59.1	215.9	101
		4-17-67	93.4	221.2				1-30-67	(7)		
01S/11W-17B05S	313.0	10-01-66	123.0(5)	190.0	101	01S/11W-20G02S	256.5	10-24-66	38.6	217.9	101
		11-01-66	122.0(5)	191.0				11-28-66	38.5	218.0	
		12-01-66	112.0(5)	201.0				12-27-66	38.4	218.1	
		1-01-67	107.0(5)	206.0				1-30-67	37.7	218.8	
		2-01-67	105.0(5)	208.0				2-06-67	37.6	218.9	
		3-01-67	101.0(5)	212.0				2-14-67	37.5	219.0	
		4-01-67	95.0(5)	218.0				2-20-67	37.4	219.1	
		5-01-67	96.0(5)	217.0				2-27-67	37.1	219.4	
		7-01-67	101.0(5)	212.0				3-06-67	37.0	219.5	
		9-01-67	102.0(5)	211.0				3-20-67	36.7	219.8	
								3-27-67	36.5	220.0	
01S/11W-18A04S	325.0	10-15-66	151.5(5)	173.5	101			4-04-67	36.4	220.1	
		11-07-66	153.5(5)	171.5				4-10-67	36.3	220.2	
		12-01-66	148.5(5)	176.5				4-17-67	36.1	220.4	
		1-01-67	147.6	177.4				5-01-67	35.7	220.8	
		2-01-67	145.5(5)	179.5				5-08-67	35.6	220.9	
		3-01-67	141.5(5)	183.5				5-15-67	35.4	221.1	
		4-01-67	138.5(5)	186.5				5-22-67	35.2	221.3	
		5-01-67	135.5(5)	189.5				6-05-67	35.0	221.5	
		6-01-67	141.5(5)	183.5				6-13-67	34.8	221.7	
		7-01-67	137.5(5)	187.5				6-26-67	34.5	222.0	
		8-07-67	138.5(5)	186.5				7-24-67	33.6	222.9	
		9-07-67	139.5(5)	185.5				8-28-67	32.5	224.0	
								9-05-67	32.4	224.1	
01S/11W-18A05S	323.0	10-21-66	155.5(5)	167.5	101			9-25-67	31.7	224.8	
		11-21-66	151.5(5)	171.5		01S/11W-20L01S	257.0	10-31-66	55.5(5)	201.5	101
		12-01-66	150.5(5)	172.5				11-30-66	55.5(5)	201.5	
		1-01-67	149.5(5)	173.5				12-30-66	56.5(5)	200.5	
		2-01-67	144.5(5)	178.5				1-03-67	56.5(5)	200.5	
		3-01-67	143.5(5)	179.5				1-31-67	48.5(5)	208.5	
		4-01-67	142.5(5)	180.5				2-28-67	47.5(5)	209.5	
		5-01-67	134.5(5)	188.5				4-03-67	43.5(5)	213.5	
		6-01-67	139.5(5)	183.5				4-28-67	40.5(5)	216.5	
		7-01-67	139.5(5)	183.5				5-31-67	54.5(5)	202.5	
		8-07-67	140.5(5)	182.5				6-30-67	52.5(5)	204.5	
		9-07-67	141.5(5)	181.5				7-31-67	44.5(5)	212.5	
								8-31-67	47.5(5)	209.5	
01S/11W-18M01S	321.0	10-12-66	114.4	206.6	733			9-29-67	40.5(5)	216.5	
		11-02-66	113.8	207.2		01S/11W-20N01S	244.8	10-12-66	31.2	213.6	733
		11-23-66	111.9	209.1				11-02-66	31.2	213.6	
		12-14-66	113.1	207.9				11-30-66	31.0	213.8	
		1-04-67	113.1	207.9				12-21-66	30.6	214.2	
		1-25-67	112.0	209.0				1-18-67	30.6	214.2	
		2-15-67	110.7	210.3				2-08-67	30.1	214.7	
		3-08-67	111.3	209.7				3-01-67	30.2	214.6	
		3-29-67	110.5	210.5				3-22-67	28.8	216.0	
		4-19-67	109.3	211.7				4-12-67	28.0	216.8	
		5-10-67	108.9	212.1				5-03-67	27.6	217.2	
		5-31-67	107.1	213.9				5-24-67	27.1	217.7	
		6-21-67	112.5	208.5				6-14-67	26.6	218.2	
		7-12-67	114.7	206.3				7-05-67	26.6	218.2	
		8-02-67	116.3	204.7				7-26-67	26.9	217.9	
		9-13-67	114.9	206.1				8-16-67	25.6	219.2	
01S/11W-19M03S	265.0	11-02-66	(2)		101			9-27-67	25.5	219.3	
01S/11W-19M01S	279.5	10-25-66	98.5(5)	181.0	101	01S/11W-21A01S	291.5	11-02-66	DRY		101
		11-15-66	95.5(5)	184.0				4-12-67	DRY		
		12-19-66	93.5(5)	186.0		01S/11W-21D02S	272.4	10-21-66	58.4	214.0	733
		1-20-67	93.5(5)	186.0				11-11-66	58.5	213.9	
		2-23-67	92.5(5)	187.0				12-02-66	58.3	214.1	
		3-20-67	89.5(5)	190.0				12-23-66	58.2	214.2	
		4-19-67	84.5(5)	195.0				1-13-67	57.9	214.5	
		5-19-67	91.5(5)	188.0				2-03-67	57.4	215.0	
		6-15-67	86.5(5)	193.0				2-24-67	57.0	215.4	
		7-19-67	92.5(5)	187.0				3-17-67	55.7	216.7	
		8-16-67	99.5(5)	180.0				4-07-67	54.3	218.1	
		9-19-67	93.5(5)	186.0				4-28-67	53.5	218.9	
01S/11W-19R01S	243.6	10-24-66	29.7	213.9	101			5-19-67	51.3	221.1	
		11-28-66	29.5	214.1				6-09-67	49.9	222.5	
		12-27-66	28.9	214.7				6-30-67	48.1	224.3	
		1-30-67	28.1	215.5				7-21-67	47.3	225.1	
		2-06-67	27.9	215.7				8-11-67	46.3	226.1	
		2-14-67	27.9	215.7				9-22-67	44.4	228.0	
		2-20-67	27.9	215.7		01S/11W-21G01S	286.0	10-31-66	71.5(5)	214.5	101
		2-27-67	27.8	215.8				11-30-66	70.5(5)	215.5	
		3-06-67	27.8	215.8				12-30-66	70.5(5)	215.5	
		3-20-67	27.6	216.0							
		3-27-67	27.5	216.1							

See page I17 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA						SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.00						U-05.00					
U-05.01						U-05.01					
015/11W-21G01S	286.0	1-03-67	70.5(5)	215.5	101	015/11W-30B02S	230.0	1-20-67	40.0	190.0	101
(CONT.)		1-31-67	66.5(5)	219.5		(CONT.)		2-23-67	39.0	191.0	
		2-28-67	61.5(5)	224.5				3-20-67	36.0	194.0	
		4-03-67	57.5(5)	228.5				4-19-67	31.0	199.0	
		4-28-67	53.5(5)	232.5				5-19-67	36.0	194.0	
		5-31-67	49.5(5)	236.5				6-15-67	32.0	198.0	
		6-30-67	47.5(5)	238.5				7-19-67	39.0	191.0	
		7-31-67	45.5(5)	240.5				8-16-67	41.0	189.0	
		8-31-67	45.5(5)	240.5				9-19-67	40.0	190.0	
		9-29-67	43.5(5)	242.5							
015/11W-21G02S	287.5	10-21-66	61.2	226.3	733	015/11W-30B03S	233.0	10-25-66	47.5(5)	185.5	101
		11-11-66	64.5	223.0				11-15-66	43.5(5)	189.5	
		12-02-66	63.9	223.6				12-19-66	42.5(5)	190.5	
		12-23-66	64.6	222.9				1-20-67	42.5(5)	190.5	
		1-13-67	63.3	224.2				2-23-67	41.5(5)	191.5	
		2-03-67	61.9	225.6				3-20-67	39.5(5)	193.5	
		2-24-67	61.4	226.1				4-19-67	33.5(5)	199.5	
		3-17-67	59.9	227.6				5-19-67	40.5(5)	192.5	
		4-07-67	59.2	228.3				6-15-67	35.5(5)	197.5	
		4-28-67	58.7	228.8				7-19-67	46.5(5)	186.5	
		5-19-67	57.3	230.2				8-16-67	49.5(5)	183.5	
		6-09-67	(9)					9-19-67	42.5(5)	190.5	
015/11W-21H01S	283.0	10-31-66	66.5(5)	216.5	101	015/11W-30R02S	230.0	10-24-66	22.7	207.3	101
		11-30-66	66.5(5)	216.5				11-28-66	21.6	208.4	
		12-30-66	65.5(5)	217.5				12-27-66	20.7	209.3	
		1-03-67	65.5(5)	217.5				1-30-67	16.8	213.2	
		1-31-67	55.5(5)	227.5				2-27-67	18.9	211.1	
		2-28-67	50.5(5)	232.5				3-27-67	17.8	212.2	
		4-03-67	47.5(5)	235.5				4-24-67	17.0	213.0	
		4-28-67	40.5(5)	242.5				5-22-67	15.9	214.1	
		5-31-67	35.5(5)	247.5				7-24-67	14.9	215.1	
		6-30-67	37.5(5)	245.5				8-28-67	14.8	215.2	
		7-31-67	40.5(5)	242.5				9-25-67	14.4	215.6	
		8-31-67	46.5(5)	236.5		015/11W-31A01S	225.5	10-24-66	21.0	204.5	101
		9-29-67	43.5(5)	239.5				11-28-66	19.1	206.4	
015/11W-21K01S	390.0	10-03-66	158.1	231.9	101			12-27-66	18.5	207.0	
		11-02-66	159.0	231.0				1-30-67	17.5	208.0	
		12-13-66	159.0	231.0				2-27-67	(6)		
		12-16-66	159.5	230.5		015/11W-31D01S	230.0	11-02-66	DRY		101
		12-21-66	159.2	230.8		015/11W-31D02S	230.0	10-24-66	41.2	188.8	101
		12-28-66	158.4	231.6				11-28-66	38.2	191.8	
		1-04-67	157.4	232.6				12-27-66	37.5	192.5	
		1-05-67	157.2	232.8				1-30-67	35.7	194.3	
		1-11-67	156.6	233.4				2-27-67	35.4	194.6	
		1-18-67	155.9	234.1				3-27-67	34.0	196.0	
		1-26-67	154.5	235.5				4-24-67	32.2	197.8	
		2-02-67	153.5	236.5				5-22-67	34.1	195.9	
		2-08-67	152.5	237.5				6-26-67	34.6	195.4	
		2-15-67	151.4	238.6				7-24-67	36.4	193.6	
		2-23-67	150.3	239.7				8-28-67	36.7	193.3	
		3-01-67	149.2	240.8				9-25-67	37.5	192.5	
		3-08-67	148.1	241.9		015/11W-32D01S	230.5	11-01-66	24.4	206.1	101
		3-15-67	146.3	243.7				4-12-67	19.0	211.5	
		3-22-67	145.5	244.5		015/11W-32F05S	227.0	10-24-66	20.6	206.4	101
		3-29-67	144.3	245.7				11-28-66	19.8	207.2	
		4-05-67	142.8	247.2				12-27-66	18.7	208.3	
		4-12-67	141.4	248.6				1-30-67	17.5	209.5	
		4-19-67	145.5	244.5				2-27-67	16.8	210.2	
		4-26-67	139.0	251.0				3-27-67	16.0	211.0	
		5-03-67	138.3	251.7				4-13-67	14.6	212.4	
		5-10-67	136.1	253.9				4-24-67	(2)		
		5-17-67	135.4	254.6				5-22-67	14.2	212.8	
		5-24-67	133.4	256.6				6-26-67	(2)		
		5-31-67	132.2	257.8				7-23-67	(2)		
		6-08-67	131.1	258.9				8-28-67	(2)		
		6-14-67	129.6	260.4				9-25-67	(2)		
		6-21-67	128.8	261.2		015/11W-32H05S	231.9	10-12-66	25.4	206.5	733
		6-29-67	127.8	262.2				11-02-66	25.6	206.3	
		7-03-67	127.2	262.8				11-23-66	25.2	206.7	
		7-12-67	125.8	264.2				12-14-66	24.8	207.1	
		7-26-67	125.6	264.4				1-04-67	23.4	208.5	
		8-01-67	125.3	264.7				1-25-67	23.6	208.3	
		8-09-67	124.9	265.1				2-15-67	22.5	209.4	
		8-23-67	124.6	265.4				3-08-67	21.7	210.2	
		9-05-67	124.4	265.6				3-29-67	21.2	210.7	
		9-20-67	124.5	265.5				4-19-67	20.1	211.8	
015/11W-29R03S	247.0	11-01-66	(6)		101			5-10-67	19.4	212.5	
015/11W-30B01S	236.0	10-25-66	47.0	189.0	101			5-31-67	18.6	213.3	
		11-15-66	46.0	190.0				6-21-67	18.3	213.6	
		12-19-66	44.0	192.0				7-12-67	18.1	213.8	
		1-20-67	41.0	195.0				8-02-67	18.0	213.9	
		2-23-67	40.0	196.0				9-13-67	18.0	213.9	
		3-20-67	38.0	198.0							
		4-19-67	33.0	203.0		015/11W-32P01S	220.5	10-24-66	20.1	200.4	101
		5-19-67	40.0	196.0				11-28-66	19.3	201.2	
		6-15-67	35.0	201.0				12-27-66	16.4	204.1	
		7-19-67	39.0	197.0				1-30-67	15.0	205.5	
		8-16-67	42.0	194.0				2-27-67	15.2	205.3	
		9-19-67	40.0	196.0				3-27-67	15.1	205.4	
015/11W-30B02S	230.0	10-20-66	47.0	183.0	101			4-24-67	14.2	206.3	
		11-15-66	44.0	186.0				5-22-67	14.5	206.0	
		12-19-66	43.0	187.0							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0		
MAIN SAN GABRIEL HYDRO			SUBAREA			MAIN SAN GABRIEL HYDRO			SUBAREA		
			U-05.D1						U-05.D1		
01S/11W-32P01S	220.5	6-26-67	14.7	205.8	101	01S/11W-33L01S	235.0	2-15-67	20.3	214.7	733
(CONT.)		7-24-67	17.3	203.2		(CONT.)		3-08-67	19.8	215.2	
		8-08-67	18.3	202.2				3-29-67	19.1	215.9	
		8-28-67	18.7	201.8				4-19-67	18.2	216.8	
		9-25-67	19.9	200.6				5-10-67	17.3	217.7	
								5-31-67	16.8	218.2	
01S/11W-32Q02S	223.4	11-01-66	19.3	204.1	101			6-21-67	16.3	218.7	
		4-12-67	15.3	208.1				7-12-67	15.8	219.2	
		8-08-67	15.7	207.7				8-02-67	15.9	219.1	
								9-13-67	15.9	219.1	
01S/11W-32Q05S	226.0	10-05-66	21.5(2)	204.5	101	01S/11W-33P01S	231.0	10-24-66	20.5	210.5	733
		10-13-66	21.3(2)	204.7				11-28-66	20.6	210.4	
		10-20-66	21.7(2)	204.3				12-28-66	18.8	212.2	101
		10-27-66	21.7(2)	204.3				1-23-67	18.9	212.1	733
		11-03-66	22.0(2)	204.0				2-27-67	17.5	213.5	
		11-10-66	21.0	205.0				3-27-67	16.8	214.2	
		11-15-66	20.9	205.1				4-24-67	16.5	214.5	
		11-17-66	20.8	205.2				5-22-67	16.8	214.2	
		11-23-66	20.7	205.3				6-26-67	14.8	216.2	
		11-30-66	20.7	205.3				7-24-67	16.6	214.4	
		12-08-66	19.5	206.5				9-25-67	14.9	216.1	
		12-15-66	19.6	206.4							
		12-22-66	19.7	206.3		01S/11W-33P02S	226.4	11-01-66	10.9	215.5	101
		12-29-66	19.7	206.3				4-12-67	(2)		
		1-05-67	19.8	206.2		01S/11W-33R01S	246.0	10-24-66	25.8	220.2	733
		1-12-67	19.9	206.1				11-28-66	25.4	220.6	
		1-19-67	19.8	206.2				12-28-66	26.3	219.7	101
		1-26-67	18.3	207.7				1-23-67	24.3	221.7	733
		2-02-67	18.3	207.7				2-27-67	24.7	221.3	
		2-09-67	18.4	207.6				3-27-67	24.2	221.8	
		2-16-67	18.3	207.7				4-24-67	23.3	222.7	
		2-23-67	18.3	207.7				5-22-67	23.3	222.7	
		3-02-67	18.5	207.5				6-26-67	23.1	222.9	
		3-09-67	18.5	207.5				7-24-67	22.3	223.7	
		3-16-67	18.0	208.0				9-25-67	23.1	222.9	
		3-23-67	18.1	207.9		01S/11W-34E01S	260.5	11-01-66	40.5	220.0	101
		3-30-67	17.8	208.2				4-17-67	33.8	226.7	
		4-06-67	17.4	208.6		01S/11W-34F01S	248.0	10-28-66	36.5	211.5	101
		4-12-67	17.3	208.7				11-15-66	35.5	212.5	
		4-20-67	17.1	208.9				12-19-66	32.5	215.5	
		4-27-67	16.8	209.2				1-20-67	26.5	221.5	
		5-03-67	16.7	209.3				2-23-67	17.5	230.5	
		5-10-67	16.9	209.1				3-20-67	18.5	229.5	
		5-17-67	17.1	208.9				4-19-67	10.5	237.5	
		5-31-67	16.7	209.3				5-19-67	13.5	234.5	
		6-07-67	16.9	209.1				6-15-67	5.5	242.5	
		6-14-67	16.9(2)	209.1				7-19-67	9.5	238.5	
		6-21-67	17.2(2)	208.8				8-16-67	11.5	236.5	
		6-26-67	17.1(2)	208.9				9-19-67	71.5	176.5	
		7-06-67	17.2(2)	208.8		01S/11W-34F02S	248.0	10-20-66	34.0	214.0	101
		7-12-67	17.3	208.7				11-15-66	32.0	216.0	
		7-19-67	17.9(2)	208.1				12-19-66	32.0	216.0	
		7-26-67	18.2	207.8				1-20-67	26.0	222.0	
		8-08-67	18.4	207.6				2-23-67	19.0	229.0	
		8-16-67	18.9(2)	207.1				3-20-67	20.0	228.0	
		8-24-67	19.1(2)	206.9				4-19-67	12.0	236.0	
		9-06-67	18.8	207.2				5-19-67	14.0	234.0	
		9-13-67	19.5(2)	206.5				6-15-67	6.0	242.0	
01S/11W-32R03S	226.0	11-01-66	26.3	199.7	101			7-19-67	12.0	236.0	
		4-17-67	11.7	214.3				8-16-67	12.0	236.0	
01S/11W-33G01S	245.0	10-12-66	27.8	217.2	733			9-19-67	14.0	234.0	
		11-02-66	28.1	216.9		01S/11W-34F03S	247.5	10-25-66	33.5	214.0	101
		11-23-66	27.8	217.2				11-15-66	31.5	216.0	
		12-14-66	27.4	217.6				12-19-66	29.5	218.0	
		1-18-67	27.4	217.6				1-20-67	23.5	224.0	
		2-08-67	27.4	217.6				2-23-67	16.5	231.0	
		3-01-67	27.3	217.7				3-20-67	16.5	231.0	
		3-22-67	27.1	217.9				4-19-67	9.5	238.0	
		4-12-67	28.8	216.2				5-19-67	12.5	235.0	
		5-03-67	21.0	224.0				6-15-67	5.5	242.0	
		5-24-67	20.0	225.0				7-19-67	10.5	237.0	
		6-14-67	18.6	226.4				8-16-67	11.5	236.0	
		6-21-67	17.2	227.8				9-19-67	11.5	236.0	
		7-12-67	17.8	227.2		01S/11W-34K02S	266.0	11-01-66	(1)		101
		8-02-67	17.6	227.4				11-28-66	50.5	215.5	
		9-13-67	17.2	227.8				4-17-67	(1)		
01S/11W-33G04S	246.0	10-25-66	32.5	213.5	101	01S/11W-34M03S	249.8	11-01-66	22.4	227.4	101
		11-15-66	32.5	213.5				4-12-67	21.8	228.0	
		12-19-66	31.5	214.5		01S/11W-36Q01S	296.5	10-03-66	60.2	236.3	101
		1-20-67	29.5	216.5				10-20-66	59.2	237.3	733
		2-23-67	23.5	222.5				11-09-66	60.2	236.3	101
		3-20-67	22.5	223.5				11-10-66	57.9	238.6	733
		4-19-67	18.5	227.5				12-01-66	56.9	239.6	
		5-19-67	18.5	227.5				12-16-66	59.4	237.1	101
		6-15-67	15.5	230.5				12-21-66	59.2	237.3	
		7-19-67	16.5	229.5				12-22-66	59.1	237.4	733
		8-16-67	18.5	227.5				12-28-66	59.2	237.3	101
		9-19-67	13.5	232.5				1-04-67	58.9	237.6	
01S/11W-33L01S	235.0	10-12-66	22.1	212.9	733			1-11-67	58.7	237.8	
		11-02-66	22.7	212.3							
		11-23-66	22.3	212.7							
		12-14-66	21.5	213.5							
		1-04-67	21.9	213.1							
		1-25-67	21.1	213.9							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01S/11W-36001S (CONT.)	296.5	1-12-67	58.4	238.1	733	01S/12W-01E02S (CONT.)	500.0	4-28-67	313.2(5)	186.8	101
		1-18-67	58.6	237.9				4-28-67	313.2(5)	186.8	062
		1-26-67	59.5	237.0				5-06-67	316.2(5)	183.8	
		2-01-67	58.2	238.3				5-27-67	319.2(5)	180.8	
		2-02-67	56.9	239.6	733			5-28-67	319.2(5)	180.8	101
		2-08-67	58.1	238.4	101			6-03-67	319.2(5)	180.8	062
		2-15-67	64.1	232.4				6-30-67	321.2(5)	178.8	
		2-23-67	60.7	235.8				7-04-67	325.2(5)	174.8	
		2-23-67	56.2	240.3	733			7-28-67	324.2(5)	175.8	
		3-01-67	56.7	239.8	101			7-30-67	324.2(5)	175.8	101
		3-08-67	56.9	239.6				8-05-67	323.2(5)	176.8	062
		3-15-67	57.2	239.3				8-29-67	328.2(5)	171.8	
		3-16-67	55.3	241.2	733			8-30-67	328.2(5)	171.8	101
		3-22-67	55.4	241.1	101			9-06-67	325.2(5)	174.8	062
		3-29-67	55.1	241.4				9-26-67	324.2(5)	175.8	
		4-05-67	54.8	241.7				9-30-67	325.2(5)	174.8	101
		4-06-67	54.4	242.1	733						
		4-12-67	54.0	242.5	101	01S/12W-02H01S	506.7	10-27-66	408.0(5)	98.7	062
		4-19-67	53.6	242.9				10-27-66	355.0(1)	151.7	
		4-26-67	54.3	242.2				11-23-66	356.0(5)	150.7	
		4-27-67	52.6	243.9	733			11-23-66	408.0(1)	98.7	
		5-03-67	52.3	244.2	101			12-25-66	353.0(5)	153.7	
		5-10-67	51.9	244.6				1-26-67	388.0(1)	118.7	
		5-17-67	51.7	244.8				1-26-67	344.0(5)	162.7	
		5-18-67	51.7	244.8	733			2-22-67	391.0(1)	115.7	
		5-24-67	51.2	245.3	101			2-22-67	344.0(5)	162.7	
		5-31-67	50.1	246.4				4-19-67	374.0(1)	132.7	
		6-07-67	49.6	246.9				4-19-67	337.0(5)	169.7	
		6-08-67	52.4	244.1	733			5-25-67	375.0(1)	131.7	
		6-14-67	49.0	247.5	101			5-25-67	337.0(5)	169.7	
		6-21-67	48.7	247.8				6-22-67	341.0(1)	165.7	
		6-28-67	48.2	248.3				6-22-67	373.0(5)	133.7	
		6-29-67	53.1	243.4	733			7-18-67	380.0(1)	126.7	
		7-12-67	47.0	249.5	101			7-18-67	347.0(5)	159.7	
		7-20-67	53.6	242.9	733			8-16-67	384.0(1)	122.7	
		7-26-67	46.6	249.9	101			8-16-67	349.0(5)	157.7	
		8-09-67	45.9	250.6				9-15-67	349.0(5)	157.7	
		8-10-67	54.0	242.5	733			9-15-67	382.0(1)	124.7	
		8-27-67	45.3	251.2	101	01S/12W-02H02S	518.0	10-31-66	362.0	156.0	062
		8-30-67	45.0	251.5				11-30-66	363.0	155.0	
		9-06-67	44.9	251.6				12-30-66	350.0	168.0	
		9-20-67	44.2	252.3				1-30-67	351.0	167.0	
		9-21-67	44.4	252.1	733			2-28-67	353.0	165.0	
01S/12W-01E01S	498.6	10-05-66	336.0(5)	162.6	062			3-31-67	350.0	168.0	
		10-23-66	333.0(5)	165.6				4-29-67	340.0	178.0	
		10-30-66	336.1(5)	162.5	101			5-27-67	350.0	168.0	
		11-07-66	331.0(5)	167.6	062			6-30-67	351.0	167.0	
		11-24-66	331.0(5)	167.6				7-29-67	363.0	155.0	
		11-30-66	331.1(5)	167.5	101			8-31-67	358.0	160.0	
		12-03-66	329.0(5)	169.6	062			9-29-67	352.0	166.0	
		12-29-66	324.0(5)	174.6							
		12-30-66	324.1(5)	174.5	101	01S/12W-02Q01S	478.9	11-22-66	328.0	150.9	101
		1-06-67	324.0(5)	174.6	062			4-19-67	319.0(1)	159.9	
		1-27-67	324.0(5)	174.6				7-01-67	323.0	155.9	
		1-30-67	324.1(5)	174.5	101			8-01-67	325.0	153.9	
		2-04-67	324.0(5)	174.6	062			9-01-67	322.0	156.9	
		2-25-67	324.0(5)	174.6							
		2-28-67	324.1(5)	174.5	101	01S/12W-03A01S	305.0	11-02-66	116.0	189.0	101
		3-07-67	324.0(5)	174.6	062			4-10-67	118.3	186.7	
		3-29-67	320.0(5)	178.6							
		3-30-67	320.1(5)	178.5	101	01S/12W-03K01S	518.3	10-01-66	372.9(5)	145.4	101
		4-06-67	320.0(5)	178.6	062			10-27-66	398.6(5)	119.7	062
		4-26-67	315.0(5)	183.6				10-27-66	373.6(1)	144.7	
		4-30-67	315.1(5)	183.5	101			11-01-66	372.9(5)	145.4	101
		5-04-67	317.0(5)	181.6	062			11-23-66	373.6(5)	144.7	062
		5-27-67	320.0(5)	178.6				12-01-66	367.9(5)	150.4	101
		5-30-67	320.1(5)	178.5	101			12-23-66	368.6(5)	149.7	062
		6-03-67	320.0(5)	178.6	062			12-23-66	393.6(1)	124.7	
		6-30-67	320.0(5)	178.6				1-01-67	363.9(5)	154.4	101
		7-03-67	324.0(5)	174.6				1-31-67	364.6(5)	153.7	062
		7-28-67	324.0(5)	174.6				2-01-67	366.9(5)	151.4	101
		7-30-67	324.1(5)	174.5	101			2-23-67	392.6(1)	125.7	062
		8-05-67	322.0(5)	176.6	062			2-23-67	367.6(5)	150.7	
		8-29-67	327.0(5)	171.6				3-01-67	362.9(5)	155.4	101
		8-30-67	327.1(5)	171.5	101			3-22-67	387.6(1)	130.7	062
		9-06-67	324.0(5)	174.6	062			3-22-67	363.6(5)	154.7	
		9-26-67	324.0(5)	174.6				4-01-67	359.9(5)	158.4	101
		9-30-67	324.1(5)	174.5	101			4-19-67	383.6(1)	134.7	062
01S/12W-01E02S	500.0	10-08-66	337.2(5)	162.8	062			4-19-67	360.6(5)	157.7	
		10-30-66	337.2(5)	162.8	101			5-01-67	362.9(5)	155.4	101
		10-30-66	337.2(5)	162.8	062			5-25-67	387.6(1)	130.7	062
		11-09-66	331.2(5)	168.8				5-25-67	363.6(5)	154.7	
		11-26-66	330.2(5)	169.8				6-22-67	365.6(1)	152.7	
		11-30-66	330.2(5)	169.8	101			6-22-67	390.6(5)	127.7	
		12-03-66	328.2(5)	171.8	062			7-01-67	366.9(5)	151.4	101
		12-27-66	326.1(5)	173.9				7-18-67	393.6(1)	124.7	062
		12-30-66	325.2(5)	174.8	101			7-18-67	367.6(5)	150.7	
		1-06-67	322.2(5)	177.8	062			8-01-67	370.9(5)	147.4	101
		1-28-67	323.2(5)	176.8				8-16-67	399.6(1)	118.7	062
		1-30-67	323.2(5)	176.8	101			8-16-67	371.6(5)	146.7	
		2-05-67	323.2(5)	176.8	062			9-01-67	365.9(5)	152.4	101
		2-26-67	323.2(5)	176.8				9-15-67	392.6(1)	125.7	062
		2-28-67	323.2(5)	176.8	101			9-15-67	366.6(5)	151.7	
		3-03-67	329.2(5)	170.8	062	01S/12W-03M02S	560.6	11-22-66	456.7(5)	103.9	101
		3-25-67	318.2(5)	181.8				4-19-67	453.7(5)	106.9	
		3-28-67	318.2(5)	181.8	101			7-01-67	451.7(5)	108.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0						SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0					
MAIN SAN GABRIEL HYDRO SUBAREA U-05.D1						MAIN SAN GABRIEL HYDRO SUBAREA U-05.D1					
01S/12W-03M025 (CONT.)	560.6	8-01-67 9-01-67	451.7(5) 453.7(5)	108.9 106.9	101	01S/12W-10R01S (CONT.)	440.0	4-03-67 4-27-67 4-30-67 5-04-67 5-29-67 5-30-67 6-05-67 6-24-67 7-04-67 7-30-67 7-30-67 8-04-67 8-28-67 8-30-67 9-04-67 9-25-67 9-30-67	276.1(5) 273.1(5) 273.1(5) 273.1(5) 276.1(5) 276.1(5) 256.1(5) 256.1(5) 276.1(5) 280.1(5) 280.1(5) 278.1(5) 280.1(5) 280.1(5) 280.1(5) 280.1(5) 280.1(5)	163.9 166.9 166.9 166.9 163.9 163.9 183.9 183.9 163.9 159.9 159.9 161.9 159.9 159.9 159.9 159.9	062 062 101 062 062 101 062 101 062 101 062 101 062 101 062 101
01S/12W-10A01S	491.0	10-11-66 10-24-66 10-30-66 11-08-66 11-27-66 11-30-66 12-03-66 12-30-66 12-30-66 1-10-67 1-27-67 1-30-67 2-04-67 2-25-67 2-28-67 3-04-67 3-27-67 3-30-67 4-05-67 4-26-67 4-30-67 5-03-67 5-26-67 5-30-67 6-05-67 6-29-67 7-02-67 7-30-67 7-30-67 8-06-67 8-26-67 8-30-67 9-04-67 9-28-67 9-30-67	337.0(5) 338.0(5) 338.0(5) 336.0(5) 335.0(5) 335.0(5) 335.0(5) 334.0(5) 334.0(5) 334.0(5) 332.0(5) 332.0(5) 331.0(5) 331.0(5) 331.0(5) 331.0(5) 329.0(5) 328.0(5) 327.0(5) 327.0(5) 327.0(5) 330.0(5) 328.0(5) 329.0(5) 330.0(5) 330.0(5) 332.0(5) 333.0(5) 333.0(5) 333.0(5) 333.0(5) 331.0(5) 331.0(5)	154.0 153.0 153.0 155.0 156.0 156.0 156.0 157.0 157.0 157.0 159.0 159.0 160.0 160.0 160.0 160.0 162.0 163.0 164.0 164.0 164.0 161.0 163.0 162.0 161.0 161.0 159.0 158.0 158.0 158.0 158.0 160.0 160.0	062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101						
01S/12W-10E01S	534.6	10-04-66 10-21-66 10-30-66 11-05-66 11-11-66 11-27-66 12-02-66 12-04-66 12-23-66 12-28-66 1-07-67 1-13-67 1-27-67 2-03-67 2-05-67 2-24-67 2-26-67 3-04-67 3-17-67 3-27-67 4-04-67 4-07-67 4-27-67 4-28-67 5-04-67 5-19-67 5-28-67 6-05-67 6-09-67 6-28-67 6-30-67 7-05-67 7-21-67 7-29-67 8-03-67 8-11-67 8-23-67 9-04-67 9-22-67 9-28-67	376.2(5) 377.8(5) 376.2(5) 376.2(5) 374.8(5) 376.2(5) 375.8(5) 376.2(5) 375.8(5) 376.2(5) 376.2(5) 374.8(5) 376.2(5) 375.8(5) 376.2(5) 374.8(5) 373.2(5) 374.8(5) 373.2(5) 373.2(5) 372.8(5) 372.8(5) 373.2(5) 372.8(5) 371.2(5) 372.8(5) 371.2(5) 372.8(5) 373.2(5) 372.8(5) 372.8(5) 373.2(5) 371.2(5) 371.2(5) 372.8(5) 372.8(5) 376.2(5) 376.2(5) 375.8(5) 376.2(5)	158.4 156.8 158.4 158.4 159.8 158.4 158.8 158.4 158.8 158.4 158.4 159.8 158.4 158.8 159.8 161.4 161.8 159.8 161.4 161.8 161.8 163.4 163.4 163.4 161.8 161.8 161.8 161.8 161.4 161.8 163.4 161.4 161.8 161.8 158.4 158.4 158.8 158.4	062 733 062 733 733 062 733 062 733 062 733 733 062 733 733 062 733 733 062 733 733 733 062 733 733 733 062 733 733 733 062 733 733 733 062 733 733 733						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66 12-04-66 12-27-66 12-30-66 1-05-67 1-29-67 1-30-67 2-04-67 2-24-67 2-28-67 3-05-67 3-26-67 3-30-67	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5) 278.1(5) 280.1(5) 280.1(5) 278.1(5) 278.1(5) 278.1(5) 278.1(5) 276.1(5) 276.1(5) 276.1(5) 276.1(5) 276.1(5)	154.9 154.9 154.9 157.9 157.9 157.9 161.9 159.9 159.9 161.9 161.9 161.9 161.9 163.9 163.9 163.9 163.9 163.9	062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66 12-04-66 12-27-66 12-30-66 1-05-67 1-29-67 1-30-67 2-04-67 2-24-67 2-28-67 3-05-67 3-26-67 3-30-67	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5) 278.1(5) 280.1(5) 280.1(5) 278.1(5) 278.1(5) 278.1(5) 278.1(5) 276.1(5) 276.1(5) 276.1(5) 276.1(5) 276.1(5)	154.9 154.9 154.9 157.9 157.9 157.9 161.9 159.9 159.9 161.9 161.9 161.9 161.9 163.9 163.9 163.9 163.9 163.9	062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66 10-30-66 11-07-66 11-29-66 11-30-66	285.1(5) 285.1(5) 285.1(5) 282.1(5) 282.1(5) 282.1(5)	154.9 154.9 154.9 157.9 157.9 157.9	062 101 062 101 062 101						
01S/12W-10R01S	440.0	10-01-66 10-24-66									

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01S/12W-13H01S (CONT.)	355.8	11-23-66	177.2	178.6	733	01S/12W-14G01S (CONT.)	380.0	2-01-67	214.5(5)	165.5	062
		12-14-66	175.7	180.1				2-27-67	212.5(5)	167.5	062
		1-04-67	175.2	180.6				2-28-67	212.5(5)	167.5	101
		1-25-67	173.5	182.3				3-05-67	212.5(5)	167.5	062
		2-15-67	171.4	184.4				3-26-67	212.5(5)	167.5	
		3-08-67	171.7	184.1				3-28-67	212.5(5)	167.5	101
		3-29-67	169.6	186.2				4-05-67	207.5(5)	172.5	062
		4-19-67	167.6	188.2				4-27-67	207.5(5)	172.5	
		5-10-67	167.1	188.7				4-28-67	207.5(5)	172.5	101
		5-31-67	166.3	189.5				5-04-67	207.5(5)	172.5	062
		6-21-67	169.4	186.4				5-27-67	210.5(5)	169.5	
		7-12-67	171.8	184.0				5-28-67	210.5(5)	169.5	101
		8-02-67	173.2	182.6				6-02-67	207.5(5)	172.5	062
		9-13-67	172.7	183.1				6-29-67	212.5(5)	167.5	
01S/12W-14D01S	425.0	10-13-66	262.0(5)	163.0	062			7-08-67	212.5(5)	167.5	
		10-27-66	262.0(5)	163.0				7-28-67	212.5(5)	167.5	101
		10-30-66	262.0(5)	163.0	101			7-29-67	216.5(5)	163.5	062
		11-07-66	262.0(5)	163.0	062			8-05-67	214.5(5)	165.5	
		11-26-66	262.0(5)	163.0				8-26-67	217.5(5)	162.5	
		11-30-66	262.0(5)	163.0	101			8-28-67	217.5(5)	162.5	101
		12-04-66	260.0(5)	165.0	062			9-10-67	217.5(5)	162.5	062
		12-28-66	260.0(5)	165.0				9-28-67	212.5(5)	167.5	101
		12-30-66	260.0(5)	165.0	101			9-28-67	212.5(5)	167.5	062
		1-05-67	257.0(5)	168.0	062	01S/12W-14H01S	358.0	11-02-66	156.3	201.7	101
		1-27-67	257.0(5)	168.0				4-10-67	121.2	236.8	
		1-30-67	257.0(5)	168.0	101	01S/12W-24D01S	325.0	10-04-66	160.5(5)	164.5	062
		2-06-67	257.0(5)	168.0	062			10-23-66	163.5(5)	161.5	
		2-26-67	255.0(5)	170.0				10-30-66	160.5(5)	164.5	101
		2-28-67	255.0(5)	170.0	101			11-06-66	158.5(5)	166.5	062
		3-04-67	255.0(5)	170.0	062			11-27-66	153.5(5)	171.5	
		3-28-67	255.0(5)	170.0	101			11-30-66	156.5(5)	168.5	101
		3-28-67	255.0(5)	170.0	062			12-06-66	153.5(5)	171.5	062
		4-04-67	253.0(5)	172.0				12-29-66	153.5(5)	171.5	
		4-28-67	253.0(5)	172.0	101			12-30-66	153.5(5)	171.5	101
		4-29-67	253.0(5)	172.0	062			1-03-67	153.5(5)	171.5	062
		5-04-67	253.0(5)	172.0				1-26-67	151.5(5)	173.5	
		5-28-67	253.0(5)	172.0	101			1-30-67	151.5(5)	173.5	101
		5-28-67	253.0(5)	172.0	062			2-04-67	151.5(5)	173.5	062
		6-05-67	253.0(5)	172.0				2-27-67	149.5(5)	175.5	
		6-25-67	253.0(5)	172.0				2-28-67	149.5(5)	175.5	101
		7-04-67	253.0(5)	172.0				3-04-67	149.5(5)	175.5	062
		7-29-67	255.0(5)	170.0				3-26-67	149.5(5)	175.5	
		7-30-67	253.0(5)	172.0	101			3-28-67	149.5(5)	175.5	101
		8-06-67	255.0(5)	170.0	062			4-06-67	146.5(5)	178.5	062
		8-25-67	257.0(5)	168.0				4-28-67	144.5(5)	180.5	101
		8-30-67	257.0(5)	168.0	101			4-28-67	144.5(5)	180.5	062
		9-03-67	255.0(5)	170.0	062			5-05-67	144.5(5)	180.5	
		9-28-67	255.0(5)	170.0				5-28-67	149.5(5)	175.5	101
		9-30-67	255.0(5)	170.0	101			5-28-67	149.5(5)	175.5	062
01S/12W-14F01S	365.0	10-01-66	204.5(5)	160.5	062			6-03-67	146.5(5)	178.5	
		10-28-66	204.5(5)	160.5				6-24-67	149.5(5)	175.5	
		10-30-66	204.5(5)	160.5	101			7-08-67	151.5(5)	173.5	
		11-09-66	204.5(5)	160.5	062			7-29-67	153.5(5)	171.5	
		11-25-66	202.5(5)	162.5				7-30-67	153.5(5)	171.5	101
		11-30-66	199.5(5)	165.5	101			8-05-67	153.5(5)	171.5	062
		12-06-66	197.5(5)	167.5	062			8-25-67	156.5(5)	168.5	
		12-24-66	199.5(5)	165.5				8-30-67	156.5(5)	168.5	101
		12-30-66	199.5(5)	165.5	101			9-05-67	153.5(5)	171.5	062
		1-05-67	199.5(5)	165.5	062			9-26-67	153.5(5)	171.5	
		1-29-67	195.5(5)	169.5				9-30-67	153.5(5)	171.5	101
		1-30-67	195.5(5)	169.5	101	01S/12W-24E02S	308.0	10-15-66	152.0(5)	156.0	101
		2-02-67	195.5(5)	169.5	062			11-01-66	160.0(5)	148.0	
		2-26-67	197.5(5)	167.5				12-01-66	150.0(5)	158.0	
		2-28-67	197.5(5)	167.5	101			1-01-67	145.0(5)	163.0	
		3-03-67	195.5(5)	169.5	062			2-01-67	148.0(5)	160.0	
		3-28-67	195.5(5)	169.5	101			3-01-67	148.0(5)	160.0	
		3-28-67	193.5(5)	171.5	062			4-01-67	144.0(5)	164.0	
		4-24-67	193.5(5)	171.5				5-01-67	140.0(5)	168.0	
		4-28-67	193.5(5)	171.5	101			6-01-67	144.0(5)	164.0	
		5-06-67	190.5(5)	174.5	062			7-01-67	141.0(5)	167.0	
		5-28-67	195.5(5)	169.5	101			7-15-67	142.0	166.0	
		5-28-67	195.5(5)	169.5	062			8-15-67	146.0	162.0	
		6-03-67	193.5(5)	171.5				9-07-67	154.0	154.0	
		6-25-67	195.5(5)	169.5		01S/12W-24E04S	308.5	10-15-66	148.0(5)	160.5	101
		7-08-67	195.5(5)	169.5				11-15-66	156.0(5)	152.5	
		7-30-67	197.5(5)	167.5	101			12-01-66	145.0(5)	163.5	
		7-31-67	197.5(5)	167.5	062			1-01-67	145.0(5)	163.5	
		8-04-67	199.5(5)	165.5				2-01-67	144.0(5)	164.5	
		8-28-67	202.5(5)	162.5				3-01-67	145.0(5)	163.5	
		8-30-67	202.5(5)	162.5	101			4-01-67	140.1(5)	168.4	
		9-04-67	199.5(5)	165.5	062			5-01-67	135.0(5)	173.5	
		9-28-67	197.5(5)	167.5				6-01-67	142.0(5)	166.5	
		9-30-67	197.5(5)	167.5	101			7-01-67	147.0(5)	161.5	
01S/12W-14G01S	380.0	10-05-66	221.5(5)	158.5	062			7-21-67	139.5	169.0	
		10-27-66	221.5(5)	156.5				8-15-67	145.0(5)	163.5	
		10-30-66	223.5(5)	156.5	101			9-15-67	149.0(5)	159.5	
		11-06-66	221.5(5)	158.5	062	01S/12W-25B01S	262.2	10-17-66	102.0(5)	160.2	101
		11-29-66	217.5(5)	162.5				11-17-66	94.0(5)	168.2	
		11-30-66	217.5(5)	162.5	101			12-13-66	92.0(5)	170.2	
		12-01-66	217.5(5)	162.5	062			1-01-67	108.0(5)	154.2	
		12-30-66	217.5(5)	162.5	101			2-01-67	91.0(5)	171.2	
		12-30-66	217.5(5)	162.5	062			3-01-67	100.0(5)	162.2	
		1-16-67	214.5(5)	165.5				4-01-67	101.0(5)	161.2	
		1-28-67	214.5(5)	165.5							
		1-30-67	214.5(5)	165.5	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA						SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.00						U-05.01					
01S/12W-25801S (CONT.)	262.2	5-01-67	109.0(5)	153.2	101	01S/12W-25G03S	254.0	10-17-66	89.5(5)	164.5	101
		6-01-67	111.0(5)	151.2				11-17-66	81.5(5)	172.5	
		7-01-67	96.0(5)	166.2				12-13-66	80.5(5)	173.5	
		8-01-67	101.0(5)	161.2				1-01-67	80.5(5)	173.5	
		9-01-67	95.0(5)	167.2				2-01-67	76.5(5)	177.5	
01S/12W-25802S	262.0	10-17-66	96.5	165.5	101			3-01-67	77.5(5)	176.5	
		11-17-66	91.5	170.5				4-01-67	72.5(5)	181.5	
		12-13-66	87.5	174.5				5-01-67	75.5(5)	178.5	
		1-01-67	89.5	172.5				6-01-67	79.5(5)	174.5	
		2-01-67	82.5	179.5				7-01-67	85.5(5)	168.5	
		3-01-67	85.5	176.5				8-01-67	84.5(5)	169.5	
		4-01-67	80.5	181.5				9-01-67	80.5(5)	173.5	
		5-01-67	87.5	174.5		01S/12W-25G04S	257.0	10-17-66	86.5(5)	170.5	101
		6-01-67	90.5	171.5				11-17-66	82.5(5)	174.5	
		7-01-67	91.5	170.5				12-13-66	80.5(5)	176.5	
		8-01-67	94.5	167.5				1-01-67	78.5(5)	178.5	
		9-01-67	87.5	174.5				2-01-67	76.5(5)	180.5	
01S/12W-25803S	266.0	10-07-66	110.0(5)	156.0	101			3-01-67	76.5(5)	180.5	
		11-01-66	109.0(5)	157.0				4-01-67	74.5(5)	182.5	
		11-15-66	98.0(5)	168.0				5-01-67	74.5(5)	182.5	
		12-01-66	89.0(5)	177.0				6-01-67	78.5(5)	178.5	
		1-07-67	93.0(5)	173.0				7-01-67	78.5(5)	178.5	
		2-07-67	84.0(5)	182.0				8-01-67	81.5(5)	175.5	
		3-07-67	98.0(5)	168.0				9-01-67	73.5(5)	183.5	
		4-01-67	92.0(5)	174.0		01S/12W-36A06S	228.0	10-25-66	40.0(5)	188.0	101
		5-01-67	86.0(5)	180.0				11-15-66	40.0(5)	188.0	
		6-01-67	96.0(5)	170.0				12-19-66	36.0(5)	192.0	
		7-01-67	109.0(5)	157.0				1-20-67	32.0(5)	196.0	
		8-21-67	105.0(5)	161.0				2-23-67	36.0(5)	192.0	
		9-21-67	98.0(5)	168.0				3-20-67	32.0(5)	196.0	
01S/12W-25805S	265.0	10-01-66	108.0(5)	157.0	101			4-19-67	31.0(5)	197.0	
		11-07-66	113.0(5)	152.0				5-19-67	33.0(5)	195.0	
		12-01-66	88.0(5)	177.0				6-15-67	32.0(5)	196.0	
		1-01-67	94.0(5)	171.0				7-19-67	32.0(5)	196.0	
		2-01-67	98.0(5)	167.0				8-16-67	34.0(5)	194.0	
		3-01-67	93.0(5)	172.0				9-19-67	30.0(5)	198.0	
		4-01-67	93.0(5)	172.0		01S/12W-36A08S	231.0	10-25-66	39.0(5)	192.0	101
		5-01-67	85.0(5)	180.0				11-15-66	39.0(5)	192.0	
		6-01-67	94.0(5)	171.0				12-19-66	37.0(5)	194.0	
		7-01-67	110.0(5)	155.0				1-20-67	33.0(5)	198.0	
		8-21-67	105.0(5)	160.0				2-23-67	37.0(5)	194.0	
		9-21-67	101.0(5)	164.0				3-20-67	33.0(5)	198.0	
01S/12W-25807S	259.0	10-17-66	91.5(5)	167.5	101			4-19-67	32.0(5)	199.0	
		11-17-66	80.5(5)	178.5				5-19-67	34.0(5)	197.0	
		12-13-66	76.5(5)	182.5				6-15-67	33.0(5)	198.0	
		1-01-67	79.5(5)	179.5				7-19-67	33.0(5)	198.0	
		2-01-67	73.5(5)	185.5				8-16-67	35.0(5)	196.0	
		3-01-67	69.5(5)	189.5				9-19-67	31.0(5)	200.0	
		4-01-67	65.5(5)	193.5		01S/13W-10M02S	350.0	10-25-66	47.1	302.9	200
		5-01-67	66.5(5)	192.5				11-23-66	45.9	304.1	
		6-01-67	76.5(5)	182.5				12-21-66	45.1	304.9	
		7-01-67	79.5(5)	179.5				1-25-67	44.4	305.6	
		8-01-67	81.5(5)	177.5				2-17-67	43.5	306.5	
		9-01-67	76.5(5)	182.5				3-21-67	43.0	307.0	
01S/12W-25808S	258.0	10-17-66	89.5(5)	168.5	101			4-26-67	42.2	307.8	
		11-17-66	83.5(5)	174.5				6-20-67	41.7	308.3	
		12-13-66	80.5(5)	177.5				7-26-67	41.4	308.6	
		1-01-67	82.5(5)	175.5				8-30-67	41.3	308.7	
		2-01-67	78.5(5)	179.5				9-27-67	40.7	309.3	
		3-01-67	82.5(5)	175.5		01S/13W-10M03S	349.0	10-25-66	46.0	303.0	200
		4-01-67	79.5(5)	178.5				11-23-66	44.8	304.2	
		5-01-67	80.5(5)	177.5				1-25-67	43.3	305.7	
		6-01-67	85.5(5)	172.5				2-17-67	42.4	306.6	
		7-01-67	90.5(5)	167.5				3-21-67	41.9	307.1	
		8-01-67	92.5(5)	165.5				4-26-67	41.1	307.9	
		9-01-67	84.5(5)	173.5				6-20-67	40.6	308.4	
01S/12W-25810S	262.5	10-01-66	115.5(5)	147.0	101			7-26-67	40.4	308.6	
		10-21-66	99.5(5)	163.0				8-30-67	40.3	308.7	
		11-15-66	138.5(5)	124.0				9-27-67	39.8	309.2	
		12-01-66	87.5(5)	175.0		02S/09W-03P03S	718.0	11-16-66	34.5	683.5	101
		1-01-67	98.5(5)	164.0				4-17-67	29.9	688.1	
		2-01-67	96.5(5)	166.0							
		3-01-67	92.5(5)	170.0		02S/09W-04E01S	608.5	11-14-66	29.4	579.1	101
		4-01-67	91.5(5)	171.0				4-17-67	28.8(3)	579.7	
		5-01-67	76.5(5)	186.0							
		6-01-67	111.5(5)	151.0		02S/09W-04E02S	609.0	11-14-66	29.2	579.8	101
		7-01-67	109.5(5)	153.0				4-17-67	23.4	585.6	
		8-15-67	114.5(5)	148.0							
		9-07-67	104.5(5)	158.0		02S/09W-04G01S	620.0	11-16-66	54.3	565.7	101
01S/12W-25812S	267.0	10-17-66	101.5(5)	165.5	101			4-17-67	43.0	577.0	
		11-17-66	94.5(5)	172.5							
		12-13-66	92.5(5)	174.5		02S/09W-04G02S	621.0	11-16-66	50.3(1)	570.7	101
		1-01-67	90.5(5)	176.5				4-17-67	48.9(1)	572.1	
		2-01-67	84.5(5)	182.5							
		3-01-67	91.5(5)	175.5		02S/09W-04L01S	604.0	11-14-66	43.3	560.7	101
		4-01-67	89.5(5)	177.5				4-17-67	34.7	569.3	
		5-01-67	89.5(5)	177.5							
		6-01-67	97.5(5)	169.5		02S/09W-05M01S	580.0	11-14-66	7.2	572.8	101
		7-01-67	99.5(5)	167.5				4-20-67	3.9	576.1	
		8-01-67	99.5(5)	167.5							
		9-01-67	94.5(5)	172.5		02S/09W-05N04S	560.0	11-14-66	3.2	556.8	101

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA						SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.00						U-05.00					
U-05.01						U-05.01					
02S/09W-05N04S (CONT.)	560.0	4-20-67	.8	559.2	101	02S/10W-14G01S	425.0	11-09-66 4-20-67	13.5 13.9	411.5 411.1	101
02S/09W-07Q03S	500.0	11-14-66 4-20-67	27.6 26.1	472.4 473.9	101	02S/10W-14G02S	420.0	11-09-66 4-20-67	15.4 13.5	404.6 406.5	101
02S/09W-07R03S	521.5	10-03-66 11-02-66 12-13-66 2-02-67	31.3 30.5 27.6 25.1	490.2 491.0 493.9 496.4	101	02S/10W-14L03S	434.0	11-09-66 4-19-67	17.6 (6)	416.4	101
02S/09W-08P01S	548.0	11-14-66 4-20-67	41.4 36.4	506.6 511.6	101	02S/10W-14M01S	431.0	11-09-66 4-19-67	18.9 17.0	412.1 414.0	101
02S/09W-09J02S	687.0	11-16-66 4-17-67	18.3 14.6	668.7 672.4	101	02S/10W-14M02S	432.0	11-09-66 4-19-67	20.8 (6)	411.2	101
02S/09W-09Q01S	638.0	11-16-66 4-17-67	15.5 14.3	622.5 623.7	101	02S/10W-15D01S	390.5	11-09-66 4-18-67	36.0 (6)	354.5	101
02S/09W-16D01S	618.0	11-14-66 4-20-67	18.5 18.3	599.5 599.7	101	02S/10W-15F04S	453.0	11-14-66 4-20-67	13.3 10.1	439.7 442.9	101
02S/09W-17H02S	583.0	11-14-66 4-20-67	18.5 11.8	564.5 571.2	101	02S/10W-15H01S	419.0	11-09-66 4-19-67	19.3 17.0	399.7 402.0	101
02S/09W-18D05S	475.0	11-14-66 4-20-67	19.0 17.8	456.0 457.2	101	02S/10W-15H02S	420.0	11-09-66 4-19-67	18.8 16.5	401.2 403.5	101
02S/10W-06P02S	308.0	10-20-66 11-10-66 12-01-66 12-22-66 1-12-67 2-02-67 2-23-67 3-16-67 4-06-67 4-27-67 5-18-67 6-08-67 6-29-67 7-20-67 8-10-67 9-21-67	23.6 21.9 21.4 22.3 22.1 21.0 20.4 19.7 21.2 20.7 20.1 21.0 21.4 22.0 22.2 21.9	284.4 286.1 286.6 285.7 285.9 287.0 287.6 288.3 286.8 287.3 287.9 287.0 286.6 286.0 285.8 286.1	733	02S/10W-15K01S	424.0	11-09-66 4-19-67	19.3 16.7	404.7 407.3	101
02S/10W-07C02S	314.2	11-09-66 4-18-67	50.6 34.0	263.6 280.2	101	02S/10W-15L01S	421.0	11-09-66 4-19-67	18.9 17.3	402.1 403.7	101
02S/10W-08E01S	327.0	10-20-66 11-10-66 12-01-66 12-22-66 1-12-67 2-02-67 2-23-67 3-16-67 4-06-67 4-28-67 5-18-67 6-08-67 6-29-67 7-20-67 8-10-67 9-21-67	26.8 25.2 24.8 25.5 25.1 24.2 23.6 21.9 23.7 23.4 22.9 23.6 23.2 25.4 23.8 25.8	300.2 301.8 302.2 301.5 301.9 302.8 303.4 305.1 303.3 303.6 304.1 303.4 303.8 301.6 303.2 301.2	733	02S/10W-23G02S	482.0	11-09-66 4-20-67	28.6 24.6	453.4 457.4	101
02S/10W-08L01S	342.0	12-13-66 3-01-67 5-03-67 7-20-67 9-22-67	34.3(5) 33.3(5) 24.3(5) 111.3(1) 102.3(1)	307.7 308.7 317.7 230.7 239.7	101	02S/11W-01B01S	291.0	11-09-66 4-20-67	52.9 42.2	238.1 248.8	101
02S/10W-09Q07S	375.0	11-09-66 4-18-67	45.7 34.0	329.3 341.0	101	02S/11W-01R01S	187.4	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	11.7 10.2 8.6 7.7 10.5 10.4 8.6 6.9 8.6 10.3 7.1 9.8	175.7 177.2 178.8 179.7 176.9 177.0 178.8 180.5 178.8 177.1 180.3 177.6	101
02S/10W-10R04S	397.7	11-09-66 4-20-67 4-26-67	36.6 4.0(3) 33.4	361.1 393.7 364.3	101	02S/11W-01R02S	198.6	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	23.0 21.5 19.5 18.9 21.6 21.6 19.6 17.6 19.9 21.5 18.4 (9)	175.6 177.1 179.1 179.7 177.0 177.0 179.0 181.0 178.7 177.1 180.2	101
02S/10W-11K01S	444.0	11-09-66 4-20-67	39.7 38.9	404.3 405.1	101	02S/11W-03D07S	252.5	11-01-66 4-17-67	21.2 20.0	231.3 232.5	101
02S/10W-11M01S	404.0	11-09-66	(6)		101	02S/11W-04A02S	247.5	12-19-66 7-18-67 7-26-67	(0) 24.5 (0)		101
02S/10W-13A02S	480.0	11-14-66 4-20-67	23.4 22.9	456.6 457.1	101	02S/11W-04L01S	233.0	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	34.2 32.9 32.0 30.4 29.5 28.9 27.5 28.7 28.4 29.3 30.7 28.9	198.8 200.1 201.0 202.6 203.5 204.1 205.5 204.3 204.6 203.7 202.3 204.1	101
02S/10W-13E01S	453.0	11-14-66 4-20-67	12.1 10.6	440.9 442.4	101	02S/11W-04M03S	218.0	12-02-66 2-22-67 5-02-67 6-06-67 7-18-67 9-19-67	22.0 15.0 129.0(1) 14.0 132.5(1) 137.0(1)	196.0 203.0 89.0 204.0 85.5 81.0	101
02S/10W-13F02S	453.0	11-14-66 4-20-67	10.8 8.9	442.2 444.1	101	02S/11W-04N01S	225.0	10-24-66 11-01-66 11-28-66 12-27-66 1-30-67	(1) 27.5 27.0 24.9 23.4		101
02S/10W-13F03S	454.0	11-14-66 4-26-67	14.7(1) 10.2	439.3 443.8	101						
02S/10W-13G03S	450.0	11-14-66 4-20-67	15.5 13.9	434.5 436.1	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
02S/11W-04N01S (CONT.)	225.0	2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	23.5 23.1 21.9 22.8 26.6(4) 26.5 31.7 23.3	201.5 201.9 203.1 202.2 198.4 198.5 193.3 201.7	101	02S/11W-05G06S	213.0	11-01-66 4-12-67	8.2 4.7	204.8 208.3	101
02S/11W-05A03S	212.4	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	6.3 5.2 4.8 3.6 4.3 4.0 3.3 4.0 3.7 4.3 4.9 4.8	206.1 207.2 207.6 208.8 208.1 208.4 209.1 208.4 208.7 208.1 207.5 207.6	101	02S/11W-05J02S	215.0	11-02-66 4-17-67	33.0 14.8	182.0 200.2	101
02S/11W-05B11S	222.5	11-01-66 4-12-67	20.2 16.5	202.3 206.0	101	02S/11W-05J03S	213.0	12-08-66 2-22-67 5-02-67 6-06-67 7-18-67 9-19-67	15.5(5) 9.5(5) 45.5(1) 47.5(1) 61.5(1) 53.5(1)	197.5 203.5 167.5 165.5 151.5 159.5	101
02S/11W-05B13S	223.0	11-01-66 4-12-67	20.3 (4)	202.7 101	101	02S/11W-05J09S	214.0	12-08-66 2-22-67 5-02-67 6-06-67 7-18-67 9-19-67	17.0(5) 17.0(5) 14.5(5) 17.0(5) 37.5(1) 38.0(1)	197.0 197.0 199.5 197.0 176.5 176.0	101
02S/11W-05E02S	209.8	10-12-66 11-02-66 11-23-66 12-14-66 1-04-67 1-25-67 2-15-67 3-08-67 3-29-67 4-19-67 5-10-67 5-31-67 6-21-67 7-12-67 8-02-67 8-09-67 8-16-67 9-13-67	14.4 13.6 13.1 10.9 11.2 9.4 10.1 10.4 10.1 10.1 10.5 9.5 9.8 10.2 15.9 16.3 16.6 10.2	195.4 196.2 196.7 198.9 198.6 200.4 199.7 199.4 199.7 199.7 199.3 200.3 200.0 199.6 193.9 193.5 193.2 199.6	733	02S/11W-05K01S	209.5	10-03-66 10-31-66 11-07-66 11-21-66 12-12-66 1-09-67 2-13-67 3-20-67 4-25-67 5-29-67 6-26-67 7-17-67 8-28-67	16.0 31.0 41.0 15.0 15.0 17.0 15.0 12.0 12.0 13.0 13.0 16.0 13.0	193.5 178.5 168.5 194.5 194.5 192.5 194.5 197.5 197.5 196.5 196.5 193.5 196.5	101
02S/11W-05F01S	216.0	11-01-66 4-12-67	(4) 3.6	212.4 101	101	02S/11W-05K02S	215.0	12-08-66 2-22-67 5-02-67 6-06-67 7-18-67 9-19-67	17.5(5) 11.5(5) 14.5(5) 16.5(5) 19.5(1) 20.5(1)	197.5 203.5 200.5 198.5 195.5 194.5	101
02S/11W-05F03S	217.0	10-24-66 11-28-66 12-27-66 1-30-67 2-27-67 3-27-67 4-24-67 5-22-67 6-26-67 7-24-67 8-28-67 9-25-67	9.4 9.5 8.3 7.7 8.3 7.6 6.0 6.6 6.4 9.6 6.2 8.4	207.6 207.5 208.7 209.3 208.7 209.4 211.0 210.4 210.6 207.4 210.8 208.6	101	02S/11W-05L01S	212.5	10-05-66 10-12-66 10-19-66 10-24-66 10-26-66 11-02-66 11-09-66 11-16-66 11-23-66 11-28-66 11-30-66 12-07-66 12-14-66 12-21-66 12-28-66 1-04-67 1-11-67 1-18-67 1-23-67 1-25-67 2-01-67 2-08-67 2-15-67 2-22-67 2-27-67 3-01-67 3-08-67 3-15-67 3-22-67 3-27-67 3-29-67 4-05-67 4-12-67 4-19-67 4-24-67 4-26-67 5-03-67 5-10-67 5-17-67 5-22-67 5-24-67 5-31-67 6-07-67 6-14-67 6-21-67 6-26-67 6-28-67 7-05-67 7-12-67 7-19-67 7-24-67 7-26-67 8-23-67 8-30-67 9-06-67 9-13-67 9-20-67	12.0 11.0 14.0 14.1 14.7 14.6 13.6 13.4 13.6 13.4 11.3 12.4 12.4 12.7 12.7 13.3 13.0 12.2 10.3 11.4 11.6 11.9 11.7 11.6 12.1 12.3 11.4 11.7 11.8 11.5 11.2 11.2 11.2 10.8 11.0 10.9 10.6 11.7 11.6 11.6 11.2 11.6 11.0 11.4 11.4 11.7 11.4 12.0 12.2 12.4 12.7 13.1 13.6 12.9 13.2 13.2	200.5 201.5 198.5 198.4 197.8 197.9 198.9 199.1 199.1 198.9 199.1 201.2 200.1 200.1 199.8 199.8 199.2 199.5 200.3 202.2 201.1 200.9 200.6 200.8 200.9 200.4 200.2 201.1 200.8 200.7 201.0 201.3 201.3 201.3 201.7 201.5 201.6 201.9 200.8 200.9 200.9 201.3 200.9 201.5 201.1 201.1 200.8 201.1 200.5 200.3 200.1 199.8 199.4 198.9 199.3	733
02S/11W-05G02S	214.0	10-03-66 11-07-66 11-14-66 11-21-66 12-05-66 12-12-66 1-03-67 1-09-67 2-13-67 3-13-67 3-20-67 4-10-67 4-25-67 5-15-67 5-22-67 6-12-67 6-19-67 8-07-67 8-28-67 9-18-67	23.5 23.5 19.0(5) 25.5 18.0(5) 21.5 20.5 18.0(5) 20.5 16.5 15.0(5) 15.0(5) 18.5 16.5 15.0(5) 16.5 12.0(5) 16.0(5) 20.5 18.5	190.5 190.5 195.0 188.5 196.0 192.5 193.5 196.0 193.5 197.5 199.0 199.0 195.5 197.5 199.0 197.5 202.0 198.0 193.5 195.5	101	02S/11W-05G04S	211.0	12-20-66 12-26-66 1-09-67 6-19-67 6-26-67 7-17-67 7-24-67	(0) 19.0 19.0 12.0 13.0 15.0 15.0	192.0 192.0 199.0 198.0 196.0 196.0	101
02S/11W-05G05S	210.0	10-03-66 4-25-67 6-19-67 7-24-67 9-04-67	17.4 35.4 10.4 13.4 10.4	192.6 174.6 199.6 196.6 199.6	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00 MAIN SAN GABRIEL HYDRO SUBAREA U-05.01						SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00 MAIN SAN GABRIEL HYDRO SUBAREA U-05.01					
02S/11W-05L01S	212.5	9-25-67	12.9	199.6	733	02S/11W-05006S	209.3	12-27-66	11.0	198.3	101
(CONT.)		9-27-67	12.9	199.6		(CONT.)		1-30-67	10.2	199.1	
02S/11W-05N04S	203.2	10-24-66	12.5	190.7	733			2-27-67	10.6	198.7	
		11-28-66	11.9	191.3				3-27-67	10.4	198.9	
		12-28-66	15.8	187.4	101			4-24-67	9.8	199.5	
		1-23-67	12.2	191.0	733			5-22-67	10.2	199.1	
		2-27-67	11.9	191.3				6-26-67	9.9	199.4	
		3-27-67	11.7	191.5				7-24-67	10.9	198.4	
		4-24-67	11.2	192.0				8-24-67	11.3	198.0	
		5-22-67	11.4	191.8				9-25-67	10.8	198.5	
		6-26-67	11.5	191.7		02S/11W-05R03S	207.0	11-01-66	15.7	191.3	101
		7-24-67	11.8	191.4				4-17-67	10.0	197.0	
		9-25-67	12.7	190.5		02S/11W-05R04S	214.0	10-24-66	17.1	196.9	101
02S/11W-05N05S	199.7	11-01-66	15.8	183.9	101			11-28-66	16.0	198.0	
		4-12-67	13.6	186.1				12-27-66	15.2	198.8	
		5-16-67	13.5	186.2				1-30-67	14.3	199.7	
		5-22-67	18.7(3)	181.0				2-27-67	14.6	199.4	
		5-31-67	13.7	186.0				3-27-67	14.4	199.6	
		6-05-67	13.9	185.8				4-24-67	13.7	200.3	
		6-12-67	13.9	185.8				5-22-67	14.2	199.8	
		6-19-67	14.1	185.6				6-26-67	14.1	199.9	
		6-26-67	14.0	185.7				7-24-67	59.2	154.8	
		7-05-67	14.3	185.4				8-28-67	15.5	198.5	
		7-10-67	14.3	185.4				9-25-67	14.9	199.1	
		7-17-67	14.3	185.4		02S/11W-06A01S	209.6	10-24-66	9.9	199.7	101
		7-24-67	14.6	185.1				11-28-66	9.1	200.5	
		7-31-67	14.9	184.8				12-27-66	8.1	201.5	
		8-07-67	15.0	184.7				1-30-67	7.1	202.5	
		8-14-67	15.3	184.4				2-27-67	7.3	202.3	
		8-21-67	15.4	184.3				3-27-67	7.2	202.4	
		8-28-67	15.5	184.2				4-13-67	6.7	202.9	
		9-06-67	(1)					4-24-67	6.4	203.2	
		9-12-67	15.7	184.0				5-22-67	6.8	202.8	
		9-18-67	(1)					6-26-67	6.8	202.8	
		9-25-67	16.0	183.7				7-24-67	7.7	201.9	
02S/11W-05P01S	202.0	10-24-66	(3)		101			8-08-67	7.7	201.9	
		11-28-66	(3)					8-28-67	8.0	201.6	
		12-27-66	5.8	196.2				9-25-67	8.5	201.1	
		1-30-67	4.5	197.5		02S/11W-06A02S	210.0	11-01-66	(5)		101
		2-27-67	4.7	197.3				2-14-67	9.1	200.9	
		3-27-67	3.6	198.4				2-27-67	9.2	200.8	
		4-24-67	3.4	198.6				3-27-67	9.1	200.9	
		6-26-67	4.0	198.0				4-12-67	8.6	201.4	
		7-24-67	(3)								
		8-28-67	(3)			02S/11W-06B01S	203.0	11-02-66	10.2	192.8	101
		9-25-67	(3)					4-10-67	8.5	194.5	
02S/11W-05P02S	205.0	10-24-66	(7)		101	02S/11W-06B03S	196.2	10-24-66	3.8	192.4	101
		11-28-66	(7)					4-10-67	3.6	192.6	
		12-27-66	(7)			02S/11W-06H02S	207.7	10-10-66	10.9	196.8	101
		1-30-67	(7)					10-24-66	11.8	195.9	
		2-27-67	(7)					11-28-66	11.3	196.4	
		3-27-67	(7)					12-27-66	10.1	197.6	
		4-24-67	(7)					1-09-67	10.9	196.8	
		5-22-67	(7)					1-30-67	8.7	199.0	
		6-26-67	(7)					2-14-67	9.1	198.6	
		7-24-67	(7)					2-27-67	9.5	198.2	
		8-28-67	(7)					3-06-67	9.6	198.1	
		9-25-67	(7)					3-27-67	9.0	198.7	
02S/11W-05P03S	206.5	10-24-66	14.1	192.4	101			4-20-67	8.6	199.1	
		11-28-66	13.5	193.0				4-24-67	8.3	199.4	
		12-27-66	12.5	194.0				5-15-67	7.2	200.5	
		1-30-67	11.5	195.0				5-22-67	8.9	198.8	
		2-27-67	12.0	194.5				6-12-67	8.8	198.9	
		3-27-67	11.7	194.8				6-26-67	9.0	198.7	
		4-24-67	11.2	195.3				7-12-67	9.2	198.5	
		5-22-67	12.6	193.9				7-24-67	9.7	198.0	
		6-26-67	11.3	195.2				8-13-67	10.6	197.1	
		7-24-67	11.9	194.6				8-28-67	10.6	197.1	
		8-28-67	12.4	194.1				9-11-67	11.1	196.6	
		9-25-67	12.7	193.8				9-25-67	11.0	196.7	
02S/11W-05004S	213.0	12-08-66	15.0(5)	198.0	101	02S/11W-08A02S	218.0	11-01-66	18.4(4)	199.6	101
		2-22-67	12.0(5)	201.0				4-17-67	13.8	204.2	
		5-02-67	14.0(5)	199.0		02S/11W-08B01S	217.0	10-24-66	20.4	196.6	733
		6-06-67	16.0(5)	197.0				11-28-66	19.5	197.5	
		7-18-67	142.0(1)	71.0				12-28-66	19.0	198.0	101
		9-19-67	145.0(1)	68.0				1-23-67	18.7	198.3	733
02S/11W-05005S	210.1	10-24-66	13.6	196.5	101			2-27-67	18.1	198.9	
		11-28-66	12.7	197.4				3-27-67	17.6	199.4	
		12-27-66	12.1	198.0				4-24-67	17.2	199.8	
		1-30-67	11.1	199.0				5-22-67	17.8	199.2	
		2-27-67	11.5	198.6				6-26-67	17.8	199.2	
		3-27-67	11.4	198.7				7-24-67	18.6	198.4	
		4-24-67	10.8	199.3				9-25-67	18.3	198.7	
		5-22-67	11.3	198.8		02S/11W-08B02S	205.0	5-22-67	13.5	191.5	101
		6-26-67	10.8	199.3				6-26-67	13.5	191.5	
		7-24-67	11.9	198.2				7-24-67	13.4	191.6	
		8-28-67	12.2	197.9				7-31-67	13.2	191.8	
		9-25-67	12.2	197.9				8-07-67	13.2	191.8	
02S/11W-05006S	209.3	10-24-66	12.5	196.8	101			8-14-67	13.2	191.8	
		11-28-66	11.5	197.8							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA						SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.D0						U-05.D0					
U-05.D1						U-05.D1					
02S/11W-088025 (CONT.)	205.0	8-21-67 8-28-67 9-06-67 9-12-67 9-18-67 9-25-67	13.2 13.2 13.3 13.3 13.3 13.3	191.8 191.8 191.7 191.7 191.7 191.7	101	01N/09W-328015 (CONT.)	841.0	1-05-67 2-02-67 3-02-67 4-13-67 5-08-67 6-01-67 7-03-67 8-02-67 9-05-67	115.9(4) 114.9(4) 112.6(4) 114.8(4) 113.4(4) 108.8(4) 107.9(4) 107.0(4) 106.4(4)	725.1 726.1 728.4 726.2 727.6 732.2 733.1 734.0 734.6	101
02S/11W-086015	211.0	11-01-66 4-17-67 4-18-67	17.6 (1) 13.2	193.4 (1) 197.8	101	01N/09W-326015	830.0	10-04-66 11-02-66 12-13-66 1-05-67 2-02-67 3-02-67 4-13-67 5-08-67 6-01-67 7-03-67 8-02-67 9-05-67	106.4(4) 106.5(4) 109.0(4) 105.1(4) 104.4(4) 102.9(4) 101.5(4) 100.1(4) 99.1(4) 97.8(4) 97.6(4) 96.6(4)	723.6 723.5 721.0 724.9 725.6 727.1 728.5 729.9 730.9 732.2 732.4 733.4	101
01N/09W-19K015	1237.0	11-14-66 5-01-67	33.6 21.2	1203.4 1215.8	101	01N/09W-35L02S	1079.0	11-14-66 4-10-67	34.0(5) 14.2	1045.0 1064.8	101
01N/09W-20J015	1114.0	10-04-66 11-02-66 12-13-66 1-05-67 2-02-67 3-02-67 4-13-67 5-08-67 6-01-67 7-03-67 8-01-67 9-05-67	113.0 115.8 27.3 50.2 50.2 (1) 25.4 23.7 21.9 26.7 38.8 77.0	1001.0 998.2 1086.7 1063.8 1063.8 (1) 1088.6 1090.3 1092.1 1087.3 1075.2 1037.0	101	01N/09W-35L03S	1090.0	11-14-66 3-15-67	43.5(5) 18.5(5)	1046.5 1071.5	101
01N/09W-29C015	968.0	4-25-67	365.3	602.7	101	01N/09W-35P01S	1047.0	10-11-66 11-14-66 12-19-66 1-02-67 2-06-67 3-06-67 4-10-67 5-01-67 6-13-67 7-10-67 8-01-67 9-06-67	200.0 194.2 186.1 183.4 175.5 169.8 156.8 148.3 131.1 125.3 119.9 113.1	847.0 852.8 860.9 863.6 871.5 877.2 890.2 898.7 915.9 921.7 927.1 933.9	101
01N/09W-29C02S	950.0	11-21-66 4-25-67	416.2 361.9	533.8 588.1	101 412	01N/09W-35P02S	1054.0	10-06-66 10-13-66 10-19-66 10-27-66 11-03-66 11-09-66 11-17-66 11-23-66 12-01-66 12-15-66 12-22-66 12-29-66 1-06-67 1-14-67 1-18-67 1-26-67 2-01-67 2-08-67 2-15-67 3-01-67 3-08-67 3-15-67 3-22-67 3-30-67 4-05-67 4-13-67 4-19-67 4-26-67 5-03-67 5-10-67 5-16-67 5-23-67 5-31-67 6-07-67 6-14-67 6-21-67 6-29-67 7-05-67 7-12-67 8-17-67 8-31-67 9-07-67 9-14-67 9-28-67	210.8 208.5 209.8 210.0 209.3 203.5 200.3 198.9 197.8 193.9 192.9 191.9 190.7 191.0 188.2 186.0 183.3 184.0 180.6 179.1 176.4 174.1 171.8 168.6 164.6 161.5 157.7 157.1 153.4 151.8 151.3 150.4 141.5 138.3 134.2 134.3 132.7 131.9 131.6 101.5 118.2 109.0 114.2 112.4	843.2 845.5 844.2 844.0 844.7 850.5 853.7 855.1 856.2 860.1 861.1 862.1 863.3 863.0 865.8 868.0 870.7 870.0 873.4 874.9 877.6 879.9 882.2 885.4 889.4 892.5 896.3 896.9 900.6 902.2 902.7 903.6 912.5 915.7 919.8 919.7 921.3 922.1 922.4 952.5 935.8 945.0 939.8 941.6	101
01N/09W-29E01S	910.0	11-21-66 4-26-67	(3) 348.5	561.5	101	01N/09W-30R01S	820.0	10-04-66 11-02-66 12-13-66 1-05-67 2-01-67 3-02-67 4-13-67 5-08-67 6-01-67 7-03-67 8-02-67 9-05-67	498.2 499.4 505.7 505.4 507.6 509.9 517.3 522.4 526.9 532.0 536.4 538.0	101	
01N/09W-29K01S	935.0	10-03-66 11-02-66 12-15-66 1-05-67 2-03-67 3-02-67 4-13-67 5-08-67 6-01-67 7-03-67 8-01-67 9-05-67	363.0 363.0 360.8 362.6 362.4 360.6 352.8 334.0 333.5 321.6 313.9 309.1	572.0 572.0 574.2 572.4 572.6 574.4 582.2 601.0 601.5 613.4 621.1 625.9	101	01N/09W-31P02S	713.0	10-04-66 11-02-66 12-13-66 1-05-67 2-02-67 3-02-67 4-12-67 5-08-67 6-01-67 7-03-67 8-01-67 9-05-67	604.8 604.6 602.5 604.6 604.6 606.0 607.1 607.4 607.7 608.0 608.2 608.3	101	
01N/09W-29L01S	911.0	10-03-66 11-02-66 12-15-66 1-05-67 2-01-67 3-02-67 4-13-67 5-08-67 6-01-67 7-03-67 8-02-67 9-05-67	387.6 390.3 383.7 380.9 378.4 374.0 353.4 348.6 334.3 328.0 320.3 (2)	523.4 520.7 527.3 530.1 532.6 537.0 557.6 562.4 576.7 583.0 590.7	101	01N/09W-32A02S	868.8	10-04-66 11-02-66 12-13-66 1-05-67 2-02-67 3-02-67 4-17-67	132.5 131.7 131.8 131.5 133.5 131.5 128.4	736.3 737.1 737.0 737.3 735.3 737.3 740.4	101
01N/09W-30R01S	820.0	10-04-66 11-02-66 12-13-66 1-05-67 2-02-67 3-02-67 4-13-67 5-08-67 6-01-67 7-03-67 8-01-67 9-05-67	321.8 320.6 314.3 314.6 312.4 310.1 302.7 297.6 293.1 288.0 283.6 282.0	498.2 499.4 505.7 505.4 507.6 509.9 517.3 522.4 526.9 532.0 536.4 538.0	101	01N/09W-35Q01S	1073.0	11-28-66 4-10-67	213.4 164.6	859.6 908.4	101
01N/09W-31P02S	713.0	10-04-66 11-02-66 12-13-66 1-05-67 2-02-67 3-02-67 4-12-67 5-08-67 6-01-67 7-03-67 8-01-67 9-05-67	108.2 108.4 110.5 108.4 108.4 107.0 105.9 105.6 105.3 105.0 104.8 104.7	604.8 604.6 602.5 604.6 604.6 606.0 607.1 607.4 607.7 608.0 608.2 608.3	101	01N/09W-35Q02S	1064.0	11-28-66 4-10-67	211.1 163.9	852.9 900.1	101
01N/09W-32A02S	868.8	10-04-66 11-02-66 12-13-66 1-05-67 2-02-67 3-02-67 4-17-67	132.5 131.7 131.8 131.5 133.5 131.5 128.4	736.3 737.1 737.0 737.3 735.3 737.3 740.4	101	01N/09W-35Q03S	1061.0	10-11-66 11-14-66 12-19-66 1-02-67 2-06-67	209.0 236.3(1) 197.3 196.6 188.0	852.0 824.7 863.7 864.4 873.0	101
01N/09W-328015	841.0	10-04-66 11-02-66 12-13-66	114.4(4) 115.4(4) 115.5(4)	726.6 725.6 725.5	101						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT						SAN GABRIEL VALLEY HYDRO SUBUNIT					
MAIN SAN GABRIEL HYDRO SUBAREA						MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.00						U-05.00					
U-05.01						U-05.01					
01N/09W-350035 (CONT.)	1061.0	3-06-67	181.0	880.0	101	01N/10W-31A015 (CONT.)	510.3	9-06-67	214.6	295.7	101
		4-10-67	162.6	898.4				9-20-67	219.9	290.4	
		5-01-67	157.0	904.0				9-22-67	220.5	289.8	733
		6-14-67	132.3	928.7		01N/10W-31M015	447.0	10-21-66	214.9	232.1	733
		7-10-67	157.1(1)	903.9				11-05-66	207.2(4)	239.8	101
		8-01-67	158.0	903.0				11-11-66	226.6(1)	220.4	733
		9-06-67	118.2(1)	942.8				12-02-66	227.8(1)	219.2	
01N/09W-350045	1060.0	10-11-66	208.8	851.2	101			12-15-66	214.2(4)	232.8	101
		11-14-66	(1)					12-21-66	212.2(4)	234.8	
		12-19-66	(1)					12-23-66	209.8(4)	237.2	733
		1-02-67	194.3	865.7				12-29-66	195.5	251.5	101
		2-06-67	185.4	874.6				1-03-67	174.8(4)	272.2	
		3-06-67	(1)					1-11-67	195.4(4)	251.6	
		4-10-67	161.9	898.1				1-13-67	201.9	245.1	733
		5-01-67	154.1	905.9				1-18-67	191.8(4)	255.2	101
		6-14-67	133.3	926.7				1-26-67	192.0(4)	255.0	
		7-10-67	(1)					2-03-67	197.1(1)	249.9	733
		8-01-67	(1)					2-24-67	174.7	272.3	
		9-06-67	(1)					3-17-67	170.0	277.0	
01N/09W-350055	1069.0	11-14-66	206.6	862.4	101			4-07-67	166.6	280.4	
		4-10-67	163.3	905.7				4-12-67	161.9	285.1	101
01N/09W-36P015	1170.0	11-14-66	226.6	943.4	101			4-28-67	163.6	283.4	733
		4-10-67	225.0	945.0				5-19-67	(1)		
01N/09W-36P025	1147.0	11-14-66	211.6	945.4	101			6-08-67	161.5	285.5	101
		4-10-67	210.0	947.0				6-09-67	135.6	311.4	733
01N/10W-25G015	882.0	11-02-66	132.4	749.6	101			6-14-67	(1)		101
		4-17-67	119.7	762.3				6-21-67	135.7	311.3	
01N/10W-25R015	703.2	10-20-66	298.4	404.8	733			6-29-67	(1)		
		11-10-66	277.3	425.9				6-30-67	133.8	313.2	733
		12-01-66	275.3	427.9				7-12-67	(1)		101
		12-22-66	274.1	429.1				7-21-67	134.9	312.1	733
		1-12-67	272.9	430.3				7-26-67	(1)		101
		2-02-67	271.4	431.8				8-09-67	(1)		
		2-23-67	271.1	432.1				8-11-67	136.1(4)	310.9	733
		3-16-67	(1)					8-23-67	(1)		101
		4-06-67	(1)					9-06-67	(1)		
		4-27-67	(1)					9-20-67	(1)		
		6-08-67	(1)					9-22-67	140.9	306.1	733
		6-29-67	(1)								
		7-20-67	(1)					01N/10W-32J015	547.7		101
		8-10-67	(1)					5-06-67	(2)	324.7	
		9-21-67	(1)						223.0		
01N/10W-31A015	510.3	10-21-66	275.3	235.0	733			01N/10W-33M015	549.0		733
		11-05-66	272.2(4)	238.1	101			11-23-66	312.2	236.8	
		11-11-66	275.7	234.6	733			12-14-66	311.6	237.4	
		12-02-66	276.8	233.5				1-04-67	283.6	265.4	
		12-15-66	271.0	239.3	101			1-25-67	288.9	260.1	
		12-23-66	261.7	248.6	733			2-15-67	262.6	286.4	
		12-29-66	(9)		101			3-08-67	261.4	287.6	
		1-03-67	239.6	270.7				3-29-67	258.4	290.6	
		1-11-67	243.8	266.5				4-19-67	244.6	304.4	
		1-13-67	244.5	265.8	733			5-10-67	235.9	313.1	
		1-18-67	245.5	264.8	101			5-31-67	230.8	318.2	
		1-26-67	223.9	286.4				6-21-67	228.9	320.1	
		2-01-67	215.5(4)	294.8				7-12-67	227.8	321.2	
		2-03-67	206.5	303.8	733			8-02-67	229.1	319.9	
		2-08-67	193.4	316.9	101			8-09-67	(1)		
		2-15-67	193.8	316.5				8-11-67	136.1(4)	310.9	733
		2-23-67	195.8	314.5				8-23-67	(1)		101
		2-24-67	195.9	314.4	733			9-06-67	(1)		
		3-01-67	199.5(4)	310.8	101			9-20-67	(1)		
		3-08-67	196.4(4)	313.9				9-22-67	140.9	306.1	733
		3-15-67	201.5	308.8							
		3-17-67	212.3	298.0	733			01N/10W-34L015	556.0		101
		3-22-67	(9)		101			11-01-66	278.0(1)	278.0	
		3-29-67	178.9	331.4							
		4-05-67	(9)					01N/10W-34N025	438.9		101
		4-07-67	171.1	339.2	733			11-09-66	201.1	237.8	
		4-12-67	(9)		101			2-09-67	177.9	261.0	
		4-20-67	156.7	353.6				2-15-67	175.3	263.6	
		4-26-67	150.2	360.1				3-01-67	171.0	267.9	
		4-28-67	148.6	361.7	733			3-08-67	169.8	269.1	
		5-03-67	(4)		101			3-15-67	168.9	270.0	
		5-10-67	146.7	363.6				3-22-67	168.3	270.6	
		5-17-67	148.3	362.0				3-29-67	167.0	271.9	
		5-19-67	149.5	360.8	733			4-05-67	164.9	274.0	
		5-24-67	151.8	358.5	101			4-12-67	162.5	276.4	
		5-31-67	150.9	359.4				4-19-67	160.1	278.8	
		6-07-67	152.6	357.7				4-26-67	157.7	281.2	
		6-09-67	152.6(4)	357.7	733			5-03-67	155.4	283.5	
		6-14-67	153.3	357.0	101			5-10-67	153.4	285.5	
		6-21-67	154.6	355.7				5-17-67	151.4	287.5	
		6-29-67	158.6	351.7				5-24-67	150.1	288.8	
		6-30-67	151.4	358.9	733			5-31-67	148.2	290.7	
		7-12-67	164.2	346.1	101			6-07-67	146.9	292.0	
		7-21-67	167.1	343.2	733			6-14-67	145.5	293.4	
		7-26-67	169.0(2)	341.3	101			6-21-67	144.3	294.6	
		8-09-67	178.5	331.8				6-28-67	143.7	295.2	
		8-11-67	182.5	327.8	733			7-12-67	143.5	295.4	
		8-23-67	(9)		101			7-26-67	144.3	294.6	
		8-30-67	210.6	299.7				8-09-67	145.2	293.7	
								8-23-67	147.0	291.9	
								8-30-67	148.3	290.6	
								9-05-67	149.4	289.5	
								9-20-67	151.9	287.0	
								01N/11W-13N015	870.0		101
								11-02-66	31.5	838.5	
								12-13-66	12.7	857.3	
								12-20-66	13.3	856.7	
								12-27-66	17.7	852.3	
								1-03-67	17.5	852.5	
								1-17-67	22.7	847.3	
								1-31-67	18.0	852.0	
								2-07-67	14.2	855.8	
								2-15-67	13.9	856.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00							
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA						SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA							
U-05.D0						U-05.D0							
U-05.D1						U-05.D1							
01N/11W-13N01S	870.0	2-21-67	13.4	856.6	101	01N/11W-27F01S	495.8	10-05-66	270.8(5)	225.0	062		
(CONT.)		3-01-67	15.7	854.3				10-19-66	268.8(5)	227.0			
		3-15-67	21.6	848.4				11-02-66	268.8(5)	227.0			
		3-21-67	17.5	852.5				11-16-66	268.8(5)	227.0			
		3-29-67	20.6	849.4				12-07-66	268.8(5)	227.0			
		4-04-67	20.4	849.6				12-21-66	266.8(5)	229.0			
		4-10-67	20.4	849.6				1-04-67	261.8(5)	234.0			
		4-26-67	17.7	852.3				1-18-67	262.8(5)	233.0			
		5-10-67	20.4	849.6				2-01-67	260.8(5)	235.0			
		5-24-67	22.9	847.1				2-15-67	255.8(5)	240.0			
		6-06-67	16.0	854.0				3-01-67	254.8(5)	241.0			
		6-13-67	21.3	848.7				3-15-67	252.8(5)	243.0			
		6-20-67	22.4	847.6				4-19-67	244.8(5)	251.0			
		6-27-67	17.6	852.4				5-03-67	248.8(5)	247.0			
		7-05-67	23.4	846.6				5-17-67	274.8(5)	221.0			
		7-11-67	21.2	848.8				6-07-67	246.8(5)	249.0			
		8-01-67	21.4	848.6				6-21-67	269.8(1)	226.0			
		9-20-67	16.8	853.2				7-05-67	238.8(5)	257.0			
01N/11W-24E03S	759.0	11-02-66	DRY		101			7-19-67	269.8(1)	226.0			
		12-13-66	38.7	720.3				8-02-67	241.8(5)	254.0			
		12-20-66	11.2	747.8				8-16-67	247.8(5)	248.0			
		12-27-66	39.8	719.2				9-06-67	231.8(5)	264.0			
		1-03-67	41.2	717.8				9-21-67	235.8	260.0			
		1-10-67	26.8	732.2									
		1-17-67	44.5	714.5				01N/11W-31R01S	502.0	10-01-66	317.0(5)	185.0	067
		1-31-67	31.9	727.1						10-01-66	360.0(1)	142.0	
		2-07-67	26.7	732.3						11-01-66	318.0(5)	184.0	062
		2-15-67	49.0	710.0						11-01-66	362.0(1)	140.0	
		2-21-67	51.8	707.2						12-01-66	313.0(5)	189.0	
		3-01-67	9.9	749.1						12-01-66	355.0(1)	147.0	
		3-07-67	39.4	719.6						1-01-67	308.0(5)	194.0	
		3-15-67	23.6	735.4						1-01-67	355.0(1)	147.0	
		3-21-67	9.2	749.8						2-01-67	303.0(5)	199.0	
		3-29-67	11.4	747.6						2-01-67	343.0(1)	159.0	
		4-04-67	13.6	745.4						3-01-67	303.0(5)	199.0	
		4-10-67	42.4	716.6						3-01-67	342.0(1)	160.0	
		4-26-67	7.0	752.0						4-01-67	297.0(5)	205.0	
		5-02-67	6.5	752.5						4-01-67	335.0(1)	167.0	
		5-10-67	14.9	744.1						5-01-67	292.0(5)	210.0	
		5-16-67	24.9	734.1						5-01-67	327.0(1)	175.0	
		5-24-67	50.2	708.8						6-01-67	288.0(5)	214.0	
		6-06-67	25.3	733.7						6-01-67	324.0(1)	178.0	
		6-13-67	47.4	711.6						7-01-67	290.0(5)	212.0	
		6-20-67	43.6	715.4						7-01-67	327.0(1)	175.0	
		6-27-67	16.7	742.3						8-01-67	292.0(5)	210.0	
		7-05-67	50.9	708.1						8-01-67	329.0(1)	173.0	
		7-11-67	27.6	731.4						9-01-67	297.0(5)	205.0	
		8-01-67	56.3	702.7						9-01-67	333.0(1)	169.0	
		9-20-67	21.6	737.4									
01N/11W-24L01S	697.3	10-21-66	91.1	606.2	733	01N/11W-32Q02S	467.0	10-05-66	264.6(5)	202.4	062		
		11-11-66	90.3	607.0				10-19-66	264.6(5)	202.4			
		12-02-66	90.7	606.6				11-02-66	265.1(5)	201.9			
		12-13-66	88.2	609.1	101			12-07-66	263.1(5)	203.9			
		12-20-66	70.1	627.2				12-21-66	262.1(5)	204.9			
		12-23-66	70.0	627.3	733			1-04-67	262.1(5)	204.9			
		12-27-66	63.7	633.6	101			1-18-67	261.1(5)	205.9			
		1-03-67	62.8	634.5				2-01-67	260.1(5)	206.9			
		1-10-67	61.1	636.2				2-15-67	260.1(5)	206.9			
		1-13-67	71.8	625.5	733			3-01-67	259.1(5)	207.9			
		1-17-67	63.7	633.6	101			3-15-67	259.1(5)	207.9			
		1-31-67	62.9	634.4				4-05-67	258.1(5)	208.9			
		2-03-67	60.9	636.4	733			4-19-67	251.1(5)	215.9			
		2-07-67	59.7	637.6	101			5-03-67	251.1(5)	215.9			
		2-15-67	61.0	636.3				5-17-67	251.1(5)	215.9			
		2-21-67	64.4	632.9				6-07-67	252.1(5)	214.9			
		2-24-67	63.1	634.2	733			6-21-67	252.1(5)	214.9			
		3-01-67	62.7	634.6	101			7-05-67	245.1(5)	221.9			
		3-07-67	60.2	637.1				7-19-67	247.1(5)	219.9			
		3-15-67	62.9	634.4				8-02-67	249.1(5)	217.9			
		3-17-67	63.9	633.4	733			8-16-67	250.1(5)	216.9			
		3-21-67	53.7	643.6	101			9-06-67	251.1(5)	215.9			
		3-29-67	55.9	641.4				9-19-67	249.1(5)	217.9			
		4-04-67	54.7	642.6									
		4-07-67	53.7	643.6	733			01N/11W-33Q01S	407.8	10-03-66	179.1	228.7	101
		4-10-67	54.5	642.8	101					11-02-66	179.1	228.7	
		4-26-67	49.4	647.9						12-13-66	177.5	230.3	
		4-28-67	47.8	649.5	733					1-03-67	177.6	230.2	
		5-02-67	45.4	651.9	101					1-31-67	176.1	231.7	
		5-10-67	51.2	646.1						2-07-67	175.6	232.2	
		5-16-67	53.5	643.8						2-15-67	175.3	232.5	
		5-19-67	54.2	643.1	733					2-21-67	175.2	232.6	
		5-24-67	59.7	637.6	101					3-01-67	174.5	233.3	
		6-06-67	54.0	643.3						3-07-67	173.2	234.6	
		6-09-67	56.7	640.6	733					3-15-67	173.7	234.1	
		6-13-67	57.7	639.6	101					3-21-67	173.4	234.4	
		6-20-67	57.1	640.2						3-29-67	172.7	235.1	
		6-27-67	57.3	640.0						4-04-67	172.5	235.3	
		6-30-67	58.0	639.3	733					4-12-67	171.4	236.4	
		7-05-67	63.8	633.5	101					4-26-67	170.4	237.4	
		7-11-67	65.4	631.9						5-10-67	169.2	238.6	
		7-21-67	63.6	633.7	733					5-16-67	168.6	239.2	
		7-25-67	67.8	629.5	101					5-24-67	167.9	239.9	
		8-01-67	69.0	628.3						5-31-67	167.1	240.7	
		9-05-67	71.3	626.0						6-06-67	166.8	241.0	
		9-20-67	73.9	623.4						6-13-67	165.2	242.6	
		9-22-67	78.1	619.2	733					6-20-67	165.3	242.5	
										6-27-67	164.9	242.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA						SAN GABRIEL VALLEY HYDRO SUBUNIT MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.D0						U-05.D0					
U-05.D1						U-05.D1					
01N/11W-330015 (CONT.)	407.8	7-05-67	164.0	243.8	101	01N/11W-36L015 (CONT.)	413.5	4-12-67	(1)		101
		7-11-67	163.7	244.1				4-20-67	(1)		101
		7-25-67	162.6	245.2				4-28-67	142.9	270.6	733
		8-01-67	162.2	245.6				5-03-67	(1)		101
		8-23-67	160.6	247.2				5-10-67	(1)		
		9-05-67	159.2	248.6				5-17-67	(1)		
		9-20-67	158.5	249.3				5-19-67	127.0	286.5	733
								5-24-67	125.0	288.5	101
01N/11W-34N035	402.0	10-05-66	239.4(1)	162.6	062			5-31-67	(1)		
		10-19-66	239.4(1)	162.6				6-07-67	120.5	293.0	
		11-02-66	182.4(5)	219.6				6-09-67	119.7	293.8	733
		11-19-66	243.4(1)	158.6				6-14-67	118.4	295.1	101
		12-07-66	180.4(5)	221.6				6-21-67	(1)		
		12-21-66	177.4(5)	224.6				6-29-67	(1)		
		1-04-67	173.4(5)	228.6				6-30-67	117.2	296.3	733
		1-18-67	169.4(5)	232.6				7-21-67	118.4	295.1	
		2-01-67	167.4(5)	234.6				7-26-67	(1)		101
		2-15-67	163.4(5)	238.6				8-09-67	(1)		
		3-01-67	164.4(5)	237.6				8-11-67	120.8	292.7	733
		3-15-67	221.4(1)	180.6				8-23-67	(1)		101
		4-05-67	162.4(5)	239.6				8-30-67	(1)		
		4-19-67	216.4(1)	185.6				9-06-67	(1)		
		5-03-67	151.4(5)	250.6				9-20-67	(1)		
		5-17-67	215.4(1)	186.6				9-22-67	130.3(4)	283.2	733
		6-07-67	155.4(5)	246.6							
		6-21-67	209.4(1)	192.6		01N/11W-36R015	424.0	11-16-66	195.6	228.4	101
		7-05-67	179.4(5)	222.6				5-06-67	128.6	295.4	
		7-19-67	206.4(1)	195.6							
		8-02-67	177.4(5)	224.6							
		8-16-67	210.4(1)	191.6							
		9-06-67	175.4(5)	226.6							
		9-21-67	207.9(1)	194.1							
01N/11W-34N055	402.0	10-05-66	254.0(1)	148.0	062						
		10-19-66	254.0(1)	148.0							
		11-02-66	184.0(5)	218.0							
		11-17-66	184.0(5)	218.0							
		12-07-66	178.0(5)	224.0							
		12-21-66	176.0(5)	226.0							
		1-04-67	172.0(5)	230.0							
		1-18-67	169.0(5)	233.0							
		2-01-67	169.0(5)	233.0							
		2-15-67	165.0(5)	237.0							
		3-01-67	164.0(5)	238.0							
		3-15-67	166.0(5)	236.0							
		4-05-67	164.0(5)	238.0							
		4-19-67	166.0(5)	236.0							
		5-03-67	156.0(5)	246.0							
		5-17-67	240.0(1)	162.0							
		6-07-67	158.0(5)	244.0							
		6-21-67	236.0(1)	166.0							
		7-05-67	173.0(5)	229.0							
		7-19-67	238.0(1)	164.0							
		8-02-67	173.0(5)	229.0							
		8-16-67	236.0(1)	166.0							
		9-06-67	171.0(5)	231.0							
		9-21-67	211.0(1)	191.0							
01N/11W-35L015	403.0	10-07-66	174.0(5)	229.0	101						
		11-15-66	176.0(5)	227.0							
		12-01-66	175.0(5)	228.0							
		1-01-67	170.0(5)	233.0							
		2-01-67	165.0(5)	238.0							
		3-01-67	159.0(5)	244.0							
		4-01-67	148.0(5)	255.0							
		5-01-67	140.0(5)	263.0							
		6-01-67	145.0(5)	258.0							
		7-01-67	128.0(5)	275.0							
		8-07-67	130.0(5)	273.0							
		9-07-67	134.0(5)	269.0							
01N/11W-36L015	413.5	10-21-66	178.8	234.7	733						
		11-05-66	179.9	233.6	101						
		11-11-66	180.0	233.5	733						
		12-02-66	180.9	232.6							
		12-15-66	184.9	228.6	101						
		12-21-66	178.5	235.0							
		12-23-66	178.8	234.7	733						
		12-29-66	(1)		101						
		1-03-67	(1)								
		1-11-67	171.0	242.5							
		1-13-67	169.1	244.4	733						
		1-18-67	(1)		101						
		1-26-67	(1)								
		2-01-67	171.8	241.7							
		2-03-67	164.4	249.1	733						
		2-08-67	162.0	251.5	101						
		2-15-67	(1)								
		2-23-67	156.5	257.0							
		2-24-67	155.2	258.3	733						
		3-01-67	(1)		101						
		3-09-67	157.9	255.6							
		3-15-67	(1)								
		3-17-67	151.8	261.7	733						
		3-22-67	151.3	262.2	101						
		3-29-67	(1)								
		4-05-67	(1)								
		4-07-67	146.0	267.5	733						
						LOWER CANYON HYDRO SUBAREA					
						U-05.02					
						01N/10W-27J015	654.4	10-20-66	135.1	519.3	733
								11-10-66	138.4	516.0	
								12-01-66	140.2	514.2	
								12-22-66	135.9	518.5	
								1-12-67	143.8	510.6	
								2-02-67	140.6	513.8	
								2-23-67	127.2	527.2	
								3-16-67	123.4	531.0	
								4-06-67	123.6	530.8	
								4-27-67	124.1	530.3	
								5-18-67	122.4	532.0	
								6-08-67	113.2	541.2	
								6-29-67	113.0	541.4	
								7-20-67	119.4	535.0	
								8-10-67	122.5	531.9	
								9-21-67	126.8	527.6	
						01N/10W-27K045	655.0	11-01-66	111.0(1)	544.0	101
								4-01-67	36.0(5)	619.0	
						01N/10W-27P015	625.0	11-09-66	120.0	505.0	101
								4-17-67	96.6	528.4	
						01N/10W-29J015	601.5	10-04-66	102.3	499.2	101
								11-02-66	94.8	506.7	
								12-13-66	81.7	519.8	
								1-05-67	63.1	538.4	
								2-02-67	62.7	538.8	
								3-02-67	71.2	530.3	
								4-13-67	69.1	532.4	
								5-08-67	69.3	532.2	
								6-01-67	73.8	527.7	
								7-03-67	78.5	523.0	
								8-01-67	81.7	519.8	
								9-05-67	88.8	512.7	
						01N/10W-29K015	591.2	10-21-66	49.9	541.3	733
								11-11-66	48.3	542.9	
								12-02-66	48.9	542.3	
								12-23-66	42.8	548.4	
								1-13-67	41.9	549.3	
								2-03-67	41.2	550.0	
								2-24-67	43.2	548.0	
								3-17-67	44.1	547.1	
								4-07-67	43.4	547.8	
								4-28-67	43.7	547.5	
								5-19-67	44.4	546.8	
								6-09-67	45.0	546.2	
								6-30-67-			

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
UPPER CANYON HYDRO SUBAREA			U-05.03			UPPER CANYON HYDRO SUBAREA			U-05.03		
01N/10W-03B11S (CONT.)	603.0	4-27-67	11.1	591.9	733	01N/10W-23C01S (CONT.)	784.9	11-09-66	27.7	757.2	101
		5-18-67	10.9	592.1				12-09-66	15.2	769.7	
		6-08-67	11.8	591.2				12-13-66	9.6	775.3	
		6-29-67	11.9	591.1				12-19-66	13.4	771.5	
		7-20-67	12.7	590.3				12-22-66	15.0	769.9	
		8-10-67	12.6	590.4				12-29-66	15.3	769.6	
		9-21-67	12.9	590.1				1-04-67	15.0	769.9	
01N/10W-03C03S	527.0	10-28-66	322.0 (1)	205.0	101			1-12-67	(1)		
01N/10W-22M01S	686.0	10-21-66	61.2 (4)	624.8	733			1-19-67	13.2	771.7	
		11-11-66	59.1	626.9				1-26-67	10.7	774.2	
		12-02-66	59.8	626.2				2-01-67	11.4	773.5	
		12-23-66	62.7	623.3				2-08-67	13.8	771.1	
		1-13-67	40.3	645.7				2-15-67	12.8	772.1	
		2-03-67	37.7	648.3				2-23-67	13.0	771.9	
		2-24-67	41.5 (4)	644.5				3-01-67	(1)		
		3-17-67	38.3	647.7				3-09-67	13.6	771.3	
		4-07-67	36.6	649.4				3-15-67	12.5	772.4	
		4-28-67	(1)					3-22-67	11.3	773.6	
		5-19-67	43.1	642.9				3-29-67	12.1	772.8	
		6-09-67	43.3	642.7				4-05-67	12.4	772.5	
		6-30-67	42.6	643.4				4-12-67	12.4	772.5	
		7-21-67	44.5	641.5				4-20-67	12.5	772.4	
		8-11-67	45.9	640.1				4-26-67	11.7	773.2	
		9-22-67	53.6	632.4				5-03-67	12.2	772.7	
01N/10W-22P02S	695.1	10-20-66	55.8	639.3	733			5-10-67	12.3	772.6	
		11-10-66	55.0	640.1				5-17-67	(1)		
		12-01-66	55.6	639.5				5-24-67	12.2	772.7	
		12-22-66	36.5	658.6				5-31-67	12.3	772.6	
		12-30-66	29.9	665.2	101			6-07-67	12.3	772.6	
		1-10-67	35.9 (1)	659.2				6-14-67	12.9	772.0	
		1-12-67	35.4	659.7	733			6-21-67	13.3	771.6	
		1-20-67	35.1 (1)	660.0	101			6-28-67	13.9	771.0	
		2-01-67	23.4	671.7				7-05-67	13.4	771.5	
		2-02-67	23.4	671.7	733			7-19-67	(2)		
		2-10-67	31.9	663.2	101			8-02-67	13.9	771.0	
		2-23-67	39.5 (1)	655.6	733			8-30-67	(1)		
		3-16-67	37.7	657.4				9-05-67	21.2	763.7	
		4-06-67	33.9	661.2				9-13-67	24.1	760.8	
		4-27-67	32.7	662.4				9-27-67	24.7	760.2	
		5-18-67	30.4	664.7		01N/10W-23D01S	752.3	10-03-66	30.6	721.7	101
		6-08-67	39.2	655.9				11-02-66	26.9	725.4	
		6-29-67	43.8	651.3				11-09-66	3.1	749.2	
		7-03-67	50.2 (1)	644.9	101			12-13-66	3.8	748.5	
		7-10-67	53.2 (1)	641.9				12-19-66	4.2	748.1	
		7-20-67	49.2	645.9	733			12-22-66	5.6	746.7	
		7-31-67	60.1 (1)	635.0	101			12-29-66	6.9	745.4	
		8-10-67	50.2	644.9	733			1-04-67	7.1	745.2	
		8-21-67	66.6 (1)	628.5	101			1-12-67	9.6	742.7	
		9-01-67	75.1 (1)	620.0				1-19-67	8.2	744.1	
		9-21-67	52.8	642.3	733			1-26-67	2.4	749.9	
01N/10W-22R02S	716.0	11-09-66	55.3 (4)	660.7	101			2-01-67	3.3	749.0	
		5-01-67	39.1 (4)	676.9				2-08-67	5.5	746.8	
01N/10W-23A05S	815.0	10-03-66	25.2	789.8	101			2-15-67	7.6	744.7	
		11-02-66	23.6	791.4				2-23-67	9.6	742.7	
		12-09-66	9.3	805.7				3-01-67	10.1	742.2	
		12-13-66	7.6	807.4				3-09-67	10.6	741.7	
		12-19-66	7.5	807.5				3-15-67	6.6	745.7	
		12-22-66	9.5	805.5				3-22-67	6.7	745.6	
		12-29-66	11.2	803.8				3-29-67	8.1	744.2	
		1-04-67	11.2	803.8				4-05-67	9.1	743.2	
		1-12-67	9.4	805.6				4-12-67	8.6	743.7	
		1-19-67	8.4	806.6				4-20-67	9.2	743.1	
		1-26-67	6.3	808.7				4-26-67	8.6	743.7	
		2-01-67	7.2	807.8				5-03-67	8.8	743.5	
		2-08-67	8.7	806.3				5-10-67	9.0	743.3	
		2-15-67	8.6	806.4				5-17-67	8.9	743.4	
		2-23-67	8.7	806.3				5-24-67	8.4	743.9	
		3-01-67	9.3	805.7				5-31-67	9.2	743.1	
		3-09-67	8.8	806.2				6-07-67	10.0	742.3	
		3-15-67	7.7	807.3				6-14-67	10.4	741.9	
		3-22-67	6.9	808.1				6-21-67	10.5	741.8	
		3-29-67	7.9	807.1				6-28-67	11.7	740.6	
		4-05-67	8.0	807.0				7-05-67	10.8	741.5	
		4-12-67	8.0	807.0				7-19-67	11.1	741.2	
		4-26-67	7.4	807.6				8-02-67	11.9	740.4	
		5-03-67	7.6	807.4				8-30-67	17.0	735.3	
		5-10-67	7.7	807.3				9-05-67	18.4	733.9	
		5-17-67	7.7	807.3				9-13-67	19.8	732.5	
		5-24-67	7.7	807.3				9-27-67	21.2	731.1	
		5-31-67	7.6	807.4		01N/10W-23E01S	755.3	10-03-66	29.9	725.4	101
		6-07-67	7.7	807.3				11-02-66	29.9	725.4	
		6-14-67	8.1	806.9				12-09-66	(1)		
		6-21-67	8.4	806.6				12-13-66	8.7	746.6	
		6-28-67	8.6	806.4				12-19-66	(1)		
		7-05-67	8.6	806.4				12-22-66	10.9	744.4	
		7-19-67	8.6	806.4				12-29-66	11.3	744.0	
		8-02-67	8.7	806.3				1-04-67	11.3	744.0	
		8-30-67	16.0	799.0				1-12-67	10.4	744.9	
		9-05-67	17.2	797.8				1-19-67	(1)		
		9-13-67	18.8	796.2				1-26-67	6.9	748.4	
		9-27-67	20.7	794.3				2-01-67	7.8	747.5	
01N/10W-23C01S	784.9	11-02-66	(1)		101			2-08-67	9.3	746.0	
								2-15-67	(1)		
								2-23-67	10.0	745.3	
								3-01-67	(1)		
								3-08-67	10.5	744.8	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
SAN GABRIEL VALLEY HYDRO SURUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
UPPER CANYON HYDRO SUBAREA			U-05.03			UPPER CANYON HYDRO SUBAREA			U-05.03		
01N/10W-23E015 (CONT.)	755.3	3-15-67 3-22-67 3-29-67 4-05-67 4-12-67 4-20-67 4-26-67 5-03-67 5-10-67 5-17-67 5-24-67 5-31-67 6-07-67 6-14-67 6-21-67 6-28-67 7-05-67 7-19-67 8-02-67 8-30-67 9-05-67 9-13-67 9-27-67	8.9 (1) 9.5 9.5 9.5 9.4 8.9 9.2 (1) (1) 9.3 9.4 9.5 10.0 (1) (1) 10.6 (1) (1) (1) 18.9 20.6 22.4 24.8	746.4 745.8 745.8 745.8 745.9 746.4 746.1 746.0 745.9 745.8 745.3 744.7 736.4 734.7 732.9 730.5	101	01N/10W-27H015 (CONT.)	669.7	6-29-67 7-20-67 8-10-67 9-21-67 11-01-66 4-24-67	63.9 71.9 80.0 92.1 102.0(1) 48.0(5)	605.8 597.8 589.7 577.6 565.4 619.4	733
01N/10W-27H015	693.3	10-06-66 10-13-66 10-20-66 10-27-66 11-03-66 11-10-66 11-17-66 11-23-66 12-01-66 12-08-66 12-17-66 12-21-66 12-29-66 1-06-67 1-12-67 1-19-67 1-27-67 2-03-67 2-09-67 2-16-67 2-24-67 3-02-67 3-09-67 3-16-67 3-23-67 3-30-67 4-06-67 4-13-67 4-24-67 4-27-67 5-04-67 5-11-67 5-18-67 5-25-67 6-01-67 6-08-67 6-15-67 7-06-67 7-13-67 7-20-67 8-03-67 8-10-67 8-17-67 8-24-67 8-31-67 9-07-67 9-21-67 9-28-67	76.4 70.9 64.4 58.5 56.8 63.5 69.0 66.2 65.5 60.0 51.4 40.8 24.8 33.8 32.6 31.3 28.8 29.7 35.8 38.2 40.3 40.8 41.0 39.8 39.1 39.5 39.8 40.2 39.0 38.6 38.9 39.8 42.3 43.6 45.6 47.7 47.9 56.0 60.0 62.6 68.8 70.4 73.2 75.5 81.6 80.4 84.1 77.6	616.9 622.4 628.9 634.8 636.5 629.8 624.3 627.1 627.8 633.3 641.9 652.5 668.5 659.5 660.7 662.0 664.5 663.6 657.5 655.1 653.0 652.5 652.3 653.5 654.2 653.8 653.5 653.1 654.3 654.7 654.4 653.5 651.0 649.7 647.7 645.6 645.4 637.3 633.3 630.7 624.5 622.9 620.1 617.8 611.7 612.9 609.2 615.7	101	01N/10W-28H015	652.5	10-04-66 10-20-66 11-02-66 12-13-66 12-19-66 12-22-66 1-03-67 1-12-67 1-19-67 1-26-67 2-01-67 2-08-67 2-15-67 2-23-67 3-01-67 3-08-67 3-15-67 3-22-67 3-29-67 4-05-67 4-12-67 4-20-67 4-26-67 5-03-67 5-10-67 5-17-67 5-24-67 5-31-67 6-07-67 6-14-67 6-21-67 6-28-67 7-05-67 8-02-67 9-13-67	35.6 30.9 28.8 19.0 16.5 16.6 16.2 16.3 (9) 14.0 14.5 15.5 16.3 16.7 17.1 17.4 16.8 16.2 16.3 16.2 16.4 15.9 15.6 16.0 16.5 17.3 17.8 18.2 18.6 18.7 19.3 20.5 18.2 (6) 34.4	616.9 621.6 623.7 633.5 636.0 635.9 636.3 636.2 638.5 638.0 637.0 636.2 635.8 635.4 635.1 635.7 636.3 636.2 636.3 636.1 636.6 636.9 636.5 636.0 635.2 634.7 634.3 633.9 633.8 633.2 632.0 634.3 618.1	101
01N/10W-27C02S	681.1	12-30-66 1-10-67 1-25-67 2-01-67 2-10-67 7-03-67 7-10-67 7-31-67 8-10-67 8-21-67 9-01-67 9-20-67	29.8 32.2(1) 25.0(1) 23.8 33.4(1) 47.0(1) 51.4(1) 60.9(1) 63.8(1) 71.6(1) 83.2(1) 79.7	651.3 648.9 656.1 657.3 647.7 634.1 629.7 620.2 617.3 609.5 597.9 601.4	101	FOOTHILL HYDRO SUBAREA U-05.04					
01N/10W-27H015	669.7	10-20-66 11-10-66 12-01-66 12-22-66 1-12-67 2-02-67 2-23-67 3-16-67 4-06-67 4-27-67 5-18-67 6-08-67	94.5 83.1 88.1 73.5 59.0 50.4 53.7 52.1 56.9 58.5 56.7 59.9(2)	575.2 586.6 581.6 596.2 610.7 619.3 616.0 617.6 612.8 611.2 613.0 609.8	733	01N/09W-25G01S	1235.0	11-15-66 4-10-67	34.5 22.9	1200.5 1212.1	101
						01N/09W-25K01S	1228.2	10-20-66 11-14-66 12-19-66 1-02-67 2-06-67 3-06-67 4-10-67 5-01-67 6-14-67 7-10-67 8-01-67 9-06-67	36.7 41.2 25.5 19.8 19.6 19.2 24.6 31.6 22.1 26.9 22.4 36.6	1191.5 1187.0 1202.7 1208.4 1208.6 1209.0 1203.6 1196.6 1206.1 1201.3 1205.8 1191.6	101
						01N/09W-35G01S	1093.0	11-14-66 4-10-67	46.3 19.9	1046.7 1073.1	101
						01N/09W-35H01S	1155.0	10-11-66 11-14-66 12-19-66 1-02-67 2-06-67 3-06-67 4-10-67 5-01-67 6-14-67 7-10-67 8-01-67 9-06-67	37.3 38.3 32.6(1) 28.7(1) 27.5(1) 25.2(1) 26.2 25.7 24.3(1) 26.0(1) 26.4 (1)	1117.7 1116.7 1122.4 1126.3 1127.5 1129.8 1128.8 1129.3 1130.7 1129.0 1128.6	101
						01N/09W-36D03S	1165.0	10-11-66	39.4	1125.6	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0			SPADRA HYDRO SUBUNIT			U-05.E0		
FOOTHILL HYDRO SUBAREA			U-05.D4			SPADRA HYDRO SUBAREA			U-05.E1		
01N/09W-36D03S (CONT.)	1165.0	11-14-66	38.8	1126.2	101	01S/08W-19N01S	851.0	11-16-66	195.6	655.4	101
		12-19-66	34.1	1130.9				4-14-67	243.0	608.0	
		1-02-67	30.0	1135.0		01S/09W-22J01S	820.0	11-15-66	4.3	815.7	101
		2-06-67	26.4	1138.6				4-17-67	3.8	816.2	
		3-06-67	26.4	1138.6		01S/09W-23P01S	767.0	11-15-66	113.6	653.4	101
		4-10-67	27.1	1137.9				1-10-67	113.2	653.8	
		5-01-67	26.5	1138.5				2-14-67	113.1	653.9	
		6-14-67	23.9	1141.1				3-07-67	113.0	654.0	
		7-10-67	25.0	1140.0				4-17-67	112.4	654.6	
		8-01-67	25.1	1139.9				5-08-67	111.9	655.1	
		9-06-67	32.9	1132.1				6-13-67	111.8	655.2	
01N/09W-36E02S	1235.0	11-14-66	154.5	1080.5	101			7-11-67	117.7	649.3	
01N/09W-36F01S	1277.0	11-14-66	101.4	1175.6	101			8-02-67	(9)		
		4-11-67	99.5	1177.5	733			9-07-67	(9)		
						01S/09W-23R01S	799.0	11-15-66	154.8	644.2	101
								4-17-67	135.3	663.7	
						01S/09W-25801S	824.0	11-22-66	175.9	648.1	101
								4-17-67	175.9	648.1	
						01S/09W-25D01S	795.0	10-10-66	166.5	628.5	101
								3-15-67	165.5	629.5	
								9-07-67	165.5	629.5	
						01S/09W-25E01S	798.0	10-20-66	170.1	627.9	101
								11-16-66	176.6	621.4	
								12-19-66	(9)		
								1-04-67	(9)		
								4-17-67	157.5	640.5	
						01S/09W-25E02S	803.0	11-16-66	179.0	624.0	101
								4-17-67	(1)		
								5-08-67	175.8	627.2	
						01S/09W-25F01S	804.7	11-16-66	175.0	629.7	101
								4-17-67	177.3	627.4	
						01S/09W-25G01S	823.0	11-22-66	171.4	651.6	101
								4-17-67	171.3	651.7	
						01S/09W-26A02S	795.0	11-16-66	165.1	629.9	101
								4-17-67	163.0	632.0	
						01S/09W-27J01S	730.0	11-16-66	111.5	618.5	101
								4-17-67	118.9	611.1	
						01S/09W-27J02S	727.0	11-16-66	107.5	619.5	101
								4-17-67	105.1	621.9	
						01S/09W-33J02S	664.2	4-17-67	41.8	622.4	101
						01S/09W-34F01S	688.0	11-16-66	91.7	596.3	101
								4-17-67	88.3	599.7	
						POMONA HYDRO SUBAREA					U-05.E2
						01S/08W-07D01S	1073.6	11-22-66	379.6(5)	694.0	101
								4-14-67	379.6(5)	694.0	
						01S/08W-07F01S	1076.0	10-17-66	481.0(5)	595.0	101
								5-01-67	(0)		
						01S/08W-07F02S	1078.0	11-22-66	470.4	607.6	101
								4-24-67	460.7	617.3	
						01S/08W-07G01S	1102.0	4-14-67	(7)		101
						01S/08W-07G02S	1092.8	10-31-66	542.1(5)	550.7	101
								11-18-66	497.1(5)	595.7	
								12-27-66	493.1(5)	599.7	
								1-23-67	491.1(5)	601.7	
								2-13-67	488.1(5)	604.7	
								3-13-67	488.1(5)	604.7	
								4-24-67	486.1(5)	606.7	
								5-01-67	488.1(5)	604.7	
								7-12-67	544.1(1)	548.7	
								8-15-67	550.1(1)	542.7	
								9-22-67	516.1(5)	576.7	
						01S/08W-07K01S	1083.0	4-14-67	DRY		101
						01S/08W-07L01S	1061.0	11-22-66	(4)		101
						01S/08W-07N01S	1038.0	11-21-66	451.2	586.8	101
								4-14-67	443.3	594.7	
						01S/08W-08803S	1044.0	10-11-66	153.6	890.4	101
								11-21-66	159.4	884.6	
								12-19-66	159.7	884.3	
								1-02-67	153.8	890.2	
								2-14-67	160.1	883.9	
								3-06-67	160.2	883.8	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SPADRA HYDRO SUBUNIT POMONA HYURO SUBAREA			U-05.E0			SPADRA HYDRO SUBUNIT POMONA HYURO SUBAREA			U-05.E0		
			U-05.E2						U-05.E2		
015/08W-08803S (CONT.)	1044.0	4-14-67	160.3	883.7	101	015/09W-12N01S (CONT.)	984.0	4-14-67	48.3	935.7	101
		5-09-67	160.1	883.9							
		6-13-67	160.3	883.7							
		7-11-67	160.2	883.8		015/09W-12Q01S	1023.5	11-22-66	427.0	596.5	101
		8-02-67	160.3	883.7				4-14-67	424.5	599.0	
		9-06-67	150.6	893.4							
015/08W-09G03S	1190.0	10-01-66	116.0(5)	1074.0	101	015/09W-13A01S	1018.0	10-11-66	267.8	750.2	101
		11-07-66	94.0(5)	1096.0				11-21-66	274.3	743.7	
		12-01-66	93.0(5)	1097.0				12-22-66	274.5	743.5	
		1-01-67	85.0(5)	1105.0				1-04-67	(9)		
		2-01-67	80.0(5)	1110.0				2-06-67	273.6	744.4	
		3-01-67	78.0(5)	1112.0				3-07-67	275.0	743.0	
		4-28-67	64.0(5)	1126.0				4-14-67	276.1	741.9	
		5-15-67	56.0(5)	1134.0				5-08-67	275.5	742.5	
		6-01-67	54.0(5)	1136.0				6-13-67	(9)		
		7-01-67	46.0(5)	1144.0				6-19-67	285.9	732.1	
		8-15-67	37.0(5)	1153.0				7-11-67	276.1	741.9	
		9-15-67	19.0(5)	1171.0				8-01-67	(9)		
015/08W-17N01S	952.0	11-21-66	(7)		101			9-06-67	(9)		
		4-18-67	(3)					9-11-67	277.1	740.9	
015/08W-18J02S	995.4	10-15-66	472.5(5)	522.9	101	LIVE OAK HYDRO SUBAREA			U-05.E3		
		11-01-66	523.4(1)	472.0		015/08W-04C03S	1329.0	10-11-66	175.3(1)	1153.7	101
		12-01-66	477.2(5)	518.2				11-15-66	170.6	1158.4	
		1-15-67	465.6(5)	529.8				12-19-66	158.5	1170.5	
		2-01-67	405.6(5)	589.8				1-04-67	158.5	1170.5	
		3-15-67	474.8(1)	520.6				2-07-67	149.0	1180.0	
		4-01-67	469.1(5)	526.3				3-06-67	140.6	1188.4	
		7-01-67	469.0(5)	526.4				4-12-67	129.3	1199.7	
		7-15-67	472.4(5)	523.0				5-08-67	189.6(1)	1139.4	
		8-15-67	576.4(1)	419.0				5-10-67	114.6	1214.4	
		9-01-67	590.3(1)	405.1				6-13-67	104.8	1224.2	
015/08W-18K01S	1000.0	11-21-66	(1)		101			7-10-67	174.6(1)	1154.4	
		4-18-67	(1)					8-02-67	115.5	1213.5	
		4-24-67	(1)					9-06-67	98.1	1230.9	
		9-01-67	479.7	520.3		015/08W-04D01S	1319.4	10-11-66	184.5	1134.9	101
015/08W-19A01S	922.5	10-11-66	242.5	680.0	101			11-15-66	145.3	1174.1	
		11-22-66	239.6	682.9				12-19-66	144.0	1175.4	
		11-22-66	239.6	682.9				1-04-67	142.0	1177.4	
		12-19-66	(9)					2-07-67	131.6	1187.8	
		1-04-67	(9)					3-06-67	122.1	1197.3	
		1-10-67	232.5	690.0				4-12-67	223.1	1096.3	
		2-15-67	238.4	684.1				5-08-67	97.0	1222.4	
		3-07-67	237.0	685.5				5-10-67	94.4	1225.0	
		4-24-67	237.2	685.3				6-13-67	89.1	1230.3	
015/08W-19A02S	940.0	11-21-66	(1)		101			7-10-67	86.2	1233.2	
		4-18-67	(1)					8-02-67	70.8	1248.6	
		4-24-67	(1)					9-06-67	63.2	1256.2	
015/09W-11R01S	980.0	11-14-66	64.3	915.7	101	015/08W-04L01S	1303.0	10-01-66	274.2(1)	1028.8	101
		4-14-67	41.1	938.9				11-01-66	269.5(1)	1033.5	
015/09W-12F01S	1029.0	10-11-66	153.8	875.2	101			12-15-66	229.1(5)	1073.9	
		11-14-66	160.6	868.4				1-15-67	230.2(5)	1072.8	
		12-22-66	157.5	871.5				2-01-67	216.4(5)	1086.6	
		1-02-67	153.4	875.6				3-15-67	204.8(5)	1098.2	
		2-06-67	162.5	866.5				4-01-67	195.6(5)	1107.4	
		3-07-67	162.3	866.7				5-01-67	217.5(1)	1085.5	
		4-14-67	157.4	871.6				7-01-67	195.6(1)	1107.4	
		5-08-67	158.9	870.1				8-01-67	193.3(1)	1109.7	
		6-13-67	162.9	866.1		015/08W-04M01S	1267.0	10-07-66	248.0(5)	1019.0	101
		7-11-67	165.6	863.4				11-07-66	257.2	1009.8	
		8-01-67	173.0	856.0				12-01-66	238.2	1028.8	
		9-07-67	161.4	867.6				1-07-67	231.0	1036.0	
015/09W-12H01S	1055.0	10-28-66	233.5(1)	821.5	101			2-07-67	246.0	1021.0	
		11-04-66	202.5(5)	852.5				3-21-67	219.2	1047.8	
		12-09-66	190.5(5)	864.5				4-21-67	228.0(5)	1039.0	
		1-04-67	238.5(1)	816.5				4-28-67	204.0(1)	1063.0	
		3-10-67	198.5(5)	856.5				5-28-67	230.0(1)	1037.0	
		4-07-67	203.5(5)	851.5				6-15-67	161.0(5)	1106.0	
		5-22-67	240.5(1)	814.5				7-01-67	146.0(5)	1121.0	
		7-12-67	247.5(1)	807.5				8-21-67	221.0(5)	1046.0	
		8-23-67	250.5(1)	804.5				9-01-67	154.0(5)	1113.0	
		9-06-67	211.5(5)	843.5		015/08W-05A01S	1284.2	10-11-66	119.8	1164.4	101
015/09W-12J01S	1048.0	11-22-66	419.9	628.1	101			11-15-66	108.8	1175.4	
		4-14-67	399.8	648.2				12-19-66	101.7	1182.5	
015/09W-12L01S	1029.0	10-11-66	167.0	862.0	101			1-04-67	95.6	1188.6	
		11-14-66	174.0	855.0				2-07-67	97.3	1186.9	
		12-22-66	174.3	854.7				3-06-67	86.1	1198.1	
		1-02-67	176.3	852.7				4-11-67	73.1	1211.1	
		2-06-67	171.3	857.7				5-08-67	86.6	1197.6	
		3-07-67	177.6	851.4				6-13-67	64.5	1219.7	
		4-14-67	169.5	859.5				7-10-67	(1)		
		5-08-67	173.3	855.7				8-02-67	64.3	1219.9	
		6-13-67	178.5	850.5				9-06-67	52.0	1232.2	
		7-11-67	182.0	847.0		015/08W-05A02S	1284.5	10-11-66	125.1	1159.4	101
		8-01-67	198.4	830.6				11-15-66	117.0	1167.5	
		9-07-67	181.2	847.8				12-19-66	103.0	1181.5	
015/09W-12N01S	984.0	11-14-66	60.1	923.9	101			1-04-67	106.9	1177.6	
								2-07-67	100.0	1184.5	
								3-06-67	91.9	1192.6	
								4-11-67	81.1	1203.4	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SPADRA HYDRO SUBUNIT LIVE OAK HYDRO SUBAREA			U-05.E0			SPADRA HYDRO SUBUNIT LIVE OAK HYDRO SUBAREA			U-05.E0		
			U-05.E3						U-05.E3		
01S/08W-05A02S	1284.5	5-08-67	73.5	1211.0	101	01N/08W-33Q02S	1402.0	10-15-66	214.0(5)	1188.0	101
(CONT.)		6-13-67	70.1	1214.4				11-15-66	204.0(5)	1198.0	
		7-10-67	(1)					12-15-66	195.0(5)	1207.0	
		8-02-67	68.2	1216.3				3-15-67	203.0(5)	1199.0	
		9-06-67	54.6	1229.9				4-15-67	213.0(5)	1189.0	
01S/08W-05B01S	1288.0	11-15-66	167.2(5)	1120.8	101			5-15-67	221.0(5)	1181.0	
		12-21-66	100.2(5)	1187.8				6-05-67	(0)		
		1-21-67	99.2(5)	1188.8				7-15-67	227.0(5)	1175.0	
		2-21-67	101.2(5)	1186.8				8-15-67	225.0(5)	1177.0	
		3-21-67	91.2(5)	1196.8				9-15-67	223.0(5)	1179.0	
		4-07-67	90.2(5)	1197.8		01N/08W-33Q03S	1402.4	10-15-66	261.2(5)	1141.2	101
01S/08W-05D01S	1290.2	4-11-67	237.5	1052.7	101			11-15-66	271.2(5)	1131.2	
01S/08W-05D02S	1289.8	11-14-66	258.9	1030.9	101			12-01-66	255.2(5)	1147.2	
		4-11-67	255.2	1034.6				1-01-67	221.2(5)	1181.2	
01S/08W-05D04S	1267.6	11-14-66	206.5	1061.1	101			2-01-67	193.2(5)	1209.2	
		4-10-67	193.8	1073.8				3-01-67	183.2(5)	1219.2	
01S/08W-05E01S	1260.0	11-14-66	223.6	1036.4	101			4-01-67	172.2(5)	1230.2	
		4-10-67	202.9	1057.1				4-28-67	167.2(5)	1235.2	
01S/08W-05E02S	1277.4	10-11-66	202.1	1075.3	101			5-07-67	167.2(5)	1235.2	
		11-14-66	216.0	1061.4				6-07-67	158.2(5)	1244.2	
		12-19-66	210.1	1067.3				7-01-67	155.2(5)	1247.2	
		1-02-67	212.5	1064.9				8-15-67	155.2(5)	1247.2	
		2-06-67	211.1	1066.3				9-15-67	152.2(5)	1250.2	
		3-06-67	209.5	1067.9							
		4-11-67	188.0	1089.4							
		5-08-67	197.7	1079.7							
		6-13-67	199.8	1077.6							
		7-10-67	189.7	1087.7							
		8-02-67	182.7	1094.7							
		9-06-67	167.3	1110.1							
01S/08W-06A01S	1257.0	11-14-66	207.3	1049.7	101						
		4-10-67	195.2	1061.8							
01S/08W-06A02S	1257.0	11-14-66	214.0	1043.0	101						
		4-10-67	145.3	1111.7							
01S/08W-06A03S	1242.1	10-11-66	206.5	1035.6	101						
		11-21-66	189.0	1053.1							
		1-10-67	172.8	1069.3							
		2-15-67	182.5	1059.6							
		3-15-67	178.9	1063.2							
		4-10-67	172.2	1069.9							
		5-08-67	176.2	1065.9							
		6-19-67	173.7	1068.4							
		7-11-67	172.8	1069.3							
		8-02-67	184.3	1057.8							
		9-06-67	177.5	1064.6							
01S/08W-06H01S	1230.0	4-11-67	214.3	1015.7	101						
01S/08W-06J02S	1224.0	10-11-66	202.5	1021.5	101						
		11-14-66	194.6	1029.4							
		12-21-66	182.0	1042.0							
		1-02-67	182.0	1042.0							
		2-06-67	178.1	1045.9							
		3-06-67	176.4	1047.6							
		4-11-67	184.2	1039.8							
		5-08-67	168.5	1055.5							
		6-13-67	169.7	1054.3							
		8-02-67	179.1	1044.9							
		9-06-67	166.0	1058.0							
01S/08W-06L01S	1133.8	11-22-66	203.8	930.0	101						
		4-11-67	193.5	940.3							
01S/08W-06L02S	1128.0	11-15-66	198.5	929.5	101						
		4-11-67	229.7	898.3							
01N/08W-26D01S	1830.0	11-15-66	25.9	1804.1	101						
		4-12-67	8.6	1821.4							
01N/08W-27H01S	1779.0	10-20-66	56.2	1722.8	101						
		11-15-66	55.6	1723.4							
		12-19-66	40.4	1738.6							
		1-03-67	47.6	1731.4							
		2-07-67	44.0	1735.0							
		3-06-67	48.6	1730.4							
		4-12-67	48.9	1730.1							
01N/08W-33A01S	1530.9	11-15-66	42.7	1488.2	101						
		4-12-67	22.5	1508.4							
01N/08W-33L01S	1390.0	11-15-66	32.3	1357.7	101						
		4-12-67	20.4	1369.6							
01N/08W-33N02S	1352.0	11-15-66	115.9	1236.1	101						
		4-12-67	115.8	1236.2							
01N/08W-33P01S	1374.0	11-21-66	(1)		101						
		4-12-67	179.1	1194.9							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
03S/09W-31J015	225.0	10-05-66	110.8	114.2	102	03S/09W-32K075	235.0	4-03-67	67.5	167.5	210
		10-12-66	110.8	114.2		(CONT.)		5-01-67	65.2	169.8	
		10-19-66	110.2	114.8				5-31-67	68.0	167.0	
		10-26-66	108.7	116.3				6-30-67	74.8	160.2	
		11-02-66	106.8	118.2				7-31-67	77.8	157.2	
		11-16-66	101.2	123.8				8-31-67	80.4	154.6	
		11-23-66	97.1	127.9				9-29-67	95.7	139.3	
		11-30-66	93.9	131.1		03S/09W-32P025	231.1	10-10-66	113.0	118.1	102
		12-14-66	91.4	133.6				11-01-66	107.3	123.8	
		12-28-66	88.3	136.7				12-01-66	82.6	148.5	
		1-04-67	86.7	138.3				1-04-67	75.7	155.4	
		1-11-67	86.1	138.9				2-06-67	74.9	156.2	
		1-18-67	85.8	139.2				3-01-67	73.6	157.5	
		1-25-67	85.1	139.9				4-07-67	72.1	159.0	
		2-01-67	84.7	140.3				5-04-67	70.8	160.3	
		2-08-67	84.4	140.6				6-06-67	75.9	155.2	
		2-15-67	84.1	140.9				7-03-67	76.8	154.3	
		2-23-67	83.8	141.2				8-01-67	88.0	143.1	
		3-08-67	82.8	142.2				9-05-67	108.8	122.3	
		3-15-67	82.9	142.1		03S/09W-32P035	232.0	10-10-66	118.5	113.5	102
		3-22-67	83.8	141.2				10-31-66	113.1	118.9	210
		3-29-67	83.0	142.0				11-01-66	112.6	119.4	102
		4-05-67	82.0	143.0				11-30-66	85.0	147.0	210
		4-12-67	81.3	143.7				12-01-66	85.3	146.7	102
		4-19-67	75.3	149.7				12-30-66	74.7	157.3	210
		4-26-67	76.0	149.0				1-04-67	78.7	153.3	102
		5-03-67	71.3	153.7				1-31-67	73.2	158.8	210
		5-10-67	70.0	155.0				2-06-67	77.8	154.2	102
		5-17-67	70.2	154.8				2-28-67	71.4	160.6	210
		5-24-67	70.7	154.3				3-01-67	76.9	155.1	102
		5-31-67	71.8	153.2				4-03-67	73.4	158.6	210
		6-07-67	72.8	152.2				4-07-67	75.3	156.7	102
		6-14-67	71.2	153.8				5-01-67	68.7	163.3	210
		6-21-67	70.8	154.2				5-04-67	73.8	158.2	102
		6-28-67	70.7	154.3				5-31-67	69.4	162.6	210
		7-07-67	81.5	143.5				6-06-67	80.2	151.8	102
		7-12-67	85.7	139.3				6-30-67	82.6	149.4	210
		7-19-67	89.9	135.1				7-03-67	85.3	146.7	102
		7-26-67	93.7	131.3				7-31-67	81.6	150.4	210
		8-02-67	97.3	127.7				8-01-67	97.8	134.2	102
		8-09-67	100.5	124.5				8-31-67	108.9	123.1	210
		8-16-67	103.5	121.5				9-05-67	120.4	111.6	102
		8-23-67	106.6	118.4				9-29-67	120.4	111.6	210
		8-30-67	109.2	115.8		03S/09W-32P045	230.2	10-31-66	109.0	121.2	210
		9-06-67	111.5	113.5				11-30-66	105.3	124.9	
		9-11-67	113.0	112.0				12-30-66	96.0	134.2	
		9-18-67	115.0	110.0				1-31-67	96.5	133.7	
		9-25-67	116.9	108.1				2-28-67	97.5	132.7	
03S/09W-31M015	211.5	10-05-66	117.5	94.0	102			4-03-67	94.5	135.7	
		10-12-66	117.0	94.5				5-01-67	90.8	139.4	
		11-02-66	112.0	99.5				5-31-67	89.8	140.4	
		11-16-66	110.1	101.4				6-30-67	93.8	136.4	
		11-23-66	108.4	103.1				7-31-67	98.3	131.9	
		11-30-66	107.1	104.4				8-31-67	105.7	124.5	
		12-21-66	101.8	109.7				9-30-67	107.9	122.3	
		12-28-66	101.0	110.5		03S/09W-33M015	254.7	10-10-66	60.3	194.4	102
		1-04-67	99.8	111.7				11-01-66	54.1	200.6	
		1-11-67	99.3	112.2				12-01-66	46.5	208.2	
		1-18-67	99.0	112.5				1-14-67	41.8	212.9	
		2-01-67	96.9	114.6				2-06-67	39.1	215.6	
		2-08-67	96.5	115.0				3-01-67	38.5	216.2	
		2-15-67	96.0	115.5				5-04-67	38.3	216.4	
		2-23-67	95.4	116.1				6-06-67	40.7	214.0	
		3-01-67	95.0	116.5				7-03-67	42.4	212.3	
		3-08-67	94.6	116.9				9-05-67	57.5	197.2	
		3-15-67	94.1	117.4		03S/09W-33K015	250.0	10-04-66	67.7	182.3	742
		3-22-67	94.2	117.3				10-31-66	58.7	191.3	
		3-29-67	94.1	117.4				12-01-66	46.5	203.5	
		4-05-67	93.2	118.3				1-07-67	42.4	207.6	
		4-12-67	92.6	118.9				1-20-67	40.8	209.2	
		4-26-67	90.6	120.9				3-07-67	38.6	211.4	
		9-06-67	114.2	97.3				4-11-67	39.2	210.8	
		9-11-67	115.3	96.2				5-10-67	39.7	210.3	
		9-18-67	116.2	95.3				6-05-67	43.9	206.1	
		9-25-67	116.5	95.0				7-05-67	48.7	201.3	
03S/09W-32F015	229.4	5-04-67	65.3	164.1	102			8-01-67	59.4	190.6	
03S/09W-32K065	235.0	10-31-66	106.5	128.5	210			8-25-67	64.2	185.8	
		11-30-66	87.5	147.5		03S/09W-33K035	250.0	9-20-67	66.8	183.2	
		12-30-66	74.1	160.9				10-04-66	66.8	183.2	742
		1-31-67	70.5	164.5				10-31-66	57.4	192.6	
		2-28-67	70.6	164.4				12-01-66	46.6	203.4	
		4-03-67	68.7	166.3				1-07-67	42.1	207.9	
		5-01-67	67.1	167.9				1-20-67	46.8	203.2	
		5-31-67	70.2	164.8				3-07-67	39.1	210.9	
		6-30-67	78.7	156.3				4-11-67	39.2	210.8	
		7-31-67	85.3	149.7				5-10-67	39.7	210.3	
		8-31-67	103.3	131.7				6-05-67	43.9	206.1	
		9-29-67	108.0	127.0				7-05-67	48.7	201.3	
03S/09W-32K075	235.0	10-31-66	105.5	129.5	210			8-01-67	59.4	190.6	
		11-30-66	88.5	146.5		03S/09W-33K045	250.0	8-25-67	64.2	185.8	
		12-30-66	73.2	161.8				9-20-67	66.8	183.2	
		1-31-67	69.5	165.5				10-24-66	64.0	186.0	742
		2-28-67	69.5	165.5				10-31-66	64.5	185.5	
								12-01-66	52.0	198.0	
								1-07-67	47.2	202.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
03S/09W-33K04S (CONT.)	250.0	1-20-67	45.8	204.2	742	03S/09W-33Q02S (CONT.)	251.8	8-23-67	54.9	196.9	102
								8-30-67	57.1	194.7	
								9-06-67	58.7	193.1	
								9-11-67	59.4	192.4	
								9-18-67	60.0	191.8	
								9-25-67	60.0	191.8	
03S/09W-33K05S	252.0	10-24-66	67.0	185.0	742	03S/09W-33Q03S	251.4	10-10-66	49.2	202.2	102
		11-22-66	57.6	194.4				11-01-66	41.9	209.5	
		12-01-66	55.5	196.5				12-01-66	35.7	215.7	
		1-07-67	49.7	202.3				1-04-67	32.8	218.6	
		1-20-67	48.8	203.2				2-06-67	37.0	214.4	
		3-07-67	44.1	207.9				4-07-67	32.7	218.7	
		4-11-67	45.8	206.2				5-04-67	32.0	219.4	
		5-10-67	42.8	209.2				8-01-67	49.0	202.4	
		6-05-67	49.6	202.4				9-05-67	57.5 (4)	193.9	
		7-05-67	52.5	199.5							
		8-01-67	59.2	192.8							
		8-25-67	63.9	188.1							
		9-20-67	71.3	180.7							
03S/09W-33K06S	252.0	10-04-66	75.6	176.4	742	03S/09W-34E01S	259.0	10-10-66	35.8	223.2	102
		10-31-66	67.5	184.5				11-01-66	30.1	228.9	
		12-01-66	56.9	195.1				12-01-66	25.9	233.1	
		1-07-67	51.1	200.9				1-04-67	23.1	235.9	
		1-20-67	50.2	201.8				2-06-67	22.2	236.8	
		3-07-67	47.7	204.3				8-01-67	29.3	229.7	
		4-11-67	47.3	204.7				9-05-67	32.9	226.1	
		7-05-67	56.7	195.3							
		8-01-67	61.4	190.6							
		8-25-67	66.2	185.8							
		9-20-67	74.3	177.7							
03S/09W-33K07S	252.0	10-24-66	62.5	189.5	742	03S/09W-34L01S	262.0	10-10-66	32.7	229.3	102
		11-16-66	59.4	192.6				11-01-66	21.8	240.2	
		12-01-66	50.7	201.3				12-01-66	18.7	243.3	
		1-20-67	44.8	207.2				2-06-67	16.9	245.1	
		3-07-67	42.3	209.7				4-07-67	16.6	245.4	
		4-11-67	42.3	209.7				5-04-67	17.7	244.3	
		5-10-67	42.7	209.3				6-06-67	20.7	241.3	
		6-05-67	46.3	205.7				9-05-67	31.4	230.6	
		7-05-67	51.5	200.5							
03S/09W-33L01S	248.0	11-01-66	67.8	180.2	102	03S/09W-34L02S	260.1	10-05-66	31.2	228.9	102
		12-01-66	50.3	197.7				10-12-66	29.1	231.0	
		1-04-67	45.4	202.6				10-19-66	28.5	231.6	
		2-06-67	42.0	206.0				10-26-66	26.0	234.1	
		3-01-67	42.5	205.5				11-02-66	25.1	235.0	
		4-07-67	43.3	204.7				11-16-66	22.7	237.4	
		5-04-67	42.9	205.1				11-23-66	22.0	238.1	
		6-06-67	48.2	199.8				11-30-66	21.4	238.7	
		7-03-67	57.0	191.0				12-21-66	19.8	240.3	
								12-28-66	18.0	242.1	
								1-04-67	19.8	240.3	
								1-11-67	19.5	240.6	
								1-18-67	24.9	235.2	
								2-01-67	18.8	241.3	
								2-08-67	19.8	240.3	
								2-15-67	21.1	239.0	
								2-23-67	19.8	240.3	
								3-01-67	19.6	240.5	
								3-15-67	18.4	241.7	
								3-22-67	17.9	242.2	
								3-29-67	17.6	242.5	
								4-05-67	17.8	242.3	
								4-12-67	18.2	241.9	
								4-26-67	15.7	244.4	
								5-03-67	18.1	242.0	
								5-10-67	18.1	242.0	
								5-17-67	21.3	238.8	
								5-31-67	20.2 (1)	239.9	
								6-07-67	20.5	239.6	
								6-14-67	21.2	238.9	
								6-21-67	20.9	239.2	
								7-26-67	33.1	227.0	
								8-02-67	33.5	226.6	
03S/09W-33N03S	244.5	11-01-66	69.9	174.6	102	03S/10W-27N01S	176.0	11-02-66	115.7	60.3	102
		12-01-66	61.4	183.1				12-01-66	111.2	64.8	
		2-06-67	53.1	191.4				1-05-67	106.2	69.8	
		4-07-67	49.4	195.1				2-07-67	103.7	72.3	
		5-04-67	50.9	193.6				3-02-67	103.3	72.7	
		9-05-67	78.9	165.6				5-03-67	96.8	79.2	
								6-02-67	100.6	75.4	
								7-05-67	102.4	73.6	
								8-02-67	108.6	67.4	
								9-11-67	116.3	59.7	
03S/09W-33Q02S	251.8	10-05-66	56.1	195.7	102	03S/10W-28G02S	257.0	10-12-66	185.6	71.4	102
		10-12-66	51.5	200.3				11-02-66	184.6	72.4	
		10-19-66	48.2	203.6				12-01-66	182.6	74.4	
		10-26-66	46.2	205.6				1-05-67	179.2	77.8	
		11-02-66	44.4	207.4				2-07-67	176.9	80.1	
		11-16-66	41.6	210.2				3-02-67	176.8	80.2	
		11-23-66	40.3	211.5				4-12-67	177.6	79.4	
		11-30-66	39.2	212.6				5-03-67	175.2	81.8	
		12-08-66	38.0	213.8				6-02-67	177.2	79.8	
		12-14-66	37.2	214.6				7-05-67	172.8	84.2	
		12-28-66	35.7	216.1				8-02-67	174.6	82.4	
		1-04-67	35.5	216.3							
		1-11-67	35.5	216.3							
		1-18-67	34.7	217.1							
		1-25-67	34.4	217.4							
		2-01-67	34.4	217.4							
		2-08-67	34.6	217.2							
		2-15-67	34.6	217.2							
		2-23-67	34.3	217.5							
		3-01-67	35.0	216.8							
		3-08-67	35.3	216.5							
		3-15-67	34.6	217.2							
		3-22-67	34.7	217.1							
		3-29-67	34.9	216.9							
		4-05-67	35.1	216.7							
		4-12-67	35.0	216.8							
		4-19-67	35.0	216.8							
		4-26-67	35.0	216.8							
		5-03-67	35.6	216.2							
		5-10-67	36.3	215.5							
		5-24-67	39.0	212.8							
		5-31-67	40.1	211.7							
		6-07-67	41.5	210.3							
		6-14-67	42.0	209.8							
		6-21-67	41.9	209.9							
		6-28-67	42.1	209.7							
		7-12-67	44.7	207.1							
		7-19-67	46.8	205.0							
		7-26-67	48.9	202.9							
		8-02-67	50.2	201.6							
		8-09-67	51.7	200.1							
		8-16-67	53.2	198.6							
						03S/10W-30B01S	290.0	11-25-66	212.7	77.3	102
								12-28-66	213.9	76.1	
								1-26-67	205.0	85.0	
								2-23-67	203.7	86.3	
								4-24-67	200.3	89.7	
						03S/10W-32P01S	121.0	10-05-66	81.6	39.4	102

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
035/10W-32P015	121.0	10-12-66	81.4	39.6	102	035/11W-26B035	115.0	9-14-67	60.2	54.8	102
(CONT.)		10-19-66	80.8	40.2		(CONT.)					
		10-26-66	80.6	40.4							
		11-02-66	80.0	41.0		035/11W-34E015	57.0	10-31-66	59.7	-2.7	101
		11-16-66	77.9	43.1				4-10-67	53.4	3.6	
		11-23-66	78.9	42.1		035/11W-34P035	60.0	10-26-66	63.8	-3.8	102
		11-30-66	75.9	45.1				11-25-66	56.6	3.4	
		12-28-66	72.8	48.2				12-28-66	51.5	8.5	
		1-04-67	72.7	48.3				1-26-67	49.8	10.2	
		1-11-67	72.7	48.3				2-23-67	49.8	10.2	
		1-18-67	72.5	48.5				3-28-67	49.1	10.9	
		2-01-67	71.1	49.9				4-24-67	48.0	12.0	
		2-08-67	71.0	50.0				5-25-67	54.8	5.2	
		2-15-67	74.9	46.1				6-27-67	(6)		
		2-23-67	76.7	44.3		035/11W-36H015	90.0	11-25-66	62.3	27.7	102
		3-01-67	77.9	43.1				12-28-66	58.4	31.6	
		3-08-67	71.4	49.6				1-26-67	57.4	32.6	
		3-15-67	71.6	49.4				2-23-67	56.4	33.6	
		3-22-67	71.9	49.1				2-28-67	55.0(1)	35.0	
		3-29-67	69.3	51.7				4-24-67	52.0	38.0	
		4-05-67	68.6	52.4				5-25-67	54.9	35.1	
		4-12-67	68.8	52.2				6-27-67	67.4	22.6	
		4-26-67	65.9	55.1				7-20-67	61.5	28.5	
		5-03-67	65.2	55.8				9-14-67	61.8	28.2	
		5-10-67	66.3	54.7		045/09W-04D015	245.4	10-10-66	95.0	150.4	102
		5-17-67	67.6	53.4				12-01-66	74.3	171.1	
		5-24-67	68.1	52.9				1-04-67	68.0	177.4	
		5-31-67	68.6	52.4				2-06-67	65.7	179.7	
		6-07-67	68.2	52.8				3-01-67	64.9	180.5	
		6-14-67	68.6	52.4				6-06-67	77.8	167.6	
		6-21-67	68.4	52.6		045/09W-05B015	237.7	10-10-66	108.9	128.8	102
		6-28-67	69.2	51.8				11-01-66	89.2	148.5	
		7-05-67	69.5	51.5				12-01-66	81.2	156.5	
		7-12-67	70.6	50.4				1-04-67	74.0	163.7	
		7-19-67	71.5	49.5				2-06-67	71.8	165.9	
		7-26-67	71.7	49.3				3-01-67	70.2	167.5	
		8-02-67	72.3	48.7				4-07-67	70.0	167.7	
		8-09-67	72.8	48.2				5-04-67	68.7	169.0	
		8-16-67	73.0	48.0				6-06-67	80.3	157.4	
		8-23-67	73.3	47.7				7-03-67	82.2	155.5	
		8-30-67	73.8	47.2				8-01-67	95.8	141.9	
		9-06-67	74.5	46.5				9-05-67	111.1	126.6	
		9-11-67	75.2	45.8		045/09W-05G015	237.8	10-10-66	106.0	131.8	102
		9-18-67	74.7	46.3				11-01-66	87.8	150.0	
		9-25-67	74.8	46.2				12-01-66	80.2	157.6	
035/10W-34N015	154.2	10-12-66	91.2	63.0	102			1-04-67	72.6	165.2	
		11-02-66	90.8	63.4				2-06-67	70.0	167.8	
		12-01-66	87.9	66.3				3-01-67	68.8	169.0	
		1-05-67	87.4	66.8				4-07-67	68.0	169.8	
		2-07-67	84.1	70.1				5-04-67	65.8	172.0	
		3-02-67	87.6	66.6				6-06-67	78.9	158.9	
		4-12-67	80.0	74.2				7-03-67	80.7	157.1	
		5-03-67	78.7	75.5				8-01-67	92.4	145.4	
		6-02-67	78.7	75.5				9-05-67	109.8	128.0	
		7-05-67	72.3	81.9		045/09W-05M025	226.0	10-10-66	113.9	112.1	102
		8-02-67	81.7	72.5				11-01-66	109.7	116.3	
		9-11-67	85.3	68.9				12-01-66	95.3	130.7	
035/10W-35K015	184.0	10-12-66	111.8	72.2	102			1-04-67	86.9	139.1	
		11-02-66	113.0	71.0				2-06-67	85.7	140.3	
		12-01-66	104.1	79.9				3-01-67	82.9	143.1	
		1-05-67	102.2	81.8				4-07-67	81.4	144.6	
		2-07-67	97.2	86.8				5-04-67	78.5	147.5	
		3-02-67	95.9	88.1				6-06-67	85.9	140.1	
		4-11-67	91.7	92.3				7-03-67	85.7	140.3	
		5-03-67	90.8	93.2				8-01-67	99.1	126.9	
		6-02-67	98.3	85.7		045/09W-06F015	211.8	10-10-66	116.2	95.6	102
		7-05-67	94.8	89.2				11-01-66	116.8	95.0	
035/10W-36H015	228.0	6-06-67	108.0(4)	120.0	102			12-01-66	100.9	110.9	
		9-05-67	128.2(4)	99.8				1-04-67	93.3	118.5	
035/10W-36K025	204.5	10-10-66	116.6	87.9	102			2-06-67	91.2	120.6	
		12-01-66	108.5	96.0				3-01-67	89.3	122.5	
		1-04-67	100.4	104.1				4-07-67	87.4	124.4	
		2-06-67	97.7	106.8				5-04-67	86.0	125.8	
		3-01-67	95.7	108.8				6-06-67	88.1	123.7	
		5-04-67	92.8	111.7				7-03-67	89.3	122.5	
		6-06-67	93.3	111.2				8-01-67	99.7	112.1	
		7-03-67	94.5	110.0				9-05-67	112.5	99.3	
		8-01-67	102.3	102.2		045/09W-06G025	215.4	10-10-66	110.7	104.7	102
		9-05-67	112.6	91.9				11-01-66	105.7	109.7	
035/11W-26B025	100.0	11-01-66	72.4	27.6	101			12-01-66	96.8	118.6	
		4-10-67	57.9	42.1				1-04-67	89.2	126.2	
035/11W-26B035	115.0	10-26-66	67.7	47.3	102			2-06-67	87.0	128.4	
		11-25-66	63.8	51.2				3-01-67	85.3	130.1	
		12-28-66	60.7	54.3				4-07-67	83.7	131.7	
		1-26-67	60.3	54.7				5-04-67	82.4	133.0	
		2-23-67	57.1	57.9				9-05-67	106.3	109.1	
		3-28-67	55.4	59.6		045/10W-01C025	196.8	10-05-66	116.7	80.1	102
		4-24-67	55.0	60.0				10-12-66	116.0	80.8	
		5-25-67	58.4	56.6				10-19-66	114.7	82.1	
		6-27-67	58.6	56.4							
		7-20-67	55.7	59.3							
		8-30-67	59.4	55.6							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
04S/10W-01C02S (CONT.)	196.8	10-26-66	113.3	83.5	102	04S/10W-02R01S (CONT.)	186.5	2-06-67	98.5	88.0	102
		11-02-66	112.1	84.7				3-01-67	94.9	91.6	
		11-16-66	110.1	86.7				4-07-67	91.6	94.9	
		11-23-66	109.2	87.6				5-04-67	91.9	94.6	
		11-30-66	106.9	89.9				9-05-67	109.1	77.4	
		12-08-66	105.6	91.2		04S/10W-03P01S	160.4	10-31-66	100.8	59.6	210
		12-14-66	105.7	91.1				11-30-66	97.5	62.9	
		12-28-66	103.5	93.3				12-30-66	92.8	67.6	
		1-04-67	102.9	93.9				1-31-67	91.5	68.9	
		1-11-67	103.1	93.7				2-28-67	91.7	68.7	
		1-18-67	101.0	95.8				4-03-67	87.5	72.9	
		1-25-67	100.9	95.9				5-01-67	83.7	76.7	
		2-01-67	99.1	97.7				5-31-67	87.8	72.6	
		2-08-67	99.8	97.0				6-30-67	90.6	69.8	
		2-15-67	99.0	97.8				7-31-67	97.5	62.9	
		2-23-67	98.6	98.2				8-31-67	103.8	56.6	
		3-08-67	97.3	99.5				9-29-67	105.0	55.4	
		3-15-67	95.6	101.2		04S/10W-03P02S	160.1	11-30-66	96.2	63.9	210
		3-22-67	96.9	99.9				12-30-66	92.8	67.3	
		3-29-67	95.5	101.3				1-31-67	91.1	69.0	
		4-05-67	94.5	102.3				2-28-67	91.2	68.9	
		4-12-67	93.5	103.3				4-03-67	86.7	73.4	
		4-19-67	92.6	104.2				5-01-67	83.6	76.5	
		4-26-67	91.7	105.1				5-31-67	87.6	72.5	
		5-03-67	91.6	105.2				6-30-67	90.5	69.6	
		5-10-67	92.3	104.5				7-31-67	98.6	61.5	
		5-17-67	94.4	102.4				8-31-67	104.3	55.8	
		5-24-67	95.0	101.8				9-29-67	106.8	53.3	
		5-31-67	94.2	102.6		04S/10W-04Q01S	147.0	10-12-66	105.3	41.7	102
		6-07-67	93.5	103.3				11-02-66	105.7	41.3	
		6-14-67	92.8	104.0				12-01-66	107.4	39.6	
		6-21-67	94.4	102.4				1-05-67	91.8	55.2	
		6-28-67	94.6	102.2				2-07-67	88.6	58.4	
		7-05-67	96.5	100.3				3-02-67	90.8	56.2	
		7-12-67	99.1	97.7				4-12-67	90.6	56.4	
		7-19-67	99.7	97.1				5-03-67	83.1	63.9	
		7-26-67	102.9	93.9				6-02-67	90.2	56.8	
		8-02-67	103.7	93.1				7-05-67	88.6	58.4	
		8-09-67	106.3	90.5				8-02-67	101.6	45.4	
		8-16-67	108.0	88.8				9-11-67	102.8	44.2	
		8-23-67	109.8	87.0		04S/10W-04Q02S	150.0	10-31-66	108.9	41.1	210
		8-30-67	111.8	85.0				11-30-66	100.1	49.9	
		9-06-67	113.3	83.5				12-30-66	94.8	55.2	
		9-11-67	113.1	83.7				1-31-67	94.6	55.4	
		9-18-67	115.6	81.2				2-28-67	96.4	53.6	
		9-25-67	116.5	80.3				4-03-67	85.9	64.1	
04S/10W-01F01S	195.2	10-31-66	112.0	83.2	210			5-01-67	86.7	63.3	
		11-30-66	106.5	88.7				5-31-67	92.6	57.4	
		12-30-66	102.8	92.4				6-30-67	96.4	53.6	
		1-31-67	98.8	96.4				7-31-67	104.1	45.9	
		2-28-67	97.5	97.7				8-31-67	107.4	42.6	
		4-03-67	94.5	100.7				9-29-67	107.9	42.1	
		5-01-67	92.5	102.7		04S/10W-04R02S	150.2	1-05-67	94.0	56.2	102
		5-31-67	94.5	100.7				2-07-67	90.3	59.9	
		6-30-67	97.0	98.2				3-02-67	91.0	59.2	
		7-31-67	101.3	93.9				4-12-67	87.9	62.3	
		8-31-67	95.7	99.5				5-03-67	86.9	63.3	
		9-30-67	99.7	95.5				7-05-67	89.6	60.6	
04S/10W-01P01S	196.3	10-10-66	115.2	81.1	102			8-02-67	102.2 (2)	48.0	
		11-01-66	111.3	85.0		04S/10W-07E01S	101.0	10-31-66	88.6	12.4	210
		12-01-66	109.4	86.9				11-30-66	71.8	29.2	
		1-04-67	107.4	88.9				12-01-66	72.7	28.3	102
		2-06-67	105.2	91.1				12-30-66	69.3	31.7	210
		3-01-67	95.3	101.0				1-31-67	65.5	35.5	
		4-07-67	92.7	103.6				2-28-67	69.0	32.0	
		5-04-67	88.3	108.0				4-03-67	64.6	36.4	
		6-06-67	98.5	97.8				5-01-67	61.4	39.6	
		7-03-67	97.0	99.3				5-31-67	68.7	32.3	
		8-01-67	105.4	90.9				6-02-67	67.8	33.2	102
		9-05-67	115.2	81.1				6-30-67	77.3	23.7	210
04S/10W-02C01S	182.0	10-12-66	111.8	70.2	102			7-31-67	83.0	18.0	
		11-02-66	112.9	69.1				8-31-67	87.2	13.8	
		12-01-66	106.3	75.7				9-29-67	88.4	12.6	
		1-05-67	100.4	81.6		04S/10W-07J01S	111.0	10-12-66	86.7	24.3	102
		2-07-67	100.6	81.4				12-01-66	75.8	35.2	
		3-02-67	99.6	82.4				1-05-67	71.7	39.3	
		4-12-67	92.1	89.9				2-07-67	69.4 (1)	41.6	
		5-03-67	93.4	88.6				3-02-67	72.9	38.1	
		6-02-67	94.6	87.4				4-12-67	68.1	42.9	
		7-05-67	95.1	86.9				5-03-67	65.2	45.8	
		8-02-67	102.4	79.6				6-02-67	71.4	39.6	
		9-11-67	109.8	72.2				7-05-67	74.5	36.5	
04S/10W-02N01S	175.0	11-02-66	105.6	69.4	102			8-02-67	81.2	29.8	
		12-01-66	100.4	74.6		04S/10W-07J03S	94.8	10-12-66	61.1	33.7	102
		2-07-67	93.8	81.2				11-02-66	60.4	34.4	
		3-02-67	93.1	81.9				12-01-66	55.7	39.1	
		4-12-67	92.5	82.5				1-05-67	53.8	41.0	
		5-03-67	86.3	88.7				2-07-67	51.7	43.1	
		6-02-67	92.6	82.4				3-02-67	52.5	42.3	
04S/10W-02R01S	186.5	10-10-66	112.5	74.0	102			5-03-67	48.9	45.9	
		11-01-66	108.5	78.0							
		12-01-66	105.6	80.9							
		1-04-67	99.4	87.1							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
04S/10W-07J03S (CONT.)	94.8	6-02-67	50.6	44.2	102	04S/10W-18A01S (CONT.)	107.0	1-05-67	73.6	33.4	102
		7-05-67	52.7	42.1				2-07-67	69.5	37.5	
		8-02-67	55.6	39.2				3-02-67	68.0	39.0	
		9-11-67	57.4	37.4				4-12-67	64.1	42.9	
								5-03-67	62.7	44.3	
04S/10W-07K01S	108.0	10-12-66	68.2	39.8	102			6-02-67	68.0	39.0	
		11-02-66	66.0	42.0				7-05-67	69.0	38.0	
		12-01-66	14.9	93.1				8-02-67	70.5	36.5	
		1-05-67	12.5	95.5							
		3-02-67	15.4	92.6		04S/10W-18B02S	103.9	10-12-66	81.8	22.1	102
		5-03-67	14.3	93.7				11-02-66	81.9	22.0	
		6-02-67	16.3	91.7				12-01-66	70.6	33.3	
		7-05-67	61.8	46.2				1-05-67	66.1	37.8	
		8-02-67	66.6	41.4				2-07-67	64.4	39.5	
		9-11-67	63.8	44.2				3-02-67	68.0	35.9	
04S/10W-07K02S	102.4	10-12-66	60.1	42.3	102			5-03-67	60.2	43.7	
		11-02-66	59.5	42.9				7-05-67	70.2	33.7	
		1-05-67	57.2	45.2				8-02-67	77.8	26.1	
		2-07-67	56.3	46.1				9-11-67	81.0	22.9	
		3-02-67	56.1	46.3		04S/10W-18C02S	98.0	10-12-66	79.5	18.5	102
		5-03-67	58.0	44.4				11-02-66	83.3	14.7	
		7-05-67	55.8	46.6				12-01-66	67.3	30.7	
		8-02-67	58.0	44.4				1-05-67	63.3	34.7	
		9-11-67	55.6	46.8				2-07-67	61.6	36.4	
04S/10W-07K03S	104.0	10-12-66	62.0	42.0	102			3-02-67	65.2	32.8	
		11-02-66	61.7	42.3				5-03-67	57.4	40.6	
		1-05-67	8.9	95.1				7-05-67	68.4	29.6	
		9-11-67	51.7	52.3				8-02-67	76.3	21.7	
04S/10W-07K04S	98.2	10-12-66	42.0	56.2	102	04S/11W-03D02S	59.0	10-14-66	62.6	-3.6	733
		11-02-66	51.5	46.7				11-04-66	61.4	-2.4	
		12-01-66	10.5	87.7				11-25-66	55.1	3.9	
		1-05-67	10.3	87.9				12-16-66	51.1	7.9	
		2-07-67	7.7	90.5				1-06-67	49.5	9.5	
		3-02-67	10.3	87.9				1-27-67	48.6	10.4	
		5-03-67	13.2	85.0				2-17-67	48.4	10.6	
		6-02-67	11.6	86.6				3-10-67	48.3	10.7	
		7-05-67	48.1	50.1				3-31-67	49.1	9.9	
		8-02-67	50.0	48.2				4-21-67	45.3	13.7	
		9-11-67	48.0	50.2				5-12-67	45.8	13.2	
04S/10W-08C02S	125.8	10-31-66	103.1	22.7	210			6-02-67	52.6	6.4	
		11-30-66	92.7	33.1				6-23-67	(6)		
		12-30-66	89.7	36.1		04S/11W-04G03S	51.0	10-26-66	67.4	-16.4	102
		1-31-67	87.0	38.8				11-25-66	57.9	-6.9	
		2-28-67	93.5	32.3				12-28-66	52.0	-1.0	
		4-03-67	85.8	40.0				1-26-67	50.3	.7	
		5-01-67	82.0	43.8				2-23-67	51.0	.0	
		5-31-67	87.3	38.5				3-28-67	50.6	.4	
		6-30-67	89.8	36.0				4-24-67	47.4	3.6	
		7-31-67	101.5	24.3				5-25-67	56.6	-5.6	
		8-31-67	105.8	20.0				6-27-67	58.4	-7.4	
		9-29-67	107.4	18.4				7-20-67	61.6	-10.6	
04S/10W-08N05S	115.5	10-31-66	89.8	25.7	210			8-30-67	66.7	-15.7	
		11-30-66	78.8	36.7		04S/11W-05J01S	45.0	10-13-66	74.5	-29.5	733
		12-30-66	73.5	42.0				11-03-66	70.7	-25.7	
		1-31-67	72.8	42.7				11-24-66	65.1	-20.1	
		2-28-67	74.3	41.2				12-15-66	55.6	-10.6	
		4-03-67	72.2	43.3				1-05-67	55.3	-10.3	
		5-01-67	68.8	46.7				1-26-67	53.2	-8.2	
		5-31-67	74.8	40.7				2-16-67	52.3	-7.3	
		6-30-67	80.4	35.1				3-09-67	54.6	-9.6	
		7-31-67	87.0	28.5				3-30-67	54.2	-9.2	
		8-31-67	90.0	25.5				4-20-67	52.6	-7.6	
		9-29-67	91.1	24.4				5-11-67	54.7	-9.7	
04S/10W-09B02S	145.3	10-31-66	107.9	37.4	210			6-01-67	60.9	-15.9	
		11-30-66	99.7	45.6				6-22-67	62.0	-17.0	
		12-30-66	96.5	48.8				7-13-67	64.6	-19.6	
		1-31-67	92.0	53.3				8-03-67	66.8	-21.8	
		2-28-67	96.0	49.3				9-14-67	68.2	-23.2	
		4-03-67	89.5	55.8		04S/11W-05O01S	41.0	10-13-66	70.0	-29.0	733
		5-01-67	86.6	58.7				11-03-66	65.9	-24.9	
		5-31-67	91.6	53.7				11-24-66	56.6	-15.6	
		6-30-67	94.7	50.6				12-15-66	52.9	-11.9	
		7-31-67	104.8	40.5				1-05-67	49.2	-8.2	
		8-31-67	107.7	37.6				1-26-67	49.0	-8.0	
		9-29-67	97.3	48.0				2-16-67	47.6	-6.6	
04S/10W-09B03S	144.2	10-31-66	102.9	41.3	210			3-09-67	50.8	-9.8	
		11-30-66	95.8	48.4				3-30-67	49.6	-8.6	
		12-30-66	92.8	51.4				4-20-67	46.2	-5.2	
		1-31-67	88.9	55.3				5-11-67	48.3	-7.3	
		2-28-67	94.9	49.3				6-01-67	54.2	-13.2	
		3-03-67	84.8	59.4				6-22-67	56.8	-15.8	
		4-01-67	84.0	60.2				7-13-67	60.3	-19.3	
		5-01-67	86.9	57.3				8-03-67	64.2	-23.2	
		6-30-67	90.5	53.7				9-14-67	67.8	-26.8	
		7-31-67	98.3	45.9		04S/11W-08P01S	38.2	10-13-66	53.8	-15.6	733
		8-31-67	104.8	39.4				10-26-66	49.4 (2)	-11.2	102
		9-30-67	95.0	49.2				11-03-66	49.8	-11.6	733
04S/10W-18A01S	107.0	10-12-66	80.5	26.5	102			11-24-66	39.8	-1.6	
		11-02-66	77.6	29.4				11-25-66	38.9	-0.7	102
		12-01-66	71.3	35.7				12-15-66	33.5	4.7	733
								12-28-66	30.6	7.6	102
								1-05-67	31.2	7.0	733

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
04S/11W-08P015	38.2	1-26-67	30.5	7.7	733	04S/11W-12R075	91.0	5-16-67	57.7	33.3	102
(CONT.)		1-26-67	28.2	10.0	102	(CONT.)		6-07-67	60.0	31.0	
		2-16-67	29.8	8.4	733			7-17-67	62.5	28.5	
		2-23-67	29.9	8.3	102			7-31-67	64.3	26.7	
		3-09-67	32.3	5.9	733			9-05-67	66.2	24.8	
		3-28-67	30.1 (2)	8.1	102	04S/11W-13C015	85.7	10-13-66	43.1	42.6	102
		3-30-67	30.9	7.3	733			11-03-66	42.9	42.8	
		4-20-67	27.9	10.3				12-15-66	43.0	42.7	
		4-24-67	25.2	13.0	102			1-06-67	41.0	44.7	
		5-11-67	30.5	7.7	733			2-08-67	42.5 (2)	43.2	
		5-25-67	38.4 (2)	-2	102			3-03-67	41.4 (2)	44.3	
		6-01-67	37.5	.7	733			4-13-67	39.0	46.7	
		6-22-67	41.5	-3.3				5-16-67	42.7	43.0	
		6-27-67	42.8	-4.6	102			6-07-67	42.2	43.5	
		7-13-67	44.7	-6.5	733			7-17-67	42.0	43.7	
		7-20-67	45.5	-7.3	102			7-31-67	42.0	43.7	
		8-03-67	50.3	-12.1	733			9-05-67	43.9	41.8	
		8-30-67	51.6 (2)	-13.4	102	04S/11W-13D035	81.0	10-01-66	69.4	11.6	210
		9-14-67	54.5	-16.3	733			11-01-66	75.2	5.8	
		9-14-67	48.2	-10.0	102			12-01-66	61.8	19.2	
04S/11W-09E025	44.0	10-26-66	57.8	-13.8	102			1-01-67	64.5	16.5	
		11-25-66	45.8	-1.8				2-01-67	60.8	20.2	
		12-28-66	37.9	6.1				3-01-67	56.0	25.0	
		1-26-67	36.6	7.4				4-01-67	54.0	27.0	
		2-23-67	37.4	6.6				5-01-67	47.7	33.3	
		3-28-67	37.5	6.5				6-01-67	60.2	20.8	
		4-24-67	31.0	13.0				7-01-67	66.2	14.8	
		5-25-67	46.3	-2.3				8-01-67	70.7	10.3	
		6-27-67	52.5	-8.5				9-01-67	68.9	12.1	
		7-20-67	52.9	-8.9		04S/11W-13P015	79.5	10-01-66	75.2	4.3	210
		8-30-67	59.9	-15.9				11-01-66	94.3	-14.8	
		9-14-67	58.9	-14.9				11-03-66	59.0	20.5	102
04S/11W-10H035	67.0	10-26-66	65.4	1.6	102			12-01-66	91.3	-11.8	210
		11-25-66	51.9	15.1				12-15-66	48.7	30.8	102
		12-28-66	45.3	21.7				1-01-67	54.7	24.8	210
		1-26-67	44.0	23.0				1-06-67	47.7	31.8	102
		2-23-67	45.8	21.2				2-01-67	90.7	-11.2	210
		3-28-67	47.5	19.5				2-08-67	50.6	28.9	102
		4-24-67	41.0	26.0				3-01-67	56.2	23.3	210
		5-25-67	52.9	14.1				4-01-67	53.7	25.8	
		6-27-67	55.5	11.5				5-01-67	47.2	32.3	
		7-20-67	58.2	8.8				6-01-67	60.5	19.0	
		8-30-67	63.1	3.9				6-07-67	59.6	19.9	102
		9-14-67	63.6	3.4				7-01-67	65.3	14.2	210
04S/11W-10M015	53.5	10-04-66	62.3	-8.8	102			7-31-67	62.4	17.1	102
		10-25-66	60.9	-7.4				8-01-67	69.0	10.5	210
		11-01-66	60.2	-6.7		04S/11W-14A015	76.5	10-13-66	60.5	16.0	102
		11-15-66	54.8	-1.3				11-03-66	61.4	15.1	
		11-22-66	52.2	1.3				12-15-66	50.2	26.3	
		11-29-66	50.2	3.3				1-06-67	50.1	26.4	
		12-20-66	45.4 (3)	8.1				2-08-67	47.5	29.0	
		12-27-66	44.6	8.9				3-03-67	48.4	28.1	
		1-03-67	44.2	9.3				4-13-67	46.0	30.5	
		1-10-67	44.6	8.9				7-31-67	56.8	19.7	
		1-17-67	43.6	9.9				9-06-67	60.4	16.1	
		2-02-67	43.4	10.1		04S/11W-14P015	68.0	10-13-66	58.8	9.2	102
		2-21-67	43.7	9.8				11-03-66	58.6	9.4	
		2-27-67	44.0	9.5				12-15-66	39.6	28.4	
		3-07-67	45.8	7.7				1-06-67	39.0	29.0	
		3-14-67	44.9	8.6				2-08-67	43.8 (1)	24.2	
		3-21-67	43.7	9.8				3-03-67	49.3	18.7	
		3-28-67	44.0	9.5				4-13-67	42.7	25.3	
		4-11-67	42.9	10.6				6-07-67	49.3	18.7	
		4-18-67	42.4	11.1				7-17-67	53.3	14.7	
		5-02-67	40.9	12.6				7-31-67	52.8	15.2	
		5-09-67	42.0	11.5				9-06-67	54.0	14.0	
		5-16-67	42.9	10.6		04S/11W-14Q045	65.0	10-01-66	68.2	-3.2	210
		5-23-67	44.4	9.1				11-01-66	79.3	-14.3	
		6-06-67	49.9 (1)	3.6				12-01-66	66.3	-1.3	
		6-13-67	54.1 (1)	-6				1-01-67	59.0	6.0	
		6-20-67	50.8 (1)	2.7				2-01-67	65.6	-6	
		8-08-67	59.0	-5.5				3-01-67	64.8	.2	
		8-15-67	60.0	-6.5				4-01-67	64.8	.2	
		8-29-67	58.8	-5.3				5-01-67	59.3	5.7	
04S/11W-12F015	90.0	10-13-66	81.9	8.1	102			6-01-67	58.5	6.5	
		11-03-66	79.1	10.9				7-01-67	70.1	-5.1	
		12-15-66	62.9	27.1				8-01-67	72.1	-7.1	
		1-06-67	62.1	27.9				9-01-67	71.5	-6.5	
		2-08-67	60.5	29.5		04S/11W-15H015	64.0	10-01-66	72.5	-8.5	210
		3-03-67	63.9	26.1				11-01-66	69.3	-5.3	
		4-13-67	55.5	34.5				12-01-66	55.8	8.2	
		5-16-67	65.6	24.4				1-01-67	50.2	13.8	
		6-07-67	68.3	21.7				2-01-67	55.9	8.1	
		7-17-67	72.9	17.1				3-01-67	61.8	2.2	
		7-31-67	76.8	13.2				4-01-67	51.0	13.0	
		9-05-67	80.7	9.3				5-01-67	43.3	20.7	
04S/11W-12R075	91.0	10-13-66	69.8	21.2	102			6-01-67	42.6	21.4	
		11-03-66	69.7	21.3				7-01-67	62.7	1.3	
		12-15-66	60.0	31.0				8-01-67	65.0	-1.0	
		1-06-67	58.8	32.2				9-01-67	67.3	-3.3	
		2-08-67	58.3	32.7							
		3-03-67	58.9	32.1							
		4-13-67	56.1	34.9							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
04S/11W-15L065	58.0	11-28-66	24.7	33.3	102	04S/11W-27D015	38.5	12-22-66	21.7	16.8	102
		12-22-66	22.8	35.2		(CONT.)		1-27-67	20.3	18.2	
		1-27-67	22.4	35.6				2-24-67	21.7	16.8	
		2-24-67	24.3	33.7				3-29-67	21.2	17.3	
		3-29-67	22.3(2)	35.7				4-25-67	19.2	19.3	
		4-25-67	22.3	35.7				6-28-67	30.6	7.9	
		5-29-67	24.7(2)	33.3				7-18-67	33.4	5.1	
		6-28-67	25.8	32.2				9-15-67	40.5	-2.0	
		7-18-67	27.1	30.9		04S/11W-288015	33.0	10-27-66	43.0	-10.0	102
		8-28-67	28.0	30.0				11-28-66	28.1	4.9	
		9-15-67	28.8	29.2				12-22-66	21.0	12.0	
04S/11W-19K015	28.7	10-03-66	46.8	-18.1	206			1-27-67	19.6	13.4	
		10-10-66	45.6	-16.9				2-24-67	23.5	9.5	
		10-17-66	44.2	-15.5				3-29-67	22.6	10.4	
		10-31-66	44.8	-16.1				4-25-67	16.7	16.3	
		11-07-66	42.5	-13.8				5-29-67	27.9	5.1	
		11-14-66	39.8	-11.1				6-28-67	32.8	.2	
		11-21-66	37.4	-8.7				7-18-67	34.5	-1.5	
		12-05-66	34.0	-5.3				8-28-67	44.3	-11.3	
		12-12-66	31.9	-3.2				9-15-67	43.5	-10.5	
		12-19-66	31.4	-2.7		04S/11W-28J015	35.7	10-13-66	38.7	-3.0	102
		1-23-67	24.4	4.3	010			11-03-66	36.7	-1.0	
		1-30-67	28.8	-1.1	206			12-15-66	19.8	15.9	
		2-06-67	28.5	.2				1-06-67	19.1	16.6	
		2-13-67	27.9	.8				2-08-67	19.0	16.7	
		2-27-67	29.5	-.8				3-03-67	21.2	14.5	
		3-06-67	29.1	-.4				4-13-67	19.4	16.3	
		3-13-67	28.4	-.3				5-17-67	25.8	9.9	
		3-20-67	29.0	-.3				6-07-67	28.2	7.5	
		4-03-67	30.2	-1.5				7-17-67	33.2	2.5	
		4-10-67	29.9	-1.2				7-31-67	36.1	-.4	
		4-17-67	29.3	-.6				9-05-67	41.6	-5.9	
		5-01-67	27.3	1.4		04S/11W-30M045	18.1	10-01-66	45.9(5)	-27.8	101
		5-08-67	27.9	.8				11-07-66	37.9(5)	-19.8	
		5-15-67	30.8	-2.1				12-01-66	35.9(5)	-17.8	
		5-22-67	34.1	-5.4				1-07-67	23.9(5)	-5.8	
		6-05-67	34.9	-6.2				2-15-67	21.9(5)	-3.8	
		6-12-67	36.6	-7.9				3-15-67	21.9(5)	-3.8	
		6-19-67	36.2	-7.5				4-15-67	20.9(5)	-2.8	
		7-03-67	38.5	-9.8				5-15-67	19.9(5)	-1.8	
		7-10-67	39.1	-10.4				6-01-67	28.9(5)	-10.8	
		7-17-67	40.0	-11.3				7-01-67	31.9(5)	-13.8	
		7-31-67	41.7	-13.0				8-15-67	39.9(5)	-21.8	
		8-04-67	43.1	-14.4				9-15-67	40.9(5)	-22.8	
		8-14-67	44.2	-15.5		04S/11W-30M055	17.5	10-07-66	46.6(5)	-29.1	101
		8-21-67	44.9	-16.2				11-07-66	40.6(5)	-23.1	
		9-04-67	44.1	-15.4				12-01-66	37.6(5)	-20.1	
		9-11-67	45.2	-16.5				1-07-67	28.6(5)	-11.1	
		9-18-67	45.3	-16.6				2-15-67	26.6(5)	-9.1	
04S/11W-19Q025	24.0	10-01-66	56.0(5)	-32.0	101			3-15-67	24.6(5)	-7.1	
		11-07-66	46.0(5)	-22.0				4-15-67	24.6(5)	-7.1	
		12-01-66	45.0(5)	-21.0				5-07-67	22.6(5)	-5.1	
		1-15-67	38.0(5)	-14.0				6-07-67	32.6(5)	-15.1	
		2-15-67	35.0(5)	-11.0				7-01-67	34.6(5)	-17.1	
		3-21-67	35.0(5)	-11.0				8-15-67	43.6(5)	-26.1	
		4-15-67	35.0(5)	-11.0				9-15-67	47.6(5)	-30.1	
		5-15-67	36.0(5)	-12.0		04S/11W-31D015	13.8	10-01-66	41.1(5)	-27.3	101
		6-07-67	38.0(5)	-14.0				11-01-66	37.1(5)	-23.3	
		7-01-67	41.0(5)	-17.0				11-21-66	31.1(5)	-17.3	
		8-15-67	54.0(5)	-30.0				1-15-67	23.1(5)	-9.3	
		9-07-67	56.0(5)	-32.0				2-15-67	22.1(5)	-8.3	
04S/11W-19Q055	26.0	10-27-66	38.5	-12.5	102			3-21-67	19.1(5)	-5.3	
		11-28-66	28.5	-2.5				4-21-67	17.1(5)	-3.3	
		12-22-66	22.1	3.9				5-15-67	19.1(5)	-5.3	
		1-27-67	20.6	5.4				6-01-67	27.1(5)	-13.3	
		2-24-67	21.8	4.2				7-01-67	29.1(5)	-15.3	
04S/11W-19Q065	26.0	10-27-66	50.5	-24.5	102			8-15-67	39.1(5)	-25.3	
		11-28-66	37.1	-11.1				9-15-67	43.1(5)	-29.3	
		12-22-66	31.1	-5.1				12-15-67	29.1(5)	-15.3	
		1-27-67	28.2	-2.2		04S/11W-31F035	16.0	10-27-66	26.7	-10.7	102
04S/11W-23D025	58.0	11-03-66	48.8	9.2	102			11-28-66	19.7	-3.7	
		1-06-67	33.5	24.5				12-22-66	16.7	-.7	
		2-08-67	33.8	24.2				2-24-67	16.5	-.5	
		3-03-67	35.9	22.1				3-29-67	16.3	-.3	
		4-13-67	32.1	25.9				4-25-67	16.1	-.1	
		5-16-67	35.7	22.3				5-29-67	18.1	-2.1	
		7-31-67	44.5	13.5				6-28-67	19.4	-3.4	
		9-05-67	46.4	11.6				7-18-67	23.0	-7.0	
04S/11W-27A035	52.0	10-13-66	52.3	-.3	102			8-28-67	24.5	-8.5	
		11-03-66	51.6	.4				9-15-67	25.9	-9.9	
		12-15-66	31.6	20.4		04S/11W-31F045	16.6	10-27-66	29.9	-13.3	102
		1-06-67	33.7	18.3				11-28-66	21.7	-5.1	
		2-08-67	33.6	18.4				12-22-66	17.6	-1.0	
		3-03-67	37.5	14.5				1-27-67	16.6	.0	
		4-13-67	32.8	19.2				2-24-67	17.0	-.4	
		5-17-67	40.6	11.4				3-29-67	16.8	-.2	
		7-17-67	47.5	4.5				4-25-67	14.5	2.1	
		7-31-67	50.6	1.4				5-29-67	20.7	-4.1	
		9-05-67	53.0	-1.0				6-28-67	23.7	-7.1	
04S/11W-27D015	38.5	10-27-66	38.9	-.4	102			7-18-67	26.0	-9.4	
		11-28-66	28.6	9.9				8-28-67	29.9	-13.3	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
04S/11W-31F04S (CONT.)	16.6	9-15-67	31.8	-15.2	102	04S/12W-36P03S (CONT.)	8.8	12-28-66	5.3	3.5	101
								1-26-67	6.4	2.4	
								2-17-67	13.0	-4.2	
04S/11W-31F05S	12.3	10-01-66	29.4(5)	-17.1	101			2-21-67	6.8	2.0	
		11-07-66	25.4(5)	-13.1				2-23-67	5.3	3.5	
		12-01-66	23.4(5)	-11.1				3-22-67	4.1	4.7	
		1-07-67	15.4(5)	-3.1				4-12-67	5.9	2.9	
		2-15-67	14.4(5)	-2.1				7-25-67	10.0	-1.2	
		3-15-67	14.4(5)	-2.1				8-31-67	13.1	-4.3	
		4-15-67	12.4(5)	-.1				9-26-67	12.2	-3.4	
		5-15-67	12.4(5)	-.1							
		6-07-67	12.4(5)	-.1		04S/12W-36P04S	8.8	10-26-66	13.6	-4.8	101
		7-01-67	14.4(5)	-2.1				11-14-66	9.1	-.3	
		8-15-67	27.4(5)	-15.1				12-28-66	4.2	4.6	
		9-15-67	30.4(5)	-18.1				1-26-67	5.4	3.4	
04S/11W-31P01S	12.4	10-01-66	29.4(5)	-17.0	101			2-17-67	14.6	-5.8	
		11-07-66	25.4(5)	-13.0				2-21-67	7.0	1.8	
		12-01-66	23.4(5)	-11.0				2-23-67	4.4	4.4	
		1-07-67	16.4(5)	-4.0				3-22-67	3.6	5.2	
		2-15-67	13.4(5)	-1.0				4-12-67	4.9	3.9	
		3-15-67	13.4(5)	-1.0				7-25-67	11.7	-2.9	
		4-15-67	12.4(5)	.0				8-31-67	15.6	-6.8	
		5-21-67	14.4(5)	-2.0				9-26-67	14.6	-5.8	
		6-15-67	14.4(5)	-2.0		04S/12W-36P05S	8.8	10-26-66	19.2	-10.4	101
		7-01-67	15.4(5)	-3.0				11-14-66	14.1	-5.3	
		8-15-67	28.4(5)	-16.0				12-28-66	9.3	-.5	
		9-15-67	31.4(5)	-19.0				1-26-67	9.8	-1.0	
04S/11W-32L01S	19.0	11-15-66	20.7	-1.7	101			2-17-67	15.2	-6.4	
		4-13-67	14.3	4.7				2-21-67	9.8	-1.0	
04S/12W-36J02S	12.0	10-01-66	28.9(5)	-16.9	101			3-22-67	8.1	.7	
		11-01-66	29.9(5)	-17.9				4-12-67	8.7	.1	
		11-07-66	23.9(5)	-11.9				7-05-67	13.1	-4.3	
		12-01-66	22.9(5)	-10.9				7-25-67	15.5	-6.7	
		1-15-67	18.9(5)	-6.9				8-29-67	18.2	-9.4	
		2-15-67	14.9(5)	-2.9				9-26-67	18.0	-9.2	
		3-15-67	13.9(5)	-1.9		04S/12W-36P06S	8.8	10-26-66	26.8	-18.0	101
		4-15-67	12.9(5)	-.9				11-14-66	20.9	-12.1	
		5-15-67	13.9(5)	-1.9				12-28-66	13.7	-4.9	
		6-07-67	17.9(5)	-5.9				1-26-67	14.3	-5.5	
		7-01-67	20.9(5)	-8.9				2-17-67	15.7	-6.9	
		8-15-67	26.9(5)	-14.9				2-21-67	13.9	-5.1	
		9-15-67	29.9(5)	-17.9				3-22-67	12.4	-3.6	
04S/12W-36N01S	8.0	10-26-66	17.4	-9.4	101			4-12-67	13.4	-4.6	
		11-15-66	11.9	-3.9				7-05-67	20.3	-11.5	
		12-28-66	7.1	.9				7-25-67	23.2	-14.4	
		1-26-67	7.9	.1				8-29-67	26.1	-17.3	
		2-17-67	12.7	-4.7				9-26-67	25.7	-16.9	
		3-30-67	7.3	.7		05S/12W-01A03S	11.0	11-28-66	21.6	-10.6	102
		4-10-67	7.2	.8				4-25-67	9.1	1.9	
		7-25-67	15.2	-7.2				6-28-67	19.3	-8.3	
		8-25-67	17.0	-9.0				7-18-67	22.4	-11.4	
		9-29-67	15.9	-7.9				9-15-67	33.5	-22.5	
04S/12W-36N05S	8.0	10-27-66	18.5	-10.5	102	05S/12W-01C01S	6.8	11-14-66	14.4	-7.6	101
		11-28-66	12.2	-4.2				2-17-67	12.6	-5.8	
		12-22-66	8.7	-.7				2-21-67	9.2	-2.4	
		1-27-67	9.0	-1.0				2-24-67	8.4	-1.6	
		2-24-67	8.1	-.1				4-12-67	8.1	-1.3	
		3-29-67	8.7	-.7				9-08-67	18.6	-11.8	
		4-25-67	5.7	2.3		05S/12W-01C02S	6.8	11-14-66	20.6	-13.8	101
		5-29-67	12.2	-4.2				2-17-67	12.0	-5.2	
		6-28-67	15.2	-7.2				2-21-67	12.0	-5.2	
		7-18-67	17.1	-9.1				2-24-67	11.5	-4.7	
		8-28-67	19.9	-11.9				4-12-67	10.4	-3.6	
		9-15-67	20.0	-12.0				9-08-67	25.6	-18.8	
04S/12W-36N06S	23.1	10-26-66	34.3	-11.2	101	05S/12W-01D01S	5.6	10-25-66	14.1	-8.5	101
		11-09-66	31.7	-8.6				11-14-66	11.4	-5.8	
		11-21-66	28.3	-5.2				12-30-66	7.0	-1.4	
		12-28-66	23.8	-.7				1-26-67	7.3	-1.7	
		1-25-67	25.1	-2.0				2-17-67	9.2	-3.6	
		2-17-67	30.3	-7.2				2-21-67	10.1	-4.5	
		2-21-67	24.7	-1.6				3-20-67	6.1	-.5	
		3-01-67	25.1	-2.0				4-12-67	6.6	-1.0	
		3-30-67	24.8	-1.7				7-26-67	8.7	-3.1	
		4-10-67	24.2	-1.1				8-29-67	11.1	-5.5	
		7-25-67	29.9	-6.8				9-26-67	10.8	-5.2	
		8-31-67	33.2	-10.1		05S/12W-01D02S	5.6	10-25-66	13.9	-8.3	101
		9-19-67	33.0	-9.9				11-14-66	11.2	-5.6	
04S/12W-36P01S	8.2	11-14-66	16.4	-8.2	101			12-30-66	6.6	-1.0	
		2-17-67	14.3	-6.1				1-26-67	7.0	-1.4	
		2-21-67	11.0	-2.8				2-17-67	9.2	-3.6	
		2-27-67	10.7	-2.5				2-21-67	10.5	-4.9	
		4-12-67	9.4	-1.2				3-20-67	7.3	-1.7	
04S/12W-36P02S	8.2	11-14-66	23.2	-15.0	101			4-12-67	6.3	-.7	
		2-17-67	15.1	-6.9				7-26-67	8.6	-3.0	
		2-21-67	13.9	-5.7				8-29-67	10.9	-5.3	
		2-27-67	14.7	-6.5				9-26-67	10.5	-4.9	
		4-12-67	12.9	-4.7		05S/12W-01D03S	5.6	10-25-66	15.6	-10.0	101
04S/12W-36P03S	8.8	10-26-66	12.9	-4.1	101			11-14-66	12.0	-6.4	
		11-14-66	9.7	-.9				12-30-66	7.4	-1.8	
								1-03-67	7.6	-2.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00						
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0			
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1			
05S/12W-01D03S (CONT.)	5.6	1-26-67 2-17-67 2-21-67 3-20-67 4-12-67 7-26-67 8-29-67 9-26-67	8.1 11.6 8.4 7.1 7.4 7.4 9.9 10.7	-2.5 -6.0 -2.8 -1.5 -1.8 -1.8 -4.3 -5.1	101	05S/12W-12C01S (CONT.)	0017.0	9-15-67	0028.7	-011.7	102	
05S/12W-01D04S	5.6	10-25-66 11-14-66 12-30-66 1-26-67 2-17-67 2-21-67 3-20-67 4-12-67 7-05-67 7-26-67 8-29-67 9-26-67	23.8 18.4 12.0 10.7 11.0 10.4 11.6 8.9 16.3 18.8 22.0 22.0	-18.2 -12.8 -6.4 -5.1 -5.4 -4.8 -6.0 -3.3 -10.7 -13.2 -16.4 -16.4	101	05S/12W-12C02S	6.6	10-27-66 11-14-66 11-23-66 12-30-66 1-26-67 2-24-67 3-28-67 4-10-67 7-25-67 8-25-67 9-28-67	14.1 11.8 10.7 8.2 7.4 8.4 8.1 6.5 11.3 13.6 13.5	-7.5 -5.2 -4.1 -1.6 -.8 -1.8 -1.5 .1 -4.7 -7.0 -6.9	101	
05S/12W-01E04S	5.4	10-25-66 11-15-66 11-22-66 11-30-66 12-27-66 1-26-67 2-17-67 2-21-67 3-28-67 7-25-67 8-31-67 9-26-67	14.4 10.8 10.7 10.5 9.7 9.8 11.7 8.1 7.4 9.1 12.8 11.2	-9.0 -5.4 -5.3 -5.1 -4.3 -4.4 -6.3 -2.7 -2.0 -3.7 -7.4 -5.8	101	05S/12W-12F02S	6.5	11-14-66 11-23-66 4-10-67 9-21-67	29.4 27.8 12.4 30.4	-22.9 -21.3 -5.9 -23.9	101	
05S/12W-01E05S	5.4	10-25-66 11-15-66 11-22-66 12-27-66 1-26-67 2-07-67 2-17-67 2-21-67 3-28-67 7-05-67 7-25-67 8-29-67 9-26-67	16.1 13.0 12.1 8.8 8.8 8.4 10.1 9.0 8.5 9.4 10.8 13.1 13.3	-10.7 -7.6 -6.7 -3.4 -3.4 -3.0 -4.7 -3.6 -3.1 -4.0 -5.4 -7.7 -7.9	101	05S/12W-12M01S	39.0	11-14-66 12-30-66 4-10-67	58.8 47.9 41.8	-19.8 -8.9 -2.8	101	
05S/12W-01E07S	5.4	10-25-66 11-15-66 11-22-66 12-27-66 1-26-67 2-17-67 2-21-67 3-02-67 3-28-67 7-05-67 7-25-67 8-29-67 9-26-67	22.4 17.2 15.5 9.9 9.8 9.8 9.6 9.9 9.0 14.7 17.3 20.8 21.0	-17.0 -11.8 -10.1 -4.5 -4.4 -4.4 -4.2 -4.5 -3.6 -9.3 -11.9 -15.4 -15.6	101	05S/12W-12M02S	39.0	11-14-66 12-30-66	44.0 39.9	-5.0 -.9	101	
05S/12W-01G02S	6.3	11-14-66 2-17-67 2-21-67 2-24-67 4-12-67 9-08-67	13.3 9.5 8.4 7.9 7.1 15.2	-7.0 -3.2 -2.1 -1.6 -.8 -8.9	101	LA HABRA HYDRO SUBAREA						U-05.F2
05S/12W-01G03S	6.3	11-14-66 2-17-67 2-21-67 2-24-67 4-12-67 9-08-67	19.0 9.9 10.6 9.9 8.8 23.4	-12.7 -3.6 -4.3 -3.6 -2.5 -17.1	101	03S/10W-02N02S	423.0	10-13-66 11-17-66 12-23-66 2-02-67 3-02-67 4-05-67 5-04-67 6-12-67 7-05-67 8-07-67 9-18-67	152.9 156.1 154.9 149.6 150.0 148.4 148.0 148.6 148.8 150.6 270.1	266.9 268.1 273.4 273.0 274.6 275.0 274.4 274.2 272.4	102	
05S/12W-11J02S	6.9	11-14-66 1-03-67 4-10-67 7-27-67	21.3 20.6 19.8 20.2	-14.4 -13.7 -12.9 -13.3	101	03S/10W-02Q01S	373.5	10-13-66 11-17-66 12-23-66 2-02-67 3-02-67 4-05-67 5-04-67 6-12-67 7-05-67 8-07-67 9-18-67	23.4 23.3 22.0 21.4 20.9 20.9 20.9 20.8 20.7 21.0 21.9	350.1 350.2 351.5 352.1 352.6 352.6 352.6 352.7 352.8 352.5 351.6	102	
05S/12W-11J03S	4.9	11-14-66 1-03-67 4-10-67 7-27-67	29.8 29.9 29.7 29.8	-24.9 -25.0 -24.8 -24.9	101	03S/10W-03P01S	410.0	10-13-66 11-17-66 12-23-66 2-02-67 5-04-67 6-12-67 7-05-67 9-18-67	147.0 141.0 139.0 138.7 136.7 136.7 136.8 138.6	263.0 269.0 271.0 271.3 273.3 273.3 273.2 271.4	102	
05S/12W-11P01S	14.2	11-14-66 12-02-66 4-10-67	45.4 44.7 45.2	-31.2 -30.5 -31.0	101	03S/10W-07B01S	288.0	10-13-66 11-17-66 12-23-66 2-02-67 3-02-67 4-05-67 5-04-67 6-12-67 7-05-67 8-07-67 9-18-67	42.6 42.7 42.6 42.9 41.8 41.8 41.6 42.2 41.6 41.8 42.1	245.4 245.3 245.4 245.1 246.2 246.2 246.4 245.8 246.4 246.2 245.9	102	
05S/12W-12C01S	0017.0	2-24-67 3-29-67 4-25-67 5-29-67 6-28-67 7-18-67 8-28-67	0011.3 0015.1 0013.3 0011.1 0016.4 0019.0 0026.4	0005.7 0001.9 0003.7 0005.9 0000.6 -002.0 -009.4	102	03S/10W-07G02S	270.0	11-17-66 3-02-67 5-04-67 6-12-67 8-07-67 9-18-67	48.7 47.7 46.7 49.0 48.1 48.8	221.3 222.3 223.3 221.0 221.9 221.2	102	
05S/12W-12C01S	0017.0	2-24-67 3-29-67 4-25-67 5-29-67 6-28-67 7-18-67 8-28-67	0011.3 0015.1 0013.3 0011.1 0016.4 0019.0 0026.4	0005.7 0001.9 0003.7 0005.9 0000.6 -002.0 -009.4	102	03S/10W-07Q01S	226.0	10-26-66 11-25-66 12-28-66 1-26-67 2-23-67 3-28-67 4-24-67 5-25-67 6-27-67 7-20-67 8-30-67 9-14-67	142.8 142.5 142.3 141.8 141.4 141.1 140.9 140.5 139.9 140.0 139.6 139.5	83.2 83.5 83.7 84.2 84.6 84.9 85.1 85.5 86.1 86.0 86.4 86.5	102	
05S/12W-12C01S	0017.0	2-24-67 3-29-67 4-25-67 5-29-67 6-28-67 7-18-67 8-28-67	0011.3 0015.1 0013.3 0011.1 0016.4 0019.0 0026.4	0005.7 0001.9 0003.7 0005.9 0000.6 -002.0 -009.4	102	03S/10W-09E03S	302.0	11-17-66 3-02-67 5-04-67	26.5 25.1 24.8	275.5 276.9 277.2	102	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT LA HABRA HYDRO SUBAREA			U-05.F0		U-05.F2	ANAHEIM HYDRO SUBUNIT LA HABRA HYDRO SUBAREA			U-05.F0		U-05.F2
03S/10W-09E03S (CONT.)	302.0	6-12-67 8-07-67 9-17-67	24.8 25.6 26.2	277.2 276.4 275.8	102	03S/10W-12M01S (CONT.)	388.0	6-12-67 7-05-67 9-18-67	87.1 88.6 96.5	300.9 299.4 291.5	102
03S/10W-09H02S	327.0	11-17-66 3-02-67 5-04-67 6-12-67 8-07-67 9-18-67	42.7 39.7 39.6 41.4 43.6 43.8	284.3 287.3 287.4 285.6 283.4 283.2	102	03S/10W-14G01S	348.7	10-13-66 11-17-66 12-23-66 2-02-67 3-02-67 4-05-67 5-04-67 6-12-67 7-07-67 8-07-67 9-18-67	70.4 69.8 68.5 69.3 67.3 67.0 65.3 66.9 66.8 66.5 68.1	278.3 278.9 280.2 279.4 281.4 281.7 283.4 281.8 280.9 282.2 280.6	102
03S/10W-09M02S	305.0	10-13-66 11-17-66 12-23-66 2-02-67 4-05-67 6-12-67	33.7 33.3 33.4 32.9 33.6 34.1	271.3 271.7 271.6 272.1 271.4 270.9	102	03S/10W-15B01S	327.0	10-13-66 11-17-66 2-02-67 3-02-67 4-05-67 5-04-67 6-12-67 8-07-67 9-18-67	117.6 106.3 96.5 95.9 94.8 93.9 94.3 106.2 109.2	209.4 220.7 230.5 231.1 232.2 233.1 232.7 220.8 217.8	102
03S/10W-09R01S	305.0	11-17-66 3-02-67 5-04-67 6-12-67 9-18-67	20.2 14.6 14.8 19.0 20.0	284.8 290.4 290.2 286.0 285.0	102	03S/10W-15C01S	322.0	11-17-66 3-02-67 5-01-67 6-12-67 8-07-67 9-18-67	123.3 104.5 103.0 102.7 116.2 117.2	198.7 217.5 219.0 219.3 205.8 204.8	102
03S/10W-10C01S	345.0	11-17-66 12-23-66 2-02-67 3-02-67 4-05-67 5-04-67 6-12-67 8-07-67 9-18-67	92.1 89.8 89.0 89.3 87.7 87.1 87.1 92.3 93.6	252.9 255.2 256.0 255.7 257.3 257.9 257.9 252.7 251.4	102	03S/10W-15P01S	305.0	10-12-66 11-02-66 12-01-66 1-05-67 2-07-67 3-02-67 5-03-67 6-02-67 7-05-67 8-02-67 9-11-67	219.3 214.0 219.7 211.6 211.6 214.6 210.7 212.4 210.7 215.2 221.5	85.7 91.0 85.3 93.4 93.4 90.4 94.3 92.6 94.3 89.8 83.5	102
03S/10W-10N01S	307.0	10-13-66 11-17-66 12-23-66 2-02-67 3-02-67 4-05-67 5-04-67 6-12-67 7-05-67 8-07-67 9-18-67	25.4 22.2 19.1 16.5 17.5 17.4 17.7 18.3 18.7 19.8 20.7	281.6 284.8 287.9 290.5 289.5 289.6 289.3 288.7 288.3 287.2 286.3	102	03S/10W-17001S	311.0	10-26-66 11-25-66 12-28-66 1-26-67 2-23-67 3-28-67 4-24-67 5-25-67 6-27-67 7-20-67 8-30-67 9-14-67	196.3 194.3 197.3 193.1 195.0 190.3 190.5 195.5 206.6 209.7 210.9 212.1	114.7 116.7 113.7 117.9 116.0 120.7 120.5 115.5 104.4 101.3 100.1 98.9	102
03S/10W-10N02S	315.0	10-13-66 11-17-66 12-23-66 2-02-67 3-02-67 4-05-67 5-04-67 8-07-67 9-18-67	26.2 24.9 20.3 18.5 19.6 20.4 20.3 30.1 30.7	288.8 290.1 294.7 296.5 295.4 294.6 294.7 284.9 284.3	102	03S/10W-18C01S	211.0	10-26-66 11-25-66 12-28-66 1-26-67 2-23-67 3-28-67 4-24-67 5-25-67 6-27-67 7-20-67 8-30-67 9-14-67	129.6 130.4 129.2 128.4 127.8 127.6 127.4 127.0 126.9 126.3 125.9 125.5	81.4 80.6 81.8 82.6 83.2 83.4 83.6 84.0 84.1 84.7 85.1 85.5	102
03S/10W-10N04S	307.0	11-17-66 3-02-67 5-04-67 6-12-67 9-18-67	28.6 23.8 23.7 23.7 24.2	278.4 283.2 283.3 283.3 282.8	102	03S/10W-22C02S	280.0	10-12-66 11-02-66 12-01-66 1-05-67 2-07-67 3-02-67 4-12-67 5-03-67 6-02-67 7-05-67 8-02-67 9-11-67	188.1 188.0 190.8 187.0 186.7 188.0 188.7 186.8 189.8 185.8 185.6 185.6	91.9 92.0 89.2 93.0 93.3 92.0 91.3 93.2 90.2 94.2 94.4 94.4	102
03S/10W-10P03S	340.0	10-13-66 11-17-66 12-23-66 2-02-67 3-02-67 4-05-67 5-04-67 6-12-67 8-07-67 9-18-67	223.0 225.9 206.9 200.5 198.6 197.4 195.9 190.0 213.8 215.7	117.0 114.1 133.1 139.5 141.4 142.6 144.1 150.0 126.2 124.3	102	YORBA LINDA HYDRO SUBAREA					U-05.F3
03S/10W-11K01S	375.0	11-17-66 3-02-67 5-04-67 6-12-67 8-07-67 9-18-67	86.1 84.1 83.1 83.4 83.3 85.5	288.9 290.9 291.9 291.6 291.7 289.5	102	03S/09W-17R01S	395.0	11-17-66 3-02-67 5-04-67 6-12-67 8-07-67 9-18-67	112.7 112.0 112.1 111.9 112.3 112.6	282.3 283.0 282.9 283.1 282.7 282.4	102
03S/10W-11M02S	350.7	10-13-66 11-17-66 12-23-66 2-02-67 3-02-67 4-05-67 5-01-67 6-12-67 7-05-67 9-17-67	51.0 50.5 49.3 48.4 45.7 45.6 46.9 47.2 49.0 49.9	299.7 300.2 301.4 302.3 305.0 305.1 303.8 303.5 301.7 300.8	102	03S/09W-19N01S	292.0	11-17-66 3-02-67 5-04-67	163.3 158.9 155.8	128.7 133.1 136.2	102
03S/10W-12M01S	388.0	10-13-66 11-17-66 12-23-66 2-02-67 3-02-67 4-05-67 5-04-67	96.0 91.0 90.2 89.9 89.1 89.7 89.0	292.0 297.0 297.8 298.1 298.9 298.3 299.0	102						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANANEIM HYDRO SUBUNIT		YORBA LINDA HYDRO SUBAREA		U-05.F0	U-05.F3						
03S/09W-19N01S (CONT.)	292.0	6-12-67	156.4	135.6	102						
		7-05-67	157.4	134.6							
		8-07-67	159.4	132.6							
		9-18-67	161.5	130.5							
03S/09W-20M01S	335.2	10-13-66	153.9	181.3	102						
		11-17-66	153.2	182.0							
		12-23-66	151.9	183.3							
		2-02-67	151.1	184.1							
		3-02-67	150.3	184.9							
		4-05-67	149.8	185.4							
		5-04-67	149.2	186.0							
		6-12-67	149.6	185.6							
		7-05-67	149.8	185.4							
		8-07-67	151.6	183.6							
03S/09W-21M03S	365.0	9-18-67	153.5	181.7							
		10-13-66	69.4	295.6	102						
		11-17-66	66.7	298.3							
		12-23-66	66.3	298.7							
		2-02-67	67.0	298.0							
		3-02-67	66.1	298.9							
		4-05-67	66.3	298.7							
		5-04-67	66.2	298.8							
		6-12-67	66.3	298.7							
		8-07-67	66.6	298.4							
03S/09W-21M05S	356.0	9-18-67	66.9	298.1							
		3-02-67	68.5 (1)	287.5	102						
		5-04-67	68.6	287.4							
		6-12-67	68.4	287.6							
03S/09W-30R01S	262.0	9-17-67	68.3	287.7							
		10-10-66	72.8	189.2	102						
		11-01-66	73.0	189.0							
		12-01-66	72.4	189.6							
		1-04-67	70.5	191.5							
		2-06-67	69.4	192.6							
		3-01-67	68.7	193.3							
		4-07-67	68.1	193.9							
		5-04-67	67.4	194.6							
		6-06-67	67.1	194.9							
		7-03-67	67.2	194.8							
		8-01-67	69.0	193.0							
		9-05-67	70.0	192.0							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA
AMARGOSA HYDRO UNIT					
W-09.00					
FURNACE CREEK HYDRO SUBUNIT					
FURNACE CREEK HYDRO SUBAREA					
W-09.C0					
W-09.C1					
27N/01E-24E01S	490.0	1-11-67	75.3	414.7	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
COYOTE HYDRO UNIT						W-18.00					
11N/02E-08K01S	1720.0	10-18-66 3-14-67	FLOW FLOW		010						
11N/02E-22N01S	1740.0	10-18-66 3-14-67	11.9 11.6	1728.1 1728.4	010						
11N/03E-08N01S	1725.0	10-18-66 3-14-67	6.1 6.1	1718.9 1718.9	010						
11N/03E-20R01S	1780.0	10-18-66 3-14-67	54.0 54.6	1726.0 1725.4	010						
11N/03E-30J02S	1775.0	10-18-66 3-14-67	58.3 57.4	1716.7 1717.6	010						
12N/02E-28D01S	1775.0	10-18-66 3-14-67	36.3 36.3	1738.7 1738.7	010						
12N/02E-31A01S	1789.5	10-18-66 3-14-67	56.2 56.1	1733.3 1733.4	010						
12N/02E-32K01S	1730.0	10-18-66 3-14-67	FLOW (7)		010						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SUPERIOR HYDRO UNIT						W-19.00					
31S/45E-01C01M	3040.0	10-17-66	117.6	2922.4	010						
		3-13-67	117.6	2922.4							
31S/45E-24Q01M	3026.0	10-17-66	106.0	2920.0	010						
		3-13-67	106.4	2919.6							
31S/46E-02M01M	3020.0	10-17-66	100.4	2919.6	010						
		3-13-67	102.4	2917.6							
31S/46E-16J01M	3011.0	10-17-66	94.0	2917.0	010						
		3-13-67	93.4	2917.6							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
INDIAN WELLS HYDRO UNIT						W-24.00					
INDIAN WELLS HYDRO SUBUNIT						INDIAN WELLS HYDRO SUBUNIT					
W-24.80						W-24.80					
24S/39E-33D02M	2263.0	10-22-66	68.5	2194.5	010	26S/38E-02Q01M	2429.6	10-21-66	DRY		010
24S/39E-33N01M	2254.5	10-22-66	60.1	2194.4	010	26S/39E-02C01M	2248.3	10-23-66	55.6	2192.7	010
24S/40E-32M01M	2178.8	10-22-66	4.8	2174.0	010	26S/39E-02N01M	2285.7	10-23-66	87.7	2198.0	010
24S/40E-33E01M	2178.0	10-22-66	-1.0	2179.0	010	26S/39E-05F01M	2276.7	10-22-66	76.2	2200.5	010
24S/40E-33N01M	2175.8	10-22-66	3.9	2171.9	010	26S/39E-07N01M	2394.3	10-21-66	192.8	2201.5	010
24S/40E-34E01M	2176.7	10-22-66	4.4	2172.3	010	26S/39E-08K01M	2321.0	10-23-66	119.9	2201.1	010
24S/40E-36M01M	2174.4	10-22-66	4.1	2170.3	010	26S/39E-11E01M	2305.0	10-23-66	106.8	2198.2	010
25S/38E-11K01M	2400.0	10-21-66	195.8	2204.2	010	26S/39E-12G01M	2277.0	10-23-66	82.5	2194.5	010
25S/38E-13D01M	2351.2	10-21-66	148.7	2202.5	010	26S/39E-14E01M	2334.2	10-23-66	137.7	2196.5	010
25S/38E-13K01M	2316.2	10-21-66	114.3	2201.9	010	26S/39E-15Q01M	2365.6	10-23-66	171.4	2194.2	010
25S/38E-23G01M	2412.0	10-21-66	207.7	2204.3	010	26S/39E-19Q01M	2418.3	10-21-66	218.2	2200.1	010
25S/38E-24C01M	2329.2	10-21-66	126.2	2203.0	010		4-25-67	217.3	2201.0		
25S/38E-25L01M	2329.2	10-21-66	127.5	2201.7	010	26S/39E-20Q01M	2421.8	10-21-66	221.6	2200.2	010
25S/38E-35B01M	2402.8	10-21-66	191.5	2211.3	010	26S/39E-23E01M	2372.3	10-23-66	180.4	2191.9	010
25S/39E-02E01M	2227.4	10-22-66	37.9	2189.5	010	26S/39E-24K01M	2347.4	10-23-66	172.6	2174.8	010
25S/39E-04R01M	2252.6	10-22-66	57.7	2194.9	010		3-08-67	172.1	2175.3		
25S/39E-11N01M	2228.1	10-22-66	35.9	2192.2	010		4-25-67	173.9	2173.5		
25S/39E-12R01M	2200.9	10-22-66	18.0	2182.9	010		6-21-67	176.7	2170.7		
25S/39E-13E01M	2209.9	10-22-66	23.1	2186.8	010	26S/39E-24Q01M	2350.4	10-23-66	175.3	2175.1	010
25S/39E-17D01M	2271.1	10-22-66	72.3	2198.8	010	26S/39E-24R01M	2344.9	10-23-66	168.9	2176.0	010
25S/39E-17D02M	2271.1	10-22-66	73.0	2198.1	010		3-08-67	169.3	2175.6		
25S/39E-18D01M	2295.6	10-22-66	94.9	2200.7	010	26S/39E-25D01M	2372.9	10-21-66	198.0	2174.9	010
25S/39E-21D01M	2235.2	10-22-66	39.4	2195.8	010		3-08-67	198.2	2174.7		
25S/39E-21M02M	2230.0	10-22-66	33.5	2196.5	010	26S/39E-25D02M	2368.0	10-21-66	193.9	2174.1	010
25S/39E-21P01M	2226.9	10-22-66	31.7	2195.2	010	26S/39E-25E01M	2372.2	10-21-66	(9)		010
25S/39E-22J01M	2215.4	10-22-66	24.6	2190.8	010	26S/39E-26C01M	2394.9	10-21-66	215.6	2179.3	010
25S/39E-26M01M	2202.8	10-23-66	15.7	2187.1	010	26S/39E-26E01M	2402.3	10-21-66	209.3	2193.0	010
25S/39E-26N01M	2220.6	10-22-66	29.2	2191.4	010	26S/39E-28C02M	2425.0	10-21-66	222.0	2203.0	010
25S/39E-28P01M	2228.9	10-22-66	32.5	2196.4	010	26S/39E-30C01M	2427.1	10-21-66	240.2	2186.9	010
25S/39E-28R01M	2221.8	10-22-66	33.0	2188.8	010		3-08-67	239.7	2187.4		
25S/39E-29M01M	2232.1	10-22-66	32.7	2199.4	010	26S/39E-30F01M	2433.0	10-21-66	234.4	2198.6	010
25S/39E-31E01M	2283.7	10-21-66	79.4	2204.3	010		3-08-67	232.2	2200.8		
25S/39E-35N01M	2253.2	10-23-66	59.5	2193.7	010		4-02-67	232.4	2200.6		
25S/40E-03N01M	2177.4	10-22-66	3.9	2173.5	010		4-25-67	232.2	2200.8		
25S/40E-08A01M	2183.2	10-22-66	7.4	2175.8	010	26S/39E-30F03M	2433.0	5-10-67	232.0	2201.0	010
25S/40E-11K01M	2166.4	10-22-66	-2.8	2169.2	010	26S/40E-01A01M	2153.5	10-22-66	6.6	2146.9	010
25S/40E-14M01M	2160.5	10-22-66	3.6	2156.9	010	26S/40E-01A03M	2157.6	10-22-66	6.2	2151.4	010
25S/40E-18R01M	2183.0	10-22-66	3.3	2179.7	010	26S/40E-01J01M	2161.8	10-22-66	4.1	2157.7	010
25S/40E-19L01M	2188.2	10-22-66	9.3	2178.9	010	26S/40E-01Q01M	2161.6	10-22-66	3.6	2158.0	010
25S/40E-20F01M	2179.5	10-22-66	.6	2178.9	010	26S/40E-01Q02M	2159.7	10-22-66	4.8	2154.9	010
25S/40E-25P01M	2151.8	10-22-66	4.1	2147.7	010	26S/40E-05F01M	2196.8	10-23-66	22.6	2174.2	010
25S/40E-27E01M	2168.7	10-23-66	4.3	2164.4	010	26S/40E-06E01M	2231.8	10-23-66	42.6	2189.2	010
25S/40E-33L01M	2171.1	10-23-66	2.8	2168.3	010	26S/40E-06N01M	2249.8	10-23-66	58.6	2191.2	010
25S/40E-33L02M	2171.0	10-23-66	2.4	2168.6	010	26S/40E-10F01M	2188.8	10-23-66	17.6	2171.2	010
25S/40E-35P01M	2158.8	10-22-66	8.8	2150.0	010	26S/40E-11J01M	2174.0	10-22-66	4.9	2169.1	010
25S/41E-19L01M	2157.8	10-22-66	5.0	2152.8	010	26S/40E-12A01M	2167.8	10-22-66	5.2	2162.6	010
25S/41E-28B01M	2238.6	10-22-66	67.7	2170.9	010	26S/40E-12G01M	2170.4	10-22-66	7.1	2163.3	010
25S/41E-31C01M	2153.1	10-22-66	6.8	2146.3	010	26S/40E-12Q01M	2175.7	10-22-66	2.0	2173.7	010
26S/38E-01G01M	2330.0	10-21-66	DRY		010	26S/40E-12R01M	2181.5	10-22-66	.7	2180.8	010
						26S/40E-13C01M	2189.1	10-23-66	6.6	2182.5	010
						26S/40E-13M01M	2196.2	10-22-66	11.0	2185.2	010
						26S/40E-14H01M	2195.4	10-23-66	9.9	2185.5	010
						26S/40E-15E01M	2223.1	10-23-66	45.7	2177.4	010
						26S/40E-15E02M	2226.1	10-23-66	45.0	2181.1	010

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
INDIAN WELLS HYDRO UNIT						W-24.00					
INDIAN WELLS HYDRO SUBUNIT						W-24.80					
26S/40E-15N01M	2241.1	10-23-66	56.9	2184.2	010						
26S/40E-17N01M	2293.0	10-23-66	109.4	2183.6	010						
26S/40E-18E01M	2297.0	10-23-66	99.6	2197.4	010						
26S/40E-18N01M	2316.1	10-23-66	146.2	2169.9	010						
26S/40E-19N01M	2337.7	10-23-66	161.0	2176.7	010						
26S/40E-19P01M	2336.0	10-23-66	158.4	2177.6	010						
26S/40E-20N01M	2311.9	10-23-66	131.0	2180.9	010						
26S/40E-22N01M	2261.4	10-20-66	74.7	2186.7	010						
26S/40E-22P01M	2258.7	10-20-66	74.9	2183.8	010						
		3-08-67	74.6	2184.1							
26S/40E-23C01M	2213.8	10-23-66	23.6	2190.2	010						
		3-08-67	22.6	2191.2							
26S/40E-24C01M	2212.0	10-23-66	27.4	2184.6	010						
		3-08-67	27.1	2184.9							
26S/40E-28E01M	2292.0	10-23-66	107.8	2184.2	010						
26S/40E-28J01M	2288.8	10-20-66	111.2	2177.6	010						
26S/40E-30E02M	2342.8	10-23-66	167.9	2174.9	010						
26S/40E-30Q01M	2353.1	10-21-66	176.5	2176.6	010						
26S/40E-32D01M	2340.9	10-20-66	165.5	2175.4	010						
26S/40E-32N01M	2368.0	10-21-66	194.2	2173.8	010						
26S/40E-33P02M	2312.0	10-21-66	144.0	2168.0	010						
26S/40E-34N01M	2290.4	10-20-66	116.4	2174.0	010						
		3-08-67	115.3	2175.1							
26S/40E-36A01M	2247.2	10-20-66	60.0	2187.2	010						
26S/41E-07D01M	2160.2	10-22-66	1.5	2158.7	010						
26S/41E-07E01M	2166.5	10-22-66	5.7	2160.8	010						
26S/41E-07G01M	2177.0	10-22-66	25.3	2151.7	010						
27S/38E-01M01M	2639.0	10-20-66	293.3	2345.7	010						
27S/39E-02B01M	2440.0	10-20-66	256.8	2183.2	010						
27S/39E-07R01M	2562.7	10-21-66	354.3	2208.4	010						
27S/40E-01K01M	2318.1	10-20-66	139.8	2178.3	010						
27S/40E-02J01M	2300.0	10-20-66	119.4	2180.6	010						
27S/40E-03J01M	2275.0	10-20-66	83.3	2191.7	010						
27S/40E-03R01M	2287.3	10-20-66	99.9	2187.4	010						
27S/40E-04A01M	2305.0	10-21-66	133.1	2171.9	010						
27S/40E-07M01M	2515.0	10-20-66	308.7	2206.3	010						
27S/40E-08A01M	2344.7	10-20-66	187.9	2156.8	010						
27S/40E-09P01M	2368.0	10-20-66	187.9	2180.1	010						
27S/40E-10R01M	2380.0	10-20-66	199.5	2180.5	010						
27S/40E-15D01M	2385.0	10-20-66	199.6	2185.4	010						
27S/40E-15L01M	2470.0	10-20-66	248.0	2222.0	010						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
FREMONT HYDRO UNIT						W-25.00					
KOEHN HYDRO SUBUNIT						W-25.00					
11N/11W-08D01S	2624.5	10-17-66 3-23-67	199.0 199.0	2425.5 2425.5	010						
29S/39E-28H01M	2100.0	10-17-66 4-12-67	176.7 176.5	1923.3 1923.5	010						
30S/37E-24J01M	1985.0	10-17-66 4-12-67	52.4 51.4	1932.6 1933.6	010						
30S/37E-36G01M	1981.0	10-17-66 4-12-67	59.9 59.3	1921.1 1921.7	010						
30S/39E-08A01M	2075.0	10-17-66 4-12-67	140.1 142.8	1934.9 1932.2	010						
31S/37E-08C01M	2190.0	10-17-66 4-12-67	187.1 187.9	2002.9 2002.1	010						
31S/37E-13A01M	2135.0	10-17-66 4-12-67	260.3 265.2	1874.7 1869.8	010						
31S/37E-35N01M	2320.0	10-17-66 1-04-67 4-12-67	246.3 247.0 247.3	2073.7 2073.0 2072.7	010						
32S/36E-35D01M	2692.0	10-17-66 3-23-67	266.5 266.3	2425.5 2425.7	010						
32S/37E-11N01M	2375.0	10-17-66 1-04-67 4-12-67	279.6 279.4 279.4	2095.4 2095.6 2095.6	010						
32S/37E-22N01M	2460.0	10-17-66	358.4	2101.6	010						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANTELOPE HYDRO UNIT						W-26.00					
ANTELOPE HYDRO SUBUNIT			W-26.A0			ANTELOPE HYDRO SUBUNIT			W-26.A0		
CHAFEE HYDRO SUBAREA			W-26.A1			NEENACH HYDRO SUBAREA			W-26.A4		
11N/12W-26J01S	2594.0	10-17-66 3-23-67	194.8 202.6	2399.2 2391.4	010	08N/17W-14E02S (CONT.)	3045.0	4-21-67	56.6	2988.4	050
WILLOW SPRINGS HYDRO SUBAREA			W-26.A3			08N/18W-23F01S	3350.0	10-19-66 4-21-67	111.4 132.1	3238.6 3217.9	050
09N/13W-07Q03S	2564.3	10-18-66 3-22-67	81.4 60.8	2482.9 2503.5	010	08N/18W-24H01S	3340.0	10-19-66 4-21-67	60.0 (1) (9)	3280.0	050
09N/14W-02J01S	2735.0	10-18-66 3-22-67	145.6 140.6	2589.4 2594.4	010	09N/14W-15M01S	2620.0	10-18-66 4-19-67	344.0 339.3	2276.0 2280.7	050
10N/13W-19M01S	2905.0	10-18-66 3-22-67	318.0 317.6	2587.0 2587.4	010	09N/14W-20B01S	2680.0	10-18-66 4-19-67	307.1 306.4	2372.9 2373.6	050
10N/13W-32M01S	2740.0	10-18-66	229.3	2510.7	010	09N/14W-21D01S	2640.0	10-18-66 4-19-67	315.3 (1)	2324.7	050
11N/13W-29M01S	3391.0	10-10-66 11-10-66 12-10-66 1-10-67 2-10-67 3-10-67 4-10-67 5-10-67 6-10-67 7-10-67 8-10-67 9-10-67	340.0 345.0 325.0 325.0 335.0 335.0 335.0 340.0 334.0 334.0 335.0 334.0	3051.0 3046.0 3066.0 3066.0 3056.0 3056.0 3056.0 3051.0 3057.0 3057.0 3056.0 3057.0	785	09N/16W-36C01S	2910.0	10-19-66 4-21-67	272.6 273.1	2637.4 2636.9	050
NEENACH HYDRO SUBAREA			W-26.A4			LANCASTER HYDRO SUBAREA			W-26.A5		
08N/14W-17M01S	2592.0	10-19-66 4-21-67	176.8 177.0	2415.2 2415.0	050	06N/10W-09E01S	2576.0	10-18-66 4-17-67	204.3 204.5	2371.7 2371.5	050
08N/15W-07N01S	2763.0	10-19-66 4-21-67	-38.6 -37.1	2801.6 2800.1	050	06N/11W-03M01S	2491.0	10-18-66 4-17-67	321.5 321.8	2169.5 2169.2	050
08N/15W-10P01S	2712.0	10-19-66 4-21-67	153.5 (4)	2558.5	050	07N/09W-17N02S	2492.0	10-27-66 3-16-67	250.3 231.3	2241.7 2260.7	010
08N/15W-22N02S	2821.0	10-19-66 4-21-67	210.3 210.4	2610.7 2610.6	050	07N/10W-02E01S	2412.0	10-27-66 3-15-67	235.6 237.5	2176.4 2174.5	010
08N/15W-32E01S	3135.0	10-19-66 4-21-67	116.2 115.8	3018.8 3019.2	050	07N/10W-05F01S	2392.0	10-27-66	196.0	2196.0	010
08N/15W-33G01S	2930.0	10-19-66 10-19-66 4-21-67 4-21-67	244.8 244.8 245.2 245.2	2685.2 2685.2 2684.8 2684.8	010 050 010 050	07N/10W-05N03S	2398.0	10-27-66	292.2	2105.8	010
08N/15W-34G01S	2860.0	10-19-66 4-21-67	220.6 220.5	2639.4 2639.5	050	07N/10W-14O01S	2464.0	10-27-66 3-16-67	348.6 339.7	2115.4 2124.3	010
08N/15W-36M01S	2785.0	10-19-66 4-21-67	99.0 103.1	2686.0 2681.9	050	07N/10W-31M01S	2505.3	10-27-66 4-21-67	(1) 338.3	2167.0	010
08N/16W-06G01S	2960.0	10-19-66 4-21-67	263.5 (9)	2696.5	050	07N/11W-01Q01S	2385.0	10-27-66	215.3	2169.7	010
08N/16W-08G01S	2915.0	10-19-66 10-20-66 4-21-67	(1) 334.5 (4) (9)	2580.5	050	07N/11W-06A01S	2351.0	3-16-67	DRY	010	010
08N/16W-14L01S	2859.0	10-19-66 4-21-67	158.6 154.7	2700.4 2704.3	050	07N/11W-13Q01S	2434.0	10-27-66	(1)	010	010
08N/16W-14L02S	2863.0	4-21-67	134.8	2728.2	050	07N/11W-17E01S	2396.0	10-27-66 3-16-67	203.3 (1)	2192.7	010
08N/16W-15N01S	2970.0	10-20-66 4-21-67	(1) 59.1	2910.9	050	07N/11W-19Q01S	2418.0	10-27-66	216.0 (2)	2202.0	010
08N/16W-15N02S	2947.0	10-19-66	17.2	2929.8	050	07N/11W-33N01S	2473.0	10-27-66 3-16-67	(1) 294.5	2178.5	010
08N/16W-15N03S	2970.0	10-20-66 4-21-67	59.0 72.7	2911.0 2897.3	050	07N/12W-13F01S	2382.0	10-27-66 3-16-67	163.9 163.0	2218.1 2219.0	010
08N/16W-18H01S	2995.0	10-19-66 4-21-67	115.2 116.2 (9)	2879.8 2878.8	050	07N/12W-15F02S	2354.0	10-28-66 3-16-67	154.8 145.2	2199.2 2208.8	010
08N/16W-18H02S	2989.0	10-19-66 4-21-67	283.6 (4)	2705.4	050	07N/12W-25M01S	2455.0	10-27-66 3-16-67	242.2 242.3	2212.8 2212.7	010
08N/16W-22Q04S	3050.0	10-19-66 4-21-67	58.8 45.6	2991.2 3004.4	050	07N/12W-28P01S	2447.0	10-27-66 3-16-67	236.9 245.6	2210.1 2201.4	010
08N/16W-23G01S	2913.0	10-19-66 4-21-67	83.3 84.2	2829.7 2828.8	050	07N/13W-09N01S	2395.0	10-17-66 4-19-67	123.6 121.5	2271.4 2273.5	050
08N/17W-11D01S	2992.0	10-19-66 4-21-67	311.1 299.2	2680.9 2692.8	050	07N/13W-14E01S	2350.0	10-19-66 4-18-67	181.8 168.5	2168.2 2181.5	050
08N/17W-14E02S	3045.0	10-19-66	57.6	2987.4	050	07N/13W-14E02S	2350.0	10-19-66 4-18-67	188.5 176.3	2161.5 2173.7	050
						07N/13W-15N01S	2358.0	10-18-66 4-18-67	40.2 40.1	2317.8 2317.9	050
						07N/13W-15N02S	2360.0	10-18-66	(9)	050	050
						07N/13W-16J01S	2361.0	10-18-66 4-18-67	46.6 (2)	2314.4	050
						07N/13W-17D02S	2421.0	11-17-66 4-19-67	238.0 276.4	2183.0 2144.6	050
						07N/13W-19A01S	2424.0	10-20-66 4-19-67	225.5 269.8	2198.5 2154.2	050
						07N/13W-24B01S	2351.0	10-19-66 4-18-67	63.5 64.0	2287.5 2287.0	050

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANTELOPE HYDRO UNIT						W-26.00					
ANTELOPE HYDRO SUBUNIT LANCASTER HYDRO SUBAREA			W-26.A0		W-26.A5	ANTELOPE HYDRO SUBUNIT LANCASTER HYDRO SUBAREA			W-26.A0		W-26.A5
07N/13W-270015	2425.0	10-18-66 4-18-67	359.2 331.7	2065.8 2093.3	050	08N/12W-22M015	2302.0	3-16-67	42.5	2259.5	010
07N/13W-35E015	2443.0	10-19-66 4-18-67 4-20-67	(1) (1) 330.5	2112.5	050	(CONT.)					
07N/14W-10E015	2543.0	10-17-66 4-19-67	349.4 (1) 307.1	2233.6 2275.9	050	08N/12W-30K015	2324.0	10-27-66 3-17-67	99.5 89.3	2224.5 2234.7	010
07N/14W-10F015	2557.0	10-17-66 4-19-67	(7) 315.2	2241.8	050	08N/12W-30N015	2328.0	10-17-66 4-19-67	64.6 (4) 62.9 (4)	2263.4 2265.1	050
07N/14W-10P015	2583.0	10-17-66 4-19-67	DRY DRY		050	08N/13W-05E015	2440.0	10-17-66 4-17-67	324.8 307.0	2115.2 2133.0	050
07N/14W-13Q015	2490.0	10-17-66 4-19-67	287.4 286.3	2202.6 2203.7	050	08N/13W-07H015	2442.0	10-17-66 4-18-67	219.4 217.8	2222.6 2224.2	050
07N/14W-27B015	2835.0	10-17-66 4-19-67	(9) 128.5	2706.5	050	08N/13W-09K015	2402.0	10-17-66 4-18-67	220.4 216.1	2181.6 2185.9	050
08N/09W-06D015	2293.0	3-15-67	36.9	2256.1	010	08N/13W-14B015	2374.0	10-17-66 4-20-67	(1) 203.9	2170.1	050
08N/09W-06F015	2293.5	3-15-67	18.5	2275.0	010	08N/13W-17F015	2437.0	10-17-66 4-18-67	309.6 294.1	2127.4 2142.9	050
08N/10W-01C015	2300.0	10-25-66 3-15-67	(1) 90.2	2209.8	010	08N/13W-18E015	2465.0	10-17-66 4-20-67	278.3 274.8	2186.7 2190.2	050
08N/10W-01F015	2303.0	3-15-67	21.7	2281.3	010	08N/13W-19Q015	2457.0	10-17-66 4-18-67	304.7 295.1	2152.3 2161.9	050
08N/10W-02P015	2310.0	10-25-66 3-15-67	66.8 65.7	2243.2 2244.3	010	08N/13W-20B015	2430.0	10-17-66 4-20-67	300.0 281.1	2130.0 2148.9	050
08N/10W-08J015	2315.0	10-27-66 3-14-67	(1) 114.7	2200.3	010	08N/13W-21G015	2410.0	10-17-66 4-20-67	(9) (9)		050
08N/10W-08R035	2318.0	10-26-66 3-14-67 5-10-67 7-31-67	65.3 65.7 66.1 68.5	2252.7 2252.3 2251.9 2249.5	010	08N/13W-23M035	2360.0	10-17-66 4-20-67	199.3 (1)	2160.7	050
08N/10W-09P015	2321.0	10-27-66 3-14-67	61.9 62.4	2259.1 2258.6	010	08N/13W-26Q025	2359.0	10-17-66 4-20-67	143.7 136.7	2215.3 2222.3	050
08N/10W-19N045	2338.0	10-27-66 3-16-67	115.0 118.3	2223.0 2219.7	010	08N/13W-27P015	2367.0	10-17-66	(2)		050
08N/10W-19Q015	2342.0	10-27-66 3-16-67	110.0 106.7	2232.0 2235.3	010	08N/13W-27P025	2365.0	10-17-66 4-19-67	123.5 121.5	2241.5 2243.5	050
08N/10W-23F015	2350.0	10-27-66 3-15-67	102.9 104.0	2247.1 2246.0	010	08N/13W-32N025	2425.0	10-17-66 4-19-67	(1) (1)		050
08N/10W-28B015	2358.0	10-27-66 3-16-67	130.8 131.5	2227.2 2226.5	010	08N/13W-33Q035	2387.0	10-17-66 4-19-67	172.1 167.9	2214.9 2219.1	050
08N/11W-14R015	2317.0	10-27-66 3-16-67	93.7 95.0	2223.3 2222.0	010	08N/13W-36M015	2342.0	10-17-66 4-19-67	127.8 (1) 131.3	2214.2 2210.7	050
08N/11W-15Q015	2307.0	10-27-66 3-16-67	88.8 89.0	2218.2 2218.0	010	08N/14W-02Q015	2490.0	10-17-66 4-19-67	323.5 322.7	2166.5 2167.3	050
08N/11W-18L015	2297.0	3-16-67	9.0	2288.0	010	08N/14W-14R015	2494.0	10-17-66 4-18-67	224.4 226.0	2269.6 2268.0	050
08N/11W-18Q015	2298.0	3-16-67	19.8	2278.2	010	08N/14W-15G015	2525.0	10-17-66	260.1	2264.9	050
08N/11W-22P015	2317.0	10-27-66 3-16-67	103.5 103.1	2213.5 2213.9	010	08N/14W-25M015	2456.0	10-17-66 4-20-67	316.5 294.7	2139.5 2161.3	050
08N/11W-23R015	2332.0	10-27-66 3-16-67	121.3 128.9	2210.7 2203.1	010	08N/14W-36M015	2488.0	10-17-66 4-19-67	300.6 292.4	2187.4 2195.6	050
08N/11W-27R025	2341.0	10-27-66 3-16-67	162.8 172.3	2178.2 2168.7	010	09N/08W-06M015	2387.0	10-27-66 3-15-67	(1) 149.7	2237.3	010
08N/11W-32E015	2340.0	10-27-66 3-16-67	90.5 90.6	2249.5 2249.4	010	09N/08W-06M025	2395.0	10-26-66 3-15-67	162.9 (1) 160.3	2232.1 2234.7	010
08N/11W-34Q025	2340.0	10-27-66 3-16-67	151.1 (1) 148.4	2188.9 2191.6	010	09N/08W-18F015	2397.2	3-15-67	154.6	2242.6	010
08N/11W-34R025	2358.0	10-27-66 3-16-67	189.7 181.9	2168.3 2176.1	010	09N/09W-02Q015	2274.8	10-27-66 3-15-67	(1) 40.3	2234.5	010
08N/12W-02Q015	2283.0	10-28-66 3-16-67	38.7 34.3	2244.3 2248.7	010	09N/09W-04E015	2275.0	10-27-66 7-23-67 8-30-67	(1) 33.7 33.6	2241.3 2241.4	010
08N/12W-06E015	2345.0	10-18-66 4-18-67	95.5 92.7	2249.5 2252.3	050	09N/09W-06E015	2290.2	10-26-66 3-14-67	45.4 45.6	2244.8 2244.6	010
08N/12W-14R015	2291.0	3-16-67	54.1	2236.9	010	09N/09W-10R015	2280.0	3-15-67	49.3	2230.7	010
08N/12W-20B025	2317.5	10-27-66 3-16-67	77.3 65.6	2240.2 2251.9	010	09N/09W-12F015	2288.8	3-15-67	50.9	2237.9	010
08N/12W-22M015	2302.0	10-28-66	59.0	2243.0	010	09N/09W-13N015	2350.2	10-26-66	114.6	2235.6	010
						09N/09W-14P025	2283.5	10-26-66	63.9 (4)	2219.6	010
						09N/09W-15J015	2297.0	10-26-66	51.7 (4)	2245.3	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANTELOPE HYDRO UNIT						W-26.00					
ANTELOPE HYDRO SUBUNIT			W-26.A0			ANTELOPE HYDRO SUBUNIT			W-26.A0		
LANCASTER HYDRO SUBAREA			W-26.A5			LANCASTER HYDRO SUBAREA			W-26.A5		
09N/09W-17R01S	2275.0	8-30-67	44.5	2230.5	010	09N/13W-29E01S	2450.0	4-19-67	(1)		050
09N/09W-18C01S	2280.3	10-25-66	89.6 (1)	2190.7	010	(CONT.)					
		3-14-67	58.6	2221.7		09N/13W-29J01S	2435.0	10-18-66	(1)		050
09N/09W-23B01S	2319.9	10-26-66	86.7 (4)	2233.2	010			4-19-67	(1)		
09N/09W-27H02S	2280.0	10-26-66	45.3	2234.7	010	09N/13W-35P01S	2378.0	10-18-66	153.4 (3)	2224.6	050
		3-15-67	45.9	2234.1				4-18-67	195.9 (3)	2182.1	
09N/09W-29M01S	2272.0	7-23-67	43.9	2228.1	010	09N/13W-36G01S	2360.0	10-18-66	101.6	2258.4	050
		8-30-67	43.7	2228.3				4-18-67	101.4	2258.6	
09N/10W-08P01S	2372.0	10-26-66	84.9	2287.1	010	09N/14W-23D01S	2550.0	10-18-66	(4)		050
		3-14-67	85.7	2286.3				4-19-67	304.7	2245.3	050
09N/10W-12R01S	2280.0	10-25-66	60.5	2219.5	010	09N/14W-27R01S	2550.0	10-18-66	301.9	2248.1	
		12-29-66	57.5	2222.5				4-19-67			
		3-14-67	57.4	2222.6		10N/09W-28K01S	2275.0	7- -67	(4)		010
		5-10-67	60.2	2219.8				8- -67	(4)		
		7-31-67	63.4	2216.6		10N/09W-31C01S	2280.0	10-24-66	38.7	2241.3	010
09N/10W-16C01S	2333.0	10-26-66	70.2	2262.8	010			3-14-67	38.6	2241.4	
09N/10W-16C02S	2328.0	10-25-66	96.1	2231.9	010	10N/09W-34K01S	2275.0	7- -67	48.8	2226.2	010
		3-14-67	95.0	2233.0				8- -67	48.7	2226.3	
09N/10W-16M01S	2325.0	10-26-66	90.2	2234.8	010	10N/09W-36G01S	2282.4	10-26-66	47.9	2234.5	010
09N/10W-16P01S	2322.0	10-26-66	(1)		010			3-15-67	48.4	2234.0	
		3-14-67	85.1	2236.9		NORTH MUROC HYDRO SUBAREA					W-26.A6
09N/10W-22J02S	2285.0	10-27-66	71.8	2213.2	010	10N/09W-04D01S	2280.0	10-24-66	107.9 (2)	2172.1	010
		3-14-67	72.4	2212.6				10-25-66	108.0 (2)	2172.0	
09N/10W-24C01S	2285.0	10-25-66	168.4 (1)	2116.6	010			12-29-66	106.5 (2)	2173.5	
		3-14-67	109.6	2175.4				12-29-66	106.5 (2)	2173.5	
09N/10W-24E01S	2280.0	10-25-66	212.0 (1)	2068.0	010			3-13-67	104.7	2175.3	
		3-14-67	92.0	2188.0				3-13-67	104.7	2175.3	
09N/10W-24F01S	2281.2	10-25-66	(1)		010			5-10-67	107.3	2172.7	
		3-14-67	78.8	2202.4				7-31-67	110.9	2169.1	
09N/10W-24G01S	2280.0	10-25-66	144.0 (1)	2136.0	010	10N/09W-04D02S	2306.9	10-25-66	(1)		010
		10-25-66	86.2 (4)	2193.8							
		3-14-67	72.1	2207.9		10N/09W-05R01S	2274.0	7- -67	70.7	2203.3	010
09N/10W-24N01S	2273.0	10-26-66	65.2	2207.8	010			8- -67	70.5	2203.5	
		3-14-67	62.8	2210.2		10N/09W-07A02S	2276.9	10-24-66	72.1	2204.8	010
09N/10W-25M01S	2274.0	7-14-67	14.7	2259.3	010			3-13-67	72.3	2204.6	
		8-30-67	14.5	2259.5		10N/09W-16P01S	2275.0	7- -67	(4)		010
09N/10W-28F02S	2290.0	3-14-67	61.9	2228.1	010			8- -67	(4)		
09N/10W-34D01S	2285.0	3-14-67	75.0	2210.0	010	10N/09W-20F01S	2275.0	7- -67	48.2	2226.8	010
09N/10W-34M01S	2285.0	10-26-66	61.0	2224.0	010			8- -67	47.1	2227.9	
		12-28-66	57.0	2228.0		10N/09W-24A02S	2292.0	10-24-66	74.7	2217.3	010
		3-14-67	57.5	2227.5				3-13-67	74.9	2217.1	
		5-10-67	58.3	2226.7		11N/08W-20H01S	2379.1	3-13-67	171.9	2207.2	010
		7-31-67	62.8	2222.2		11N/08W-29K01S	2351.8	3-13-67	148.3	2203.5	010
09N/11W-21N01S	2290.0	7-31-67	8.4	2281.6	010	11N/08W-32G01S	2342.1	10-25-66	133.3	2208.8	010
		8-30-67	8.4	2281.6				3-13-67	128.6	2213.5	
09N/11W-36L01S	2290.0	3-14-67	72.2	2217.8	010	11N/08W-35D01S	2382.0	3-13-67	191.1	2190.9	010
09N/12W-17N02S	2385.0	10-18-66	116.7	2268.3	050	11N/09W-17N01S	2319.9	10-25-66	136.0	2183.9	010
		4-18-67	115.9	2269.1				3-13-67	136.4	2183.5	
09N/12W-21D03S	2350.0	10-27-66	92.1	2257.9	010	11N/09W-30H01S	2298.3	3-13-67	99.3	2199.0	010
		3-16-67	91.3	2258.7		11N/09W-30N01S	2328.0	10-25-66	121.4	2206.6	010
09N/12W-23N01S	2294.0	10-28-66	44.7	2249.3	010			3-13-67	123.9	2204.1	
		3-16-67	43.7	2250.3		11N/09W-32D01S	2302.5	10-25-66	110.5 (4)	2192.0	010
09N/12W-27J01S	2298.0	10-28-66	DRY		010	11N/09W-36A01S	2323.8	3-13-67	121.7	2202.1	010
09N/12W-31N01S	2347.0	10-28-66	124.2	2222.8	010	11N/09W-36R01S	2312.5	3-13-67	102.2	2210.3	010
		3-17-67	(1)			BUTTES HYDRO SUBAREA					W-26.A7
		3-22-67	125.7	2221.3		05N/11W-04E01S	2695.0	10-19-66	159.1	2535.9	050
09N/12W-35N01S	2295.0	10-28-66	33.7	2261.3	010			4-17-67	155.5	2539.5	
		3-16-67	32.4	2262.6		05N/12W-12A02S	2893.0	11-22-66	30.5	2862.5	101
09N/13W-17R01S	2450.0	10-18-66	158.9	2291.1	050	05N/12W-14L01S	3140.0	11-21-66	299.0	2841.0	101
		4-19-67	161.1	2288.9		06N/09W-04H02S	2595.0	10-19-66	169.4	2425.6	050
09N/13W-23B01S	2410.0	10-18-66	186.8	2223.2	050			4-17-67	168.6 (4)	2426.4	
		4-18-67	177.5	2232.5		06N/10W-20P01S	2637.0	1-26-67	230.7	2406.3	050
09N/13W-26E01S	2385.0	10-18-66	119.2	2265.8	050						
		4-18-67	119.1	2265.9							
09N/13W-29E01S	2450.0	10-18-66	(1)		050						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANTELOPE HYDRO UNIT						W-26.00					
ANTELOPE HYDRO SUBUNIT						W-26.A0					
BUTTES HYDRO SUBAREA						W-26.A7					
06N/10W-20P015 (CONT.)	2637.0	4-17-67	229.7	2407.3	050						
		8-15-67	230.6	2406.4							
ROCK CREEK HYDRO SUBAREA						W-26.A8					
05N/09W-20K015	3177.0	10-03-66	216.8	2960.2	101						
		11-27-66	209.9	2967.1							
		1-09-67	208.2	2968.8							
		2-14-67	216.0	2961.0							
		3-06-67	195.7	2981.3							
		4-10-67	195.9	2981.1							
		5-09-67	198.0	2979.0							
		6-06-67	192.2	2984.8							
		7-11-67	196.6	2980.4							
		8-01-67	199.8	2977.2							
		9-11-67	188.2	2988.8							
05N/10W-06N015	2777.2	10-03-66	123.3	2653.9	101						
		10-03-66	123.1	2654.1	010						
		11-27-66	120.5	2656.7	101						
		11-27-66	120.3	2656.9	010						
		1-09-67	119.4	2657.8	101						
		1-09-67	119.2	2658.0	010						
		2-14-67	120.0	2657.2	101						
		2-14-67	119.8	2657.4	010						
		3-06-67	119.0	2658.2	101						
		3-06-67	118.8	2658.4	010						
		4-10-67	117.9	2659.3	101						
		4-10-67	117.7	2659.5	010						
		5-08-67	117.9	2659.3	101						
		5-08-67	117.7	2659.5	010						
		6-06-67	118.6	2658.6	101						
		6-06-67	118.4	2658.8	010						
		7-11-67	120.1	2657.1	101						
		7-11-67	119.9	2657.3	010						
		8-01-67	120.9	2656.3	101						
		8-01-67	120.7	2656.5	010						
		9-11-67	118.2	2659.0	101						
		9-11-67	118.0	2659.2	010						
06N/09W-140015	2716.0	10-19-66	162.8	2553.2	050						
		4-17-67	164.0	2552.0							
06N/09W-29G015	2782.0	10-19-66	(1)		050						
		4-17-67	85.5	2696.5							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CUDEBACK HYDRO UNIT						W-27.00					
30S/42E-10L01M	2590.0	10-17-66	71.1	2518.9	010						
		3-13-67	70.8	2519.2							
30S/42E-18R01M	2635.0	10-17-66	98.9	2536.1	010						
		3-13-67	98.8	2536.2							
30S/42E-20D01M	2630.0	10-17-66	90.0	2540.0	010						
		3-13-67	90.5	2539.5							
30S/42E-24L01M	2656.0	10-17-66	147.8(1)	2508.2	010						
		3-13-67	149.5	2506.5							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT						W-28.00					
EL MIRAGE HYDRO SUBUNIT			W-28.A0			UPPER MOJAVE HYDRO SUBUNIT			W-28.80		
05N/07W-09H01S	3211.1	10-17-66 3-21-67	284.4 284.2	2926.7 2926.9	010	03N/03W-06E02S	2940.0	10-18-66 3-22-67	37.3 4.3	2902.7 2935.7	010
06N/06W-18P01S	3894.3	11-17-66 4-05-67	1051.1 1050.9	2843.2 2843.4	100	03N/04W-13802S	3005.3	11-18-66 4-04-67	87.6 77.9	2917.7 2927.4	100
06N/07W-10P01S	2865.0	11-17-66 4-05-67	32.7 35.9(1)	2832.3 2829.1	100	03N/04W-29P01S	3187.0	11-18-66 4-04-67	8.9 7.9	3178.1 3179.1	100
06N/07W-12N02S	2860.0	10-17-66 3-21-67	11.3 13.5	2848.7 2846.5	010	04N/03W-01M01S	3037.0	11-17-66 4-04-67	225.6 225.5	2811.4 2811.5	100
06N/07W-26R01S	3005.0	11-17-66 4-05-67	(7) 125.0		100	04N/03W-06D02S	2870.0	11-17-66 1-05-67 3-02-67 4-04-67 5-04-67 6-08-67 7-07-67 8-01-67 9-13-67	71.8 69.4 68.4 68.1 66.7 65.6(1) 65.5 66.0 66.7	2798.2 2800.6 2801.6 2801.9 2803.3 2804.4 2804.5 2804.0 2803.3	100
06N/07W-27N01S	3020.0	11-17-66 4-05-67	(7) 135.9	2884.1	100	04N/03W-07P01S	2860.0	11-17-66 1-05-67 3-02-67 4-04-67 5-04-67 6-08-67 7-07-67 8-01-67 9-13-67	47.2 44.1 42.6 39.9 46.9(1) 49.0(1) (1) (1) (1)	2812.8 2815.9 2817.4 2820.1 2813.1 2811.0	100
07N/07W-27L01S	2835.0	10-17-66 4-21-67	58.8 60.7	2776.2 2774.3	010	04N/03W-10R01S	3090.0	10-18-66 3-22-67	272.4 272.3	2817.6 2817.7	010
						04N/03W-18E01S	2866.6	10-18-66 3-22-67	50.6 39.1	2816.0 2827.5	010
						04N/04W-08G01S	3165.0	10-17-66 11-18-66 1-05-67 3-02-67 4-04-67 4-21-67 5-04-67 6-08-67 7-07-67 8-01-67 9-13-67	347.8 347.5 346.4 347.3 347.3 347.5 347.3 347.3 393.3 (1) (1)	2817.2 2817.5 2818.6 2817.7 2817.7 2817.5 2817.7 2817.7 2771.7	010 100 010 100
						04N/05W-22H01S	3551.9	10-17-66 3-21-67	679.2 675.5	2872.7 2876.4	010
						05N/02W-33N01S	3030.0	10-22-66 12-17-66 3-04-67 6-03-67 9-23-67	169.1 169.0 169.0 169.2 169.9	2860.9 2861.0 2861.0 2860.8 2860.1	713
						05N/03W-03D02S	2920.0	11-17-66 4-04-67	117.7 114.6	2802.3 2805.4	100
						05N/03W-13D01S	2930.0	11-17-66 4-04-67	102.1 102.4	2827.9 2827.6	100
						05N/03W-14G01S	2916.0	10-18-66 3-21-67	92.0 92.2	2824.0 2823.8	010
						05N/03W-19E01S	2875.0	10-18-66 3-22-67	102.9 100.4	2772.1 2774.6	010
						05N/03W-24N01S	2927.7	11-17-66 4-04-67	108.7 109.0	2819.0 2818.7	100
						05N/03W-27F01S	2955.0	10-18-66	137.5	2817.5	010
						05N/03W-35N01S	2984.0	11-17-66 4-04-67	169.4 169.0	2814.6 2815.0	100
						05N/04W-04Q03S	2708.0	10-18-66 3-21-67	7.6 7.0	2700.4 2701.0	010
						05N/04W-11P01S	2788.3	10-18-66 3-21-67	58.5 55.8	2729.8 2732.5	010
						05N/04W-21E01S	2890.0	10-17-66 3-21-67	124.1 116.0	2765.9 2774.0	010
						05N/04W-36N01S	2827.0	10-18-66 3-22-67	31.4 22.2	2795.6 2804.8	010
						05N/05W-04C01S	2945.0	10-17-66 4-21-67	134.7 132.9	2810.3 2812.1	010
						05N/05W-22E02S	3121.0	10-17-66 3-21-67	314.0 313.6	2807.0 2807.4	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT						W-28.00					
UPPER MOJAVE HYDRO SUBUNIT			W-28.80			MIDDLE MOJAVE HYDRO SUBUNIT			W-28.00		
05N/06W-12N01S	3100.0	3-21-67	182.5	2917.5	010	08N/01W-29F01S	2869.2	11-16-66 3-30-67	92.1 99.1(1)	2777.1 2770.1	100
06N/03W-09E04S	3085.0	11-18-66 4-04-67	31.1 33.0(1)	3053.9 3052.0	100	08N/03W-07N03S	2340.0	11-17-66 1-05-67 3-02-67 4-05-67 5-04-67 6-08-67 7-07-67 8-01-67 9-13-67	38.6 36.2 33.7 32.9 31.1(2) 29.5(2) 28.8 28.4 29.0	2301.4 2303.8 2306.3 2307.1 2308.9 2310.5 2311.2 2311.6 2311.0	100
06N/03W-28R01S	2968.0	10-18-66 3-21-67	173.1 169.8	2794.9 2798.2	010	08N/04W-12Q01S	2329.0	10-19-66 3-15-67	19.3 18.6	2309.7 2310.4	010
06N/04W-06E06S	2580.0	10-10-66 3-16-67	47.7 42.8	2532.3 2537.2	010	08N/04W-20N01S	2407.7	11-17-66 4-05-67	31.6 28.0	2376.1 2379.7	100
06N/04W-18P02S	2610.0	10-20-66 3-16-67	24.0(1) 11.1	2586.0 2598.9	010	08N/04W-21F02S	2385.0	10-19-66 3-15-67	8.6 6.8	2376.4 2378.2	010
06N/04W-32G04S	2750.0	10-20-66 3-16-67	46.3 46.6	2703.7 2703.4	010	08N/04W-30E01S	2470.0	11-17-66 4-05-67	71.5 70.3	2398.5 2399.7	100
06N/05W-08F01S	2780.0	10-17-66 3-13-67	79.3(1) 83.0	2700.7 2697.0	010	09N/02W-04D02S	2160.0	11-18-66 3-31-67	54.5 54.0	2105.5 2106.0	100
06N/05W-09R01S	2780.0	10-17-66 3-13-67	96.6 101.5	2683.4 2678.5	010	09N/02W-20R01S	2293.0	11-18-66 1-05-67 3-02-67 4-04-67 5-04-67 6-08-67 7-07-67 8-01-67 9-13-67	122.9 123.0 123.4 123.6 123.8 124.1 124.4 124.6 124.9	2170.1 2170.0 2169.6 2169.4 2169.2 2168.9 2168.6 2168.4 2168.1	100
06N/05W-19C01S	2820.0	10-17-66 3-13-67	65.0 64.9	2755.0 2755.1	010	09N/03W-11N01S	2209.0	11-17-66 3-31-67	54.5 54.9	2154.5 2154.1	100
06N/05W-28F01S	2875.6	11-17-66 4-05-67	121.1 120.9	2754.5 2754.7	100	09N/03W-13R01S	2245.0	10-19-66 3-15-67	86.9 87.5	2158.1 2157.5	010
06N/05W-29H01S	2880.0	10-17-66 3-13-67	105.7 109.5	2774.3 2770.5	010	09N/03W-27L02S	2250.0	10-19-66 3-15-67	19.3 15.0	2230.7 2235.0	010
06N/05W-30R01S	2880.0	10-17-66 3-13-67	106.5 106.5	2773.5 2773.5	010	09N/03W-28A03S	2245.0	11-17-66 3-31-67	52.9 44.0	2192.1 2201.0	100
06N/05W-32R02S	2945.0	11-17-66 4-05-67	129.4 129.2	2815.6 2815.8	100	10N/02W-19P01S	2216.0	11-18-66 1-05-67 3-02-67 3-31-67 5-04-67 6-08-67 7-07-67 8-01-67 9-13-67	102.6 102.4 105.5(4) 102.8 103.3 104.6 103.8 104.0 104.2	2113.4 2113.6 2110.5 2113.2 2112.7 2111.4 2112.2 2112.0 2111.8	100
06N/06W-14P03S	2835.0	10-17-66 3-21-67	46.9 46.2	2788.1 2788.8	010	10N/02W-32K01S	2170.0	11-18-66 3-31-67	57.7 57.8	2112.3 2112.2	100
06N/06W-21A01S	2860.0	11-17-66 4-05-67	63.0 62.4	2797.0 2797.6	100	10N/03W-10R01S	2135.0	10-19-66 3-15-67	66.2 59.4	2068.8 2075.6	010
06N/06W-28H01S	2948.9	11-17-66 4-05-67	(7) (7)		100	10N/03W-15H02S	2145.0	3-31-67	(4)		100
07N/04W-18D01S	2475.0	10-20-66 3-16-67	15.2 11.0	2459.8 2464.0	010	10N/03W-27D01S	2164.6	11-18-66 1-05-67 3-02-67 3-31-67 5-04-67 6-08-67 7-07-67 8-01-67 9-13-67	61.8 61.3 61.5 61.5 61.9 62.1 62.4 62.5 62.7	2102.8 2103.3 2103.1 2103.1 2102.7 2102.5 2102.2 2102.1 2101.9	100
07N/04W-30C01S	2561.5	10-20-66 11-17-66 1-05-67 3-02-67 3-16-67 4-05-67 5-04-67 6-08-67 7-07-67 8-01-67 9-13-67	61.2 60.7 60.4 60.0 60.0 60.1 60.1 60.2 60.4 62.4 60.8	2500.3 2500.8 2501.1 2501.5 2501.5 2501.4 2501.4 2501.3 2501.1 2499.1 2500.7	010 100 010 100	10N/03W-27R01S	2185.0	11-18-66 3-31-67	109.2 108.7	2075.8 2076.3	100
07N/05W-07N01S	2780.0	10-17-66 3-13-67	147.9 (1)	2632.1	010	10N/03W-29H01S	2206.0	11-17-66 3-31-67	55.5 55.7	2150.5 2150.3	100
07N/05W-15P01S	2705.0	10-17-66 3-13-67	132.1 134.6	2572.9 2570.4	010	10N/03W-33J01S	2230.0	10-19-66 3-15-67	87.7 (4)	2142.3	010
07N/05W-22N02S	2715.0	10-17-66 3-13-67	88.9 88.7	2626.1 2626.3	010	10N/03W-35N01S	2212.0	10-19-66 3-15-67	104.1 104.3	2107.9 2107.7	010
08N/04W-31R01S	2449.0	10-20-66 3-16-67	16.1 22.5	2432.9 2426.5	010	10N/03W-35Q01S	2200.0	11-18-66 3-31-67	119.1 114.0	2080.9 2086.0	100
						10N/03W-36J02S	2180.0	11-18-66 11-18-66 1-05-67 3-02-67	76.3(1) 76.3(1) 73.4 76.1	2103.7 2103.7 2106.6 2103.9	100

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT						W-28.00					
MIDDLE MOJAVE HYDRO SUBUNIT			W-28.C0			HARPER HYDRO SUBUNIT			W-28.D0		
						HARPER HYDRO SUBAREA			W-28.D2		
10N/03W-36J025 (CONT.)	2180.0	3-31-67	76.8	2103.2	100	10N/04W-10D015	2135.0	10-19-66	180.3	1954.7	010
		3-31-67	76.8	2103.2				3-15-67	178.3	1956.7	
		5-04-67	78.1(1)	2101.9		10N/05W-03J015	2270.0	10-19-66	227.1	2042.9	010
		6-08-67	80.8	2099.2				3-15-67	227.6	2042.4	
		7-07-67	80.7(1)	2099.3		10N/06W-05E035	2472.0	10-17-66	(1)		010
		8-01-67	80.6(1)	2099.4				3-13-67	(1)		
		9-13-67	82.8	2097.2		11N/03W-07D015	2082.0	10-19-66	63.7	2018.3	010
								11-17-66	78.5	2003.5	100
								3-15-67	64.5	2017.5	010
								3-31-67	78.8	2003.2	100
						11N/03W-28R025	2075.0	10-19-66	38.5	2036.5	010
								11-17-66	41.5	2033.5	100
								3-15-67	39.7	2035.3	010
								3-31-67	40.9	2034.1	100
						11N/03W-30A015	2030.8	10-19-66	2.3	2028.5	010
								3-15-67	2.0	2028.8	
						11N/03W-30A025	2033.0	10-19-66	1.2	2031.8	010
								3-15-67	1.7	2031.3	
						11N/03W-30J015	2033.0	11-17-66	.0	2033.0	100
								3-31-67	.5	2032.5	
						11N/03W-30J025	2030.8	11-17-66	2.2	2028.6	100
								3-31-67	1.9	2028.9	
						11N/03W-32R015	2064.0	11-17-66	16.9	2047.1	100
								3-31-67	17.0	2047.0	
						11N/04W-04R015	2036.0	10-19-66	38.3	1997.7	010
								3-15-67	37.8	1998.2	
						11N/04W-06H015	2060.6	10-19-66	63.1	1997.5	010
								3-15-67	61.3	1999.3	
						11N/04W-19H015	2039.1	11-17-66	112.8	1926.3	100
								3-31-67	117.1	1922.0	
						11N/04W-19L015	2080.0	10-19-66	158.7	1921.3	010
								3-15-67	146.0	1934.0	
						11N/04W-28N025	2044.0	11-17-66	101.7	1942.3	100
								3-31-67	107.7	1936.3	
						11N/04W-29R015	2085.0	10-19-66	113.9	1971.1	010
								3-15-67	108.1	1976.9	
						11N/04W-30P015	2110.0	10-19-66	158.1	1951.9	010
								3-15-67	157.1	1952.9	
						11N/04W-31H015	2075.9	11-17-66	154.7(3)	1921.2	100
								3-31-67	149.7	1926.2	
						11N/05W-13H015	2036.2	11-07-66	95.0	1941.2	100
								3-31-67	95.0	1941.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT						W-28.00					
LOWER MOJAVE HYDRO SUBUNIT			W-28.E0			TROY HYDRO SUBUNIT TROY HYDRO SUBAREA			W-28.F0		
									W-28.F2		
09N/01E-03H01S	1948.0	11-16-66 3-30-67 3-30-67	93.1(4) (8) 86.1	1854.9 1861.9	100	08N/03E-04B03S	1819.6	11-16-66 3-29-67	11.4 13.3(1)	1808.2 1806.3	100
09N/01E-13E01S	1947.7	11-15-66 3-29-67	96.9 96.2	1850.8 1851.5	100	08N/04E-07E01S	1803.0	10-19-66 3-15-67	27.4 29.2	1775.6 1773.8	010
09N/01E-13E02S	1949.6	10-19-66 11-15-66 1-05-67 3-02-67 3-15-67 3-29-67 5-04-67 6-08-67 7-07-67 8-01-67 9-13-67	96.6 97.4 96.8 96.3 95.7 97.0 97.3 (2) 100.1 97.7 97.7	1853.0 1852.2 1852.8 1853.3 1853.9 1852.6 1852.3 1849.5 1851.9 1851.9	010 100 010 100	08N/04E-12L01S	1809.8	10-19-66 3-15-67	35.1 (7)	1774.7	010
09N/02E-03G02S	1860.0	11-16-66 3-30-67	10.4 11.4	1849.6 1848.6	100	09N/03E-19E01S	1860.1	11-16-66 3-29-67	17.5 18.1	1842.6 1842.0	100
09N/02E-14N02S	1886.0	11-16-66 1-05-67 3-02-67 3-29-67 5-04-67 6-08-67 7-07-67 8-01-67 9-13-67	43.5(4) 41.3 40.3 40.9 42.7 45.0(1) 44.5(1) 44.6 41.9	1842.5 1844.7 1845.7 1845.1 1843.3 1841.0 1841.5 1841.4 1844.1	100	09N/03E-19P01S	1856.8	10-18-66 3-14-67	15.1 16.2	1841.7 1840.6	010
09N/02E-20Q01S	1921.5	10-19-66 11-15-66 3-15-67 3-29-67	72.1 71.3 72.1 72.7	1849.4 1850.2 1849.4 1848.8	010 100 010 100	09N/03E-29G02S	1850.0	11-16-66 3-29-67	12.3 12.3	1837.7 1837.7	100
09N/03E-03D02S	1818.0	10-18-66 3-14-67	55.0 54.6	1763.0 1763.4	010	09N/03E-34O03S	1828.8	11-16-66 3-29-67	45.1 45.1	1783.7 1783.7	100
09N/03E-12O01S	1810.0	10-18-66 3-14-67	46.8 45.1	1763.2 1764.9	010						
09N/03E-15M01S	1830.0	11-16-66 3-29-67	54.6 59.6	1775.4 1770.4	100						
09N/03E-29A01S	1846.0	10-18-66 3-14-67	71.5 71.1	1774.5 1774.9	010						
09N/04E-07M02S	1803.0	11-16-66 1-05-67 3-02-67 3-29-67 5-04-67 6-08-67 7-07-67 8-01-67 9-13-67	34.9 35.1 34.8 35.2 35.8 36.0 36.8 37.7 38.0	1768.1 1767.9 1768.2 1767.8 1767.2 1767.0 1766.2 1765.3 1765.0	100						
10N/02E-32P01S	1905.5	11-16-66 3-30-67	53.8 54.0	1851.7 1851.5	100						
09N/01W-10D02S	2045.0	11-16-66 3-30-67	23.1 21.4	2021.9 2023.6	100						
09N/01W-10M02S	2097.4	11-16-66 3-30-67	88.7 89.2	2008.7 2008.2	100						
10N/01W-31C01S	2130.2	11-16-66 3-31-67	66.4 64.3	2063.8 2065.9	100						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT						W-28.00					
AFTON HYDRO SUBUNIT			W-28.G0			BAKER HYDRO SUBUNIT			W-28.H0		
CAVES HYDRO SUBAREA			W-28.G1			SILVER LAKE HYDRO SUBAREA			W-28.H1		
10N/03E-21A01S	1817.0	10-18-66	119.6	1697.4	010	15N/08E-22R01S	930.0	10-18-66	(4)		010
		11-16-66	115.3	1701.7	100						
		3-14-67	117.1	1699.9	010						
		3-30-67	114.5	1702.5	100						
10N/04E-04E01S	1740.0	11-16-66	89.8	1650.2	100	SOOA LAKE HYDRO SUBAREA			W-28.H2		
		3-30-67	89.7	1650.3		12N/08E-27X02S	990.0	10-18-66	20.9	969.1	010
								3-14-67	20.6	969.4	
11N/05E-16J01S	1638.8	10-18-66	187.4 (4)	1451.4	010	12N/08E-35X01S	970.0	10-18-66	8.0	962.0	010
		3-14-67	187.2	1451.6							
CRONESE HYDRO SUBAREA			W-28.G2			13N/08E-01H01S	930.0	10-18-66	23.0	907.0	010
								3-14-67	24.8	905.2	
12N/07E-18R01S	1075.0	10-18-66	21.1	1053.9	010	13N/09E-20J01S	980.0	10-18-66	65.7	914.3	010
		3-14-67	(7)					3-14-67	65.8	914.2	
12N/07E-18R02S	1075.0	10-18-66	18.4	1056.6	010	14N/09E-30K01S	958.0	10-18-66	76.3	881.7	010
		3-14-67	(7)					3-14-67	75.9	882.1	
12N/07E-30J01S	1100.0	10-18-66	52.6	1047.4	010						
		3-14-67	50.3	1049.7							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
LUCERNE HYDRO UNIT						X-01.00					
04N/01E-02L01S	2927.0	10-22-66	89.6	2837.4	713	05N/01W-25G01S (CONT.)	2850.0	6-03-67	78.9	2771.1	713
04N/01E-05H01S	2905.0	10-22-66	119.8	2785.2	713	05N/01W-35G01S	2855.0	10-18-66	55.0	2800.0	010
		10-24-66	120.1	2784.9	010			3-13-67	53.4	2801.6	
		12-17-66	117.6	2787.4	713	06N/01W-05J01S	3229.0	11-16-66	128.4	3100.6	100
		3-04-67	118.0	2787.0				3-30-67	121.0	3108.0	
		3-14-67	118.9	2786.1	010	06N/01W-22P01S	3059.0	11-16-66	169.0	2890.0	100
		6-03-67	121.3	2783.7	713			3-30-67	158.1	2900.9	
		9-23-67	124.0	2781.0		06N/01W-27801S	3040.0	10-27-66	151.5	2888.5	010
04N/01E-06L01S	2885.0	10-18-66	119.0	2766.0	010			3-13-67	150.6	2889.4	
		3-13-67	113.1	2771.9		06N/01W-35A01S	2970.0	10-27-66	192.4	2777.6	010
04N/01E-06R01S	2895.0	11-16-66	100.5	2794.5	100			3-13-67	192.8	2777.2	
		4-04-67	105.2(1)	2789.8		06N/01W-36K01S	2933.0	11-16-66	161.5	2771.5	100
04N/01E-07R01S	2945.0	10-20-66	101.4	2843.6	010			3-30-67	164.3	2768.7	
		3-13-67	104.9	2840.1		06N/01W-36K02S	2940.0	11-16-66	184.5	2755.5	100
04N/01E-10G02S	2960.0	10-24-66	145.5	2814.5	010			3-30-67	186.6(1)	2753.4	
		3-14-67	146.0	2814.0		04N/01E-02L01S	2927.0	12-17-66	89.8	2837.2	713
04N/01E-12P01S	2971.0	11-16-66	126.6	2844.4	100			3-04-67	89.9	2837.1	
		4-04-67	126.6	2844.4				6-03-67	90.7	2836.3	
04N/01E-13M01S	3020.0	10-24-66	173.8	2846.2	010			9-23-67	91.0	2836.0	
		3-14-67	174.6	2845.4		04N/01E-02M01S	2922.0	10-22-66	94.2	2827.8	713
05N/01E-10H02S	3032.0	10-20-66	(7)		010			12-17-66	94.3	2827.7	
		3-13-67	(7)					3-04-67	(1)		
05N/01E-17D01S	2880.0	10-20-66	95.5	2784.5	010			6-03-67	95.3	2826.7	
		10-22-66	97.0	2783.0	713			9-23-67	95.5	2826.5	
		12-17-66	96.9	2783.1		04N/01E-03F01S	2911.0	10-22-66	92.9	2818.1	713
		3-04-67	97.4	2782.6				12-17-66	93.5	2817.5	
		3-13-67	96.1	2783.9	010			3-04-67	93.6	2817.4	
		6-03-67	98.7	2781.3	713			6-03-67	93.9	2817.1	
		9-23-67	100.7	2779.3				9-23-67	94.5	2816.5	
05N/01E-20F01S	2860.0	10-20-66	77.1	2782.9	010	04N/01E-03L01S	2917.0	10-22-66	99.8	2817.2	713
		3-13-67	DRY					12-17-66	99.9	2817.1	
05N/01E-27H01S	2930.0	10-20-66	100.9	2829.1	010			3-04-67	100.6	2816.4	
		10-22-66	101.2	2828.8	713			6-03-67	100.9	2816.1	
		12-17-66	101.3	2828.7				9-23-67	101.6	2815.4	
		3-04-67	101.7	2828.3		04N/01E-05H02S	2905.0	12-17-66	118.8	2786.2	713
		3-13-67	101.2	2828.8	010			3-04-67	117.9	2787.1	
		6-03-67	101.8	2828.2	713			6-03-67	120.9	2784.1	
		9-23-67	101.9	2828.1				9-23-67	123.6	2781.4	
05N/01E-32C01S	2869.0	10-20-66	93.6	2775.4	010	04N/01E-07P02S	2950.0	10-22-66	121.0	2829.0	713
		3-13-67	92.3	2776.7				3-04-67	121.2	2828.8	
06N/01E-31Q01S	3030.0	11-16-66	251.1	2778.9	100			6-03-67	121.5	2828.5	
		3-30-67	252.0	2778.0				9-23-67	121.8	2828.2	
04N/01W-09Q01S	2975.0	11-16-66	43.1	2931.9	100	04N/01E-07R02S	2940.0	10-22-66	103.7	2836.3	713
		4-04-67	42.8	2932.2				12-17-66	103.8	2836.2	
04N/01W-11Q01S	2933.0	10-18-66	61.1	2871.9	010			3-04-67	104.3	2835.7	
		3-13-67	60.2	2872.8				6-03-67	104.1	2835.9	
04N/01W-12F01S	2915.0	10-18-66	145.8	2769.2	010			9-23-67	104.6	2835.4	
		3-13-67	146.5	2768.5		04N/01E-10F02S	2960.0	11-16-66	145.2	2814.8	100
04N/01W-12M03S	2930.0	10-18-66	73.8	2856.2	010			4-04-67	149.0	2811.0	
		3-13-67	73.6	2856.4		04N/01E-10Q01S	2988.0	1-18-67	169.1	2818.9	713
04N/01W-14801S	2945.0	10-18-66	3.7	2941.3	010			3-04-67	169.3	2818.7	
		3-13-67	1.9	2943.1				6-03-67	172.2	2815.8	
04N/01W-14P01S	3025.0	10-18-66	34.4	2990.6	010			9-23-67	172.4	2815.6	
		3-13-67	33.9	2991.1		04N/01E-11D02S	2940.0	10-22-66	106.7	2833.3	713
04N/02W-10D01S	3073.2	10-18-66	207.7	2865.5	010			12-17-66	106.8	2833.2	
		3-22-67	207.9	2865.3				3-04-67	107.0	2833.0	
04N/02W-13A01S	2980.0	11-16-66	67.8	2912.2	100			6-03-67	107.5	2832.5	
		4-04-67	67.0	2913.0				9-23-67	108.2	2831.8	
05N/01W-01C01S	2920.0	11-16-66	144.3	2775.7	100	04N/01E-11Q02S	2970.0	10-22-66	124.3	2845.7	713
		3-30-67	151.3(2)	2768.7				12-17-66	123.8	2846.2	
05N/01W-01L01S	2905.0	11-16-66	124.5	2780.5	100			3-04-67	124.6	2845.4	
		3-30-67	124.8	2780.2				6-03-67	124.9	2845.1	
05N/01W-01R03S	2890.0	10-20-66	109.9	2780.1	010			9-23-67	125.2	2844.8	
		3-13-67	110.3	2779.7		04N/01E-20A01S	3035.0	10-22-66	130.4	2904.6	713
05N/01W-22M01S	2850.0	10-18-66	59.1	2790.9	010			12-17-66	130.5	2904.5	
		3-13-67	DRY					3-04-67	130.3	2904.7	
05N/01W-25G01S	2850.0	10-20-66	72.9	2777.1	010			6-03-67	130.2	2904.8	
		10-22-66	72.7	2777.3	713			9-23-67	130.5	2904.5	
		12-17-66	66.5	2783.5		05N/01E-16C01S	2932.0	10-22-66	110.7	2821.3	713
		3-04-67	69.7	2780.3				12-17-66	111.0	2821.0	
		3-13-67	71.4	2778.6	010			3-04-67	110.6	2821.4	
								6-03-67	111.5	2820.5	
								9-23-67	111.7	2820.3	
						05N/01E-18J01S	2860.0	10-22-66	74.0	2786.0	713
								12-17-66	73.3	2786.7	
								3-04-67	74.0	2786.0	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
LUCERNE HYDRO UNIT						X-01.00					
05N/01E-18J015 (CONT.)	2860.0	6-03-67 9-23-67	74.1 77.5	2785.9 2782.5	713						
05N/01E-27D015	2908.0	10-22-66 12-17-66 3-04-67 6-03-67 9-23-67	94.0 94.3 94.1 94.8 95.2	2814.0 2813.7 2813.9 2813.2 2812.8	713						
04N/01W-02P015	2880.0	10-22-66 12-17-66 3-04-67 6-03-67 9-23-67	93.4 79.9 90.2 (1) 101.0	2786.6 2800.1 2789.8 2779.0	713						
04N/01W-03D015	2850.0	10-22-66 12-17-66 3-04-67 6-03-67 9-23-67	12.2 12.1 12.1 12.2 12.4	2837.8 2837.9 2837.9 2837.8 2837.6	713						
04N/01W-08N015	2940.0	10-22-66 12-17-66 3-04-67 6-03-67 9-23-67	14.6 14.6 14.6 14.6 15.0	2925.4 2925.4 2925.4 2925.4 2925.0	713						
04N/01W-10A015	2907.0	10-22-66 12-17-66 3-04-67 6-03-67 9-23-67	7.2 6.7 6.2 6.5 7.6	2899.8 2900.3 2900.8 2900.5 2899.4	713						
04N/01W-14A025	2965.0	10-22-66 12-17-66 3-04-67 6-03-67 9-23-67	78.9 79.1 79.0 79.3 79.7	2886.1 2885.9 2886.0 2885.7 2885.3	713						
04N/01W-14B025	2940.0	10-22-66 12-17-66 3-04-67 6-03-67	15.3 14.8 14.1 14.3	2924.7 2925.2 2925.9 2925.7	713						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA
JOHNSON HYDRO UNIT					
04N/03E-24Q01S	2833.0	10-24-66	55.7	2777.3	010
		3-14-67	55.4	2777.6	
04N/04E-19C01S	2775.0	10-24-66	43.6	2731.4	010
		3-14-67	43.2	2731.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
EMERSON HYDRO UNIT						X-05.00					
02N/05E-01A01S	2980.0	10-25-66	60.5	2919.5	010						
		3-14-67	60.6	2919.4							
02N/06E-30L01S	3325.0	10-25-66	322.3	3002.7	010						
		3-14-67	327.1	2997.9							
03N/07E-18D01S	2403.7	11-17-66	147.5	2256.2	010						
03N/07E-31E01S	2514.3	11-17-66	249.4	2264.9	010						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
DEADMAN HYDRO UNIT						X-07.00					
02N/07E-02C01S	2300.0	11-18-66 3-15-67	85.4 75.0	2214.6 2225.0	010						
02N/07E-03A01S	2300.9	11-17-66 3-15-67	113.8 109.8	2187.1 2191.1	010						
02N/07E-04H01S	2442.2	11-17-66 3-15-67	195.1 196.2	2247.1 2246.0	010						
02N/07E-14K01S	2532.1	11-17-66	337.0	2195.1	010						
03N/07E-35P02S	2270.8	3-15-67	76.7	2194.1	010						
03N/08E-17L01S	1850.4	11-17-66	48.0	1802.4	010						
03N/08E-29C01S	1890.9	11-17-66 3-15-67	87.9 88.5	1803.0 1802.4	010						
03N/08E-29L01S	1905.7	11-17-66 3-15-67	103.1 103.0	1802.6 1802.7	010						
03N/08E-33B01S	1845.7	11-17-66 3-15-67	43.9 43.9	1801.8 1801.8	010						
03N/08E-34D01S	1823.9	11-17-66 3-15-67	25.2 24.1	1798.7 1799.8	010						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
JOSHUA TREE HYDRO UNIT						X-08.00					
WARREN HYDRO SUBUNIT			X-08.A0			COPPER MOUNTAIN HYDRO SUBUNIT			X-08.B0		
01S/05E-02B01S	3240.0	10-25-66 3-14-67	191.5 192.3	3048.5 3047.7	010	01S/07E-27R01S	3770.0	10-26-66 3-15-67	134.7 136.8	3635.3 3633.2	010
01S/05E-02C02S	3305.0	11-14-66 3-28-67	219.3 220.9	3085.7 3084.1	100	02S/08E-03C01S	4300.0	10-26-66 3-15-67	93.2 92.0	4206.8 4208.0	010
01S/05E-04R02S	3520.0	11-14-66 3-28-67	74.4 75.2	3445.6 3444.8	100	02S/08E-21G02S	4480.0	10-26-66 3-15-67	36.0 39.7	4444.0 4440.3	010
01N/05E-35N01S	3296.6	11-14-66 3-28-67	206.7 207.6	3089.9 3089.0	100	01N/06E-04Q01S	3190.0	11-14-66 3-28-67	447.5 445.7	2742.5 2744.3	100
01N/05E-36K01S	3230.0	10-25-66 3-14-67	(1) (1)		010	01N/06E-09Q01S	3220.0	11-14-66 3-28-67	403.6 404.7	2816.4 2815.3	100
01N/06E-28L01S	2970.0	11-14-66 3-28-67	210.9 210.5	2759.1 2759.5	100	01N/06E-13R01S	2650.0	11-14-66 3-28-67	445.1 444.5	2204.9 2205.5	100
01N/06E-29N01S	3189.0	11-14-66 3-28-67	(2) (2)		100	01N/07E-14N01S	2359.0	11-14-66 3-28-67	185.1 185.1	2173.9 2173.9	100
01N/06E-29R02S	3150.0	10-25-66 3-14-67	265.3 266.0	2884.7 2884.0	010	01N/07E-21J01S	2440.0	11-14-66 3-28-67	260.6 260.6	2179.4 2179.4	100
01N/06E-31P01S	3280.0	11-14-66 3-28-67	(2) 301.5	2978.5	100	01N/07E-26D01S	2385.0	10-26-66 3-15-67	211.5 211.7	2173.5 2173.3	010
						01N/07E-30P01S	2670.0	11-14-66 3-28-67	371.3 368.0	2298.7 2302.0	100
						01N/07E-32C01S	2620.0	10-25-66 3-15-67	305.3 305.5	2314.7 2314.5	010
						01N/07E-35D01S	2485.0	3-15-67	181.4	2303.6	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
DALE HYDRO UNIT						X-09.00					
TWENTYNINE PALMS HYDRO SUBUNIT			X-09.A0			TWENTYNINE PALMS HYDRO SUBUNIT			X-09.A0		
01S/09E-03D01S	2076.4	11-15-66 3-29-67	100.9 101.0	1975.5 1975.4	100	01N/09E-33J01S	1961.4	11-15-66 3-29-67	6.3 3.9	1955.1 1957.5	100
01N/08E-01B01S	1890.0	11-17-66 3-15-67	125.8 125.8	1764.2 1764.2	010	01N/09E-34A02S	1950.0	11-15-66 3-29-67	157.5 151.7	1792.5 1798.3	100
01N/08E-01H01S	1856.0	11-15-66 3-29-67	71.0 71.0	1785.0 1785.0	100	01N/09E-35F01S	1971.0	11-15-66 3-29-67	107.1 107.5	1863.9 1863.5	100
01N/08E-11L01S	2180.0	10-26-66 3-15-67	367.8 368.0	1812.2 1812.0	010	01N/09E-35N01S	2079.5	11-15-66 3-29-67	108.0 (2)	1971.5	100
01N/08E-12G01S	1972.7	11-15-66 11-17-66 3-15-67 3-29-67	197.7 197.8 (7) 199.0(1)	1775.0 1774.9 (7) 1773.7	100 010 100	02N/08E-26J01S	1950.0	11-17-66 3-15-67	(7) 158.0(4)	1792.0	010
01N/08E-33A02S	2520.0	11-14-66 3-28-67	270.4(1) 268.3	2249.6 2251.7	100	02N/09E-19N01S	1834.0	11-15-66 11-17-66 3-15-67 3-29-67	69.5 69.3 71.4 71.8	1764.5 1764.7 1762.6 1762.2	100 010 100
01N/08E-33R01S	2685.0	10-26-66 3-14-67	328.8 328.7	2356.2 2356.3	010	02N/09E-30P02S	1790.0	11-17-66 3-15-67	29.2 28.6	1760.8 1761.4	010
01N/08E-36A01S	2129.7	10-24-66 3-28-67	162.4 (1)	1967.3	100						
01N/09E-04N03S	1787.0	11-15-66 11-17-66 3-15-67 3-29-67	13.8 13.9 13.8 13.8	1773.2 1773.1 1773.2 1773.2	100 010 100						
01N/09E-05G01S	1779.2	11-17-66 3-15-67	6.7 6.8	1772.5 1772.4	010						
01N/09E-05Q02S	1800.0	11-17-66 3-15-67	29.9 29.4	1770.1 1770.6	010						
01N/09E-06E01S	1840.0	11-15-66 3-29-67	65.9 64.3	1774.1 1775.7	100						
01N/09E-06J01S	1820.1	11-15-66 3-29-67	DRY DRY		100						
01N/09E-07H01S	1843.5	11-17-66 3-15-67	70.3 (7)	1773.2	010						
01N/09E-09M02S	1810.0	11-15-66 11-17-66 3-15-67 3-29-67	39.5 39.5 39.2 39.3	1770.5 1770.5 1770.8 1770.7	100 010 100						
01N/09E-16D01S	1815.0	11-17-66 3-15-67	41.9 41.4	1773.1 1773.6	010						
01N/09E-16G01S	1800.0	11-15-66 11-17-66 3-15-67	DRY 13.0 14.0		100 010						
01N/09E-16G02S	1800.0	11-15-66 3-29-67	9.5 12.5	1790.5 1787.5	100						
01N/09E-17E01S	1870.0	11-15-66 11-17-66 3-15-67 3-29-67	109.0 109.0 108.9 108.9	1761.0 1761.0 1761.1 1761.1	100 010 100						
01N/09E-21E01S	1840.0	11-15-66 3-29-67	DRY DRY		100						
01N/09E-22C01S	1814.1	11-15-66 3-29-67	42.7 42.3	1771.4 1771.8	100						
01N/09E-22E01S	1827.0	11-15-66 3-29-67	58.4 54.9	1768.6 1772.1	100						
01N/09E-26N01S	1933.7	11-15-66 3-29-67	148.7 148.7	1785.0 1785.0	100						
01N/09E-27C04S	1870.0	11-15-66 3-29-67	82.5 83.2	1787.5 1786.8	100						
01N/09E-27M01S	1900.0	10-26-66 3-15-67	116.6 116.6	1783.4 1783.4	010						
01N/09E-30Q01S	2082.0	10-26-66 11-15-66 3-15-67 3-28-67	111.6 111.7 112.0 (7)	1970.4 1970.3 1970.0	010 100 010 100						
01N/09E-31A01S	2095.0	11-15-66 3-28-67	119.0 120.8	1976.0 1974.2	100						
01N/09E-31C01S	2102.3	11-14-66 3-28-67	135.7 155.5(1)	1966.6 1946.8	100						
01N/09E-33F03S	1984.0	11-15-66 3-29-67	6.5 7.3	1977.5 1976.7	100						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
DALE HYDRO UNIT						X-09.00					
DALE HYDRO SUBUNIT						X-09.80					
01N/09E-12G015	1750.0	11-15-66 3-29-67	208.4 209.4	1541.6 1540.6	100						
01N/09E-12G035	1750.0	11-15-66 3-29-67	212.8 213.0	1537.2 1537.0	100						
01N/09E-14D015	1805.0	10-26-66 3-15-67	254.7 254.7	1550.3 1550.3	010						
01N/10E-22J015	1640.0	11-15-66 3-29-67	300.7(1) 301.0	1339.3 1339.0	100						
01N/10E-24M025	1520.0	11-15-66 3-29-67	208.3 208.3	1311.7 1311.7	100						
01N/10E-36P015	1560.0	10-26-66 3-15-67	333.1 333.3	1226.9 1226.7	010						
01N/11E-04M015	1360.0	11-15-66 3-29-67	134.6(8) 139.9(4)	1225.4 1220.1	100						
01N/11E-14A015	1285.0	11-15-66 3-29-67	80.1 80.1	1204.9 1204.9	100						
01N/11E-21C015	1340.0	10-27-66 3-15-67	124.5 124.5	1215.5 1215.5	010						
01N/11E-35R015	1265.0	11-15-66 3-29-67	65.3 65.4	1199.7 1199.6	100						
01N/12E-20D015	1211.3	10-27-66 3-15-67	27.2 27.0	1184.1 1184.3	010						
01N/12E-20D045	1212.4	10-27-66 3-15-67	27.8 27.6	1184.6 1184.8	010						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA
CDLORADO HYDRO UNIT					
X-15.00					
VIDAL HYDRO SUBUNIT					
X-15.A0					
01S/23E-01A02S	627.0	10-27-66 3-16-67	241.6 241.7	385.4 385.3	010
01N/23E-08D01S	960.0	10-27-66 3-16-67	267.5 267.8	692.5 692.2	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA
RICE HYDRO UNIT					
01S/21E-32801S	740.0	10-27-66 3-16-67	150.7 150.7	589.3 589.3	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CHUCKWALLA HYDRO UNIT						X-17.00					
FORD HYDRO SUBUNIT			X-17.A0			PALEN HYDRO SUBUNIT			X-17.B0		
07S/20E-04R01S	418.0	10-27-66 3-16-67	150.8 150.9	267.2 267.1	010	04S/16E-29R01S	545.0	10-28-66 3-16-67	79.1 78.9	465.9 466.1	010
						04S/16E-32D01S	555.0	10-28-66 3-16-67	86.3 83.4	468.7 471.6	010
						04S/17E-06C01S	500.0	10-28-66 3-16-67	22.7 22.5	477.3 477.5	010
						05S/16E-07M02S	611.0	10-28-66 3-16-67	126.8 125.1	484.2 485.9	010
						05S/16E-08K01S	555.0	10-05-66 10-28-66 3-16-67 4-24-67 8-16-67	80.9 80.8 80.3 80.7 80.4	474.1 474.2 474.7 474.3 474.6	050 010 050
						05S/16E-22N01S	653.0	10-27-66 3-16-67	189.6 189.7	463.4 463.3	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CHUCKWALLA HYDRO UNIT						X-17.00					
PINTO HYDRO SUBUNIT						X-17.C0					
02S/12E-36F01S	1350.0	10-28-66	400.6	949.4	010						
		3-17-67	400.5	949.5							
03S/15E-04J01S	1080.6	10-27-66	162.9	917.7	010						
		3-17-67	163.3	917.3							
04S/11E-27001S	2975.0	10-28-66	179.4	2795.6	010						
		3-17-67	180.5	2794.5							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITewater HYDRO UNIT						X-19.00					
MORONGO HYDRO SUBUNIT			X-19.A0			SAN GORGONIO HYDRO SUBUNIT			X-19.C0		
						SAN GORGONIO HYDRO SUBAREA			X-19.C2		
01S/04E-12Q01S	2740.0	10-25-66 3-14-67	163.8 164.0	2576.2 2576.0	010	02S/01E-03X01S	5000.0	5-12-67 7-28-67	FLOW FLOW		713
01S/04E-14N01S	2750.0	11-14-66 3-28-67	194.3 195.4	2555.7 2554.6	100	02S/01E-03X02S	5000.0	5-12-67 7-28-67	5.9 4.6	4994.1 4995.4	713
01S/04E-15N01S	2930.0	11-14-66 3-28-67	(2) (2)		100	02S/01E-17F01S	3730.0	5-12-67 7-28-67	20.8 20.0	3709.2 3710.0	713
01S/04E-22J01S	2750.0	10-25-66 11-14-66 11-14-66 3-14-67 3-28-67 4-20-67	172.7 172.7 172.6 173.1 189.2(1) 189.2	2577.3 2577.3 2577.4 2576.9 2560.8 2560.8	010 100 010 010 100 010	02S/01E-17L01S	3696.0	10-03-66 11-07-66 11-28-66 12-19-66 1-16-67 2-06-67 3-06-67 4-03-67 5-08-67 6-05-67 7-03-67 8-07-67 9-04-67	-255.0(1) 0010.0(1) 0009.0 0006.0 0003.0 0003.0 0003.0 0004.0 0004.0 FLOW FLOW FLOW FLOW	3951.0 3686.0 3687.0 3690.0 3693.0 3693.0 3693.0 3692.0 3692.0	103
01S/04E-23C03S	2700.0	11-14-66 3-28-67	142.2 139.9	2557.8 2560.1	100						
01S/04E-29J01S	2640.0	11-14-66 3-28-67	89.8 90.3	2550.2 2549.7	100						
01S/04E-32H01S	2560.0	10-25-66	(7)		010	02S/01E-20M01S	3395.0	10-03-66 11-07-66 11-28-66 2-13-67 3-06-67 4-03-67 5-01-67 6-05-67 7-03-67 8-07-67 9-04-67	71.0 72.0 72.0 55.0 53.0 52.0 52.0 48.0 48.0 48.0 46.0	3324.0 3323.0 3323.0 3340.0 3342.0 3343.0 3343.0 3347.0 3347.0 3347.0 3349.0	103
						02S/01E-29C01S	3442.0	5-12-67 7-28-67	120.3 118.3	3321.7 3323.7	713
						02S/01E-29D01S	3455.0	5-12-67 7-28-67	135.7 132.2	3319.3 3322.8	713
						02S/01E-29F01S	3210.0	10-03-66 11-07-66 11-28-66 12-19-66 1-09-67 2-06-67 3-06-67 4-03-67 5-01-67 6-05-67 7-03-67 8-07-67 9-04-67	75.0(1) 81.0 84.0 72.0 58.0 34.0 25.0 24.0 25.0 30.0 34.0(1) 43.0(1) 49.0(1)	3135.0 3129.0 3126.0 3138.0 3152.0 3176.0 3185.0 3186.0 3185.0 3180.0 3176.0 3167.0 3161.0	103
						02S/01E-29H01S	3158.0	10-03-66 11-07-66 11-28-66 12-19-66 1-09-67 2-06-67 3-06-67 4-03-67 5-08-67 6-05-67 7-03-67 8-07-67 9-04-67	39.0 48.0 49.0 39.0 27.0 10.0 4.0 4.0 4.0 6.0 7.0 13.0 18.0	3119.0 3110.0 3109.0 3119.0 3131.0 3148.0 3154.0 3154.0 3154.0 3152.0 3151.0 3145.0 3140.0	103
						02S/01E-29P01S	3278.0	7-28-67	141.2	3136.8	713
						02S/01E-29Q03S	3260.0	5-02-67	135.3	3124.7	713
						02S/01E-33J01S	2750.0	10-03-66 11-07-66 11-28-66 12-19-66 1-09-67 2-06-67 3-06-67 4-03-67 5-01-67 6-05-67 7-03-67 8-07-67 9-04-67	40.0(1) 42.0(1) 42.0(1) 22.0(1) 28.0(1) 23.0(1) 21.0(1) 13.0(1) 14.0(1) 29.0(1) 33.0(4) 25.0(1) 22.0(1)	2710.0 2708.0 2708.0 2728.0 2722.0 2727.0 2729.0 2737.0 2736.0 2721.0 2717.0 2725.0 2728.0	103
						02S/01E-33J02S	2768.0	10-03-66 11-07-66 11-28-66 12-12-66 1-09-67 2-06-67 3-06-67 4-03-67 5-01-67 6-05-67	28.0 36.0 37.0 25.0 28.0 16.0 15.0 13.0 10.0 14.0	2740.0 2732.0 2731.0 2743.0 2740.0 2752.0 2753.0 2755.0 2758.0 2754.0	103

See page I17 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
SAN GORGONIO HYDRO SUBUNIT			X-19.C0			COACHELLA HYDRO SUBUNIT			X-19.00		
SAN GORGONIO HYDRO SUBAREA			X-19.C2			GARNET HILL HYDRO SUBAREA			X-19.01		
02S/01E-33J02S (CONT.)	2768.0	7-03-67 8-07-67 9-04-67	21.0(1) 24.0(1) 18.0	2747.0 2744.0 2750.0	103	03S/04E-13N01S	713.0	3-31-67 6-01-67 9-07-67	225.2 225.3 225.6	487.8 487.7 487.4	131
02S/01E-33J03S	2770.0	10-03-66 11-07-66 11-28-66 12-12-66 1-02-67 2-06-67 3-06-67 4-03-67 5-01-67 6-05-67 7-03-67 8-07-67 9-04-67	24.0 31.0 33.0 22.0 28.0 13.0 13.0 12.0 13.0 14.0 15.0 17.0 17.0	2746.0 2739.0 2737.0 2748.0 2742.0 2757.0 2757.0 2758.0 2757.0 2756.0 2755.0 2753.0 2753.0	103	03S/04E-17K01S	901.0	4-13-67 6-29-67 9-08-67	344.6 348.4 346.3	556.4 552.6 554.7	131
02S/01E-33K01S	2804.0	5-12-67 7-28-67	1.6 5.8	2802.4 2798.2	713	03S/04E-22A01S	711.0	3-28-67 5-09-67 6-27-67 9-07-67	173.7 170.5 169.9 170.2	537.3 540.5 541.1 540.8	131
03S/01E-07E01S	2521.0	5-12-67 7-28-67	296.9 297.7	2224.1 2223.3	713	03S/04E-23D01S	714.0	1-09-67 2-01-67 3-07-67 4-07-67 5-05-67 6-01-67 7-06-67 8-03-67 8-03-67 9-12-67	177.7 177.0(1) 176.2 175.8 174.3 173.8 173.9 175.6 175.6 174.1	536.3 537.0 537.8 538.2 539.7 540.2 540.1 538.4 538.4 539.9	103
03S/02E-23B01S	1524.0	10-05-66 4-04-67 6-28-67 9-12-67	332.1 333.9 335.2 336.0	1191.9 1190.1 1188.8 1188.0	131	MISSION CREEK HYDRO SUBAREA			X-19.02		
03S/03E-08M01S	1350.0	10-04-66 10-11-66 11-04-66 12-14-66 1-09-67 2-01-67 3-07-67 3-31-67 4-07-67 5-05-67 6-01-67 6-20-67 7-06-67 8-03-67 9-08-67 9-12-67	234.4 238.0(1) 238.0(1) 237.0 237.3 237.4 237.5 234.8 237.7 237.9 238.0 235.6 238.3 238.3 236.3 238.8	1115.6 1112.0 1112.0 1113.0 1112.7 1112.6 1112.5 1115.2 1112.3 1112.1 1112.0 1114.4 1111.7 1111.7 1113.7 1111.2	131 103 103 131 103 131 103 131 103 131 103 131 103 131 103 103	02S/03E-12L01S	2363.0	11-18-66 12-22-66	75.4 71.5	2287.6 2291.5	010
03S/01W-01N01S	2603.1	5-12-67 7-23-67	344.4 345.9	2258.7 2257.2	713	02S/04E-25N01S	1099.0	11-04-66 4-07-67 4-11-67 6-22-67	337.2 337.3 336.7 337.0	761.8 761.7 762.3 762.0	103 131
03S/01W-01Q01S	2580.0	5-12-67 7-28-67	331.3 (1)	2248.7	713	02S/04E-27R01S	1189.0	11-04-66 4-07-67	430.3 430.5	758.7 758.5	103
03S/01W-12C01S	2570.6	5-12-67 7-28-67	319.9 321.5	2250.7 2249.1	713	02S/04E-35A01S	1120.0	10-03-66 4-07-67 5-10-67 5-10-67 6-16-67 9-08-67	360.6 361.1 367.6(1) 361.7 361.3 361.7	759.4 758.9 752.4 758.3 758.7 758.3	131
						02S/04E-35Q01S	1045.0	4-13-67 6-16-67	284.8 284.7	760.2 760.3	131
						02S/05E-31L01S	984.0	4-18-67 6-22-67 9-08-67	224.1 224.3 224.5	759.9 759.7 759.5	131
						03S/04E-02E01S	1010.0	10-11-66 11-04-66 12-14-66 12-14-66 1-09-67 2-01-67 3-07-67 4-07-67 5-05-67 6-01-67 6-01-67 7-06-67 8-03-67 9-12-67	254.0 254.0 254.0 254.0 254.1 254.2 254.2 254.3 253.3 254.5 254.5 255.5 257.1 254.6	756.0 756.0 756.0 756.0 755.9 755.8 755.8 755.7 756.7 755.5 755.5 754.5 752.9 755.4	103
						03S/04E-10J01S	869.0	11-04-66	113.6	755.4	103
						03S/04E-11B02S	912.0	11-04-66 4-07-67	151.9 152.1	760.1 759.9	103
						03S/04E-13M01S	769.0	11-07-66 4-10-67	38.3 38.4	730.7 730.6	103
						03S/05E-08M01S	820.0	10-11-66 11-07-66 12-14-66 1-09-67 2-01-67 3-07-67 4-10-67 5-05-67 6-01-67 7-06-67 8-10-67 9-12-67	72.1(1) 68.6 68.6 68.7 69.3 68.6 71.8 69.1 69.1 69.1 69.4 69.4	747.9 751.4 751.4 751.3 750.7 751.4 748.2 750.9 750.9 750.9 750.6 750.6	103
						03S/05E-09C01S	1007.0	11-07-66 4-10-67	254.0 254.1	753.0 752.9	103
						03S/05E-17G01S	789.0	11-07-66 4-10-67	40.1 39.6	748.9 749.4	103
						03S/05E-19B01S	689.0	3-08-67 6-01-67	-9.3 -10.2	698.3 699.2	131

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
COACHELLA HYDRO SUBUNIT			X-19.00			COACHELLA HYDRO SUBUNIT			X-19.00		
MISSION CREEK HYDRO SUBAREA			X-19.02			INDIO HYDRO SUBAREA			X-19.07		
03S/05E-19801S (CONT.)	689.0	9-13-67	-9.6	698.6	131	03S/04E-21001S (CONT.)	830.0	5-09-67	479.4	350.6	131
								6-28-67	479.6	350.4	
								9-14-67	480.3	349.7	
03S/05E-22601S	845.0	11-07-66	98.2	746.8	103	03S/04E-23M01S	649.0	3-28-67	230.6	418.4	131
		4-10-67	98.3	746.7				6-14-67	231.3	417.7	
MIRACLE HILL HYDRO SUBAREA			X-19.03			04S/04E-01N01S	500.0	4-20-67	302.1	197.9	131
								5-09-67	302.4	197.6	
								6-29-67	303.2	196.8	
								9-12-67	303.9	196.1	
02S/04E-25A01S	1249.0	10-11-66	217.8	1031.2	103	04S/04E-01N02S	502.0	11-11-66	300.8	201.2	131
		11-04-66	217.9	1031.1				11-11-66	299.0	203.0	700
		12-14-66	218.1	1030.9				12-28-66	351.8(1)	150.2	131
		12-14-66	219.1	1029.9				12-28-66	350.0(1)	152.0	700
		1-09-67	219.3	1029.7				1- -67	351.8(1)	150.2	131
		2-01-67	219.2	1029.8				1-01-67	350.0(1)	152.0	700
		3-07-67	219.3	1029.7				3- -67	354.8(1)	147.2	131
		4-07-67	219.7	1029.3				3-01-67	353.0(1)	149.0	700
		5-05-67	220.0	1029.0				4-01-67	354.0(1)	148.0	
		6-01-67	220.2	1028.8				6-01-67	301.0	201.0	
		7-06-67	220.3	1028.7				9-01-67	350.0(1)	152.0	
		8-10-67	220.3	1028.7							
		9-12-67	222.2	1026.8							
02S/05E-30Q01S	1095.8	11-04-66	107.8	988.0	103	04S/04E-11K01S	480.0	11-16-66	283.3	196.7	131
		11-04-66	107.8	988.0				11-16-66	283.0	197.0	700
		4-07-67	106.3	989.5				12-28-66	283.3	196.7	131
								12-28-66	283.0	197.0	700
03S/05E-04K01S	1074.0	11-07-66	86.7	987.3	103			1- -67	283.3	196.7	131
		4-10-67	86.7	987.3				1-01-67	283.0	197.0	700
03S/05E-11J01S	1101.0	10-11-66	230.4	870.6	103			3- -67	283.3	196.7	131
		11-07-66	230.4	870.6				3-01-67	283.0	197.0	700
		12-14-66	230.4	870.6				4-01-67	283.0	197.0	
		1-09-67	230.3	870.7				6-01-67	285.0	195.0	
		2-01-67	230.6	870.4				8-19-67	286.0	194.0	
		3-07-67	230.7	870.3				9-01-67	285.0	195.0	
		4-10-67	230.8	870.2							
		5-05-67	230.7	870.3		04S/04E-11Q01S	468.3	11-15-66	268.7	199.6	131
		6-01-67	230.8	870.2				11-15-66	265.3	203.0	700
		7-06-67	230.9	870.1				12-20-66	265.3	203.0	
		8-10-67	230.9	870.1				12-30-66	268.7	199.6	131
		9-12-67	231.0	870.0				3-22-67	265.3	203.0	700
								3-27-67	268.7	199.6	131
								4-01-67	264.3	204.0	700
								6-01-67	266.3	202.0	
SKY VALLEY HYDRO SUBAREA			X-19.04			04S/04E-11R01S	458.0	11-18-66	229.5	228.5	131
								12-20-66	229.5	228.5	
03S/06E-28A01S	996.0	11-07-66	248.1	747.9	103			1-31-67	225.5	232.5	
		4-10-67	248.0	748.0				2- -67	225.5	232.5	
								3-29-67	225.5	232.5	
03S/06E-36P01S	772.0	10-07-66	76.1	695.9	131	04S/04E-13P01S	414.0	4-26-67	224.4	189.6	131
		4-06-67	76.7	695.3				6-02-67	222.1	191.9	
		6-07-67	76.8	695.2							
		9-08-67	77.5	694.5		04S/04E-14R01S	410.0	11-18-66	221.0	189.0	700
04S/06E-12K01S	560.0	10-17-66	5.2	554.8	131			12-20-66	221.0	189.0	
		3-08-67	4.6	555.4				1-31-67	217.3	192.7	
		6-13-67	4.9	555.1				2-01-67	217.0	193.0	
		8-04-67	5.6	554.4				3-01-67	217.0	193.0	
								4-01-67	217.0	193.0	
								8-22-67	268.3(1)	141.7	
								9-01-67	267.2(1)	142.8	
THOUSAND PALMS HYDRO SUBAREA			X-19.06			04S/04E-15J01S	453.0	4-07-67	253.1	199.9	131
								5-02-67	250.5	202.5	
04S/06E-08L01S	365.0	3-08-67	272.5	92.5	131	04S/04E-23C01S	424.0	11-17-66	235.5	188.5	131
		6-13-67	273.9	91.1				11-17-66	230.8	193.2	700
		8-04-67	282.8(1)	82.2				12-28-66	235.5	188.5	131
		8-04-67	272.4	92.6				12-28-66	230.8	193.2	700
04S/06E-14C01S	425.0	6-13-67	7.5	417.5	131			1-24-67	234.5	189.5	131
		8-04-67	7.8	417.2				1-24-67	229.8	194.2	700
04S/06E-22J01S	225.0	12-01-66	144.0	81.0	131			3-01-67	229.8	194.2	
		4-06-67	145.8	79.2				3-29-67	234.5	189.5	131
		6-13-67	146.3	78.7				4-01-67	228.8	195.2	700
		8-15-67	146.4	78.6				6-01-67	240.8	183.2	
04S/06E-22K01S	215.0	12-01-66	134.3	80.7	131			8-17-67	235.5	188.5	
		4-06-67	133.8	81.2				9-01-67	233.8	190.2	
		6-13-67	134.1	80.9		04S/04E-23E01S	435.0	11-15-66	243.0	192.0	700
04S/07E-30E01S	165.0	3-07-67	120.2	44.8	131			12-21-66	242.0	193.0	
		6-13-67	121.4	43.6				1-24-67	241.0	194.0	
		7-21-67	128.9	36.1				3-01-67	262.0(1)	173.0	
		7-21-67	162.3(1)	2.7		04S/04E-26A01S	428.0	11-15-66	268.0(1)	160.0	131
04S/07E-33N01S	74.0	12-02-66	42.2	31.8	131			11-15-66	263.0(1)	165.0	700
		12-06-66	42.4	31.6				12-19-66	252.0	176.0	131
		2-09-67	41.7	32.3				12-19-66	247.0	181.0	700
		5-24-96	44.3	29.7				1-25-67	248.0	180.0	131
		6-13-96	44.5	29.5				1-25-67	247.0	181.0	700
								2- -67	251.0	177.0	131
								2-01-67	246.0	182.0	700
								3-01-67	263.0(1)	165.0	
								3-29-67	268.0(1)	160.0	131
								4-01-67	263.0(1)	165.0	700
03S/04E-21D01S	830.0	4-13-67	474.7	355.3	131			6-01-67	247.0	181.0	
								8-17-67	242.4	185.6	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITewater HYDRO UNIT						X-19.00					
COACHELLA HYDRO SUBUNIT INDIO HYDRO SUBAREA			X-19.00 X-19.D7			COACHELLA HYDRO SUBUNIT INDIO HYDRO SUBAREA			X-19.D0 X-19.D7		
04S/04E-26A01S (CONT.)	428.0	9-25-67	264.0(1)	164.0	700	04S/06E-18N01S	230.0	10-27-66 3-08-67 5-05-67	111.4 111.9 112.6	118.6 118.1 117.4	131
04S/05E-11E01S	327.0	4-20-67 6-02-67	164.3 163.8	162.7 163.2	131			6-15-67 8-01-67 9-07-67	113.3 113.4 113.2	116.7 116.6 116.8	
04S/05E-15R01S	345.0	3-28-67 6-01-67 9-08-67	197.4 197.8 198.5	147.6 147.2 146.5	131	04S/06E-19C01S	221.0	10-27-66 3-08-67 6-13-67 8-15-67 8-15-67	107.7 108.6 109.1 110.8(1) 109.2	113.3 112.4 111.9 110.2 111.8	131
04S/05E-15R02S	346.0	3-28-67 6-01-67	194.9 195.6	151.1 150.4	131						
04S/05E-17L01S	375.0	10-07-66 11-16-66 1-24-67 2-17-67 4-24-67 4-25-67 5-12-67 6-28-67 7-27-67 8-25-67 9-13-67	199.0 199.2 199.8 200.1 200.2 200.4 200.3 200.6 200.9 201.0 201.3	176.0 175.8 175.2 174.9 174.8 174.6 174.7 174.4 174.1 174.0 173.7	131	04S/06E-19J02S	220.0	10-27-66 3-08-67 6-13-67 8-11-67	102.2 103.5 105.2 105.4	117.8 116.5 114.8 114.6	131
04S/05E-19D01S	385.0	11-16-66 11-16-66 12-28-66 12-28-66 1-31-67 1-31-67 3-01-67 3-29-67 4-01-67 6-01-67 8-18-67 9-01-67	213.2 203.9 213.2 203.9 217.0 203.9 203.9 213.2 203.9 204.9 207.1 206.9	171.8 181.1 171.8 181.1 168.0 181.1 181.1 171.8 181.1 180.1 177.9 178.1	131 700 131 700 131 700 131 131 700	04S/06E-28A01S	170.0	12-06-66 4-07-67 6-14-67 8-11-67	92.8 100.4 103.5 122.0	77.2 69.6 66.5 48.0	131
						04S/06E-28E01S	177.0	12-06-66 4-06-67 6-14-67 7-27-67	88.0 97.2 98.1 98.9	89.0 79.8 78.9 78.1	131
04S/05E-22A01S	347.0	3-28-67 6-01-67	196.8 197.3	150.2 149.7	131	04S/06E-28H01S	167.0	12-06-66 4-07-67 6-14-67	81.2 86.9 87.1	85.8 80.1 79.9	131
04S/05E-27N01S	296.0	4-18-67 6-08-67 9-06-67	157.1 157.4 158.5	138.9 138.6 137.5	131	04S/06E-28J02S	167.0	10-27-66 6-12-67 7-27-67	94.6 96.9 97.4	72.4 70.1 69.6	131
04S/05E-29A01S	332.0	3-28-67 6-30-67	170.9 171.5	161.1 160.5	131	04S/06E-28K01S	169.0	12-06-66 4-07-67 6-14-67 8-11-67 9-07-67	88.1 98.3 99.8 96.8 91.7	80.9 70.7 69.2 72.2 77.3	131
04S/05E-29F01S	329.0	6-23-67	166.7	162.3	131	04S/06E-34C01S	163.0	12-05-66 4-07-67 6-12-67	63.5 61.2 64.3	99.5 101.8 98.7	131
04S/05E-29G01S	323.0	3-28-67 4-25-67 6-30-67	164.7 165.0 165.9	158.3 158.0 157.1	131	04S/06E-34Q01S	168.0	3-07-67 6-12-67 7-25-67 9-07-67	61.5 60.8 60.2 60.4	106.5 107.2 107.8 107.6	131
04S/05E-29K01S	324.0	4-26-67 6-23-67 9-06-67	164.1 165.2 165.5	159.9 158.8 158.5	131	05S/05E-01C01S	245.0	12-09-66 3-30-67 6-02-67	139.6 139.1 140.7	105.4 105.9 104.3	131
04S/05E-33B01S	302.0	1-31-67 1-31-67	156.2 153.2	145.8 148.8	131 700	05S/05E-01E02S	250.0	12-08-66 3-31-67 6-05-67 9-01-67	137.6 139.8 141.1 144.2	112.4 110.2 108.9 105.8	131
04S/05E-33B02S	308.0	11-22-66 11-22-66 12-29-66 12-29-66 1-25-67 1-25-67 3-01-67 3-01-67 4-01-67 4-18-67 6-01-67 6-08-67	153.0 163.0 153.0 163.0 152.0 162.0 153.0 163.0 163.0 156.4 163.0 152.8	155.0 145.0 155.0 145.0 156.0 146.0 155.0 145.0 145.0 151.6 145.0 155.2	131 700 131 700 131 700 131 700 131 131 700 131	05S/05E-01Q01S	237.0	12-09-66 3-29-67 6-02-67	135.5 142.3 137.3	101.5 94.7 99.7	131
04S/05E-33G01S	300.0	11-04-66 12-29-66 1-25-67 3-01-67 4-01-67 6-01-67	150.0 149.0 149.0 153.0 157.0 152.0	150.0 151.0 151.0 147.0 147.0 148.0	700	05S/05E-02F01S	250.0	3-06-67 6-05-67	140.8 142.0	109.2 108.0	131
						05S/05E-02F02S	250.0	11-10-66 11-10-66 12-30-66 12-30-66 1-25-67 2-01-67 2-07-67 3-01-67 3-01-67 3-06-67 4-01-67 6-01-67 6-05-67	145.0 144.0 151.0(1) 150.0(1) 143.0 144.0 143.2 145.0 144.0 141.5 145.0 145.0 143.4	105.0 106.0 99.0 100.0 107.0 106.0 106.8 105.0 106.0 108.5 105.0 105.0 106.6	700 131 700 131 700 131 131 700 131
04S/05E-35C01S	271.0	4-18-67 6-07-67	152.9 153.4	118.1 117.6	131						
04S/05E-35E01S	267.0	4-19-67 6-06-67	148.9 146.7	118.1 120.3	131						
04S/05E-35L01S	257.0	4-18-67 7-06-67	141.7 143.1	115.3 113.9	131	05S/05E-02L01S	255.0	3-06-67 5-05-67 6-05-67 9-01-67	143.1 144.5 145.2 145.5	111.9 110.5 109.8 109.5	131
04S/05E-36D01S	318.0	4-17-67 6-06-67	204.1 204.8	113.9 113.2	131	05S/05E-03A01S	260.0	1- -67 1- -67 1-01-67	147.9 147.7 143.2	112.1 112.3 116.8	131 700
04S/06E-01P01S	640.0	10-26-66 3-08-67 6-13-67 8-04-67	8.4 5.1 5.5 7.4	631.6 634.9 634.5 632.6	131	05S/05E-12C02S	230.0	11-10-66	125.0	105.0	700

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
COACHELLA HYDRO SUBUNIT			X-19.00			COACHELLA HYDRO SUBUNIT			X-19.00		
INDIO HYDRO SUBAREA			X-19.07			INDIO HYDRO SUBAREA			X-19.07		
05S/05E-12C02S (CONT.)	230.0	12-30-66 1-25-67 2-14-67 3-01-67 4-01-67 6-01-67	125.0 124.0 124.0 124.0 124.0 124.0	105.0 106.0 106.0 106.0 106.0 106.0	700	05S/07E-04M01S	50.0	11-28-66 2-09-67 5-31-67	33.9 34.0 38.6	16.1 16.0 11.4	131
05S/05E-12D01S	235.0	12-09-66 3-30-67 4-05-67 6-06-67	136.4 138.7 138.8 140.3	98.6 96.3 96.2 94.7	131	05S/07E-06B01S	92.9	11-28-66 2-23-67 5-31-67 7-19-67 7-19-67	54.6 55.2 55.9 72.8 77.6(1)	38.3 37.7 37.0 20.1 15.3	131
05S/05E-12H01S	223.0	12-08-66 3-30-67 6-05-67	131.4 131.6 132.4	91.6 91.4 90.6	131	05S/07E-07J01S	105.0	6-16-67 6-16-67	120.6(1) 100.4	-15.6 4.6	131
05S/05E-12H02S	220.0	11-10-66 11-10-66 12-08-66 12-30-66 12-30-66 1-25-67 1-25-67 2- -67 2-01-67 3- -67 3-01-67 3-30-67 4-01-67 6-01-67 6-05-67 9-14-67	134.0 133.8 129.5 133.0 132.8 132.0 131.8 133.8 134.0 134.8 135.0 130.0 135.0 136.0 133.8 133.8	86.0 86.2 90.5 87.0 87.2 88.0 88.2 86.2 86.0 85.2 85.0 90.0 85.0 84.0 86.2 86.2	700 131 131 700 131 700 131 700 700 131 700 131 700 131 131	05S/07E-09F01S	40.0	11-28-66 2-09-67 5-25-67	39.6 40.3 45.7	.4 -.3 -5.7	131
05S/06E-06N02S	225.0	12-08-66 4-04-67 6-06-67 9-19-67 9-19-67	133.1 134.3 135.8 144.2(1) 137.5	91.9 90.7 89.2 80.8 87.5	131	05S/07E-10E01S	28.0	11-30-66 2-09-67 5-05-67 8-30-67	32.2 35.6 35.8 36.1	-4.2 -7.6 -7.8 -8.1	131
05S/06E-16A01S	182.0	11-10-66 11-10-66 12-09-66 12-30-66 12-30-66 1-25-67 1-25-67 2-14-67 2-14-67 3- -67 3-01-67 3-30-67 4-01-67 6-01-67 6-06-67	120.0 119.8 117.4 119.0 119.0 118.8 119.0 118.8 119.0 118.8 119.0 117.3 119.0 118.0 118.7	62.0 62.2 64.6 63.0 63.2 63.0 63.2 63.0 63.2 63.0 63.0 64.7 63.0 64.0 63.3	700 131 700 700 131 700 131 700 131 700 131 131 700 131 131	05S/07E-13D01S	11.0	2-09-67 5-05-67 8-31-67	14.3 14.8 20.0	-3.3 -3.8 -9.0	131
05S/06E-16H01S	162.0	11-10-66 11-10-66 12-09-66 12-30-66 12-30-66 1-25-67 1-25-67 2-14-67 2-14-67 3- -67 3-01-67 3-30-67 4-01-67 6-01-67 6-06-67	97.0 97.0 94.6 97.0 97.0 94.0 95.6 95.6 95.0 95.0 94.5 95.0 94.0 94.0 96.0	65.0 65.0 67.4 65.0 68.0 68.0 66.4 66.4 67.0 67.0 67.5 67.0 68.0 66.0	700 131 700 131 700 131 131 131 700 131 131 700 131 131	05S/07E-14K01S	5.0	11-30-66 1-27-67 5-25-67	20.3 19.2 21.5	-15.3 -14.2 -16.5	131
05S/06E-22Q01S	190.0	3-06-67 5-05-67 6-07-67 8-31-67	123.9 125.2 125.8 126.3	66.1 64.8 64.2 63.7	131	05S/07E-16C01S	30.0	11-28-66 2-10-67 5-25-67	41.9 40.7 42.9	-11.9 -10.7 -12.9	131
05S/06E-23L02S	142.0	11-10-66 12-30-66 1-25-67 2-14-67 3-01-67 4-01-67 6-01-67	97.0 97.0 92.0 93.0 93.0 93.0 93.0	45.0 45.0 50.0 49.0 49.0 49.0 49.0	700	05S/07E-18D01S	125.0	12-01-66 2-23-67 5-26-67 7-18-67 7-18-67	105.4 104.6 105.9 111.6(1) 106.7	19.6 20.4 19.1 13.4 18.3	131
05S/06E-23M01S	162.0	11-10-66 12-30-66 1-25-67 2-14-67 3-01-67 3-30-67 4-01-67 6-01-67 6-06-67	98.0 98.0 94.0 94.0 94.0 94.0 94.0 94.0 96.0	64.0 64.0 68.0 68.0 68.0 68.0 68.0 66.0	700	05S/07E-36D01S	-021.0	2-03-67 5-31-67	0015.1 0021.8	-036.1 -042.8	131
05S/06E-32G01S	0450.0	4-04-67 6-21-67	0373.9 0373.6	0076.1 0076.4	131	05S/07E-36G01S	-032.0	10-27-66 2-03-67 5-31-67	0013.2 0012.3 0014.7	-050.8 -051.7 -046.7	131
05S/06E-36L01S	53.0	12-01-66 4-03-67 6-07-67	75.6 75.2 75.3	-22.6 -22.2 -22.3	131	05S/07E-36Q01S	-034.0	10-27-66 11-22-66 2-03-67 6-02-67	(1) 0012.5 0011.8 0016.5	-055.5 -056.2 -051.5	131
						06S/07E-01P01S	-50.0	10-25-66 12-19-66 12-28-66 1-10-67 1-24-67 5-18-67	5.9 5.0 5.3 5.1 5.7 5.8	-55.9 -55.0 -55.3 -55.1 -55.7 -55.8	131
						06S/07E-10G01S	-015.0	2-02-67 5-04-67	0017.1 0016.7	-032.1 -031.7	131
						06S/07E-12E01S	-45.0	2-02-67 5-24-67	8.5 10.2	-53.5 -55.2	131
						06S/07E-17R01S	-5.0	2-07-67 5-19-67	47.0 46.8	-52.0 -51.8	131
						06S/07E-22B01S	-42.0	11-30-66 12-19-66 1-10-67 1-25-67 5-04-67 9-01-67	5.7 4.7 4.8 4.2 4.1 6.3	-47.7 -46.7 -46.8 -46.2 -46.1 -48.3	131
						06S/08E-02D01S	9.0	10-31-66 11-21-66 2-08-67 5-23-67	116.1 88.5 97.4 103.3	-107.1 -79.5 -88.4 -94.3	131
						06S/08E-19D01S	-085.0	2-07-67 5-18-67	-020.6 -018.1	-064.4 -066.9	131
						06S/08E-19R01S	-105.0	2-01-67 5-04-67	-33.2 -33.1	-71.8 -71.9	131
						06S/08E-32R01S	-140.0	12-02-66 2-07-67 5-18-67	-051.3 -051.5 -050.7	-088.7 -088.5 -089.3	131
						06S/08E-36M01S	-155.0	1-27-67 5-05-67 9-01-67	-30.3 -25.7 -23.3	-124.7 -129.3 -131.7	131
						07S/07E-03A01S	-72.0	10-19-66 2-03-67 5-16-67	16.8 15.2 15.3	-88.8 -87.2 -87.3	131

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
COACHELLA HYDRO SUBUNIT		INDIO HYDRO SUBAREA		X-19.00	X-19.07						
07S/08E-07R015 (CONT.)	-90.0	1-11-67	27.7	-117.7	131						
		1-25-67	27.8	-117.8							
		5-04-67	27.5	-117.5							
		9-01-67	27.8	-117.8							
07S/08E-17A015	-115.0	10-21-66	1.2	-116.2	131						
		12-28-66	-0.8	-114.2							
07S/08E-17A025	-115.0	10-21-66	4.9	-119.9	131						
		12-28-66	3.2	-118.2							
		1-26-67	4.1	-119.1							
		5-16-67	4.1	-119.1							
07S/08E-18C015	-73.0	10-21-66	40.2	-113.2	131						
		12-28-66	39.6	-112.6							
		2-03-67	39.4	-112.4							
		5-16-67	39.5	-112.5							
07S/08E-18C025	-74.0	10-21-66	39.7	-113.7	131						
		12-28-66	39.0	-113.0							
		2-03-67	39.0	-113.0							
		5-16-67	39.1	-113.1							
07S/08E-34G015	-89.0	1-19-67	35.8	-124.8	131						
		5-15-67	35.7	-124.7							
		9-18-67	33.7	-122.7							
07S/08E-34K015	-88.0	10-25-66	43.0	-131.0	131						
		1-12-67	43.3	-131.3							
		5-19-67	43.6	-131.6							
		9-18-67	43.1	-131.1							
07S/08E-35K015	-161.0	10-05-66	-31.9	-129.1	131						
		12-14-66	-29.4	-131.6							
		12-22-66	-31.0	-130.0							
		1-26-67	-31.1	-129.9							
		5-23-67	-30.7	-130.3							
		9-18-67	-33.0	-128.0							
07S/09E-13N015	-101.0	2-02-67	33.2	-134.2	131						
		5-17-67	34.4	-135.4							
		8-30-67	33.3	-134.3							
07S/09E-30M015	-213.0	1-31-67	-39.1	-173.9	131						
		5-22-67	-38.9	-174.1							
07S/10E-27A015	34.0	10-11-66	53.7	-19.7	131						
		2-03-67	53.7	-19.7							
		5-18-67	53.7	-19.7							
		8-29-67	53.5	-19.5							
08S/08E-038015	-94.7	10-20-66	35.7	-130.4	131						
		2-02-67	35.0	-129.7							
		5-15-67	36.1	-130.8							
08S/08E-118015	-150.0	10-20-66	-8.3	-141.7	131						
		12-14-66	-4.3	-145.7							
		12-30-66	-8.4	-141.6							
		1-26-67	-9.2	-140.8							
		5-22-67	-8.9	-141.1							
08S/08E-24A015	-154.0	10-20-66	1.0	-155.0	131						
		1-12-67	.5	-154.5							
		1-23-67	-.4	-153.6							
		5-15-67	.9	-154.9							
08S/08E-24L015	-110.0	1-12-67	42.2	-152.2	131						
		5-04-67	42.9	-152.9							
		8-31-67	43.2	-153.2							
08S/09E-33N015	-134.0	1-12-67	35.3	-169.3	131						
		5-18-67	35.3	-169.3							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANZA BORREGO HYDRO UNIT						X-22.00					
BORREGO HYDRO SUBUNIT			X-22.A0			OCOTILLO-LR S FELIPE HYDR SUBUNIT			X-22.80		
BORREGO HYDRO SUBAREA			X-22.A3								
10S/06E-08801S	760.0	10-26-66 3-23-67	278.9 278.6	481.1 481.4	010	12S/08E-22E01S	110.0	10-26-66 3-23-67	108.9 107.7	1.1 2.3	010
10S/06E-21A01S	640.0	10-26-66 1-13-67 2-13-67 3-07-67 3-23-67	169.3 168.0 167.6 167.9 167.5	470.7 472.0 472.4 472.1 472.5	010	12S/09E-22A02S	-010.0	10-26-66 3-23-67	0115.0(1) 0115.9(1)	-125.0 -125.9	010
						12S/09E-23001S	-015.0	10-26-66 3-23-67	0109.6(2) 0111.3(2)	-124.6 -126.3	010
10S/06E-29N01S	595.0	10-26-66 3-23-67	123.6 123.3	471.4 471.7	010						
10S/06E-35N01S	520.0	10-26-66 1-13-67 3-23-67	62.3 44.0 54.8(4)	457.7 476.0 465.2	010						
10S/06E-36Q01S	525.0	10-26-66 1-13-67 3-23-67	63.1 61.9 61.6	461.9 463.1 463.4	010						
10S/07E-19M01S	599.0	10-26-66 3-23-67	97.1 97.6	501.9 501.4	010						
11S/06E-05P01S	600.0	10-26-66 3-23-67	141.4 141.6	458.6 458.4	010						
11S/06E-10N01S	522.0	10-26-66 3-23-67	68.6 66.7	453.4 455.3	010						
11S/06E-11D02S	500.0	10-27-66 1-13-67 3-23-67	33.8 32.8 32.7	466.2 467.2 467.3	010						
11S/06E-11M01S	487.0	10-27-66 3-23-67	26.0 24.7	461.0 462.3	010						
11S/06E-22A01S	540.0	10-26-66 1-13-67 3-23-67	63.1 63.0 62.9	476.9 477.0 477.1	010						
11S/07E-20P01S	595.0	10-26-66 3-23-67	71.0 71.1	524.0 523.9	010						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANZA BORREGO HYDRO UNIT						X-22.00					
SAN FELIPE HYDRO SUBUNIT						X-22.00					
12S/04E-24K01S	2440.0	10-27-66	36.3	2403.7	010						
		3-23-67	35.7	2404.3							
12S/05E-34J01S	2280.0	10-27-66	63.2	2216.8	010						
		3-23-67	63.3	2216.7							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
EAST SALTON SEA HYDRO UNIT						X-25.00					
07S/10E-35G015	-66.0	10-11-66	86.4	-152.4	131						
		2-03-67	87.2	-153.2							
		5-17-67	87.7	-153.7							
		8-29-67	88.5	-154.5							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA					
SANTA ANA RIVER HYDRO UNIT						Y-01.00										
LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1						LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1										
04S/09W-03M015	300.3	10-21-66 11-22-66 12-21-66 1-30-67 2-21-67 3-24-67 4-20-67 5-15-67 6-26-67 7-17-67 8-14-67 9-14-67	59.9(3) 54.8 53.8(3) 53.6 54.0 55.2 56.0 57.9 59.8 59.2 62.2 63.5	240.4 245.5 246.5 246.7 246.3 245.1 244.3 242.4 240.5 241.1 238.1 236.8	102	04S/09W-07Q015 (CONT.)	203.8	7-31-67 8-07-67 8-14-67 8-21-67 8-29-67 9-05-67 9-11-67 9-19-67 9-26-67	118.5 121.3 124.2 127.1 128.2 129.0 129.8 131.0 132.1	85.3 82.5 79.6 76.7 75.6 74.8 74.0 72.8 71.7	715					
04S/09W-04G015	256.4	10-04-66 11-16-66 12-16-66 3-07-67	37.9 26.3 25.7 26.9	218.5 230.1 230.7 229.5	742	04S/09W-07Q035	202.0	10-10-66 10-17-66 10-24-66 10-31-66 11-07-66 11-14-66 11-21-66 11-28-66 12-12-66 12-19-66 1-03-67 1-09-67 1-16-67 1-23-67 1-30-67 2-06-67 2-13-67 2-20-67 2-27-67 3-06-67 3-13-67 3-20-67 3-27-67 4-03-67 4-10-67 4-17-67 4-24-67 5-01-67 5-08-67 5-15-67 5-22-67 5-29-67 6-05-67 6-12-67 6-19-67 6-26-67 7-03-67 7-10-67 7-17-67 7-24-67 7-31-67 8-07-67 8-14-67 8-21-67 8-29-67 9-05-67 9-11-67 9-19-67 9-26-67	131.2 124.0 122.1 122.6 122.1 121.2 122.4 123.0 117.6 110.0 108.5 112.0 114.5 113.7 109.8 111.6 113.7 112.6 111.0 108.4 107.1 109.0 111.1 109.7 105.5 101.7 99.0 99.1 105.7 108.9 111.5 112.0 114.1 115.2 114.9 112.8 113.7 115.6 117.6 121.4 123.8 125.5 127.6 129.9 137.4 130.9 131.9 132.9 133.5	70.8 78.0 79.9 79.4 79.9 80.8 79.6 79.0 84.4 92.0 93.5 90.0 87.5 88.3 92.2 90.4 88.3 89.4 91.0 93.6 94.9 93.0 90.9 92.3 96.5 100.3 103.0 102.9 96.3 93.1 90.5 90.0 87.9 86.8 87.1 89.2 88.3 86.4 84.4 80.6 78.2 76.5 74.4 72.1 64.6 71.1 70.1 69.1 68.5	715					
04S/09W-07M015	204.9	10-05-66 10-19-66 10-26-66 11-16-66 11-23-66 11-30-66 12-21-66 12-28-66 1-04-67 1-11-67 1-18-67 2-01-67 2-08-67 2-15-67 2-23-67 3-01-67 3-08-67 3-14-67 3-22-67 3-29-67 4-05-67 4-12-67 4-26-67 5-03-67 5-10-67 5-17-67 5-24-67 5-31-67 6-07-67 6-14-67 6-21-67 7-12-67 7-19-67 7-26-67 8-16-67 8-23-67 9-06-67 9-29-67	118.4 108.0 117.0 111.6 112.5 114.0 104.4 102.1 103.2 102.7 99.9 95.8 96.3 96.5 97.7 92.1 90.5 93.1 94.4 93.6 92.2 89.8 86.7 89.6 92.5 95.1 97.1 97.4 97.1 102.0 100.3 102.1 102.7 107.3 107.7 116.8 120.3 124.7	86.5 96.9 87.9 93.3 92.4 90.9 100.5 102.8 101.7 102.2 105.0 109.1 108.6 108.4 107.2 112.8 114.4 111.8 110.5 111.3 112.7 115.1 118.2 115.3 112.4 109.8 107.8 107.5 107.8 102.9 104.6 102.8 102.2 97.6 97.2 88.1 84.6 80.2	102	04S/09W-07Q015	203.8	10-10-66 10-17-66 10-24-66 10-31-66 11-07-66 11-14-66 11-21-66 11-28-66 12-12-66 12-19-66 1-03-67 1-09-67 1-16-67 1-23-67 1-30-67 2-06-67 2-13-67 2-20-67 2-27-67 3-06-67 3-13-67 3-20-67 3-27-67 4-03-67 4-10-67 4-17-67 4-24-67 5-01-67 5-08-67 5-15-67 5-22-67 5-29-67 6-05-67 6-12-67 6-19-67 6-26-67 7-03-67 7-10-67 7-17-67 7-24-67 7-31-67 8-07-67 8-14-67 8-21-67 8-29-67 9-05-67 9-11-67 9-19-67 9-26-67	80.1 93.8 97.3 95.3 94.6 95.5 92.9 91.3 99.3 114.0 113.8 107.0 101.7 101.4 109.1 105.3 101.2 101.8 105.8 110.0 109.6 105.7 103.1 105.2 111.6 118.3 122.6 117.7 110.4 105.1 100.8 98.1 95.4 93.3 93.6 98.6 97.4 91.7 88.1	715	04S/09W-07Q045	205.0	10-10-66 10-17-66 10-24-66 10-31-66 11-07-66 11-14-66 11-28-66 12-12-66 12-19-66 1-03-67 1-09-67 1-16-67 1-23-67 1-30-67 2-06-67 2-13-67 2-20-67 2-27-67 3-06-67 3-13-67 3-20-67 3-27-67 4-03-67 4-10-67 4-17-67 4-24-67 5-01-67 5-08-67 5-15-67 5-22-67 5-29-67 6-05-67 6-12-67 6-19-67 6-26-67 7-03-67 7-10-67 7-17-67	115.8 105.5 103.3 102.2 102.3 105.5 107.7 102.5 94.8 96.0 95.4 99.0 97.8 91.5 93.8 95.2 92.0 88.3 85.0 88.7 91.7 91.6 89.6 86.0 82.4 80.4 85.2 90.4 94.2 97.2 99.5 102.3 103.8 97.7 92.3 98.0 101.7 105.0	89.2 99.5 101.7 102.8 102.7 99.5 97.3 102.5 110.2 109.0 109.6 106.0 107.2 113.5 111.2 109.8 113.0 116.7 120.0 116.3 113.3 113.4 115.4 119.0 122.6 124.6 119.8 114.6 110.8 107.8 105.5 102.7 101.2 107.3 112.7 107.0 103.3 100.0	715

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA						
SANTA ANA RIVER HYDRO UNIT						Y-01.00											
LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1						LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1											
04S/09W-07Q04S (CONT.)	205.0	7-24-67 7-31-67 8-07-67 8-14-67 8-21-67 8-29-67 9-05-67 9-11-67 9-19-67 9-26-67	108.7 111.4 114.0 123.2 125.7 121.1 122.0 123.7 125.0 126.2	96.3 93.6 91.0 81.8 79.3 83.9 83.0 81.3 80.0 78.8	715	04S/09W-18C01S (CONT.)	197.0	4-10-67 4-17-67 4-24-67 5-01-67 5-08-67 5-15-67 5-22-67 5-29-67 6-05-67 6-12-67 6-19-67	102.6 99.0 96.5 98.4 103.3 105.4 107.9 108.5 110.4 111.4 110.7	94.4 98.0 100.5 98.6 93.7 91.6 89.1 88.5 86.6 85.6 86.3	715						
04S/09W-07Q05S	205.0	10-10-66 10-17-66 10-24-66 10-31-66 11-07-66 11-14-66 11-21-66 11-28-66 12-12-66 12-19-66 1-03-67 1-09-67 1-16-67 1-23-67 1-30-67 2-06-67 2-13-67 2-20-67 2-27-67 3-06-67 3-13-67 3-20-67 3-27-67 4-03-67 4-10-67 4-17-67 4-24-67 5-01-67 5-08-67 5-15-67 5-22-67 5-29-67 6-05-67 6-12-67 6-19-67 6-26-67 7-03-67 7-10-67 7-17-67 7-24-67 7-31-67 8-07-67 8-14-67 8-22-67 8-29-67 9-05-67 9-11-67 9-19-67 9-26-67	113.9 102.9 100.8 100.6 101.2 103.2 105.7 106.2 99.4 90.3 92.7 97.5 101.4 100.1 93.1 96.4 98.6 95.8 91.7 88.5 91.7 94.8 95.4 93.0 88.8 84.3 82.1 86.9 93.0 96.4 100.6 102.7 105.4 107.1 102.1 96.5 101.6 105.1 108.2 111.7 114.5 117.3 159.7(1) 162.2(1) 124.8 125.3 126.8 127.8 128.9	91.1 102.1 104.2 104.4 103.8 101.8 99.3 98.8 105.6 114.7 112.3 107.5 103.6 104.9 111.9 108.6 106.4 109.2 113.3 116.5 113.3 110.2 109.6 112.0 116.2 120.7 122.9 118.1 112.0 108.6 104.4 102.3 99.6 97.9 102.9 108.5 103.4 99.9 96.8 93.3 90.5 87.7 45.3 42.8 80.2 79.7 78.2 77.2 76.1	715	04S/09W-18C02S	201.0	10-10-66 10-17-66 10-24-66 10-31-66 11-07-66 11-14-66 11-21-66 11-28-66 12-12-66 12-19-66 1-03-67 1-09-67 1-16-67 1-23-67 1-30-67 2-06-67 2-13-67 2-20-67 2-27-67 3-06-67 3-13-67 3-20-67 3-27-67 4-04-67 4-10-67 4-17-67 4-24-67 5-01-67 5-08-67 5-15-67 5-22-67 5-29-67 6-05-67 6-12-67 6-19-67 6-26-67 7-03-67 7-10-67 7-17-67 7-24-67 7-31-67 8-07-67 8-14-67 8-21-67 8-29-67 9-05-67 9-11-67 9-19-67 9-26-67	127.2 120.0 118.5 118.8 118.3 117.8 119.7 119.2 113.8 106.3 105.9 109.5 111.7 110.8 106.4 108.4 110.0 109.3 107.8 104.8 104.0 105.9 107.7 106.3 102.1 98.6 96.0 98.3 103.1 106.2 108.7 109.1 111.3 112.2 111.5 109.7 110.5 112.8 114.7 118.3 120.5 122.6 124.7 127.0 128.3 128.3 129.4 130.2 131.2	73.8 81.0 82.5 82.2 82.7 83.2 81.3 81.8 87.2 94.7 95.1 91.5 89.3 90.2 94.6 92.6 91.0 91.7 93.2 96.2 97.0 95.1 93.3 94.7 98.9 102.4 105.0 102.7 97.9 94.8 92.3 91.9 89.7 88.8 89.5 91.3 90.5 88.2 86.3 82.7 80.5 78.4 76.3 74.0 72.7 72.7 71.6 70.8 69.8	715						
04S/09W-17Q01S	231.0	10-21-66 11-22-66 12-21-66 1-30-67 2-21-67 3-24-67 4-20-67 5-15-67 6-26-67 7-18-67 8-14-67 9-14-67	162.9 162.1 159.0 154.8 153.9 151.6 149.5 148.1 148.9 150.9 153.7 159.9	68.1 68.9 72.0 76.2 77.1 79.4 81.5 82.9 82.1 80.1 77.3 71.1	102	04S/09W-18C01S	197.0	10-10-66 10-17-66 10-24-66 10-31-66 11-07-66 11-14-66 11-21-66 11-28-66 12-12-66 12-19-66 1-03-67 1-09-67 1-16-67 1-23-67 1-30-67 2-06-67 2-13-67 2-20-67 2-27-67 3-06-67 3-13-67 3-20-67 3-27-67 4-03-67	126.1 119.7 118.2 118.6 117.9 117.0 117.9 117.0 113.7 107.0 105.5 108.9 111.4 109.8 106.6 107.6 109.0 108.2 107.4 104.8 103.9 105.4 106.7 105.6	70.9 77.3 78.8 78.4 79.1 80.0 79.1 80.0 83.3 90.0 91.5 88.1 85.6 87.2 90.4 89.4 88.0 88.8 89.6 92.2 93.1 91.6 90.3 91.4	715	04S/09W-18F01S	195.0	10-10-66 10-17-66 10-24-66 10-31-66 11-07-66 11-14-66 11-21-66 11-28-66 12-12-66 12-19-66 1-03-67 1-09-67 1-16-67 1-23-67 1-30-67 2-06-67 2-13-67 2-20-67 2-27-67 3-06-67 3-13-67 3-20-67	124.3 118.7 117.3 117.7 116.5 115.7 116.9 116.6 112.3 106.6 104.9 107.5 109.3 108.0 105.1 106.2 107.2 106.7 105.8 103.8 103.0 104.2	70.7 76.3 77.7 77.3 78.5 79.3 78.1 78.4 82.7 88.4 90.1 87.5 85.7 87.0 89.9 88.8 87.8 88.3 89.2 91.2 92.0 90.8	715

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
04S/09W-18F015 (CONT.)	195.0	3-27-67	105.2	89.8	715	04S/09W-19M01S (CONT.)	170.0	11-23-66	108.8	61.2	102
		4-03-67	104.0	91.0				11-30-66	108.7	61.3	
		4-10-67	101.5	93.5				12-21-66	104.6	65.4	
		4-17-67	98.5	96.5				12-28-66	102.9	67.1	
		4-24-67	96.2	98.8				1-04-67	102.9	67.1	
		5-01-67	97.6	97.4				1-11-67	106.1	63.9	
		5-08-67	101.0	94.0				1-18-67	104.5	65.5	
		5-15-67	103.3	91.7				2-01-67	101.4	68.6	
		5-22-67	105.8	89.2				2-07-67	101.5	68.5	
		5-29-67	106.3	88.7				2-15-67	102.0	68.0	
		6-05-67	108.2	86.8				2-23-67	101.8	68.2	
		6-12-67	108.7	86.3				3-01-67	101.4	68.6	
		6-19-67	108.4	86.6				3-08-67	99.9	70.1	
		6-26-67	107.8	87.2				3-15-67	99.4	70.6	
		7-03-67	108.2	86.8				3-22-67	99.3	70.7	
		7-10-67	109.7	85.3				3-29-67	99.3	70.7	
		7-17-67	111.5	83.5				4-05-67	98.9	71.1	
		7-24-67	114.2	80.8				4-12-67	97.5	72.5	
		7-31-67	116.3	78.7				4-26-67	94.9	75.1	
		8-07-67	117.6	77.4				5-03-67	95.2	74.8	
		8-14-67	119.5	75.5				5-10-67	96.7	73.3	
		8-21-67	121.5	73.5				5-17-67	105.9	64.1	
		8-29-67	123.3	71.7				5-24-67	102.9	67.1	
		9-05-67	123.6	71.4				5-24-67	103.3	66.7	
		9-11-67	124.3	70.7				6-07-67	103.1	66.9	
		9-19-67	125.6	69.4				6-28-67	102.6	67.4	
		9-26-67	126.5	68.5				7-12-67	105.7	64.3	
04S/09W-18H01S	195.0	10-05-66	120.2	74.8	102			7-19-67	104.8	65.2	
		10-12-66	122.1	72.9				7-26-67	104.6	65.4	
		10-19-66	117.8	77.2				8-02-67	103.9	66.1	
		10-26-66	123.4	71.6				8-09-67	104.7	65.3	
		11-02-66	124.7	70.3				8-23-67	106.7	63.3	
		11-16-66	116.5	78.5		04S/09W-22H01S	317.4	10-21-66	272.0 (2)	45.4	102
		11-23-66	116.5	78.5				11-22-66	267.1 (2)	50.3	
		11-30-66	120.2	74.8				12-20-66	271.1 (2)	46.3	
		12-21-66	113.1	81.9				1-30-67	278.1	39.3	
		12-28-66	109.3	85.7				2-21-67	282.9	34.5	
		1-04-67	107.9	87.1				3-24-67	264.6	52.8	
		1-11-67	108.4	86.6				4-20-67	275.2	42.2	
		1-18-67	109.0	86.0				5-15-67	288.0 (2)	29.4	
		2-01-67	106.2	88.8				6-26-67	299.0 (2)	18.4	
		2-08-67	106.1	88.9				7-18-67	287.9 (2)	29.5	
		2-15-67	107.6	87.4				8-14-67	292.5 (2)	24.9	
		2-23-67	108.3	86.7				9-14-67	296.4 (2)	21.0	
		3-01-67	109.2	85.8		04S/09W-23A01S	409.0	10-21-66	49.6	359.4	102
		3-08-67	104.9	90.1				11-22-66	46.3	362.7	
		3-15-67	104.4	90.6				12-21-66	44.2	364.8	
		3-22-67	105.1	89.9				1-30-67	43.2 (1)	365.8	
		3-29-67	104.8	90.2				2-21-67	44.6 (1)	364.4	
		4-05-67	103.0	92.0				3-24-67	45.2 (1)	363.8	
		4-12-67	101.6	93.4				4-20-67	45.0 (1)	364.0	
		4-26-67	97.2	97.8				5-15-67	46.3 (1)	362.7	
		5-03-67	97.1	97.9				6-26-67	47.4 (1)	361.6	
		5-10-67	98.3	96.7				7-18-67	46.7 (1)	362.3	
		5-17-67	107.6	87.4				8-14-67	53.5 (1)	355.5	
		5-24-67	101.0	94.0				9-14-67	56.9 (1)	352.1	
		5-31-67	99.8	95.2		04S/09W-27D01S	300.0	10-21-66	260.4	39.6	102
		6-07-67	99.6	95.4				11-22-66	273.5	26.5	
		6-14-67	104.3	90.7				12-20-66	258.6	41.4	
		6-21-67	102.7	92.3				1-30-67	247.0	53.0	
		6-28-67	102.4	92.6				2-21-67	246.1	53.9	
		7-05-67	106.4	88.6				3-24-67	246.3	53.7	
		7-12-67	107.1	87.9				4-20-67	207.0	93.0	
		7-19-67	109.2	85.8				5-15-67	241.1	58.9	
		7-26-67	108.7	86.3				6-26-67	241.4	58.6	
		8-02-67	107.9	87.1				8-14-67	248.9	51.1	
		8-08-67	108.8	86.2				9-14-67	254.3	45.7	
		8-16-67	108.2	86.8		04S/09W-28H02S	290.0	10-10-66	239.5	50.5	715
		8-23-67	111.8	83.2				10-17-66	242.0	48.0	
		8-30-67	113.2	81.8				10-24-66	242.5	47.5	
		9-06-67	113.5	81.5				10-31-66	242.5	47.5	
		9-23-67	115.0	80.0				11-07-66	239.8	50.2	
		9-29-67	124.0	71.0				11-14-66	239.7	50.3	
04S/09W-18Q01S	183.8	10-21-66	111.9	71.9	102			11-28-66	239.1	50.9	
		11-22-66	108.1	75.7				12-12-66	237.7	52.3	
		12-21-66	106.9	76.9				12-19-66	235.8	54.2	
		1-30-67	102.2	81.6				1-03-67	233.9	56.1	
04S/09W-19D01S	177.7	10-21-66	112.0	65.7	102			1-09-67	233.7	56.3	
		11-22-66	108.3	69.4				1-16-67	233.2	56.8	
		12-20-66	103.1	74.6				1-23-67	230.8	59.2	
		1-30-67	99.2	78.5				1-31-67	231.6	58.4	
		2-21-67	100.6	77.1				2-06-67	230.6	59.4	
		3-24-67	98.1	79.6				2-13-67	230.4	59.6	
		4-20-67	95.6	82.1				2-20-67	229.5	60.5	
		5-15-67	95.5	82.2				2-27-67	229.3	60.7	
		7-18-67	96.7	81.0				3-06-67	228.8	61.2	
		8-14-67	104.1	73.6				3-13-67	227.2	62.8	
		9-14-67	108.0	69.7				3-20-67	228.3	61.7	
04S/09W-19M01S	170.0	10-05-66	114.9	55.1	102			3-27-67	227.6	62.4	
		10-12-66	112.9	57.1				4-03-67	227.5	62.5	
		10-19-66	111.8	58.2				4-10-67	227.3	62.7	
		10-26-66	110.8	59.2				4-17-67	226.7	63.3	
		11-02-66	111.8	58.2				4-24-67	224.9	65.1	
		11-16-66	110.0	60.0				5-08-67	225.2	64.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
04S/09W-28H02S (CONT.)	290.0	5-15-67	225.3	64.7	715	04S/09W-32K01S (CONT.)	200.0	2-13-67	162.2	37.8	715
		5-22-67	226.3	63.7				2-20-67	162.0	38.0	
		5-29-67	226.5	63.5				2-27-67	162.6	37.4	
		6-05-67	226.5	63.5				3-06-67	160.3	39.7	
		6-12-67	226.2	63.8				3-13-67	158.5	41.5	
		6-19-67	226.4	63.6				3-20-67	160.0	40.0	
		6-26-67	227.4	62.6				3-27-67	158.5	41.5	
		7-03-67	227.8	62.2				4-03-67	156.8	43.2	
		7-10-67	228.3	61.7				4-10-67	158.9	41.1	
		7-17-67	228.8	61.2				4-17-67	157.3	42.7	
		7-24-67	229.7	60.3				4-24-67	154.9	45.1	
		7-31-67	229.0	61.0				5-01-67	155.4	44.6	
		8-01-67	237.1(1)	52.9				5-08-67	158.4	41.6	
		8-07-67	230.8	59.2				5-15-67	159.7	40.3	
		8-14-67	231.8	58.2				5-22-67	161.5	38.5	
		8-22-67	239.5(1)	50.5				5-29-67	158.1	41.9	
		8-29-67	234.4	55.6				6-05-67	160.4	39.6	
		9-05-67	235.0	55.0				6-12-67	158.9	41.1	
		9-11-67	234.7	55.3				6-19-67	158.5	41.5	
		9-19-67	235.5	54.5				6-26-67	162.0	38.0	
		9-26-67	235.8	54.2				7-03-67	162.7	37.3	
04S/09W-28R01S	262.1	10-21-66	229.8	32.3	102			7-10-67	164.5	35.5	
		11-22-66	220.4	41.7				7-17-67	166.4	33.6	
		12-21-66	218.3	43.8				7-24-67	167.5	32.5	
		1-30-67	219.5	42.6				7-31-67	167.4	32.6	
		2-21-67	227.8(2)	34.3				8-07-67	168.0	32.0	
		4-20-67	203.4	58.7				8-14-67	169.3	30.7	
04S/09W-30D02S	161.5	10-05-66	104.8	56.7	102			8-21-67	170.6	29.4	
		10-12-66	104.1	57.4				8-29-67	173.1	26.9	
		10-19-66	104.2	57.3				9-05-67	171.0	29.0	
		10-26-66	103.5	58.0				9-11-67	171.7	28.3	
		11-02-66	104.3	57.2				9-19-67	172.0	28.0	
		11-16-66	101.7	59.8				9-26-67	171.4	28.6	
		11-23-66	102.1	59.4		04S/09W-33M01S	226.0	10-21-66	200.4	25.6	102
		11-30-66	101.9	59.6				11-22-66	191.8	34.2	
		12-21-66	98.9	62.6				12-21-66	189.9	36.1	
		12-28-66	97.1	64.4				1-30-67	177.6	48.4	
		1-04-67	97.2	64.3				2-21-67	185.8	40.2	
		1-11-67	97.2	64.3				3-24-67	183.7	42.3	
		1-18-67	96.6	64.9				4-20-67	178.8	47.2	
		2-01-67	95.3	66.2				5-15-67	183.9	42.1	
		2-07-67	94.8	66.7				6-26-67	187.0	39.0	
		2-15-67	94.7	66.8				7-18-67	187.4	38.6	
		2-23-67	94.9	66.6				8-14-67	197.0	29.0	
		3-01-67	95.2	66.3				9-14-67	200.4	25.6	
		3-08-67	94.4	67.1		04S/10W-11D02S	171.0	10-31-66	109.0	62.0	210
		3-15-67	93.9	67.6				11-30-66	105.3	65.7	
		3-22-67	93.6	67.9				12-30-66	96.0	75.0	
		3-29-67	93.6	67.9				1-31-67	96.5	74.5	
		4-05-67	93.2	68.3				2-28-67	97.5	73.5	
		4-12-67	92.1	69.4				4-03-67	94.5	76.5	
		4-26-67	90.2	71.3				5-01-67	90.9	80.1	
		5-03-67	90.1	71.4				5-31-67	89.8	81.2	
		5-10-67	90.9	70.6				6-30-67	93.8	77.2	
		5-17-67	92.1	69.4				7-31-67	98.3	72.7	
		5-24-67	93.2	68.3				8-31-67	105.7	65.3	
		5-31-67	94.4	67.1				9-29-67	107.9	63.1	
		6-07-67	93.6	67.9		04S/10W-12A01S	200.0	10-10-66	113.7	86.3	102
		6-14-67	94.4	67.1				11-01-66	107.4	92.6	
		6-21-67	94.7	66.8				12-01-66	103.8	96.2	
		6-28-67	93.9	67.6				1-04-67	96.5	103.5	
		7-05-67	93.0	68.5				2-06-67	95.3	104.7	
		7-12-67	93.6	67.9				3-01-67	93.3	106.7	
		7-19-67	93.8	67.7				4-07-67	91.1	108.9	
		7-26-67	94.1	67.4				5-04-67	87.8	112.2	
		8-02-67	93.3	68.2				6-06-67	95.3	104.7	
		8-09-67	94.0	67.5				7-03-67	94.2	105.8	
		8-16-67	94.8	66.7				8-01-67	102.8	97.2	
		8-23-67	98.0	63.5				9-05-67	113.0	87.0	
		8-30-67	100.2	61.3		04S/10W-12C01S	197.7	10-31-66	108.3	89.4	210
		9-06-67	100.0	61.5				11-30-66	97.3	100.4	
04S/09W-31R01S	178.0	11-22-66	126.6	51.4	102			12-30-66	92.0	105.7	
		12-21-66	122.6	55.4				1-31-67	91.3	106.4	
		1-30-67	119.0	59.0				2-28-67	92.8	104.9	
		3-24-67	118.0	60.0				4-03-67	90.7	107.0	
		4-20-67	114.7	63.3				5-01-67	87.3	110.4	
		5-15-67	115.7	62.3				5-31-67	93.3	104.4	
		6-26-67	116.9	61.1				6-30-67	98.8	98.9	
04S/09W-32K01S	200.0	10-10-66	173.1	26.9	715			7-31-67	105.5	92.2	
		10-17-66	176.1	23.9				8-31-67	108.5	89.2	
		10-24-66	176.5	23.5				9-29-67	109.6	88.1	
		10-31-66	176.4	23.6		04S/10W-12J02S	199.0	11-01-66	112.5	86.5	102
		11-07-66	172.9	27.1				12-01-66	111.7	87.3	
		11-14-66	168.6	31.4				1-04-67	91.0	108.0	
		11-21-66	167.8	32.2				2-06-67	91.2	107.8	
		11-28-66	167.0	33.0				3-01-67	92.4	106.6	
		12-12-66	164.9	35.1				4-07-67	91.6	107.4	
		12-19-66	163.9	36.1				5-04-67	102.5	96.5	
		1-03-67	164.1	35.9				6-06-67	90.1	108.9	
		1-09-67	164.2	35.8				7-03-67	95.3	103.7	
		1-16-67	162.5	37.5				8-01-67	99.5	99.5	
		1-23-67	161.1	38.9				9-05-67	110.0	89.0	
		1-30-67	160.4	39.6							
		2-06-67	161.6	38.4							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0						LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0					
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1						EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1					
04S/10W-13G01S	187.8	12-01-66	115.2	72.6	102	04S/10W-15J04S	152.0	1-11-67	103.1	48.9	102
		1-04-67	104.4	83.4		(CONT.)		1-18-67	101.3	50.7	
		2-06-67	104.3	83.5				2-01-67	99.2	52.8	
		3-01-67	103.4	84.4				2-08-67	100.3	51.7	
		4-07-67	101.4	86.4				2-15-67	100.6	51.4	
		5-04-67	96.5	91.3				2-23-67	101.2	50.8	
		6-06-67	103.1	84.7				3-01-67	101.8	50.2	
		7-03-67	104.2	83.6				3-08-67	100.2	51.8	
		8-01-67	108.4	79.4				3-15-67	100.5	51.5	
								3-22-67	97.6	54.4	
04S/10W-14D02S	166.4	10-31-66	104.1	62.3	210			3-29-67	97.8	54.2	
		11-30-66	100.7	65.7				4-05-67	97.5	54.5	
		12-30-66	98.5	67.9				4-12-67	99.7	52.3	
		1-31-67	98.5	67.9				4-26-67	96.2	55.8	
		2-28-67	99.5	66.9				5-03-67	98.0	54.0	
		4-03-67	98.9	67.5				5-10-67	96.6	55.4	
		5-01-67	92.5	73.9				5-17-67	100.2	51.8	
		5-31-67	96.3	70.1				5-24-67	100.8	51.2	
		6-30-67	101.3	65.1				5-31-67	101.2	50.8	
		7-31-67	106.7	59.7				6-07-67	100.9	51.1	
		8-31-67	111.4	55.0				6-14-67	102.0	50.0	
		9-30-67	113.6	52.8				6-21-67	102.7	49.3	
04S/10W-14H01S	173.2	10-10-66	110.9	62.3	102			6-28-67	103.4	48.6	
		11-01-66	105.4	67.8				7-05-67	103.9	48.1	
		12-01-66	99.3	73.9				7-12-67	104.6	47.4	
		1-04-67	92.1	81.1				7-19-67	104.9	47.1	
		2-06-67	90.6	82.6				7-26-67	105.5	46.5	
		3-01-67	91.0	82.2				8-02-67	106.1	45.9	
		4-06-67	87.1	86.1				8-09-67	106.5	45.5	
		5-04-67	83.2	90.0				8-16-67	106.9	45.1	
		6-06-67	90.2	83.0				9-06-67	112.7	39.3	
		7-03-67	92.0	81.2				9-18-67	114.1	37.9	
		8-01-67	99.0	74.2							
		9-05-67	103.4	69.8		04S/10W-15P01S	142.0	3-06-67	102.0	40.0	102
04S/10W-14H02S	173.4	10-31-66	117.8	55.6	210			4-05-67	100.4	41.6	
		11-30-66	112.2	61.2				5-01-67	86.9	55.1	
		12-30-66	94.5	78.9				6-05-67	93.8	48.2	
		1-31-67	107.5	65.9				8-04-67	101.3	40.7	
		2-28-67	98.3	75.1		04S/10W-17H01S	123.0	10-31-66	91.6	31.4	210
		4-03-67	96.2	77.2				11-30-66	80.7	42.3	
		5-01-67	90.2	83.2				12-30-66	78.1	44.9	
		5-31-67	94.5	78.9				1-31-67	74.5	48.5	
		6-30-67	103.8	69.6				2-28-67	76.2	46.8	
		7-31-67	109.7	63.7				4-03-67	72.5	50.5	
		8-31-67	113.2	60.2				5-01-67	67.7	55.3	
		9-29-67	116.8	56.6				5-31-67	95.3	27.7	
04S/10W-14H01S	163.1	10-31-66	103.3	59.8	210			6-30-67	79.6	43.4	
		11-30-66	98.2	64.9				7-31-67	84.8	38.2	
		12-30-66	87.2	75.9				8-31-67	90.7	32.3	
		1-31-67	90.0	73.1				9-29-67	95.5	27.5	
		2-28-67	90.9	72.2		04S/10W-17J02S	116.1	10-31-66	93.8	22.3	210
		4-03-67	87.7	75.4				11-30-66	89.3	26.8	
		5-01-67	81.5	81.6				12-30-66	87.1	29.0	
		5-31-67	84.3	78.8				1-31-67	82.9	33.2	
		6-30-67	88.3	74.8				2-28-67	85.5	30.6	
		7-31-67	92.4	70.7				4-03-67	81.1	35.0	
		8-31-67	95.8	67.3				5-01-67	79.8	36.3	
		9-30-67	99.8	63.3				5-31-67	105.5	10.6	
04S/10W-15801S	152.6	10-31-66	107.8	44.8	210			6-30-67	107.8	8.3	
		11-30-66	99.1	53.5				7-31-67	96.0	20.1	
		12-30-66	96.1	56.5				8-31-67	98.8	17.3	
		1-31-67	90.2	62.4				9-29-67	100.4	15.7	
		2-28-67	94.7	57.9		04S/10W-17L02S	110.6	10-31-66	64.7	45.9	210
		4-03-67	92.8	59.8				11-30-66	63.0	47.6	
		5-01-67	82.2	70.4				12-30-66	82.5	28.1	
		5-31-67	87.3	65.3				1-31-67	83.5	27.1	
		6-30-67	97.0	55.6				2-28-67	92.5	18.1	
		7-31-67	100.3	52.3				4-03-67	69.3	41.3	
		8-31-67	102.1	50.5				5-01-67	98.5	12.1	
		9-29-67	103.2	49.4				5-31-67	100.5	10.1	
04S/10W-15805S	155.0	10-31-66	108.2	46.8	210			6-30-67	103.5	7.1	
		11-30-66	99.2	55.8				7-31-67	102.5	8.1	
		12-30-66	98.7	56.3				8-31-67	105.5	5.1	
		1-31-67	93.5	61.5				9-29-67	107.5	3.1	
		2-28-67	92.5	62.5		04S/10W-17Q01S	112.0	10-12-66	77.8	34.2	102
		4-03-67	91.3	63.7				11-02-66	78.2	33.8	
		5-01-67	88.0	67.0				12-01-66	75.8	36.2	
		5-31-67	91.6	63.4				1-05-67	74.1	37.9	
		6-30-67	98.2	56.8				2-07-67	73.1	38.9	
		7-31-67	104.2	50.8				3-02-67	72.8	39.2	
		8-31-67	105.3	49.7				4-12-67	69.9	42.1	
		9-29-67	107.2	47.8				5-03-67	68.8	43.2	
04S/10W-15J04S	152.0	10-12-66	118.9	33.1	102			6-02-67	70.8	41.2	
		10-19-66	121.1	30.9				7-05-67	70.8	41.2	
		10-26-66	116.9	35.1				8-02-67	71.8	40.2	
		11-02-66	113.8	38.2				9-11-67	74.4	37.6	
		11-16-66	113.0	39.0		04S/10W-18K01S	100.0	10-01-66	104.7	-4.7	210
		11-23-66	107.2	44.8				11-01-66	104.4	-4.4	
		11-30-66	106.6	45.4				12-01-66	89.1	10.9	
		12-21-66	102.4	49.6				1-01-67	86.2	13.8	
		12-28-66	101.7	50.3				2-01-67	88.3	11.7	
		1-04-67	101.8	50.2				3-01-67	87.8	12.2	
								4-01-67	85.2	14.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1						LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1					
04S/10W-18K01S (CONT.)	100.0	5-01-67	79.7	20.3	210	04S/10W-23B02S	165.0	10-31-66	115.3	49.7	210
		6-01-67	78.3	21.7				11-30-66	112.0	53.0	
		7-01-67	94.2	5.8				12-30-66	92.8	72.2	
		8-01-67	92.2	7.8				1-31-67	89.5	75.5	
		9-01-67	103.9	-3.9				2-28-67	92.8	72.2	
04S/10W-18P01S	92.0	10-01-66	78.8	13.2	210			4-03-67	88.0	77.0	
		1-01-67	100.0	-8.0				5-01-67	81.8	83.2	
		7-01-67	62.3	29.7				5-31-67	85.7	79.3	
		8-01-67	65.3	26.7				6-30-67	88.5	76.5	
		9-01-67	66.5	25.5				7-31-67	94.3	70.7	
04S/10W-19G02S	93.0	10-13-66	67.9	25.1	102			8-31-67	100.3	64.7	
		11-03-66	68.7	24.3				9-30-67	104.1	60.9	
		12-15-66	64.4	28.6		04S/10W-23H01S	163.0	10-10-66	104.4	58.6	102
		1-06-67	61.7	31.3				11-01-66	104.6	58.4	
		2-08-67	60.8	32.2				12-01-66	103.5	59.5	
		3-03-67	61.2	31.8				1-04-67	102.1	60.9	
		4-13-67	58.9	34.1				2-06-67	100.8	62.2	
		5-16-67	60.2	32.8				3-01-67	98.3	64.7	
		6-07-67	64.4	28.6				4-07-67	96.5	66.5	
		7-17-67	66.6	26.4				5-04-67	94.2	68.8	
		7-31-67	61.9	31.1				6-06-67	93.2	69.8	
		9-06-67	65.3	27.7				7-03-67	93.9	69.1	
04S/10W-19H01S	99.0	10-01-66	72.7	26.3	210			8-01-67	94.8	68.2	
		11-01-66	73.8	25.2				9-05-67	96.7	66.3	
		12-01-66	67.7	31.3		04S/10W-23R01S	156.0	10-10-66	99.0	57.0	102
		1-01-67	65.7	33.3				11-01-66	97.1	58.9	
		2-01-67	66.4	32.6				12-01-66	93.2	62.8	
		3-01-67	64.3	34.7				1-04-67	86.5	69.5	
		4-01-67	63.2	35.8				2-06-67	89.2	66.8	
		5-01-67	61.0	38.0				3-01-67	85.3	70.7	
		6-01-67	60.7	38.3				4-07-67	81.8	74.2	
		7-01-67	68.0	31.0				5-04-67	78.7	77.3	
		8-01-67	68.8	30.2				8-01-67	91.2	64.8	
		9-01-67	67.8	31.2				9-05-67	94.5	61.5	
04S/10W-19R03S	92.5	10-01-66	75.3	17.2	210	04S/10W-24B03S	172.0	12-01-66	107.9	64.1	102
04S/10W-20N01S	98.0	10-01-66	81.3	16.7	210			1-04-67	99.6	72.4	
		11-01-66	85.0	13.0				2-06-67	99.7	72.3	
		12-01-66	82.2	15.8				3-01-67	98.9	73.1	
		1-01-67	79.5	18.5				4-07-67	95.6	76.4	
		2-01-67	81.3	16.7				5-04-67	92.1	79.9	
		3-01-67	76.8	21.2		04S/10W-24D01S	173.0	2-06-67	101.4	71.6	102
		4-01-67	76.3	21.7				3-01-67	100.0	73.0	
		5-01-67	76.2	21.8				4-07-67	98.2	74.8	
		6-01-67	75.3	22.7				9-05-67	103.1	69.9	
		7-01-67	91.3	6.7		04S/10W-24R02S	163.0	11-16-66	98.3	64.7	102
		8-01-67	91.3	6.7				11-23-66	96.3	66.7	
		9-01-67	91.3	6.7				12-27-66	88.9	74.1	
04S/10W-20N02S	100.0	11-01-66	71.7	28.3	210			1-11-67	90.9	72.1	
		12-01-66	68.5	31.5				2-01-67	85.5	77.5	
		1-01-67	68.2	31.8				2-15-67	90.8	72.2	
		2-01-67	67.3	32.7				3-01-67	88.7	74.3	
		3-01-67	66.7	33.3				3-08-67	86.9	76.1	
		4-01-67	66.6	33.4				3-29-67	87.1	75.9	
		5-01-67	66.0	34.0				4-12-67	86.7	76.3	
		6-01-67	65.2	34.8				5-03-67	85.8	77.2	
		7-01-67	84.2	15.8				8-09-67	94.6	68.4	
		8-01-67	84.2	15.8		04S/10W-25E01S	144.5	10-05-66	92.7	51.8	102
		9-01-67	84.1	15.9				10-12-66	91.9	52.6	
04S/10W-21F01S	118.0	11-02-66	84.1	33.9	102			10-19-66	93.2	51.3	
		12-01-66	82.2	35.8				10-26-66	91.8	52.7	
		1-05-67	80.8	37.2				11-02-66	94.0	50.5	
		2-07-67	80.1	37.9				11-16-66	90.1	54.4	
		3-02-67	78.8	39.2				11-23-66	91.0	53.5	
		4-12-67	77.1	40.9				11-30-66	91.1	53.4	
		5-03-67	76.4	41.6				12-21-66	87.5	57.0	
		7-05-67	76.1	41.9				12-28-66	84.1	60.4	
		8-02-67	76.2	41.8				1-04-67	85.6	58.9	
04S/10W-21N02S	120.0	11-01-66	91.3	28.7	210			1-11-67	84.7	59.8	
		12-01-66	88.5	31.5				1-18-67	84.5	60.0	
		1-01-67	98.0	22.0				2-01-67	83.4	61.1	
		2-01-67	87.3	32.7				2-03-67	83.3	61.2	
		3-01-67	75.7	44.3				2-07-67	82.8	61.7	
		4-01-67	94.0	26.0				2-15-67	82.8	61.7	
		5-01-67	90.6	29.4				3-01-67	84.4	60.1	
		6-01-67	92.6	27.4				3-08-67	83.8	60.7	
		7-01-67	101.3	18.7				3-14-67	83.5	61.0	
		8-01-67	101.2	18.8				3-22-67	83.2	61.3	
		9-01-67	101.8	18.2				3-29-67	83.2	61.3	
04S/10W-22C03S	140.0	10-18-66	105.5	34.5	102			4-05-67	82.9	61.6	
		11-03-66	104.7	35.3				4-12-67	82.9	61.6	
		12-01-66	96.7	43.3				4-26-67	80.4	64.1	
		1-09-67	93.1	46.9				5-03-67	80.3	64.2	
		2-09-67	93.6	46.4				5-17-67	82.7	61.8	
		3-06-67	91.0	49.0				5-24-67	82.8	61.7	
		4-06-67	87.4	52.6				5-31-67	83.7	60.8	
		5-01-67	84.0	56.0				6-07-67	84.6	59.9	
		6-05-67	92.3	47.7				6-14-67	84.8	59.7	
		7-17-67	95.5	44.5				6-21-67	84.6	59.9	
		8-04-67	98.8	41.2				7-05-67	82.5	62.0	
								7-12-67	83.2	61.3	
								7-19-67	83.6	60.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1						LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1					
04S/10W-25E01S (CONT.)	144.5	7-26-67	85.8	58.7	102	04S/10W-32Q01S (CONT.)	83.1	9-26-67	52.7	30.4	102
		8-02-67	86.9	57.6							
		8-09-67	85.8	58.7							
		9-06-67	88.5	56.0		04S/10W-34D03S	95.9	11-03-66	61.7	34.2	102
		9-11-67	88.3	56.2				12-01-66	59.7	36.2	
		9-18-67	88.2	56.3				7-17-67	54.3	41.6	
		9-25-67	84.1	60.4				8-04-67	54.5	41.4	
								9-11-67	55.7	40.2	
04S/10W-25F01S	145.0	10-31-66	96.0	49.0	210	04S/10W-35A03S	136.0	10-18-66	91.8	44.2	102
		11-30-66	93.0	52.0				11-03-66	93.8	42.2	
		12-30-66	90.0	55.0				12-01-66	90.3	45.7	
		1-31-67	87.3	57.7				1-09-67	86.6	49.4	
		2-28-67	90.3	54.7				2-09-67	85.1	50.9	
		4-03-67	89.6	55.4				3-06-67	85.0	51.0	
		5-01-67	85.1	59.9				4-06-67	85.3	50.7	
		5-31-67	85.3	59.7				5-01-67	83.1	52.9	
		6-30-67	89.3	55.7				6-05-67	83.0	53.0	
		7-31-67	92.7	52.3				7-17-67	83.5	52.5	
		8-31-67	93.3	51.7				8-02-67	84.6	51.4	
		9-29-67	98.3	46.7				10-04-67	83.3	52.7	
04S/10W-26C01S	139.6	10-18-66	96.0	43.6	102	04S/10W-35K01S	121.0	10-18-66	84.6	36.4	102
		11-03-66	98.1	41.5				11-03-66	84.2	36.8	
		12-01-66	95.6	44.0				12-01-66	85.3	35.7	
		1-09-67	93.6	46.0				1-09-67	79.6	41.4	
		2-09-67	93.0	46.6				2-09-67	79.0	42.0	
		3-06-67	91.2	48.4				3-06-67	80.3	40.7	
		4-06-67	91.7	47.9				4-06-67	82.7	38.3	
		5-01-67	88.4	51.2				5-01-67	81.9	39.1	
		6-05-67	89.5	50.1				6-05-67	84.6	36.4	
		7-17-67	87.4	52.2				8-04-67	85.1	35.9	
		8-04-67	87.9	51.7		04S/11W-24A01S	82.5	10-01-66	75.3	7.2	210
		9-11-67	89.0	50.6				11-01-66	73.5	9.0	
04S/10W-27C02S	129.0	11-03-66	90.4	38.6	102			12-01-66	70.5	12.0	
		12-01-66	88.5	40.5				1-01-67	51.5	31.0	
		1-09-67	87.1	41.9				2-01-67	69.8	12.7	
		2-09-67	85.8	43.2				3-01-67	53.2	29.3	
		3-06-67	84.7	44.3				4-01-67	41.0	41.5	
		4-06-67	83.3	45.7				5-01-67	44.6	37.9	
		5-01-67	81.1	47.9				6-01-67	44.2	38.3	
		6-05-67	81.4	47.6				7-01-67	62.1	20.4	
		7-17-67	80.8	48.2				8-01-67	62.3	20.2	
		8-04-67	81.2	47.8		04S/11W-24A03S	83.0	10-13-66	56.4	26.6	102
		9-11-67	82.0	47.0				11-03-66	56.9	26.1	
04S/10W-28M02S	108.0	10-18-66	83.1	24.9	102			12-15-66	50.9	32.1	
		11-03-66	77.2	30.8				1-06-67	50.1	32.9	
		12-01-66	80.3	27.7				2-08-67	50.3	32.7	
		1-09-67	73.8	34.2				3-03-67	51.5	31.5	
		2-09-67	71.8	36.2				6-07-67	51.3	31.7	
		3-06-67	71.3	36.7				7-18-67	52.5	30.5	
		4-06-67	70.1	37.9				7-31-67	51.8	31.2	
		5-01-67	68.7	39.3				9-05-67	51.9	31.1	
		6-05-67	69.6	38.4		04S/11W-24M01S	71.0	10-13-66	61.5(2)	9.5	102
		7-17-67	74.4	33.6				11-03-66	66.3(2)	4.7	
		8-04-67	73.2	34.8				12-15-66	44.7	26.3	
		9-11-67	75.1	32.9				1-06-67	44.6(2)	26.4	
04S/10W-31B02S	80.0	10-18-66	62.1	17.9	102			2-08-67	44.0(2)	27.0	
		12-01-66	55.6	24.4				3-03-67	47.8(2)	23.2	
		1-09-67	53.4	26.6				4-13-67	41.0(2)	30.0	
		2-09-67	49.8	30.2				6-07-67	51.7(2)	19.3	
		3-06-67	51.6	28.4				8-31-67	61.1(2)	9.9	
		4-06-67	50.8	29.2				9-06-67	65.2(2)	5.8	
		5-01-67	48.7	31.3		04S/11W-26B01S	59.8	10-13-66	40.6	19.2	102
		6-05-67	52.6	27.4				11-03-66	42.0	17.8	
		7-17-67	53.7	26.3				12-15-66	32.7	27.1	
		8-02-67	54.4	25.6				1-06-67	31.6	28.2	
		9-11-67	55.1	24.9				2-08-67	32.8	27.0	
04S/10W-32Q01S	83.1	10-04-66	64.9	18.2	102			3-03-67	34.3	25.5	
		10-25-66	56.6	26.5				5-17-67	35.2	24.6	
		11-01-66	56.2	26.9				6-07-67	35.6	24.2	
		11-15-66	54.3	28.8				7-17-67	36.4	23.4	
		11-22-66	53.4	29.7				7-31-67	37.7	22.1	
		11-29-66	52.6	30.5				9-05-67	37.9	21.9	
		12-20-66	50.4	32.7		04S/11W-26J01S	66.0	10-25-66	56.2	9.8	102
		12-27-66	50.1	33.0				11-15-66	46.2	19.8	
		1-03-67	49.8	33.3				11-22-66	44.9	21.1	
		1-10-67	49.9	33.2				11-29-66	43.8	22.2	
		1-17-67	49.8	33.3				12-20-66	38.4	27.6	
		2-07-67	48.1	35.0				12-27-66	37.8	28.2	
		2-21-67	47.9	35.2				1-03-67	38.2	27.8	
		2-27-67	47.4	35.7				1-10-67	40.8	25.2	
		3-07-67	48.2	34.9				1-17-67	39.8	26.2	
		3-14-67	48.1	35.0				2-07-67	38.2	27.8	
		3-21-67	47.7	35.4				2-21-67	40.4	25.6	
		3-28-67	47.8	35.3				2-27-67	40.9	25.1	
		4-11-67	46.5	36.6				3-07-67	41.3	24.7	
		4-18-67	45.7	37.4				3-14-67	39.9	26.1	
		5-02-67	45.3	37.8				3-21-67	39.0	27.0	
		5-09-67	45.1	38.0				3-28-67	39.6	26.4	
		5-16-67	46.6	36.5				7-25-67	51.8	14.2	
		5-23-67	47.8	35.3				8-08-67	53.5	12.5	
		6-13-67	48.2	34.9							
		6-20-67	48.1	35.0							
		9-19-67	52.9	30.2							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
04S/11W-26J01S (CONT.)	66.0	8-15-67	55.2	10.8	102	05S/09W-10G01S	180.4	10-05-66	141.0	39.4	102
		8-22-67	56.4	9.6				10-12-66	140.7	39.7	
		8-29-67	57.1	8.9				10-19-66	142.2	38.2	
								10-26-66	143.4	37.0	
04S/11W-35B01S	55.4	12-15-66	31.2	24.2	102			11-02-66	143.6	36.8	
		1-06-67	31.3	24.1				11-16-66	139.8	40.6	
		2-08-67	31.8	23.6				11-23-66	138.9	41.5	
		4-13-67	26.8	28.6				11-30-66	138.1	42.3	
		7-17-67	37.2	18.2				12-14-66	136.7	43.7	
		7-31-67	40.1	15.3				12-28-66	135.8	44.6	
		9-05-67	45.3	10.1				1-04-67	136.3	44.1	
05S/08W-19H01S	254.3	10-20-66	161.9	92.4	102			1-11-67	137.3	43.1	
		11-16-66	160.6	93.7				1-18-67	136.7	43.7	
		12-19-66	157.4	96.9				1-25-67	135.3	45.1	
								2-01-67	134.7	45.7	
		1-27-67	154.5	99.8				2-07-67	134.3	46.1	
		2-17-67	153.3	101.0				2-15-67	133.7	46.7	
		3-13-67	153.8	100.5				2-23-67	134.1	46.3	
		4-18-67	150.8	103.5				3-01-67	134.4	46.0	
		5-08-67	150.1	104.2				3-08-67	134.9	45.5	
		6-21-67	150.9	103.4				3-15-67	134.1	46.3	
		7-19-67	153.2	101.1				3-22-67	132.6	47.8	
		8-16-67	157.2	97.1				3-29-67	132.8	47.6	
		9-14-67	157.0	97.3				4-05-67	133.4	47.0	
								4-12-67	133.8	46.6	
05S/08W-29P01S	265.8	11-16-66	224.8	41.0	102			4-26-67	132.0	48.4	
		12-19-66	217.1	48.7				5-03-67	131.4	49.0	
								5-10-67	131.4	49.0	
		1-27-67	214.8	51.0				5-17-67	132.4	48.0	
		2-17-67	213.0	52.8				5-24-67	132.5	47.9	
		3-13-67	212.0	53.8				5-31-67	130.5	49.9	
		4-18-67	211.0	54.8				6-07-67	132.2	48.2	
		5-08-67	210.4	55.4				6-14-67	131.7	48.7	
		6-21-67	217.8	48.0				6-21-67	132.9	47.5	
		7-19-67	223.5	42.3				6-28-67	133.8	46.6	
		8-16-67	233.7	32.1				7-05-67	134.0	46.4	
		9-14-67	218.0	47.8				7-12-67	135.2	45.2	
05S/08W-31K01S	219.7	11-16-66	189.3	30.4	102			7-19-67	135.9	44.5	
		12-19-66	179.7	40.0				7-26-67	137.9	42.5	
		1-27-67	176.2	43.5				8-02-67	138.4	42.0	
		2-17-67	174.6	45.1				8-09-67	138.7	41.7	
		3-13-67	173.0	46.7				8-16-67	140.2	40.2	
		3-15-67	173.5	46.2	709			8-23-67	140.7	39.7	
		4-18-67	170.1	49.6	102			8-30-67	141.8	38.6	
		6-21-67	188.7	31.0				9-06-67	141.2	39.2	
								9-11-67	141.4	39.0	
05S/08W-32L01S	274.4	11-11-66	287.0	-12.6	709	05S/09W-14O01S	123.1	11-15-66	58.6	64.5	709
		3-15-67	250.0	24.4				3-15-67	70.2	52.9	
05S/08W-33A01S	439.0	10-20-66	4.1	434.9	102						
		11-11-66	17.2	421.8	709	05S/09W-15J01S	107.3	11-15-66	63.5	43.8	709
		11-16-66	13.2	425.8	102			3-15-67	69.0	38.3	
		12-19-66	6.5	432.5							
		1-27-67	1.9	437.1		05S/09W-15R03S	96.7	10-20-66	24.4	72.3	102
		2-17-67	.8	438.2				11-16-66	24.4	72.3	
		3-13-67	4.6	434.4				12-19-66	23.8	72.9	
		3-15-67	4.7	434.3	709			1-27-67	23.3	73.4	
		4-18-67	5.5	433.5	102			2-17-67	23.6	73.1	
		5-08-67	12.9	426.1				3-13-67	23.1	73.6	
05S/09W-04C01S	203.0	1-30-67	164.8	38.2	102			4-18-67	21.9	74.8	
		2-21-67	166.1	36.9				5-08-67	22.4	74.3	
		3-24-67	167.2	35.8				6-21-67	22.9	73.8	
		4-20-67	157.7	45.3				7-19-67	23.7	73.0	
								8-16-67	23.8	72.9	
05S/09W-08B02S	171.0	12-21-66	122.7	48.3	102			9-14-67	23.2	73.5	
		1-30-67	121.4	49.6		05S/09W-16B02S	127.0	10-20-66	119.6(1)	7.4	102
		2-21-67	120.8	50.2				11-16-66	91.8	35.2	
		3-24-67	121.7	49.3				12-19-66	86.2	40.8	
		4-20-67	120.3	50.7				1-27-67	87.7	39.3	
		5-15-67	121.1	49.9				2-17-67	87.4	39.6	
05S/09W-09M01S	150.0	10-21-66	101.0	49.0	102			3-13-67	88.8	38.2	
		11-22-66	99.0	51.0				4-18-67	81.3	45.7	
		12-21-66	97.7	52.3				7-19-67	113.5(2)	13.5	
		1-30-67	96.1	53.9				8-16-67	114.3(2)	12.7	
		2-21-67	95.4	54.6		05S/09W-16O03S	107.0	11-07-66	92.0	15.0	721
		3-24-67	94.1	55.9				1-10-67	86.0	21.0	
		4-20-67	94.2	55.8				3-08-67	86.0	21.0	
		5-15-67	93.0	57.0				5-03-67	71.0	36.0	
		6-26-67	119.7	30.3				6-30-67	138.0(1)	-31.0	
		7-18-67	117.4	32.6				9-11-67	152.0(1)	-45.0	
		8-14-67	117.1	32.9		05S/09W-19B01S	86.6	10-19-66	69.2	17.4	102
		9-14-67	118.5	31.5				11-14-66	63.2	23.4	
05S/09W-10C01S	189.1	10-21-66	152.3	36.8	102			12-16-66	53.8	32.8	
		11-22-66	150.2	38.9				1-27-67	50.1	36.5	
		12-21-66	144.3	44.8				2-16-67	54.5	32.1	
		1-30-67	145.9	43.2				3-08-67	55.5	31.1	
		2-21-67	141.5	47.6				4-13-67	49.8	36.8	
		3-24-67	143.7	45.4				5-09-67	47.5	39.1	
		4-20-67	140.4	48.7				6-08-67	52.1	34.5	
		5-15-67	142.2	46.9				7-19-67	57.9	28.7	
		6-26-67	143.8	45.3				8-21-67	63.4	23.2	
		7-17-67	144.1	45.0				9-14-67	62.7	23.9	
		8-14-67	148.5	40.6		05S/09W-21B01S	94.8	10-19-66	80.3	14.5	102
		9-14-67	152.9	36.2				11-14-66	70.8	24.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1						LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1					
055/09W-21B015 (CONT.)	94.8	11-18-66	69.8	25.0	709	055/09W-30F025	53.8	10-19-66	42.5	11.3	102
		12-16-66	60.7	34.1				11-14-66	39.3	14.5	
		1-27-67	57.1	37.7				12-16-66	34.6	19.2	
		2-16-67	59.3	35.5				1-27-67	29.6	24.2	
		3-10-67	58.3	36.5	709			2-16-67	29.8	24.0	
		4-13-67	61.1	33.7	102			3-08-67	30.7	23.1	
		5-09-67	55.4	39.4				4-13-67	28.3	25.5	
		6-08-67	67.4	27.4				5-09-67	26.9	26.9	
		7-19-67	79.3	15.5				6-08-67	30.0	23.8	
		9-14-67	87.1	7.7				7-19-67	36.6	17.2	
								9-14-67	39.5	14.3	
055/09W-21P025	74.5	10-19-66	13.7	60.8	102	055/09W-31A025	39.4	11-14-66	31.8	7.6	102
		11-14-66	14.5	60.0				12-16-66	23.0	16.4	
		12-16-66	12.7	61.8				1-27-67	20.9	18.5	
		1-27-67	12.8	61.7				2-16-67	22.2	17.2	
		2-16-67	13.1	61.4				3-08-67	28.9	10.5	
		3-08-67	12.5	62.0				4-13-67	18.4	21.0	
		4-13-67	12.6	61.9				5-09-67	22.3	17.1	
		5-09-67	12.5	62.0				6-08-67	29.8	9.6	
		6-08-67	13.0	61.5				7-19-67	35.9	3.5	
		7-19-67	13.6	60.9				8-21-67	40.5	-1.1	
		8-21-67	13.0	61.5				9-14-67	34.9	4.5	
		9-14-67	14.0	60.5							
055/09W-22A025	86.8	11-15-66	65.5	21.3	709	055/09W-31B015	40.4	11-15-66	32.5	7.9	709
		3-10-67	45.2	41.6				3-10-67	28.3	12.1	
055/09W-22E045	80.0	11-07-66	130.0	-50.0	721	055/09W-31M025	34.3	10-19-66	33.8	.5	102
		1-10-67	129.0	-49.0				11-14-66	26.5	7.8	
		3-08-67	129.0	-49.0				12-16-66	18.2	16.1	
		5-03-67	128.0	-48.0				1-27-67	20.7	13.6	
		6-30-67	128.0	-48.0				2-16-67	25.2	9.1	
		9-11-67	129.0	-49.0				3-08-67	26.7	7.6	
055/09W-22Q015	67.0	11-15-66	57.0	10.0	709			4-13-67	15.4	18.9	
		3-15-67	31.5	35.5				5-09-67	22.0	12.3	
055/09W-23A015	118.7	11-15-66	61.5	57.2	709			6-08-67	24.0	10.3	
		3-15-67	68.2	50.5				7-19-67	31.4	2.9	
055/09W-23N015	77.2	10-20-66	52.4	24.8	102			8-21-67	36.6	-2.3	
		11-15-66	43.4	33.8	709			9-14-67	33.0	1.3	
		11-16-66	45.7	31.5	102	055/09W-32A015	44.3	10-19-66	39.8	4.5	102
		12-19-66	34.9	42.3				11-14-66	33.1	11.2	
		1-27-67	29.9	47.3				11-15-66	33.5	10.8	709
		2-17-67	26.7	50.5				12-16-66	27.5	16.8	102
		3-13-67	31.1	46.1				1-27-67	23.2	21.1	
		3-15-67	23.0	54.2	709			2-16-67	23.4	20.9	
		4-18-67	32.9	44.3	102			3-08-67	27.6	16.7	
		5-08-67	25.5	51.7				3-15-67	22.0	22.3	709
		6-21-67	35.5	41.7				4-13-67	21.9	22.4	102
		7-19-67	53.7	23.5				5-09-67	22.0	22.3	
		8-16-67	69.0	8.2				6-08-67	39.4	4.9	
		9-14-67	56.5	20.7				7-19-67	35.3	9.0	
055/09W-25E015	109.9	10-20-66	90.0	19.9	102	055/09W-32L015	35.1	10-19-66	25.3	9.8	102
		11-14-66	82.6	27.3	709			11-14-66	21.1	14.0	
		11-16-66	80.6	29.3	102			11-15-66	16.0	19.1	709
		12-19-66	67.4	42.5				1-27-67	11.3	23.8	102
		1-27-67	60.6	49.3				2-16-67	11.4	23.7	
		2-17-67	59.0	50.9				3-08-67	12.2	22.9	
		3-04-67	61.0	48.9	709			3-10-67	11.5	23.6	709
		3-13-67	56.8	53.1	102			4-13-67	10.3	24.8	102
		4-18-67	56.8	53.1				5-09-67	8.7	26.4	
		5-08-67	54.2	55.7				6-08-67	16.7	18.4	
		6-21-67	70.8	39.1				7-19-67	23.0	12.1	
055/09W-25M015	175.0	11-07-66	137.0	38.0	721			8-21-67	22.5	12.6	
		1-10-67	120.0	55.0		055/09W-34J015	67.9	10-20-66	79.9	-12.0	102
		3-08-67	120.0	55.0				11-14-66	48.2	19.7	709
		5-03-67	120.0	55.0				11-16-66	59.4	8.5	102
		6-30-67	210.0(1)	-35.0				12-19-66	41.8	26.1	
055/09W-29M015	52.0	10-19-66	47.2	4.8	102			1-27-67	37.2	30.7	
		11-14-66	43.4	8.6				2-17-67	30.3	37.6	
		12-16-66	35.4	16.6				3-04-67	30.5	37.4	709
		1-27-67	31.0	21.0				3-13-67	30.9	37.0	102
		2-16-67	31.3	20.7				4-18-67	27.0	40.9	
		4-13-67	28.7	23.3				5-08-67	24.5	43.4	
		5-09-67	28.6	23.4				6-08-67	106.2	-38.3	
		6-08-67	45.3	6.7				7-19-67	93.2	-25.3	
		9-14-67	41.6	10.4		055/09W-34Q015	69.7	11-14-66	57.8	11.9	709
055/09W-29M025	50.0	11-15-66	39.5	10.5	709			3-04-67	34.5	35.2	
		3-10-67	25.2	24.8		055/09W-35J015	99.0	10-20-66	113.5	-14.5	102
055/09W-30F015	53.8	10-19-66	19.8	34.0	102			11-14-66	100.1	-1.1	709
		11-14-66	19.3	34.5				11-16-66	85.9	13.1	102
		12-16-66	16.8	37.0				12-19-66	68.9	30.1	
		1-27-67	16.1	37.7				1-27-67	62.4	36.6	
		2-16-67	16.1	37.7				2-17-67	61.4	37.6	
		3-08-67	16.3	37.5				3-04-67	59.2	39.8	709
		4-13-67	15.0	38.8				3-13-67	58.8	40.2	102
		5-09-67	15.1	38.7				4-18-67	55.8	43.2	
		6-08-67	16.2	37.6				6-21-67	97.3	1.7	
		7-19-67	16.2	37.6				8-16-67	128.3	-29.3	
		8-21-67	18.2	35.6				9-14-67	116.9	-17.9	
		9-14-67	18.4	35.4		055/09W-36B015	157.0	10-20-66	144.0	13.0	102
								11-11-66	142.0	15.0	709

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
055/09W-36B015	157.0	11-16-66	134.6	22.4	102	055/10W-02B025	114.0	8-08-67	70.4 (4)	43.6	102
(CONT.)		12-19-66	120.1	36.9	102	(CONT.)		8-22-67	69.9	44.1	
		1-27-67	117.3	39.7				8-29-67	70.8	43.2	
		2-17-67	113.1	43.9				9-11-67	71.2	42.8	
		3-13-67	115.1	41.9				9-18-67	70.8	43.2	
		3-15-67	112.5	44.5	709			9-25-67	70.4	43.6	
		4-18-67	107.0	50.0	102						
		5-08-67	106.1	50.9		055/10W-04P035	84.0	10-18-66	61.9	22.1	102
		6-21-67	121.4	35.6				11-03-66	61.3	22.7	
		7-19-67	142.3	14.7				12-01-66	56.5	27.5	
		9-14-67	153.2	3.8				1-09-67	55.6	28.4	
								2-09-67	52.6	31.4	
								3-06-67	50.6	33.4	
								4-06-67	53.2	30.8	
								5-01-67	50.4	33.6	
								6-05-67	51.3	32.7	
								9-11-67	56.2	27.8	
055/09W-36K015	147.6	10-26-66	124.3	23.3	102	055/10W-09D015	75.5	11-03-66	53.1	22.4	102
		11-02-66	123.0	24.6				12-01-66	48.3	27.2	
		11-16-66	112.5	35.1				1-09-67	45.8	29.7	
		11-23-66	108.3	39.3				2-09-67	44.0	31.5	
		11-30-66	105.5	42.1				3-06-67	45.0	30.5	
		12-14-66	101.0	46.6				4-06-67	43.3	32.2	
		12-21-66	99.3	48.3				5-01-67	41.6	33.9	
		12-28-66	98.0	49.6				6-05-67	46.2	29.3	
		1-04-67	96.9	50.7				7-17-67	47.2	28.3	
		1-11-67	96.9	50.7				8-04-67	48.8	26.7	
		1-17-67	99.3	48.3				9-11-67	49.7	25.8	
		1-25-67	97.9	49.7		055/10W-09N045	68.0	10-18-66	52.8	15.2	102
		2-01-67	94.9	52.7				12-01-66	47.3	20.7	
		2-07-67	97.2	50.4				1-09-67	44.4	23.6	
		2-15-67	94.6	53.0				2-09-67	42.3	25.7	
		2-21-67	93.7	53.9				3-06-67	44.0	24.0	
		2-23-67	93.5	54.1				4-06-67	41.5	26.5	
		3-01-67	93.1	54.5				6-05-67	45.8	22.2	
		3-08-67	93.4	54.2				9-11-67	50.2	17.8	
		3-15-67	92.1	55.5		055/10W-09R015	74.2	10-04-66	51.0	23.2	102
		3-22-67	92.7	54.9				10-25-66	50.2	24.0	
		3-29-67	91.9	55.7				11-01-66	49.9	24.3	
		4-05-67	90.4	57.2				11-15-66	47.2	27.0	
		4-12-67	89.9	57.7				11-22-66	46.3	27.9	
		4-26-67	89.0	58.6				11-29-66	45.6	28.6	
		5-03-67	88.7	58.9				12-20-66	43.4	30.8	
		5-10-67	90.1	57.5				12-27-66	43.0	31.2	
		5-17-67	95.2	52.4				1-03-67	43.0	31.2	
		5-24-67	95.1	52.5				1-10-67	44.1	30.1	
		5-31-67	94.7	52.9				1-17-67	43.6	30.6	
		6-07-67	94.4	53.2				2-07-67	41.8	32.4	
		6-14-67	106.0	41.6				2-21-67	42.5	31.7	
		6-21-67	110.9	36.7				2-27-67	42.8	31.4	
		6-28-67	116.1	31.5				3-07-67	42.7	31.5	
		7-05-67	120.1	27.5				3-14-67	41.8	32.4	
		7-12-67	119.9	27.7				3-21-67	41.6	32.6	
		7-19-67	121.0	26.6				3-28-67	41.6	32.6	
		7-26-67	127.6	20.0				4-11-67	40.1	34.1	
		8-02-67	128.7	18.9				4-18-67	40.6	33.6	
		8-09-67	133.2	14.4				5-02-67	39.7	34.5	
		8-16-67	135.5	12.1				5-09-67	40.8	33.4	
		8-23-67	134.0	13.6				5-16-67	41.4	32.8	
		8-30-67	130.2	17.4				5-23-67	43.8	30.4	
		9-06-67	125.8	21.8				6-06-67	44.0	30.2	
		9-13-67	124.2	23.4				6-13-67	43.3	30.9	
055/09W-36Q015	158.0	10-20-66	145.1	12.9	102			6-20-67	44.1	30.1	
		11-14-66	135.4	22.6	709			6-27-67	44.7	29.5	
		11-16-66	133.2	24.8				7-25-67	46.2	28.0	
		12-19-66	119.5	38.5	102			8-08-67	46.6	27.6	
		1-27-67	115.4	42.6				8-15-67	46.8	27.4	
		2-17-67	112.9	45.1				8-22-67	46.5	27.7	
		3-04-67	108.0	50.0	709			8-29-67	46.9	27.3	
		3-13-67	111.5	46.5	102			9-19-67	46.2	28.0	
		4-18-67	108.8	49.2				9-26-67	46.0	28.2	
		5-08-67	107.6	50.4							
		7-19-67	139.0	19.0				055/10W-10A055	96.2	32.4	102
		9-14-67	141.9	16.1							
								11-03-66	63.3	32.9	
055/10W-02B025	114.0	10-04-66	77.0	37.0	102			12-01-66	60.1	36.1	
		10-25-66	77.1	36.9				1-09-67	63.2	33.0	
		11-01-66	76.9	37.1				2-09-67	57.2	39.0	
		11-15-66	76.7	37.3				3-06-67	60.0	36.2	
		11-29-66	76.5	37.5				4-05-67	55.5	40.7	
		12-20-66	75.6	38.4				5-01-67	54.5	41.7	
		12-27-66	75.6	38.4				6-05-67	55.5	40.7	
		1-03-67	75.3	38.7				7-17-67	54.3	41.9	
		1-10-67	75.2	38.8				8-04-67	56.5	39.7	
		1-17-67	74.3	39.7							
		2-07-67	73.8	40.2				055/10W-10D045	84.0	23.1	102
		2-21-67	73.5	40.5							
		2-27-67	73.2	40.8				11-03-66	57.5	26.5	
		3-07-67	72.9	41.1				12-01-66	54.8	29.2	
		3-14-67	72.8	41.2				1-09-67	56.7	27.3	
		3-21-67	74.0	40.0				2-09-67	57.0	27.0	
		3-28-67	72.2	41.8				3-06-67	52.2	31.8	
		4-11-67	71.5	42.5				4-06-67	50.2	33.8	
		4-18-67	71.5	42.5				5-01-67	48.5	35.5	
		5-02-67	70.8	43.2				6-05-67	52.8	31.2	
		5-16-67	70.4	43.6				7-17-67	54.3	29.7	
		5-23-67	70.2	43.8				8-02-67	57.3	26.7	
		6-06-67	70.4	43.6							
		6-13-67	70.2	43.8							
		6-20-67	70.2	43.8							
		6-27-67	70.4	43.6							
		7-25-67	70.2 (1)	43.8							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0						LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0					
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1						EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1					
05S/10W-10D04S (CONT.)	84.0	9-11-67	59.7	24.3	102	05S/10W-25R01S (CONT.)	37.7	2-16-67	13.1	24.6	102
								4-13-67	11.2	26.5	
								5-09-67	9.6	28.1	
								6-08-67	12.9	24.8	
								7-19-67	19.6	18.1	
								8-21-67	24.5	13.2	
								9-14-67	22.2	15.5	
05S/10W-10P01S	82.4	10-18-66	60.9	21.5	102						
		11-03-66	58.4	24.0							
		12-01-66	51.4	31.0							
		1-09-67	54.3	28.1							
		2-09-67	49.8	32.6							
		3-06-67	60.9	21.5							
		5-01-67	47.6	34.8							
		8-04-67	50.8	31.6							
05S/10W-15802S	79.0	10-19-66	57.3	21.7	102	05S/10W-26D02S	44.5	11-04-66	31.2	13.3	102
		11-14-66	51.0	28.0				12-16-66	24.0	20.5	
		12-16-66	47.1	31.9				4-13-67	18.1	26.4	
		1-27-67	46.8	32.2				5-09-67	17.9	26.6	
		2-16-67	45.9	33.1				6-08-67	22.2	22.3	
		3-08-67	48.5	30.5				7-19-67	25.4	19.1	
		4-13-67	43.7	35.3				8-21-67	30.4	14.1	
		5-09-67	46.0	33.0				9-14-67	35.0	9.5	
		6-08-67	48.6	30.4							
		7-19-67	51.6	27.4							
		8-21-67	44.2	34.8							
		9-14-67	43.2	35.8							
05S/10W-15E02S	71.0	10-18-66	54.0	17.0	102	05S/10W-26R02S	37.2	10-19-66	11.3	25.9	102
		11-03-66	49.2	21.8				11-14-66	10.5	26.7	
		12-01-66	43.4	27.6				12-16-66	8.3	28.9	
		1-09-67	49.6	21.4				1-27-67	7.4	29.8	
		2-09-67	41.2	29.8				2-16-67	8.7	28.5	
		3-06-67	41.8	29.2				3-08-67	7.2	30.0	
		4-06-67	38.8	32.2				4-13-67	6.5	30.7	
		5-01-67	38.2	32.8				5-09-67	6.5	30.7	
		6-05-67	44.2	26.8				6-08-67	7.5	29.7	
		7-17-67	46.4	24.6				9-14-67	12.7	24.5	
		8-04-67	47.8	23.2							
		9-11-67	48.0	23.0							
05S/10W-19A05S	40.0	10-19-66	30.0	10.0	102	05S/10W-29D01S	35.0	10-04-66	25.9	9.1	102
		12-02-66	22.5	17.5				10-25-66	25.6	9.4	
		1-12-67	20.5	19.5				11-01-66	23.9	11.1	
		3-14-67	19.4	20.6				11-15-66	19.6	15.4	
		4-14-67	17.2	22.8				11-22-66	18.7	16.3	
		5-19-67	22.9	17.1				11-29-66	17.9	17.1	
		6-16-67	23.2	16.8				12-20-66	15.2	19.8	
		9-13-67	27.8	12.2				12-27-66	14.8	20.2	
								1-03-67	14.7	20.3	
								1-10-67	16.8	18.2	
								1-17-67	16.7	18.3	
								2-07-67	14.0	21.0	
								2-21-67	16.9	18.1	
								2-27-67	16.8	18.2	
								3-07-67	16.4	18.6	
								3-14-67	14.6	20.4	
								3-21-67	14.7	20.3	
								3-28-67	14.9	20.1	
								4-11-67	12.6	22.4	
								5-02-67	12.8	22.2	
								5-09-67	14.3	20.7	
								5-16-67	15.4	19.6	
								5-23-67	16.9	18.1	
								6-06-67	18.5	16.5	
								6-13-67	18.7	16.3	
								6-20-67	19.7	15.3	
								6-27-67	20.2	14.8	
								7-25-67	22.1	12.9	
								8-08-67	22.4	12.6	
								8-15-67	23.2	11.8	
								8-22-67	23.6	11.4	
								9-12-67	23.1	11.9	
								9-19-67	22.5	12.5	
								9-26-67	22.4	12.6	
05S/10W-20H03S	45.0	10-19-66	35.6	9.4	102	05S/10W-31D04S	20.0	10-19-66	16.4	3.6	102
		11-04-66	33.8	11.2				11-04-66	15.6	4.4	
		12-02-66	27.5	17.5				12-02-66	11.4	8.6	
		1-12-67	25.6	19.4				1-12-67	9.8	10.2	
		2-20-67	25.2	19.8				2-20-67	10.1	9.9	
		3-14-67	24.8	20.2				3-14-67	8.9	11.1	
		4-14-67	23.6	21.4				4-14-67	7.4	12.6	
		5-19-67	28.2	16.8				5-19-67	10.1	9.9	
								6-16-67	10.1	9.9	
								7-18-67	12.1	7.9	
								8-09-67	15.0	5.0	
								9-13-67	15.1	4.9	
05S/10W-21803S	53.0	11-04-66	40.6	12.4	102	05S/10W-32C01S	26.6	10-19-66	21.2	5.4	102
		12-02-66	34.3	18.7				11-04-66	18.2	8.4	
		1-12-67	32.8	20.2				12-02-66	12.7	13.9	
								1-12-67	10.9	15.7	
								2-20-67	12.2	14.4	
								3-14-67	10.2	16.4	
								4-14-67	9.5	17.1	
								5-19-67	13.0	13.6	
								6-16-67	14.0	12.6	
								7-18-67	16.6	10.0	
								8-09-67	17.5	9.1	
								9-13-67	18.0	8.6	
05S/10W-23C01S	61.4	10-04-66	36.6	24.8	102	05S/10W-32P02S	20.0	10-04-66	7.2	12.8	102
		10-25-66	36.3	25.1				10-25-66	7.2	12.8	
		11-01-66	35.8	25.6				11-01-66	7.3	12.7	
		11-15-66	33.8	27.6				11-15-66	3.3	16.7	
		11-22-66	33.1	28.3				11-22-66	3.5	16.5	
		11-29-66	32.6	28.8				11-29-66	3.7	16.3	
		12-20-66	31.0	30.4				12-20-66	.4	19.6	
		12-27-66	30.5	30.9				12-27-66	.6	19.4	
		1-03-67	30.3	31.1				1-03-67	.8	19.2	
		1-10-67	30.8	30.6							
		1-17-67	30.9	30.5							
		2-07-67	29.1	32.3							
		2-21-67	29.4	32.0							
		2-27-67	29.9	31.5							
		3-07-67	29.6	31.8							
		3-14-67	29.0	32.4							
		3-21-67	28.6	32.8							
		3-28-67	28.8	32.6							
		4-11-67	27.5	33.9							
		4-18-67	28.0	33.4							
		5-02-67	27.5	33.9							
		5-09-67	28.8	32.6							
		5-16-67	29.8	31.6							
		5-23-67	30.3	31.1							
		6-06-67	30.5	30.9							
		6-13-67	30.3	31.1							
		6-20-67	30.4	31.0							
		6-27-67	31.9	29.5							
		7-25-67	32.7	28.7							
		8-08-67	33.1	28.3							
		8-15-67	33.2	28.2							
		8-22-67	33.0	28.4							
		8-29-67	33.7	27.7							
05S/10W-25R01S	37.7	10-19-66	25.5	12.2	102						
		11-14-66	24.5	13.2							
		12-16-66	17.8	19.9							
		1-27-67	13.0	24.7							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
05S/10W-32P02S (CONT.)	20.0	1-10-67	.9	19.1	102	05S/11W-02G01S (CONT.)	48.2	1-06-67	20.4	27.8	102
		1-17-67	1.0	19.0				2-08-67	19.6	28.6	
		2-07-67	1.0	19.0				3-03-67	21.0	27.2	
		2-21-67	1.2	18.8				4-13-67	18.2	30.0	
		2-27-67	1.3	18.7				5-17-67	20.9	27.3	
		3-07-67	1.4	18.6				6-07-67	22.3	25.9	
		3-14-67	1.1	18.9				7-17-67	22.9	25.3	
		3-21-67	1.1	18.9				7-31-67	24.3	23.9	
		4-11-67	1.3	18.7				9-05-67	25.3	22.9	
		5-02-67	1.3	18.7		05S/11W-02N01S	38.5	11-03-66	37.3	1.2	102
		5-09-67	1.4	18.6				12-15-66	22.8	15.7	
		5-16-67	1.7	18.3		05S/11W-03A01S	46.0	10-13-66	44.3	1.7	102
		5-23-67	1.6	18.4				11-03-66	42.8	3.2	
		6-06-67	1.8	18.2				12-15-66	26.3	19.7	
		6-13-67	1.8	18.2				1-06-67	26.9	19.1	
		6-20-67	1.9	18.1				2-08-67	27.5	18.5	
		6-27-67	1.9	18.1				3-03-67	30.5	15.5	
		7-25-67	2.1	17.9				4-13-67	27.4	18.6	
		8-08-67	2.3	17.7				5-17-67	33.0	13.0	
		8-15-67	2.3	17.7				7-17-67	41.0	5.0	
		8-22-67	3.6	16.4				7-31-67	42.4	3.6	
		8-29-67	2.5	17.5				9-06-67	45.3	.7	
		9-12-67	2.6	17.4		05S/11W-04A01S	32.0	10-04-66	36.8	-4.8	102
		9-19-67	2.6	17.4				10-25-66	31.7	.3	
		9-26-67	2.6	17.4				11-01-66	30.8	1.2	
05S/10W-33Q01S	37.6	10-04-66	28.9	8.7	102			11-15-66	23.8	8.2	
		10-25-66	28.7	8.9				11-22-66	21.6	10.4	
		11-15-66	28.5	9.1				11-29-66	20.0	12.0	
		11-22-66	28.3	9.3				12-20-66	16.0	16.0	
		11-29-66	28.2	9.4				12-27-66	15.6	16.4	
		12-20-66	27.2	10.4				1-03-67	15.3	16.7	
		12-27-66	27.2	10.4				2-07-67	17.0	15.0	
		1-03-67	27.0	10.6				2-21-67	15.8	16.2	
		1-10-67	26.8	10.8				3-07-67	16.3	15.7	
		1-17-67	26.7	10.9				3-14-67	16.7	15.3	
		2-07-67	26.1	11.5				3-28-67	15.4	16.6	
		2-21-67	26.1	11.5				4-11-67	13.6	18.4	
		2-27-67	26.1	11.5				4-18-67	13.1	18.9	
		3-07-67	25.9	11.7				5-02-67	12.1	19.9	
		3-14-67	26.0	11.6				5-09-67	13.2	18.8	
		3-21-67	25.8	11.8				5-16-67	14.2	17.8	
		3-28-67	25.8	11.8				5-23-67	19.4	12.6	
		4-11-67	25.4	12.2				6-13-67	20.5	11.5	
		5-02-67	25.0	12.6				6-20-67	21.9	10.1	
		5-09-67	25.0	12.6				6-27-67	22.6	9.4	
		5-16-67	25.6	12.0				8-08-67	29.4	2.6	
		5-23-67	25.2	12.4				8-15-67	31.8	.2	
		6-06-67	25.2	12.4				8-22-67	33.1	-1.1	
		6-13-67	25.2	12.4				8-29-67	34.9	-2.9	
		6-20-67	25.3	12.3				9-11-67	35.9	-3.9	
		6-27-67	25.3	12.3				9-26-67	36.0	-4.0	
		7-25-67	25.7	11.9		05S/11W-04Q01S	23.5	10-27-66	25.5	-2.0	102
		8-08-67	25.9	11.7				11-28-66	18.4	5.1	
		8-15-67	26.2	11.4				12-22-66	14.1	9.4	
		8-22-67	27.4	10.2				1-27-67	8.2	15.3	
		8-29-67	27.4	10.2				2-24-67	7.6	15.9	
05S/10W-34D01S	34.5	10-19-66	19.3	15.2	102			3-29-67	7.7	15.8	
		11-14-66	17.7	16.8				4-25-67	5.2	18.3	
		12-16-66	15.4	19.1				5-29-67	7.5	16.0	
		1-27-67	13.3	21.2				6-28-67	9.5	14.0	
		2-16-67	12.5	22.0				7-18-67	12.1	11.4	
		3-08-67	13.3	21.2				8-28-67	23.0	.5	
		4-13-67	13.0	21.5				9-15-67	26.4	-2.9	
		5-09-67	12.9	21.6		05S/11W-09D02S	18.0	11-28-66	14.7	3.3	102
		6-08-67	14.5	20.0				12-22-66	11.8	6.2	
		7-19-67	15.7	18.8				1-27-67	12.6	5.4	
		8-21-67	18.2	16.3				2-24-67	15.3	2.7	
		9-14-67	16.9	17.6				3-29-67	13.0	5.0	
05S/10W-35K01S	32.7	10-19-66	28.7	4.0	102			4-25-67	9.1	8.9	
		11-14-66	24.6	8.1				5-29-67	11.1	6.9	
		12-16-66	16.8	15.9				6-28-67	18.9	-9.9	
		3-08-67	25.7	7.0				8-28-67	27.2	-9.2	
		4-13-67	14.9	17.8		05S/11W-10K01S	23.0	10-13-66	34.4	-11.4	102
		5-09-67	16.9	15.8				11-03-66	30.1	-7.1	
		6-08-67	18.1	14.6				12-15-66	19.9	3.1	
		7-19-67	24.3	8.4				1-06-67	18.9	4.1	
		8-21-67	28.4	4.3				2-08-67	20.5	2.5	
		9-14-67	29.1	3.6				3-03-67	22.3	.7	
05S/11W-01801S	64.0	10-18-66	39.5	24.5	102			4-13-67	19.9	3.1	
		11-03-66	39.2	24.8				5-17-67	23.4	-.4	
		12-01-66	33.1	30.9				6-07-67	24.1	-1.1	
		1-09-67	31.2	32.8				7-17-67	29.7	-6.7	
		2-09-67	29.9	34.1				7-31-67	31.9	-8.9	
		3-06-67	31.2	32.8				9-06-67	35.7	-12.7	
		4-06-67	29.5	34.5		05S/11W-12E03S	41.0	10-13-66	27.7	13.3	102
		5-01-67	27.7	36.3				11-03-66	28.8	12.2	
		6-05-67	27.6	36.4				12-15-66	18.4	22.6	
		7-17-67	32.7	31.3				1-06-67	17.4	23.6	
		8-04-67	34.0	30.0				2-08-67	16.2	24.8	
		9-11-67	34.7	29.3				3-03-67	19.1	21.9	
05S/11W-02G01S	48.2	10-13-66	28.1	20.1	102			4-13-67	16.4	24.6	
		11-03-66	27.8	20.4							
		12-15-66	21.4	26.8							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
055/11W-12E03S (CONT.)	41.0	6-07-67 7-17-67 7-31-67 9-06-67	21.4 22.6 24.6 26.2	19.6 18.4 16.4 14.8	102	055/11W-16C01S (CONT.)	15.2	9-26-67	19.8	-4.6	102
055/11W-12L01S	42.0	10-04-66 10-25-66 11-22-66 11-29-66 12-20-66 12-27-66 1-03-67 1-10-67 1-17-67 2-07-67 2-21-67 2-27-67 3-07-67 3-14-67 3-21-67 3-28-67 4-11-67 4-18-67 5-02-67 5-09-67 5-16-67 5-23-67 6-06-67 6-13-67 6-20-67 6-27-67 7-25-67 8-08-67 8-15-67 8-22-67 8-29-67 9-12-67 9-19-67 9-26-67	32.8 31.6 25.7(2) 25.4 21.3(2) 21.1(2) 20.9(2) 24.4(2) 22.4 19.4 23.4(2) 23.6(2) 23.3(2) 21.5(2) 21.1(2) 21.6(2) 19.1(2) 20.5(2) 19.2(2) 20.6(2) 22.2(2) 26.7(2) 27.3(2) 26.0(2) 27.4(2) 26.3(2) 30.5(2) 29.8(2) 32.4(2) 32.5(2) 33.0(2) 32.6(2) 32.4(2) 32.3(2)	9.2 10.4 16.3 16.6 20.7 20.9 21.1 17.6 19.6 22.6 18.6 18.4 18.7 20.5 20.9 20.4 22.9 21.5 22.8 21.4 19.8 15.3 14.7 16.0 14.6 15.7 11.5 12.2 9.6 9.5 9.0 9.4 9.6 9.7	102	055/11W-16D02S	16.0	10-18-66 10-25-66 11-01-66 11-15-66 11-22-66 11-29-66 12-20-66 12-27-66 1-03-67 1-10-67 1-17-67 2-01-67 2-07-67 2-21-67 2-27-67 3-07-67 3-14-67 3-21-67 3-28-67 4-11-67 4-18-67 5-02-67 5-09-67 5-16-67 5-23-67 5-31-67 6-06-67 6-13-67 6-20-67 6-27-67 7-03-67 7-10-67 7-24-67 8-08-67 8-14-67 8-21-67 9-05-67 9-12-67 9-19-67 9-26-67	20.3 19.8 19.1 14.6 13.5 12.3 9.9 9.8 9.5 11.0 13.2 10.8 11.5 12.7 13.6 13.5 11.3 12.2 11.1 9.2 10.4 9.0 10.9 12.5 14.4 13.9 14.7 14.5 13.3 14.0 13.8 16.0 16.8 20.5 22.0 21.9 25.2 24.5 23.1 21.6	-4.3 -3.8 -3.1 1.4 2.5 3.7 6.1 6.2 6.5 5.0 2.8 5.2 4.5 3.3 2.4 2.5 4.7 3.8 4.9 6.8 5.6 7.0 5.1 3.5 1.6 2.1 1.3 1.5 2.7 2.0 2.2 0 -.8 -4.5 -6.0 -5.9 -9.2 -8.5 -7.1 -5.6	102
055/11W-13A02S	42.0	5-01-67	20.7(4)	21.3	102	055/11W-16R02S	14.0	6-16-67	7.1	6.9	102
055/11W-13L04S	35.0	11-03-66 12-01-66 1-09-67 2-09-67 3-06-67 4-06-67 5-01-67 6-05-67 7-17-67 8-04-67 9-11-67	28.9 22.8 21.1 19.0 20.2 17.0 15.2 21.8 23.8 25.6 28.2	6.1 12.2 13.9 16.0 14.8 18.0 19.8 13.2 11.2 9.4 6.8	102	055/11W-20C05S	9.7	10-04-66 10-25-66 11-01-66 11-15-66 11-22-66 11-29-66 12-20-66 12-27-66 1-03-67 1-10-67 1-17-67 2-07-67 2-21-67 2-27-67 3-07-67 3-14-67 3-21-67 3-28-67 4-11-67 4-18-67 5-02-67 5-09-67 5-16-67 5-23-67 6-06-67 6-13-67 6-20-67 6-27-67 7-25-67 8-08-67 8-15-67 8-22-67 8-29-67 9-12-67 9-19-67 9-26-67	15.5 14.1 13.7 10.8 9.3 8.1 6.0 5.7 5.3 5.9 6.8 6.1 6.9 7.5 2.2 6.1 6.8 5.9 4.7 5.2 3.9 4.7 6.0 7.6 8.7 7.9 6.6 6.6 6.6 8.3 13.1 14.7 16.0 15.1 17.0 16.0 15.7	-5.8 -4.4 -4.0 -1.1 .4 1.6 3.7 4.0 4.4 3.8 2.9 3.6 2.8 2.2 7.5 3.6 2.9 3.8 5.0 4.5 5.8 5.0 3.7 2.1 1.0 1.8 3.1 3.1 1.4 -3.4 -5.0 -6.3 -5.4 -7.3 -6.3 -6.0	102
055/11W-14C01S	34.0	10-18-66 11-03-66 12-01-66 1-09-67 2-09-67 3-06-67 8-08-67	30.3 28.3 22.1 19.2 16.5 17.8 26.4	3.7 5.7 11.9 14.8 17.5 16.2 7.6	102	055/11W-20Q08S	24.2	10-19-66 11-04-66 12-02-66 1-12-67 2-20-67	28.7 27.8 24.7(1) 22.5 22.8	-4.5 -3.6 -.5 1.7 1.4	102
055/11W-16C01S	15.2	10-04-66 10-25-66 11-01-66 11-15-66 11-22-66 11-29-66 12-20-66 12-27-66 1-03-67 1-10-67 1-17-67 2-07-67 2-21-67 2-27-67 3-07-67 3-14-67 3-21-67 3-28-67 4-11-67 4-18-67 5-02-67 5-09-67 5-16-67 5-23-67 6-06-67 6-13-67 6-20-67 6-27-67 7-24-67 8-08-67 8-14-67 8-21-67 8-28-67 9-05-67 9-12-67 9-19-67	21.0 22.3 21.5 17.7 16.3 14.5 9.3 8.2 6.9 6.1 5.4 3.7 3.6 4.4 5.2 4.9 4.1 2.8 3.3 3.9 1.4 2.5 3.3 2.4 3.6 5.2 5.4 9.9 15.5 16.8 17.3 19.4 20.4 21.0 20.6	-5.8 -7.1 -6.3 -2.5 -1.1 .7 5.9 7.0 8.3 9.1 9.8 11.5 11.6 10.8 10.0 10.6 10.3 11.1 12.4 11.9 11.3 13.8 12.7 11.9 12.8 11.6 10.0 9.8 5.3 -.3 -1.6 -2.1 -4.2 -5.2 -5.8 -5.4	102	055/11W-20R04S	31.2	11-04-66 12-02-66 2-20-67 3-14-67 5-19-67 6-16-67 7-18-67 8-09-67 9-13-67	34.5 31.1 29.6 29.3 29.4 27.5 31.4 33.5 36.2	-3.3 -.1 1.6 1.9 1.8 3.7 -.2 -2.3 -5.0	102

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1						LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1					
05S/11W-24A05S	35.0	10-19-66 11-04-66 12-02-66 1-12-67 2-20-67 3-14-67 4-14-67 5-19-67 7-18-67 8-09-67 9-13-67	31.6 30.0 23.8 22.1 21.9 20.5 18.3 22.9 25.5 29.2 30.5	3.4 5.0 11.2 12.9 13.1 14.5 16.7 12.1 9.5 5.8 4.5	102	06S/08W-08M01S (CONT.)	244.1 9-14-67	6-21-67 204.9	195.9 39.2	48.2	102
						06S/08W-14L01S	490.0	11-16-66 12-19-66 1-27-67 2-17-67 3-13-67 4-18-67 5-10-67 6-08-67 7-06-67 8-10-67	19.1 18.2 19.0 17.6 17.8 18.2 19.8 20.2 20.0 19.3	470.9 471.8 471.0 472.4 472.2 471.8 470.2 469.8 470.0 470.7	102
05S/11W-24N02S	25.0	10-19-66 11-04-66 12-02-66 1-12-67 3-14-67 4-14-67 5-19-67 6-16-67 7-18-67 8-09-67 9-13-67	23.5 21.4 17.2 15.8 14.1 12.4 16.5 16.7 19.1 21.4 21.8	1.5 3.6 7.8 9.2 10.9 12.6 8.5 8.3 5.9 3.6 3.2	102	06S/09W-01L01S	142.4	11-11-66 3-15-67	119.6 95.0	22.8 47.4	709
						06S/09W-01P02S	138.2	10-20-66 11-16-66 12-19-66 1-27-67 2-17-67 3-13-67 4-18-67 5-08-67 6-21-67 7-19-67 8-16-67 9-14-67	148.5 (2) 111.8 99.1 95.1 92.7 91.8 88.9 87.4 121.3 130.1 153.0 121.5	-10.3 26.4 39.1 43.1 45.5 46.4 49.3 50.8 16.9 8.1 -14.8 16.7	102
05S/11W-25B03S	27.6	10-13-66 11-04-66 12-02-66 1-12-67 2-20-67 3-14-67 4-14-67 5-19-67 6-16-67	24.9 23.8 19.3 17.7 17.9 16.6 15.0 18.1 18.5	2.7 3.8 8.3 9.9 9.7 11.0 12.6 9.5 9.1	102	06S/09W-02A04S	101.7	11-14-66 3-04-67	84.8 67.7	16.9 34.0	709
						06S/09W-02D01S	84.0	10-20-66 11-14-66 11-16-66 12-19-66 1-27-67 2-17-67 3-04-67 3-13-67 4-18-67 5-08-67 8-16-67	93.8 76.0 72.9 55.5 49.4 44.5 76.6 45.0 41.2 39.0 114.0	-9.8 8.0 11.1 28.5 34.6 39.5 7.4 39.0 42.8 45.0 -30.0	102 709 102
05S/11W-25P01S	47.6	10-19-66 11-04-66 12-02-66 1-12-67 2-20-67 3-14-67 4-14-67 5-19-67 6-16-67 7-18-67 8-09-67 9-13-67	45.5 42.4 39.0 37.6 37.5 36.7 35.2 38.3 39.4 39.9 42.1 40.9	2.1 5.2 8.6 10.0 10.1 10.9 12.4 9.3 8.2 7.7 5.5 6.7	102	06S/09W-03R01S	96.0	10-20-66 11-16-66 12-19-66 1-27-67 2-17-67 3-13-67 4-20-67 5-08-67 6-21-67 9-14-67	45.9 43.6 42.0 41.7 41.4 41.6 41.5 41.5 42.1 44.2 45.0 43.5	50.1 52.4 54.0 54.3 54.6 54.4 54.5 54.5 53.9 51.8 51.0 52.5	102
05S/11W-29B05S	49.9	10-19-66 11-04-66	53.0 52.8	-3.1 -2.9	102						
05S/11W-29B08S	36.0	10-19-66 11-04-66 12-02-66 1-12-67 2-20-67 3-14-67 4-14-67 5-19-67 6-16-67 7-18-67 8-09-67 9-13-67	39.9 39.2 35.3 33.6 34.2 33.0 30.7 34.0 34.3 36.1 38.3 41.0	-3.9 -3.2 .7 2.4 1.8 3.0 5.3 2.0 1.7 -.1 -2.3 -5.0	102	06S/09W-04L01S	48.3	11-14-66 3-04-67	41.0 30.4	7.3 17.9	709
						06S/09W-05A01S	41.4	11-16-66 12-19-66 1-27-67 2-17-67 3-13-67 4-20-67 5-08-67 6-21-67 9-14-67	29.6 26.2 21.5 18.1 23.5 15.0 21.2 19.4 27.6	11.8 15.2 19.9 23.3 17.9 26.4 20.2 22.0 13.8	102
05S/11W-29C01S	47.0	10-19-66 11-04-66 1-12-67 4-14-67 5-19-67	65.2 68.0 54.0 52.0 54.0	-18.2 -21.0 -7.0 -5.0 -7.0	102						
06S/08W-05E02S	285.4	11-11-66 3-15-67	190.0 255.0	95.4 30.4	709	06S/09W-08L01S	10.0	11-14-66 11-16-66 1-27-67 2-17-67 3-04-67 3-13-67 5-08-67 9-14-67	13.0 7.0 2.2 1.6 .0 1.3 -.4 5.5	-3.0 3.0 7.8 8.4 10.0 8.7 10.4 4.5	709 102 709 102
06S/08W-06J01S	238.9	11-11-66 3-15-67	216.0 225.0	22.9 13.9	709						
06S/08W-06P01S	203.0	10-20-66 11-16-66 12-19-66 1-27-67 2-17-67 3-13-67 4-18-67 5-08-67 6-21-67 7-19-67 8-16-67 9-14-67	158.5 154.2 149.7 147.7 146.6 145.8 144.1 143.9 152.3 152.7 158.1 151.5	44.5 48.8 53.3 55.3 56.4 57.2 58.9 59.1 50.7 50.3 44.9 51.5	102	06S/09W-09A01S	67.0	11-14-66 11-16-66 12-19-66 1-27-67 2-17-67 3-04-67 3-13-67 4-20-67 7-19-67 9-14-67	54.3 44.0 38.5 33.7 32.1 42.4 34.2 31.5 46.5 41.1	12.7 23.0 28.5 33.3 34.9 24.6 32.8 35.5 20.5 25.9	709 102 709 102
06S/08W-08M01S	244.1	10-20-66 11-11-66 11-16-66 12-19-66 1-27-67 2-17-67 3-13-67 3-15-67 4-18-67	219.0 230.0 212.1 195.7 187.9 186.8 186.1 194.0 184.7	25.1 14.1 32.0 48.4 56.2 57.3 58.0 50.1 59.4	102 709 102	06S/09W-12K01S	146.0	10-20-66 11-16-66 12-19-66 1-27-67 2-17-67 3-13-67 4-18-67	83.5 77.0 73.9 72.1 70.9 70.8 69.8	62.5 69.0 72.1 73.9 75.1 75.2 76.2	102

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1						LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0 EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1					
06S/09W-12K01S (CONT.)	146.0	5-08-67	69.2	76.8	102	06S/10W-02G01S (CONT.)	37.5	4-13-67	26.3	11.2	102
		6-21-67	89.0(1)	57.0				5-09-67	27.4	10.1	
		7-19-67	73.0	73.0				6-08-67	29.1	8.4	
		8-16-67	75.0	71.0				7-19-67	34.6	2.9	
		9-14-67	73.3	72.7				8-21-67	37.1	.4	
								9-14-67	37.8	-.3	
06S/09W-18E01S	20.0	10-19-66	14.8	5.2	102	06S/10W-04002S	60.0	10-19-66	61.7	-1.7	102
		11-14-66	14.5	5.5				11-14-66	60.5	-.5	
		12-16-66	13.8	6.2				12-16-66	57.6	2.4	
		1-27-67	13.1	6.9				2-16-67	57.5	2.5	
		2-16-67	13.1	6.9				3-08-67	60.3	-.3	
		3-08-67	13.0	7.0				4-13-67	58.6	1.4	
		4-14-67	12.3	7.7				5-09-67	58.1	1.9	
		5-09-67	12.6	7.4				6-08-67	59.7	.3	
		6-08-67	12.5	7.5							
		7-19-67	12.5	7.5							
		8-21-67	12.7	7.3							
		9-14-67	13.1	6.9							
06S/09W-18E02S	18.0	10-19-66	14.3	3.7	102	06S/10W-05B03S	18.4	10-19-66	18.2	.2	102
		11-14-66	13.2	4.8				11-04-66	17.3	1.1	
		12-16-66	12.5	5.5				12-02-66	12.6	5.8	
		1-27-67	11.9	6.1				1-12-67	10.8	7.6	
		2-16-67	12.4	5.6				2-20-67	13.3	5.1	
		3-08-67	12.5	5.5				3-14-67	10.3	8.1	
		4-13-67	12.3	5.7				4-14-67	8.3	10.1	
		5-09-67	12.3	5.7				5-19-67	11.0	7.4	
		6-08-67	14.9	3.1				6-16-67	14.4	4.0	
		7-19-67	11.7	6.3				7-18-67	18.2	.2	
		8-21-67	11.9	6.1				8-09-67	18.9	-.5	
		9-14-67	12.1	5.9							
06S/10W-01E02S	35.0	10-04-66	34.6(1)	.4	102	06S/10W-05B05S	20.0	10-04-66	16.7	3.3	102
		10-25-66	34.0	1.0				10-25-66	16.5	3.5	
		11-01-66	33.8	1.2				11-01-66	14.7	5.3	
		11-15-66	29.4	5.6				11-15-66	12.5	7.5	
		11-22-66	28.5	6.5				11-22-66	11.3	8.7	
		11-29-66	30.2(1)	4.8				11-29-66	10.9	9.1	
		12-20-66	23.9	11.1				12-20-66	8.7	11.3	
		12-27-66	25.0	10.0				12-27-66	8.2	11.8	
		1-03-67	22.9	12.1				1-03-67	8.0	12.0	
		1-10-67	23.0	12.0				1-10-67	8.8	11.2	
		1-17-67	20.7	14.3				1-17-67	9.1	10.9	
		2-07-67	29.5	5.5				2-07-67	10.0	10.0	
		2-21-67	30.0	5.0				2-21-67	11.8	8.2	
		2-27-67	28.2	6.8				3-07-67	9.7	10.3	
		3-07-67	26.3	8.7				3-14-67	7.6	12.4	
		3-14-67	24.1	10.9				4-11-67	6.3	13.7	
		3-21-67	26.1	8.9				4-18-67	6.9	13.1	
		3-28-67	24.1	10.9				5-09-67	6.9	13.1	
		4-11-67	21.3	13.7				5-16-67	7.8	12.2	
		4-18-67	21.9	13.1				5-23-67	8.8	11.2	
		5-02-67	19.1	15.9				6-06-67	9.2	10.8	
		5-09-67	19.8	15.2				6-13-67	9.2	10.8	
		5-16-67	23.7	11.3				8-15-67	14.8	5.2	
		5-23-67	27.1(1)	7.9							
		6-06-67	25.4	9.6							
		6-13-67	24.5(1)	10.5							
		6-20-67	27.8	7.2							
		6-27-67	26.0	9.0							
		7-25-67	31.0	4.0							
		8-08-67	32.2	2.8							
		8-15-67	33.9(1)	1.1							
		8-22-67	35.4(1)	-.4							
		8-29-67	35.3	-.3							
		9-12-67	33.8	1.2							
		9-19-67	34.6(1)	.4							
		9-26-67	34.8(1)	.2							
06S/10W-01L01S	40.0	10-19-66	42.8	-2.8	102	06S/10W-07B02S	10.2	10-04-66	6.9	3.3	102
		11-14-66	37.6	2.4				10-25-66	6.4	3.8	
		12-16-66	32.3	7.7				11-01-66	6.1	4.1	
		1-27-67	34.4	5.6				11-15-66	4.9	5.3	
		2-16-67	37.2	2.8				11-22-66	4.3	5.9	
		3-08-67	33.9	6.1				11-29-66	4.0	6.2	
		4-13-67	29.0	11.0				12-20-66	2.5	7.7	
		5-09-67	27.9	12.1				12-27-66	2.4	7.8	
		6-08-67	32.7	7.3				1-03-67	2.2	8.0	
		7-19-67	36.9	3.1				1-10-67	2.3	7.9	
		8-21-67	40.5	-.5				1-17-67	2.2	8.0	
		9-14-67	39.4	.6				2-07-67	2.2	8.0	
								2-21-67	3.5	6.7	
								2-27-67	3.0	7.2	
								3-07-67	2.9	7.3	
								3-14-67	2.5	7.7	
								3-21-67	2.2	8.0	
								3-28-67	.3	9.9	
								4-11-67	1.4	8.8	
								4-18-67	1.9	8.3	
								5-02-67	.5	9.7	
								5-09-67	1.0	9.2	
								5-16-67	1.4	8.8	
								5-23-67	2.0	8.2	
								6-06-67	2.0	8.2	
								6-13-67	2.5	7.7	
								6-20-67	2.7	7.5	
								6-27-67	2.8	7.4	
								7-25-67	4.3	5.9	
								8-08-67	4.7	5.5	
								8-15-67	5.0	5.2	
								8-22-67	5.7	4.5	
								8-29-67	6.1	4.1	
								9-12-67	5.3	4.9	
								9-19-67	5.1	5.1	
								9-26-67	4.9	5.3	
06S/10W-01L02S	39.7	10-19-66	23.9	15.8	102	06S/10W-07B03S	9.0	10-19-66	3.9	5.1	102
		12-16-66	21.1	18.6				11-04-66	3.7	5.3	
		1-27-67	22.5	17.2				12-02-66	2.4	6.6	
		2-16-67	22.9	16.8				1-12-67	1.1	7.9	
		3-08-67	22.1	17.6				2-20-67	1.2	7.8	
		4-13-67	22.7	17.0				3-14-67	1.2	7.8	
		5-09-67	22.5	17.2				4-14-67	.7	8.3	
		6-08-67	23.1	16.6				5-19-67	.9	8.1	
		7-19-67	23.1	16.6				6-16-67	1.3	7.7	
06S/10W-02G01S	37.5	10-19-66	39.9	-2.4	102						
		11-14-66	34.6	2.9							
		12-16-66	28.8	8.7							
		1-27-67	34.9	2.6							
		2-16-67	40.5	-3.0							
		3-08-67	38.3	-.8							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
06S/10W-07003S (CONT.)	9.0	7-18-67 8-09-67 9-13-67	2.3 3.1 3.3	6.7 5.9 5.7	102	06S/11W-03J01S (CONT.)	65.0	3-14-67 4-14-67 5-19-67 6-16-67 7-18-67 8-09-67	58.5 58.6 58.6 58.6 58.9 61.4	6.5 6.4 6.4 6.4 6.1 3.6	102
06S/10W-08802S	12.5	10-19-66 11-04-66 12-16-66 1-27-67 2-16-67 3-08-67 4-13-67 5-09-67 6-08-67 7-19-67 8-21-67 9-14-67	10.8 8.5 6.5 5.6 6.7 6.1 5.7 5.3 6.8 8.5 8.3 9.9	1.7 4.0 6.0 6.9 5.8 6.4 6.8 7.2 5.7 4.0 4.2 2.6	102	06S/11W-11K03S	32.9	10-19-66 11-04-66 12-02-66 1-12-67 2-20-67 3-14-67 4-14-67 5-19-67 6-16-67 7-18-67 8-09-67 9-13-67	21.5 21.8 23.6 14.0 14.8 14.5 13.2 18.8 7.8 13.4 18.0 8.7	11.4 11.1 9.3 18.9 18.1 18.4 19.7 14.1 25.1 19.5 14.9 24.2	102
06S/10W-11G01S	54.0	10-19-66 11-14-66 12-16-66 1-27-67 2-16-67 3-08-67 4-13-67 5-09-67 6-08-67 7-19-67 8-21-67 9-14-67	58.6 49.6 44.9 46.9 51.4 50.3 43.8 40.3 43.9 51.3 51.7 56.8	-4.6 4.4 9.1 7.1 2.6 3.7 10.2 13.7 10.1 2.7 2.3 -2.8	102	06S/11W-13F02S	2.7	10-19-66 11-04-66 12-02-66 1-12-67 2-20-67 3-14-67 4-14-67 5-19-67 6-16-67 7-18-67 8-09-67 9-13-67	-0.6 -0.7 -1.1 -1.2 -1.3 -1.2 -1.2 -1.2 -1.2 -1.1 -0.9 -0.8	3.3 3.4 3.8 3.9 4.0 3.9 3.9 3.9 3.8 3.6 3.5	102
06S/10W-12E02S	46.7	10-19-66 11-14-66 12-16-66 1-27-67 2-16-67 3-07-67 4-13-67 5-09-67 6-08-67 7-19-67	45.9 41.4 36.5 37.4 41.0 38.5 38.4 32.2 36.4 (6)	.8 5.3 10.2 9.3 5.7 8.2 8.3 14.5 10.3	102	06S/11W-13J01S	5.6	11-04-66 12-02-66 1-12-67 2-20-67 3-14-67 4-14-67 5-19-67 6-16-67 7-18-67	1.7 1.8 1.5 1.4 1.1 0.6 1.4 1.8 2.0	3.9 3.8 4.1 4.2 4.5 5.0 4.2 3.8 3.6	102
06S/10W-13E01S	11.4	10-19-66 11-14-66 12-16-66 1-27-67 2-16-67 3-08-67 4-13-67 5-09-67 6-08-67 7-19-67 8-21-67 9-14-67	9.2 9.5 9.1 8.0 9.0 8.9 8.9 8.7 8.5 8.3 8.0 8.5	2.2 1.9 2.3 3.4 2.4 2.5 2.5 2.7 2.9 3.1 3.4 2.9	102	SANTIAGO HYDRO SUBAREA					
06S/10W-13K01S	19.0	10-19-66 11-14-66 12-16-66 1-27-67 2-16-67 3-08-67 4-13-67 5-09-67 6-08-67 7-19-67 8-21-67 9-14-67	16.0 16.0 15.0 14.5 14.9 15.0 14.8 14.1 14.7 14.3 15.0 15.1	3.0 3.0 4.0 4.5 4.1 4.0 4.2 4.9 4.3 4.7 4.0 3.9	102	05S/07W-19B01S	1135.0	10-20-66 11-23-66 12-29-66 2-01-67 2-23-67 3-23-67 5-10-67 6-08-67 7-06-67 8-10-67 9-07-67	0036.1 0036.5 0011.8 0011.2 0016.8 0018.5 0017.0 0018.9 0019.8 0023.4 0027.8	1098.9 1098.5 1123.2 1123.8 1118.2 1116.5 1118.0 1116.1 1115.2 1111.6 1107.2	102
06S/10W-20C03S	5.7	10-19-66 11-04-66 12-02-66 1-12-67	3.6 3.4 2.7 .2	2.1 2.3 3.0 5.5	102	05S/07W-19R01S	1219.0	10-20-66 11-23-66 12-29-66 2-01-67 2-23-67 3-23-67 5-10-67 6-08-67 7-06-67 8-10-67 9-07-67	47.1 48.3 28.7 27.6 30.9 30.8 30.2 30.2 30.5 34.2 36.6	1171.9 1170.7 1190.3 1191.4 1188.1 1188.2 1188.8 1188.8 1188.5 1184.8 1182.4	102
06S/11W-01A03S	13.0	10-19-66 11-04-66 12-02-66 1-12-67 2-20-67 3-14-67 4-14-67 7-18-67 9-13-67	16.5 16.3 11.1 3.4 8.9 5.2 .5 3.1 11.9	-3.5 -3.3 1.9 9.6 7.8 7.8 12.5 9.9 1.1	102	05S/08W-01N01S	905.0	10-20-66 11-23-66 12-29-66 2-01-67 2-23-67 3-23-67 5-10-67 6-08-67 7-06-67	48.4 46.6 40.4 29.0 35.5 36.7 27.5 31.0 32.8	856.6 858.4 864.6 876.0 869.5 868.3 877.5 874.0 872.2	102
06S/11W-01B02S	10.0	10-19-66 11-04-66 12-02-66 1-12-67 3-14-67 4-14-67 5-19-67 7-18-67 8-09-67 9-13-67	13.4 13.2 7.9 .4 -0.4 -2.7 -4.3 1.2 7.5 9.9	-3.4 -3.2 2.1 9.6 10.4 12.7 14.3 8.8 2.5 .1	102	05S/08W-13C01S	1017.0	10-20-66 11-23-66 12-29-66 2-01-67 2-23-67 3-23-67 5-10-67 6-08-67 7-06-67 8-10-67 9-07-67	0057.8 0057.8 0014.5 0013.5 0021.0 0024.5 0021.0 0025.2 0027.9 0035.1 0043.0	0959.2 0959.2 1002.5 1003.5 0996.0 0992.5 0996.0 0991.8 0989.1 0981.9 0974.0	102
06S/11W-03J01S	65.0	10-19-66 11-04-66 12-02-66 1-12-67 2-20-67	58.6 58.7 58.7 58.4 59.2	6.4 6.3 6.3 6.6 5.8	102	SANTA ANA NARROWS HYDRO SUBAREA					
						Y-01.A3					
03S/07W-29C01S	466.8	10-26-66	24.4	442.4	102						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
SANTA ANA NARROWS HYDRO SUBAREA			Y-01.A3			SANTA ANA NARROWS HYDRO SUBAREA			Y-01.A3		
03S/07W-29C01S (CONT.)	466.8	11-30-66 24.9 3-16-67 21.5 5-11-67 22.1 6-15-67 22.5 7-13-67 22.9 8-17-67 23.5 9-20-67 23.9	441.9 445.3 444.7 444.3 443.9 443.3 442.9	102		03S/08W-29K01S (CONT.)	340.0	1-23-67 9.6 1-30-67 8.6 2-06-67 9.4 2-13-67 9.6 2-20-67 9.8 2-27-67 10.0 3-06-67 10.4 3-13-67 10.3 3-20-67 10.4 3-27-67 10.4 4-03-67 10.4 4-10-67 10.6 4-17-67 10.6 4-24-67 10.6 5-01-67 10.6 5-08-67 10.7 5-15-67 10.7 5-22-67 10.8 5-29-67 11.0 6-05-67 11.0 6-12-67 11.5 6-19-67 12.2 6-26-67 12.6 7-03-67 12.7 7-10-67 13.4 7-15-67 62.2(1) 7-17-67 72.7(1) 8-07-67 17.3 9-05-67 19.5 9-11-67 18.7 9-19-67 20.0 9-26-67 19.4	330.4 331.4 330.6 330.4 330.2 330.0 329.6 329.7 329.6 329.6 329.6 329.4 329.4 329.4 329.4 329.3 329.3 329.2 329.0 329.0 328.5 327.8 327.4 327.3 326.6 277.8 267.3 322.7 320.5 321.3 320.0 320.6	715	
03S/07W-29C02S	471.4	10-26-66 28.1 11-30-66 28.5 3-16-67 25.5 5-11-67 26.6 6-15-67 26.2 7-13-67 26.7 8-17-67 27.3 9-20-67 27.9	443.3 442.9 445.9 444.8 445.2 444.7 444.1 443.5	102							
03S/07W-29C03S	461.1	10-26-66 20.3 11-30-66 20.5 3-16-67 17.5 5-11-67 18.4 6-15-67 18.7 7-13-67 19.1 8-17-67 19.5 9-20-67 20.0	440.8 440.6 443.6 442.7 442.4 442.0 441.6 441.1	102							
03S/07W-29D03S	459.8	10-26-66 19.4 11-30-66 19.6 3-16-67 16.5 5-11-67 17.3 6-15-67 17.7 7-13-67 18.1 8-17-67 18.6 9-20-67 19.0	440.4 440.2 443.3 442.5 442.1 441.7 441.2 440.8	102		03S/08W-29N01S	320.0	10-10-66 15.6 10-17-66 27.4(1) 10-24-66 14.4 10-31-66 16.0 11-07-66 14.6 11-14-66 12.0 11-21-66 10.3 11-28-66 9.0 12-12-66 6.4 12-19-66 6.3 1-03-67 8.0 1-09-67 8.3 1-16-67 8.0 1-23-67 7.8 1-30-67 7.6 2-06-67 8.4 2-13-67 8.3 2-20-67 8.3 2-27-67 8.4 3-06-67 8.3 3-13-67 8.9 3-20-67 9.0 3-27-67 8.6 4-03-67 8.5 4-10-67 8.3 4-17-67 8.5 4-24-67 8.5 5-01-67 9.0 5-08-67 9.3 5-15-67 9.5 5-22-67 9.8 5-29-67 9.8 6-05-67 9.9 6-12-67 9.1 6-19-67 8.8 6-26-67 10.0 7-03-67 10.0 7-10-67 27.5(1) 7-17-67 34.5(1) 7-24-67 23.7(1) 7-31-67 36.1(1) 8-07-67 35.2(1) 8-14-67 37.4(1) 8-22-67 38.9(1) 8-29-67 37.4(1) 9-05-67 37.0(1) 9-11-67 36.3(1) 9-19-67 34.6(1) 9-26-67 16.6	304.4 292.6 305.6 304.0 305.4 308.0 309.7 311.0 313.6 313.7 312.0 311.7 312.0 312.2 312.4 311.6 311.7 311.7 311.6 311.7 311.1 311.0 311.4 311.5 311.7 311.5 311.5 311.0 310.7 310.5 310.2 310.2 310.1 310.9 311.2 310.0 310.0 292.5 285.5 296.3 283.9 284.8 282.6 281.1 282.6 283.0 283.7 285.4 303.4	715	
03S/07W-29D04S	467.1	10-26-66 26.8 11-30-66 27.1 3-16-67 24.0 5-11-67 24.7 6-15-67 25.0 7-13-67 25.2 8-17-67 25.9	440.3 440.0 443.1 442.4 442.1 441.9 441.2	102							
03S/07W-29D06S	480.5	10-26-66 33.3 11-30-66 33.8 3-16-67 33.7 5-11-67 33.6 6-15-67 33.6 7-13-67 33.0 8-17-67 33.8 9-20-67 34.0	447.2 446.7 446.8 446.9 446.9 447.5 446.7 446.5	102							
03S/07W-29D07S	464.6	10-26-66 13.9 11-30-66 14.1 3-16-67 13.4 5-11-67 13.9 6-15-67 13.6 7-13-67 13.6 8-17-67 14.0 9-20-67 13.9	450.7 450.5 451.2 450.7 451.0 451.0 450.6 450.7	102							
03S/07W-29E01S	445.7	10-26-66 6.9 11-30-66 7.0 3-16-67 5.2 5-11-67 5.6 6-15-67 5.9 7-13-67 6.3 8-17-67 6.6 9-20-67 6.9	438.8 438.7 440.5 440.1 439.8 439.4 439.1 438.8	102							
03S/07W-29E02S	449.4	10-26-66 9.8 11-30-66 9.9 3-16-67 7.9 5-11-67 8.2 6-15-67 8.6 7-13-67 8.9 8-17-67 9.4 9-20-67 9.7	439.6 439.5 441.5 441.2 440.8 440.5 440.0 439.7	102							
03S/07W-29F02S	461.4	10-26-66 21.5(1) 11-30-66 21.4(1) 3-16-67 18.7(1) 5-11-67 19.8(1) 6-15-67 20.1(1) 7-13-67 20.5(1) 8-17-67 21.4(1) 9-20-67 22.5(1)	439.9 440.0 442.7 441.6 441.3 440.9 440.0 438.9	102		03S/08W-29P01S	336.0	10-10-66 32.5 10-17-66 61.6(1) 10-24-66 31.0 10-31-66 60.2(1) 11-07-66 60.5(1) 11-14-66 25.7 11-21-66 21.4 11-28-66 17.7 12-12-66 12.6 12-19-66 11.3 1-03-67 10.9 1-09-67 11.2 1-16-67 11.3 1-23-67 11.5 1-30-67 10.8	303.5 274.4 305.0 275.8 275.5 310.3 314.6 318.3 323.4 324.7 325.1 324.8 324.7 324.5 325.2	715	
03S/08W-29K01S	340.0	10-10-66 25.3 10-24-66 25.0 11-14-66 18.4 11-21-66 14.1 11-28-66 13.0 12-12-66 7.8 12-19-66 7.8 1-03-67 9.1 1-09-67 9.3 1-16-67 9.7	314.7 315.0 321.6 325.9 327.0 332.2 332.2 330.9 330.7 330.3	715							

TABLE C-1

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT						MIDDLE SANTA ANA RIV HYDR SUBUNIT					
SANTA ANA NARROWS HYDRO SUBAREA						CHINO HYDRO SUBAREA					
Y-01.A0						Y-01.B0					
Y-01.A3						Y-01.B1					
03S/08W-31M02S	310.0	4-03-67	6.4	303.6	715	01S/05W-06J01S	1364.0	12-06-66	579.3	784.7	706
(CONT.)		4-10-67	6.0	304.0				3-01-67	579.3	784.7	
		4-17-67	6.1	303.9				6-03-67	581.5	782.5	
		4-24-67	6.3	303.7				9-05-67	581.5	782.5	
		5-01-67	6.8	303.2		01S/05W-07N01S	1235.2	12-01-66	475.3	759.9	706
		5-08-67	7.1	302.9				3-01-67	471.6	763.6	
		5-15-67	7.2	302.8				6-01-67	464.6	770.6	
		5-22-67	7.4	302.6				9-05-67	462.4	772.8	
		5-29-67	7.7	302.3		01S/05W-07R01S	1247.8	12-05-66	480.6	767.2	706
		6-05-67	7.6	302.4				3-01-67	482.9	764.9	
		6-12-67	6.4	303.6				6-02-67	466.5	781.3	
		6-19-67	6.6	303.4				9-05-67	459.5	788.3	
		6-26-67	7.2	302.8		01S/05W-16C01S	1227.3	10-04-66	424.4	802.9	706
		7-03-67	7.7	302.3				11-01-66	424.2	803.1	
		7-10-67	8.0	302.0				12-05-66	424.4	802.9	
		7-24-67	7.6	302.4				1-29-67	424.6	802.7	
		7-31-67	8.3	301.7				2-01-67	424.3	803.0	
		8-07-67	7.8	302.2				3-01-67	424.6	802.7	
		8-14-67	9.6	300.4				4-01-67	424.2	803.1	
		8-29-67	7.9	302.1				5-01-67	423.9	803.4	
		9-05-67	7.6	302.4				6-01-67	423.8	803.5	
		9-11-67	7.5	302.5				7-01-67	424.4	802.9	
		9-19-67	7.4	302.6				8-02-67	424.7	802.6	
								9-01-67	425.5	801.8	
03S/08W-32D01S	360.0	10-10-66	22.7	337.3	715	01S/05W-16J01S	1180.8	12-01-66	375.1	805.7	706
		10-17-66	29.9(1)	330.1				3-01-67	377.4	803.4	
		10-24-66	21.5	338.5				5-02-67	382.0	798.8	
		10-31-66	29.5(1)	330.5				6-01-67	314.3	866.5	
		11-07-66	21.5	338.5				9-05-67	386.6(1)	794.2	
		11-14-66	15.4	344.6		01S/05W-19A01S	1156.9	12-01-66	395.9	761.0	706
		11-21-66	16.2	343.8				3-01-67	393.5	763.4	
		11-28-66	16.0	344.0				6-01-67	391.4	765.5	
		12-12-66	11.4	348.6				9-05-67	398.2	758.7	
		12-19-66	11.4	348.6		01S/05W-19D01S	1142.0	12-01-66	385.5	756.5	706
		1-03-67	13.0	347.0				3-01-67	385.5	756.5	
		1-09-67	13.1	346.9				6-01-67	385.5	756.5	
		1-16-67	12.9	347.1				9-05-67	(1)		
		1-23-67	12.8	347.2		01S/05W-19J01S	1106.9	12-06-66	348.2	758.7	706
		1-30-67	12.4	347.6				3-01-67	345.8	761.1	
		2-06-67	12.9	347.1				6-01-67	345.8	761.1	
		2-13-67	13.1	346.9				9-05-67	350.5	756.4	
		2-20-67	13.2	346.8		01S/05W-22E01S	1106.6	10-06-66	292.2	814.4	100
		2-27-67	13.5	346.5				10-08-66	293.9	812.7	713
		3-06-67	13.6	346.4				11-03-66	292.4	814.2	100
		3-13-67	13.9	346.1				11-12-66	294.0	812.6	713
		3-20-67	13.8	346.2				12-02-66	292.4	814.2	100
		3-27-67	13.7	346.3				12-10-66	294.0	812.6	718
		4-03-67	13.7	346.3				12-10-66	294.0	812.6	713
		4-10-67	13.5	346.5				12-15-66	292.4	814.2	100
		4-17-67	13.4	346.6				1-07-67	293.6	813.0	713
		4-24-67	13.6	346.4				1-12-67	292.1	814.5	100
		5-01-67	14.0	346.0				2-11-67	293.4	813.2	713
		5-08-67	14.3	345.7				3-09-67	291.4	815.2	100
		5-15-67	14.5	345.5				3-18-67	293.3	813.3	713
		5-22-67	14.3	345.7				4-14-67	291.9	814.7	100
		5-29-67	14.3	345.7				4-15-67	293.4	813.2	713
		6-05-67	14.6	345.4				5-05-67	291.4	815.2	100
		6-12-67	14.1	345.9				5-13-67	293.0	813.6	718
		6-19-67	14.0	346.0				5-13-67	293.0	813.6	713
		6-26-67	15.0	345.0				6-10-67	293.2	813.4	
		7-03-67	15.2	344.8				6-14-67	291.5	815.1	100
		7-10-67	28.0(1)	332.0				7-08-67	293.6	813.0	713
		7-17-67	31.2(1)	328.8				7-13-67	292.3	814.3	100
		7-24-67	30.7(1)	329.3				8-02-67	293.0	813.6	
		7-31-67	32.7(1)	327.3				8-05-67	293.9	812.7	713
		8-07-67	24.5	335.5				9-14-67	293.3	813.3	100
		8-14-67	33.5(1)	326.5				9-16-67	294.7	811.9	713
		8-22-67	35.0(1)	325.0		01S/05W-29A01S	1082.4	10-00-66	292.0	790.4	124
		8-29-67	34.5(1)	325.5				11-01-66	291.0	791.4	
		9-05-67	27.0	333.0				12-01-66	291.0	791.4	
		9-11-67	25.5	334.5				1-00-67	291.0	791.4	
		9-19-67	31.8(1)	328.2				2-01-67	293.0	789.4	
		9-26-67	22.2	337.8				3-01-67	292.0	790.4	
								4-00-67	292.0	790.4	
								5-00-67	291.0	791.4	
								6-00-67	292.0	790.4	
								7-00-67	292.0	790.4	
								8-00-67	292.0	790.4	
								9-00-67	293.0	789.4	
						01S/05W-30L01S	1049.0	12-06-66	291.8	757.2	706
								3-02-67	292.2	756.8	
								6-02-67	293.3	755.7	
								9-05-67	294.0	755.0	
						01S/06W-11801S	1246.5	12-06-66	500.9	745.6	706
								3-01-67	503.3	743.2	
								6-02-67	500.9	745.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CHINO HYDRO SUBAREA			Y-01.81			CHINO HYDRO SUBAREA			Y-01.81		
01S/06W-11B01S (CONT.)	1246.5	9-05-67	503.3	743.2	706	01S/07W-08N01S (CONT.)	1212.2	5-01-67	575.4(1)	636.8	235
								6-05-67	617.4(1)	594.8	
01S/06W-11N01S	1165.8	12-01-66	426.4	739.4	706			7-03-67	581.4(5)	630.8	
		3-01-67	430.2	735.6				8-01-67	614.4(1)	597.8	
		6-01-67	430.2	735.6				8-28-67	604.4(1)	607.8	
		9-05-67	439.5(1)	726.3		01S/07W-14D01S	1094.0	10-03-66	446.0(1)	648.0	702
01S/06W-12P01S	1209.7	12-01-66	450.3	759.4	706			11-03-66	416.0	678.0	
		3-01-67	451.4	758.3				12-03-66	408.0	686.0	
		6-01-67	451.4	758.3				1-06-67	407.5	686.5	
		9-05-67	448.8	760.9				2-03-67	412.5	681.5	
01S/06W-16A01S	1112.6	10-00-66	388.8	723.8	850			3-01-67	406.0	688.0	
		12-00-66	387.8	724.8				4-01-67	406.0	688.0	
		1-00-67	389.1	723.5				5-01-67	406.0	688.0	
		2-00-67	389.0	723.6				6-06-67	402.0	692.0	
		3-00-67	389.0	723.6				7-17-67	420.0	674.0	
		4-00-67	388.5	724.1				9-06-67	412.0	682.0	
		7-00-67	388.5	724.1		01S/07W-14E01S	1080.0	10-03-66	399.0	681.0	702
		8-00-67	386.7	725.9				11-03-66	401.0	679.0	
01S/06W-16G01S	1091.6	10-00-66	367.9	723.7	850			12-03-66	393.0	687.0	
		12-00-66	366.9	724.7				1-06-67	392.5	687.5	
		1-00-67	368.0	723.6				2-03-67	393.0	687.0	
		2-00-67	368.0	723.6				3-01-67	392.0	688.0	
		3-00-67	368.1	723.5				4-01-67	392.0	688.0	
		4-00-67	367.2	724.4				5-01-67	392.0	688.0	
		5-00-67	367.5	724.1				6-06-67	393.0	687.0	
		7-00-67	366.4	725.2				7-17-67	398.0	682.0	
		8-00-67	365.5	726.1				8-03-67	405.0	675.0	
01S/06W-16L01S	1075.0	12-01-66	325.0(1)	750.0	706			9-06-67	405.0	675.0	
		3-02-67	350.0	725.0		01S/07W-14G01S	1085.0	10-03-66	438.0(1)	647.0	702
		6-02-67	350.0	725.0				11-03-66	396.0	689.0	
		9-05-67	330.0	745.0				12-03-66	394.0	691.0	
01S/06W-20B01S	1041.9	10-06-66	354.5(3)	687.4	100			1-06-67	389.0	696.0	
		11-03-66	359.8(3)	682.1				2-03-67	385.0	700.0	
		12-02-66	360.2(3)	681.7				3-01-67	387.0	698.0	
		12-15-66	(7)					4-01-67	373.0	712.0	
		1-12-67	327.9(3)	714.0				5-01-67	373.0	712.0	
		3-09-67	357.7	684.2				6-06-67	386.0	699.0	
		5-05-67	361.7	680.2				7-17-67	371.0	714.0	
		6-14-67	371.3	670.6				8-03-67	385.0	700.0	
		7-13-67	377.1	664.8				9-06-67	396.0	689.0	
		8-02-67	376.6	665.3		01S/07W-14L01S	1066.0	10-03-66	378.0	688.0	702
		9-14-67	347.0(6)	694.9				11-03-66	378.0	688.0	
01S/06W-23D01S	1079.0	12-01-66	356.7(1)	722.3	706			12-03-66	378.0	688.0	
		3-01-67	340.5	738.5				1-06-67	380.0	686.0	
		6-01-67	338.2	740.8				2-03-67	378.0	688.0	
		9-05-67	358.9(1)	720.1				3-01-67	378.0	688.0	
01S/06W-25C01S	1050.0	12-06-66	302.8	747.2	706			4-01-67	376.0	690.0	
		3-02-67	302.7	747.3				5-01-67	376.0	690.0	
		6-02-67	302.6	747.4				6-06-67	378.0	688.0	
		9-05-67	303.3	746.7				7-17-67	378.0	688.0	
01S/06W-27L01S	955.1	10-06-66	231.3	723.8	100			8-03-67	378.0	688.0	
		11-03-66	231.4	723.7				9-06-67	378.0	688.0	
		12-02-66	231.5	723.6		01S/07W-17E01S	1155.0	10-31-66	483.0(1)	672.0	235
		12-06-66	233.9	721.2	706			12-05-66	478.0(1)	677.0	
		12-15-66	235.4	719.7	100			1-02-67	476.0(5)	679.0	
		1-12-67	231.3	723.8				2-01-67	474.0(5)	681.0	
		3-02-67	233.6	721.5	706			3-01-67	474.0(5)	681.0	
		3-09-67	(9)					5-01-67	497.0(5)	658.0	
		4-14-67	235.3	719.8	100			6-05-67	515.0(1)	640.0	
		5-05-67	231.1	724.0				7-03-67	514.0(1)	641.0	
		6-02-67	233.5	721.6	706			8-01-67	506.0(1)	649.0	
		6-14-67	230.9	724.2	100			8-28-67	557.0(1)	598.0	
		7-13-67	231.2	723.9		01S/07W-17J01S	1128.3	10-05-66	485.1	643.2	748
		8-02-67	231.6	723.5				11-01-66	486.3	642.0	
		9-05-67	234.5	720.6	706			12-15-66	486.3	642.0	
		9-14-67	231.8	723.3	100			1-03-67	486.2	642.1	
01S/06W-31M01S	861.8	12-13-66	221.3	640.5	100			2-01-67	485.1	643.2	
		3-22-67	228.5	633.3				3-01-67	485.1	643.2	
01S/06W-33M01S	868.8	12-13-66	176.8	692.0	100			4-01-67	483.9	644.4	
		3-22-67	176.5	692.3				5-01-67	482.7	645.6	
01S/06W-34B01S	937.0	12-12-66	(4)		100			6-01-67	472.9	655.4	
		3-22-67	(4)					7-01-67	478.1	650.2	
01S/06W-36D01S	979.0	12-01-66	230.9	748.1	706			7-27-67	477.9	650.4	
		12-12-66	230.5	748.5	100			9-01-67	524.3(1)	604.0	
		3-02-67	230.7	748.3	706	01S/07W-18G01S	1153.0	2-28-67	519.6	633.4	228
		3-22-67	230.7	748.3				5-09-67	520.0	633.0	
		6-02-67	231.1	747.9	706			9-26-67	516.0	637.0	
		9-05-67	231.7	747.3		01S/07W-19D01S	1080.0	10-05-66	456.1	623.9	748
01S/07W-08N01S	1212.2	10-31-66	624.4(1)	587.8	235			11-01-66	456.1	623.9	
		12-05-66	578.4(5)	633.8				12-15-66	456.1	623.9	
		1-02-67	619.4(1)	592.8				1-03-67	456.1	623.9	
		2-01-67	577.4(5)	634.8				2-01-67	455.5	624.5	
		3-01-67	573.4(5)	638.8				3-01-67	455.5	624.5	
		4-03-67	575.4(5)	636.8				4-01-67	454.9	625.1	
								5-01-67	454.9	625.1	
								6-01-67	453.8	626.2	
								7-01-67	456.9	623.1	
								7-27-67	451.0	629.0	
								9-01-67	451.4	628.6	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT CHINO HYDRO SUBAREA						MIDDLE SANTA ANA RIV HYDR SUBUNIT CHINO HYDRO SUBAREA					
Y-01.80						Y-01.81					
01S/07W-19D02S	1092.3	11-01-66	459.9	632.4	748	01S/08W-02801S	1552.0	6-05-67	128.0	1424.0	719
		12-15-66	458.7	633.6		(CONT.)		8-16-67	122.0(5)	1430.0	
		1-03-67	459.8	632.5				8-16-67	122.0	1430.0	719
		2-01-67	458.7	633.6				9-25-67	133.0(5)	1419.0	101
		3-01-67	458.7	633.6				9-25-67	133.0	1419.0	719
		4-01-67	458.7	633.6		01S/08W-02M03S	1396.7	10-20-66	(9)		101
		5-01-67	458.7	633.6				11-10-66	72.0(5)	1324.7	
		6-01-67	454.1	638.2				12-19-66	62.8	1333.9	
		7-01-67	454.1	638.2				1-03-67	58.0	1338.7	
		7-27-67	455.3	637.0				2-03-67	(0)		
		9-01-67	455.8	636.5				2-07-67	49.0	1347.7	
01S/07W-20A01S	1070.1	2-28-67	432.8	637.3	228			3-06-67	41.0	1355.7	
		5-09-67	425.8	644.3				3-16-67	35.2(5)	1361.5	
		9-26-67	428.8	641.3				4-01-67	30.8(5)	1365.9	
01S/07W-21C01S	1053.0	2-28-67	415.0	638.0	228			4-27-67	21.6	1375.1	
		5-09-67	415.0	638.0				5-01-67	19.7(5)	1377.0	
		9-26-67	419.0	634.0				6-05-67	15.1(5)	1381.6	
01S/07W-21D01S	1056.0	2-28-67	424.5	631.5	228			6-19-67	14.3	1382.4	
		5-09-67	424.3	631.7				7-10-67	13.4	1383.3	
		9-26-67	432.3	623.7				8-02-67	10.6	1386.1	
01S/07W-22801S	1020.0	2-28-67	359.0	661.0	228			8-16-67	11.1(5)	1385.6	
		5-09-67	360.0	660.0				9-06-67	12.8	1383.9	
		9-26-67	376.0	644.0				9-25-67	13.1(5)	1383.6	
01S/07W-27D01S	958.0	2-28-67	309.2	648.8	228	01S/08W-10801S	1301.0	10-07-66	496.8(5)	804.2	101
		5-09-67	309.7	648.3				11-07-66	497.8(5)	803.2	
		9-26-67	297.7	660.3				11-15-66	458.8(5)	842.2	
01S/07W-28M02S	937.0	2-28-67	309.6	627.4	228			11-21-66	497.8(5)	803.2	
		5-09-67	310.0	627.0				12-01-66	454.8(5)	846.2	
		9-26-67	310.0	627.0				1-01-67	455.8(5)	845.2	
01S/07W-28R02S	907.0	2-28-67	265.8	641.2	228			1-15-67	501.8(5)	799.2	
		5-09-67	266.0	641.0				2-01-67	455.8(5)	845.2	
		9-26-67	271.0	636.0				3-01-67	477.8(5)	823.2	
01S/07W-29A01S	962.0	5-09-67	310.0	652.0	228			4-28-67	499.8(5)	801.2	
		9-26-67	332.0	630.0				5-15-67	455.8(5)	845.2	
01S/07W-30E01S	954.0	2-28-67	534.6	419.4	228			6-01-67	474.8(5)	826.2	
		5-09-67	535.0	419.0				7-01-67	448.8(5)	852.2	
		9-26-67	541.0	413.0				8-21-67	378.8(5)	922.2	
01S/07W-30Q01S	921.6	2-28-67	304.8	616.8	228			9-07-67	489.8(5)	811.2	
		5-09-67	305.0	616.6		01S/08W-10N12S	1137.6	10-01-66	350.8(5)	786.8	101
		9-26-67	320.0	601.6				10-07-66	321.8(5)	815.8	
01S/07W-30R01S	930.4	5-09-67	306.9	623.5	228			10-21-66	358.8(5)	778.8	
		9-26-67	317.9	612.5				11-15-66	305.8(5)	831.8	
01S/07W-34A01S	891.0	2-28-67	232.0	659.0	228			12-01-66	313.8(5)	823.8	
		5-09-67	232.0	659.0				1-01-67	296.8(5)	840.8	
		9-26-67	230.0	661.0				2-01-67	328.8(5)	808.8	
01S/08W-01D02S	1542.0	11-10-66	308.9	1233.1	719			3-01-67	368.8(5)	768.8	
		1-03-67	298.0	1244.0				4-28-67	298.8(5)	838.8	
		2-01-67	298.2	1243.8				6-01-67	359.8(5)	777.8	
		2-23-67	297.7	1244.3				6-15-67	305.8(5)	831.8	
		3-16-67	292.8	1249.2				7-01-67	352.8(5)	784.8	
		4-01-67	286.0	1256.0				8-01-67	332.8(5)	804.8	
		4-15-67	277.8	1264.2				9-15-67	330.8(5)	806.8	
		5-01-67	275.1	1266.9		01S/08W-11R01S	1219.9	10-31-66	595.0(1)	624.9	235
		6-05-67	257.8	1284.2				12-05-66	582.0(5)	637.9	
		8-16-67	211.0	1331.0				1-02-67	530.0(1)	689.9	
01S/08W-01D03S	1555.0	11-10-66	308.9(5)	1246.1	101			2-01-67	575.0(5)	644.9	
		1-03-67	298.0(5)	1257.0				3-01-67	586.0(5)	633.9	
		2-03-67	298.0(5)	1257.0				4-03-67	560.0(1)	659.9	
		3-16-67	292.8(5)	1262.2				5-01-67	580.0(5)	639.9	
		4-01-67	286.0(5)	1269.0				6-05-67	594.0(1)	625.9	
		5-01-67	275.1(5)	1279.9				7-03-67	594.0(1)	625.9	
		6-05-67	257.8(5)	1297.2				8-01-67	595.0(1)	624.9	
		8-16-67	211.0(5)	1344.0				8-28-67	594.0(1)	625.9	
01S/08W-01D05S	1498.0	1-03-67	(0)		101	01S/08W-12H01S	1275.0	1-03-67	(0)		101
		3-16-67	292.8(5)	1205.2				6-05-67	(0)		
01S/08W-02801S	1552.0	10-05-66	221.0(5)	1331.0	101	01S/08W-12J01S	1042.0	10-11-66	370.2	671.8	101
		10-05-66	221.0	1331.0	719			11-21-66	371.3	670.7	
		11-10-66	202.8(5)	1349.2	101			12-19-66	372.6	669.4	
		11-10-66	202.8	1349.2	719			1-02-67	372.5	669.5	
		1-03-67	184.0	1368.0				2-14-67	372.5	669.5	
		2-01-67	168.2	1383.8				3-06-67	370.1	671.9	
		2-23-67	159.4	1392.6				4-14-67	373.3	668.7	
		3-03-67	184.0	1368.0	101			5-09-67	374.0	668.0	
		3-16-67	153.0(5)	1399.0				6-14-67	374.5	667.5	
		3-16-67	153.0	1399.0	719			7-11-67	375.1	666.9	
		4-01-67	148.0(5)	1404.0	101			8-02-67	375.6	666.4	
		4-01-67	148.0	1404.0	719	01S/08W-12K01S	1255.0	9-11-67	376.2	665.8	
		4-15-67	145.0	1407.0				11-10-66	589.6	665.4	719
		5-01-67	140.8(5)	1411.2	101			1-03-67	590.6	664.4	
		5-01-67	140.8	1411.2	719			2-01-67	590.0	665.0	
		5-24-67	131.8	1420.2				3-16-67	590.7	664.3	
		6-05-67	128.0(5)	1424.0	101			4-01-67	590.0	665.0	
								4-15-67	589.0	666.0	
								5-01-67	589.6	665.4	
								5-24-67	589.2	665.8	
								8-16-67	593.6	661.4	
								9-25-67	595.0	660.0	
						01S/08W-12P01S	1214.6	11-10-66	574.8	639.8	719
								1-03-67	559.2	655.4	
								4-01-67	574.0	640.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CHINO HYDRO SUBAREA			Y-01.81			CHINO HYDRO SUBAREA			Y-01.81		
01S/08W-12P01S (CONT.)	1214.6	4-15-67	572.4	642.2	719	01S/08W-28M01S	868.0	10-01-66	299.8(5)	568.2	101
		5-01-67	571.9	642.7				11-01-66	297.4(5)	570.6	
		5-24-67	571.6	643.0				12-15-66	290.5(5)	577.5	
		8-16-67	572.7	641.9				1-15-67	284.8(5)	583.2	
		9-25-67	576.6	638.0				2-01-67	285.9(5)	582.1	
01S/08W-13P01S	1115.0	2-28-67	482.6	632.4	228			3-01-67	288.2(5)	579.8	
		9-26-67	483.0	632.0				4-01-67	282.4(5)	585.6	
01S/08W-15J01S	1097.0	4-01-66	486.0	611.0	101			5-01-67	277.8(5)	590.2	
		5-01-66	522.2(1)	574.8				7-01-67	305.5(5)	562.5	
		10-01-66	532.0(1)	565.0				8-01-67	309.0(5)	559.0	
								9-01-67	328.6(1)	539.4	
01S/08W-15P02S	1062.0	10-07-66	455.0(5)	607.0	101	01S/08W-28M02S	870.0	10-01-66	300.8(5)	569.2	101
		11-07-66	460.0(5)	602.0				11-01-66	298.4(5)	571.6	
		12-01-66	457.0(5)	605.0				12-15-66	291.5(5)	578.5	
		1-01-67	457.0(5)	605.0				1-15-67	285.8(5)	584.2	
		2-01-67	459.0(5)	603.0				2-01-67	286.9(5)	583.1	
		3-01-67	456.0(5)	606.0				3-15-67	282.3(5)	587.7	
		4-01-67	455.0(5)	607.0				4-01-67	283.4(5)	586.6	
		4-28-67	457.0(5)	605.0				5-01-67	278.8(5)	591.2	
		6-01-67	455.0(5)	607.0				7-01-67	319.2(1)	550.8	
		7-01-67	461.0(5)	601.0				8-01-67	323.9(1)	546.1	
		8-15-67	462.0(5)	600.0				9-01-67	329.6(1)	540.4	
		9-15-67	462.0(5)	600.0		01S/08W-28M03S	864.0	10-01-66	295.4(5)	568.6	101
01S/08W-22M01S	977.5	11-21-66	371.0	606.5	101			11-01-66	293.1(5)	570.9	
		4-18-67	369.4	608.1				12-15-66	283.9(5)	580.1	
01S/08W-25Q02S	915.0	2-28-67	310.2	604.8	228			1-15-67	278.1(5)	585.9	
		5-09-67	310.0	605.0				2-01-67	279.3(5)	584.7	
		9-26-67	323.0	592.0				3-01-67	283.9(5)	580.1	
01S/08W-28E01S	883.0	10-01-66	336.1(1)	546.9	101			4-01-67	277.0(5)	587.0	
		11-01-66	339.6(1)	543.4				5-01-67	271.2(5)	592.8	
		12-15-66	301.5(5)	581.5				7-01-67	309.3(1)	554.7	
		1-15-67	296.9(5)	586.1				8-01-67	316.2(1)	547.8	
		2-01-67	296.9(5)	586.1		01S/08W-28N01S	857.0	10-01-66	309.1(1)	547.9	101
		3-01-67	296.9(5)	586.1				11-01-66	303.3(1)	553.7	
		4-01-67	298.0(5)	585.0				12-15-66	274.4(5)	582.6	
		5-01-67	310.7(1)	572.3				1-15-67	267.5(5)	589.5	
		7-01-67	345.4(1)	537.6				2-15-67	267.5(5)	589.5	
		9-01-67	355.8(1)	527.2				3-10-67	290.6(1)	566.4	
01S/08W-28E02S	890.0	10-01-66	320.7(5)	569.3	101			4-01-67	270.8(5)	586.2	
		11-01-66	319.6(1)	570.4				7-01-67	307.9(1)	549.1	
		12-15-66	309.2(5)	580.8				8-01-67	312.5(1)	544.5	
		1-15-67	302.2(5)	587.8				9-01-67	318.3(1)	538.7	
		2-01-67	302.2(5)	587.8		01S/08W-28N02S	859.0	10-01-66	319.8(1)	539.2	101
		3-01-67	302.2(5)	587.8				11-01-66	314.1(1)	544.9	
		4-01-67	302.2(5)	587.8				12-15-66	277.1(5)	581.9	
		5-01-67	301.1(5)	588.9				1-15-67	271.3(5)	587.7	
		7-01-67	345.0(1)	545.0				2-01-67	296.7(1)	562.3	
		9-01-67	357.7(1)	532.3				3-01-67	301.3(1)	557.7	
01S/08W-28F02S	887.5	10-15-66	323.6(1)	563.9	101			4-01-67	303.6(5)	555.4	
		11-01-66	328.2(1)	559.3				5-01-67	269.0(5)	590.0	
		12-15-66	302.8(5)	584.7				7-01-67	317.5(1)	541.5	
		1-15-67	298.2(5)	589.3				8-01-67	324.4(1)	534.6	
		2-01-67	298.2(5)	589.3		01S/08W-29H02S	886.0	11-21-66	291.2	594.8	101
		3-15-67	295.9(5)	591.6				4-18-67	303.0	583.0	
		4-01-67	298.2(5)	589.3							
		5-01-67	302.8(1)	584.7							
		7-01-67	330.5(1)	557.0							
		8-01-67	344.4(1)	543.1		01S/08W-31J01S	808.0	10-15-66	176.8(1)	631.2	101
		9-01-67	349.0(1)	538.5				11-01-66	175.1(1)	632.9	
01S/08W-28G01S	894.0	10-01-66	351.3(1)	542.7	101			12-15-66	162.4(5)	645.6	
		11-01-66	347.2(1)	546.8				1-15-67	178.6(1)	629.4	
		12-15-66	310.2(5)	583.8				2-01-67	180.9(5)	627.1	
		1-15-67	305.6(5)	588.4				3-15-67	182.0(1)	626.0	
		2-01-67	307.9(5)	586.1				4-01-67	161.3(5)	646.7	
		3-15-67	303.3(5)	590.7				5-01-67	183.2(1)	624.8	
		4-01-67	305.6(5)	588.4				7-01-67	186.7(1)	621.3	
		7-01-67	351.8(1)	542.2				8-01-67	187.8(1)	620.2	
		9-01-67	361.0(1)	533.0		01S/08W-31Q01S	783.0	10-20-66	120.9	662.1	101
01S/08W-28G02S	903.0	10-01-66	342.2(1)	560.8	101			11-16-66	120.9	662.1	
		10-15-66	322.5(5)	580.5				12-19-66	119.6	663.4	
		11-01-66	341.0(1)	562.0				1-02-67	121.6	661.4	
		12-15-66	315.6(5)	587.4				2-14-67	122.1	660.9	
		1-15-67	308.7(5)	594.3				3-07-67	122.8	660.2	
		2-01-67	313.3(5)	589.7				4-17-67	122.8	660.2	
		3-15-67	311.0(5)	592.0				5-09-67	123.0	660.0	
		4-01-67	311.0(5)	592.0				6-13-67	123.4(1)	659.6	
		5-01-67	307.5(5)	595.5				7-11-67	123.8	659.2	
		7-01-67	343.7(1)	559.3				8-02-67	124.1	658.9	
		9-01-67	351.4(1)	551.6				9-06-67	114.5	668.5	
01S/08W-28L01S	873.7	10-01-66	304.6(5)	569.1	101	01S/08W-32G01S	818.0	10-01-66	258.2(1)	559.8	101
		11-01-66	319.6(1)	554.1				11-01-66	257.1(1)	560.9	
		12-15-66	295.4(5)	578.3				12-12-66	(1)		100
		1-15-67	290.7(5)	583.0				12-15-66	228.2(5)	589.8	101
		3-15-67	(0)					1-15-67	249.0(1)	569.0	
		4-15-67	288.8(5)	584.9				2-01-67	249.0(5)	569.0	
		7-01-67	327.7(1)	546.0				3-01-67	251.3(1)	566.7	
		8-01-67	332.3(5)	541.4				4-15-67	224.7(5)	593.3	
		9-01-67	334.6(1)	539.1				5-01-67	247.8(1)	570.2	
								8-01-67	262.8(1)	555.2	
								9-01-67	267.5(1)	550.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CHINO HYDRO SUBAREA			Y-01.81			CHINO HYDRO SUBAREA			Y-01.81		
01S/08W-32L01S	803.0	11-16-66 4-17-67	173.7 182.9	629.3 620.1	101	02S/06W-12L01S (CONT.)	817.0	5-15-67	54.9	762.1	718
01S/08W-33B01S	855.0	12-12-66 3-22-67	268.7 263.9	586.3 591.1	100	02S/06W-12M03S	795.9	11-18-66 12-20-66 3-23-67 3-23-67 5-15-67	(7) 26.0(4) 27.2 27.2 26.3(4)	769.9 768.7 768.7 769.6	103 718 103 718
01S/08W-33D01S	843.0	10-12-66 11-01-66 12-15-66 1-15-67 2-01-67 3-01-67 4-01-67 5-01-67 7-01-67 8-01-67 9-01-67	283.9(1) 283.9(1) 253.8(5) 252.7(1) 251.5(5) 253.8(5) 249.2(5) 245.9(5) 285.0(1) 290.8(1) 297.7(1)	559.1 559.1 589.2 590.3 591.5 589.2 593.8 597.1 558.0 552.2 545.3	101	02S/06W-12M02S	775.0	12-20-66 5-15-67	34.5 32.6	740.5 742.4	718
01S/08W-33K01S	827.0	11-16-66 4-17-67	(3) (3)		101	02S/06W-13B04S	784.0	12-19-66 5-15-67	36.4(4) 33.5(4)	747.6 750.5	718
01S/08W-35M01S	847.0	12-12-66 3-22-67	296.3 310.5	550.7 536.5	100	02S/06W-13B05S	780.0	12-19-66 5-15-67	27.9 25.4(2)	752.1 754.6	718
01S/08W-36M01S	868.0	12-12-66 3-22-67	259.9 265.1	608.1 602.9	100	02S/06W-13B06S	783.0	12-19-66 5-16-67	44.9 46.7(4)	738.1 736.3	718
02S/05W-07F01S	900.0	11-18-66 11-18-66 3-24-67 3-24-67	38.2 38.2 35.4 35.4	861.8 861.8 864.6 864.6	103	02S/06W-13C06S	774.0	12-19-66 5-15-67	40.1(4) 36.5	733.9 737.5	718
02S/05W-07M01S	851.0	12-20-66 5-15-67	16.9 9.9	834.1 841.1	718	02S/06W-13C07S	775.0	12-19-66 5-15-67	40.1 36.7	734.9 738.3	718
02S/05W-07R03S	878.0	12-20-66 5-15-67	15.4 15.1	862.6 862.9	718	02S/06W-13F01S	764.0	12-19-66 5-15-67	47.8 45.7(2)	716.2 718.3	718
02S/05W-18C02S	861.0	12-19-66 5-15-67	48.3 47.0	812.7 814.0	718	02S/06W-13F02S	755.0	12-19-66 5-18-67	36.0(2) 34.2	719.0 720.8	718
02S/05W-19Q01S	847.0	12-20-66 5-12-67	45.0 44.5	802.0 802.5	718	02S/06W-13G03S	775.0	12-27-66 5-15-67	47.3(4) 46.2(2)	727.7 728.8	718
02S/06W-01O01S	875.0	11-17-66 3-23-67 3-23-67	52.3 48.4 48.4	822.7 826.6 826.6	103	02S/06W-13M02S	753.0	12-19-66 5-15-67	39.0 35.6(4)	714.0 717.4	718
02S/06W-03B01S	856.0	12-12-66 3-23-67	144.8 144.8	711.2 711.2	100	02S/06W-13M03S	753.0	12-19-66 5-15-67	38.4 35.1(4)	714.6 717.9	718
02S/06W-05B01S	845.3	11-17-66 12-13-66 3-22-67 3-23-67	189.2 188.6 187.9 189.1	656.1 656.7 657.4 656.2	103 100 103	02S/06W-14C02S	734.5	12-20-66 5-15-67	26.6 27.2	707.9 707.3	718
02S/06W-05B02S	830.0	11-17-66 3-23-67	189.3 187.9	640.7 642.1	103	02S/06W-14G02S	734.0	12-19-66 5-15-67	29.4(4) 28.3	704.6 705.7	718
02S/06W-06N02S	806.0	11-17-66 12-13-66 3-23-67	(1) 182.4 177.6	623.6 628.4	103 100 103	02S/06W-14H02S	737.0	12-19-66 5-15-67	31.3(4) 30.0	705.7 707.0	718
02S/06W-07B02S	791.4	10-06-66 11-03-66 12-02-66 12-15-66 1-12-67 3-09-67 4-14-67 5-05-67 6-14-67 7-13-67 8-02-67 9-14-67	169.7 169.6 169.2 169.1 168.1 167.5 161.7 166.4 166.8 168.1 168.6 169.5	621.7 621.8 622.2 622.3 623.3 623.9 629.7 625.0 624.6 623.3 622.8 621.9	100	02S/06W-14L01S	711.0	12-20-66 5-15-67	18.0 14.4	693.0 696.6	718
02S/06W-08D01S	784.3	12-12-66 3-23-67	164.2 168.5	620.1 615.8	100	02S/06W-16B02S	727.6	1-13-67 5-16-67	113.1 111.0	614.5 616.6	718
02S/06W-08D03S	782.0	11-17-66 3-23-67	161.8 160.8	620.2 621.2	103	02S/06W-16D02S	735.0	12-21-66 5-16-67	124.2(4) 121.0(4)	610.8 614.0	718
02S/06W-11J02S	770.0	12-12-66 12-20-66 3-23-67 5-15-67	36.7 36.9 31.8 31.5	733.3 733.1 738.2 738.5	100 718 100 718	02S/06W-16M01S	726.3	12-14-66 3-23-67	116.1(4) 121.1	610.2 605.2	100
02S/06W-11K03S	755.0	12-20-66 5-15-67	16.5 17.6	738.5 737.4	718	02S/06W-18A01S	732.0	11-17-66 11-17-66 3-23-67 3-23-67	118.8 118.8 115.1 115.1	613.2 613.2 616.9 616.9	103
02S/06W-11O01S	745.0	12-20-66 5-15-67	25.1 23.0	719.9 722.0	718	02S/06W-19P01S	672.2	12-09-66 3-23-67	82.4 80.8	589.8 591.4	100
02S/06W-11R02S	764.0	12-20-66 5-15-67	37.3 31.3	726.7 732.7	718	02S/06W-21D03S	709.2	12-14-66 3-23-67	111.9 110.8	597.3 598.4	100
02S/06W-12L01S	817.0	12-20-66	55.4	761.6	718	02S/06W-21E01S	695.2	12-20-66 5-18-67	88.8 (1)	606.4	718
						02S/06W-21Q01S	659.4	10-06-66 11-03-66 12-02-66 12-14-66 12-15-66 1-12-67 3-09-67 3-23-67 7-13-67 9-14-67	42.1 (7) 42.3 41.3 40.9 40.7 40.4 43.8 40.4 (7)	617.3 617.1 618.1 618.5 618.7 619.0 615.6 619.0	100
						02S/06W-22G01S	692.0	11-17-66 11-17-66 3-23-67	44.9 44.9 43.6	647.1 647.1 648.4	103
						02S/06W-22R02S	686.0	12-20-66 5-15-67	46.9 42.7	639.1 643.3	718
						02S/06W-23A01S	748.0	12-19-66 5-15-67	48.3 48.3	699.7 699.7	718

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CHINO HYDRO SUBAREA			Y-01.81			CHINO HYDRO SUBAREA			Y-01.81		
02S/06W-23G01S	707.0	11-18-66	26.7	680.3	103	02S/06W-33E01S	715.9	12-21-66	92.7	623.2	718
		12-20-66	47.0	660.0	718			5-18-67	87.4	628.5	
		3-24-67	22.7	684.3	103						
		3-24-67	21.9 (2)	685.1		02S/06W-33E02S	743.6	12-21-66	30.0	713.6	718
		5-16-67	46.8	660.2	718			5-18-67	31.9	711.7	
02S/06W-23G04S	708.6	12-20-66	48.4 (4)	660.2	718	02S/07W-02D02S	830.0	12-09-66	(4)		100
		5-16-67	48.3	660.3				3-21-67	(4)		
02S/06W-25C01S	736.0	12-20-66	32.8	703.2	718	02S/07W-02K01S	801.5	12-13-66	179.4	622.1	100
		5-12-67	31.7	704.3				3-21-67	177.0	624.5	
02S/06W-26D01S	684.1	12-20-66	48.0	636.1	718	02S/07W-04A01S	837.0	12-12-66	(2)		100
		5-16-67	45.0	639.1				3-22-67	(4)		
02S/06W-26D02S	686.0	11-18-66	52.6	633.4	103	02S/07W-05D01S	847.5	12-12-66	(4)		100
		11-18-66	52.6	633.4				3-22-67	213.5 (5)	634.0	
		12-20-66	50.5 (4)	635.5	718	02S/07W-05D02S	838.0	12-12-66	(3)		100
		3-24-67	(2)		103			3-22-67	233.6 (1)	604.4	
		5-16-67	47.0	639.0	718						
02S/06W-27A01S	660.5	12-20-66	15.6	644.9	718	02S/07W-05J02S	808.0	12-12-66	197.5	610.5	100
		5-15-67	15.4	645.1				3-22-67	196.2	611.8	
02S/06W-27D04S	650.0	12-20-66	15.3 (4)	634.7	718	02S/07W-09M01S	749.8	12-13-66	151.5	598.3	100
		5-16-67	15.7	634.3				3-21-67	147.1	602.7	
02S/06W-28B01S	647.0	10-04-66	27.6	619.4	103	02S/07W-09P01S	723.0	12-13-66	127.9	595.1	100
		11-17-66	27.2	619.8				3-21-67	124.0 (1)	599.0	
		12-09-66	24.8	622.2		02S/07W-10B01S	775.0	12-13-66	157.5	617.5	100
		1-03-67	23.3	623.7				3-21-67	148.4	626.6	
		2-02-67	22.4	624.6		02S/07W-10R01S	746.3	12-09-66	(4)		100
		2-02-67	22.4	624.6				3-21-67	(4)		
		3-01-67	22.6	624.4		02S/07W-12A01S	795.0	12-13-66	173.2	621.8	100
		3-23-67	23.0	624.0				3-23-67	170.5	624.5	
		5-01-67	22.9	624.1		02S/07W-13J02S	726.0	12-13-66	(3)		100
		5-31-67	23.3	623.7				3-23-67	(3)		
		7-03-67	23.7	623.3		02S/07W-15E02S	704.0	12-13-66	124.9	579.1	100
		8-02-67	23.8	623.2				3-21-67	170.0	534.0	
		9-06-67	23.9	623.1		02S/07W-15K01S	709.9	12-13-66	(2)		100
02S/06W-28E01S	626.0	10-04-66	17.6	608.4	103			3-21-67	108.0	601.9	
		11-17-66	17.6	608.4		02S/07W-16D01S	713.3	12-13-66	126.9	586.4	100
		12-09-66	14.0	612.0				3-21-67	125.2	588.1	
		12-14-66	14.3	611.7	100	02S/07W-17P02S	680.0	12-14-66	103.0	577.0	100
		1-03-67	14.8	611.2	103			3-21-67	103.1 (4)	576.9	
		2-02-67	14.9	611.1		02S/07W-18E01S	690.0	12-14-66	119.6	570.4	100
		3-01-67	14.6	611.4				3-21-67	119.7	570.3	
		3-23-67	14.4	611.6		02S/07W-18Q01S	676.2	12-14-66	108.7	567.5	100
		3-23-67	14.5	611.5	100			3-21-67	(1)		
		5-01-67	14.7	611.3	103	02S/07W-19J02S	635.5	10-06-66	82.4	553.1	100
		5-31-67	14.4	611.6				11-03-66	(1)		
		7-03-67	14.5	611.5				12-02-66	(3)		
		8-02-67	14.6	611.4				12-15-66	73.5	562.0	
		9-06-67	14.7	611.3				1-12-67	70.9	564.6	
02S/06W-30J02S	650.6	12-14-66	64.0	586.6	100			3-09-67	69.8	565.7	
		3-23-67	60.4	590.2				4-14-67	(3)		
02S/06W-30R03S	617.7	10-04-66	32.8 (2)	584.9	103			5-05-67	(1)		
		11-17-66	31.4	586.3				6-14-67	74.7	560.8	
		12-09-66	31.0	586.7				7-13-67	71.7	563.8	
		12-14-66	30.1	587.6	100			8-02-67	(1)		
		1-03-67	29.8 (2)	587.9	103			9-14-67	79.0	556.5	
		2-02-67	29.0	588.7		02S/07W-25M01S	624.4	11-17-66	(1)		103
		3-01-67	28.6 (2)	589.1				3-23-67	47.3	577.1	
		3-23-67	28.3	589.4		02S/07W-27A02S	643.1	10-06-66	(1)		100
		3-23-67	36.8	580.9	100			11-03-66	71.0	572.1	
		5-01-67	26.6	591.1	103			12-02-66	75.8	567.3	
		5-31-67	25.0 (2)	592.7				12-09-66	63.3	579.8	
		7-03-67	21.8 (2)	595.9				1-12-67	62.4	580.7	
		7-03-67	21.8	595.9				3-09-67	(1)		
		8-02-67	20.0 (2)	597.7		02S/07W-27R01S	617.4	11-17-66	51.3 (4)	566.1	103
		9-06-67	21.1 (2)	596.6				3-22-67	43.2	574.2	
02S/06W-31C01S	601.0	10-04-66	34.4	566.6	103	02S/07W-28N01S	607.1	12-14-66	45.5	561.6	100
		10-04-66	34.4	566.6				3-23-67	38.7	568.4	
		11-17-66	(1)			02S/07W-31L03S	559.2	12-14-66	32.9	526.3	100
		12-09-66	31.0 (4)	570.0				3-23-67	29.0	530.2	
		1-03-67	29.1 (4)	571.9		02S/07W-31R01S	547.9	10-26-66	20.1	527.8	102
		2-02-67	27.6 (4)	573.4				11-30-66	16.9	531.0	
		2-02-67	27.6 (4)	573.4				3-16-67	13.7	534.2	
		3-01-67	26.0 (4)	575.0				5-11-67	12.8	535.1	
		3-23-67	26.0 (4)	575.0				6-15-67	14.6	533.3	
		5-01-67	25.0	576.0				7-13-67	15.2	532.7	
		5-31-67	28.6 (4)	572.4							
		7-03-67	(1)								
02S/06W-31D01S	628.6	3-23-67	52.8	575.8	103						
02S/06W-32H01S	598.0	12-21-66	-0.2	598.2	718						
		5-18-67	(1)								
02S/06W-32B02S	601.6	12-21-66	2.9	598.7	718						
		5-18-67	(1)								

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CHINO HYDRO SUBAREA			Y-01.81			CHINO HYDRO SUBAREA			Y-01.81		
02S/07W-31R01S (CONT.)	547.9	8-17-67 9-20-67	19.2 20.7	528.7 527.2	102	02S/08W-12F01S (CONT.)	741.0	7-13-67 8-02-67 9-14-67	(1) (1) 161.5		100
02S/07W-32H01S	575.2	10-06-66 11-03-66 12-02-66 12-15-66 1-12-67 3-09-67 5-05-67 6-14-67 7-13-67 8-02-67 9-14-67	62.9 60.7 53.5 46.9 45.2 (1) 43.0 56.9 (1) (1) 82.6(1)	512.3 514.5 521.7 528.3 530.0 532.2 518.3 492.6	100	02S/08W-14A01S	693.0	12-12-66 3-21-67	83.3(3) 85.0	609.7 608.0	100
02S/07W-33A01S	602.2	12-14-66 3-23-67	40.0 35.5	562.2 566.7	100	02S/08W-15K01S	655.0	12-14-66 3-21-67	94.3 87.0	560.7 568.0	100
02S/07W-34H01S	595.5	11-17-66 3-22-67	37.5 29.1	558.0 566.4	103	02S/08W-16B08S	682.0	12-14-66 3-22-67	109.5 101.0	572.5 581.0	100
02S/07W-34J01S	585.2	11-17-66 11-17-66 12-14-66 3-22-67 3-23-67	32.8 32.8 28.1 26.0 25.6	552.4 552.4 557.1 559.2 559.6	103 100 103 100	02S/08W-16J03S	657.0	12-14-66 3-22-67	53.5 53.2	603.5 603.8	100
02S/07W-34N01S	567.6	11-16-66 3-22-67	23.8 22.5	543.8 545.1	103	02S/08W-20L01S	737.0	12-14-66 3-22-67	12.8 10.9	724.2 726.1	100
02S/07W-34R01S	580.9	11-16-66 3-22-67 3-22-67	34.0 29.4 29.4	546.9 551.5 551.5	103	02S/08W-21C01S	675.0	12-14-66 3-22-67	21.0 18.8	654.0 656.2	100
02S/07W-35B01S	613.5	12-14-66 3-23-67	45.7 40.6	567.8 572.9	100	02S/08W-22D03S	646.3	12-14-66 3-21-67	114.9 108.0	531.4 538.3	100
02S/07W-35C02S	613.1	11-17-66 3-22-67	49.2 41.4	563.9 571.7	103	02S/08W-23M01S	605.4	12-14-66 3-23-67	81.8 79.1(1)	523.6 526.3	100
02S/07W-35J03S	597.0	12-14-66 3-23-67	41.6 39.8(1)	555.4 557.2	100	02S/08W-26J02S	571.0	10-06-66 11-03-66 12-02-66 12-15-66 1-12-67 3-09-67 4-18-67 5-09-67 6-14-67 7-13-67 8-02-67 9-14-67	50.0 49.4 44.2 40.9 39.2 34.6 31.0 35.2(1) 33.8 38.2 (1) 43.8	521.0 521.6 526.8 530.1 531.8 536.4 540.0 535.8 537.2 532.8 527.2	100
02S/07W-36D01S	611.6	11-17-66 3-23-67	(2) 41.2		103	02S/08W-26K03S	582.7	12-14-66 3-23-67	(2) (2)		100
02S/07W-36E01S	601.5	11-17-66 3-23-67	42.0 35.3	559.5 566.2	103	02S/08W-36C03S	545.7	12-14-66 3-23-67	29.4 22.1	516.3 523.6	100
02S/07W-36E02S	605.6	11-17-66 3-23-67	(7) (7)		103	02S/08W-36K01S	534.4	10-26-66 11-30-66 3-16-67 5-11-67 6-15-67 7-13-67 8-17-67 9-20-67	26.1 22.7 10.4 11.1 14.7 17.3 25.7 23.4	508.3 511.7 524.0 523.3 519.7 517.1 508.7 511.0	102
02S/07W-36L01S	570.5	11-17-66 3-23-67	12.7 8.0(2)	557.8 562.5	103	02S/08W-36Q01S	527.2	10-26-66 11-30-66 3-16-67 5-11-67 6-15-67 7-13-67 8-17-67 9-20-67	DRY 17.2 8.7 6.4 10.1 15.3 DRY DRY		102
02S/07W-36M02S	613.1	11-17-66 3-23-67	56.3 51.3	556.8 561.8	103	03S/07W-02N01S	542.3	10-04-66 11-16-66 12-09-66 1-03-67 2-02-67 3-01-67 3-22-67 5-01-67 5-31-67 7-03-67 8-02-67 9-06-67	12.5 11.5 9.7 9.3 9.2 9.2 9.1 8.8 9.7 10.7 11.8 11.1	529.8 530.8 532.6 533.0 533.1 533.1 533.2 533.5 532.6 531.6 530.5 531.2	103
02S/08W-04B01S	797.6	10-20-66 11-16-66 12-12-66 12-19-66 1-02-67 2-14-67 3-07-67 3-22-67 4-17-67	DRY DRY DRY DRY DRY DRY DRY DRY DRY		101 100 101	03S/07W-03A02S	579.0	12-14-66 3-23-67	29.9 28.2	549.1 550.8	100
02S/08W-04C01S	786.0	11-16-66 4-17-67	DRY DRY		101	03S/07W-03J01S	581.0	11-16-66 12-14-66 3-22-67	(2) (2) (2)		103 100 103
02S/08W-04P01S	745.0	10-20-66 11-16-66 12-19-66 1-02-67 2-14-67 3-07-67 4-17-67 5-08-67 6-13-67 7-11-67 8-02-67	165.8 156.3 161.2 158.2 155.8 161.2 162.0 157.0 163.7 171.5 175.8	579.2 588.7 583.8 586.8 589.2 583.8 583.0 588.0 581.3 573.5 569.2	101	03S/07W-03N01S	561.5	11-16-66 12-14-66 3-16-67 3-22-67 3-23-67 9-20-67	40.6 38.0 38.5 39.3 37.1(1) 44.5	520.9 523.5 523.0 522.2 524.4 517.0	103 100 102 103 100 102
02S/08W-05G01S	775.0	11-16-66 4-17-67	184.6 175.6	590.4 599.4	101	03S/07W-04H01S	564.5	12-14-66 3-23-67	30.3 27.9	534.2 536.6	100
02S/08W-09D02S	705.0	12-12-66 3-22-67	148.9 DRY	556.1	100	03S/07W-05J02S	552.1	12-14-66 3-23-67	46.2 (5)	505.9	100
02S/08W-12F01S	741.0	10-06-66 11-03-66 12-02-66 12-15-66 1-12-67 3-09-67 4-14-67 5-05-67 6-14-67	159.9 158.3 156.0 155.0 153.0 151.2 149.9 (1) 152.9	581.1 582.7 585.0 586.0 588.0 589.8 591.1 588.1	100						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT CHINO HYDRO SUBAREA			Y-01.80	Y-01.81		MIDDLE SANTA ANA RIV HYDR SUBUNIT CHINO HYDRO SUBAREA			Y-01.80	Y-01.81	
03S/07W-06001S	502.0	11-30-66	10.7	491.3	102	03S/07W-09R02S	512.2	7-03-67	8.6	503.6	103
						(CONT.)		8-02-67	9.4	502.8	
								9-06-67	9.8	502.4	
03S/07W-07G02S	515.0	12-14-66	7.0	508.0	100	03S/07W-10C03S	575.0	12-14-66	51.4	523.6	100
		3-23-67	6.2	508.8				3-23-67	48.0(1)	527.0	
03S/07W-07R01S	510.3	10-26-66	31.9	478.4	102	03S/07W-10D01S	553.6	11-15-66	40.1	513.5	103
		11-30-66	27.6	482.7				3-22-67	34.9	518.7	
		3-16-67	21.2	489.1		03S/07W-10R02S	566.8	10-26-66	56.4	510.4	102
		5-11-67	34.3	476.0				11-30-66	55.5	511.3	
		6-15-67	26.4	483.9				3-16-67	53.2	513.6	
		7-13-67	26.4	483.9				5-11-67	52.1	514.7	
		8-17-67	35.6	474.7				6-15-67	52.2	514.6	
		9-20-67	38.3	472.0				7-13-67	54.3	512.5	
03S/07W-08F02S	490.2	10-26-66	DRY		102			8-17-67	54.9	511.9	
		11-30-66	DRY					9-20-67	54.1	512.7	
		3-16-67	-2	490.4		03S/07W-11P01S	570.7	11-16-66	54.8	515.9	103
		5-11-67	.9	489.3				3-21-67	51.9	518.8	
		6-15-67	1.9	488.3		03S/07W-16B01S	500.0	10-26-66	5.5	494.5	102
		8-17-67	5.2	485.0				11-30-66	5.7	494.3	
		9-20-67	6.2	484.0				6-15-67	1.3	498.7	
03S/07W-08J01S	491.5	10-04-66	10.8	480.7	103			7-13-67	1.9	498.1	
		11-15-66	10.4	481.1				8-17-67	4.9	495.1	
		12-09-66	(9)					9-20-67	5.7	494.3	
		1-03-67	(9)			03S/07W-17F01S	487.6	10-26-66	7.9	479.7	102
		2-02-67	(9)					11-30-66	6.9	480.7	
		3-02-67	4.8	486.7				3-16-67	2.8	484.8	
		3-02-67	4.8	486.7				5-11-67	3.8	483.8	
		3-22-67	5.0	486.5				6-15-67	4.3	483.3	
		5-01-67	5.1	486.4				7-13-67	6.3	481.3	
		5-31-67	6.3	485.2				8-17-67	7.0	480.6	
		7-03-67	7.5	484.0				9-20-67	7.3	480.3	
		8-02-67	8.5	483.0		03S/07W-17K01S	489.5	10-26-66	8.1	481.4	102
		9-06-67	9.5	482.0				11-30-66	7.3	482.2	
03S/07W-08K01S	527.6	10-04-66	25.8	501.8	103			3-16-67	4.1	485.4	
		11-15-66	25.8	501.8				5-11-67	4.9	484.6	
		12-09-66	25.7	501.9				6-15-67	5.6	483.9	
		1-03-67	(9)					7-13-67	5.9	483.6	
		2-02-67	(9)					8-17-67	7.3	482.2	
		3-02-67	25.7	501.9				9-20-67	7.6	481.9	
		3-02-67	25.7	501.9		03S/07W-20D01S	478.9	12-14-66	(9)		100
		3-22-67	25.5	502.1				3-23-67	3.2	475.7	
		5-01-67	25.5	502.1		03S/07W-20D02S	473.0	11-16-66	.0	473.0	103
		5-31-67	25.5	502.1				3-21-67	(9)		
		7-03-67	25.3	502.3		03S/07W-20D05S	475.7	11-16-66	2.2	473.5	103
		8-02-67	25.3	502.3				3-21-67	(9)		
		9-06-67	25.3	502.3		03S/07W-20E01S	476.4	10-26-66	6.5	469.9	102
03S/07W-08L01S	0533.4	10-04-66	0051.5	0481.9	103			11-30-66	6.1	470.3	
		11-15-66	0052.4	0481.0				3-16-67	2.4	474.0	
		11-15-66	0052.4	0481.0				5-11-67	3.2	473.2	
		12-09-66	0051.9	0481.5				6-15-67	3.4	473.0	
		1-03-67	0049.2	0484.2				7-13-67	4.8	471.6	
		1-03-67	0049.2	0484.2				8-17-67	6.0	470.4	
		2-02-67	0047.4	0486.0				9-20-67	6.3	470.1	
		2-02-67	0047.4	0486.0		03S/07W-20E02S	471.0	10-26-66	.9	470.1	102
		3-01-67	0046.5	0486.9				11-30-66	.4	470.6	
		3-22-67	0046.2	0487.2				6-15-67	-1.5	472.5	
		5-01-67	0045.7	0487.7				7-13-67	-1.3	472.3	
		5-31-67	0046.0	0487.4				8-17-67	.0	471.0	
		7-03-67	0046.4	0487.0				9-20-67	.1	470.9	
		8-02-67	0047.0	0486.4		03S/07W-20E03S	471.4	11-10-66	.3	471.1	103
		9-06-67	0048.3	0485.1				3-21-67	(9)		
03S/07W-08Q01S	487.8	10-04-66	4.9	482.9	103	03S/07W-20E05S	480.0	10-26-66	2.2	477.8	102
		11-15-66	5.4	482.4				11-30-66	2.9	477.1	
		12-09-66	(9)			03S/07W-20F01S	470.0	10-26-66	-1.8	471.8	102
		1-03-67	(9)					11-30-66	-1.6	471.6	
		2-02-67	(9)			03S/07W-20M01S	478.0	10-26-66	11.4	466.6	102
		3-22-67	(9)					11-30-66	11.0	467.0	
		5-01-67	.6	487.2				3-16-67	17.2	460.8	
		5-31-67	1.2	486.6				5-11-67	5.0	473.0	
		7-03-67	1.8	486.0				6-15-67	5.9	472.1	
		8-02-67	2.3	485.5				7-13-67	6.2	471.8	
		9-06-67	3.0	484.8				8-17-67	6.4	471.6	
03S/07W-09J01S	515.0	11-15-66	18.7	496.3	103			9-20-67	7.1	470.9	
		3-22-67	14.9	500.1		03S/07W-20M02S	0480.0	10-26-66	0003.5	0476.5	102
03S/07W-09L01S	539.5	10-26-66	47.6	491.9	102			11-30-66	0003.5	0476.5	
		3-16-67	41.9	497.6				2-13-67	0001.5	0478.5	
		5-11-67	44.4	495.1				5-11-67	0001.4	0478.6	
		6-15-67	43.6	495.9				6-15-67	0001.5	0478.5	
		8-17-67	47.3	492.2				8-17-67	0002.4	0477.6	
		9-20-67	46.2	493.3				9-20-67	0002.0	0478.0	
03S/07W-09R02S	512.2	10-04-66	12.2	500.0	103						
		11-15-66	11.9	500.3							
		12-09-66	11.3	500.9							
		1-03-67	10.2	502.0							
		2-02-67	9.4	502.8							
		3-01-67	8.8	503.4							
		3-22-67	8.7	503.5							
		5-01-67	7.8	504.4							
		5-31-67	7.8	504.4							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT CHINO HYDRO SUBAREA			Y-01.80	Y-01.81		MIDDLE SANTA ANA RIV HYDR SUBUNIT CHINO HYDRO SUBAREA			Y-01.80	Y-01.81	
03S/08W-01J015	523.6	3-23-67	15.9	507.7	100	01N/08W-35Q015	1574.4	7-01-67	142.0(5)	1432.4	101
						(CONT.)		8-01-67	148.0(5)	1426.4	
								9-15-67	150.0(5)	1424.4	
03S/08W-01J055	524.0	10-26-66	23.1	500.9	102	01N/08W-35R015	1605.0	10-05-66	350.0	1255.0	748
		11-30-66	22.7	501.3				1-03-67	352.0	1253.0	
		3-16-67	16.6	507.4				2-01-67	345.5	1259.5	
		5-11-67	15.7	508.3				3-01-67	341.0	1264.0	
01N/06W-35A015	1438.0	12-14-66	517.3	920.7	100			4-01-67	334.0	1271.0	
		3-01-67	525.8	912.2	706			5-01-67	339.2	1265.8	
		3-23-67	485.8	952.2	100			6-01-67	315.0	1290.0	
		6-02-67	523.4	914.6	706			7-01-67	294.5	1310.5	
		9-05-67	539.9	898.1				7-27-67	273.0	1332.0	
								9-01-67	253.0	1352.0	
01N/08W-25K035	1830.0	10-03-66	195.0(1)	1635.0	235	HARRISON HYDRO SUBAREA					
		10-05-66	163.8	1666.2	719						Y-01.82
		10-10-66	194.0(1)	1636.0	235	015/08W-08H015	1176.0	10-01-66	370.7(5)	805.3	101
		10-17-66	195.0(1)	1635.0				12-15-66	(0)		
		10-24-66	203.0(1)	1627.0				1-15-67	354.5(5)	821.5	
		10-31-66	185.0(5)	1645.0				2-01-67	352.2(5)	823.8	
		11-07-66	190.0(5)	1640.0				3-01-67	347.6(5)	828.4	
		11-10-66	172.8(5)	1657.2	101			4-01-67	345.3(5)	830.7	
		11-10-66	172.8	1657.2	719			5-01-67	345.3(5)	830.7	
		11-14-66	208.0(1)	1622.0	235			7-01-67	359.1(5)	816.9	
		11-21-66	206.0(1)	1624.0				9-01-67	400.7(1)	775.3	
		11-28-66	208.0(1)	1622.0		015/08W-08J015	1132.0	11-21-66	360.6	771.4	101
		12-05-66	208.0(1)	1622.0				4-14-67	362.5	769.5	
		12-14-66	209.0(1)	1621.0		015/08W-09D015	1225.0	10-01-66	390.5(1)	834.5	101
		12-19-66	210.0(1)	1620.0				11-01-66	392.8(1)	832.2	
		1-02-67	210.0(1)	1620.0				12-15-66	337.3(5)	887.7	
		1-03-67	176.6(5)	1653.4	101			1-01-67	332.7(5)	892.3	
		1-03-67	176.6	1653.4	719			3-15-67	390.5(1)	834.5	
		1-09-67	200.0(5)	1630.0	235			4-15-67	332.7(5)	892.3	
		1-16-67	193.0(5)	1637.0				5-01-67	326.9(5)	898.1	
		1-23-67	210.0(1)	1620.0				7-01-67	388.1(1)	836.9	
		2-01-67	184.0(1)	1646.0				9-01-67	391.6(1)	833.4	
		2-01-67	125.0	1705.0	719	015/08W-09H015	1230.0	11-22-66	295.0	935.0	101
		2-03-67	176.6(5)	1653.4	101			4-12-67	285.5	944.5	
		2-06-67	184.0(1)	1646.0	235	015/08W-09L015	1174.0	10-21-66	284.5(5)	889.5	101
		2-14-67	166.0(5)	1664.0				11-15-66	279.5(5)	894.5	
		2-20-67	145.0(5)	1685.0				12-01-66	279.5(5)	894.5	
		2-23-67	130.6	1699.4	719			1-01-67	282.5(5)	891.5	
		2-27-67	156.0(1)	1674.0	235			2-01-67	284.5(5)	889.5	
		3-06-67	183.0(1)	1647.0				3-01-67	284.5(5)	889.5	
		3-16-67	113.1(5)	1716.9	101			4-28-67	277.5(5)	896.5	
		3-16-67	113.1	1716.9	719			5-15-67	285.5(5)	888.5	
		3-20-67	156.0(1)	1674.0	235			6-15-67	276.5(5)	897.5	
		3-27-67	145.0(1)	1685.0				7-01-67	298.5(5)	875.5	
		4-01-67	109.8	1720.2	719			8-07-67	281.5(5)	892.5	
		4-03-67	138.0(1)	1692.0	235			9-15-67	291.5(5)	882.5	
		4-15-67	106.7	1723.3	719	015/08W-09M015	1155.0	10-07-66	355.5(5)	799.5	101
		4-17-67	136.0(1)	1694.0	235			10-15-66	328.5(5)	826.5	
		4-25-67	127.0(5)	1703.0				11-07-66	281.5(5)	873.5	
		5-01-67	104.4(5)	1725.6	101			12-01-66	279.7(5)	875.3	
		5-01-67	132.0(1)	1698.0	235			1-07-67	326.5(5)	828.5	
		5-01-67	104.4	1725.6	719			2-01-67	295.5(5)	859.5	
		5-08-67	132.0(1)	1698.0	235			3-07-67	278.5(5)	876.5	
		5-15-67	130.0(1)	1700.0				4-15-67	267.5(5)	887.5	
		5-22-67	131.0(1)	1699.0				5-15-67	289.5(5)	865.5	
		5-24-67	100.9(1)	1729.1	719			6-15-67	309.5(5)	845.5	
		5-29-67	130.0(1)	1700.0	235			7-01-67	343.5(5)	811.5	
		6-05-67	73.4(5)	1756.6	101			8-07-67	279.5(5)	875.5	
		6-05-67	130.0(1)	1700.0	235			9-15-67	279.5(5)	875.5	
		6-05-67	73.4	1756.6	719	015/08W-09P015	1118.0	10-01-66	352.0(5)	766.0	101
		6-19-67	130.0(1)	1700.0	235			10-21-66	334.4	783.6	
		6-26-67	130.0(1)	1700.0				11-15-66	326.0(5)	792.0	
		7-03-67	130.0(5)	1700.0				12-01-66	324.0(5)	794.0	
		7-10-67	130.0(1)	1700.0				1-15-67	321.0(5)	797.0	
		7-17-67	130.0(1)	1700.0				2-01-67	313.0(5)	805.0	
		7-24-67	130.0(1)	1700.0				3-01-67	310.0(5)	808.0	
		8-01-67	130.0(1)	1700.0				4-07-67	347.0(5)	771.0	
		8-07-67	130.0(1)	1700.0				4-28-67	338.0(5)	780.0	
		8-14-67	130.0(1)	1700.0				6-01-67	342.0(5)	776.0	
		8-16-67	98.0(1)	1732.0	101			7-01-67	338.0(5)	780.0	
		8-16-67	98.0(1)	1732.0	719	015/08W-168015	1114.0	8-21-67	365.0(5)	753.0	
		8-28-67	140.0(1)	1690.0	235			9-07-67	343.0(5)	775.0	
		9-05-67	158.0(1)	1672.0				10-01-66	352.5(5)	761.5	101
		9-11-67	157.0(1)	1673.0				11-01-66	318.5(5)	795.5	
		9-18-67	156.0(1)	1674.0				11-21-66	315.5(5)	798.5	
		9-25-67	120.0(1)	1710.0	101			12-01-66	316.5(5)	797.5	
		9-25-67	156.0(1)	1674.0	235			1-01-67	330.5(5)	783.5	
		9-25-67	120.0(1)	1710.0	719			2-01-67	350.5(5)	763.5	
01N/08W-35J035	1618.0	10-05-66	377.4(1)	1240.6	748			3-01-67	356.5(5)	757.5	
		11-01-66	376.3(1)	1241.7				3-28-67	338.5(5)	775.5	
		12-15-66	262.0	1356.0				4-28-67	331.5(5)	782.5	
		1-03-67	250.0	1368.0				5-15-67	338.5(5)	775.5	
		2-01-67	235.0	1383.0				6-15-67	328.5(5)	785.5	
		3-01-67	222.5	1395.5				7-01-67	348.5(5)	765.5	
		4-01-67	211.5	1406.5							
		5-01-67	205.2	1412.8							
		6-01-67	199.0	1419.0							
		7-01-67	188.0	1430.0							
		7-27-67	188.0	1430.0							
		9-01-67	196.0	1422.0							
01N/08W-35Q015	1574.4	4-28-67	160.5	1413.9	101						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
HARRISON HYDRO SUBAREA			Y-01.82			CLAREMONT HEIGHTS HYDRO SUBAREA			Y-01.83		
01S/08W-16R01S (CONT.)	1114.0	8-30-67	328.5(5)	785.5	101	01S/08W-02D01S (CONT.)	1481.8	4-01-67	116.0	1365.8	719
01S/08W-16F01S	1062.0	11-21-66	248.7	813.3	101			4-15-67	111.4	1370.4	719
		4-18-67	266.2	795.8				5-01-67	109.1(5)	1372.7	101
01S/08W-16G01S	1073.0	11-21-66	284.5	788.5	101			5-01-67	109.1	1372.7	719
		4-18-67	280.9	792.1				5-24-67	97.7	1384.1	
01S/08W-17K01S	1015.0	10-15-66	468.9(5)	546.1	101	01S/08W-02D02S	1476.1	9-25-67	88.9(5)	1392.9	101
		11-01-66	466.5(5)	548.5				9-25-67	88.9	1392.9	719
		1-15-67	461.9(5)	553.1				10-06-66	125.3	1350.8	
		2-01-67	457.3(5)	557.7				10-13-66	128.0	1348.1	101
		2-14-67	(0)					10-20-66	126.7	1349.4	
		3-01-67	465.4(5)	549.6				10-27-66	127.5	1348.6	
		4-01-67	464.2(5)	550.8				11-03-66	128.1	1348.0	
		5-01-67	464.2	550.8				11-09-66	128.3	1347.8	
		6-01-67	461.9	553.1				11-17-66	127.7	1348.4	
		7-01-67	471.2	543.8				11-23-66	122.9	1353.2	
		8-15-67	473.5	541.5				12-01-66	129.2	1346.9	
		9-15-67	478.1	536.9				12-14-66	128.1	1348.0	
01S/08W-17K02S	999.4	11-01-66	488.7(5)	510.7	101			12-21-66	125.2	1350.9	
		1-15-67	500.2(1)	499.2				12-28-66	127.7	1348.4	
		2-01-67	493.3(5)	506.1	412			1-05-67	127.1	1349.0	
		2-14-67	(0)		101			1-11-67	113.1	1363.0	
		3-15-67	500.2(1)	499.2	412			1-19-67	113.8	1362.3	
		4-01-67	500.2(1)	499.2				1-25-67	120.4	1355.7	
		5-01-67	500.2(1)	499.2	101			2-01-67	120.8	1355.3	
		6-01-67	437.8	561.6				2-09-67	117.3	1358.8	
		7-01-67	502.5(1)	496.9				2-16-67	106.3	1369.8	
		8-15-67	518.7(1)	480.7				2-23-67	107.9	1368.2	
		9-15-67	522.2(1)	477.2				3-01-67	112.9	1363.2	
01S/08W-17K03S	1004.2	4-14-67	262.7	741.5	101			3-08-67	110.8	1365.3	
01S/08W-17P01S	966.0	11-22-66	(2)		101			3-16-67	109.3	1366.8	
		12-29-66	(2)					3-22-67	107.2	1368.9	
		5-09-67	(3)					3-29-67	104.4	1371.7	
01S/08W-17P02S	969.0	11-22-66	(2)		101			4-05-67	105.0	1371.1	
		12-29-66	(2)					4-12-67	99.5	1376.6	
		4-18-67	(1)					4-19-67	98.1	1378.0	
		5-09-67	(1)					4-27-67	95.3	1380.8	
01S/08W-17P04S	991.2	10-15-66	545.1(1)	446.1	101			5-04-67	94.7	1381.4	
		11-01-66	545.1(1)	446.1				5-10-67	91.4	1384.7	
		12-15-66	512.7(5)	478.5				5-16-67	91.6	1384.5	
		1-15-67	498.8(5)	492.4				5-24-67	78.6	1397.5	
		2-01-67	496.5(5)	494.7				6-01-67	89.8	1386.3	
		3-01-67	496.5(5)	494.7				6-07-67	85.3	1390.8	
		4-01-67	480.4(5)	510.8				6-14-67	83.1	1393.0	
		5-01-67	480.4(5)	510.8				6-21-67	81.1	1395.0	
		7-01-67	534.7(1)	456.5				6-28-67	77.1	1399.0	
		8-01-67	540.4(1)	450.8				7-05-67	75.1	1401.0	
		9-01-67	543.9(1)	447.3				7-12-67	75.5	1400.6	
01S/08W-20B01S	942.0	11-22-66	337.0	605.0	101			7-19-67	72.1	1404.0	
		11-22-66	416.0	526.0				7-27-67	71.6	1404.5	
		11-22-66	280.0	662.0				8-03-67	72.0	1404.1	
		11-22-66	337.0	605.0				8-10-67	69.8	1406.3	
		11-22-66	416.0	526.0				8-17-67	70.4	1405.7	
		4-24-67	DRY					8-24-67	75.5	1400.6	
01S/08W-20B02S	948.0	4-24-67	DRY		101			8-31-67	73.1	1403.0	
		5-09-67	400.3	547.7				9-07-67	73.9	1402.2	
CLAREMONT HEIGHTS HYDRO SUBAREA			Y-01.83			01S/08W-02F01S	1470.0	9-14-67	73.4	1402.7	
01S/08W-02B02S	1549.3	10-05-66	210.5(1)	1338.8	101			9-21-67	78.4	1397.7	
		10-05-66	210.5(1)	1338.8	719			9-28-67	75.9	1400.2	
		11-10-66	199.7(5)	1349.6	101			2-01-67	116.4(1)	1353.6	719
		11-10-66	199.7	1349.6	719			2-23-67	99.0(1)	1371.0	
		1-03-67	183.3(5)	1366.0	101			3-16-67	97.2(1)	1372.8	
		1-03-67	183.3	1366.0	719			4-01-67	82.8(1)	1387.2	
		2-01-67	168.3	1381.0				4-15-67	71.6(1)	1398.4	
		2-03-67	183.3(5)	1366.0	101			5-01-67	69.5(1)	1400.5	
		2-23-67	184.6(1)	1364.7	719			5-24-67	56.0(1)	1414.0	
		3-16-67	153.4(5)	1395.9	101			9-25-67	59.0	1411.0	
		3-16-67	153.4	1395.9	719			10-11-66	148.5	1363.3	101
		4-01-67	149.1(5)	1400.2	101			11-15-66	153.5	1358.3	
		4-01-67	149.1	1400.2	719			12-19-66	154.0	1357.8	
		4-15-67	145.3	1404.0				1-02-67	153.1	1358.7	
		5-01-67	140.5(5)	1408.8	101			2-07-67	138.2	1373.6	
		5-01-67	140.5	1408.8	719			3-06-67	(1)		
		5-24-67	131.3	1418.0				4-12-67	118.7	1393.1	
		6-05-67	128.5(5)	1420.8	101			5-08-67	112.3	1399.5	
		6-05-67	128.5	1420.8	719			6-13-67	102.5	1409.3	
		8-16-67	132.4(5)	1416.9	101			7-10-67	93.6	1418.2	
		8-16-67	132.4(1)	1416.9	719			8-02-67	(1)		
		9-25-67	142.3(1)	1407.0	101			9-06-67	97.2	1414.6	
		9-25-67	142.3(1)	1407.0	719			10-01-66	110.4(5)	1261.6	101
01S/08W-02D01S	1481.8	2-23-67	126.7(5)	1355.1	101	01S/08W-03A01S	1511.8	11-01-66	108.1(5)	1263.9	
		2-23-67	126.7	1355.1	719			12-15-66	105.8(5)	1266.2	
		4-01-67	116.0(5)	1365.8	101			1-01-67	89.6(5)	1282.4	
								2-01-67	91.9(5)	1280.1	
								3-01-67	93.1(5)	1278.9	
						01S/08W-03F01S	1372.0	4-01-67	96.5(5)	1275.5	
								5-01-67	87.3(5)	1284.7	
								8-01-67	96.5(5)	1275.5	
								9-01-67	97.7(1)	1274.3	
						01S/08W-03F02S	1374.5	10-01-66	134.2(5)	1240.3	101
								11-01-66	133.1(5)	1241.4	
								12-15-66	122.7(5)	1251.8	
								1-01-67	106.5(5)	1268.0	
								2-01-67	104.2(5)	1270.3	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT CLAREMONT HEIGHTS HYDRO SUBAREA						MIDDLE SANTA ANA RIV HYDR SUBUNIT CLAREMONT HEIGHTS HYDRO SUBAREA					
Y-01.80						Y-01.80					
Y-01.83						Y-01.83					
01S/08W-03F02S	1374.5	3-01-67	96.5(5)	1278.0	101	01N/08W-24E01S	2141.7	4-17-67	91.0(1)	2050.7	235
(CONT.)		4-01-67	101.9(5)	1272.6		(CONT.)		4-25-67	81.0(1)	2060.7	
		5-01-67	137.2(1)	1237.3				5-01-67	78.0(1)	2063.7	
		9-01-67	129.6(1)	1244.9				5-08-67	73.0(1)	2068.7	
01S/08W-03F03S	1377.5	11-01-66	186.8(1)	1190.7	101			5-15-67	(7)		101
		12-15-66	181.0(1)	1196.5				5-22-67	FLOW		235
		1-01-67	155.6(1)	1221.9				5-29-67	FLOW		
		2-01-67	148.7(1)	1228.8				6-05-67	84.0(1)	2057.7	
		3-01-67	153.2(1)	1224.3				6-19-67	99.0(1)	2042.7	101
		4-15-67	110.5(5)	1267.0				6-19-67	99.0(1)	2042.7	235
		5-01-67	122.1(1)	1255.4				6-26-67	101.0(5)	2040.7	
		7-01-67	114.0(5)	1263.5				7-03-67	103.0(1)	2038.7	101
		9-01-67	111.7(5)	1265.8				7-03-67	103.0(5)	2038.7	235
01S/08W-03G04S	1442.0	4-14-67	83.3	1358.7	101			7-10-67	103.0(1)	2038.7	
01S/08W-03J01S	1411.0	10-20-66	(9)		101			7-17-67	105.0(1)	2036.7	
		12-19-66	83.0	1328.0				7-24-67	110.0(1)	2031.7	
		1-03-67	76.1	1334.9				8-01-67	117.0(1)	2024.7	
		2-07-67	62.0	1349.0				8-07-67	121.0(1)	2020.7	101
		3-06-67	50.5	1360.5				8-14-67	127.0(1)	2014.7	235
		4-27-67	29.6	1381.4				8-28-67	133.0(1)	2008.7	
		6-19-67	22.2	1388.8				9-11-67	111.0	2030.7	101
		7-10-67	22.3	1388.7				9-11-67	111.0(5)	2030.7	235
		8-02-67	21.4	1389.6				9-15-67	137.0(1)	2004.7	
		9-06-67	20.8	1390.2				9-18-67	109.0(1)	2032.7	
01S/08W-03L02S	1344.0	10-11-66	81.0	1263.0	101	01N/08W-24L01S	2137.6	9-25-67	111.0(1)	2030.7	
		11-15-66	71.5	1272.5				10-03-66	198.0(5)	1939.6	235
		12-19-66	72.2	1271.8				10-10-66	198.0(5)	1939.6	
		1-02-67	70.8	1273.2				10-17-66	198.0(5)	1939.6	
		2-07-67	63.9	1280.1				10-24-66	191.0	1946.6	101
		3-06-67	63.5	1280.5				10-24-66	191.0(5)	1946.6	235
		4-12-67	60.4	1283.6				10-31-66	196.0(5)	1941.6	
		5-08-67	61.4	1282.6				11-07-66	197.0	1940.6	101
		6-13-67	59.4	1284.6				11-07-66	197.0(5)	1940.6	235
		7-10-67	58.6	1285.4				11-14-66	197.0(5)	1940.6	
		8-02-67	58.6	1285.4				11-21-66	198.0(5)	1939.6	
		9-06-67	56.9	1287.1				11-28-66	198.0(5)	1939.6	
01S/08W-03M03S	1329.0	10-11-66	82.6	1246.4	101			12-05-66	198.0(5)	1939.6	
		11-15-66	80.8	1248.2				12-14-66	(7)		101
		12-19-66	78.8	1250.2				1-02-67	(7)		
		1-02-67	74.5	1254.5				1-16-67	126.0(1)	2011.6	235
		2-07-67	70.8	1258.2				2-01-67	128.0(1)	2009.6	
		3-06-67	71.6	1257.4				2-06-67	130.0	2007.6	101
		4-12-67	71.1	1257.9				2-06-67	130.0(5)	2007.6	235
		5-08-67	68.7	1260.3				2-14-67	122.0(1)	2015.6	
		6-13-67	65.7	1263.3				2-20-67	128.0(1)	2009.6	
		7-10-67	64.6	1264.4				2-27-67	118.0(5)	2019.6	
		8-02-67	68.6	1260.4				3-06-67	137.0(1)	2000.6	
		9-06-67	62.3	1266.7				3-20-67	125.0	2012.6	101
01S/08W-04K01S	1318.8	2-07-67	(9)		101			3-20-67	125.0(5)	2012.6	235
		2-15-67	(9)					3-27-67	120.0(1)	2017.6	
		3-06-67	(9)					4-03-67	118.0	2019.6	101
		5-08-67	(9)					4-03-67	118.0(5)	2019.6	235
		5-14-67	206.5	1112.3				4-17-67	125.0(5)	2012.6	
		6-13-67	(9)					4-25-67	120.0(5)	2017.6	
		6-14-67	(9)					5-01-67	115.0	2022.6	101
		6-19-67	190.1	1128.7				5-01-67	115.0(5)	2022.6	235
		7-10-67	189.8	1129.0				5-08-67	108.0(5)	2029.6	
		8-02-67	188.5	1130.3				5-15-67	FLOW		
		9-06-67	(9)					5-22-67	FLOW		
		9-11-67	(9)					5-29-67	FLOW		
		9-28-67	(9)					6-05-67	101.0(1)	2036.6	
01N/08W-23J01S	2069.0	2-16-67	10.4	2058.6	101			6-19-67	105.0	2032.6	101
01N/08W-24E01S	2141.7	10-03-66	135.0	2006.7	101			6-19-67	105.0(5)	2032.6	235
		10-03-66	135.0(5)	2006.7	235			6-26-67	105.0(1)	2032.6	
		10-10-66	133.0(1)	2008.7				7-03-67	101.0(1)	2036.6	
		10-17-66	140.0(1)	2001.7				7-10-67	106.0	2031.6	101
		10-24-66	130.0(1)	2011.7				7-10-67	106.0(5)	2031.6	235
		10-31-66	132.0(1)	2009.7				7-17-67	110.0(5)	2027.6	
		11-02-66	124.0	2017.7	101			7-24-67	119.0(5)	2018.6	
		11-07-66	124.0(5)	2017.7	235			8-01-67	129.0(1)	2008.6	101
		11-14-66	132.0(5)	2009.7				8-01-67	129.0(1)	2008.6	235
		11-21-66	135.0(5)	2006.7				8-07-67	132.0(1)	2005.6	
		11-28-66	133.0(5)	2008.7				8-14-67	136.0(1)	2001.6	
		12-05-66	136.0(5)	2005.7				8-28-67	151.0(1)	1986.6	
		12-14-66	(7)		101			9-05-67	157.0(1)	1980.6	
		1-02-67	(7)					9-11-67	157.0(1)	1980.6	101
		1-16-67	95.0(5)	2046.7	235			9-18-67	158.0(1)	1979.6	235
		2-01-67	85.0	2056.7	101			9-25-67	160.0(1)	1977.6	
		2-01-67	85.0(5)	2056.7	235	01N/08W-25K02S	1855.0	10-31-66	182.0(5)	1673.0	101
		2-06-67	89.0(1)	2052.7				11-07-66	190.0(5)	1665.0	
		2-14-67	91.0	2050.7	101			12-05-66	208.0(1)	1647.0	
		2-14-67	91.0(5)	2050.7	235			1-09-67	200.0(5)	1655.0	
		2-20-67	92.0(5)	2049.7				2-14-67	166.0(5)	1689.0	
		2-27-67	107.0(1)	2034.7				3-20-67	156.0(1)	1699.0	
		3-06-67	98.0	2043.7	101			4-25-67	127.0(5)	1728.0	
		3-06-67	98.0(5)	2043.7	235			5-01-67	132.0(1)	1723.0	
		3-20-67	92.0(5)	2049.7				6-19-67	130.0(5)	1725.0	
		3-27-67	94.0(5)	2047.7				7-03-67	130.0(5)	1725.0	
		4-03-67	103.0(1)	2038.7	101			8-14-67	130.0(1)	1725.0	
		4-03-67	103.0(1)	2038.7	235	01N/08W-25L01S	1861.6	9-11-67	157.0(1)	1698.0	
								1-03-67	(0)		101
								6-05-67	(0)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT CLAREMONT HEIGHTS HYDRO SUBAREA						MIDDLE SANTA ANA RIV HYDR SUBUNIT CLAREMONT HEIGHTS HYDRO SUBAREA					
Y-01.80						Y-01.80					
Y-01.83						Y-01.83					
01N/08W-25M015	1864.9	10-05-66	209.4(5)	1655.5	101	01N/08W-34A03S	1635.0	9-11-67	198.6	1436.4	101
		11-10-66	211.0(5)	1653.9		(CONT.)					
		1-03-67	206.9(5)	1658.0		01N/08W-34H01S	1589.0	10-20-66	(1)		101
		2-01-67	186.0	1678.9	719			11-15-66	208.6	1380.4	
		2-03-67	206.9(5)	1658.0	101			2-07-67	(1)		
		2-23-67	174.0	1690.9	719			3-06-67	(1)		
		3-16-67	171.0(5)	1693.9	101			4-12-67	172.3	1416.7	
		4-01-67	169.6(5)	1695.3				7-10-67	(1)		
		4-15-67	166.8	1698.1	719			9-11-67	(1)		
		5-01-67	162.0(5)	1702.9	101	01N/08W-34K01S	1518.0	10-20-66	(1)		101
		5-24-67	147.9	1717.0	719			11-15-66	152.4	1365.6	
		6-05-67	131.4(5)	1733.5	101			1-03-67	143.9	1374.1	
		8-16-67	154.8(5)	1710.1				2-07-67	153.8	1364.2	
		9-25-67	156.4(5)	1708.5				3-06-67	142.8	1375.2	
01N/08W-25001S	1831.7	10-05-66	148.0	1683.7	101			4-14-67	115.5	1402.5	
		11-01-66	153.1	1678.6		01N/08W-34L01S	1503.0	10-20-66	156.3	1346.7	101
		12-15-66	157.2	1674.5				11-15-66	149.6	1353.4	
		1-03-67	155.7	1676.0				1-03-67	146.0	1357.0	
		2-01-67	148.2	1683.5				2-07-67	141.1	1361.9	
		3-01-67	118.0	1713.7				3-06-67	133.0	1370.0	
		4-01-67	103.0	1728.7				4-14-67	121.4	1381.6	
		5-01-67	97.2(5)	1734.5				7-10-67	109.1	1393.9	
		6-01-67	89.2(5)	1742.5				8-02-67	111.7	1391.3	
		7-01-67	66.5(5)	1765.2				9-11-67	115.3	1387.7	
		7-27-67	80.4	1751.3	748	01N/08W-35E01S	1631.0	10-20-66	(1)		101
		9-01-67	93.5(5)	1738.2	101			11-15-66	262.1	1368.9	
01N/08W-26P01S	1740.3	10-06-66	248.3	1492.0	101			12-19-66	257.0	1374.0	
		10-13-66	261.1	1479.2				1-03-67	254.2	1376.8	
		10-20-66	261.6	1478.7				2-07-67	239.3	1391.7	
		10-27-66	262.1	1478.2				3-06-67	(1)		
		11-03-66	262.6	1477.7				4-12-67	216.6	1414.4	
		11-09-66	263.0	1477.3				7-10-67	210.4	1420.6	
		11-17-66	263.5	1476.8				9-11-67	(1)		
		11-23-66	263.7	1476.6		01N/08W-35J01S	1618.0	10-05-66	377.4(5)	1240.6	101
		12-01-66	264.1	1476.2				11-01-66	376.3(5)	1241.7	
		12-14-66	264.9	1475.4				12-15-66	262.0	1356.0	
		12-21-66	265.1	1475.2				1-03-67	250.0	1368.0	
		12-28-66	257.9	1482.4				2-01-67	235.0	1383.0	
		1-05-67	239.9	1500.4				3-01-67	222.5	1395.5	
		1-11-67	223.5	1516.8				4-01-67	211.5	1406.5	
		1-19-67	212.7	1527.6				5-01-67	205.3(5)	1412.7	
		1-25-67	208.9	1531.4				6-01-67	199.0(5)	1419.0	
		2-01-67	207.6	1532.7				7-01-67	188.0(5)	1430.0	
		2-09-67	205.9	1534.4				9-01-67	196.0(5)	1422.0	
		2-16-67	205.5	1534.8		01N/08W-35J02S	1607.0	10-05-66	350.0(5)	1257.0	101
		2-23-67	205.8	1534.5				12-15-66	355.5	1251.5	
		3-01-67	206.6	1533.7				1-03-67	352.0	1255.0	
		3-08-67	208.3	1532.0				2-01-67	345.5	1261.5	
		3-15-67	211.1	1529.2				3-01-67	341.0	1266.0	
		3-22-67	213.9	1526.4				4-01-67	334.0	1273.0	
		3-29-67	216.1	1524.2				5-01-67	339.3	1267.7	
		4-05-67	215.6	1524.7				6-01-67	315.0	1292.0	
		4-12-67	213.4	1526.9				7-01-67	294.5	1312.5	
		4-19-67	210.2	1530.1				9-01-67	253.0	1354.0	
		4-27-67	206.7	1533.6		01N/08W-35K01S	1638.0	10-05-66	398.5(1)	1239.5	101
		5-04-67	203.9	1536.4				11-01-66	404.3(1)	1233.7	
		5-10-67	199.7	1540.6				12-15-66	277.0	1361.0	
		5-16-67	195.3	1545.0				1-03-67	264.5	1373.5	
		5-24-67	190.8	1549.5				2-01-67	245.0	1393.0	
		5-31-67	186.9	1553.4				3-01-67	232.3	1405.7	
		6-07-67	181.5	1558.8				4-01-67	223.0	1415.0	
		6-14-67	176.0	1564.3				5-01-67	217.0	1421.0	
		6-21-67	172.7	1567.6				6-01-67	212.0	1426.0	
		6-28-67	173.1	1567.2				7-01-67	189.5	1448.5	
		7-05-67	167.7	1572.6				9-01-67	202.0	1436.0	
		7-12-67	184.4	1555.9		01N/08W-35K02S	1635.0	10-05-66	398.5(1)	1236.5	748
		7-19-67	191.7	1548.6				11-01-66	404.3(1)	1230.7	
		7-27-67	199.7	1540.6				12-15-66	277.0	1358.0	
		8-03-67	206.1	1534.2				1-03-67	264.5	1370.5	
		8-10-67	212.5	1527.8				2-01-67	245.0	1390.0	
		8-17-67	218.4	1521.9				3-01-67	232.2	1402.8	
		8-24-67	222.2	1518.1				4-01-67	223.0	1412.0	
		8-31-67	227.0	1513.3				5-01-67	217.0	1418.0	
		9-07-67	230.7	1509.6				6-01-67	212.0	1423.0	
		9-14-67	232.2	1508.1				7-01-67	189.5	1445.5	
		9-21-67	236.9	1503.4				7-27-67	190.0	1445.0	
		9-28-67	239.4	1500.9				9-01-67	202.0	1433.0	
01N/08W-34A01S	1670.0	10-20-66	136.3	1533.7	101	01N/08W-36D01S	1760.0	10-05-66	268.2	1491.8	748
		3-06-67	112.7	1557.3				11-01-66	270.0	1490.0	
		4-12-67	188.2	1481.8				12-15-66	271.0	1489.0	
		7-10-67	(1)					1-03-67	271.0	1489.0	
		9-11-67	(1)					2-01-67	258.0	1502.0	
01N/08W-34A02S	1648.0	10-20-66	208.1	1439.9	101			3-01-67	255.3	1504.7	101
		11-15-66	213.8	1434.2				4-01-67	255.3	1504.7	
		12-19-66	206.0	1442.0				5-01-67	253.3	1506.7	
		3-06-67	173.8	1474.2				6-01-67	245.8	1514.2	
		4-12-67	189.8	1458.2				7-01-67	221.0	1539.0	748
		7-10-67	165.5	1482.5				7-27-67	220.0	1540.0	
		8-02-67	173.8	1474.2				9-01-67	228.0	1532.0	101
		9-11-67	193.1	1454.9							
01N/08W-34A03S	1635.0	4-12-67	237.6	1397.4	101						
		7-10-67	175.9	1459.1							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CUCAMONGA HYDRO SUBAREA			Y-01.84			CUCAMONGA HYDRO SUBAREA			Y-01.84		
01S/07W-04A01S	1422.0	10-03-66	479.1(1)	942.9	702	01N/07W-28Q01S	1670.7	12-14-66	463.8	1206.9	100
		11-03-66	491.1(1)	930.9				3-23-67	(4)		
		12-03-66	390.1	1031.9		01N/07W-29E01S	1839.9	10-05-66	467.7(1)	1372.2	101
		1-06-67	423.1	998.9				11-01-66	474.6(1)	1365.3	
		2-03-67	444.1	977.9				12-15-66	392.3(5)	1447.6	
		3-01-67	375.1	1046.9				1-03-67	388.0(5)	1451.9	
		4-01-67	346.1	1075.9				2-01-67	383.3(5)	1456.6	
		5-01-67	338.1	1083.9				3-01-67	369.4(5)	1470.5	
		6-06-67	348.1	1073.9				4-01-67	349.8(5)	1490.1	
		7-17-67	410.1(1)	1011.9				5-01-67	322.1(5)	1517.8	
		8-03-67	417.1(1)	1004.9				6-01-67	293.2(5)	1546.7	
		9-06-67	423.1(1)	998.9				7-01-67	275.9(5)	1564.0	
								7-27-67	268.5	1571.4	748
								9-01-67	266.7(5)	1573.2	101
01S/07W-04R01S	1428.2	10-03-66	274.0	1154.2	702	01N/07W-29R03S	1702.3	10-05-66	525.5(1)	1176.8	748
		11-03-66	293.0(1)	1135.2				11-01-66	522.0(1)	1180.3	
		12-03-66	250.0	1178.2				12-15-66	459.6	1242.7	
		1-06-67	228.5	1199.7				1-03-67	455.0	1247.3	
		2-03-67	220.5	1207.7				2-01-67	448.1	1254.2	
		3-01-67	219.5	1208.7				3-01-67	436.5	1265.8	
		4-01-67	204.0	1224.2				4-01-67	420.4	1281.9	
		5-01-67	195.0	1233.2				5-01-67	408.8	1293.5	
		6-06-67	197.0	1231.2				6-01-67	396.1	1306.2	
		7-17-67	230.0(1)	1198.2				7-01-67	388.6	1313.7	
		8-03-67	230.0	1198.2				7-27-67	384.0	1318.3	
		9-06-67	225.0(1)	1203.2				9-01-67	378.9	1323.4	
01S/07W-04B02S	1428.2	10-03-66	270.3	1157.9	702	01N/07W-29R04S	1684.4	10-05-66	507.3(1)	1177.1	748
		11-03-66	276.8	1151.4				11-01-66	506.1(1)	1178.3	
		12-03-66	247.3	1180.9				12-15-66	440.8	1243.6	
		1-06-67	224.8	1203.4				1-03-67	436.8	1247.6	
		2-03-67	217.3	1210.9				2-01-67	431.6	1252.8	
		3-01-67	217.3	1210.9				3-01-67	422.3	1262.1	
		4-01-67	201.3	1226.9				4-01-67	408.5	1275.9	
		5-01-67	191.8	1236.4				5-01-67	397.0	1287.4	
		6-06-67	183.8	1244.4				6-01-67	385.4	1299.0	
		7-17-67	214.8	1213.4				7-01-67	381.3	1303.1	
		8-03-67	210.8	1217.4				7-27-67	382.8	1301.6	
		9-06-67	209.8	1218.4				9-01-67	380.7	1303.7	
01S/07W-04B03S	1451.8	10-03-66	320.3(1)	1131.5	702	01N/07W-32R02S	1490.0	10-05-66	306.3	1183.7	748
		11-03-66	320.3(1)	1131.5				11-01-66	308.0	1182.0	
		12-03-66	296.3(1)	1155.5				12-15-66	295.5	1194.5	
		1-06-67	251.8	1200.0				1-03-67	297.5	1192.5	
		2-03-67	244.3	1207.5				2-01-67	275.7	1214.3	
		3-01-67	269.8(1)	1182.0				3-01-67	275.3	1214.7	
		4-01-67	227.3	1224.5				4-01-67	253.7	1236.3	
		5-01-67	223.3	1228.5				5-01-67	242.1	1247.9	
		6-06-67	229.3	1222.5				6-01-67	234.0	1256.0	
		7-17-67	261.3(1)	1190.5				7-01-67	230.0	1260.0	
		8-03-67	259.3	1192.5				7-27-67	251.1(1)	1238.9	
		9-06-67	257.3(1)	1194.5				9-01-67	248.5(1)	1241.5	
01S/07W-04E02S	1395.9	10-03-66	233.8	1162.1	702	01N/07W-32R03S	1496.0	10-05-66	298.5	1197.5	748
		11-03-66	233.8	1162.1				11-01-66	299.0	1197.0	
		12-03-66	212.8	1183.1				12-15-66	287.5	1208.5	
		1-06-67	197.3	1198.6				1-03-67	280.5	1215.5	
		2-03-67	189.3	1206.6				2-01-67	271.3	1224.7	
		3-01-67	183.3	1212.6				3-01-67	259.7	1236.3	
		4-01-67	171.3	1224.6				4-01-67	248.2	1247.8	
		5-01-67	161.8	1234.1				5-01-67	236.6	1259.4	
		6-06-67	158.8	1237.1				6-01-67	220.5	1275.5	
		7-17-67	167.8	1228.1				7-01-67	218.2	1277.8	
		8-03-67	170.8	1225.1				7-27-67	222.0	1274.0	
		9-06-67	172.8	1223.1				9-01-67	187.5	1308.5	
01S/07W-04E03S	1417.4	10-05-66	245.4	1172.0	748	01N/07W-33A01S	1541.5	10-05-66	363.6(5)	1177.9	719
		11-01-66	273.1(2)	1144.3				11-10-66	233.4	1308.1	
		12-15-66	227.0	1190.4				1-03-67	232.6	1308.9	
		1-03-67	220.0	1197.4				2-01-67	234.4	1307.1	
		2-01-67	241.2	1176.2				3-16-67	233.6	1307.9	
		3-01-67	204.0	1213.4				4-01-67	234.4	1307.1	
		4-01-67	195.0	1222.4				4-15-67	235.6	1305.9	
		5-01-67	186.5	1230.9				5-01-67	234.1	1307.4	
		6-01-67	179.0	1238.4				5-24-67	230.4	1311.1	
		7-27-67	204.5	1212.9				6-05-67	230.0(1)	1311.5	
		9-01-67	208.4	1209.0				8-16-67	229.6(1)	1311.9	
01N/07W-23K01S	1944.0	12-14-66	393.5	1550.5	100			9-25-67	230.6	1310.9	
		3-23-67	413.7	1530.3		01N/07W-33N01S	1488.2	10-05-66	310.4	1177.8	748
01N/07W-27Q02S	1560.0	10-03-66	507.0(1)	1053.0	702			11-01-66	311.5	1176.7	
		11-03-66	529.0(1)	1031.0				12-15-66	257.8	1230.4	
		12-03-66	385.0	1175.0				1-03-67	257.8	1230.4	
		1-06-67	433.0	1127.0				2-01-67	274.2	1214.0	
		2-03-67	454.0	1106.0				3-01-67	267.0	1221.2	
		3-01-67	394.0	1166.0				4-01-67	259.0	1229.2	
		4-01-67	356.0	1204.0				5-01-67	247.0	1241.2	
		5-01-67	351.0	1209.0				6-01-67	239.0	1249.2	
		6-06-67	417.0	1143.0				7-01-67	258.0(1)	1230.2	
		7-17-67	367.0	1193.0				7-27-67	260.0(1)	1228.2	
		8-03-67	432.0	1128.0				9-01-67	262.0(1)	1226.2	
		9-06-67	436.0(1)	1124.0		01N/07W-33N03S	1490.0	10-05-66	310.4	1179.6	748
								11-01-66	311.0	1179.0	
								12-15-66	288.0	1202.0	
								1-03-67	282.5	1207.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA
SANTA ANA RIVER HYDRO UNIT					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CUCAMONGA HYDRO SUBAREA			Y-01.84		
01N/07W-33N03S (CONT.)	1490.0	2-01-67	274.0	1216.0	748
		3-01-67	266.2	1223.8	
		4-01-67	258.0	1232.0	
		5-01-67	246.0	1244.0	
		6-01-67	236.5	1253.5	
		7-01-67	236.5	1253.5	
		7-27-67	249.0	1241.0	
		9-01-67	245.0	1245.0	
01N/07W-33P01S	1485.0	10-05-66	335.4(1)	1149.6	748
		11-01-66	335.0(1)	1150.0	
		12-15-66	288.0	1197.0	
		1-03-67	281.5	1203.5	
		2-01-67	273.0	1212.0	
		3-01-67	266.5	1218.5	
		4-01-67	257.0	1228.0	
		5-01-67	246.0	1239.0	
		6-01-67	239.5	1245.5	
		7-01-67	242.0	1243.0	
		7-27-67	234.0	1251.0	
		9-01-67	238.0	1247.0	
01N/07W-34J02S	1404.0	10-03-66	400.0(1)	1004.0	702
		11-03-66	287.5	1116.5	
		12-03-66	364.0	1040.0	
		1-06-67	279.0	1125.0	
		2-03-67	275.0	1129.0	
		3-01-67	272.0	1132.0	
		4-01-67	270.5	1133.5	
		6-06-67	270.0	1134.0	
		7-17-67	264.0	1140.0	
		8-03-67	262.5	1141.5	
		9-06-67	264.0	1140.0	
TEMESCAL HYDRO SUBAREA			Y-01.85		
03S/06W-06K02S	629.0	10-04-66	46.4	582.6	103
		11-15-66	46.4	582.6	
		12-09-66	46.4	582.6	
		12-09-66	46.4	582.6	
		1-03-67	46.3	582.7	
		1-03-67	46.3	582.7	
		2-02-67	46.6	582.4	
		3-01-67	46.0	583.0	
		3-22-67	45.9	583.1	
		5-01-67	45.7	583.3	
		5-31-67	45.5	583.5	
		7-03-67	45.4	583.6	
		8-02-67	45.3	583.7	
		9-06-67	45.3	583.7	
03S/06W-07A01S	649.0	11-15-66	15.4	633.6	103
		3-22-67	13.6	635.4	
03S/06W-28G02S	686.0	12-22-66	61.6	624.4	718
		5-17-67	(1)		
03S/06W-28L03S	673.0	12-22-66	53.4	619.6	718
		5-17-67	51.5(2)	621.5	
03S/06W-28L04S	674.8	12-22-66	55.3	619.5	718
		5-17-67	53.4(4)	621.4	
03S/06W-28M01S	665.7	12-22-66	50.2	615.5	718
		5-17-67	47.3	618.4	
03S/06W-28M02S	666.1	12-22-66	49.9	616.2	718
		5-17-67	47.0	619.1	
03S/06W-29Q03S	650.7	11-10-66	(2)		103
		3-20-67	(2)		
03S/06W-29Q04S	655.0	10-01-66	43.6	611.4	717
		12-03-66	43.4	611.6	
		12-31-66	42.2	612.8	
		2-04-67	41.4	613.6	
		3-04-67	41.0	614.0	
		4-01-67	39.9	615.1	
		5-06-67	39.1	615.9	
		6-03-67	38.3	616.7	
		7-01-67	38.2	616.8	
		9-02-67	38.7	616.3	
		9-30-67	38.9	616.1	
03S/06W-30K01S	612.3	11-15-66	51.2	561.1	103
		3-22-67	(1)		
03S/06W-31D01S	690.0	10-01-66	141.6(1)	548.4	272
		10-01-66	143.2(1)	546.8	717
		10-08-66	141.4(1)	548.6	272
		10-15-66	140.8(1)	549.2	
		10-22-66	143.0(1)	547.0	
		10-29-66	143.8(1)	546.2	
		11-05-66	141.6(1)	548.4	
		11-12-66	139.8(1)	550.2	
		11-19-66	142.6(1)	547.4	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
TEMESCAL HYDRO SUBAREA			Y-01.85		
03S/06W-31D01S (CONT.)	690.0	11-26-66	138.0(1)	552.0	272
		12-03-66	140.9(1)	549.1	
		12-03-66	140.9(1)	549.1	717
		12-10-66	141.2(1)	548.8	272
		12-17-66	139.1(1)	550.9	
		12-24-66	139.2(1)	550.8	
		12-31-66	139.8(1)	550.2	
		12-31-66	139.9(1)	550.1	717
		1-07-67	138.0(1)	552.0	272
		1-14-67	137.8(1)	552.2	
		2-04-67	134.3(1)	555.7	
		2-04-67	134.3(1)	555.7	717
		2-11-67	132.8	557.2	272
		2-18-67	131.7	558.3	
		2-25-67	131.4	558.6	
		3-04-67	133.6(1)	556.4	
		3-04-67	131.7	558.3	717
		3-11-67	133.4(1)	556.6	272
		3-18-67	133.4(1)	556.6	
		3-25-67	134.4(1)	555.6	
		4-01-67	132.5(1)	557.5	
		4-01-67	132.5(1)	557.5	717
		4-08-67	131.9(1)	558.1	272
		4-15-67	131.4(1)	558.6	
		4-22-67	130.4(1)	559.6	
		4-29-67	129.4	560.6	
		5-06-67	131.5(1)	558.5	
		5-06-67	127.4	562.6	717
		5-13-67	132.5(1)	557.5	272
		5-20-67	131.4(1)	558.6	
		5-27-67	131.2(1)	558.8	
		6-03-67	131.9(1)	558.1	
		6-03-67	131.9(1)	558.1	717
		6-10-67	131.8(1)	558.2	272
		6-17-67	132.2(1)	557.8	
		6-24-67	132.5(1)	557.5	
		7-01-67	133.2(1)	556.8	717
		7-02-67	133.2(1)	556.8	272
		7-09-67	135.0(1)	555.0	
		7-23-67	134.9(1)	555.1	
		7-30-67	136.4(1)	553.6	
		8-06-67	135.9(1)	554.1	
		8-14-67	136.7(1)	553.3	
		8-27-67	136.4(1)	553.6	
		9-02-67	136.4(1)	553.6	717
		9-03-67	136.0(1)	554.0	272
		9-10-67	136.5(1)	553.5	
		9-17-67	136.2(1)	553.8	
		9-24-67	135.5(1)	554.5	
03S/06W-31D02S	690.0	10-01-66	141.1	548.9	272
		10-01-66	141.9	548.1	717
		10-08-66	141.0	549.0	272
		10-15-66	140.5	549.5	
		10-22-66	141.5	548.5	
		10-29-66	141.5	548.5	
		11-05-66	141.0	549.0	
		11-12-66	140.1	549.9	
		11-19-66	140.9	549.1	
		11-26-66	139.0	551.0	
		12-03-66	140.6(1)	549.4	
		12-10-66	140.0	550.0	
		12-17-66	138.7	551.3	
		12-24-66	138.2	551.8	
		12-31-66	138.0	552.0	
		12-31-66	138.0	552.0	717
		1-07-67	137.2	552.8	272
		1-14-67	137.2	552.8	
		2-04-67	134.8	555.2	
		2-04-67	134.8	555.2	717
		2-11-67	134.0(1)	556.0	272
		2-18-67	132.8	557.2	
		2-25-67	132.5	557.5	
		3-04-67	133.5	556.5	
		3-04-67	132.9	557.1	717
		3-11-67	134.1	555.9	272
		3-18-67	133.5	556.5	
		3-25-67	134.1	555.9	
		4-01-67	132.2	557.8	
		4-01-67	132.2	557.8	717
		4-08-67	132.6	557.4	272
		4-15-67	132.2	557.8	
		4-22-67	131.6(1)	558.4	
		4-29-67	130.6	559.4	
		5-06-67	131.7	558.3	
		5-06-67	130.6	559.4	717
		5-13-67	132.2	557.8	272
		5-20-67	131.7	558.3	
		5-27-67	131.8	558.2	
		6-03-67	132.0	558.0	
		6-03-67	132.0	558.0	717
		6-10-67	132.1	557.9	272
		6-17-67	132.3	557.7	
		6-24-67	132.6	557.4	
		7-01-67	133.2	556.8	717
		7-02-67	133.2	556.8	272
		7-09-67	139.1(1)	550.9	
		7-16-67	138.9(1)	551.1	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT TEMESCAL HYDRO SUBAREA			Y-01.80	Y-01.85		MIDDLE SANTA ANA RIV HYDR SUBUNIT TEMESCAL HYDRO SUBAREA			Y-01.80	Y-01.85	
03S/06W-31002S (CONT.)	690.0	7-23-67	139.5(1)	550.5	272	03S/07W-21M02S (CONT.)	492.0	7-13-67	5.0	487.0	102
		7-30-67	140.5(1)	549.5				8-04-67	3.2	488.8	
		8-06-67	140.0(1)	550.0				8-17-67	5.4	486.6	102
		8-14-67	141.2(1)	548.8				9-05-67	3.4	488.6	103
		8-27-67	141.2(1)	548.8				9-20-67	5.5	486.5	102
		9-02-67	141.2(1)	548.8	717	03S/07W-22J02S	534.8	11-16-66	25.5	509.3	103
		9-03-67	140.8(1)	549.2	272			3-21-67	23.9	510.9	
		9-10-67	140.5(1)	549.5		03S/07W-22L01S	527.8	11-16-66	23.7	504.1	103
		9-17-67	140.0(1)	550.0				3-21-67	18.5	509.3	
		9-24-67	135.1	554.9		03S/07W-23C03S	546.2	11-16-66	35.8	510.4	103
03S/06W-32H01S	663.7	11-10-66	63.7	600.0	103			3-21-67	28.8	517.4	
		3-20-67	53.3	610.4		03S/07W-23L01S	576.0	10-01-66	59.6	516.4	717
03S/07W-14Q01S	581.8	11-16-66	60.9	520.9	103			10-01-66	59.2	516.8	272
		3-21-67	55.0	526.8				10-08-66	59.1	516.9	
03S/07W-20L03S	480.0	10-26-66	5.5	474.5	102			10-15-66	58.8	517.2	
		11-30-66	5.0	475.0				10-22-66	58.9	517.1	
		3-16-67	3.2	476.8				10-29-66	58.9	517.1	
		5-11-67	3.9	476.1				11-05-66	58.8	517.2	
		6-15-67	6.8	473.2				11-12-66	58.5	517.5	
		7-13-67	5.2	474.8				11-19-66	58.1	517.9	
		8-17-67	6.4	473.6				11-26-66	57.8	518.2	
		9-20-67	.8	479.2				12-03-66	57.3	518.7	717
03S/07W-20L04S	479.6	10-26-66	5.2	474.4	102			12-03-66	57.3	518.7	272
		11-30-66	5.0	474.6				12-10-66	56.8	519.2	
		3-16-67	4.0	475.6				12-17-66	56.0	520.0	
		5-11-67	4.6	475.0				12-24-66	55.3	520.7	
		6-15-67	4.9	474.7				12-31-66	54.8	521.2	717
		7-13-67	5.4	474.2				12-31-66	54.8	521.2	272
		8-17-67	5.6	474.0				1-07-67	54.4	521.6	
		9-20-67	5.2	474.4				1-14-67	54.0	522.0	
03S/07W-20P01S	472.0	10-26-66	3.4	468.6	102			2-04-67	53.1	522.9	717
		11-30-66	3.8	468.2				2-04-67	53.1	522.9	272
03S/07W-20P02S	471.5	10-26-66	4.9	466.6	102			2-11-67	52.8	523.2	
		11-30-66	4.6	466.9				2-18-67	52.4	523.6	
		6-15-67	3.0	468.5				2-25-67	52.2	523.8	
		7-13-67	3.9	467.6				3-04-67	52.5	523.5	717
		8-17-67	4.6	466.9				3-04-67	52.1	523.9	272
		9-20-67	4.4	467.1				3-11-67	52.0	524.0	
03S/07W-20P03S	473.0	10-26-66	5.9	467.1	102			3-18-67	53.4	522.6	
		11-30-66	5.9	467.1				3-25-67	53.4	522.6	
		3-16-67	2.1	470.9				4-01-67	52.5	523.5	717
		5-11-67	-1.1	474.1				4-08-67	51.9	524.1	272
		6-15-67	.3	472.7				4-15-67	51.4	524.6	
		8-17-67	2.0	471.0				4-22-67	51.2	524.8	
		9-20-67	2.7	470.3				4-29-67	50.6	525.4	717
03S/07W-20Q01S	490.2	10-26-66	7.0	483.2	102			5-06-67	50.6	525.4	272
		11-30-66	6.7	483.5				5-06-67	50.2	525.8	
		3-16-67	4.9	485.3				5-13-67	50.0	526.0	
		5-11-67	5.8	484.4				5-20-67	50.4	525.6	
		6-15-67	5.0	485.2				5-27-67	50.8	525.2	
		7-13-67	6.0	484.2				6-03-67	51.5	524.5	717
		8-17-67	6.8	483.4				6-03-67	51.4	524.6	272
		9-20-67	6.5	483.7				6-10-67	51.6	524.4	
03S/07W-21C02S	492.3	10-26-66	.5	491.8	102			6-17-67	51.8	524.2	
		11-30-66	.1	492.2				6-24-67	52.0	524.0	
03S/07W-21C03S	492.7	11-16-66	2.1	490.6	103			7-01-67	53.1	522.9	717
		3-21-67	(9)					7-02-67	53.1	522.9	272
03S/07W-21G01S	505.2	11-16-66	10.5	494.7	103			7-09-67	53.7	522.3	
		3-21-67	7.9	497.3				7-16-67	53.6	522.4	
03S/07W-21K01S	512.2	10-26-66	15.4	496.8	102			7-23-67	54.2	521.8	
		11-30-66	15.1	497.1				7-30-67	54.5	521.5	
		3-16-67	12.5	499.7				8-06-67	54.9	521.1	
		5-11-67	12.2	500.0				8-14-67	55.8	520.2	
		6-15-67	12.2	500.0				8-27-67	55.1	520.9	
		7-13-67	12.7	499.5				9-02-67	55.1	520.9	717
		8-17-67	14.6	497.6				9-03-67	55.0	521.0	272
		9-20-67	15.2	497.0				9-10-67	55.3	520.7	
03S/07W-21M01S	488.8	11-16-66	1.2	487.6	103			9-17-67	55.0	521.0	
		3-21-67	.5	488.3				9-24-67	55.0	521.0	
03S/07W-21M02S	492.0	10-05-66	3.5	488.5	103			9-30-67	55.0	521.0	717
		10-26-66	5.7	486.3	102	03S/07W-23M02S	551.1	11-16-66	40.8	510.3	103
		11-16-66	3.5	488.5	103			3-21-67	(1)		
		11-30-66	5.6	486.4	102	03S/07W-24K01S	594.0	11-15-66	(8)		103
		12-09-66	(9)		103			3-22-67	(8)		
		1-04-67	2.2	489.8		03S/07W-24L01S	583.2	11-15-66	57.8	525.4	103
		2-03-67	2.3	489.7				3-22-67	48.3	534.9	
		3-02-67	2.5	489.5		03S/07W-25A01S	595.0	10-05-66	61.4	533.6	103
		3-16-67	4.4	487.6	102			11-15-66	60.3	534.7	
		3-21-67	2.4	489.6	103			12-09-66	56.9	538.1	
		5-02-67	2.3	489.7				12-09-66	56.9	538.1	
		5-11-67	4.5	487.5	102			1-04-67	54.3	540.7	
		6-05-67	2.7	489.3	103			1-04-67	54.3	540.7	
		6-15-67	4.2	487.8	102			2-03-67	52.1	542.9	
		7-05-67	2.8	489.2	103			2-03-67	52.1	542.9	
								3-02-67	51.6	543.4	
								3-22-67	50.9	544.1	
								5-02-67	49.2	545.8	
								6-05-67	50.4	544.6	
								7-05-67	51.4	543.6	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT TEMESCAL HYDRO SUBAREA			Y-01.80	Y-01.85		MIDDLE SANTA ANA RIV HYDR SUBUNIT TEMESCAL HYDRO SUBAREA			Y-01.80	Y-01.85	
035/07W-25A015 (CONT.)	595.0	8-04-67 9-05-67	53.6 55.2	541.4 539.8	103	035/07W-25M015 (CONT.)	629.0	6-14-67 7-12-67 8-07-67 9-13-67	100.5(1) 101.2(1) 103.7(1) 104.4(1)	528.5 527.8 525.3 524.6	701
035/07W-25D015	582.0	10-11-66 11-09-66 12-14-66 1-12-67 2-11-67 3-15-67 4-12-67 5-09-67 6-14-67 7-12-67 8-07-67 9-13-67	57.8 58.2 52.5 50.6 49.1 49.3 48.5 46.0 48.8 58.3(1) 51.3 52.8	524.2 523.8 529.5 531.4 532.9 532.7 533.5 536.0 533.2 523.7 530.7 529.2	701	035/07W-25M025	661.0	10-01-66 10-01-66 10-08-66 10-15-66 10-22-66 10-29-66 11-05-66 11-12-66 11-19-66 11-26-66 12-03-66 12-10-66 12-17-66 12-24-66 12-31-66 12-31-66 1-07-67 1-14-67 2-04-67 2-04-67 2-11-67 2-18-67 2-25-67 3-04-67 3-04-67 3-11-67 3-18-67 3-25-67 4-01-67 4-01-67 4-01-67 4-08-67 4-15-67 4-22-67 4-29-67 5-06-67 5-06-67 5-13-67 5-20-67 5-27-67 6-03-67 6-03-67 6-10-67 6-17-67 6-24-67 7-01-67 7-02-67 7-09-67 7-16-67 7-23-67 7-30-67 8-06-67 8-14-67 8-27-67 9-02-67 9-03-67 9-10-67 9-17-67 9-24-67	172.0(1) 164.1(1) 165.5(1) 170.0(1) 171.8(1) 161.0(1) 172.2(1) 135.0 170.9(1) 133.1 133.1 131.9 131.9 166.4(1) 130.2 129.4 129.4 129.0 128.6 127.3 127.3 149.8(1) 151.7(1) 155.2(1) 151.7(1) 161.8(1) 127.7 128.4 126.6 125.5 125.5 125.5 124.8 124.4 123.6 123.7 123.0 123.6 171.5(1) 125.7 152.3(1) 152.3(1) 154.1(1) 126.6 170.4(1) 168.3(1) 168.3(1) 125.0 169.0(1) 164.9(1) 164.2(1) 165.5(1) 148.9(1) 165.0(1) 165.0(1) 164.3(1) 165.5(1) 165.0(1) 163.4(1)	489.0 496.9 495.5 491.0 489.2 500.0 488.8 526.0 490.1 527.9 527.9 529.1 529.1 494.6 530.8 531.6 531.6 532.0 532.4 533.7 533.7 511.2 509.3 505.8 509.3 499.2 533.3 532.6 534.4 535.5 535.5 535.5 536.2 536.6 537.4 537.3 538.0 537.4 489.5 535.3 508.7 508.7 506.9 534.4 490.6 492.7 492.7 536.0 492.0 496.1 496.8 495.5 512.1 496.0 496.0 496.7 496.7 496.0 497.6	717 272
035/07W-25E015	604.0	10-11-66 11-09-66 12-14-66 1-12-67 2-11-67 3-15-67 4-12-67 5-09-67 6-14-67 7-12-67 8-07-67 9-13-67	98.0(1) 79.2 74.4 72.1 68.9 75.4 71.6 67.2 95.6(1) 71.8 97.2(1) 98.7(1)	506.0 524.8 529.6 531.9 535.1 528.6 532.4 536.8 508.4 532.2 506.8 505.3	701	035/07W-25H015	606.9	11-15-66 3-22-67	(1) (1)		103
035/07W-25J015	642.0	10-01-66 10-01-66 10-08-66 10-15-66 10-22-66 10-29-66 11-05-66 11-12-66 11-19-66 11-26-66 12-03-66 12-10-66 12-17-66 12-24-66 12-31-66 12-31-66 1-07-67 1-14-67 2-04-67 2-11-67 2-18-67 2-25-67 3-04-67 3-04-67 3-11-67 3-18-67 3-25-67 4-01-67 4-01-67 4-08-67 4-15-67 4-22-67 4-29-67 5-06-67 5-06-67 5-13-67 5-20-67 5-27-67 6-03-67 6-03-67 6-10-67 6-17-67 6-24-67 7-01-67 7-02-67 7-09-67 7-16-67 7-23-67 7-30-67 8-06-67 8-14-67 8-27-67 9-02-67 9-03-67 9-10-67 9-17-67 9-24-67	103.3(1) 103.1 102.9 102.5 102.8 102.6 102.8 102.4 101.8 101.6 101.1 100.6 100.5 98.7 98.0 98.0 97.5 97.1 95.8 95.2 94.7 94.6 94.7 94.6 94.5 95.8 94.3 94.0 94.0 93.6 93.2 92.9 92.2 92.3 92.2 91.9 92.5 92.7 92.3 92.7 92.6 93.0 93.2 93.6 93.6 93.8 94.0 94.5 94.8 94.9 99.0(1) 96.2 96.2 95.5 96.0 95.8 96.5	538.7 538.9 539.1 539.5 539.2 539.4 539.2 539.6 540.2 540.4 540.9 541.4 541.5 543.3 544.0 544.0 544.5 544.9 546.2 546.8 547.3 547.4 547.3 547.4 547.5 546.2 547.7 548.0 548.0 548.4 548.4 548.8 549.1 549.8 549.7 549.8 550.1 549.5 549.3 549.7 549.3 549.4 549.0 548.8 548.4 548.4 548.2 548.0 547.5 547.2 547.1 543.0 545.8 545.8 546.5 546.0 546.2 545.5	717 272						
035/07W-25M015	629.0	10-11-66 11-09-66 12-14-66 1-12-67 2-11-67 3-15-67 4-12-67 5-09-67	109.1(1) 99.8 96.1 93.3 90.7 102.6(1) 93.9 87.2	519.9 529.2 532.9 535.7 538.3 526.4 535.1 541.8	701	035/07W-27F015	0665.0	10-01-66 12-03-66 12-31-66 2-04-67 3-04-67 4-01-67 5-06-67 6-06-67	0168.8(1) 0157.6 0167.9(1) 0154.7 0162.4(1) 0157.9(1) 0152.0 0159.4(1)	0496.2 0507.4 0497.1 0510.3 0502.6 0507.1 0513.0 0505.6	717

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT TEMESCAL HYDRO SUBAREA			Y-01.80	Y-01.85		MIDDLE SANTA ANA RIV HYDR SUBUNIT ARLINGTON HYDRO SUBAREA			Y-01.80	Y-01.86	
03S/07W-27F01S (CONT.)	0665.0	7-01-67	0161.4(1)	0503.6	717	03S/05W-06Q02S	752.0	10-06-66	14.2	737.8	204
		9-02-67	0161.0(1)	0504.0				11-04-66	15.2	736.8	
		9-30-67	0154.1(1)	0510.9				12-13-66	14.2	737.8	
03S/07W-27G01S	650.0	12-31-66	139.8	510.2	717			1-12-67	14.2	737.8	
		2-04-67	144.9(1)	505.1				2-23-67	14.2	737.8	
		3-04-67	143.8(1)	506.2				3-08-67	13.2	738.8	
		4-01-67	140.0(1)	510.0				4-06-67	13.2	738.8	
		5-06-67	143.4(1)	506.6				5-03-67	13.2	738.8	
		6-03-67	143.1(1)	506.9				6-07-67	15.2	736.8	
		7-01-67	153.8(1)	496.2				7-05-67	15.2	736.8	
		9-02-67	148.0(1)	502.0				8-10-67	15.7	736.3	
								9-07-67	15.2	736.8	
03S/07W-27H01S	661.5	11-10-66	145.7	515.8	103	03S/05W-06Q03S	750.0	10-06-66	12.0	738.0	204
		3-21-67	139.2	522.3				11-04-66	13.0	737.0	
03S/07W-28F01S	571.7	10-05-66	71.3	500.4	103			12-13-66	13.0	737.0	
		11-10-66	71.3	500.4				1-12-67	12.0	738.0	
		12-09-66	70.6	501.1				2-23-67	13.0	737.0	
		1-04-67	69.2	502.5				3-08-67	13.0	737.0	
		1-04-67	69.2	502.5				4-06-67	11.0	739.0	
		2-03-67	68.7	503.0				5-03-67	11.0	739.0	
		3-02-67	68.3	503.4				6-07-67	14.0	736.0	
		3-21-67	68.1	503.6				7-05-67	14.0	736.0	
		5-01-67	67.4	504.3				8-10-67	14.0	736.0	
		6-05-67	67.4	504.3				9-07-67	14.0	736.0	
		7-05-67	67.7	504.0							
		8-04-67	68.7	503.0		03S/05W-06Q04S	752.0	10-06-66	13.2	738.8	204
		9-05-67	69.0	502.7				11-04-66	14.2	737.8	
03S/07W-28F02S	573.0	10-26-66	72.6	500.4	102			12-13-66	13.2	738.8	
		11-30-66	72.8	500.2				1-12-67	13.2	738.8	
		3-16-67	69.5	503.5				2-23-67	14.2	737.8	
		5-11-67	68.9	504.1				3-08-67	14.2	737.8	
		6-15-67	68.8	504.2				4-06-67	12.2	739.8	
		7-13-67	69.1	503.9				5-03-67	12.2	739.8	
		8-17-67	69.9	503.1				6-07-67	15.2	736.8	
		9-20-67	72.9	500.1				7-05-67	14.2	737.8	
								8-10-67	15.2	736.8	
								9-07-67	14.2	737.8	
03S/07W-35C01S	730.0	10-11-66	206.1(1)	523.9	701	03S/05W-06Q05S	752.0	10-06-66	13.4	738.6	204
		11-09-66	197.8	532.2				11-04-66	13.4	738.6	
		12-14-66	194.3	535.7				12-13-66	13.4	738.6	
		1-12-67	191.7	538.3				1-12-67	13.4	738.6	
		2-11-67	191.0	539.0				2-23-67	14.4	737.6	
		3-15-67	191.0	539.0				3-08-67	14.4	737.6	
		4-12-67	189.8	540.2				4-06-67	12.4	739.6	
		5-09-67	187.3	542.7				5-03-67	12.4	739.6	
		6-14-67	196.2(1)	533.8				6-07-67	14.4	737.6	
		7-12-67	198.0(1)	532.0				7-05-67	14.4	737.6	
		8-07-67	201.4(1)	528.6				8-10-67	15.4	736.6	
		9-13-67	201.5(1)	528.5				9-07-67	14.4	737.6	
04S/07W-03L01S	969.1	11-10-66	120.4	848.7	103	03S/05W-07J01S	788.0	12-22-66	39.0(4)	749.0	718
		3-21-67	72.9	896.2				5-17-67	38.5(2)	749.5	
04S/07W-03L02S	980.9	11-10-66	156.3	824.6	103	03S/05W-08B02S	803.0	12-21-66	49.1	753.9	718
		3-21-67	(1)					5-17-67	48.4	754.6	
ARLINGTON HYDRO SUBAREA						03S/05W-08E02S	786.0	12-22-66	37.1	748.9	718
					Y-01.86			5-17-67	37.3(4)	748.7	
02S/05W-14G03S	801.3	7-06-66	24.3	777.0	204	03S/05W-08G01S	811.7	12-21-66	56.1	755.6	718
								5-17-67	55.2	756.5	
02S/06W-36R01S	733.0	12-21-66	7.6	725.4	718	03S/05W-09A01S	887.0	10-05-66	(1)		103
		5-16-67	8.2	724.8				11-09-66	122.3	764.7	
03S/05W-05B01S	766.3	10-05-66	22.5	743.8	103			12-13-66	122.0	765.0	
		11-09-66	22.4	743.9				1-06-67	121.7	765.3	
		12-13-66	22.3	744.0				1-06-67	121.7	765.3	
		12-21-66	22.2	744.1	718			2-03-67	121.5	765.5	
		1-04-67	22.1	744.2	103			3-03-67	121.5	765.5	
		2-03-67	21.9	744.4				3-20-67	121.3	765.7	
		3-03-67	21.9	744.4				5-02-67	121.4	765.6	
		3-20-67	21.8	744.5				6-05-67	121.8	765.2	
		5-02-67	21.6	744.7				7-05-67	(1)		
		5-16-67	21.5	744.8	718			8-04-67	(1)		
		6-05-67	21.4	744.9	103			9-05-67	122.4	764.6	
		7-05-67	21.4	744.9		03S/05W-09E01S	850.5	10-05-66	94.7	755.8	103
		8-04-67	21.5	744.8				11-09-66	94.8	755.7	
		9-05-67	21.7	744.6				12-13-66	94.0	756.5	
03S/05W-05M03S	756.6	10-05-66	14.5	742.1	103			12-13-66	94.0	756.5	
		11-09-66	13.9	742.7				1-06-67	93.8	756.7	
		12-13-66	13.2	743.4				2-03-67	93.7	756.8	
		1-04-67	13.1	743.5				3-03-67	93.6	756.9	
		2-03-67	13.8	742.8				3-20-67	94.0	756.5	
		3-03-67	13.0	743.6				5-02-67	93.3	757.2	
		3-20-67	12.7	743.9				5-17-67	89.3	761.2	718
		5-02-67	12.1	744.5				6-05-67	94.8	755.7	103
		6-05-67	12.4	744.2				7-05-67	(1)		
		7-05-67	12.6	744.0				8-04-67	94.1	756.4	
		8-04-67	13.1	743.5				9-05-67	94.3	756.2	
		9-05-67	13.3	743.3		03S/05W-09M01S	859.1	12-21-66	96.9	762.2	718
03S/05W-06D01S	739.9	12-21-66	8.6	731.3	718			5-17-67	96.7	762.4	
		5-16-67	8.9	731.0		03S/05W-14E01S	1111.4	12-21-66	13.8	1097.6	718
								5-16-67	16.8	1094.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
SANTA ANA RIVER HYDRO UNIT						Y-01.00						
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			
ARLINGTON HYDRO SUBAREA			Y-01.86			ARLINGTON HYDRO SUBAREA			Y-01.86			
03S/05W-17K02S	878.0	12-22-66 5-17-67	69.7 70.0	808.3 808.0	718	03S/06W-24Q01S	811.7	10-05-66 11-09-66 12-13-66 12-13-66 12-22-66 1-04-67 2-03-67 3-02-67 3-20-67 5-02-67 5-17-67 6-05-67 7-05-67 8-04-67 9-05-67	5.8 (9) 5.4 5.4 5.5 5.7 5.9 (1) (1) 6.1 6.0 5.9 6.0 (1) 5.9	805.9 806.3 806.3 806.2 806.0 805.8 805.7 805.6 805.7 805.8 805.7	103 718 103 718 103	
03S/05W-17Q01S	892.4	11-09-66 12-22-66 3-20-67 5-17-67	(7) 72.1 72.5 72.4	820.3 819.9 820.0	103 718 103 718							
03S/05W-19E02S	844.4	12-22-66 5-17-67	5.8 6.2	838.6 838.2	718							
03S/05W-19E03S	832.7	12-22-66 5-17-67	4.4 4.8	828.3 827.9	718							
03S/05W-19E04S	834.2	12-22-66 5-17-67	8.0 9.1	826.2 825.1	718							
03S/05W-19P01S	903.0	12-22-66 5-17-67	12.1 DRY	890.9	718	RIVERSIDE HYDRO SUBAREA						Y-01.87
03S/05W-19P02S	908.9	12-22-66 5-17-67	17.5 18.4	891.4 890.5	718	01S/04W-28L01S	940.0	10-10-66 11-07-66 12-06-66 1-10-67 2-07-67 3-08-67 4-11-67 5-01-67 5-08-67 6-06-67 7-11-67 8-07-67 9-12-67	106.3 116.9 107.1 93.7 94.5 92.1 67.9 69.4 73.2 78.7 84.3 88.3 83.7	833.7 823.1 832.9 846.3 845.5 847.9 872.1 870.6 866.8 861.3 855.7 851.7 856.3	783 718 783	
03S/05W-19P03S	910.3	12-22-66 5-17-67	17.3 17.4	893.0 892.9	718							
03S/05W-28B01S	1015.0	10-04-66 11-21-66 12-13-66 1-18-67 2-22-67 3-20-67 4-17-67 5-06-67 6-09-67 7-11-67 8-21-67 9-25-67	59.0 57.4 57.0 56.4 56.1 56.0 55.8 55.6 55.6 55.6 55.7 55.6	956.0 957.6 958.0 958.6 958.9 959.0 959.2 959.4 959.4 959.4 959.3 959.4	847	01S/04W-28L02S	940.0	10-10-66 4-11-67 9-12-67	113.4 82.7 93.1	826.6 857.3 846.9	783	
03S/06W-03L01S	802.0	10-05-66 11-10-66 12-13-66 1-04-67 2-03-67 3-02-67 3-20-67 5-02-67 6-05-67 7-05-67 8-04-67 9-05-67	16.5 (2) (2) 13.5 13.9 15.1 15.4 (1) (1) 18.0 17.8 (1)	785.5 788.5 788.1 786.9 786.6 784.0 784.2	103	01S/04W-28M01S	935.0	12-08-66 5-02-67	102.1 67.3	832.9 867.7	718	
03S/06W-10G01S	742.6	12-21-66 5-16-67	9.7 10.3	732.9 732.3	718	01S/04W-28N05S	927.0	12-06-66 12-07-66 1-10-67 2-07-67 4-11-67 5-02-67 5-08-67	102.4 98.9 89.0 85.0 82.5 73.1 74.1	824.6 828.1 838.0 842.0 844.5 853.9 852.9	783 718 783 718 783	
03S/06W-11M02S	716.0	10-05-66 11-10-66 12-13-66 1-04-67 2-03-67 3-02-67 3-20-67 5-02-67 6-05-67 7-05-67 8-04-67 9-05-67	10.3 10.2 9.0 9.0 8.6 8.5 8.8 8.7 9.1 9.4 9.9 10.3	705.7 705.8 707.0 707.0 707.4 707.5 707.2 707.3 706.9 706.6 706.1 705.7	103	01S/04W-28R01S	995.0	12-08-66 5-01-67	114.2 112.8(4)	880.8 882.2	718	
03S/06W-13B01S	754.0	12-23-66 5-18-67	48.8 49.1(4)	705.2 704.9	718	01S/04W-28R02S	993.6	11-12-66 12-10-66 1-07-67 3-18-67 5-13-67 7-08-67 9-16-67	113.0 112.1 113.0 112.3 110.6 111.4 110.9	880.6 881.5 880.6 881.3 883.0 882.2 882.7	713	
03S/06W-13B02S	755.0	12-23-66 5-18-67	50.1 50.1(4)	704.9 704.9	718	01S/04W-30D06S	985.9	12-12-66 5-10-67	151.6(2) 148.2(2)	834.3 837.7	718	
03S/06W-13M03S	717.8	12-22-66 5-18-67	39.1(4) 37.0(4)	678.7 680.8	718	01S/04W-30J05S	922.0	10-08-66 11-12-66 12-10-66 1-07-67 2-11-67 3-10-67 4-15-67 5-13-67 6-10-67 7-08-67 8-05-67 9-16-67	84.0 83.7 82.9 79.9 78.8 77.3 77.0 75.7 74.8 74.5 75.2 78.7	838.0 838.3 839.1 842.1 843.2 844.7 845.0 846.3 847.2 847.5 846.8 843.3	713	
03S/06W-13N01S	725.2	12-22-66 5-18-67	45.5(4) 43.5(4)	679.7 681.7	718	01S/04W-30K03S	900.0	12-09-66 5-02-67	51.0(4) 52.0	849.0 848.0	718	
03S/06W-13N02S	724.8	12-22-66 5-18-67	45.3(4) 43.0(4)	679.5 681.8	718	01S/04W-31J01S	935.5	12-09-66 5-02-67	123.8 109.7	811.7 825.8	718	
03S/06W-14Q01S	721.8	12-22-66 5-18-67	47.1 43.5(4)	674.7 678.3	718	01S/04W-32B01S	917.0	12-08-66 5-18-67	94.6 (1)	822.4	718	
03S/06W-22K01S	684.7	12-22-66 5-18-67	43.0 39.0	641.7 645.7	718	01S/04W-32B02S	922.0	12-08-66 5-02-67	95.4 74.9(2)	826.6 847.1	718	
03S/06W-22L03S	685.8	12-22-66 5-18-67	41.7 37.6	644.1 648.2	718	01S/04W-32E07S	905.6	12-07-66 5-02-67	87.2 71.7	818.4 833.9	718	
03S/06W-24G01S	804.6	11-09-66 3-20-67	7.8 8.0	796.8 796.6	103	01S/04W-32E10S	906.0	10-08-66 11-12-66 12-07-66 12-10-66 12-10-66 1-07-67	96.2 96.9 89.9 88.0 89.1 84.0	809.8 809.1 816.1 818.0 816.9 822.0	713 718 713	
03S/06W-24P02S	796.0	12-22-66 5-17-67	22.2 23.4	773.8 772.6	718							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT RIVERSIDE HYDRO SUBAREA			Y-01.80		Y-01.87	MIDDLE SANTA ANA RIV HYDR SUBUNIT RIVERSIDE HYDRO SUBAREA			Y-01.80		Y-01.87
01S/04W-32E10S (CONT.)	906.0	2-11-67 5-02-67	79.7 72.5	826.3 833.5	713 718	01S/05W-25L02S	940.0	12-09-66 5-08-67	114.6(4) 110.4	825.4 829.6	718
01S/04W-32E11S	906.0	12-07-66 5-02-67	88.0 72.6	818.0 833.4	718	01S/05W-25R04S	880.0	12-07-66 12-10-66 5-02-67 5-13-67	50.7 49.6 46.3(2) 46.6	829.3 830.4 833.7 833.4	718
01S/04W-32E12S	903.0	10-08-66 11-12-66 12-09-66 12-10-66 12-10-66 1-07-67 2-11-67 3-18-67 4-18-67 5-02-67 5-13-67 5-13-67 6-10-67 7-08-67 8-05-67 9-16-67	77.4 78.9 61.9 63.2 60.0 68.3 65.9 66.0 63.2 62.8 64.0 60.8 62.2 64.9 67.6 71.7	825.6 824.1 841.1 839.8 843.0 834.7 837.1 837.0 839.8 840.2 839.0 842.2 840.8 838.1 835.4 831.3	713 718 713 718 713 	01S/05W-33A01S	1006.0	12-27-66 5-09-67	197.5 195.5	808.5 810.5	718
01S/04W-32G01S	915.0	12-08-66 5-02-67	95.7 78.1(2)	819.3 836.9	718	01S/05W-33A02S	1005.8	12-27-66 5-09-67	197.0 195.0	808.8 810.8	718
01S/04W-32G04S	914.0	12-08-66 5-02-67	92.9 69.9(2)	821.1 844.1	718	01S/05W-33F01S	1029.0	12-12-66 5-09-67	107.2 107.8	921.8 921.2	718
01S/04W-32M01S	923.7	10-10-66 11-07-66 12-06-66 12-07-66 1-10-67 2-07-67 3-08-67 4-11-67 5-02-67 5-08-67 6-06-67 7-11-67 8-07-67 9-12-67	103.1 104.4 100.9 111.8 92.9 90.1 88.9 88.2 96.0 83.9 85.7 87.7 90.7 94.7	820.6 819.3 822.8 811.9 830.8 833.6 834.8 835.5 827.7 839.8 838.0 836.0 833.0 829.0	783 718 783 718 783 	01S/05W-33L01S	1016.0	5-09-67	99.8	916.2	718
01S/04W-32Q02S	1011.3	12-09-66 5-02-67	DRY 189.1		718	01S/05W-34K02S	943.0	12-10-66 5-13-67	(1) 133.5		718
01S/04W-33B03S	974.0	12-08-66 5-01-67	103.3 101.4	870.7 872.6	718	01S/05W-34K03S	943.0	12-10-66 5-13-67	140.2 137.1	802.8 805.9	718
01S/04W-33B05S	944.5	10-10-66 11-07-66 12-06-66 12-08-66 1-10-67 2-07-67 3-08-67 4-11-67 5-01-67 5-08-67 6-06-67 7-11-67 8-07-67 9-12-67	114.5 115.6 111.1 106.7 101.9 100.6 94.8 87.7 77.3 82.4 83.4 84.2 86.4 86.5	830.0 828.9 833.4 837.8 842.6 843.9 849.7 856.8 867.2 862.1 861.1 860.3 858.1 858.0	783 718 783 718 783 	01S/05W-34L02S	958.7	12-27-66 5-09-67	152.3 150.8(4)	806.4 807.9	718
01S/05W-23N01S	1037.6	10-00-66 11-01-66 12-01-66 1-00-67 2-01-67 3-01-67 4-00-67 5-00-67 6-00-67 7-00-67 8-00-67 9-00-67	223.0 222.0 221.0 218.0 218.0 218.0 218.0 216.0 232.0(1) 233.0(1) 234.0(1) 235.0(1)	814.6 815.6 816.6 819.6 819.6 819.6 819.6 821.6 805.6 804.6 803.6 802.6	124 	01S/05W-34M01S	951.2	12-12-66 5-09-67	144.9 142.5	806.3 808.7	718
01S/05W-23Q02S	1011.3	12-09-66 5-02-67	DRY 189.1		718	01S/05W-35D01S	967.0	10-06-66 11-03-66 12-02-66 12-13-66 1-12-67 3-09-67 4-14-67 5-05-67 6-14-67 7-13-67 8-02-67 9-14-67	154.0 (1) (1) 152.6 (1) 150.2 (2) (1) (1) (1) (1) (1) (1)	813.0 814.4 816.8 	100
01S/05W-24E01S	1070.0	12-09-66 5-08-67	235.9 233.4	834.1 836.6	718	01S/05W-35G02S	920.0	12-07-66 5-18-67	107.0 (1)	813.0	718
01S/05W-25A02S	1009.0	12-12-66 5-10-67	172.8 169.4(2)	836.2 839.6	718	01S/05W-35R01S	887.0	12-13-66 3-23-67	70.6 69.5	816.4 817.5	100
01S/05W-25A03S	997.0	12-12-66 5-10-67	161.5(2) 158.2(2)	835.5 838.8	718	01S/05W-36A01S	870.0	12-12-66 5-02-67	16.6 32.8	853.4 837.2	718
01S/05W-25B02S	999.4	12-09-66 12-13-66 5-08-67	166.7 (1) 162.9	832.7 100 836.5	718 100 718	01S/05W-36C04S	875.8	12-13-66 3-23-67	47.5 49.9	828.3 825.9	100
01S/05W-25E01S	963.6	12-27-66 1-13-67 5-08-67	(1) 135.8(4) 134.0(4)		718	01S/05W-36C10S	876.0	12-07-66 5-08-67	52.4 47.7	823.6 828.3	718
						01S/05W-36C11S	886.0	5-08-67	63.2	822.8	718
						01S/05W-36L01S	860.0	12-13-66 5-03-67	38.0 42.0	822.0 818.0	204
						02S/04W-05C01S	0976.0	10-12-66 11-09-66 12-14-66 1-11-67 2-14-67 3-10-67 4-12-67 5-10-67 6-14-67 7-12-67 8-01-67 9-27-67	0167.0 0169.7 0167.4 0164.2 0160.9 0160.8 0158.1 0155.9 0154.9 0155.5 0157.3 0155.8	0809.0 0806.3 0808.6 0811.8 0815.1 0815.2 0817.9 0820.1 0821.1 0820.5 0818.7 0820.2	847
						02S/04W-05F01S	983.5	5-08-67	164.1	819.4	718
						02S/04W-05N01S	946.0	12-06-66 1-10-67 2-07-67 3-08-67 5-08-67 9-12-67	141.3 138.0 135.4 134.2 130.6 132.7	804.7 808.0 810.6 811.8 815.4 813.3	783
						02S/04W-05P01S	992.4	12-09-66 5-09-67	184.2 173.9	808.2 818.5	718
						02S/04W-06K02S	920.4	12-09-66 5-08-67	114.5 103.6	805.9 816.8	718
						02S/04W-06Q03S	904.6	5-08-67	88.3	816.3	718
						02S/04W-06R01S	946.0	12-09-66 5-08-67	140.3 130.2	805.7 815.8	718
						02S/04W-06R05S	947.8	12-09-66	141.9	805.9	718

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
RIVERSIDE HYDRO SUBAREA			Y-01.87			RIVERSIDE HYDRO SUBAREA			Y-01.87		
02S/04W-06R05S (CONT.)	947.8	5-09-67	131.2	816.6	718	02S/04W-19J02S	1027.0	12-10-66 5-10-67	207.5 206.4	819.5 820.6	718
02S/04W-06R06S	943.9	12-09-66 5-07-67	138.3(4) 127.2	805.6 816.7	718	02S/04W-19N02S	955.5	12-12-66 5-10-67	154.6 152.3	800.9 803.2	718
02S/04W-07L01S	883.1	11-04-66 12-19-66 2-23-67 3-08-67 4-06-67 5-03-67 6-07-67 7-05-67 8-30-67 9-22-67	93.0 89.0 84.0 88.0 86.0 85.0 88.0 87.0 86.0 88.0	790.1 794.1 799.1 795.1 797.1 798.1 795.1 796.1 797.1 795.1	204	02S/04W-19P01S	997.7	12-12-66 5-10-67	191.8 189.7	805.9 808.0	718
02S/04W-07N01S	874.3	10-06-66 11-04-66 12-13-66 1-12-67 2-23-67 3-08-67 4-06-67 5-03-67 6-07-67 7-05-67 8-10-67 9-07-67	90.0 91.0 87.0 87.0 87.0 87.0 84.0 84.0 86.0 88.0 87.0 89.0	784.3 783.3 787.3 787.3 787.3 787.3 790.3 790.3 788.3 786.3 787.3 785.3	204	02S/04W-29M01S	1050.0	12-10-66 5-10-67	59.0 60.9	991.0 989.1	718
02S/04W-08D04S	960.0	10-06-66 11-04-66 12-13-66 1-12-67 2-07-67 3-08-67 4-06-67 5-03-67 6-07-67 7-05-67 8-10-67 9-07-67	147.0 159.0 157.0 154.0 151.0 153.0 150.0 148.0 147.0 147.0 149.0 150.0	813.0 801.0 803.0 806.0 809.0 807.0 810.0 812.0 813.0 813.0 811.0 810.0	204	02S/04W-30B01S	1004.0	10-03-66 10-03-66 11-09-66 12-09-66 1-03-67 2-02-67 3-01-67 3-20-67 5-01-67 5-31-67 7-03-67 8-02-67 9-06-67	0184.2 0184.2 0184.3 0184.8 0184.5 0184.2 0183.8 0183.8 0183.6 0183.4 0183.7 0183.9	0819.8 0819.8 0819.7 0819.2 0819.5 0819.8 0820.2 0820.2 0820.4 0820.6 0820.3 0820.3 0820.1	103
02S/04W-08E01S	987.0	10-06-66 11-04-66 12-13-66 1-25-67 2-07-67 3-08-67 4-06-67 5-03-67 6-07-67 7-05-67 8-10-67 9-07-67	175.0 179.0 178.0 175.0 176.0 174.0 173.0 170.0 170.0 171.0 172.0 170.0	812.0 808.0 809.0 812.0 811.0 813.0 814.0 817.0 817.0 816.0 815.0 817.0	204	02S/04W-33R02S	1496.0	10-25-66 10-25-66 3-24-67 3-24-67	36.6 36.6 30.5 30.5	1459.4 1459.4 1465.5 1465.5	103
02S/04W-08M01S	1000.0	10-10-66 11-07-66 12-06-66 12-09-66 1-10-67 3-08-67 4-11-67 5-08-67 5-09-67 7-11-67	192.5 192.7 191.1 192.7 188.3 187.5 185.5 183.9 183.4 185.7	807.5 807.3 808.9 807.3 811.7 812.5 814.5 816.1 816.6 814.3	783 718 783 718 783	02S/05W-01G01S	854.6	12-13-66 5-03-67	29.0 29.0	825.6 825.6	204
02S/04W-08M02S	983.0	12-06-66 12-09-66 1-10-67 5-08-67 5-09-67	179.7 176.6 176.9 170.4 167.4	803.3 806.4 806.1 812.6 815.6	783 718 783 718	02S/05W-01G02S	844.0	12-13-66 5-03-67	38.0 39.0	806.0 805.0	204
02S/04W-18E01S	907.9	11-09-66 12-10-66 3-20-67 3-20-67 5-10-67	112.5 111.2 109.2 109.2 107.4	795.4 796.7 798.7 798.7 800.5	103 718 103 718	02S/05W-01J01S	842.8	10-08-66 11-12-66 12-10-66 12-10-66 1-07-67 2-11-67 3-18-67 4-15-67 5-13-67 5-13-67 6-10-67 7-08-67 8-05-67 9-16-67	46.2 46.3 39.2 39.2 40.7 39.7 40.5 40.2 39.0 39.0 40.6 (1) 44.7 (1)	796.6 796.5 803.6 803.6 802.1 803.1 802.3 802.6 803.8 803.8 802.2 798.1 (1)	713 718 718 718 713 718 718 718 718 713
02S/04W-19A01S	994.0	12-10-66 5-10-67	187.3 186.2	806.7 807.8	718	02S/05W-01J02S	843.0	10-08-66 11-12-66 12-10-66 12-10-66 1-07-67 2-11-67 3-18-67 4-15-67 5-13-67 5-13-67 6-10-67 7-08-67 8-05-67 9-16-67	45.2 (1) 44.8 44.8(1) 38.1 38.0 38.3 38.0 36.8 36.8 (1) (1) 41.3 (1)	797.8 798.2 798.2 804.9 805.0 804.7 805.0 806.2 806.2 (1) 801.7	713 718 718 718 718 718 718 718 713
02S/04W-19E01S	0938.5	12-12-66 5-10-67	0141.6 0138.8	0796.9 0799.7	718	02S/05W-01J03S	845.0	5-03-67	38.0	807.0	204
02S/04W-19J01S	1020.0	10-06-66 11-04-66 12-13-66 1-02-67 2-07-67 3-08-67 4-06-67 5-03-67 6-07-67 7-05-67 8-10-67 9-07-67	206.5 210.5 213.5 211.5 212.5 212.5 210.5 211.5 209.5 210.5 210.5 209.5	813.5 809.5 806.5 808.5 807.5 807.5 809.5 808.5 810.5 809.5 809.5 810.5	204	02S/05W-02C01S	936.2	12-12-66 5-09-67	128.7 125.0	807.5 811.2	718
						02S/05W-02E01S	953.5	12-10-66 5-13-67	155.2 149.9	798.3 803.6	718
						02S/05W-02E03S	917.6	12-10-66 5-13-67	119.0 113.7	798.6 803.9	718
						02S/05W-02F01S	955.2	10-08-66 11-12-66 12-10-66 2-11-67 3-18-67 4-15-67 5-13-67 5-13-67 6-10-67 7-08-67 8-05-67 9-16-67	(1) 161.1 (1) 154.0 155.5 155.6 154.1 154.8 157.0 159.4 159.8	(1) 794.1 (1) 801.2 799.7 799.6 801.1 800.4 798.2 795.8 795.4	713
						02S/05W-02F02S	897.8	12-10-66 5-13-67	102.0 96.0	795.8 801.8	718
						02S/05W-02L01S	896.2	10-08-66 11-12-66 1-07-67 2-11-67 3-18-67	106.3 107.1 100.2 98.4 100.2	789.9 789.1 796.0 797.8 796.0	713

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SURUNIT			Y-01.80		Y-01.87	MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		Y-01.87
RIVERSIDE HYDRO SUBAREA						RIVERSIDE HYDRO SUBAREA					
02S/05W-02L01S (CONT.)	896.2	5-13-67	98.0	798.2	713	02S/05W-11K02S (CONT.)	814.8	12-09-66	20.2	794.6	103
		5-13-67	95.8	800.4	718			12-09-66	20.2	794.6	
		6-10-67	98.9	797.3	713			12-10-66	20.9	793.9	718
		7-08-67	101.2	795.0				12-12-66	22.0	792.8	
		9-16-67	103.9	792.3				1-03-67	24.4	790.4	103
02S/05W-02L02S	909.0	10-08-66	116.2	792.8	713			1-03-67	24.4	790.4	
		11-12-66	115.9	793.1				2-02-67	23.3	791.5	
		12-10-66	113.1	795.9				2-02-67	23.3	791.5	
		12-10-66	114.9	794.1	718			3-01-67	24.6	790.2	
		1-07-67	109.9	799.1	713			3-20-67	24.1	790.7	
		2-11-67	108.8	800.2				5-01-67	22.4	792.4	
		3-18-67	109.7	799.3				5-10-67	22.6	792.2	718
		4-15-67	108.9	800.1				5-13-67	22.9	791.9	
		5-13-67	107.9	801.1				5-31-67	23.9	790.9	103
		5-13-67	109.7	799.3	718			7-03-67	25.3	789.5	
		6-10-67	108.9	800.1	713			7-03-67	25.3	789.5	
		7-08-67	111.0	798.0				8-02-67	23.4	791.4	
		8-05-67	113.0	796.0				9-06-67	27.9	786.9	
		9-16-67	114.2	794.8		02S/05W-12A01S	836.8	10-06-66	41.4	795.4	204
02S/05W-02L03S	902.0	10-08-66	110.3	791.7	713			11-04-66	48.4	788.4	
		11-12-66	110.0	792.0				12-10-66	38.4	798.4	
		12-10-66	109.1	792.9				1-12-67	38.4	798.4	
		12-10-66	109.1	792.9	718			3-22-67	39.4	797.4	
		1-07-67	103.5	798.5	713			4-19-67	37.4	799.4	
		2-11-67	102.2	799.8				6-07-67	36.4	800.4	
		3-18-67	104.0	798.0				9-27-67	42.4	794.4	
		4-15-67	103.3	798.7		02S/05W-12B01S	833.8	10-06-66	36.2	797.6	204
		5-13-67	100.7	801.3				11-04-66	43.2	790.6	
		5-13-67	100.7	801.3	718			12-13-66	32.2	801.6	
		6-10-67	103.3	798.7	713			1-12-67	32.2	801.6	
		7-08-67	(1)					2-23-67	36.2	797.6	
		8-05-67	(1)					3-08-67	38.2	795.6	
		9-16-67	(1)					4-06-67	31.2	802.6	
02S/05W-02L04S	904.6	12-10-66	116.1	788.5	718			5-03-67	37.2	796.6	
		5-13-67	110.8	793.8				6-07-67	35.2	798.6	
02S/05W-02L05S	894.4	12-10-66	104.6	789.8	718			7-05-67	43.2	790.6	
		5-13-67	99.3	795.1				9-07-67	42.2	791.6	
02S/05W-02M01S	905.8	12-10-66	106.5	799.3	718	02S/05W-12J01S	849.2	10-04-66	60.6	788.6	103
		5-13-67	103.5	802.3				10-08-66	58.7	790.5	713
02S/05W-02M05S	894.1	12-10-66	97.2	796.9	718			11-09-66	59.9	789.3	103
		5-13-67	91.6	802.5				11-12-66	58.4	790.8	713
02S/05W-02M06S	926.7	12-10-66	129.2	797.5	718			12-09-66	56.4	792.8	103
		5-13-67	129.4	797.3				12-10-66	56.4	792.8	
02S/05W-02M08S	900.2	12-10-66	103.0	797.2	718			12-10-66	56.3	792.9	718
02S/05W-03A01S	953.4	12-12-66	151.3	802.1	718			12-10-66	56.1	793.1	713
		5-09-67	147.0	806.4				1-03-67	55.8	793.4	103
02S/05W-03G02S	904.4	12-10-66	98.7	805.7	718			1-07-67	55.4	793.8	713
		5-13-67	97.0	807.4				2-02-67	56.4	792.8	103
02S/05W-05R02S	939.8	12-14-66	226.0	713.8	718			2-11-67	55.3	793.9	713
		5-12-67	225.4	714.4				3-01-67	55.1	794.1	103
02S/05W-08G01S	903.0	12-27-66	200.5(4)	702.5	718			3-01-67	55.1	794.1	
		5-12-67	202.9(4)	700.1				3-18-67	52.9	796.3	713
02S/05W-08G04S	903.7	5-12-67	203.8	699.9	718			3-20-67	53.0	796.2	103
02S/05W-08K02S	892.6	12-27-66	185.1(4)	707.5	718			3-20-67	53.0	796.2	
		5-12-67	185.4(4)	707.2				4-15-67	51.7	797.5	713
02S/05W-10G01S	849.8	10-08-66	65.9	783.9	713			5-01-67	51.0	798.2	103
		11-12-66	66.3	783.5				5-13-67	51.8	797.4	718
		12-10-66	65.7	784.1	718	02S/05W-12K02S	836.2	5-13-67	51.6	797.6	713
		12-10-66	65.7	784.1	713			5-31-67	52.5	796.7	103
		12-13-66	65.4	784.4	100			6-10-67	53.6	795.6	713
		1-07-67	63.6	786.2	713			7-03-67	55.9	793.3	103
		2-11-67	60.8	789.0				7-03-67	55.9	793.3	
		3-18-67	61.3	788.5				7-08-67	56.3	792.9	713
		3-22-67	61.2	788.6	100			8-02-67	57.8	791.4	103
		4-15-67	61.9	787.9	713			8-05-67	56.8	792.4	713
		5-13-67	63.2	786.6	718			9-05-67	57.5	791.7	103
		5-13-67	63.2	786.6	713			9-16-67	56.8	792.4	713
		6-10-67	62.8	787.0				10-06-66	42.0	794.2	204
		7-08-67	62.5	787.3				11-04-66	41.0	795.2	
		8-05-67	61.3	788.5				12-13-66	36.0	800.2	
		9-16-67	60.7	789.1				1-12-67	36.0	800.2	
02S/05W-10G07S	842.0	12-13-66	61.8	780.2	718			2-07-67	39.0	797.2	
		5-11-67	58.9(4)	783.1				3-08-67	42.0	794.2	
02S/05W-10L05S	867.7	12-13-66	90.2(4)	777.5	718			4-06-67	35.0	801.2	
		5-12-67	86.4	781.3				5-03-67	35.0	801.2	
02S/05W-10P01S	857.5	12-13-66	85.3	772.2	718			5-03-67	35.0	801.2	
		5-10-67	82.5(4)	775.0				6-07-67	34.7	788.5	
02S/05W-11K02S	814.8	10-04-66	30.9	783.9	103	02S/05W-12P01S	823.2	6-07-67	34.7	788.5	
		11-09-66	30.7	784.1				7-05-67	130.7	692.5	
								8-10-67	134.7	688.5	
								9-07-67	115.7	707.5	
						02S/05W-12P02S	818.0	12-13-66	25.5	792.5	204

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
RIVERSIDE HYDRO SUBAREA			Y-01.87			RIVERSIDE HYDRO SUBAREA			Y-01.87		
02S/05W-14D01S	800.0	10-04-66	21.3	778.7	103	02S/05W-22R02S	795.0	12-12-66	32.3	762.7	718
		11-09-66	21.5	778.5				6-16-67	23.3	771.7	
		12-09-66	14.4	785.6		02S/05W-23F01S	843.8	10-04-66	78.5	765.3	103
		12-09-66	14.4	785.6				10-04-66	78.5	765.3	
		1-03-67	16.7	783.3				11-09-66	78.0	765.8	
		1-03-67	16.7	783.3				12-09-66	77.3	766.5	
		2-02-67	15.5	784.5				12-09-66	77.3	766.5	
		2-02-67	15.5	784.5				12-12-66	77.2	766.6	718
		3-01-67	16.3	783.7				1-03-67	76.7	767.1	103
		3-01-67	16.3	783.7				2-02-67	76.4	767.4	
		3-20-67	16.0	784.0				2-02-67	76.4	767.4	
		5-01-67	15.2	784.8				3-01-67	75.8	768.0	
		5-31-67	16.4	783.6				3-01-67	75.8	768.0	
		7-03-67	16.9	783.1				3-20-67	75.5	768.3	
		8-02-67	18.2	781.8				5-01-67	74.5	769.3	
		9-05-67	18.9	781.1				5-10-67	74.3	769.5	718
								5-31-67	74.6	769.2	103
								7-03-67	75.2	768.6	
								8-02-67	76.2	767.6	
								9-06-67	(4)		
02S/05W-14G01S	790.0	11-09-66	20.1	769.9	103	02S/05W-23J01S	869.4	10-06-66	96.0	773.4	204
		3-20-67	16.5	773.5				11-04-66	101.0	768.4	
02S/05W-15M01S	775.1	12-13-66	14.6	760.5	718			12-13-66	99.0	770.4	
		5-11-67	12.7(4)	762.4				1-12-67	99.0	770.4	
02S/05W-16E06S	790.8	12-13-66	45.1	745.7	718			2-23-67	100.0	769.4	
		5-11-67	44.7	746.1				3-08-67	99.0	770.4	
02S/05W-16G04S	774.1	12-13-66	17.0(4)	757.1	718			4-06-67	97.0	772.4	
		5-11-67	15.6	758.5				5-03-67	98.0	771.4	
02S/05W-16R01S	767.5	12-13-66	10.2	757.3	718			6-07-67	97.0	772.4	
		5-11-67	9.2(4)	758.3				7-05-67	99.0	770.4	
02S/05W-17A01S	820.0	10-04-66	79.9	740.1	103			8-10-67	99.0	770.4	
		11-18-66	80.2	739.8				9-13-67	101.0	768.4	
		11-18-66	80.2	739.8		02S/05W-25A01S	948.4	11-09-66	173.7	774.7	103
		12-09-66	79.9	740.1				3-20-67	170.7	777.7	
		12-09-66	79.9	740.1		02S/05W-25F01S	912.0	10-06-66	135.0	777.0	204
		1-03-67	79.4	740.6				11-04-66	136.0	776.0	
		2-02-67	79.3	740.7				12-13-66	138.0	774.0	
		3-01-67	79.8	740.2				1-12-67	137.0	775.0	
		3-23-67	79.7	740.3				2-07-67	137.0	775.0	
		5-01-67	79.0	741.0				3-08-67	138.0	774.0	
		5-31-67	79.9	740.1				4-06-67	135.0	777.0	
		7-03-67	80.6	739.4				5-03-67	136.0	776.0	
		8-02-67	81.9	738.1				6-07-67	136.0	776.0	
		9-06-67	82.4	737.6				7-05-67	136.0	776.0	
02S/05W-17A02S	825.0	12-13-66	87.4	737.6	718			8-10-67	137.0	775.0	
		5-11-67	86.2	738.8				9-07-67	135.0	777.0	
02S/05W-17K01S	809.0	12-13-66	64.9	744.1	718	02S/05W-26E02S	0820.0	10-12-66	0050.4	0769.6	847
		5-11-67	64.7	744.3				11-16-66	0049.2	0770.8	
02S/05W-17L01S	853.0	12-13-66	52.6	800.4	718			12-14-66	0048.3	0771.7	
		5-11-67	55.4	797.6				1-19-67	0051.3	0768.7	
02S/05W-20A02S	752.0	10-04-66	9.8	742.2	103			2-14-67	0048.0	0772.0	
		11-18-66	8.9	743.1				3-15-67	0047.1	0772.9	
		12-09-66	8.1	743.9				4-12-67	0046.6	0773.4	
		1-03-67	9.0	743.0				5-10-67	0046.1	0773.9	
		1-03-67	9.0	743.0				6-14-67	0046.6	0773.4	
		2-02-67	8.5	743.5				7-12-67	0047.3	0772.7	
		3-01-67	9.4(1)	742.6				8-16-67	0050.0	0770.0	
		3-24-67	8.5	743.5				9-20-67	0050.8	0769.2	
		5-01-67	9.1	742.9		02S/05W-26F01S	0810.0	10-12-66	0049.6	0760.4	847
		5-31-67	10.1	741.9				11-16-66	0047.6	0762.4	
		7-03-67	12.0	740.0				12-14-66	0047.1	0762.9	
		8-02-67	11.2	740.8				1-11-67	0049.5	0760.5	
		9-06-67	(1)					2-14-67	0046.4	0763.6	
02S/05W-20J02S	740.0	12-13-66	4.0(4)	736.0	718			3-15-67	0045.6	0764.4	
		5-12-67	8.2(4)	731.8				4-12-67	0045.0	0765.0	
02S/05W-20J03S	735.7	12-13-66	1.9(4)	733.8	718			5-10-67	0044.1	0765.9	
		5-12-67	2.2	733.5				6-13-67	0045.0	0765.0	
02S/05W-20K01S	767.0	11-18-66	(1)		103	02S/05W-26M01S	0820.0	10-19-66	0048.8	0771.2	847
		12-13-66	27.7(4)	739.3	718			11-16-66	0051.2	0768.8	
		3-24-67	35.1	731.9	103			12-14-66	0048.2	0771.8	
		5-12-67	29.6	737.4	718			1-11-67	0050.9	0769.1	
02S/05W-20K03S	768.3	12-13-66	28.3(4)	740.0	718			2-14-67	0047.6	0772.4	
		5-12-67	31.2	737.1				3-15-67	0046.5	0773.5	
02S/05W-20R01S	740.0	12-13-66	9.9	730.1	718			4-12-67	0046.3	0773.7	
		5-12-67	7.2(4)	732.8				5-10-67	0046.2	0773.8	
02S/05W-21E01S	747.3	12-13-66	5.7(4)	741.6	718			6-14-67	0046.6	0773.4	
		5-12-67	5.9(4)	741.4				7-12-67	0047.1	0772.9	
02S/05W-22D01S	763.8	12-13-66	6.9	756.9	718	02S/05W-26R01S	855.0	12-12-66	86.3	768.7	718
		5-11-67	6.4	757.4				5-10-67	82.9	772.1	
02S/05W-22R01S	793.6	12-12-66	31.4(4)	762.2	718	02S/05W-29D02S	745.0	11-12-66	13.7	731.3	718
		5-17-67	29.6(4)	764.0				11-12-66	13.7	731.3	713
								1-07-67	12.2	732.8	
								3-18-67	11.8	733.2	
								5-13-67	14.0	731.0	718

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
RIVERSIDE HYDRO SUBAREA			Y-01.87		
02S/05W-29D02S (CONT.)	745.0	5-13-67	14.0	731.0	713
		7-08-67	13.3	731.7	713
		9-16-67	14.9	730.1	
02S/05W-29E02S	719.4	10-04-66	7.8	711.6	103
		11-18-66	6.7	712.7	
		12-09-66	4.6	714.8	
		12-13-66	4.9	714.5	718
		1-03-67	5.6	713.8	103
		2-02-67	5.6	713.8	
		3-01-67	5.4	714.0	
		3-24-67	5.5	713.9	
		5-01-67	5.9	713.5	
		5-12-67	5.9	713.5	718
		5-31-67	6.2	713.2	103
		7-03-67	6.3	713.1	
		8-02-67	6.7	712.7	
		9-06-67	6.8	712.6	
02S/05W-29E06S	738.3	12-13-66	23.4 (4)	714.9	718
		5-12-67	24.7 (4)	713.6	
02S/05W-32A01S	783.0	12-21-66	49.9	733.1	718
		5-16-67	49.6	733.4	
02S/05W-32B01S	780.1	12-21-66	47.5	732.6	718
		5-16-67	47.2	732.9	
02S/05W-32K01S	777.5	10-05-66	39.1	738.4	103
		11-09-66	39.1	738.4	
		12-13-66	38.9	738.6	
		12-21-66	38.3	739.2	718
		1-04-67	38.8	738.7	103
		2-03-67	38.9	738.6	
		3-03-67	38.7	738.8	
		3-20-67	38.7	738.8	
		5-02-67	38.4	739.1	
		5-16-67	37.5	740.0	718
		6-05-67	38.3	739.2	103
		7-05-67	38.3	739.2	
		8-04-67	38.5	739.0	
		9-05-67	38.5	739.0	
02S/05W-36A01S	915.0	11-09-66	66.2	848.8	103
		3-20-67	60.0	855.0	
		3-20-67	60.0	855.0	
02S/06W-13F03S	770.0	12-19-66	54.6	715.4	718
		5-15-67	67.2 (2)	702.8	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
Y-01.00					
LAKE MATHEWS HYDRO SUBUNIT			Y-01.C0		
COLDWATER HYDRO SUBAREA			Y-01.C1		
05S/06W-02P01S	1110.3	10-01-66	142.7	967.6	717
		11-05-66	142.7	967.6	
		12-10-66	142.4	967.9	
		12-31-66	144.2	966.1	
		2-04-67	138.4	971.9	
		3-04-67	134.1	976.2	
		4-01-67	131.3	979.0	
		5-06-67	128.2	982.1	
		6-03-67	126.0	984.3	
		7-01-67	125.0	985.3	
		8-05-67	121.1	989.2	
		9-02-67	120.4	989.9	
05S/06W-03C01S	1121.0	10-01-66	209.6	911.4	717
		11-05-66	210.3	910.7	
		12-03-66	209.8	911.2	
		12-31-66	193.9	927.1	
		2-18-67	164.8	956.2	
		3-04-67	159.8	961.2	
		4-01-67	152.7	968.3	
		5-06-67	133.9	987.1	
		6-10-67	125.5	995.5	
		7-01-67	124.3	996.7	
		8-05-67	127.8	993.2	
		9-02-67	129.2	991.8	
05S/06W-03G01S	1100.0	5-06-67	114.3	985.7	717
		6-03-67	108.2	991.8	
		7-01-67	107.5	992.5	
		8-05-67	110.0	990.0	
		9-02-67	111.4	988.6	
05S/06W-03J04S	1115.0	10-01-66	230.0	885.0	717
		11-13-66	231.0	884.0	
		12-03-66	228.4	886.6	
		12-31-66	208.9	906.1	
		1-07-67	208.2	906.8	272
		1-14-67	207.8	907.2	
		2-11-67	176.8	938.2	
		2-18-67	184.0 (1)	931.0	
		2-25-67	183.4 (1)	931.6	
		3-04-67	173.0	942.0	
		3-04-67	184.0 (1)	931.0	717
		3-06-67	142.8 (1)	972.2	
		3-11-67	180.4 (1)	934.6	272
		3-18-67	176.4 (1)	938.6	
		3-25-67	167.1	947.9	
		4-08-67	164.2	950.8	
		4-15-67	158.6	956.4	
		4-22-67	154.1	960.9	
		4-29-67	144.8	970.2	
		5-13-67	139.2	975.8	
		5-20-67	140.0	975.0	
		5-27-67	143.1 (1)	971.9	
		6-03-67	142.8 (1)	972.2	
		6-10-67	143.6 (1)	971.4	
		6-17-67	142.4 (1)	972.6	
		6-24-67	143.2 (1)	971.8	
		7-01-67	146.1 (1)	968.9	717
		7-02-67	146.1 (1)	968.9	272
		7-09-67	145.2 (1)	969.8	
		7-16-67	146.8 (1)	968.2	
		7-23-67	149.7 (1)	965.3	
		7-30-67	144.9 (1)	970.1	
		8-06-67	148.3 (1)	966.7	
		8-14-67	149.1 (1)	965.9	
		8-27-67	145.5	969.5	
		9-02-67	145.5	969.5	717
		9-03-67	146.6 (1)	968.4	272
		9-10-67	144.8 (1)	970.2	
		9-17-67	141.0	974.0	
		9-24-67	145.8	969.2	
05S/06W-03K01S	1122.0	10-01-66	244.2	877.8	717
		11-05-66	253.3 (1)	868.7	
		12-03-66	250.9 (1)	871.1	
		12-31-66	232.2 (1)	889.8	
		1-07-67	230.6 (1)	891.4	272
		1-14-67	230.6 (1)	891.4	
		2-11-67	198.2 (1)	923.8	
		2-18-67	192.2	929.8	
		2-25-67	191.0	931.0	
		3-11-67	188.2	933.8	
		3-18-67	184.6	937.4	
		3-25-67	183.1	938.9	
		4-08-67	180.0	942.0	
		4-15-67	173.9	948.1	
		4-22-67	170.0	952.0	
		4-29-67	160.2	961.8	
		5-13-67	156.0	966.0	
		5-20-67	155.6	966.4	
		5-27-67	161.2 (1)	960.8	
		6-03-67	150.0	972.0	717
		6-03-67	150.0 (1)	972.0	272
		6-10-67	159.6 (1)	962.4	
		6-17-67	159.4 (1)	962.6	
		6-24-67	160.6 (1)	961.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
SANTA ANA RIVER HYDRO UNIT						Y-01.00							
LAKE MATHEWS HYDRO SUBUNIT			Y-01.C0			LAKE MATHEWS HYDRO SUBUNIT			Y-01.C0				
COLDWATER HYDRO SUBAREA			Y-01.C1			BEDFORD HYDRO SUBAREA			Y-01.C2				
055/06W-03K01S (CONT.)	1122.0	7-01-67	164.2(1)	957.8	717	045/06W-16C01S (CONT.)	781.0	7-23-67	33.5(1)	747.5	272		
		7-02-67	164.2(1)	957.8				7-30-67	33.2(1)	747.8			
		7-09-67	161.6(1)	960.4				8-06-67	35.2(1)	745.8			
		7-16-67	162.8(1)	959.2				8-14-67	34.5(1)	746.5			
		7-23-67	164.2(1)	957.8				8-27-67	35.4(1)	745.6			
		7-29-67	175.5	946.5	717			9-02-67	35.4(1)	745.6	717		
		7-30-67	164.7(1)	957.3	272			9-03-67	35.6(1)	745.4	272		
		8-06-67	163.2(1)	958.8				9-10-67	35.2(1)	745.8			
		8-14-67	164.8(1)	957.2				9-17-67	27.0	754.0			
		8-27-67	166.6(1)	955.4				9-24-67	36.2(1)	744.8			
		9-02-67	166.6	955.4	717	045/06W-16C02S	0790.0	10-01-66	0043.0(1)	0747.0	717		
		9-03-67	164.5(1)	957.5	272			11-13-66	0027.1	0762.9			
		9-10-67	165.0(1)	957.0				12-17-66	0022.0	0768.0			
		9-17-67	141.0	981.0				12-31-66	0021.0	0769.0			
		9-24-67	148.8	973.2				2-04-67	0014.4	0775.6			
055/06W-03Q01S	1285.0	10-08-66	260.6	1024.4	717			3-18-67	0015.0	0775.0			
		11-05-66	260.8	1024.2				4-01-67	0014.3	0775.7			
		12-03-66	258.5	1026.5				5-06-67	0012.2	0777.8			
		12-31-66	240.1	1044.9				6-03-67	0015.2	0774.8			
		1-07-67	239.8	1045.2	272			7-01-67	0044.5(1)	0745.5			
		1-14-67	237.8	1047.2				7-29-67	0023.0	0767.0			
		2-11-67	212.6	1072.4				9-02-67	0049.5	0740.5			
		2-18-67	210.0	1075.0		045/06W-35G01S	956.0	10-01-66	32.9(1)	923.1	717		
		2-25-67	208.4	1076.6				11-13-66	30.8	925.2			
		3-04-67	212.4(1)	1072.6				12-10-66	21.8	934.2			
		3-18-67	202.5	1082.5				2-04-67	18.2	937.8			
		3-25-67	210.0(1)	1075.0				3-18-67	21.8	934.2			
		3-25-67	200.4	1084.6	717			4-01-67	25.8	930.2			
		4-01-67	210.8(1)	1074.2	272			5-06-67	21.6	934.4			
		4-08-67	209.9(1)	1075.1				6-03-67	39.1	916.9			
		4-15-67	205.6(1)	1079.4				7-01-67	47.1	908.9			
		4-22-67	200.9(1)	1084.1	717			8-05-67	57.7	898.3			
		4-22-67	201.5	1083.5	272			9-02-67	49.7	906.3			
		4-29-67	192.4(1)	1092.6		045/06W-35G02S	956.0	10-01-66	32.5	923.5	717		
		5-06-67	188.6(1)	1096.4				11-05-66	35.1	920.9			
		5-13-67	186.0(1)	1099.0				12-03-66	30.9	925.1			
		5-20-67	185.1(1)	1099.9				12-31-66	17.0	939.0			
		5-27-67	174.8	1110.2				2-04-67	17.7	938.3			
		6-03-67	173.6	1111.4	717			3-04-67	26.4(2)	929.6			
		6-03-67	173.1	1111.9	272			4-01-67	25.3	930.7			
		6-10-67	174.2	1110.8				5-06-67	21.2	934.8			
		6-17-67	171.9	1113.1				6-03-67	38.7(1)	917.3			
		6-24-67	172.3	1112.7				7-08-67	33.4	922.6			
		7-01-67	173.1	1111.9	717			8-05-67	57.3(1)	898.7			
		7-02-67	172.5	1112.5	272			9-09-67	32.3	923.7			
		7-09-67	172.7	1112.3		LEE LAKE HYDRO SUBAREA			Y-01.C4				
		7-16-67	173.9	1111.1		055/05W-08N01S	1175.0	10-01-66	76.9(1)	1098.1	717		
		7-23-67	174.1	1110.9				11-13-66	54.0	1121.0			
		7-30-67	174.8	1110.2				12-10-66	50.5	1124.5			
		8-05-67	176.0	1109.0	717			12-31-66	46.7	1128.3			
		8-06-67	175.3	1109.7	272			2-04-67	44.8	1130.2			
		8-14-67	175.3	1109.7				3-18-67	44.0	1131.0			
		8-27-67	175.6	1109.4				4-01-67	43.9	1131.1			
		9-02-67	175.6	1109.4	717			5-06-67	40.0	1135.0			
		9-03-67	175.5	1109.5	272			6-03-67	72.1(1)	1102.9			
		9-10-67	174.8	1110.2				7-01-67	72.1(1)	1102.9			
		9-17-67	186.2(1)	1098.8				8-05-67	74.2(1)	1100.8			
		9-24-67	186.2(1)	1098.8				9-02-67	75.4(1)	1099.6			
055/06W-11F01S	1202.4	4-08-67	255.4	947.0	717			10-01-66	90.1(1)	1099.9	717		
BEDFORD HYDRO SUBAREA			Y-01.C2			055/05W-08P01S	1190.0	11-13-66	63.5	1126.5			
045/06W-16C01S	781.0	10-08-66	42.5(1)	738.5	272			12-10-66	60.2	1129.8			
		10-15-66	42.4(1)	738.6				12-31-66	56.8	1133.2			
		10-22-66	42.5(1)	738.5				2-04-67	54.9	1135.1			
		10-29-66	42.8(1)	738.2				3-18-67	53.2	1136.8			
		11-12-66	32.1	748.9				4-01-67	54.6	1135.4			
		11-19-66	38.5(1)	742.5				5-06-67	49.9	1140.1			
		11-26-66	37.8(1)	743.2				6-03-67	81.9(1)	1108.1			
		12-10-66	33.8(1)	747.2				7-01-67	82.1(1)	1107.9			
		12-17-66	33.1(1)	747.9				8-05-67	83.6(1)	1106.4			
		12-24-66	32.2(1)	748.8				9-02-67	83.2(1)	1106.8			
		1-07-67	31.8(1)	749.2		TERRA COTTA HYDRO SUBAREA			Y-01.C5				
		1-14-67	32.3(1)	748.7		055/04W-31E03S	1275.0	11-01-66	32.2	1242.8	103		
		2-11-67	25.6(1)	755.4				4-05-67	30.7	1244.3			
		2-18-67	25.0(1)	756.0		055/04W-31R02S	1300.0	11-03-66	37.9	1262.1	103		
		2-25-67	26.0(1)	755.0				4-03-67	38.6	1261.4			
		3-11-67	28.8(1)	752.2				055/05W-36H02S	1256.0	11-01-66	13.0	1243.0	103
		3-18-67	27.0(1)	754.0				4-05-67	11.1	1244.9			
		3-25-67	28.8(1)	752.2		055/05W-36J01S	1260.0	11-01-66	11.8	1248.2	103		
		4-08-67	14.4	766.6				4-05-67	9.8	1250.2			
		4-15-67	13.8	767.2		065/04W-06G01S	1270.0	10-06-66	25.0	1245.0	103		
		4-22-67	13.5	767.5				11-03-66	24.8	1245.2			
		4-29-67	25.8(1)	755.2				12-15-66	24.6	1245.4			
		5-13-67	28.5(1)	752.5									
		5-20-67	30.2(1)	750.8									
		5-27-67	29.4(1)	751.6									
		6-10-67	29.6(1)	751.4									
		6-17-67	30.2(1)	750.8									
		6-24-67	31.6(1)	749.4									
		7-01-67	32.2(1)	748.8	717								
		7-02-67	32.2(1)	748.8	272								
		7-09-67	32.4(1)	748.6									
		7-16-67	33.1(1)	747.9									

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LAKE MATHEWS HYDRO SUBUNIT			Y-01.C0			COLTON-RIALTO HYDRO SUBUNIT			Y-01.D0		
TERRA COTTA HYDRO SUBAREA			Y-01.C5			UPPER LYTLE HYDRO SUBAREA			Y-01.D1		
065/04W-06G015	1270.0	1-10-67	24.4	1245.6	103	02N/06W-05L015	4775.0	10-01-66	DRY		706
(CONT.)		2-06-67	24.9	1245.1				12-01-66	DRY		
		3-03-67	24.0	1246.0				1-04-67	DRY		
		4-03-67	23.9	1246.1				5-02-67	DRY		
		5-04-67	23.8	1246.2				6-30-67	DRY		
		6-02-67	23.7	1246.3				8-01-67	DRY		
		7-07-67	23.7	1246.3							
		8-07-67	23.8	1246.2		02N/06W-21R015	3400.0	10-04-66	44.3	3355.7	706
		9-07-67	24.0	1246.0				11-01-66	44.3	3355.7	
								12-05-66	44.0	3356.0	
								1-04-67	43.4	3356.6	
								2-01-67	44.1	3355.9	
								3-02-67	44.0	3356.0	
								4-03-67	42.4	3357.6	
								5-08-67	42.0	3358.0	
								6-01-67	42.1	3357.9	
								6-30-67	42.0	3358.0	
								8-01-67	41.8	3358.2	
								9-05-67	46.4	3353.6	
						02N/06W-26L015	2760.0	10-04-66	16.2	2743.8	706
								11-01-66	16.3	2743.7	
								12-05-66	13.8	2746.2	
								1-04-67	14.0	2746.0	
								2-01-67	13.5	2746.5	
								3-02-67	15.3	2744.7	
								5-02-67	15.1	2744.9	
								6-01-67	15.2	2744.8	
								6-30-67	16.0	2744.0	
								8-01-67	16.8	2743.2	
								9-05-67	15.9	2744.1	
						LOWER LYTLE HYDRO SUBAREA			Y-01.D2		
						01N/05W-06G015	2242.5	10-03-66	74.4	2168.1	706
								11-01-66	78.9	2163.6	
								12-06-66	63.4	2179.1	
								1-03-67	53.0	2189.5	
								2-01-67	47.8	2194.7	
								3-01-67	58.4	2184.1	
								5-01-67	43.4	2199.1	
								6-01-67	44.4	2198.1	
								6-20-67	45.5	2197.0	
								8-01-67	64.8	2177.7	
								9-05-67	67.2	2175.3	
						01N/05W-06K025	2153.0	10-03-66	82.2	2070.8	706
								11-01-66	84.2	2068.8	
								12-06-66	82.2	2070.8	
								1-04-67	47.6	2105.4	
								2-01-67	40.6	2112.4	
								3-01-67	56.8	2096.2	
								5-01-67	36.0	2117.0	
								6-02-67	41.1	2111.9	
								6-30-67	42.9	2110.1	
								8-01-67	68.3	2084.7	
								9-05-67	75.2	2077.8	
						01N/05W-07H015	2065.5	10-03-66	107.3(1)	1958.2	706
								11-01-66	114.3(1)	1951.2	
								12-05-66	109.7	1955.8	
								1-03-67	70.4	1995.1	
								2-01-67	70.4	1995.1	
								3-01-67	70.4	1995.1	
								5-01-67	63.3	2002.2	
								6-01-67	65.6	1999.9	
								6-30-67	68.0	1997.5	
								8-01-67	91.2	1974.3	
								9-05-67	98.1(1)	1967.4	
						01N/05W-16K015	1720.0	10-03-66	314.6(1)	1405.4	706
								11-01-66	319.2(1)	1400.8	
								12-01-66	273.0	1447.0	
								1-03-67	268.4	1451.6	
								2-01-67	254.5	1465.5	
								3-01-67	240.6	1479.4	
								4-09-67	254.5	1465.5	
								5-01-67	215.2	1504.8	
								6-01-67	187.5	1532.5	
								6-30-67	225.6(1)	1494.4	
								8-01-67	219.9(1)	1500.1	
								9-01-67	243.0(1)	1477.0	
						01N/05W-22C025	1591.5	10-03-66	319.4(1)	1272.1	706
								11-01-66	333.3(1)	1258.2	
								12-05-66	324.0(1)	1267.5	
								1-03-67	307.9(1)	1283.6	
								2-01-67	305.5(1)	1286.0	
								3-01-67	261.6	1329.9	
								5-01-67	252.4	1339.1	
								6-01-67	250.1	1341.4	
								6-30-67	259.7(1)	1331.8	
								8-01-67	229.3(1)	1362.2	
								9-01-67	227.0(1)	1364.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
COLTON-RIALTO HYDRO SUBUNIT			Y-01.00			COLTON-RIALTO HYDRO SUBUNIT			Y-01.00		
LOWER LYTLE HYDRO SUBAREA			Y-01.02			COLTON-RIALTO HYDRO SUBAREA			Y-01.04		
01N/05W-22F015	1596.5	11-01-66	242.8(1)	1353.7	706	01S/04W-18G015	1093.5	10-03-66	226.0	867.5	201
		12-05-66	229.9(1)	1366.6				1-03-67	224.0	869.5	
		1-04-67	224.3	1372.2				2-01-67	223.0	870.5	
		2-06-67	201.2	1395.3				3-01-67	224.0	869.5	
		3-01-67	194.3	1402.2				4-01-67	223.0	870.5	
		4-03-67	203.6(1)	1392.9				5-02-67	221.0	872.5	
		5-02-67	178.1	1418.4				7-03-67	224.0	869.5	
		6-01-67	175.8	1420.7				8-01-67	224.0	869.5	
		6-30-67	205.8(1)	1390.7		01S/04W-18J025	1068.0	12-09-66	202.5	865.5	718
		8-01-67	175.8(1)	1420.7				5-08-67	198.5	869.5	
		9-01-67	180.5(1)	1416.0		01S/04W-20K015	981.0	12-08-66	136.6	844.4	400
01N/05W-22F025	1583.0	10-03-66	279.8	1303.2	706			12-09-66	132.7	848.3	718
		11-01-66	338.6(1)	1244.4				1-09-67	139.2	841.8	400
		12-05-66	331.6(1)	1251.4		01S/04W-21J055	968.0	10-08-66	39.9	928.1	713
		1-03-67	338.6(1)	1244.4				11-12-66	39.9	928.1	
		2-01-67	308.5(1)	1274.5				12-10-66	29.9	938.1	
		3-01-67	276.2	1306.8				1-07-67	23.3	944.7	
		5-01-67	248.5	1334.5				2-11-67	22.0	946.0	
		6-01-67	246.2	1336.8				3-18-67	22.7	945.3	
		6-30-67	266.9(1)	1316.1				4-15-67	23.3	944.7	
		8-01-67	236.9(1)	1346.1				5-13-67	23.2	944.8	
		9-01-67	232.3(1)	1350.7				6-10-67	27.7	940.3	
01N/05W-23P045	1457.0	10-00-66	278.0(1)	1179.0	124			7-08-67	30.6	937.4	
		11-01-66	282.0(1)	1175.0		01S/04W-21K085	955.0	8-05-67	34.3	933.7	
		12-01-66	194.0	1263.0				9-16-67	36.2	931.8	
		1-00-67	190.0	1267.0				1-09-67	28.6	926.4	400
		2-01-67	174.0	1283.0				4-28-67	26.1	928.9	
		3-01-67	164.0	1293.0				6-01-67	26.7	928.3	
		4-00-67	151.0	1306.0				7-26-67	32.4	922.6	
		5-00-67	150.0	1307.0		01S/04W-21K105	959.0	10-08-66	40.8	918.2	713
		6-00-67	193.0(1)	1264.0				11-12-66	43.8	915.2	
		7-00-67	194.0(1)	1263.0				12-10-66	38.2	920.8	
		8-00-67	198.0(1)	1259.0				1-07-67	32.3	926.7	
		9-00-67	192.0(1)	1265.0				2-11-67	29.0	930.0	
UPPER COLTON-RIALTO HYDRO SUBAREA			Y-01.03					3-18-67	28.0	931.0	
01N/05W-17K015	1854.1	10-03-66	58.4	1795.7	706			4-15-67	26.2	932.8	
		11-01-66	57.3	1796.8				5-13-67	24.8	934.2	
		12-06-66	56.0	1798.1		01S/04W-21L015	956.0	6-10-67	25.7	933.3	
		1-04-67	55.1	1799.0				7-08-67	28.3	930.7	
		2-06-67	43.6	1810.5				8-05-67	31.5	927.5	
		3-01-67	47.7	1806.4				9-16-67	34.2	924.8	
		4-04-67	45.0	1809.1		01S/04W-21N015	963.3	10-22-66	97.0	866.3	717
		5-01-67	44.9	1809.2				11-13-66	97.0	866.3	
		6-01-67	42.0	1812.1				12-17-66	93.0	870.3	
		6-30-67	42.6	1811.5				1-07-67	91.5	871.8	
		8-01-67	47.5	1806.6				2-04-67	88.5	874.8	
		9-05-67	49.4	1804.7				2-25-67	87.0	876.3	
01N/05W-18E025	1895.0	12-14-66	136.6	1758.4	100			4-15-67	88.0	875.3	
		3-23-67	113.0	1782.0				5-05-67	88.5	874.8	
01N/06W-13N015	1675.0	12-14-66	156.0	1519.0	100			6-10-67	90.5	872.8	
		3-23-67	151.9	1523.1				7-01-67	92.5	870.8	
COLTON-RIALTO HYDRO SUBAREA			Y-01.04					8-12-67	93.0	870.3	
01S/04W-07C015	1199.6	12-09-66	213.5	986.1	230	01S/04W-21P015	947.5	9-02-67	92.5	870.8	
		12-12-66	(1)		100			9-30-67	93.5	869.8	
		3-23-67	202.2	997.4				10-08-66	34.3	913.2	720
		4-26-67	202.0	997.6	230			11-00-66	33.4	914.1	
01S/04W-188015	1135.3	10-03-66	256.0	879.3	201			12-09-66	29.1	918.4	
		1-03-67	254.0	881.3				1-05-67	29.5	918.0	
		3-01-67	254.0	881.3				2-14-67	26.2	921.3	
		4-01-67	253.0	882.3				3-24-67	27.6	919.9	
		5-02-67	253.0	882.3				4-07-67	25.6	921.9	
		7-03-67	254.0	881.3				5-05-67	24.2	923.3	
		8-01-67	254.0	881.3				6-08-67	24.8	922.7	
01S/04W-18E015	1115.5	10-06-66	252.8	862.7	100			7-11-67	26.1	921.4	
		11-03-66	258.3	857.2		01S/04W-21Q015	945.5	8-03-67	27.9	919.6	
		12-02-66	243.9	871.6				9-05-67	31.9	915.6	
		12-15-66	260.9	854.6				10-08-66	29.4	916.1	720
		1-12-67	244.0	871.5				11-00-66	29.0	916.5	
		3-09-67	240.8	874.7				12-09-66	26.7	918.8	
		4-14-67	240.5	875.0				1-05-67	29.4	916.1	
		5-05-67	239.3	876.2				2-14-67	27.7	917.8	
		6-14-67	239.8	875.7				3-24-67	29.7	915.8	
		7-13-67	240.6	874.9				4-07-67	27.2	918.3	
		8-02-67	241.1	874.4				5-05-67	25.1	920.4	
		9-14-67	241.3	874.2				6-08-67	25.8	919.7	
01S/04W-18F015	1099.4	10-03-66	226.0	873.4	201			7-11-67	25.2	920.3	
		1-03-67	224.0	875.4		01S/04W-21R035	965.0	8-03-67	26.5	919.0	
		2-01-67	223.0	876.4				9-05-67	29.1	916.4	
		3-01-67	224.0	875.4				12-08-66	26.1	938.9	718
		4-01-67	223.0	876.4				5-01-67	19.7	945.3	
		5-02-67	222.0	877.4		01S/04W-21R045	965.0	12-08-66	26.7	938.3	718
		7-03-67	224.0	875.4				5-01-67	18.8	946.2	
		8-01-67	224.0	875.4		01S/04W-21R055	965.0	12-08-66	29.9	935.1	718

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
COLTON-RIALTO HYDRO SUBUNIT			Y-01.00			COLTON-RIALTO HYDRO SUBUNIT			Y-01.00		
COLTON-RIALTO HYDRO SUBAREA			Y-01.04			COLTON-RIALTO HYDRO SUBAREA			Y-01.04		
01S/04W-21R05S (CONT.)	965.0	5-01-67	20.3	944.7	718	01S/05W-02K01S (CONT.)	1287.0	11-01-66	322.0	965.0	124
01S/04W-21R06S	965.0	12-08-66	29.8	935.2	718			12-01-66	321.0	966.0	
		5-01-67	19.2	945.8				1-00-67	320.0	967.0	
01S/04W-21R07S	965.0	12-08-66	33.9	931.1	718			2-01-67	320.0	967.0	
		5-01-67	22.1	942.9				3-01-67	320.0	967.0	
01S/04W-22N01S	983.8	6-01-67	8.7	975.1	400			4-00-67	319.0	968.0	
		7-26-67	10.8	973.0				5-00-67	319.0	968.0	
01S/04W-22N04S	995.0	10-08-66	105.1	889.9	713			6-00-67	342.0(1)	945.0	
		11-12-66	106.8	888.2		01S/05W-03J01S	1300.0	7-00-67	343.0(1)	944.0	
		12-10-66	105.9	889.1				8-00-67	344.0(1)	943.0	
		1-07-67	104.2	890.8				9-00-67	346.0(1)	941.0	
		2-11-67	101.0	894.0		01S/05W-04D02S	1392.0	12-12-66	(6)		100
		3-18-67	99.2	895.8				1-04-67	373.0(5)	1019.0	706
		4-15-67	100.3	894.7				2-01-67	373.0(5)	1019.0	
		5-13-67	97.7	897.3				3-01-67	371.0(5)	1021.0	
		6-10-67	98.7	896.3				4-01-67	379.0(5)	1013.0	
		7-08-67	100.6	894.4				5-02-67	381.0(5)	1011.0	
		8-05-67	102.1	892.9				6-01-67	366.0(5)	1026.0	
		9-16-67	104.2	890.8				7-03-67	385.0(5)	1007.0	
01S/04W-27L01S	993.0	12-08-66	89.8	903.2	718			8-01-67	396.0(5)	996.0	
		5-01-67	83.1	909.9				9-01-67	398.0(5)	994.0	
01S/04W-27N01S	1015.0	12-08-66	114.8	900.2	718	01S/05W-05A02S	1407.0	10-04-66	359.7	1047.3	706
		5-18-67	110.9	904.1				11-01-66	359.7	1047.3	
01S/04W-28A05S	960.0	12-07-66	62.3	897.7	718			12-05-66	357.5	1049.5	
		5-01-67	49.8	910.2				1-04-67	355.1	1051.9	
01S/04W-28E01S	936.0	10-08-66	37.7	898.3	713			2-01-67	348.1	1058.9	
		11-12-66	36.6	899.4				3-01-67	343.5	1063.5	
		12-10-66	22.8	913.2	718			4-01-67	341.3	1065.7	
		12-10-66	22.1	913.9	713			5-01-67	352.9	1054.1	
		1-07-67	32.8	903.2				6-01-67	343.6	1063.4	
		1-13-67	33.7	902.3	718			7-03-67	338.9	1068.1	
		2-11-67	31.2	904.8	713			8-01-67	359.8	1047.2	
		3-18-67	29.5	906.5		01S/05W-05A03S	1406.0	9-01-67	359.8	1047.2	
		4-15-67	26.3	909.7				10-09-66	381.0(1)	1025.0	706
		5-02-67	24.3	911.7	718			11-01-66	364.9	1041.1	
		5-13-67	26.8	909.2				12-05-66	355.7	1050.3	
		5-13-67	26.1	909.9	713			1-04-67	351.0	1055.0	
		6-10-67	29.9	906.1				2-01-67	346.3	1059.7	
		7-08-67	31.7	904.3				3-01-67	339.0	1067.0	
		8-05-67	35.0	901.0				4-01-67	337.2	1068.8	
		9-16-67	33.2	902.8				5-01-67	376.4	1029.6	
01S/04W-28G01S	954.0	11-12-66	61.0	893.0	713			6-01-67	371.0	1035.0	
		12-07-66	59.0	895.0	718			7-03-67	341.7	1064.3	
		12-10-66	59.0	895.0	713	01S/05W-12L01S	1180.0	8-01-67	353.3(1)	1052.7	
		1-07-67	60.3	893.7				9-01-67	390.3(1)	1015.7	
		3-18-67	52.0	902.0				10-00-66	284.8(1)	895.2	124
		5-01-67	49.4	904.6	718			11-01-66	263.8	916.2	
		5-13-67	49.8	904.2	713			12-01-66	284.8(1)	895.2	
		7-08-67	(1)					1-00-67	261.8	918.2	
		9-16-67	(1)					2-01-67	284.8(1)	895.2	
01S/04W-28K01S	944.5	10-10-66	60.4	884.1	783			3-01-67	264.8	915.2	
		12-06-66	59.8	884.7				4-00-67	282.8(1)	897.2	
		12-07-66	60.6(2)	883.9	718			5-00-67	263.8	916.2	
		1-10-67	52.6	891.9	783			6-00-67	284.8(1)	895.2	
		2-07-67	53.4	891.1		01S/05W-12N01S	1173.0	7-00-67	264.8	915.2	
		3-08-67	52.7	891.8				8-00-67	290.8(1)	889.2	
		4-11-67	51.6	892.9				9-00-67	256.8	923.2	
		5-01-67	51.5	893.0	718			10-00-66	266.3(1)	906.7	124
		5-08-67	50.5	894.0	783			11-01-66	252.3	920.7	
		6-06-67	50.8	893.7				12-01-66	251.3	921.7	
		7-11-67	53.0	891.5				1-00-67	250.3	922.7	
		8-07-67	54.2	890.3				2-01-67	250.3	922.7	
01S/04W-28K02S	952.4	11-12-66	(1)		713			3-01-67	250.3	922.7	
		12-07-66	63.7(2)	888.7	718			4-00-67	249.3	923.7	
		12-10-66	56.4	896.0	713			5-00-67	247.3	925.7	
		12-10-66	62.7	889.7	718			6-00-67	265.3(1)	907.7	
		12-27-66	61.3	891.1	400			7-00-67	269.3(1)	903.7	
		1-07-67	60.0	892.4	713	01N/05W-28J01S	1514.2	8-00-67	271.3(1)	901.7	
		1-17-67	58.9	893.5	400			9-00-67	271.3(1)	901.7	
		2-23-67	57.0	895.4				10-00-66	444.0	1070.2	124
		3-18-67	(2)		713			11-01-66	444.0	1070.2	
		3-28-67	56.7	895.7	400			12-01-66	444.0	1070.2	
		5-01-67	56.4	896.0	718			1-00-67	444.0	1070.2	
		5-13-67	49.6	902.8	713			2-01-67	444.0	1068.2	
		5-13-67	55.7	896.7	718			3-01-67	444.0	1070.2	
		5-14-67	56.7	895.7	400			4-00-67	444.0	1070.2	
		6-28-67	54.7	897.7				5-00-67	444.0	1070.2	
		7-08-67	52.1	900.3	713			6-00-67	444.0	1070.2	
		8-03-67	56.7	895.7	400			7-00-67	444.0	1070.2	
		9-08-67	57.7	894.7		01N/05W-29A01S	1627.0	8-00-67	444.0	1070.2	
		9-16-67	58.6	893.8	713			9-00-67	445.0	1069.2	
		9-29-67	59.4	893.0	400			10-06-66	483.4	1143.6	100
01S/05W-02C01S	1343.5	5-00-67	369.0	974.5	124			11-03-66	482.0	1145.0	
01S/05W-02K01S	1287.0	10-00-66	342.0(1)	945.0	124			12-02-66	481.7	1145.3	
								1-12-67	484.3	1142.7	
								3-09-67	487.2	1139.8	
								4-14-67	487.9	1139.1	
								5-09-67	488.9	1138.1	
								6-14-67	489.6	1137.4	
								7-13-67	486.0	1141.0	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
COLTON-RIALTO HYDRO SUBUNIT			Y-01.00			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
COLTON-RIALTO HYDRO SUBAREA			Y-01.04			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01N/05W-29A01S (CONT.)	1627.0	8-02-67 9-13-67	484.2 484.6	1142.8 1142.4	100	01S/03W-01H01S	1541.3	12-20-66 5-01-67 6-02-67 7-10-67 8-21-67	329.4 260.6 245.0 236.1 234.5	1211.9 1280.7 1296.3 1305.2 1306.8	400
RECHE HYDRO SUBAREA			Y-01.05			01S/03W-02J01S	1397.0	12-08-66 1-09-67 4-21-67 6-05-67 7-28-67	(1) (1) 205.6 184.9 192.6	1191.4 1212.1 1204.4	400
02S/03W-18D02S	1660.0	11-18-66 11-18-66 3-30-67	48.2 48.2 (7)	1611.8 1611.8	103	01S/03W-02P02S	1345.3	12-08-66 1-09-67 5-01-67 6-05-67 7-28-67	260.2 258.5 233.0 226.3 225.0	1085.1 1086.8 1112.3 1119.0 1120.3	400
02S/03W-18K01S	1900.0	11-18-66 11-18-66 3-30-67 5-16-67	79.1 79.1 76.0 77.7	1820.9 1820.9 1824.0 1822.3	103	01S/03W-03D03S	1284.0	10-24-66 11-29-66 12-13-66 1-31-67 2-28-67 3-31-67 5-05-67 5-29-67 6-30-67 7-31-67 8-25-67 9-29-67	283.9 285.3 284.9 284.0 283.6 283.9 279.0 278.6 282.9 280.0 279.6 279.9	1000.1 998.7 999.1 1000.0 1000.4 1000.1 1005.0 1005.4 1001.1 1004.0 1004.4 1004.1	104
02S/03W-20D01S	2000.0	11-18-66 11-18-66 3-30-67	50.8 50.8 45.9	1949.2 1949.2 1954.1	103	01S/03W-03F01S	1271.9	12-08-66 1-09-67 5-01-67 6-02-67 7-27-67	255.1 254.1 248.8 246.0 221.1	1016.8 1017.8 1023.1 1025.9 1050.8	400
02S/04W-12P02S	1502.0	11-18-66 3-30-67	(1) 64.9	1437.1	103	01S/03W-03N07S	1241.0	10-24-66 11-29-66 12-13-66 1-31-67 2-24-67 3-31-67 5-05-67 5-29-67 6-30-67 7-31-67 8-25-67 9-29-67	260.0 257.3 257.0 255.5 254.9 255.0 250.1 250.0 255.1 249.2 248.5 248.8	981.0 983.7 984.0 985.5 986.1 986.0 990.9 991.0 985.9 991.8 992.5 992.2	104
						01S/03W-03R01S	1302.0	4-21-67	262.3	1039.7	400
						01S/03W-04B02S	1296.0	10-24-66 11-29-66 12-13-66 1-25-67 2-28-67 3-31-67 5-05-67 5-29-67 6-30-67 7-31-67 8-25-67 9-27-67	301.6(1) 288.7 296.4(1) 286.7 286.0 286.3 282.0 281.6 285.9 280.5 280.0 281.0	994.4 1007.3 999.6 1009.3 1010.0 1009.7 1014.0 1014.4 1010.1 1015.5 1016.0 1015.0	104
						01S/03W-04J01S	1242.0	12-08-66 1-09-67 4-21-67 5-01-67 6-02-67 7-27-67	244.2 244.9 175.9 231.9 213.1 200.5	997.8 997.1 1066.1 1010.1 1028.9 1041.5	400
						01S/03W-04N01S	1194.0	10-24-66 11-29-66 12-22-66 1-05-67 2-16-67 3-02-67 5-05-67 5-29-67 6-30-67 7-31-67 8-25-67 9-29-67	210.4 210.1 196.4 196.4 195.0 192.8 189.1 189.1 194.0 189.2 189.0 189.5	983.6 983.9 997.6 997.6 999.0 1001.2 1004.9 1004.9 1000.0 1004.8 1005.0 1004.5	104
						01S/03W-06H03S	1148.6	10-24-66 11-29-66 12-12-66 1-24-67 2-24-67 3-28-67 4-24-67 5-29-67 6-30-67 7-31-67 8-25-67 9-26-67	201.2(2) 198.7(2) 198.5(2) 195.5(2) 193.9(2) 194.0(2) 194.1(2) 190.1(2) 195.0(2) 199.1(2) 198.0(2) 197.3(2)	947.4 949.9 950.1 953.1 954.7 954.6 954.5 958.5 953.6 949.5 950.6 951.3	104

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0	Y-01.E2		UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0	Y-01.E2	
01S/03W-06H04S	1148.6	10-24-66	209.4 (1)	939.2	104	01S/03W-17C03S	1175.9	11-14-66	203.0	972.9	847
		11-29-66	206.3 (1)	942.3		(CONT.)		11-21-66	202.6	973.3	
		12-13-66	206.2 (1)	942.4				11-28-66	203.6	972.3	
		1-24-67	205.6 (1)	943.0				12-05-66	203.1	972.8	
		2-24-67	204.0 (1)	944.6				12-12-66	203.5	972.4	
		3-28-67	204.5 (1)	944.1				12-13-66	203.5	972.4	
		4-24-67	204.1 (1)	944.5				12-19-66	203.5	972.4	
		5-29-67	196.0 (1)	952.6				12-26-66	202.0	973.9	
		6-30-67	204.1 (1)	944.5				1-02-67	200.4	975.5	
		7-31-67	206.5 (1)	942.1				1-09-67	199.1	976.8	
		8-25-67	204.3 (1)	944.3				1-16-67	198.5	977.4	
		9-26-67	204.1 (1)	944.5				1-23-67	197.8	978.1	
								1-30-67	196.3	979.6	
01S/03W-06K01S	1132.0	10-24-66	181.2	950.8	104			2-06-67	196.5	979.4	
		11-29-66	178.4	953.6				2-13-67	195.0	980.9	
		12-13-66	178.2	953.8				2-20-67	194.5	981.4	
		1-25-67	176.6	955.4				2-27-67	194.4	981.5	
		2-28-67	176.5	955.5				3-06-67	194.3	981.6	
		3-28-67	176.5	955.5				3-13-67	193.5	982.4	
		4-26-67	174.0	958.0				3-20-67	194.2	981.7	
		5-29-67	174.0	958.0				3-27-67	194.8	981.1	
		6-30-67	177.3	954.7				4-03-67	194.6	981.3	
		7-31-67	178.0	954.0				4-10-67	195.6	980.3	
		8-25-67	175.2	956.8				4-17-67	194.3	981.6	
		9-26-67	176.0	956.0				4-24-67	194.9	981.0	
01S/03W-09D01S	1197.0	10-24-66	236.5 (1)	960.5	104			5-01-67	195.2	980.7	
		11-29-66	236.0 (1)	961.0				5-06-67	194.1	981.8	
		12-13-66	236.2 (1)	960.8				5-08-67	194.0	981.9	
		1-31-67	236.0 (1)	961.0				5-15-67	193.6	982.3	
		2-24-67	234.9 (1)	962.1				5-22-67	193.7	982.2	
		3-31-67	235.0 (1)	962.0				5-29-67	192.6	983.3	
		5-05-67	232.0 (1)	965.0				6-05-67	191.6	984.3	
		5-29-67	231.7 (1)	965.3				6-12-67	189.2	986.7	
		6-30-67	235.9 (1)	961.1				6-19-67	185.3	990.6	
		7-31-67	231.3 (1)	965.7				6-26-67	183.9	992.0	
		8-25-67	230.0 (1)	967.0				7-03-67	177.5	998.4	
		9-29-67	230.0	967.0				7-10-67	175.6	1000.3	
01S/03W-09E02S	1190.0	12-08-66	(1)		400			7-17-67	175.5	1000.4	
		1-09-67	(1)					7-24-67	180.1	995.8	
		5-01-67	217.9	972.1				7-31-67	175.8	1000.1	
		6-02-67	207.3	982.7				8-07-67	176.9	999.0	
		7-27-67	199.4	990.6				8-14-67	179.2	996.7	
01S/03W-10D01S	1255.0	10-24-66	300.2 (1)	954.8	104			8-21-67	179.6	996.3	
		11-29-66	257.8	997.2				8-28-67	181.8	994.1	
		12-08-66	(1)		400			9-04-67	182.9	993.0	
		12-09-66	300.2 (1)	954.8	104	01S/03W-17H03S	1205.2	9-11-67	183.9	992.0	
		1-09-67	257.2	997.8	400			9-18-67	184.9	991.0	
		1-31-67	256.6	998.4	104			12-12-66	236.0	969.2	400
		2-24-67	253.9	1001.1				1-10-67	235.4	969.8	
		3-31-67	250.7	1004.3				5-01-67	217.2	988.0	
		5-01-67	248.3 (1)	1006.7	400			6-02-67	215.7	989.5	
		5-05-67	247.1	1007.9	104			7-27-67	210.5	994.7	
		5-29-67	251.8 (1)	1003.2		01S/03W-17L01S	1188.8	12-12-66	(1)		400
		6-05-67	241.0	1014.0	400			1-10-67	224.1	964.7	
		6-30-67	255.0 (1)	1000.0	104			5-01-67	211.0	977.8	
		7-27-67	245.6 (1)	1009.4	400			6-01-67	222.3 (1)	966.5	
		7-31-67	249.0 (1)	1006.0	104			7-26-67	222.1 (1)	966.7	
		8-25-67	253.0 (1)	1002.0		01S/03W-17R01S	1216.0	6-02-67	193.2 (1)	1022.8	400
		9-29-67	253.2 (1)	1001.8				7-27-67	207.3 (1)	1008.7	
01S/03W-14R01S	1480.0	1-23-67	345.3	1134.7	400	01S/03W-18L01S	1126.0	6-01-67	190.2 (1)	935.8	400
		1-23-67	367.1 (1)	1112.9				7-26-67	189.6 (1)	936.4	
		4-26-67	452.9 (1)	1027.1		01S/03W-20F01S	1192.0	12-12-66	(1)		400
		6-05-67	453.9 (1)	1026.1				4-28-67	162.6	1029.4	
		7-28-67	455.9 (1)	1024.1				6-01-67	162.5	1029.5	
01S/03W-15A01S	1315.0	5-02-67	188.6	1126.4	400			7-26-67	169.7	1022.3	
01S/03W-15F01S	1280.0	12-12-66	216.9	1063.1	400	01S/03W-20P01S	1195.0	12-12-66	(7)		400
		1-10-67	214.8	1065.2				4-28-67	214.6	980.4	
		4-21-67	192.7	1087.3				6-01-67	228.3	966.7	
		5-02-67	182.3	1097.7				7-26-67	237.2	957.8	
		6-05-67	175.0	1105.0		01S/03W-21E02S	1240.0	12-12-66	222.3	1017.7	400
		7-27-67	180.3	1099.7				1-10-67	210.0	1030.0	
01S/03W-15M03S	1334.6	1-19-67	278.8 (1)	1055.8	400			6-02-67	204.4 (1)	1035.6	
		1-20-67	252.6	1082.0				7-27-67	205.8	1034.2	
		5-02-67	250.6	1084.0		01S/03W-21M01S	1317.8	11-25-66	274.7	1043.1	203
		6-05-67	267.5 (1)	1067.1				12-12-66	272.7	1045.1	
		7-27-67	269.9 (1)	1064.7				12-12-66	(7)		400
01S/03W-16F01S	1257.0	6-02-67	224.8	1032.2	400			1-10-67	(7)		
		7-27-67	219.8	1037.2				1-30-67	261.7	1056.1	203
01S/03W-16J01S	1302.9	12-12-66	(1)		400			2-27-67	256.7	1061.1	
		1-10-67	244.0	1058.9				3-28-67	253.7	1064.1	
		5-02-67	252.5 (1)	1050.4				4-24-67	250.7	1067.1	
		6-05-67	246.1 (1)	1056.8				5-02-67	254.0	1063.8	400
		7-27-67	247.4 (1)	1055.5				5-29-67	245.7	1072.1	203
01S/03W-17C03S	1175.9	10-17-66	202.5	973.4	847			6-02-67	251.2	1066.6	400
		10-24-66	202.8	973.1				6-29-67	265.7 (1)	1052.1	203
		10-31-66	203.2	972.7				7-27-67	258.3	1059.5	400
		11-07-66	202.9	973.0				7-28-67	269.7 (1)	1048.1	203
								8-29-67	263.7	1054.1	
								9-28-67	269.7	1048.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0	Y-01.E2		UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0	Y-01.E2	
01S/03W-21H06S	1320.0	11-25-66	275.0	1045.0	203	01S/03W-31A06S	1227.0	12-13-66	247.3	979.7	400
		12-12-66	273.0	1047.0				1-11-67	(1)		
		1-30-67	262.0	1058.0							
		2-27-67	257.0	1063.0		01S/03W-32D01S	1206.2	12-13-66	225.8	980.4	400
		3-28-67	254.0	1066.0				1-11-67	224.7	981.5	
		4-24-67	251.0	1069.0				4-28-67	211.9	994.3	
		5-29-67	246.0	1074.0				6-01-67	213.1	993.1	
		6-30-67	248.0	1072.0		01S/03W-32G03S	1240.2	12-13-66	(1)		400
		7-28-67	252.0	1068.0				4-28-67	171.3	1068.9	
		8-29-67	266.0(1)	1054.0				6-01-67	248.6(1)	991.6	
		9-28-67	266.0(1)	1054.0		01S/04W-01A06S	1096.2	10-05-66	119.7	976.5	720
01S/03W-21H07S	1319.0	10-28-66	304.0(1)	1015.0	203			11-03-66	119.8	976.4	
		11-25-66	275.0	1044.0				12-02-66	120.1	976.1	
		12-12-66	273.0	1046.0				12-11-66	118.8	977.4	
		1-30-67	260.0	1059.0				1-06-67	120.5	975.7	
		2-27-67	257.0	1062.0				2-10-67	121.5	974.7	
		3-28-67	254.0	1065.0				3-15-67	126.3	969.9	
		4-24-67	251.0	1068.0				4-06-67	132.2	964.0	
		5-29-67	246.0	1073.0				4-27-67	127.9	968.3	
		6-29-67	248.0	1071.0				6-08-67	129.7	966.5	
		7-28-67	270.0(1)	1049.0				7-09-67	127.1	969.1	
		8-29-67	263.0(1)	1056.0				8-04-67	123.5	972.7	
		9-28-67	264.0(1)	1055.0				9-07-67	134.7	961.5	
01S/03W-22A02S	1390.0	10-28-66	315.0	1075.0	203	01S/04W-01B04S	1096.8	10-25-66	151.8	945.0	104
		11-25-66	314.0	1076.0				11-30-66	152.0	944.8	
		12-12-66	324.0(1)	1066.0				12-09-66	152.0	944.8	
		1-30-67	300.0	1090.0				1-25-67	150.2	946.6	
		2-27-67	307.0	1083.0				2-24-67	149.5	947.3	
		3-28-67	271.0	1119.0				3-28-67	150.0	946.8	
		4-24-67	283.0	1107.0				4-24-67	150.0	946.8	
		5-29-67	280.0	1110.0				5-29-67	148.5	948.3	
		6-30-67	284.0(1)	1106.0				6-30-67	152.1	944.7	
		7-28-67	286.0(1)	1104.0				7-31-67	155.3	941.5	
		8-29-67	285.0(1)	1105.0				8-25-67	152.9	943.9	
		9-26-67	285.0(1)	1105.0				9-26-67	153.8	943.0	
01S/03W-23A03S	1475.0	4-21-67	317.9	1157.1	400	01S/04W-01E01S	1068.0	10-14-66	129.0	939.0	204
		4-26-67	314.4	1160.6				11-18-66	127.0	941.0	
		6-05-67	309.3	1165.7				12-30-66	120.0	948.0	
		7-28-67	306.2	1168.8				1-06-67	116.0	952.0	
01S/03W-28E02S	1249.0	12-13-66	(1)		400			1-27-67	114.0	954.0	
		1-11-67	217.0	1032.0				4-07-67	116.0	952.0	
		5-02-67	200.9	1048.1		01S/04W-01E02S	1070.0	10-25-66	0173.1(1)	0896.9	104
		6-02-67	216.6(1)	1032.4				11-29-66	0177.5(1)	0892.5	
		7-26-67	217.8(1)	1031.2				12-13-66	0177.2(1)	0892.8	
01S/03W-28E03S	1250.8	12-13-66	148.1	1102.7	400			1-24-67	0176.5(1)	0893.5	
		1-11-67	147.1	1103.7				2-24-67	0175.9(1)	0894.1	
		6-02-67	148.8	1102.0				3-28-67	0176.0(1)	0894.0	
		7-26-67	148.8	1102.0				4-24-67	0175.0(1)	0895.0	
01S/03W-28H01S	1308.0	10-31-66	292.0(1)	1016.0	203			5-29-67	0174.5(1)	0895.5	
		11-25-66	250.0	1058.0				6-30-67	0178.1(1)	0891.9	
		12-13-66	248.0	1060.0				7-31-67	0182.0(1)	0888.0	
		1-30-67	248.0	1060.0				8-25-67	0179.9(1)	0890.1	
		2-27-67	240.0	1068.0				9-28-67	0179.7(1)	0890.3	
		3-28-67	275.0(1)	1033.0		01S/04W-01H07S	1100.0	10-25-66	158.5	941.5	104
		4-24-67	240.0	1068.0				11-29-66	154.3	945.7	
		5-31-67	280.0(1)	1028.0				12-13-66	154.0	946.0	
		6-30-67	240.0	1068.0				1-24-67	152.3	947.7	
		7-31-67	274.0(1)	1034.0				2-29-67	152.0	948.0	
		8-29-67	273.0(1)	1035.0				3-28-67	152.1	947.9	
		9-28-67	268.0(1)	1040.0				4-24-67	150.5	949.5	
01S/03W-28K01S	1290.0	10-31-66	249.0	1041.0	203			5-29-67	150.2	949.8	
		11-25-66	238.0	1052.0				6-30-67	154.0	946.0	
		12-12-66	235.0	1055.0				7-31-67	156.3	943.7	
		1-30-67	233.0	1057.0				8-25-67	155.0	945.0	
		2-27-67	229.0	1061.0				9-27-67	155.5	944.5	
		3-28-67	260.0(1)	1030.0		01S/04W-01K04S	1092.0	10-25-66	145.9	946.1	104
		4-24-67	227.0	1063.0				11-29-66	142.1	949.9	
		5-27-67	246.0(1)	1044.0				12-12-66	141.7	950.3	
		6-30-67	255.0(1)	1035.0				1-24-67	140.1	951.9	
		7-31-67	259.0(1)	1031.0				2-24-67	139.6	952.4	
		8-28-67	256.0(1)	1034.0				3-28-67	139.8	952.2	
		9-26-67	240.0	1050.0				4-24-67	138.9	953.1	
01S/03W-29G01S	1197.4	12-13-66	101.0	1096.4	400			5-29-67	138.8	953.2	
		1-11-67	100.6	1096.8				6-30-67	143.3	948.7	
		4-28-67	99.2	1098.2				7-31-67	146.8	945.2	
		6-01-67	99.2	1098.2				8-25-67	143.3	948.7	
		7-26-67	99.4	1098.0				9-26-67	143.5	948.5	
01S/03W-29L01S	1183.4	12-13-66	DRY		400	01S/04W-01Q01S	1091.0	10-20-66	154.8	936.2	051
		1-11-67	DRY					11-18-66	153.8	937.2	
		4-28-67	52.0	1131.4				12-12-66	149.7	941.3	
		6-01-67	51.8	1131.6				5-19-67	150.1	940.9	
		7-26-67	52.3	1131.1		01S/04W-02A03S	1072.0	12-30-66	146.0	926.0	204
01S/03W-30004S	1136.0	12-13-66	120.3(2)	1015.7	400			1-27-67	132.0	940.0	
		1-11-67	118.2	1017.8				3-10-67	143.0	929.0	
		4-28-67	118.8(2)	1017.2				4-07-67	142.0	930.0	
		6-01-67	118.8	1017.2				4-21-67	137.0	935.0	
		7-26-67	118.9	1017.1		01S/04W-02A05S	1087.0	10-25-66	139.8(1)	947.2	104
								11-30-66	140.2(1)	946.8	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01S/04W-02A05S (CONT.)	1087.0	12-12-66 1-25-67 2-28-67 3-31-67 4-24-67 5-29-67 6-30-67 7-31-67 8-25-67 9-27-67	140.0(1) 138.3(1) 138.0(1) 137.8(1) 133.9(1) 133.5(1) 138.3(1) 135.0(1) 133.5(1) 133.7(1)	947.0 948.7 949.0 949.2 953.1 953.5 948.7 952.0 953.5 953.3	104	01S/04W-02P03S (CONT.)	1040.5	11-04-66 12-02-66 1-06-67 2-03-67 3-03-67 4-07-67 5-05-67 6-02-67 7-07-67 8-04-67 9-08-67	139.0 131.0 104.0 98.0 124.0 116.0 112.0 121.0 135.0 140.0 139.0	901.5 909.5 936.5 942.5 916.5 924.5 928.5 919.5 905.5 900.5 901.5	204
01S/04W-02K01S	1056.3	10-20-66 12-08-66 2-15-67	162.3 141.1 132.6	894.0 915.2 923.7	230	01S/04W-02P05S	1045.4	1-06-67 1-27-67 2-03-67 3-10-67 4-14-67	106.0 103.0 101.0 122.0 109.0	939.4 942.4 944.4 923.4 936.4	204
01S/04W-02L02S	1050.0	10-07-66 11-04-66 12-02-66 1-06-67 2-03-67 3-03-67 4-07-67 5-05-67 6-02-67 7-07-67 8-04-67 9-08-67	143.6 144.0 137.0 110.0 105.0 129.0 121.0 118.0 128.0 140.0 143.0 143.0	906.4 906.0 913.0 940.0 945.0 921.0 929.0 932.0 922.0 910.0 907.0 907.0	204	01S/04W-02P06S	1047.0	1-06-67 1-27-67 2-03-67 4-14-67	107.6 103.6 101.6 108.6	939.4 943.4 945.4 938.4	204
01S/04W-02L07S	1048.0	1-06-67 1-27-67 2-03-67 4-14-67	0102.0 0112.0 0109.0 0116.0	0946.0 0936.0 0939.0 0932.0	204	01S/04W-02Q03S	1052.0	1-06-67 1-27-67 2-03-67 4-14-67	112.1 109.1 107.1 114.1	939.9 942.9 944.9 937.9	204
01S/04W-02N01S	1037.0	10-25-66 11-29-66 12-13-66 1-24-67 2-24-67 3-28-67 4-24-67 5-31-67 6-29-67 7-31-67 8-25-67 9-26-67	97.0 91.8 92.2 89.4 88.6 89.0 88.8 88.1 90.3 90.1 88.1 88.7	940.0 945.2 944.8 947.6 948.4 948.0 948.2 948.9 946.7 946.9 948.9 948.3	104	01S/04W-02Q04S	1057.5	10-25-66 11-29-66 12-13-66 1-24-67 2-24-67 3-28-67 4-24-67 5-29-67 6-30-67 7-31-67 8-25-67 9-26-67	168.5(2) 162.6(2) 168.5(2) 160.7(2) 160.0(2) 160.2(2) 159.3(2) 158.8(2) 162.5(2) 168.0(2) 165.5(2) 165.9(2)	889.0 894.9 889.0 896.8 897.5 897.3 898.2 898.7 895.0 889.5 892.0 891.6	104
01S/04W-02N02S	1040.1	10-07-66 10-25-66 11-04-66 11-29-66 12-02-66 12-13-66 1-06-67 1-26-67 2-03-67 2-24-67 3-03-67 3-29-67 4-07-67 4-24-67 5-05-67 5-29-67 6-02-67 6-30-67 7-07-67 7-31-67 8-04-67 8-25-67 9-08-67 9-28-67	135.0 136.8 138.0 133.0 130.0 135.8 102.0 131.5 95.0 131.2 122.0 131.3 113.0 129.2 110.0 129.2 119.0 133.1 133.0 139.0 137.0 137.3 135.0 137.7	905.1 903.3 902.1 907.1 910.1 904.3 938.1 908.6 945.1 908.9 918.1 908.8 927.1 910.9 930.1 910.9 921.1 907.0 907.1 901.1 903.1 902.8 905.1 902.4	204 104 204 104 204 104 204 104 204 104 204 104 204 104 204 104 204 104 104 104 104 104 204	01S/04W-02Q05S	1055.5	10-25-66 11-29-66 12-13-66 1-24-67 2-24-67 3-28-67 4-24-67 5-29-67 6-30-67 7-31-67 8-25-67 9-26-67	162.1 164.4 164.5 162.4 161.6 162.0 161.0 160.5 164.1 169.5 166.6 166.0	893.4 891.1 891.0 893.1 893.9 893.5 894.5 895.0 891.4 886.0 888.9 889.5	104
01S/04W-02N02S	1040.1	10-07-66 10-25-66 11-04-66 11-29-66 12-02-66 12-13-66 1-06-67 1-26-67 2-03-67 2-24-67 3-03-67 3-29-67 4-07-67 4-24-67 5-05-67 5-29-67 6-02-67 6-30-67 7-07-67 7-31-67 8-04-67 8-25-67 9-08-67 9-28-67	135.0 136.8 138.0 133.0 130.0 135.8 102.0 131.5 95.0 131.2 122.0 131.3 113.0 129.2 110.0 129.2 119.0 133.1 133.0 139.0 137.0 137.3 135.0 137.7	905.1 903.3 902.1 907.1 910.1 904.3 938.1 908.6 945.1 908.9 918.1 908.8 927.1 910.9 930.1 910.9 921.1 907.0 907.1 901.1 903.1 902.8 905.1 902.4	204 104 204 104 204 104 204 104 204 104 204 104 204 104 204 104 204 104 104 104 104 104 204	01S/04W-02Q06S	1057.0	11-18-66 1-06-67 1-27-67 2-03-67	142.9 115.9 108.9 111.9	914.1 941.1 948.1 945.1	204
01S/04W-02N02S	1040.1	10-07-66 10-25-66 11-04-66 11-29-66 12-02-66 12-13-66 1-06-67 1-26-67 2-03-67 2-24-67 3-03-67 3-29-67 4-07-67 4-24-67 5-05-67 5-29-67 6-02-67 6-30-67 7-07-67 7-31-67 8-04-67 8-25-67 9-08-67 9-28-67	135.0 136.8 138.0 133.0 130.0 135.8 102.0 131.5 95.0 131.2 122.0 131.3 113.0 129.2 110.0 129.2 119.0 133.1 133.0 139.0 137.0 137.3 135.0 137.7	905.1 903.3 902.1 907.1 910.1 904.3 938.1 908.6 945.1 908.9 918.1 908.8 927.1 910.9 930.1 910.9 921.1 907.0 907.1 901.1 903.1 902.8 905.1 902.4	204 104 204 104 204 104 204 104 204 104 204 104 204 104 204 104 204 104 104 104 104 104 204	01S/04W-02Q08S	1055.0	10-25-66 11-29-66 12-13-66 1-24-67 2-24-67 3-28-67 4-24-67 5-29-67 6-30-67 7-31-67 8-25-67 9-26-67	160.6(1) 164.3(1) 162.6(1) 163.3(1) 162.5(1) 162.7(1) 161.8(1) 161.5(1) 166.4(1) 169.5(1) 167.7(1) 168.0(1)	894.4 890.7 892.4 891.7 892.5 892.3 893.2 893.5 888.6 885.5 887.3 887.0	104
01S/04W-02N13S	1040.0	10-25-66 11-29-66 12-13-66 1-26-67 2-24-67 3-29-67 4-24-67 5-29-67 6-30-67 7-31-67 8-25-67 9-28-67	142.5 135.1 140.1 134.0 133.8 134.0 133.1 133.0 137.4 140.0 137.8 138.0	897.5 904.9 899.9 906.0 906.2 906.0 906.9 907.0 902.6 900.0 902.2 902.0	104	01S/04W-03D01S	1096.4	12-13-66	134.1	962.3	230
01S/04W-02N13S	1040.0	10-25-66 11-29-66 12-13-66 1-26-67 2-24-67 3-29-67 4-24-67 5-29-67 6-30-67 7-31-67 8-25-67 9-28-67	142.5 135.1 140.1 134.0 133.8 134.0 133.1 133.0 137.4 140.0 137.8 138.0	897.5 904.9 899.9 906.0 906.2 906.0 906.9 907.0 902.6 900.0 902.2 902.0	104	01S/04W-05C03S	1176.0	12-12-66 4-26-67	216.8 215.2	959.2 960.8	230
01S/04W-02N13S	1040.0	10-25-66 11-29-66 12-13-66 1-26-67 2-24-67 3-29-67 4-24-67 5-29-67 6-30-67 7-31-67 8-25-67 9-28-67	142.5 135.1 140.1 134.0 133.8 134.0 133.1 133.0 137.4 140.0 137.8 138.0	897.5 904.9 899.9 906.0 906.2 906.0 906.9 907.0 902.6 900.0 902.2 902.0	104	01S/04W-05E05S	1160.0	1-00-67 2-01-67 3-01-67 4-00-67 5-00-67 6-00-67 10-00-66 11-01-66 12-01-66 7-00-67 8-00-67 9-00-67	242.0(1) 236.0(1) 186.0 227.0(1) 226.0(1) 232.0(1) 240.0(1) 239.0(1) 238.0(1) 238.0(1) 242.0(1) 247.0(1)	918.0 924.0 974.0 933.0 934.0 928.0 920.0 921.0 922.0 922.0 918.0 913.0	124
01S/04W-02P02S	1037.6	10-07-66 11-04-66 12-02-66 1-06-67 2-03-67 3-03-67 4-07-67 5-05-67 6-02-67 7-07-67 8-04-67 9-08-67	137.6 139.9 131.0 104.0 99.0 125.0 117.0 113.0 122.0 136.0 140.0 138.0	900.0 897.7 906.6 933.6 938.6 912.6 920.6 924.6 915.6 901.6 897.6 899.6	204	01S/04W-06H01S	1160.0	10-00-66 11-01-66 12-01-66 1-00-67 2-01-67 3-01-67 4-00-67 5-00-67	194.5 196.5 194.5 195.5 194.5 191.5 191.5 192.5	965.5 963.5 965.5 964.5 965.5 968.5 968.5 967.5	124
01S/04W-02P03S	1040.5	10-07-66	136.6	903.9	204						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01S/04W-06H01S (CONT.)	1160.0	6-00-67	195.5	964.5	124	01S/04W-09E02S	1075.0	10-03-66	165.0	910.0	201
		7-00-67	195.5	964.5				1-03-67	147.0	928.0	
		8-00-67	194.5	965.5				2-01-67	145.0	930.0	
		9-00-67	199.5	960.5				3-01-67	142.0	933.0	
								4-01-67	140.0	935.0	
01S/04W-06J01S	1160.0	11-01-66	190.0	970.0	124			5-02-67	146.0	929.0	
		12-01-66	189.0	971.0				7-03-67	166.0	909.0	
		1-00-67	187.0	973.0		01S/04W-09J01S	1029.5	10-20-66	78.0	951.5	230
		2-01-67	187.0	973.0				11-15-66	76.8	952.7	
		3-01-67	192.0	968.0				12-08-66	76.0	953.5	
		4-00-67	195.0	965.0				1-11-67	75.5	954.0	
		6-00-67	188.0	972.0				2-14-67	74.6	954.9	
		7-00-67	188.0	972.0				3-14-67	75.0	954.5	
01S/04W-08A01S	1093.9	12-09-66	130.9	963.0	230			4-26-67	74.8	954.7	
		4-26-67	129.2	964.7				5-26-67	78.4	951.1	
01S/04W-08C01S	1106.6	10-03-66	174.0	932.6	201			9-21-67	83.0	946.5	
		1-03-67	158.0	948.6		01S/04W-09N06S	1060.2	12-09-66	116.3	943.9	230
		2-01-67	161.0	945.6				4-26-67	110.7	949.5	
		3-01-67	162.0	944.6		01S/04W-09P01S	1052.4	10-20-66	102.2	950.2	230
		4-01-67	158.0	948.6				11-15-66	101.5	950.9	
		5-02-67	158.0	948.6				12-09-66	99.2	953.2	
		7-03-67	168.0	938.6				1-11-67	99.0	953.4	
01S/04W-08F02S	1104.4	12-09-66	169.7	934.7	230			2-14-67	98.2	954.2	
		4-26-67	159.9	944.5				3-14-67	98.4	954.0	
01S/04W-08F07S	1098.1	10-03-66	181.0	917.1	201			4-26-67	97.4	955.0	
		1-03-67	162.0	936.1				5-26-67	99.5	952.9	
		2-01-67	167.0	931.1				9-21-67	104.2	948.2	
		3-01-67	167.0	931.1		01S/04W-10F07S	1022.0	1-09-67	DRY		400
		4-01-67	160.0	938.1				4-28-67	DRY		
		5-02-67	170.0	928.1		01S/04W-10M02S	1012.0	12-12-66	85.1	926.9	230
		7-03-67	170.0	928.1				4-27-67	79.1	932.9	
		8-01-67	193.0	905.1		01S/04W-10N06S	1001.4	10-20-66	106.9(1)	894.5	230
01S/04W-08F08S	1096.5	10-03-66	181.0	915.5	201			11-09-66	105.7(1)	895.7	
		1-03-67	160.0	936.5				11-09-66	59.7	941.7	
		2-01-67	167.0	929.5				12-08-66	58.3	943.1	
		3-01-67	167.0	929.5				1-11-67	55.9	945.5	
		4-01-67	180.0	916.5				2-14-67	54.7	946.7	
		5-02-67	170.0	926.5				3-14-67	55.3	946.1	
		7-03-67	170.0	926.5				4-25-67	53.9	947.5	
		8-01-67	193.0	903.5				5-26-67	130.3(1)	871.1	
01S/04W-08F10S	1096.8	10-03-66	181.6	915.2	201	01S/04W-10N09S	1002.0	1-09-67	DRY		400
		12-09-66	172.6	924.2	230	01S/04W-11001S	1034.4	10-07-66	133.0	901.4	204
		1-03-67	162.6	934.2	201			11-04-66	138.0	896.4	
		2-01-67	167.6	929.2				12-02-66	130.0	904.4	
		3-01-67	167.6	929.2				1-06-67	96.0	938.4	
		4-01-67	160.6	936.2				2-03-67	90.0	944.4	
		4-26-67	(1)		230			3-03-67	122.0	912.4	
		5-02-67	170.6	926.2	201			4-07-67	109.0	925.4	
		7-03-67	170.6	926.2				5-05-67	113.0	921.4	
		8-01-67	193.6	903.2				6-02-67	120.0	914.4	
01S/04W-08Q01S	1075.8	10-03-66	165.0	910.8	201			7-07-67	134.0	900.4	
		1-03-67	148.0	927.8				8-04-67	135.0	899.4	
		2-01-67	145.0	930.8				9-08-67	134.0	900.4	
		3-01-67	147.0	928.8		01S/04W-11002S	1034.5	10-14-66	129.7	904.8	204
		4-01-67	142.0	933.8				12-23-66	117.7	916.8	
		5-02-67	140.0	935.8				1-06-67	94.7	939.8	
		7-03-67	164.0	911.8				2-03-67	88.7	945.8	
01S/04W-08Q03S	1074.4	12-09-66	141.5	932.9	230			4-07-67	112.7	921.8	
		4-26-67	129.6	944.8		01S/04W-11003S	1033.3	10-01-66	127.0	906.3	204
01S/04W-08R01S	1073.9	10-03-66	162.0	911.9	201			1-06-67	95.0	938.3	
		1-03-67	145.0	928.9				1-27-67	93.0	940.3	
		2-01-67	143.0	930.9				2-03-67	89.0	944.3	
		3-01-67	136.0	937.9		01S/04W-11004S	1020.8	10-07-66	135.0	885.8	204
		4-01-67	136.0	937.9				11-04-66	138.0	882.8	
		5-02-67	136.0	937.9				12-02-66	130.0	890.8	
		7-03-67	160.0	913.9				1-06-67	91.0	929.8	
01S/04W-08R04S	1075.7	10-03-66	159.0	916.7	201			2-03-67	94.0	926.8	
		2-01-67	139.0	936.7				3-03-67	121.0	899.8	
		3-01-67	136.0	939.7				4-07-67	109.0	911.8	
		4-01-67	136.0	939.7				5-05-67	112.0	908.8	
		5-02-67	134.0	941.7				6-02-67	120.0	900.8	
		7-03-67	160.0	915.7				7-07-67	133.0	887.8	
		8-01-67	172.0	903.7				8-04-67	137.0	883.8	
01S/04W-08R05S	1074.5	10-03-66	155.0	919.5	201			9-08-67	135.0	885.8	
		1-03-67	145.0	929.5		01S/04W-12805S	1089.3	10-25-66	174.2(1)	915.1	104
		2-01-67	143.0	931.5				11-29-66	169.8(1)	919.5	
		3-01-67	136.0	938.5				12-13-66	171.4(1)	917.9	
		4-01-67	136.0	938.5				1-24-67	167.8(1)	921.5	
		5-02-67	135.0	939.5				2-24-67	165.4(1)	923.9	
		7-03-67	160.0(1)	914.5				3-28-67	166.0(1)	923.3	
01S/04W-09801S	1069.5	12-12-66	106.5	963.0	230			4-24-67	163.2(1)	926.1	
		4-27-67	105.9	963.6				5-29-67	163.0(1)	926.3	
01S/04W-09803S	1071.6	12-12-66	(1)		230			6-30-67	167.7(1)	921.6	
		4-27-67	111.6	960.0				7-31-67	168.0(1)	921.3	
								8-25-67	166.0(1)	923.3	
								9-27-67	166.5(1)	922.8	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA											
SANTA ANA RIVER HYDRO UNIT						Y-01.00																
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0													
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2													
01S/04W-12M03S	1057.2	12-08-66	118.0	939.2	400	01S/04W-14P06S (CONT.)	1027.1	12-02-66	126.0	901.1	204											
01S/04W-13F02S	1059.0	10-18-66	0146.1	0912.9	847			1-06-67	88.0	939.1												
		11-29-66	0146.3	0912.7				2-03-67	85.0	942.1												
		12-13-66	0140.3	0918.7				3-03-67	116.0	911.1												
		1-10-67	0135.1	0923.9				3-31-67	116.0	911.1												
		2-14-67	0129.6	0929.4				5-05-67	96.0	931.1												
		3-07-67	0144.1	0914.9				6-02-67	117.0	910.1												
		4-11-67	0133.2	0925.8				7-07-67	134.0	893.1												
		5-09-67	0121.1	0937.9				8-11-67	142.0	885.1												
		6-13-67	0135.5	0923.5				01S/04W-15L03S	984.0	10-01-66		179.5(1)	804.5	717								
		7-11-67	0138.1	0920.9						11-05-66		183.5(1)	800.5									
		8-15-67	0161.1(1)	0897.9						12-17-66		73.5	910.5									
		9-19-67	0145.2	0913.8						1-07-67		66.5	917.5									
01S/04W-13G02S	1060.0	10-04-66	0208.2(1)	0851.8	847					2-04-67	60.5	923.5										
		11-22-66	0211.1(1)	0848.9						2-25-67	74.5	909.5										
		12-13-66	0143.7	0916.3						3-25-67	176.0(1)	808.0										
		1-09-67	0142.4	0917.6						4-08-67	158.5(1)	825.5										
		2-07-67	0139.9	0920.1						5-06-67	155.5(1)	828.5										
		3-15-67	0186.5(1)	0873.5						01S/04W-15M02S	984.6	10-22-66			123.7	860.9	717					
		4-11-67	0134.0	0926.0								11-19-66			117.7	866.9						
		5-09-67	0129.5	0930.5								12-13-66			113.4	871.2						
		6-13-67	0183.1(1)	0876.9				12-17-66	96.7			887.9										
		7-24-67	0144.8	0915.2				1-07-67	107.2			877.4										
		8-15-67	0185.1(1)	0874.9				2-04-67	104.7			879.9										
		9-06-67	0197.1(1)	0862.9				3-11-67	105.2			879.4										
01S/04W-13G03S	1060.0	10-18-66	0148.1	0911.9	847			4-08-67	102.7			881.9										
		11-15-66	0190.6(1)	0869.4				4-27-67	97.8			886.8										
		12-13-66	0132.0	0928.0				4-29-67	97.7			886.9										
		1-09-67	0122.5	0937.5				5-27-67	100.7			883.9										
		2-14-67	0114.6	0945.4				6-17-67	99.2			885.4										
		3-14-67	0178.1(1)	0881.9				9-09-67	111.7	872.9												
		4-18-67	0126.9	0933.1				9-30-67	111.7	872.9												
		5-06-67	0123.6	0936.4				01S/04W-15N05S	980.0	10-08-66	220.0	760.0		717								
		6-13-67	0174.1(1)	0885.9						4-22-67	159.0	821.0										
		7-11-67	0177.3(1)	0882.7						5-06-67	152.5	827.5										
		8-15-67	0187.1(1)	0872.9						6-10-67	176.0	804.0										
		9-12-67	0181.7(1)	0878.3						7-01-67	181.8	798.2										
01S/04W-13L02S	1050.0	10-25-66	0146.0	0904.0	847					8-05-67	189.0	791.0										
		11-22-66	0149.5	0900.5						9-02-67	200.0	780.0										
		12-06-66	0146.2	0903.8						9-30-67	206.0	774.0										
		1-03-67	0130.6	0919.4						01S/04W-15N10S	980.0	10-22-66			290.5(1)	689.5	717					
		2-07-67	0128.2	0921.8								12-17-66			203.0	777.0						
		3-07-67	0132.6	0917.4								1-07-67			190.0	790.0						
		4-11-67	0130.7	0919.3								2-04-67			183.0	797.0						
		5-06-67	0124.1	0925.9				3-11-67	182.0			798.0										
		6-06-67	0133.5	0916.5				4-08-67	178.0			802.0										
		7-05-67	0136.3	0913.7				5-06-67	160.0			820.0										
		8-08-67	0142.1	0907.9				5-27-67	171.5			808.5										
		9-06-67	0186.3(1)	0863.7				6-24-67	199.5(1)			780.5										
01S/04W-13M02S	1054.0	10-17-66	0179.6(1)	0874.4	847			9-23-67	211.5(1)			768.5										
		11-15-66	0174.6(1)	0879.4				01S/04W-15P02S	990.0			11-12-66		75.8	914.2	713						
		12-13-66	0128.7	0925.3								12-08-66		80.8	909.2							
		1-10-67	0120.6	0933.4						1-07-67	67.7	922.3										
		2-14-67	0130.5	0923.5						1-09-67	78.8	911.2										
		3-10-67	0162.5(1)	0891.5						4-15-67	70.2	919.8										
		4-20-67	0127.2	0926.8						4-28-67	71.3	918.7										
		5-09-67	0121.0	0933.0						01S/04W-16J09S	979.0	4-22-67		65.0	914.0		717					
		6-13-67	0175.1(1)	0878.9								5-20-67		64.0	915.0							
		7-11-67	0177.5(1)	0876.5								6-10-67		128.0(1)	851.0							
		8-15-67	0187.3(1)	0866.7								7-01-67		70.0	909.0							
		9-06-67	0147.5	0906.5								8-05-67		124.0(1)	855.0							
01S/04W-13N01S	1045.0	10-18-66	0157.1(1)	0887.9	847							9-02-67	125.0(1)	854.0								
		11-15-66	0139.9	0905.1				01S/04W-16R03S	975.0			10-22-66	259.5(1)	715.5		717						
		12-13-66	0132.4	0912.6								12-17-66	199.0	776.0								
		1-09-67	0125.2	0919.8								1-07-67	188.0	787.0								
		2-14-67	0120.1	0924.9								2-04-67	179.0	796.0								
		3-22-67	0127.4	0917.6								3-11-67	209.0(1)	766.0								
		4-18-67	0121.5	0923.5								4-22-67	161.0	814.0								
		5-09-67	0118.0	0927.0						5-06-67	154.5	820.5										
		6-20-67	0145.5(1)	0899.5						6-10-67	178.0	797.0										
		7-18-67	0149.1(1)	0895.9						7-01-67	182.5	792.5										
		8-15-67	0150.9(1)	0894.1						01S/04W-21A01S	970.2	8-05-67	185.0	790.0								
		9-19-67	0153.1(1)	0891.9								8-26-67	198.0	777.0								
01S/04W-13R01S	1100.9	7-26-67	178.6	922.3	400							12-13-66	DNV		230							
		01S/04W-14P02S	1026.0	10-07-66				127.2	898.8			204				4-27-67		161.0	809.2			
				10-28-66				134.2	891.8							01S/04W-22B02S		996.0	10-07-66	204.8	791.2	204
				12-02-66				122.2	903.8										11-04-66	203.8	792.2	
				1-06-67				89.2	936.8										12-02-66	188.8	807.2	
				2-03-67				87.2	938.8										1-06-67	167.8	828.2	
				3-03-67				113.2	912.8										2-03-67	159.8	836.2	
				4-01-67				104.2	921.8										3-03-67	155.8	840.2	
				5-05-67				95.2	930.8										4-07-67	154.8	841.2	
				6-02-67				115.2	910.8										5-05-67	139.8	856.2	
				7-07-67				127.2	898.8	6-02-67	151.8						844.2					
				8-11-67				133.2	892.8	7-07-67	161.8						834.2					
9-08-67	130.2			895.8	8-04-67	169.8	826.2															
01S/04W-14P06S	1027.1	10-07-66	130.0	897.1	204			9-08-67	185.8	810.2												
		11-04-66	136.0	891.1				01S/04W-22B03S	999.0	12-13-66		95.4	903.6	230								

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01S/04W-22B03S (CONT.)	999.0	4-27-67	83.1	915.9	230	01S/04W-23A01S (CONT.)	1041.2	12-13-66	112.2	929.0	847
01S/04W-22B07S	995.0	10-14-66	96.5	898.5	204			12-20-66	112.5	928.7	
		11-11-66	96.5	898.5				12-27-66	108.1	933.1	
		12-09-66	91.5	903.5				1-03-67	107.1	934.1	
		12-30-66	86.5	908.5				1-09-67	104.1	937.1	
		2-03-67	82.5	912.5				1-10-67	114.1	927.1	
		3-10-67	86.5	908.5				1-17-67	134.0	907.2	
		4-07-67	85.5	909.5				1-24-67	114.0	927.2	
		5-05-67	80.5	914.5				1-31-67	102.1	939.1	
01S/04W-22C02S	988.5	12-13-66	161.0	827.5	230			2-07-67	99.1	942.1	
		4-27-67	127.0	861.5				2-14-67	103.1	938.1	
01S/04W-22H01S	1004.3	10-07-66	105.0	899.3	204			2-19-67	116.8	924.4	
		11-11-66	102.0	902.3				2-21-67	123.5	917.7	
		12-02-66	101.0	903.3				2-28-67	132.0	909.2	
		1-06-67	93.0	911.3				3-07-67	129.5	911.7	
		2-03-67	90.0	914.3				3-14-67	131.0	910.2	
		3-03-67	93.0	911.3				3-22-67	142.3	898.9	
		4-07-67	92.0	912.3				3-28-67	137.7	903.5	
		5-05-67	87.0	917.3				4-04-67	123.9	917.3	
		6-02-67	92.0	912.3				4-11-67	117.3	923.9	
		7-07-67	96.0	908.3				4-18-67	110.1	931.1	
		8-11-67	100.0	904.3				4-25-67	105.4	935.8	
		9-08-67	128.0	876.3				5-03-67	111.3	929.9	
01S/04W-22H02S	1005.2	10-14-66	86.0	919.2	204			5-06-67	108.5	932.7	
		11-11-66	83.0	922.2				5-09-67	115.0	926.2	
		12-16-66	68.0	937.2				5-16-67	137.6	903.6	
		1-06-67	59.0	946.2				5-23-67	145.9	895.3	
		2-03-67	54.0	951.2				5-31-67	136.1	905.1	
		3-10-67	72.0	933.2				6-06-67	135.8	905.4	
		4-01-67	67.0	938.2				6-13-67	137.3	903.9	
		5-05-67	72.0	933.2				6-20-67	139.5	901.7	
01S/04W-22H03S	1003.9	10-07-66	110.0	893.9	204			6-27-67	145.5	895.7	
		11-04-66	114.0	889.9				7-05-67	146.3	894.9	
		12-02-66	104.0	899.9				7-12-67	146.0	895.2	
		1-06-67	85.0	918.9				7-18-67	147.5	893.7	
		2-03-67	82.0	921.9				7-25-67	151.0	890.2	
		3-03-67	96.0	907.9				8-01-67	153.6	887.6	
		4-07-67	90.0	913.9				8-08-67	148.6	892.6	
		5-05-67	85.0	918.9				8-15-67	159.0	882.2	
		6-02-67	95.0	908.9				8-22-67	161.3	879.9	
		7-07-67	107.0	896.9				8-30-67	156.2	885.0	
		8-04-67	117.0	886.9				9-06-67	149.4	891.8	
		9-08-67	128.0	875.9				9-12-67	160.9	880.3	
01S/04W-22H04S	998.6	10-07-66	103.6	895.0	204	01S/04W-23A02S	1040.0	10-12-66	0147.4	0892.6	847
		11-11-66	96.0	902.6				11-15-66	0148.3	0891.7	
		12-02-66	98.0	900.6				12-13-66	0141.1	0898.9	
		1-06-67	64.0	934.6				1-09-67	0134.2	0905.8	
		2-03-67	61.0	937.6				2-14-67	0131.8	0908.2	
		3-10-67	89.0	909.6				3-15-67	0139.5	0900.5	
		4-07-67	79.0	919.6				4-11-67	0130.3	0909.7	
		5-05-67	70.0	928.6				5-16-67	0127.7	0912.3	
		9-08-67	119.0	879.6				6-13-67	0135.1	0904.9	
01S/04W-22L05S	983.0	11-07-66	96.4	886.6	783			7-18-67	0143.1	0896.9	
		12-06-66	92.7	890.3				8-15-67	0143.4	0896.6	
		12-08-66	99.6	883.4	718			9-26-67	0176.4	0863.6	
		1-10-67	86.7	896.3	783	01S/04W-23A05S	1043.0	10-11-66	0150.1	0892.9	847
		5-01-67	86.7	896.3	718			11-22-66	0142.4	0900.6	
		5-08-67	79.2	903.8	783			12-13-66	0115.6	0927.4	
01S/04W-22L08S	980.2	12-07-66	152.9	827.3	718			1-10-67	0117.5	0925.5	
		5-01-67	114.2	866.0				2-07-67	0103.7	0939.3	
01S/04W-22L13S	980.0	10-08-66	117.0	863.0	713			3-07-67	0131.4	0911.6	
		11-12-66	DRY					4-11-67	0116.0	0927.0	
		12-10-66	DRY					5-09-67	0117.0	0926.0	
		2-11-67	79.2	900.8				6-13-67	0139.2	0903.8	
		3-18-67	76.6	903.4				7-11-67	0147.1	0895.9	
		4-15-67	77.4	902.6				8-01-67	0144.8	0898.2	
		5-13-67	77.2	902.8				9-12-67	0148.2	0894.8	
		6-10-67	68.7	911.3				10-07-66	125.0	900.0	204
		7-08-67	72.7	907.3				11-18-66	121.0	904.0	
		8-05-67	75.5	904.5				12-16-66	93.0	932.0	
		9-16-67	80.1	899.9				1-06-67	83.0	942.0	
01S/04W-22M06S	982.0	12-06-66	153.0	829.0	783			2-03-67	81.0	944.0	
		1-10-67	134.0	848.0				3-03-67	114.0	911.0	
		5-08-67	110.7	871.3				4-07-67	99.0	926.0	
01S/04W-22P05S	987.0	12-07-66	161.3	825.7	718			5-05-67	92.0	933.0	
		5-01-67	112.3	874.7				6-02-67	113.0	912.0	
01S/04W-23A01S	1041.2	10-11-66	146.8	894.4	847	01S/04W-23C02S	1025.0	12-02-66	122.0	900.8	204
		10-18-66	153.0	888.2				1-06-67	87.0	935.8	
		10-25-66	154.5	886.7				2-03-67	84.0	938.8	
		11-01-66	147.5	893.7				3-03-67	115.0	907.8	
		11-08-66	140.1	901.1				4-14-67	100.0	922.8	
		11-15-66	144.0	897.2				10-11-66	156.2	888.5	847
		11-22-66	140.4	900.8				10-18-66	160.8	883.9	
		11-29-66	140.2	901.0				10-25-66	162.2	882.5	
		12-06-66	136.8	904.4				11-01-66	149.1	895.6	
								11-08-66	146.5	898.2	
								11-15-66	152.5	892.2	
								11-22-66	151.1	893.6	
								11-29-66	147.5	897.2	
								12-06-66	125.1	919.6	
								12-13-66	115.7	929.0	
								12-20-66	117.6	927.1	
								12-27-66	113.2	931.5	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01S/04W-23G01S (CONT.)	1044.7	1-03-67	109.7	935.0	847	01S/04W-23K03S (CONT.)	1040.2	12-06-66	140.1	900.1	847
		1-09-67	108.6	936.1				12-13-66	113.7	926.5	
		1-10-67	123.6	921.1				12-20-66	114.0	926.2	
		1-17-67	149.6	895.1				12-27-66	109.1	931.1	
		1-24-67	116.1	928.6				1-03-67	108.8	931.4	
		1-31-67	108.5	936.2				1-09-67	104.4	935.8	
		2-02-67	103.3	941.4				1-10-67	114.2	926.0	
		2-14-67	119.4	925.3				1-17-67	133.4	906.8	
		2-19-67	120.5	924.2				1-24-67	113.5	926.7	
		2-21-67	133.3	911.4				1-31-67	109.1	931.1	
		2-28-67	139.5	905.2				2-07-67	99.1	941.1	
		3-07-67	136.7	908.0				2-14-67	107.0	933.2	
		3-14-67	139.5	905.2				2-19-67	118.5	921.7	
		3-22-67	144.8	899.9				2-21-67	124.3	915.9	
		3-28-67	145.2	899.5				2-28-67	132.1	908.1	
		4-04-67	126.5	918.2				3-07-67	129.0	911.2	
		4-11-67	118.7	926.0				3-14-67	126.8	913.4	
		4-18-67	118.6	926.1				3-22-67	134.7	905.5	
		4-25-67	117.8	926.9				3-28-67	134.1	906.1	
		5-03-67	114.6	930.1				4-04-67	123.0	917.2	
		5-06-67	111.7	933.0				4-11-67	114.5	925.7	
		5-09-67	118.6	926.1				4-18-67	110.7	929.5	
		5-16-67	145.9	898.8				4-25-67	106.6	933.6	
		5-23-67	156.2	888.5				5-03-67	112.5	927.7	
		5-31-67	146.1	898.6				5-06-67	107.8	932.4	
		6-06-67	146.5	898.2				5-09-67	116.8	923.4	
		6-13-67	145.3	899.4				5-16-67	128.1	912.1	
		6-20-67	147.3	897.4				5-23-67	149.8	890.4	
		6-27-67	155.5	889.2				5-31-67	143.0	897.2	
		7-05-67	156.0	888.7				6-06-67	138.8	901.4	
		7-12-67	158.2	886.5				6-13-67	137.0	903.2	
		7-18-67	156.5	888.2				6-20-67	143.6	896.6	
		7-25-67	160.5	884.2				6-27-67	148.0	892.2	
		8-01-67	163.8	880.9				7-05-67	149.1	891.1	
		8-08-67	160.9	883.8				7-12-67	148.0	892.2	
		8-15-67	164.7	880.0				7-18-67	149.4	890.8	
		9-12-67	153.2	891.5				7-25-67	153.0	887.2	
								8-01-67	155.5	884.7	
01S/04W-23G03S	1042.0	10-11-66	0169.3(1)	0872.7	847			8-08-67	154.0	886.2	
		11-08-66	0144.1	0897.9				8-15-67	161.0	879.2	
		12-13-66	0114.9	0927.1				8-22-67	163.0	877.2	
		1-09-67	0108.4	0933.6				8-30-67	158.9	881.3	
		2-14-67	0119.1	0922.9				9-06-67	151.5	888.7	
		3-12-67	0154.0(1)	0888.0				9-12-67	144.9	895.3	
		4-11-67	0117.9	0924.1							
		5-06-67	0110.8	0931.2		01S/04W-23Q01S	1040.8	10-11-66	154.1	886.7	847
		6-13-67	0160.4(1)	0881.6				10-18-66	155.0	885.8	
		7-11-67	0168.4(1)	0873.6				10-25-66	161.5	879.3	
		8-15-67	0174.3(1)	0867.7				11-01-66	147.5	893.3	
		9-12-67	0162.8(1)	0879.2				11-08-66	141.0	899.8	
01S/04W-23H01S	1040.0	10-18-66	0149.5	0890.5	847			11-15-66	144.0	896.8	
		11-08-66	0148.7	0891.3				11-22-66	142.0	898.8	
		12-13-66	0140.6	0899.4				11-29-66	139.2	901.6	
		1-10-67	0137.1	0902.9				12-06-66	140.6	900.2	
		2-14-67	0132.1	0907.9				12-13-66	115.4	925.4	
		3-07-67	0137.6	0902.4				12-20-66	116.2	924.6	
		4-18-67	0130.3	0909.7				12-27-66	112.8	928.0	
		5-16-67	0129.0	0911.0				1-03-67	110.1	930.7	
		6-13-67	0134.0	0906.0				1-09-67	106.5	934.3	
		7-11-67	0137.8	0902.2				1-10-67	117.1	923.7	
		8-15-67	0159.4(1)	0880.6				1-17-67	134.4	906.4	
		9-19-67	0152.5(1)	0887.5				1-24-67	111.2	929.6	
01S/04W-23K01S	1042.0	10-11-66	0146.4	0895.6	847			1-31-67	104.1	936.7	
		11-15-66	0146.0	0896.0				2-07-67	103.5	937.3	
		12-13-66	0141.0	0901.0				2-14-67	122.1	918.7	
		1-17-67	0137.4	0904.6				2-19-67	121.8	919.0	
		2-14-67	0132.1	0909.9				2-21-67	127.0	913.8	
		3-14-67	0136.7	0905.3				2-28-67	134.8	906.0	
		4-11-67	0131.3	0910.7				3-07-67	131.5	909.3	
		5-16-67	0142.3	0899.7				3-14-67	131.7	909.1	
		6-13-67	0146.6(1)	0895.4				3-22-67	135.8	905.0	
		7-18-67	0150.9(1)	0891.1				3-28-67	134.2	906.6	
		8-15-67	0142.3	0899.7				4-04-67	126.0	914.8	
		9-06-67	0156.8	0885.2				4-11-67	116.2	924.6	
01S/04W-23K02S	1041.0	10-04-66	0147.3	0893.7	847			4-18-67	112.5	928.3	
		11-15-66	0145.1	0895.9				4-25-67	108.1	932.7	
		12-13-66	0140.8	0900.2				5-03-67	114.1	926.7	
		1-09-67	0185.1	0855.9				5-06-67	110.5	930.3	
		2-14-67	0130.1	0910.9				5-09-67	119.0	921.8	
		3-07-67	0156.3(1)	0884.7				5-16-67	140.5	900.3	
		4-11-67	0131.5	0909.5				5-23-67	150.2	890.6	
		5-09-67	0127.2	0913.8				5-31-67	137.1	903.7	
		6-13-67	0132.1	0908.9				6-06-67	140.4	900.4	
		7-05-67	0137.0	0904.0				6-13-67	139.5	901.3	
		8-22-67	0142.6	0898.4				6-20-67	142.7	898.1	
		9-26-67	0140.1	0900.9				6-27-67	151.0	889.8	
01S/04W-23K03S	1040.2	10-11-66	150.5	889.7	847			7-05-67	152.5	888.3	
		10-18-66	151.1	889.1				7-12-67	150.5	890.3	
		10-25-66	157.2	883.0				7-18-67	152.2	888.6	
		11-01-66	145.3	894.9				7-25-67	157.3	883.5	
		11-08-66	140.3	899.9				8-01-67	159.8	881.0	
		11-15-66	142.7	897.5				8-08-67	156.0	884.8	
		11-22-66	149.5	890.7				8-15-67	164.0	876.8	
		11-29-66	141.3	898.9				8-22-67	165.1	875.7	
								8-30-67	162.4	878.4	
								9-06-67	153.3	887.5	
								9-12-67	146.3	894.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0		Y-01.E2	UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0		Y-01.E2
01S/04W-24J04S	1105.0	1-11-67	116.0	989.0	400	01S/04W-27A11S	1015.0	10-07-66	122.5	892.5	204
		4-28-67	116.4	988.6				11-11-66	113.3	901.7	
		6-01-67	117.4	987.6				12-09-66	95.5	919.5	
		7-26-67	116.5	988.5				1-06-67	83.5	931.5	
01S/04W-25G01S	1108.0	10-28-66	183.0	925.0	203			2-03-67	80.5	934.5	
		11-25-66	174.0	934.0				3-10-67	104.5	910.5	
		12-12-66	154.0	954.0				4-07-67	92.5	922.5	
		1-30-67	144.0	964.0				5-05-67	87.5	927.5	
		2-27-67	162.0	946.0				6-02-67	108.5	906.5	
		3-28-67	167.0	941.0				7-07-67	141.5	873.5	
		4-24-67	145.0	963.0				8-11-67	146.5	868.5	
		5-29-67	170.0	938.0				9-08-67	135.5	879.5	
		6-30-67	174.0	934.0		01S/04W-27A13S	1017.0	10-07-66	118.7	898.3	204
		7-28-67	169.0	939.0				11-11-66	113.7	903.3	
		8-29-67	204.0(1)	904.0				12-09-66	100.7	916.3	
		9-26-67	202.0(1)	906.0				1-06-67	89.7	927.3	
01S/04W-25J01S	1140.0	12-08-66	128.0	1012.0	400			2-03-67	88.7	928.3	
		1-09-67	127.5	1012.5				3-10-67	105.7	911.3	
		4-28-67	125.5	1014.5				4-07-67	100.7	916.3	
		6-01-67	126.4	1013.6				5-05-67	91.7	925.3	
		7-27-67	128.0	1012.0				6-02-67	106.7	910.3	
01S/04W-27A02S	1014.4	10-07-66	116.0	898.4	204			7-07-67	129.7	887.3	
		11-04-66	115.0	899.4		01S/04W-27A19S	1007.0	8-04-67	132.7	884.3	
		12-02-66	112.0	902.4				9-08-67	129.7	887.3	
		1-06-67	89.0	925.4				10-07-66	124.0	883.0	204
		2-03-67	85.0	929.4				11-04-66	133.0	874.0	
		3-03-67	108.0	906.4				12-02-66	119.0	888.0	
		4-07-67	100.0	914.4				1-06-67	88.0	919.0	
		5-05-67	91.0	923.4				2-10-67	102.0	905.0	
		6-02-67	105.0	909.4				3-03-67	120.0	887.0	
		7-07-67	109.0	905.4				4-07-67	99.0	908.0	
		8-04-67	113.0	901.4				5-05-67	90.0	917.0	
		9-08-67	128.0	886.4				6-02-67	112.0	895.0	
01S/04W-27A06S	1012.3	10-07-66	111.0	901.3	204			7-07-67	141.0	866.0	
		11-04-66	103.0	909.3		01S/04W-27C07S	990.0	8-04-67	142.0	865.0	
		12-02-66	107.0	905.3				9-08-67	143.0	864.0	
		1-06-67	100.0	912.3				10-08-66	43.0	947.0	713
		2-03-67	79.0	933.3				11-12-66	42.9	947.1	
		3-03-67	106.0	906.3				12-10-66	42.8	947.2	
		4-07-67	102.0	910.3				1-07-67	42.7	947.3	
		5-05-67	92.0	920.3				2-11-67	42.5	947.5	
		6-02-67	103.0	909.3		01S/04W-27H01S	1020.0	10-07-66	114.0	906.0	204
		7-07-67	105.0	907.3				11-11-66	86.0	934.0	
		8-04-67	109.0	903.3				12-16-66	92.0	928.0	
		9-08-67	111.0	901.3				1-06-67	83.0	937.0	
01S/04W-27A07S	1015.0	10-07-66	120.0	895.0	204			2-03-67	78.0	942.0	
		11-04-66	132.0	883.0				3-17-67	88.0	932.0	
		12-02-66	115.0	900.0				4-14-67	85.0	935.0	
		1-06-67	83.0	932.0				5-05-67	77.0	943.0	
		2-03-67	90.0	925.0				6-02-67	97.0	923.0	
		3-10-67	103.0	912.0				7-07-67	105.0	915.0	
		4-07-67	95.0	920.0				8-11-67	116.0	904.0	
		5-05-67	87.0	928.0				9-08-67	115.0	905.0	
		6-02-67	109.0	906.0		01S/04W-27H07S	1016.0	12-08-66	(3)		400
		7-07-67	141.0	874.0				1-09-67	(9)		
		8-04-67	146.0	869.0				2-25-67	75.3	940.7	
		9-08-67	136.0	879.0				4-28-67	96.7	919.3	
01S/04W-27A08S	1017.0	10-07-66	121.0	896.0	204			6-01-67	98.1	917.9	
		11-11-66	114.0	903.0				7-26-67	100.5	915.5	
		12-09-66	96.0	921.0		01S/04W-36J01S	1310.5	1-11-67	(1)		400
		1-06-67	85.0	932.0				4-28-67	342.1	968.4	
		2-03-67	87.0	930.0				6-01-67	280.4(2)	1030.1	
		3-10-67	105.0	912.0				7-26-67	283.5(2)	1027.0	
		4-07-67	96.0	921.0		01N/03W-29M01S	1345.2	10-20-66	374.0	971.2	051
		5-05-67	88.0	929.0				11-18-66	367.1	978.1	
		6-02-67	109.0	908.0				12-12-66	363.9	981.3	
		7-07-67	141.0	876.0				1-16-67	363.2	982.0	
		8-04-67	146.0	871.0				2-15-67	363.8	981.4	
		9-08-67	137.0	880.0				3-20-67	357.7	987.5	
01S/04W-27A09S	1015.2	10-07-66	121.5	893.7	204			4-21-67	353.3	991.9	
		11-11-66	113.5	901.7				5-19-67	366.2	979.0	
		12-09-66	95.5	919.7				6-20-67	358.2	987.0	
		1-06-67	84.5	930.7				7-20-67	364.2	981.0	
		2-03-67	80.5	934.7				8-20-67	368.4(1)	976.8	
		3-10-67	104.5	910.7				9-20-67	364.2	981.0	
		4-07-67	96.5	918.7		01N/03W-29N01S	1291.0	10-20-66	333.8	957.2	051
		5-05-67	87.5	927.7				11-18-66	368.2(1)	922.8	
		6-02-67	108.5	906.7				12-12-66	330.1	960.9	
		6-23-67	124.5	890.7				1-16-67	327.3	963.7	
		8-04-67	143.5	871.7				2-15-67	362.5(1)	928.5	
01S/04W-27A10S	1015.7	10-07-66	123.0	892.7	204			3-20-67	324.5	966.5	
		11-11-66	113.0	902.7				4-21-67	321.2	969.8	
		12-02-66	116.0	899.7				5-19-67	360.8(1)	930.2	
		1-06-67	87.0	928.7				6-20-67	321.5	969.5	
		2-03-67	82.0	933.7				7-20-67	320.0	971.0	
		3-03-67	116.0	899.7				8-20-67	321.7	969.3	
		4-07-67	97.0	918.7				9-20-67	321.3	969.7	
		5-05-67	87.0	928.7		01N/03W-29R01S	1368.7	12-08-66	353.6	1015.1	400
		6-02-67	111.0	904.7							
		9-08-67	137.0	878.7							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0	Y-01.E2		UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0	Y-01.E2	
01N/03W-29R015 (CONT.)	1368.7	1-09-67	355.9	1012.8	400	01N/04W-07F015 (CONT.)	1622.0	12-23-66	214.8	1407.2	230
		2-25-67	356.0	1012.7				12-29-66	211.7	1410.3	
		4-21-67	354.2	1014.5				1-06-67	207.4	1414.6	
		5-01-67	353.7	1015.0				1-13-67	204.7	1417.3	
		6-02-67	333.6	1035.1				1-27-67	201.2	1420.8	
		7-27-67	353.8	1014.9				2-03-67	199.2	1422.8	
01N/03W-30C025	1355.6	10-24-66	335.6	1020.0	104			2-10-67	197.0	1425.0	
		11-30-66	334.9	1020.7				2-16-67	195.7	1426.3	
		12-09-66	335.1	1020.5				2-24-67	193.0	1429.0	
		1-26-67	332.9	1022.7				3-02-67	192.0	1430.0	
		2-28-67	332.1	1023.5				3-09-67	191.4	1430.6	
		3-28-67	332.5	1023.1				3-17-67	190.8	1431.2	
		4-25-67	330.1	1025.5				3-23-67	189.0	1433.0	
		5-31-67	329.7	1025.9				3-30-67	187.3	1434.7	
		6-29-67	321.0	1034.6				4-07-67	185.0	1437.0	
		7-18-67	321.2	1034.4				4-12-67	183.0	1439.0	
		8-22-67	320.0	1035.6				4-25-67	178.0	1444.0	
		9-26-67	320.5	1035.1				5-04-67	174.0	1448.0	
01N/03W-30N015	1234.7	10-24-66	294.8(1)	939.9	104			5-19-67	167.3	1454.7	
		11-30-66	296.4(1)	938.3				5-25-67	166.5	1455.5	
		12-13-66	296.7(1)	938.0				6-14-67	164.2	1457.8	
		1-27-67	294.4(1)	940.3				9-21-67	171.5	1450.5	
		2-28-67	293.9(1)	940.8		01N/04W-08M015	1529.8	10-20-66	225.3	1304.5	230
		3-28-67	293.8(1)	940.9				12-08-66	226.3	1303.5	
		4-25-67	290.4(1)	944.3				12-16-66	227.1	1302.7	
		5-31-67	289.7(1)	945.0				12-23-66	225.9	1303.9	
		6-29-67	294.1(1)	940.6				12-29-66	225.0	1304.8	
		7-19-67	293.4(1)	941.3				1-06-67	224.5	1305.3	
		8-22-67	292.2(1)	942.5				1-13-67	224.3	1305.5	
		8-31-67	282.7(1)	952.0				1-27-67	223.0	1306.8	
		9-27-67	285.7(1)	949.0				2-03-67	222.0	1307.8	
01N/03W-31B015	1227.6	10-20-66	280.7(1)	946.9	051			2-10-67	221.3	1308.5	
		11-18-66	266.9	960.7				2-16-67	219.3	1310.5	
		12-12-66	265.5	962.1				2-24-67	218.4	1311.4	
		1-16-67	263.0	964.6				3-02-67	218.3	1311.5	
		2-15-67	263.5	964.1				3-09-67	217.9	1311.9	
		3-20-67	260.7	966.9				3-17-67	216.5	1313.3	
		4-21-67	258.2	969.4				3-23-67	213.8	1316.0	
		5-19-67	272.8(1)	954.8				3-30-67	211.3	1318.5	
		6-20-67	258.5	969.1				4-07-67	210.1	1319.7	
		7-20-67	272.2(1)	955.4				4-12-67	207.5	1322.3	
		8-20-67	275.7(1)	951.9				4-25-67	199.3	1330.5	
		9-20-67	261.8	965.8				5-04-67	192.8	1337.0	
01N/03W-31L035	1149.8	10-20-66	193.1	956.7	051			5-19-67	185.7	1344.1	
		11-18-66	192.6	957.2				5-25-67	182.3	1347.5	
		12-12-66	190.5	959.3				6-14-67	176.9	1352.9	
		1-16-67	187.7	962.1				9-21-67	180.3	1349.5	
		2-15-67	187.0	962.8		01N/04W-08P015	1476.7	12-08-66	247.5	1229.2	230
		3-20-67	185.0	964.8				4-25-67	242.2	1234.5	
		4-21-67	182.0	967.8				10-19-66	264.0	1147.9	230
		5-19-67	191.2(1)	958.6				11-03-66	270.7(1)	1141.2	
		6-20-67	183.2	966.6				11-03-66	265.8	1146.1	
		7-20-67	190.6(1)	959.2				12-08-66	262.8	1149.1	
		8-20-67	188.5	961.3				12-16-66	260.8(2)	1151.1	
		9-20-67	186.5	963.3				12-29-66	261.3(2)	1150.6	
01N/03W-32C015	1286.4	10-20-66	322.4	964.0	051			1-06-67	261.8	1150.1	
		11-30-66	321.7	964.7				1-13-67	261.2	1150.7	
		12-12-66	321.1	965.3				1-27-67	259.3	1152.6	
		1-16-67	319.2	967.2				2-03-67	259.4(2)	1152.5	
		2-15-67	317.1	969.3				2-10-67	259.5	1152.4	
		3-20-67	316.9	969.5				2-16-67	260.6	1151.3	
		4-21-67	313.6	972.8				3-09-67	258.4	1153.5	
		5-19-67	313.7	972.7				3-17-67	258.1	1153.8	
		6-20-67	307.7	978.7				3-23-67	260.5	1151.4	
		7-20-67	309.2	977.2				3-30-67	259.8	1152.1	
		8-20-67	310.7	975.7				4-07-67	259.3	1152.6	
		9-20-67	311.3	975.1				4-12-67	257.8	1154.1	
01N/03W-32C025	1270.0	10-20-66	307.8(1)	962.2	051			4-25-67	258.1	1153.8	
		11-18-66	307.3	962.7				5-19-67	258.8	1153.1	
		12-12-66	293.1	976.9				5-25-67	260.8	1151.1	
		1-16-67	304.0(1)	966.0		01N/04W-16E015	1411.9	10-19-66	264.0	1147.9	230
		2-15-67	291.5	978.5				11-03-66	270.7(1)	1141.2	
		3-20-67	289.0	981.0				11-03-66	265.8	1146.1	
		4-21-67	285.8	984.2				12-08-66	262.8	1149.1	
		5-19-67	301.3(1)	968.7				12-16-66	260.8(2)	1151.1	
		6-20-67	286.0	984.0				12-29-66	261.3(2)	1150.6	
		7-20-67	287.0	983.0				1-06-67	261.8	1150.1	
		8-20-67	284.3	985.7				1-13-67	261.2	1150.7	
		9-20-67	284.8	985.2				1-27-67	259.3	1152.6	
01N/03W-33R025	1314.3	1-09-67	190.3(3)	1124.0	400			2-03-67	259.4(2)	1152.5	
01N/03W-34H015	1649.0	1-09-67	80.4	1568.6	400			2-10-67	259.5	1152.4	
		5-01-67	36.0	1613.0				2-16-67	260.6	1151.3	
		6-02-67	46.0(2)	1603.0				3-09-67	258.4	1153.5	
		7-27-67	58.5	1590.5				3-17-67	258.1	1153.8	
01N/04W-07F015	1622.0	10-20-66	220.4	1401.6	230			3-23-67	260.5	1151.4	
		11-03-66	259.4(1)	1362.6				3-30-67	259.8	1152.1	
		11-03-66	239.0	1383.0				4-07-67	259.3	1152.6	
		12-08-66	221.8	1400.2				4-12-67	257.8	1154.1	
		12-16-66	218.0	1404.0				4-25-67	258.1	1153.8	
								5-19-67	258.8	1153.1	
								5-25-67	260.8	1151.1	
						01N/04W-16E025	1403.3	10-19-66	280.5(1)	1122.8	230
								11-03-66	282.4(1)	1120.9	
								11-03-66	263.7	1139.6	
								12-08-66	256.9	1146.4	
								1-13-67	257.0	1146.3	
								1-27-67	253.5	1149.8	
								2-03-67	253.0(2)	1150.3	
								2-10-67	253.3	1150.0	
								2-16-67	256.5	1146.8	
								3-09-67	254.7	1148.6	
								4-07-67	254.3	1149.0	
								4-25-67	253.3	1150.0	
								5-25-67	254.5	1148.8	
								9-22-67	260.5	1142.8	
						01N/04W-16E035	1407.0	10-19-66	266.3(1)	1140.7	230
								11-03-66	268.6(1)	1138.4	
								11-03-66	261.9	1145.1	
								12-08-66	256.9	1150.1	
								12-16-66	256.7(2)	1150.3	
								12-29-66	257.1(2)	1149.9	
								1-06-67	256.7	1150.3	
								1-13-67	256.9	1150.1	
								1-27-67	255.4	1151.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01N/04W-16E035 (CONT.)	1407.0	2-10-67	255.9	1151.1	230	01N/04W-27G015 (CONT.)	1226.4	11-08-66	293.4	933.0	230
		2-16-67	257.4	1149.6				12-08-66	289.1	937.3	
		3-09-67	256.4	1150.6				1-13-67	286.6	939.8	
		4-07-67	256.0	1151.0				2-16-67	282.8	943.6	
		4-25-67	254.9	1152.1				3-09-67	282.6	943.8	
		5-25-67	256.1	1150.9				4-25-67	280.6	945.8	
								5-25-67	283.0	943.4	
01N/04W-20N015	1330.9	12-12-66	331.6	999.3	230	01N/04W-31A015	1258.1	10-18-66	301.9(1)	956.2	230
		4-27-67	332.0	998.9				11-17-66	303.1(1)	955.0	
01N/04W-21R025	1322.4	12-08-66	222.4	1100.0	230			12-09-66	282.2	975.9	
		4-25-67	218.2	1104.2				1-11-67	279.9	978.2	
01N/04W-25C025	1246.3	10-24-66	310.2(1)	936.1	104			2-15-67	280.9	977.2	
		11-30-66	308.5(1)	937.8				3-15-67	294.9(1)	963.2	
		12-12-66	319.6(1)	926.7				4-11-67	290.7(1)	967.4	
		1-23-67	306.1(1)	940.2				4-26-67	292.5(1)	965.6	
		2-24-67	305.7(1)	940.6		01N/04W-32D035	1230.3	10-21-66	256.6	973.7	230
		3-28-67	305.6(1)	940.7				11-10-66	263.5(1)	966.8	
		4-25-67	304.0(1)	942.3				11-10-66	256.7	973.6	
		5-31-67	303.7(1)	942.6				12-09-66	257.8	972.5	
		6-29-67	310.8(1)	935.5				1-11-67	254.7	975.6	
		7-19-67	313.4(1)	932.9				2-15-67	254.9	975.4	
		8-22-67	310.6(1)	935.7				3-14-67	253.8	976.5	
		9-28-67	310.8(1)	935.5				4-27-67	254.3	976.0	
								5-26-67	256.3	974.0	
01N/04W-25M035	1208.0	10-24-66	224.6	983.4	104	01N/04W-32D045	1236.3	10-21-66	262.7	973.6	230
		11-29-66	223.9	984.1				11-10-66	267.6(1)	968.7	
		12-13-66	224.0	984.0				11-10-66	263.1	973.2	
		1-26-67	222.0	986.0				12-09-66	261.0	975.3	
		2-28-67	221.9	986.1				1-11-67	259.5	976.8	
		3-28-67	221.8	986.2				2-15-67	260.0	976.3	
		4-25-67	219.9	988.1				3-14-67	259.2	977.1	
		5-31-67	219.2	988.8				3-23-67	272.6(1)	963.7	
		6-29-67	222.5	985.5				3-23-67	262.0(4)	974.3	
		7-31-67	222.1	985.9				4-27-67	262.3	974.0	
		8-22-67	219.2	988.8				5-26-67	264.0	972.3	
		9-26-67	220.0	988.0		01N/04W-32N015	1184.0	12-09-66	218.1	965.9	230
01N/04W-25P045	1190.4	10-24-66	227.6	962.8	104			1-09-67	217.1	966.9	
		11-30-66	220.8	969.6				3-14-67	213.1	970.9	
		12-12-66	220.6	969.8				4-26-67	213.6	970.4	
		1-26-67	219.0	971.4				5-26-67	216.3	967.7	
		2-28-67	218.5	971.9		01N/04W-33M015	1161.0	12-12-66	188.3	972.7	230
		3-29-67	218.8	971.6				4-27-67	188.1	972.9	
		4-25-67	216.1	974.3		01N/04W-35L015	1130.3	10-07-66	212.5	917.8	230
		5-31-67	216.0	974.4				10-13-66	208.3	922.0	
		6-29-67	219.7	970.7				10-20-66	211.0	919.3	
		7-19-67	219.5	970.9				10-28-66	212.7	917.6	
		8-22-67	217.5	972.9				11-03-66	213.5	916.8	
		9-26-67	217.2	973.2				11-11-66	211.6	918.7	
01N/04W-26A015	1243.5	10-24-66	293.1	950.4	104			11-18-66	207.5	922.8	
		11-30-66	292.7	950.8				11-25-66	207.6	922.7	
		12-09-66	293.1	950.4				12-02-66	208.4	921.9	
		1-23-67	290.9	952.6				12-12-66	204.9	925.4	
		2-24-67	290.0	953.5				12-12-66	201.8	928.5	
		3-29-67	290.3	953.2				12-16-66	202.5	927.8	
		4-25-67	288.0	955.5				12-23-66	200.6	929.7	
		5-31-67	287.2	956.3				12-30-66	200.2	930.1	
		6-29-67	292.1	951.4				1-06-67	193.1	937.2	
		7-19-67	297.0	946.5				1-12-67	199.5	930.8	
		8-22-67	294.5	949.0				2-03-67	196.6	933.7	
		9-28-67	295.0	948.5				2-10-67	197.5	932.8	
01N/04W-26A025	1241.0	10-24-66	292.8(1)	948.2	104			2-24-67	198.2	932.1	
		11-30-66	292.4(1)	948.6				3-03-67	200.8	929.5	
		12-12-66	294.0	947.0				3-10-67	200.6	929.7	
		1-23-67	290.6(1)	950.4				3-15-67	202.5	927.8	
		2-24-67	290.0(1)	951.0				3-23-67	190.9	939.4	
		3-28-67	290.2	950.8				3-30-67	199.6	930.7	
		4-25-67	288.1	952.9				4-06-67	196.4	933.9	
		5-31-67	288.0(1)	953.0				4-14-67	190.7	939.6	
		6-29-67	296.6(1)	944.4				4-21-67	189.5	940.8	
		7-19-67	294.6(1)	946.4				4-28-67	190.5	939.8	
		8-22-67	293.0(1)	948.0				4-28-67	191.0	939.3	
		9-28-67	293.2(1)	947.8				5-05-67	190.0	940.3	
01N/04W-26H015	1227.0	10-24-66	237.1	989.9	104			5-11-67	194.2	936.1	
		11-30-66	236.0	991.0				5-18-67	202.4	927.9	
		12-12-66	237.7	989.3				5-25-67	205.4	924.9	
		1-26-67	234.0	993.0				6-01-67	198.4	931.9	
		2-28-67	(6)					6-09-67	201.4	928.9	
01N/04W-26H045	1227.0	10-24-66	260.2	966.8	104			6-16-67	201.8	928.5	
		11-30-66	261.7	965.3				6-22-67	204.5	925.8	
		12-12-66	262.4	964.6				6-30-67	208.6	921.7	
		1-26-67	259.9	967.1				7-07-67	209.6	920.7	
		2-28-67	(6)					7-13-67	211.6	918.7	
01N/04W-26P035	1173.9	10-19-66	269.6	904.3	230			7-20-67	211.0	919.3	720
		11-08-66	265.6	908.3				7-27-67	213.1	917.2	
		11-08-66	242.4	931.5				8-04-67	213.8	916.5	
		12-08-66	239.2	934.7				8-10-67	211.0	919.3	
		1-13-67	236.4	937.5				8-18-67	215.1	915.2	
01N/04W-27G015	1226.4	10-21-66	296.9	929.5	230			8-24-67	215.6	914.7	
		11-08-66	299.5(1)	926.9				8-31-67	216.9	913.4	
								9-07-67	215.0	915.3	
								9-14-67	212.8	917.5	
								9-22-67	209.4	920.9	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01N/04W-35L01S (CDNT.)	1130.3	9-28-67	208.0	922.3	720	02N/06W-13M02S	2547.6	2-21-67 3-10-67 3-24-67	1.6 1.9 1.2	2546.0 2545.7 2546.4	230
01N/04W-36K07S	1120.0	10-25-66 11-29-66 12-13-66 1-30-67 2-28-67 3-29-67 4-24-67 5-29-67 6-30-67 7-19-67 8-22-67 9-28-67	189.5 189.7 189.5 188.8 188.2 188.4 188.3 185.7 189.0 186.0 184.7 185.5	930.5 930.3 930.5 931.2 931.8 931.6 931.7 934.3 931.0 934.0 935.3 934.5	104	02N/06W-13N01S	2562.5	2-21-67	14.0	2548.5	230
						02N/06W-13N02S	2547.1	2-21-67 3-10-67 3-24-67	11.0 10.8 3.8	2536.1 2536.3 2543.3	230
01N/04W-36Q01S	1097.0	10-25-66 11-30-66 12-09-66 1-24-67 1-25-67 3-28-67 4-24-67 5-29-67 6-30-67 7-31-67 8-25-67 9-26-67	159.2 161.1 161.4 158.3 159.9 158.7 159.0 157.2 161.7 154.0 153.1 153.5	937.8 935.9 935.6 938.7 937.1 938.3 938.0 939.8 935.3 943.0 943.9 943.5	104	02N/06W-13Q02S	2450.0	10-14-66 11-17-66 12-15-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	80.6 73.5 62.0 63.2 62.0 61.2 62.0 62.2 63.8 68.0 77.0	2369.4 2376.5 2388.0 2386.8 2388.0 2388.8 2388.0 2387.8 2386.2 2382.0 2373.0	230
01N/04W-36R01S	1100.0	10-24-66	(6)		104	02N/06W-13Q03S	2484.6	10-14-66 11-17-66 12-15-66 1-12-67 2-09-67	25.5 23.1 12.5 13.0 12.5	2459.1 2461.5 2472.1 2471.6 2472.1	230
02N/05W-19K01S	2343.0	10-14-66 11-17-66 12-15-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	36.7 DRY 25.3 19.9 8.3 5.5 4.3 3.7 6.1 8.1 21.3	2306.3 2317.7 2323.1 2334.7 2337.5 2338.7 2339.3 2336.9 2334.3 2321.7	230	02N/06W-24C01S	2567.5	2-21-67 3-10-67 3-24-67	33.0 32.8 31.3	2534.5 2534.7 2536.2	230
02N/05W-19K02S	2327.5	10-24-66 11-17-66 12-07-66 12-12-66 12-15-66 12-23-66 12-28-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	94.6(1) 94.9(1) 74.2(1) (1) 19.6 17.6 16.6 16.6 12.2 9.6 7.9 8.1 10.4 11.8 16.4	2232.9 2232.6 2253.3 2307.9 2309.9 2310.9 2310.9 2315.3 2317.9 2319.6 2319.4 2317.1 2315.7 2311.1	230	REDLANDS HYDRO SUBAREA			Y-01.E3		
02N/05W-19Q01S	2308.6	10-14-66 11-17-66 12-07-66 12-15-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	18.4 20.1 8.9 9.6 6.8 2.2 1.0 -1 .0 .4 1.4 5.9	2290.2 2288.5 2299.7 2299.0 2301.8 2306.4 2307.6 2308.7 2308.6 2308.2 2307.2 2302.7	230	01S/02W-19D01S	1608.4	12-12-66 1-10-67	369.4 368.1	1239.0 1240.3	400
02N/05W-19Q01S	2308.6	10-14-66 11-17-66 12-07-66 12-15-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	18.4 20.1 8.9 9.6 6.8 2.2 1.0 -1 .0 .4 1.4 5.9	2290.2 2288.5 2299.7 2299.0 2301.8 2306.4 2307.6 2308.7 2308.6 2308.2 2307.2 2302.7	230	01S/03W-13P01S	1520.3	12-12-66 1-10-67 4-26-67 6-05-67 7-28-67	(1) (1) 251.6 246.0 245.2	1268.7 1274.3 1275.1	400
02N/05W-19Q01S	2308.6	10-14-66 11-17-66 12-07-66 12-15-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	18.4 20.1 8.9 9.6 6.8 2.2 1.0 -1 .0 .4 1.4 5.9	2290.2 2288.5 2299.7 2299.0 2301.8 2306.4 2307.6 2308.7 2308.6 2308.2 2307.2 2302.7	230	01S/03W-13P02S	1534.5	4-26-67 6-05-67 7-28-67	280.0 285.6(1) 300.0(1)	1254.5 1248.9 1234.5	400
02N/05W-19Q01S	2308.6	10-14-66 11-17-66 12-07-66 12-15-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	18.4 20.1 8.9 9.6 6.8 2.2 1.0 -1 .0 .4 1.4 5.9	2290.2 2288.5 2299.7 2299.0 2301.8 2306.4 2307.6 2308.7 2308.6 2308.2 2307.2 2302.7	230	01S/03W-13P02S	1534.5	4-26-67 6-05-67 7-28-67	280.0 285.6(1) 300.0(1)	1254.5 1248.9 1234.5	400
02N/05W-19R01S	2307.0	10-14-66 11-17-66 12-07-66 12-15-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	22.9 23.8 21.8 18.3 15.6 12.6	2284.1 2283.2 2285.2 2288.7 2291.4 2294.4	230	01S/03W-24C01S	1519.7	12-12-66 1-10-67 4-21-67 4-26-67 6-05-67 7-28-67	322.9 319.2 294.9 293.0 286.9 280.5	1196.8 1200.5 1224.8 1226.7 1232.8 1239.2	400
02N/05W-19R01S	2307.0	10-14-66 11-17-66 12-07-66 12-15-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	22.9 23.8 21.8 18.3 15.6 12.6	2284.1 2283.2 2285.2 2288.7 2291.4 2294.4	230	01S/03W-24R01S	1583.0	12-12-66 1-10-67 4-26-67 6-05-67 7-28-67	349.2 348.5 333.0 324.6 313.3	1233.8 1234.5 1250.0 1258.4 1269.7	400
02N/05W-19R01S	2307.0	10-14-66 11-17-66 12-07-66 12-15-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	22.9 23.8 21.8 18.3 15.6 12.6	2284.1 2283.2 2285.2 2288.7 2291.4 2294.4	230	01S/03W-26C01S	1440.0	10-28-66 11-25-66 12-13-66 1-30-67 2-27-67 3-28-67 4-24-67 5-29-67 6-30-67 7-31-67 8-29-67 9-29-67	307.0 303.0 304.0 298.0 294.0 314.0(1) 291.0 288.0 283.0 282.0 342.0(1) 326.0(1)	1133.0 1137.0 1136.0 1142.0 1146.0 1126.0 1149.0 1152.0 1157.0 1158.0 1098.0 1114.0	203
02N/05W-20P01S	2293.4	10-14-66 11-17-66 12-07-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	18.0 19.3 15.0 13.0 8.2 8.4 6.0 5.0 4.4 5.6 10.2	2275.4 2274.1 2278.4 2280.4 2285.2 2285.0 2287.4 2288.4 2289.0 2287.8 2283.2	230	01S/03W-28P01S	1264.9	12-13-66 7-26-67	DRY DRY		400
02N/05W-20P01S	2293.4	10-14-66 11-17-66 12-07-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	18.0 19.3 15.0 13.0 8.2 8.4 6.0 5.0 4.4 5.6 10.2	2275.4 2274.1 2278.4 2280.4 2285.2 2285.0 2287.4 2288.4 2289.0 2287.8 2283.2	230	01S/03W-32A01S	1287.0	12-13-66 1-11-67	207.9 207.7	1079.1 1079.3	400
02N/05W-20P01S	2293.4	10-14-66 11-17-66 12-07-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	18.0 19.3 15.0 13.0 8.2 8.4 6.0 5.0 4.4 5.6 10.2	2275.4 2274.1 2278.4 2280.4 2285.2 2285.0 2287.4 2288.4 2289.0 2287.8 2283.2	230	01S/03W-32J01S	1263.3	4-28-67 6-01-67 7-26-67	184.8 228.4(1) 228.5(1)	1078.5 1034.9 1034.8	400
02N/05W-20P01S	2293.4	10-14-66 11-17-66 12-07-66 1-12-67 2-09-67 3-10-67 3-24-67 4-13-67 5-18-67 6-15-67 9-12-67	18.0 19.3 15.0 13.0 8.2 8.4 6.0 5.0 4.4 5.6 10.2	2275.4 2274.1 2278.4 2280.4 2285.2 2285.0 2287.4 2288.4 2289.0 2287.8 2283.2	230	01S/03W-33R01S	1465.0	12-13-66 6-01-67	297.9 261.6	1167.1 1203.4	400
02N/06W-13E01S	2562.4	2-21-67	7.4	2555.0	230	MENTONE HYDRO SUBAREA			Y-01.E4		
02N/06W-13M01S	2537.6	10-14-66 11-17-66 12-15-66 1-12-67 2-09-67	34.8 21.6 17.5 19.0 17.0	2502.8 2516.0 2520.1 2518.6 2520.6	230	01S/02W-18R01S	1762.6	12-12-66 1-10-67 5-01-67 5-26-67 7-28-67	199.5 191.3 163.2 164.8 148.8	1563.1 1571.3 1599.4 1597.8 1613.8	400

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
MONTONE HYDRO SUBAREA			Y-01.E4			RESERVOIR HYDRO SUBAREA			Y-01.E5		
01S/02W-18R01S (CONT.)	1762.6	9-30-67	152.3	1610.3	400	01S/02W-31801S	1880.7	12-12-66 1-10-67 9-30-67	304.0 (8) 277.7	1576.7 1603.0	400
01S/02W-19G01S	1688.6	12-12-66 1-10-67 4-21-67 4-26-67 5-26-67 7-28-67 9-30-67	(3) (3) 134.5 133.1 129.6 122.5 128.2	1554.1 1555.5 1559.0 1566.1 1560.4	400	01S/03W-35G08S	1565.8	10-31-66 11-28-66 12-12-66 2-01-67 3-29-67 4-24-67 5-31-67 6-30-67 7-28-67 9-28-67	171.0 162.0 164.0 154.0 152.0 147.0 152.0 155.0 162.0 140.0	1394.8 1403.8 1401.8 1411.8 1413.8 1418.8 1413.8 1410.8 1403.8 1425.8	203
01S/02W-19J01S	1760.5	12-12-66 1-10-67 7-28-67 9-30-67	180.2 163.7 125.6 119.7	1580.3 1596.8 1634.9 1640.8	400	01S/03W-35G11S	1560.0	10-31-66 11-28-66 12-13-66 1-31-67 2-27-67 3-29-67 4-25-67 5-31-67 6-30-67 7-31-67 8-28-67 9-28-67	146.0 141.0 144.0 134.0 131.0 130.0 130.0 130.0 135.0 135.0 127.0	1414.0 1419.0 1416.0 1426.0 1429.0 1430.0 1430.0 1430.0 1425.0 1425.0 1433.0	203
01S/02W-19K01S	1723.9	12-12-66 1-10-67 4-26-67 5-26-67 7-28-67 9-30-67	153.0 150.3 130.7 138.3 138.2 131.6(1)	1570.9 1573.6 1593.2 1585.6 1585.7 1592.3	400	01S/03W-35H03S	1571.1	10-31-66 11-25-66 12-13-66 1-30-67 2-27-67 3-28-67 4-24-67 5-31-67 6-30-67 7-31-67 8-28-67 9-28-67	202.9(1) 169.9 201.9(1) 160.9 156.9 153.9 150.9 153.9 196.9 162.9 197.9(1) 190.9(1)	1368.2 1401.2 1369.2 1410.2 1414.2 1417.2 1420.2 1417.2 1374.2 1408.2 1373.2 1380.2	203
01S/02W-20801S	1880.0	1-10-67 4-26-67 5-26-67 7-28-67 9-30-67	128.8 100.6 84.2 86.1 101.2	1751.2 1779.4 1795.8 1793.9 1778.8	400	01S/03W-35H04S	1585.3	10-31-66 11-25-66 12-12-66 1-30-67 2-27-67 3-28-67 4-24-67 5-31-67 6-30-67 7-31-67 8-28-67 9-28-67	183.0 178.0 181.0 170.0 166.0 163.0 154.0 162.0 173.0 171.0 175.0 168.0	1402.3 1407.3 1404.3 1415.3 1419.3 1422.3 1431.3 1423.3 1412.3 1414.3 1410.3 1417.3	203
01S/02W-20K01S	1907.0	12-12-66 4-26-67 5-26-67 7-28-67	(3) 64.7 63.7 61.7	1842.3 1843.3 1845.3	400	01S/03W-35L02S	1614.9	12-13-66 1-11-67 4-27-67 5-26-67 7-27-67	200.9 199.9 192.7 207.9 195.1	1414.0 1415.0 1422.2 1407.0 1419.8	400
01S/02W-20R01S	1896.0	12-12-66 1-10-67 4-27-67 5-26-67 7-31-67 9-30-67	73.6 77.6 60.4 53.8 87.5 62.0	1822.4 1818.4 1835.6 1842.2 1808.5 1834.0	400	CRAFTON HYDRO SUBAREA					
01S/02W-21001S	1965.0	10-31-66 11-28-66 12-08-66 12-13-66 1-09-67 1-31-67 2-28-67 3-29-67 4-25-67 4-26-67 5-26-67 5-31-67 6-28-67 7-28-67 7-31-67 8-28-67 9-28-67 9-30-67	68.0(1) 54.0 74.6 67.0(1) 45.2 35.0 33.0 32.0 32.0 39.0 46.0(1) 32.0 31.0 50.4 36.0 48.0(1) 57.0(1) 64.2(1)	1897.0 1911.0 1890.4 1898.0 1919.8 1930.0 1932.0 1933.0 1933.0 1926.0 1919.0 1933.0 1934.0 1914.6 1929.0 1917.0 1908.0 1900.8	203 400 203 400 203 400 400 400 203 400 203 400 400 203 400 400	01S/02W-29K01S	1920.0	12-12-66 1-10-67 4-27-67 5-26-67 7-31-67 9-30-67	(1) (1) (1) 149.8(1) 126.4 146.2(2)	1791.9 1770.2 1793.6 1773.8	400
01S/02W-30803S	1709.4	12-12-66 1-10-67 4-26-67 5-26-67 7-28-67 9-30-67	128.0 121.1 109.7 107.9 102.6 97.0	1581.4 1588.3 1599.7 1601.5 1606.8 1612.4	400	02S/03W-01D01S	1789.6	12-13-66 4-27-67 5-26-67 7-27-67	(1) 190.9 219.3(1) 227.1(1)	1598.7 1570.3 1562.5	400
01S/02W-30C01S	1649.0	1-10-67 4-26-67 5-26-67 7-28-67 9-30-67	128.0 121.9 122.1 129.0 127.0	1521.0 1527.1 1526.9 1520.0 1522.0	400	02S/03W-01P01S	1980.0	12-13-66 1-07-67 4-27-67 5-26-67 7-27-67	260.0 259.0 260.8 260.2 260.0	1720.0 1721.0 1719.2 1719.8 1720.0	400
01S/02W-30E01S	1630.0	12-12-66 1-10-67 5-25-67 7-28-67 9-30-67	120.9 118.5 122.8 126.8 122.9	1509.1 1511.5 1507.2 1503.2 1507.1	400	SANTA ANA CANYON HYDRO SUBAREA					
01S/02W-30G02S	1709.0	12-12-66 1-10-67 5-26-67 7-31-67	110.4 119.6 117.3 149.2	1598.6 1589.4 1591.7 1559.8	400	01S/02W-08C01S	1811.0	12-08-66 1-09-67 5-01-67 6-02-67 7-28-67	86.1 31.5 50.8 43.0 56.1	1724.9 1779.5 1760.2 1768.0 1754.9	400
RESERVOIR HYDRO SUBAREA			Y-01.E5			01S/02W-08C02S	1806.7	12-08-66 1-09-67 5-01-67 6-02-67 7-27-67	89.4 30.4 51.2 38.8 51.8	1717.3 1776.3 1755.5 1767.9 1754.9	400
01S/02W-29M01S	1851.8	12-12-66 1-10-67 4-27-67 5-26-67 7-31-67 9-30-67	256.1 255.2 230.9 237.4 233.2 230.2	1595.7 1596.6 1620.9 1614.4 1618.6 1621.6	400						
01S/02W-29N01S	1896.4	5-26-67 7-31-67	284.1 278.4	1612.3 1618.0	400						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
MILL CREEK HYDRO SUBAREA			Y-01.E8			MILL CREEK HYDRO SUBAREA			Y-01.E8		
01S/01W-08G01S	3570.0	10-28-66	76.0(1)	3494.0	203	01S/02W-21M01S	1955.3	4-25-67	16.6	1938.7	203
		11-28-66	94.0(1)	3476.0		(CONT.)		4-27-67	13.5	1941.8	400
		1-31-67	9.0	3561.0				5-26-67	23.7(1)	1931.6	
		2-28-67	9.0	3561.0				5-31-67	16.6	1938.7	203
		3-29-67	9.0	3561.0				6-28-67	11.6	1943.7	
		4-25-67	9.0	3561.0				7-31-67	23.5	1931.8	400
		5-31-67	9.0	3561.0				7-31-67	14.6	1940.7	203
		6-28-67	9.8	3560.2				8-28-67	24.6(1)	1930.7	
		7-31-67	11.0	3559.0				9-28-67	24.6(1)	1930.7	
		8-28-67	13.0	3557.0				9-30-67	28.4(1)	1926.9	400
		9-28-67	13.0	3557.0		01S/02W-22C02S	2260.0	10-31-66	74.0	2186.0	203
01S/01W-10L01S	4140.0	10-31-66	76.0	4064.0	203			11-28-66	48.0	2212.0	
		11-28-66	72.0	4068.0				12-13-66	39.0	2221.0	
		12-13-66	50.0	4090.0				1-31-67	39.0	2221.0	
		1-31-67	33.0	4107.0				2-28-67	39.0	2221.0	
		2-28-67	32.0	4108.0				3-29-67	39.0	2221.0	
		3-29-67	31.0	4109.0				4-25-67	39.0	2221.0	
		4-25-67	31.0	4109.0				4-26-67	41.6	2218.4	400
		5-31-67	25.0	4115.0				5-31-67	39.0	2221.0	203
		6-28-67	22.0	4118.0				6-28-67	40.0	2220.0	
		7-31-67	28.0	4112.0				7-28-67	40.3	2219.7	400
		8-28-67	38.0	4102.0				7-31-67	40.0	2220.0	203
		9-28-67	45.0(1)	4095.0				8-28-67	36.0	2224.0	
01S/01W-11001S	4575.0	10-31-66	100.0(1)	4475.0	203			9-28-67	37.0	2223.0	
		11-28-66	95.0(1)	4480.0				9-30-67	40.5	2219.5	400
		12-12-66	37.0	4538.0		01S/02W-22E01S	2198.9	12-08-66	25.3	2173.6	400
		1-31-67	37.0	4538.0				1-09-67	19.0	2179.9	
		2-28-67	35.0	4540.0				5-26-67	16.6	2182.3	
		3-29-67	35.0	4540.0				9-30-67	22.6	2176.3	
		4-25-67	35.0	4540.0		SYCAMORE HYDRO SUBAREA					
		5-31-67	31.0	4544.0		Y-01.E9					
		6-28-67	30.0	4545.0		01S/04W-06C03S	1184.9	12-09-66	200.1	984.8	230
		7-31-67	22.0	4553.0		01N/04W-31P03S	1206.4	10-00-66	300.5	905.9	124
		8-28-67	38.0	4537.0				11-01-66	308.5	897.9	
		9-28-67	46.0	4529.0				12-01-66	307.5	898.9	
01S/02W-21802S	2090.0	10-31-66	42.2(1)	2047.8	203			1-00-67	296.5	909.9	
		11-28-66	33.2	2056.8				2-01-67	290.5	915.9	
		12-08-66	28.0	2062.0	400			3-01-67	284.5	921.9	
		12-13-66	33.2(1)	2056.8	203			4-00-67	280.5	925.9	
		1-09-67	16.6	2073.4	400			5-00-67	281.5	924.9	
		1-31-67	15.2	2074.8	203			6-00-67	280.5	925.9	
		2-28-67	15.2	2074.8				7-00-67	279.5	926.9	
		3-28-67	16.2	2073.8				8-00-67	273.5	932.9	
		4-25-67	15.2	2074.8				9-00-67	273.5	932.9	
		5-26-67	23.9	2066.1	400			10-09-66	360.8	1237.5	706
		5-31-67	15.2	2074.8				11-01-66	361.7	1236.6	
		6-28-67	13.8	2076.2	203			12-01-66	362.2	1236.1	
		7-28-67	44.6	2045.4	400			1-04-67	363.2	1235.1	
		7-31-67	25.2(1)	2064.8	203			2-02-67	363.7	1234.6	
		8-28-67	29.2(1)	2060.8				3-01-67	363.5	1234.8	
		9-28-67	37.2(1)	2052.8		01N/05W-15K01S	1598.3	4-09-67	358.9	1239.4	
		9-30-67	35.0(1)	2055.0	400			5-02-67	371.7	1226.6	
01S/02W-21E01S	2015.9	10-31-66	77.0	1938.9	203			6-01-67	364.7	1233.6	
		11-28-66	53.0	1962.9				7-03-67	365.5	1232.8	
		12-08-66	53.4	1962.5	400			8-01-67	362.7	1235.6	
		12-13-66	51.0	1964.9	203			9-06-67	355.8	1242.5	
		1-09-67	39.0	1976.9	400			10-03-66	471.0	1119.8	706
		1-31-67	33.0	1982.9	203			11-01-66	472.2	1118.6	
		2-28-67	32.0	1983.9				12-01-66	472.2	1118.6	
		3-29-67	32.0	1983.9				1-04-67	473.6	1117.2	
		4-25-67	32.0	1983.9				2-02-67	474.0	1116.8	
		4-27-67	32.8	1983.1	400			3-01-67	474.1	1116.7	
		5-26-67	39.8(1)	1976.1				4-04-67	465.7	1125.1	
		5-31-67	30.0	1985.9	203			5-02-67	456.7	1134.1	
		6-28-67	30.0	1985.9				6-01-67	437.0	1153.8	
		7-28-67	39.6	1976.3	400			7-03-67	437.6	1153.2	
		7-31-67	35.0	1980.9	203			8-02-67	436.5	1154.3	
		8-28-67	50.0(1)	1965.9				9-06-67	415.0	1175.8	
		9-28-67	51.0(1)	1964.9		01N/05W-15Q02S	1590.8	10-03-66	471.0	1119.8	706
		9-30-67	47.4(1)	1968.5	400			11-01-66	472.2	1118.6	
01S/02W-21M02S	2126.0	12-08-66	28.9	2097.1	400			12-01-66	472.2	1118.6	
		1-09-67	16.5	2109.5				1-04-67	473.6	1117.2	
		4-27-67	15.3	2110.7				2-02-67	474.0	1116.8	
		5-26-67	13.3	2112.7				3-01-67	474.1	1116.7	
		7-28-67	13.8	2112.2				4-04-67	465.7	1125.1	
		9-30-67	21.8	2104.2				5-02-67	456.7	1134.1	
01S/02W-21L01S	2013.0	12-12-66	30.9	1982.1	400			6-01-67	437.0	1153.8	
		1-10-67	30.7	1982.3				7-03-67	437.6	1153.2	
		4-26-67	21.2	1991.8				8-02-67	436.5	1154.3	
		5-26-67	19.9	1993.1				9-06-67	415.0	1175.8	
		7-31-67	19.3	1993.7		01N/05W-22A01S	1549.8	10-03-66	426.5	1123.3	706
		9-30-67	26.4	1986.6				11-01-66	426.5	1123.3	
01S/02W-21M01S	1955.3	10-31-66	23.6	1931.7	203			12-01-66	425.4	1124.4	
		11-28-66	23.6	1931.7				1-04-67	425.4	1124.4	
		12-12-66	21.0	1934.3	400			2-02-67	425.4	1124.4	
		12-13-66	20.6	1934.7	203			3-02-67	425.4	1124.4	
		1-10-67	24.0	1931.3	400			5-02-67	419.6	1130.2	
		1-31-67	20.6	1934.7	203			6-01-67	401.1	1148.7	
		2-28-67	16.6	1938.7				6-30-67	399.6	1150.2	
		3-29-67	16.6	1938.7				8-01-67	386.8	1163.0	
								9-06-67	381.5	1168.3	
						01N/05W-23K01S	1454.2	10-01-66	358.2	1096.0	706
								11-01-66	348.9	1105.3	
								12-01-66	344.3	1109.9	
								1-04-67	367.4	1086.8	
								2-02-67	366.2	1088.0	
								3-02-67	358.2	1096.0	
								5-02-67	332.7	1121.5	
								6-01-67	330.4	1123.8	
								6-30-67	327.1	1127.1	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			SAN TIMOTEO HYDRO SUBUNIT			Y-01.F0		
SYCAMORE HYDRO SUBAREA			Y-01.E9			YUCAIPA HYDRO SUBAREA			Y-01.F1		
01N/05W-23K01S (CONT.)	1454.2	8-02-67	314.3	1139.9	706	01S/02W-34N02S	2162.4	11-04-66 3-03-67 9-15-67	(1) (1) (2)		100
01N/05W-23R03S	1412.0	10-00-66 11-01-66 12-01-66 1-00-67 2-01-67 3-01-67 4-00-67 5-00-67 6-00-67 7-00-67 8-00-67 9-00-67	388.0(1) 378.0(1) 385.0(1) 385.0(1) 372.0(1) 372.0(1) 362.0(1) 351.0(1) 251.0 347.0(1) 347.0(1) 343.0(1)	1024.0 1034.0 1027.0 1027.0 1040.0 1040.0 1050.0 1061.0 1161.0 1065.0 1065.0 1069.0	124	02S/03W-03N01S	1390.0	12-13-66 1-11-67 4-27-67 6-01-67 7-31-67	76.8 74.0 71.8 72.3 73.6	1313.2 1316.0 1318.2 1317.7 1316.4	400
01N/05W-25E01S	1383.4	10-00-66 11-01-66 12-01-66 1-00-67 2-01-67 3-01-67 4-00-67 5-00-67 6-00-67 7-00-67 8-00-67 9-00-67	300.0 300.0 342.0(1) 341.0(1) 306.0 328.0(1) 297.0 262.0 250.0 246.0 238.0 232.0	1083.4 1083.4 1041.4 1042.4 1077.4 1055.4 1086.4 1121.4 1133.4 1137.4 1145.4 1151.4	124	SAN TIMOTEO HYDRO SUBAREA			Y-01.F2		
01N/05W-26A03S	1398.0	10-00-66 11-01-66 12-01-66 1-00-67 2-01-67 3-01-67 4-00-67 5-00-67 6-00-67 7-00-67 8-00-67 9-00-67	305.0 297.0 297.0 300.0 318.0(1) 316.0(1) 306.0(1) 268.0 264.0(1) 242.0 234.0 230.0	1093.0 1101.0 1101.0 1098.0 1080.0 1082.0 1092.0 1130.0 1134.0 1156.0 1164.0 1168.0	124	02S/01W-34M01S	2656.8	11-14-66 4-06-67 5-12-67 7-28-67	387.5 386.9 386.2 387.9	2269.3 2269.9 2270.6 2268.9	103 713
01N/05W-36J03S	1261.5	10-00-66 11-01-66 12-01-66 1-00-67 2-01-67 3-01-67 4-00-67 5-00-67 6-00-67 7-00-67 8-00-67 9-00-67	390.1(1) 396.1(1) 364.1 363.1 355.1 353.1 353.1 336.1 346.1 345.1 332.1 346.1	871.4 865.4 897.4 898.4 906.4 908.4 908.4 925.4 915.4 916.4 929.4 915.4	124	02S/02W-20K01S	1877.7	11-21-66 4-06-67	34.3 29.5	1843.4 1848.2	103
01N/05W-36R01S	1247.4	10-21-66 11-15-66 12-06-66 12-06-66 1-11-67 2-16-67 3-15-67 4-26-67 5-26-67	361.5 362.8 347.6 399.2(1) 339.8 332.4 328.0 321.2 319.8	885.9 884.6 899.8 848.2 907.6 915.0 919.4 926.2 927.6	230	02S/02W-23J01S	2280.0	4-06-67	(4)		103
						02S/02W-25D05S	2236.5	11-21-66	45.4	2191.1	103
						02S/03W-03G01S	1680.0	11-25-66 12-13-66 1-31-67 2-28-67 3-28-67 4-25-67 5-31-67 7-31-67 8-29-67	263.0 242.0 268.0 260.0 258.0 255.0 255.0 296.0(1) 299.0(1)	1417.0 1438.0 1412.0 1420.0 1422.0 1425.0 1425.0 1384.0 1381.0	203
						02S/03W-10B01S	1491.8	12-13-66 1-11-67	92.9 91.6	1398.9 1400.2	400
						02S/03W-10F01S	1478.2	12-13-66 1-11-67 4-27-67	(1) (1) 173.2		400
						02S/03W-24B01S	1692.8	11-18-66 11-18-66 3-30-67 3-30-67	51.5 51.5 37.7 37.7	1641.3 1641.3 1655.1 1655.1	103
						03S/01W-04Q02S	2571.3	5-12-67 5-12-67 7-28-67 7-28-67	316.7 321.2 322.5 325.6	2254.6 2250.1 2248.8 2245.7	713
						03S/01W-05Q01S	2532.7	11-14-66 4-06-67	121.9 120.5	2410.8 2412.2	103
						03S/01W-06F01S	2333.0	11-21-66 4-06-67	116.8 116.3	2216.2 2216.7	103
						03S/01W-06L01S	2334.8	11-21-66 4-06-67	(7) (8)		103
						03S/01W-07C01S	2333.9	11-14-66 4-06-67	47.4 43.7	2286.5 2290.2	103
						03S/01W-09Q01S	2560.0	10-03-66 11-14-66 12-12-66 1-09-67 2-01-67 3-07-67 4-06-67 5-05-67 6-01-67 7-10-67 8-09-67 9-11-67	(1) 90.7 89.6 88.9 (9) 88.5 88.0 (9) (9) 88.9 (1) 88.9	2469.3 2470.4 2471.1 2471.5 2472.0 2471.1 2471.1 2471.1	103
						CHERRY VALLEY HYDRO SUBAREA			Y-01.F3		
						02S/02W-14J02S	2419.0	4-06-67	219.6	2199.4	103
						02S/02W-23H01S	2387.1	4-06-67	208.8	2178.3	103
						CHICKEN HILL HYDRO SUBAREA			Y-01.F4		
						02S/02W-02M01S	2386.0	11-04-66 12-23-66 1-11-67 3-03-67 4-13-67 7-11-67 8-15-67	303.7 300.6 296.7 303.2 307.6 (1) 309.7	2082.3 2085.4 2089.3 2082.8 2078.4 2076.3	100

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
SAN TIMOTEO HYDRO SUBUNIT						Y-01.F0					
CHICKEN HILL HYDRO SUBAREA						Y-01.F4					
025/02W-02M015 (CONT.)	2386.0	9-15-67	299.0	2087.0	100						
025/02W-11D015	2320.0	11-04-66	220.2(6)	2099.8	100						
		12-23-66	229.6	2090.4							
		1-11-67	221.2	2098.8							
		3-03-67	219.1	2100.9							
		7-11-67	210.6	2109.4							
		8-15-67	210.8	2109.2							
		9-15-67	(1)								
GATEWAY HYDRO SUBAREA						Y-01.F5					
015/01W-30E015	2816.9	11-04-66	325.4	2491.5	100						
		12-23-66	322.2	2494.7							
		1-11-67	322.2	2494.7							
		3-03-67	323.0	2493.9							
		4-13-67	323.1	2493.8							
		7-11-67	(1)								
		8-15-67	(1)								
		9-15-67	327.5	2489.4							
OAK GLEN HYDRO SUBAREA						Y-01.F6					
015/02W-36C045	2635.0	11-04-66	323.3	2311.7	100						
		12-23-66	321.8	2313.2							
		1-11-67	318.3	2316.7							
		3-03-67	316.1	2318.9							
		4-13-67	312.9	2322.1							
		7-11-67	338.0(4)	2297.0							
		8-15-67	(1)								
		9-15-67	343.4	2291.6							
015/02W-36R015	2710.0	11-04-66	384.3	2325.7	100						
		12-23-66	381.8	2328.2							
		1-11-67	382.0	2328.0							
		3-03-67	381.6	2328.4							
		4-13-67	379.5	2330.5							
		7-11-67	392.9	2317.1							
		8-15-67	(1)								
		9-15-67	388.0	2322.0							
025/02W-01F015	2560.0	11-04-66	252.2	2307.8	100						
		12-23-66	251.4	2308.6							
		1-11-67	251.1	2308.9							
		3-03-67	252.8	2307.2							
		4-13-67	251.8	2308.2							
		7-11-67	253.0	2307.0							
		8-15-67	253.1	2306.9							
		9-15-67	253.3	2306.7							
SOUTH MESA HYDRO SUBAREA						Y-01.F7					
025/01W-08E025	2860.0	11-04-66	158.2	2701.8	100						
		12-23-66	(9)								
		1-11-67	(9)								
		3-03-67	(9)								
		4-13-67	150.2	2709.8							
		7-11-67	159.2	2700.8							
		8-15-67	(3)								
		9-15-67	(3)								
025/02W-13E025	2453.0	11-04-66	302.0	2151.0	100						
		12-23-66	(6)								
NOBIE CREEK HYDRO SUBAREA						Y-01.F9					
025/01W-22M015	2953.0	11-14-66	(7)		103						
		12-12-66	134.5	2818.5							
		1-09-67	(1)								
		2-01-67	132.6	2820.4							
		3-07-67	133.9	2819.1							
		3-07-67	133.9	2819.1							
		4-06-67	130.5	2822.5							
		6-01-67	129.8	2823.2							
		9-11-67	(1)								
025/01W-22M025	2942.8	11-14-66	(2)		103						
		4-06-67	(1)								
025/02W-25B015	2299.1	4-06-67	77.7	2221.4	103						
025/02W-25D015	2247.8	11-21-66	0070.7	2177.1	103						
		11-21-66	0070.7	2177.1							
		4-06-67	0061.8	2186.0							
		4-06-67	0061.8	2186.0							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JACINTO VALLEY HYDRO UNIT						Y-02.00					
PERRIS HYDRO SUBUNIT			Y-02.A0		Y-02.A1	PERRIS HYDRO SUBUNIT			Y-02.A0		Y-02.A4
PERRIS VALLEY HYDRO SUBAREA			LAKEVIEW HYDRO SUBAREA								
03S/03W-06D01S	1650.0	10-25-66 3-24-67	199.4 194.3	1450.6 1455.7	103	04S/02W-03P01S	1436.3	10-07-66 10-31-66 12-13-66 1-06-67 2-08-67 3-08-67 5-03-67 6-06-67 7-11-67 8-09-67 9-08-67	139.2 139.3(4) 138.6 138.5 139.4 139.5(4) 138.5 138.6 (1) 141.0(4) 141.1(4)	1297.1 1297.0 1297.7 1297.8 1296.9 1296.8 1297.8 1297.7 1295.3 1295.2	103
03S/03W-13D01S	1595.5	10-07-66 10-31-66 12-13-66 1-09-67 2-08-67 3-07-67 3-30-67 5-04-67 6-06-67 7-11-67 8-09-67 9-08-67	141.9 141.6 141.2 141.3 141.0 141.2 141.2 140.8 142.2 142.4 142.4 142.2	1453.6 1453.9 1454.3 1454.2 1454.5 1454.3 1454.3 1454.7 1453.3 1453.1 1453.1 1453.3	103	04S/02W-08E01S	1452.0	10-31-66 3-29-67	226.2 (3)	1225.8	103
03S/03W-15F01S	1538.2	10-31-66 3-30-67	149.5 139.2	1388.7 1399.0	103	04S/02W-19J01S	1579.0	10-31-66 3-29-67	20.6 21.9	1558.4 1557.1	103
03S/03W-31C02S	1475.4	10-25-66 3-24-67	213.5 211.6	1261.9 1263.8	103	HEMET HYDRO SUBAREA			Y-02.A5		
04S/03W-35F01S	1431.9	10-25-66 3-28-67	222.4(2) 226.3(2)	1209.5 1205.6	103	05S/01E-20G03S	1877.4	12-16-66 1-06-67 2-07-67 3-07-67 5-03-67	282.9 281.9 280.8 279.4 280.0	1594.5 1595.5 1596.6 1598.0 1597.4	103
05S/03W-08J01S	1411.7	10-25-66 3-28-67	164.5 162.8	1247.2 1248.9	103	04S/01W-31D01S	1494.0	10-27-66 3-29-67	111.8(1) 113.8	1382.2 1380.2	103
MENIFEE HYDRO SUBAREA					Y-02.A2	05S/01W-09L02S	1556.0	10-07-66 10-26-66 10-26-66 12-16-66 12-16-66 1-06-67 2-07-67 3-08-67 3-08-67 3-28-67 5-03-67 6-06-67 6-06-67 7-11-67 8-08-67 8-08-67 9-08-67	179.2 176.1 176.1 170.4 170.4 169.8 169.0 172.8 172.8 172.9 168.9 175.5 175.5 (3) 181.6 181.6 181.7	1376.8 1379.9 1379.9 1385.6 1385.6 1386.2 1387.0 1383.2 1383.2 1383.1 1387.1 1380.5 1380.5 1374.4 1374.4 1374.3	103
06S/03W-03H02S	1430.0	10-06-66 10-25-66 12-15-66 1-10-67 2-06-67 3-03-67 6-02-67 8-07-67 9-07-67	(1) (1) 163.3 161.7 160.3 161.3 (1) 186.3(2) 182.8(2)	 1266.7 1268.3 1269.7 1268.7 1243.7 1247.2	103	05S/01W-10B01S	1583.4	10-07-66 10-07-66 10-26-66 12-16-66 12-16-66 1-06-67 2-07-67 2-07-67 3-08-67 3-08-67 3-28-67 5-03-67 6-06-67 7-11-67 9-08-67	202.4 202.4 (1) 197.3 197.3 (7) 196.7 196.7 199.2 199.2 198.1 195.7 199.3 203.2 203.2 (1)	1381.0 1381.0 1386.1 1386.1 1386.7 1386.7 1384.2 1384.2 1385.3 1387.7 1384.1 1380.2 1380.2	103
06S/03W-14N01S	1501.0	10-06-66 11-02-66 12-15-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-01-67 7-07-67 8-07-67 9-07-67	11.9 12.9 10.0 9.9 7.7 8.2 9.0 8.4 9.9 11.5 11.5 13.3	1489.1 1488.1 1491.0 1491.1 1493.3 1492.8 1492.0 1492.6 1491.1 1489.5 1489.5 1487.7	103	05S/01W-13C01S	1688.0	10-26-66 3-28-67	266.3 266.2	1421.7 1421.8	103
WINCHESTER HYDRO SUBAREA					Y-02.A3	05S/02W-12D02S	1498.5	10-26-66 3-28-67	69.6 69.7	1428.9 1428.8	103
05S/02W-19N01S	1459.0	10-07-66 10-26-66 12-16-66 1-11-67 2-03-67 3-08-67 3-28-67 5-02-67 6-06-67 7-11-67 8-08-67 9-08-67 9-08-67	45.6 45.6 45.1 44.9 45.4 44.5 44.4 44.3 44.0 45.4 42.1 42.1 36.1	1413.4 1413.4 1413.9 1414.1 1413.6 1414.5 1414.6 1414.7 1415.0 1413.6 1416.9 1416.9 1422.9	103	06S/01W-02D01S	1684.0	10-07-66 10-26-66 12-16-66 1-06-67 2-07-67 3-08-67 3-28-67 5-03-67 6-06-67 7-11-67 9-08-67	91.5 91.6 91.6 91.6 (9) 91.7 92.5 (9) 91.6 91.6 91.7 91.7	1592.5 1592.4 1592.4 1592.4 1592.3 1591.5 1592.4 1592.4 1592.3 1592.3	103
05S/02W-28K01S	1462.0	10-08-66 11-12-66 12-10-66 1-07-67 2-11-67 3-18-67 4-15-67 5-13-67 6-10-67 7-08-67 8-05-67 9-16-67	63.9 65.6 63.4 53.2 48.9 47.7 47.6 46.6 48.1 50.6 53.8 56.9	1398.1 1396.4 1398.6 1408.8 1413.1 1414.3 1414.4 1415.4 1413.9 1411.4 1408.2 1405.1	713	06S/01W-10A01S	1698.0	10-26-66 3-28-67	93.5 91.7	1604.5 1606.3	103
05S/02W-35C01S	1474.5	10-26-66 3-28-67	111.3 107.9	1363.2 1366.6	103						
05S/03W-25K01S	1446.0	10-25-66 3-28-67	37.8 37.1	1408.2 1408.9	103						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JACINTO VALLEY HYDRO UNIT						Y-02.00					
SAN JACINTO HYDRO SUBUNIT			Y-02.80			SAN JACINTO HYDRO SUBUNIT			Y-02.80		
SAN JACINTO HYDRO SUBAREA			Y-02.81			SAN JACINTO HYDRO SUBAREA			Y-02.81		
05S/01E-06P01S	1676.0	10-03-66	201.0	1475.0	103	03S/02W-29D01S (CONT.)	1426.5	6-06-67	34.9	1391.6	103
		10-27-66	201.2	1474.8				7-11-67	35.1	1391.4	
		12-12-66	201.5	1474.5				8-09-67	35.2	1391.3	
		1-06-67	201.6	1474.4				9-08-67	35.2	1391.3	
		2-08-67	201.8	1474.2		04S/01W-09Q02S	1476.0	12-16-66	67.7	1408.3	103
		3-06-67	201.9	1474.1				1-06-67	63.0	1413.0	
		3-27-67	201.7	1474.3				2-08-67	62.1	1413.9	
		5-03-67	201.9	1474.1				3-08-67	63.0	1413.0	
		5-29-67	201.9	1474.1				3-29-67	63.9	1412.1	
		7-10-67	202.3	1473.7				5-03-67	64.6	1411.4	
		8-08-67	202.3	1473.7				6-06-67	68.9	1407.1	
		9-08-67	202.5	1473.5				7-11-67	(1)		
05S/01E-07K01S	1725.2	10-07-66	339.7	1385.5	103			8-09-67	(1)		
		10-27-66	339.8	1385.4				9-08-67	(1)		
		12-16-66	340.4	1384.8		04S/01W-15Q01S	1500.0	10-27-66	176.9	1323.1	103
		1-06-67	341.6	1383.6				3-29-67	(5)		
		2-08-67	340.9	1384.3		04S/01W-21P01S	1594.0	10-07-66	80.8(2)	1513.2	103
		3-08-67	340.9	1384.3				10-27-66	96.4(2)	1497.6	
		3-29-67	341.1	1384.1				12-16-66	92.9(2)	1501.1	
		5-03-67	341.1	1384.1				1-06-67	92.2(2)	1501.8	
		6-06-67	341.6	1383.6				2-08-67	91.1	1502.9	
		7-11-67	341.7	1383.5				3-08-67	90.2	1503.8	
		8-08-67	342.0	1383.2				3-29-67	90.4	1503.6	
		9-08-67	338.8	1386.4				5-03-67	91.2	1502.8	
05S/01E-09J02S	1784.2	10-03-66	100.3	1683.9	103			6-06-67	91.3	1502.7	
		10-27-66	102.2	1682.0				7-11-67	91.3	1502.7	
		12-12-66	105.3	1678.9				8-09-67	93.2(2)	1500.8	
		1-06-67	97.0	1687.2				9-08-67	92.0(2)	1502.0	
		2-08-67	87.2	1697.0		04S/01W-28F01S	1498.7	10-27-66	137.7	1361.0	103
		3-06-67	82.4	1701.8				3-29-67	129.4	1369.3	
		3-27-67	78.6	1705.6		04S/02W-01M01S	1436.5	10-31-66	134.1	1302.4	103
		5-03-67	74.1	1710.1				3-30-67	130.8	1305.7	
		5-29-67	72.7	1711.5							
		7-10-67	73.8	1710.4							
		8-08-67	76.2	1708.0							
		9-08-67	79.6	1704.6							
05S/01E-09M01S	1759.7	10-27-66	78.0(4)	1681.7	103						
		3-29-67	79.2	1680.5							
05S/01E-14G01S	1870.8	10-07-66	50.3	1820.5	103						
		10-26-66	50.7	1820.1							
		12-16-66	48.7	1822.1							
		1-06-67	44.9	1825.9							
		1-06-67	44.9	1825.9							
		2-08-67	40.2	1830.6							
		2-08-67	40.2	1830.6							
		3-08-67	38.6	1832.2							
		3-08-67	38.6	1832.2							
		3-29-67	37.4	1833.4							
		3-29-67	37.4	1833.4							
		5-03-67	35.7	1835.1							
		6-06-67	37.0	1833.8							
		7-11-67	40.8	1830.0							
		7-11-67	40.8	1830.0							
		8-08-67	38.0	1832.8							
		9-08-67	38.4	1832.4							
05S/01E-18F01S	1730.0	10-26-66	(2)		103						
		3-28-67	243.3	1486.7							
05S/01E-21F01S	1918.6	10-26-66	297.4	1621.2	103						
		3-29-67	297.0	1621.6							
03S/01W-03K02S	2642.8	5-12-67	(1)		713						
		7-28-67	(1)								
03S/01W-10R01S	2584.5	11-14-66	31.9	2552.6	103						
		4-06-67	31.0	2553.5							
03S/01W-12E01S	2578.0	7-29-67	322.2	2255.8	713						
03S/01W-12N01S	2544.2	5-02-67	259.6	2284.6	713						
		7-23-67	258.7	2285.5							
03S/02W-07P01S	1590.0	10-31-66	112.5	1477.5	103						
		3-30-67	111.4	1478.6							
03S/02W-08E01S	1675.0	10-31-66	136.3	1538.7	103						
		3-30-67	ORY								
03S/02W-21C01S	1440.0	10-31-66	10.7	1429.3	103						
		3-30-67	(5)								
03S/02W-26E01S	1458.0	10-31-66	51.1	1406.9	103						
		3-30-67	50.5	1407.5							
03S/02W-29D01S	1426.5	10-07-66	34.6	1391.9	103						
		10-31-66	(9)								
		12-13-66	34.5	1392.0							
		1-09-67	34.7	1391.8							
		2-08-67	34.7	1391.8							
		3-07-67	34.8	1391.7							
		3-30-67	34.9	1391.6							
		5-03-67	34.9	1391.6							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JACINTO VALLEY HYDRO UNIT						Y-02.00					
ELSINORE HYDRO SUBUNIT			Y-02.C0			ELSINORE HYDRO SUBUNIT			Y-02.C0		
ELSINORE HYDRO SUBAREA			Y-02.C1			ELSINORE HYDRO SUBAREA			Y-02.C1		
05S/05W-34002S	1385.0	10-06-66	321.0	1064.0	103	06S/04W-23N01S	1409.0	11-03-66	40.2	1368.8	103
		11-01-66	316.2	1068.8				4-03-67	40.1	1368.9	
		12-15-66	310.9	1074.1							
		1-10-67	307.7	1077.3		06S/04W-26E01S	1362.0	11-03-66	70.2 (4)	1291.8	103
		2-06-67	299.4	1085.6				4-03-67	(2)		
		3-03-67	293.7	1091.3		06S/04W-29C01S	1330.0	11-02-66	54.4 (4)	1275.6	103
		4-05-67	285.9	1099.1				4-04-67	42.3	1287.7	
		5-04-67	281.0	1104.0		06S/04W-29H04S	1325.0	11-02-66	40.3	1284.7	103
		7-07-67	277.9	1107.1				4-04-67	36.4	1288.6	
		8-07-67	279.2	1105.8		06S/05W-02G01S	1277.7	11-01-66	80.2	1197.5	103
		9-07-67	281.4	1103.6				4-05-67	79.0	1198.7	
05S/05W-35P01S	1321.0	11-01-66	196.8	1124.2	103	06S/05W-02L01S	1278.0	11-01-66	81.1	1196.9	103
		4-05-67	196.9	1124.1				4-05-67	80.0	1198.0	
06S/04W-05N01S	1280.0	10-06-66	64.2	1215.8	103	06S/05W-02M03S	1286.8	11-01-66	(7)		103
		11-03-66	64.4	1215.6				4-05-67	171.8	1115.0	
		12-15-66	63.7	1216.3		06S/05W-03P01S	1327.5	11-01-66	103.4	1224.1	103
		1-10-67	59.8	1220.2				4-05-67	89.2	1238.3	
		1-10-67	59.8	1220.2		06S/05W-03Q01S	1324.0	11-01-66	241.1 (2)	1082.9	103
		2-06-67	58.6	1221.4				4-05-67	200.4	1123.6	
		3-03-67	58.4	1221.6		06S/05W-10A01S	1265.0	11-01-66	112.9	1152.1	103
		4-03-67	57.4	1222.6				4-04-67	(3)		
		5-04-67	57.6	1222.4		06S/05W-10B01S	1285.0	11-01-66	27.3	1257.7	103
		6-02-67	58.1	1221.9				4-05-67	19.3	1265.7	
		7-07-67	58.4	1221.6		06S/05W-10C01S	1331.1	11-01-66	51.2	1279.9	103
		8-07-67	59.1	1220.9				4-05-67	38.3	1292.8	
		9-07-67	59.8	1220.2		06S/05W-11M02S	1290.0	11-01-66	44.6	1245.4	103
06S/04W-05Q01S	1395.0	11-03-66	19.4	1375.6	103			4-04-67	39.4	1250.6	
		4-03-67	18.6	1376.4		06S/05W-11P02S	1313.0	11-01-66	(1)		103
06S/04W-06J01S	1280.0	11-03-66	66.8	1213.2	103			4-04-67	(1)		
		4-03-67	58.5	1221.5		06S/05W-13P01S	1337.0	11-02-66	106.4	1230.6	103
06S/04W-08L01S	1272.6	11-03-66	75.1	1197.5	103			4-04-67	105.0	1232.0	
		4-03-67	74.0	1198.6		06S/05W-13Q02S	1270.0	11-02-66	66.1	1203.9	103
06S/04W-16D01S	1260.0	11-03-66	91.7	1168.3	103			4-04-67	62.5	1207.5	
		4-03-67	91.5	1168.5		06S/05W-14A01S	1271.3	11-01-66	(7)		103
06S/04W-16H01S	1272.0	10-06-66	57.1	1214.9	103			4-04-67	(2)		
		11-03-66	57.1	1214.9		06S/05W-14E01S	1506.6	11-01-66	49.8	1456.8	103
		12-15-66	57.2	1214.8				4-04-67	46.5	1460.1	
		1-10-67	57.1	1214.9							
		2-06-67	57.1	1214.9							
		3-03-67	57.1	1214.9							
		4-03-67	57.1	1214.9							
		5-04-67	56.9	1215.1							
		6-02-67	56.8	1215.2							
		7-07-67	56.6	1215.4							
		8-07-67	56.6	1215.4							
		9-07-67	56.6	1215.4							
06S/04W-19G01S	1257.9	11-02-66	22.8	1235.1	103						
		4-04-67	19.4	1238.5							
06S/04W-19K01S	1284.0	11-02-66	36.2	1247.8	103						
		4-04-67	32.3	1251.7							
06S/04W-20Q01S	1289.0	11-02-66	17.4	1271.6	103						
		4-04-67	14.9	1274.1							
06S/04W-20Q02S	1279.0	11-03-66	14.0	1265.0	103						
		4-04-67	12.2	1266.8							
06S/04W-20R01S	1263.0	11-03-66	11.4	1251.6	103						
		4-04-67	9.6	1253.4							
06S/04W-21R01S	1266.0	11-03-66	165.4	1100.6	103						
		2-06-67	177.7	1088.3							
		2-06-67	177.7	1088.3							
		3-03-67	178.5	1087.5							
		4-03-67	181.9	1084.1							
		4-03-67	181.9	1084.1							
		5-04-67	191.3	1074.7							
		5-04-67	191.3	1074.7							
		6-02-67	199.8	1066.2							
		6-02-67	199.8	1066.2							
		7-07-67	206.8	1059.2							
		9-07-67	(3)								
06S/04W-22M01S	1273.0	11-03-66	185.0	1088.0	103						
		4-03-67	173.8	1099.2							
06S/04W-22M02S	1278.2	10-15-66	199.3	1078.9	716						
		11-09-66	196.4	1081.8							
		12-12-66	190.6	1087.6							
		1-16-67	188.6	1089.6							
		2-15-67	187.0	1091.2							
		3-08-67	187.0	1091.2							
		4-10-67	185.0	1093.2							
		5-05-67	182.1	1096.1							
		6-08-67	193.0 (2)	1085.2							
		7-12-67	196.0	1082.2							
		8-01-67	205.0 (2)	1073.2							
		9-25-67	209.0 (2)	1069.2							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYDRO UNIT						Z-01.00					
LAGUNA HYDRO SUBUNIT ALISO HYDRO SUBAREA			Z-01.A0	Z-01.A3		LAGUNA HYDRO SUBUNIT ALISO HYDRO SUBAREA			Z-01.A0	Z-01.A3	
055/07W-32J015	1235.0	10-20-66	46.8	1188.2	102	065/08W-23J025	451.2	10-04-66	15.6	435.6	102
		11-23-66	47.3	1187.7				11-16-66	15.1	436.1	
		12-29-66	45.9	1189.1				12-15-66	13.7	437.5	
		2-01-67	45.4	1189.6				1-12-67	12.8	438.4	
		2-23-67	44.7	1190.3				2-10-67	12.1	439.1	
		3-23-67	44.1	1190.9				3-09-67	12.2	439.0	
		5-10-67	43.2	1191.8				4-20-67	12.7	438.5	
		6-08-67	42.8	1192.2				5-25-67	13.5	437.7	
		7-06-67	42.5	1192.5				6-22-67	13.6	437.6	
		8-10-67	42.4	1192.6				7-20-67	14.2	437.0	
		9-07-67	43.1	1191.9				8-24-67	15.1	436.1	
								9-21-67	15.5	435.7	
055/07W-33N015	1200.0	10-20-66	0032.6	1167.4	102	065/08W-23R015	461.0	10-04-66	6.0	455.0	102
		11-23-66	0032.4	1167.6				11-16-66	5.7	455.3	
		12-29-66	0030.7	1169.3				12-15-66	4.0	457.0	
		2-01-67	0029.4	1170.6				1-12-67	4.2	456.8	
		2-23-67	0025.9	1174.1				2-10-67	3.9	457.1	
		3-23-67	0023.5	1176.5				3-09-67	3.9	457.1	
		5-10-67	0022.8	1177.2				4-20-67	3.7	457.3	
		6-08-67	0022.3	1177.7				5-25-67	4.0	457.0	
		7-06-67	0021.0	1179.0				6-22-67	3.6	457.4	
		8-10-67	0023.4	1176.6				7-20-67	3.8	457.2	
		9-07-67	0022.2	1177.8				8-23-67	5.1	455.9	
								9-21-67	5.3	455.7	
055/07W-33Q015	1160.0	10-20-66	15.9	1144.1	102	065/08W-24M015	507.8	10-06-66	12.4	495.4	102
		11-23-66	15.8	1144.2				11-16-66	8.8	499.0	
		12-29-66	14.3	1145.7				12-15-66	8.5	499.3	
		2-01-67	13.9	1146.1				1-12-67	8.5	499.3	
		2-23-67	13.6	1146.4				2-10-67	8.6	499.2	
		3-23-67	13.4	1146.6				3-09-67	8.6	499.2	
		5-10-67	13.6	1146.4				4-20-67	8.7	499.1	
		6-08-67	13.5	1146.5				5-25-67	8.7	499.1	
		7-06-67	13.5	1146.5				6-22-67	10.7	497.1	
		8-10-67	13.9	1146.1				7-20-67	11.4	496.4	
		9-07-67	15.1	1144.9				8-24-67	13.9	493.9	
								9-21-67	11.6	496.2	
065/07W-04C015	1118.0	10-20-66	14.9	1103.1	102	065/08W-26B015	440.0	10-04-66	11.9	428.1	102
		11-23-66	15.5	1102.5				11-16-66	12.4	427.6	
		12-29-66	8.8	1109.2				12-15-66	10.2	429.8	
		2-01-67	7.4	1110.6				1-12-67	9.0	431.0	
		2-23-67	7.3	1110.7				2-10-67	8.8	431.2	
		3-23-67	7.4	1110.6				3-10-67	8.4	431.6	
		5-10-67	7.9	1110.1				5-25-67	8.9	431.1	
		6-08-67	8.5	1109.5				6-22-67	9.5	430.5	
		7-06-67	9.6	1108.4				7-20-67	9.3	430.7	
		8-10-67	11.2	1106.8				8-24-67	11.3	428.7	
		9-07-67	12.1	1105.9				9-21-67	12.0	428.0	
065/07W-04E015	1070.0	10-20-66	15.4	1054.6	102	065/08W-26B035	443.0	10-06-66	26.6	416.4	102
		11-23-66	14.6	1055.4				11-16-66	28.1	414.9	
		12-29-66	8.7	1061.3				12-15-66	26.7	416.3	
		2-01-67	9.0	1061.0				1-12-67	26.3	416.7	
		2-23-67	9.3	1060.7				2-10-67	27.5	415.5	
		3-23-67	9.1	1060.9				3-09-67	25.8	417.2	
		5-10-67	10.0	1060.0				4-20-67	26.0	417.0	
		6-08-67	12.4	1057.6				5-25-67	24.0	419.0	
		7-06-67	10.6	1059.4				6-22-67	24.3	418.7	
		8-10-67	10.1	1059.9				7-20-67	24.5	418.5	
		9-07-67	10.6	1059.4				8-24-67	26.1	416.9	
								9-21-67	26.5	416.5	
065/07W-04N015	998.0	11-23-66	24.1	973.9	102	065/08W-26C015	438.0	11-16-66	17.4	420.6	102
		12-29-66	22.9	975.1				12-15-66	18.4	419.6	
		2-01-67	23.6	974.4				1-12-67	18.6	419.4	
		2-23-67	22.5	975.5				2-10-67	17.8	420.2	
		3-23-67	22.5	975.5				3-10-67	16.0	422.0	
		5-10-67	22.4	975.6				4-20-67	18.1	419.9	
		6-08-67	22.2	975.8				5-25-67	18.5	419.5	
		7-06-67	24.2	973.8							
		8-10-67	22.2	975.8							
		9-07-67	25.4	972.6							
065/08W-23J015	507.5	10-06-66	22.7	484.8	102	065/08W-26F015	422.0	10-06-66	29.7	392.3	102
		11-16-66	21.8	485.7				11-16-66	29.6	392.4	
		12-15-66	20.9	486.6				12-15-66	28.2	393.8	
		1-12-67	20.3	487.2				1-12-67	27.7	394.3	
		2-10-67	22.5	485.0				2-10-67	27.5	394.5	
		3-09-67	20.1	487.4				3-09-67	27.4	394.6	
		4-20-67	20.4	487.1				4-20-67	27.2	394.8	
		5-25-67	20.6	486.9				5-25-67	27.0	395.0	
		6-22-67	20.8	486.7				6-22-67	26.7	395.3	
		7-20-67	21.3	486.2				7-20-67	26.9	395.1	
		8-23-67	20.5	487.0				8-24-67	27.0	395.0	
		9-21-67	21.5	486.0				9-21-67	27.0	395.0	
065/08W-23Q015	457.9	10-04-66	22.6	435.3	102	065/08W-26F035	421.9	10-04-66	20.4	401.5	102
		11-16-66	22.7	435.2				11-16-66	18.9	403.0	
		12-15-66	21.2	436.7				12-15-66	15.3	406.6	
		1-12-67	19.7	438.2				1-12-67	16.5	405.4	
		2-10-67	19.3	438.6				2-10-67	16.1	405.8	
		3-09-67	19.1	438.8				3-09-67	16.3	405.6	
		4-20-67	19.7	438.2				4-20-67	16.7	405.2	
		5-25-67	20.0	437.9				5-25-67	16.4	405.5	
		6-22-67	22.6	435.3				6-22-67	17.2	404.7	
		7-20-67	23.2	434.7				7-20-67	17.6	404.3	
		8-23-67	22.3	435.6				8-24-67	18.5	403.4	
		9-21-67	22.8	435.1				9-21-67	26.3(2)	395.6	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYDRO UNIT						Z-01.00					
LAGUNA HYDRO SUBUNIT ALISO HYDRO SUBAREA			Z-01.A0		Z-01.A3	LAGUNA HYDRO SUBUNIT ALISO HYDRO SUBAREA			Z-01.A0		Z-01.A3
06S/08W-26F04S	420.2	11-16-66	19.2	401.0	102	06S/08W-34C01S	367.0	1-12-67	22.4	344.6	102
		12-15-66	15.2	405.0		(CONT.)		2-10-67	(6)		
		1-12-67	16.7	403.5		07S/08W-04G01S	320.0	10-04-66	101.4	218.6	102
		2-10-67	16.5	403.7				11-16-66	76.3	243.7	
		3-09-67	16.7	403.5				12-15-66	78.6(2)	241.4	
		4-20-67	17.1	403.1				1-12-67	71.5	248.5	
		5-25-67	16.8	403.4				2-10-67	56.1	263.9	
		6-22-67	16.0	404.2				3-09-67	56.9	263.1	
		7-20-67	16.2	404.0				4-20-67	61.6	258.4	
		8-24-67	18.1	402.1				5-25-67	74.8	245.2	
		9-21-67	21.0	399.2				8-24-67	103.6	216.4	
								9-21-67	108.0	212.0	
06S/08W-26F05S	431.3	10-04-66	29.4	401.9	102	07S/08W-05R01S	500.0	10-04-66	135.8	364.2	102
		11-16-66	29.2	402.1				11-16-66	113.6	386.4	
		12-15-66	27.7	403.6				12-15-66	113.0	387.0	
		1-12-67	27.4	403.9				1-12-67	112.2	387.8	
		2-10-67	27.7	403.6				2-10-67	113.8	386.2	
		3-09-67	26.9	404.4				3-09-67	112.9	387.1	
		4-20-67	30.5	400.8				5-25-67	116.7	383.3	
		5-25-67	26.8	404.5				6-22-67	112.4	387.6	
		6-22-67	24.0	407.3				7-20-67	113.2	386.8	
		7-20-67	25.4	405.9				8-24-67	111.6	388.4	
		8-24-67	27.9	403.4				9-21-67	112.2	387.8	
		9-21-67	28.0	403.3							
06S/08W-26G01S	438.8	10-04-66	25.8	413.0	102	07S/08W-16Q03S	200.0	10-04-66	7.7	192.3	102
		11-06-66	25.6	413.2				12-15-66	6.6	193.4	
		2-10-67	23.7	415.1				1-12-67	5.5	194.5	
		3-09-67	23.6	415.2				2-10-67	5.3	194.7	
		4-20-67	23.4	415.4				3-09-67	4.9	195.1	
		5-25-67	23.8	415.0				4-20-67	8.8	191.2	
		6-22-67	26.7	412.1				5-25-67	8.3	191.7	
		7-20-67	24.9	413.9				6-22-67	5.6	194.4	
		8-24-67	25.3	413.5				7-20-67	7.1	192.9	
		9-21-67	25.8	413.0				8-24-67	5.1(2)	194.9	
								9-21-67	5.9	194.1	
06S/08W-26M03S	414.0	10-06-66	28.6	385.4	102						
		11-16-66	29.2	384.8							
		12-15-66	27.5	386.5							
		1-12-67	27.8	386.2							
		2-10-67	27.2	386.8							
		3-09-67	26.9	387.1							
		4-20-67	27.5	386.5							
		5-25-67	26.8	387.2							
		6-22-67	18.0	396.0							
		7-20-67	30.4	383.6							
		8-24-67	26.1	387.9							
		9-21-67	26.4	387.6							
06S/08W-27J01S	396.0	10-04-66	21.0	375.0	102						
		11-16-66	21.2	374.8							
		12-15-66	17.9	378.1							
		1-12-67	19.5	376.5							
		2-10-67	16.3	379.7							
		3-09-67	17.4	378.6							
		4-20-67	19.3	376.7							
		5-25-67	19.2	376.8							
		6-22-67	19.9	376.1							
		7-20-67	20.7	375.3							
		8-24-67	20.8	375.2							
		9-21-67	20.4	375.6							
06S/08W-27J02S	402.5	10-06-66	28.3	374.2	102						
		11-16-66	27.4	375.1							
		12-15-66	26.8	375.7							
		1-12-67	27.9	374.6							
		2-10-67	26.9	375.6							
		3-09-67	27.7	374.8							
		4-20-67	26.4	376.1							
		5-25-67	27.0	375.5							
		6-22-67	25.4	377.1							
		7-20-67	25.7	376.8							
		8-24-67	28.6	373.9							
		9-21-67	28.6	373.9							
06S/08W-27Q01S	377.7	10-04-66	25.7	352.0	102						
		11-16-66	25.4	352.3							
		12-15-66	25.1	352.6							
		1-12-67	24.1	353.6							
		2-10-67	24.0	353.7							
		3-08-67	24.6	353.1							
		4-20-67	23.3	354.4							
06S/08W-27Q02S	383.0	10-04-66	26.4	356.6	102						
		11-16-66	20.6	362.4							
		12-15-66	25.7	357.3							
		1-12-67	25.3	357.7							
		2-10-67	24.3	358.7							
		3-09-67	23.8	359.2							
		4-20-67	24.4	358.6							
		5-25-67	24.4	358.6							
		6-22-67	23.3	359.7							
		7-20-67	23.9	359.1							
		8-24-67	24.9	358.1							
06S/08W-34C01S	367.0	10-06-66	23.4	343.6	102						
		11-16-66	22.9	344.1							
		12-15-66	22.6	344.4							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYDRO UNIT						Z-01.00					
SAN JUAN HYDRO SUBUNIT						SAN JUAN HYDRO SUBUNIT					
Z-01.80						Z-01.80					
06S/07W-10R01S	1000.0	10-20-66	54.7	945.3	102	06S/07W-15801S (CONT.)	926.7	11-23-66	22.5	904.2	102
		11-23-66	54.9	945.1				12-29-66	6.4	920.3	
		2-01-67	36.0	964.0				2-01-67	6.9	919.8	
		2-23-67	36.3	963.7				2-23-67	8.0	918.7	
		6-08-67	37.3	962.7				3-23-67	6.2	920.5	
		7-06-67	37.3	962.7				5-10-67	6.6	920.1	
		9-07-67	42.5	957.5				6-08-67	6.3	920.4	
								7-06-67	6.6	920.1	
06S/07W-11J01S	1082.8	11-23-66	38.8	1044.0	102			8-10-67	7.2	919.5	
		12-29-66	4.6	1078.2				9-07-67	12.5	914.2	
		2-01-67	5.1	1077.7		06S/07W-15F03S	900.0	7-06-67	6.9	893.1	102
		2-23-67	5.8	1077.0				8-10-67	7.0	893.0	
		3-23-67	6.5	1076.3		07S/07W-19D01S	307.0	10-27-66	23.8	283.2	102
		5-10-67	6.0	1076.8				11-29-66	24.1	282.9	
		6-08-67	6.2	1076.6		07S/07W-19D02S	307.0	10-27-66	20.5	286.5	102
		8-10-67	21.6	1061.2				11-29-66	20.9	286.1	
06S/07W-11N01S	980.7	12-29-66	8.5	972.2	102			12-29-66	23.5	283.5	
		2-01-67	8.5(4)	972.2				1-30-67	22.7	284.3	
		2-23-67	8.9	971.8				2-27-67	24.4	282.6	
		3-23-67	8.8	971.9				3-30-67	23.1	283.9	
		5-10-67	8.9	971.8				4-26-67	23.0	284.0	
		6-08-67	10.3	970.4				5-31-67	23.2	283.8	
		7-06-67	10.7	970.0				6-29-67	21.4	285.6	
		8-10-67	11.4	969.3				7-27-67	23.2	283.8	
		9-07-67	15.3	965.4				8-30-67	22.8	284.2	
								9-28-67	22.7	284.3	
06S/07W-12B02S	1190.6	12-29-66	9.3	1181.3	102	07S/07W-32Q02S	140.0	10-28-66	20.1	119.9	102
		2-01-67	8.8	1181.8				11-30-66	15.1	124.9	
		2-23-67	10.6	1180.0				12-30-66	9.9	130.1	
		3-23-67	13.1	1177.5				1-31-67	9.5	130.5	
		5-10-67	13.1	1177.5				2-28-67	9.9	130.1	
		6-08-67	15.1	1175.5				4-04-67	10.3	129.7	
		7-06-67	17.4	1173.2				4-27-67	10.1	129.9	
		9-07-67	27.3	1163.3				6-01-67	10.8	129.2	
06S/07W-12C01S	1168.5	10-20-66	23.7	1144.8	102			6-30-67	10.8	129.2	
		11-23-66	20.9	1147.6				7-28-67	11.1	128.9	
		12-29-66	2.4	1166.1				9-29-67	14.3	125.7	
		2-01-67	3.0	1165.5		07S/07W-32R01S	148.5	11-30-66	6.4	142.1	102
		2-23-67	3.8	1164.7				10-28-66	11.3	188.7	102
		3-23-67	5.5	1163.0				11-30-66	9.5	190.5	
		5-10-67	6.1	1162.4				1-31-67	13.5	186.5	
		6-08-67	7.4	1161.1				2-28-67	11.7	188.3	
		7-06-67	13.5	1155.0				4-04-67	11.1	188.9	
		8-10-67	21.3	1147.2				4-27-67	11.2	188.8	
		9-07-67	DRY					6-01-67	11.8	188.2	
06S/07W-12F01S	1200.0	10-20-66	30.1	1169.9	102			6-30-67	12.0	188.0	
		11-23-66	30.4	1169.6				9-29-67	12.2	187.8	
		12-29-66	10.8	1189.2		07S/07W-33M01S	159.0	10-27-66	8.7	150.3	102
		2-01-67	10.6	1189.4				11-30-66	8.7	150.3	
		2-23-67	11.8	1188.2				12-30-66	8.6	150.4	
		3-23-67	13.0	1187.0				1-31-67	8.4	150.6	
		5-10-67	9.5	1190.5				2-28-67	8.7	150.3	
		6-08-67	15.3	1184.7				4-04-67	8.8	150.2	
		7-06-67	20.3	1179.7				4-27-67	8.7	150.3	
		8-10-67	26.6	1173.4				6-01-67	9.2	149.8	
		9-07-67	28.3	1171.7				6-30-67	9.3	149.7	
06S/07W-12M01S	1100.6	10-20-66	36.6	1064.0	102			7-28-67	9.5	149.5	
		11-23-66	35.4	1065.2				9-01-67	9.5	149.5	
		12-29-66	5.4	1095.2				9-29-67	9.0	150.0	
		2-01-67	4.9	1095.7		07S/08W-24N01S	230.0	10-27-66	DRY		102
		2-23-67	5.6	1095.0				11-29-66	DRY		
		3-23-67	6.9	1093.7				12-29-66	13.6	216.4	
		5-10-67	6.1	1094.5				1-30-67	11.4	218.6	
		6-08-67	6.9	1093.7				2-27-67	13.0	217.0	
		7-06-67	12.5	1088.1				3-30-67	13.8	216.2	
		8-10-67	19.5	1081.1				4-26-67	13.6	216.4	
		9-07-67	23.7	1076.9				5-31-67	17.0	213.0	
06S/07W-12M02S	1105.9	10-20-66	DRY		102			6-29-67	15.7	214.3	
		11-23-66	DRY					7-27-67	19.7	210.3	
		12-29-66	11.9	1094.0		07S/08W-25B01S	239.0	8-30-67	21.6	208.4	
		2-01-67	8.1	1097.8				9-28-67	22.5	207.5	
		2-23-67	11.0	1094.9				10-27-66	44.3	194.7	102
		3-23-67	11.3	1094.6				11-29-66	43.7	195.3	
		5-10-67	10.6	1095.3				12-29-66	35.8	203.2	
		6-08-67	11.3	1094.6				1-30-67	30.9	208.1	
		7-06-67	15.9	1090.0				2-27-67	30.3	208.7	
		8-10-67	23.0	1082.9				3-30-67	29.6	209.4	
		9-07-67	27.1	1078.8				4-26-67	30.5	208.5	
06S/07W-15A04S	958.6	10-20-66	22.9	935.7	102			5-31-67	26.7	212.3	
		11-23-66	23.8	934.8				6-29-67	29.8	209.2	
		12-29-66	4.9	953.7				7-27-67	33.8	205.2	
		2-01-67	4.9	953.7				8-30-67	35.9	203.1	
		2-23-67	5.2	953.4				9-28-67	35.9	203.1	
		3-23-67	5.6	953.0		07S/08W-25B03S	240.0	10-27-66	47.1	192.9	102
		5-10-67	6.4	952.2				11-29-66	46.5	193.5	
		6-08-67	5.5	953.1				12-29-66	38.5	201.5	
		7-06-67	6.0	952.6				1-30-67	33.4	206.6	
		8-10-67	7.6	951.0				2-27-67	33.0	207.0	
		9-07-67	11.6	947.0							
06S/07W-15B01S	926.7	10-20-66	21.7	905.0	102						

See page 117 for key to terms & abbreviations

TABLE C-I
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYDRO UNIT						Z-01.00					
SAN JUAN HYDRO SUBUNIT			Z-01.80			SAN JUAN HYDRO SUBUNIT			Z-01.80		
07S/08W-25B03S (CONT.)	240.0	3-30-67	32.2	207.8	102	07S/08W-36L01S (CONT.)	171.3	1-30-67	19.4	151.9	102
		4-26-67	31.7	208.3				2-27-67	20.4	150.9	
		5-31-67	29.5	210.5				3-30-67	20.2	151.1	
		6-29-67	32.5	207.5				4-26-67	19.6	151.7	
		7-27-67	32.3	207.7				5-31-67	19.4	151.9	
		8-30-67	34.3	205.7				6-29-67	22.9	148.4	
		9-28-67	38.8	201.2				7-27-67	24.6	146.7	
								8-30-67	24.3	147.0	
								9-28-67	26.6	144.7	
07S/08W-25K02S	223.0	10-04-66	45.1	177.9	102	07S/08W-36L02S	158.5	10-27-66	18.8	139.7	102
		10-11-66	46.0	177.0				11-29-66	14.3	144.2	
		10-18-66	44.9	178.1				12-29-66	9.3	149.2	
		11-01-66	44.8	178.2				1-30-67	6.6	151.9	
		11-15-66	43.9	179.1				2-27-67	7.1	151.4	
		11-22-66	43.9	179.1				3-30-67	7.4	151.1	
		11-29-66	42.9	180.1				4-26-67	6.7	151.8	
		12-13-66	39.3	183.7				5-31-67	8.0	150.5	
		12-20-66	37.4	185.6				6-29-67	9.6	148.9	
		12-27-66	33.0	190.0				7-27-67	11.5	147.0	
		1-03-67	28.7	194.3				8-30-67	13.7	144.8	
		1-10-67	26.6	196.4							
		1-17-67	26.0	197.0							
		1-31-67	27.1	195.9							
		2-07-67	27.6	195.4		07S/08W-36P03S	140.2	10-27-66	34.4	105.8	102
		2-14-67	27.9	195.1				11-29-66	22.0	118.2	
		2-21-67	28.1	194.9				12-29-66	16.3	123.9	
		2-28-67	28.3	194.7				1-30-67	14.2	126.0	
		3-07-67	28.4	194.6				2-27-67	14.7	125.5	
		3-14-67	28.5	194.5				3-30-67	14.9	125.3	
		3-21-67	28.7	194.3				4-26-67	14.1	126.1	
		3-28-67	26.3	196.7				5-31-67	13.9	126.3	
		4-04-67	26.5	196.5				6-29-67	17.6	122.6	
		4-18-67	27.1	195.9				7-27-67	19.0	121.2	
		4-25-67	27.0	196.0				8-30-67	17.2	123.0	
		5-02-67	27.0	196.0							
		5-09-67	26.2	196.8		07S/08W-36P04S	131.8	10-04-66	16.3	115.5	102
		5-16-67	23.2	199.8				10-11-66	19.8	112.0	
		5-23-67	24.7	198.3				10-18-66	19.9	111.9	
		5-31-67	24.3	198.7				10-25-66	23.9	107.9	
		6-20-67	25.4	197.6				11-01-66	18.1	113.7	
		6-27-67	25.0	198.0				11-15-66	13.3	118.5	
		7-18-67	27.5	195.5				11-22-66	12.1	119.7	
		7-25-67	29.0	194.0				11-29-66	11.0	120.8	
		8-01-67	29.9	193.1				12-13-66	5.3	126.5	
		8-08-67	29.5	193.5				12-20-66	5.1	126.7	
		8-15-67	29.0	194.0				12-27-66	5.3	126.5	
		8-29-67	30.6	192.4				1-03-67	5.7	126.1	
		9-13-67	32.2	190.8				1-10-67	4.6	127.2	
								1-31-67	3.5	128.3	
07S/08W-25N01S	204.0	10-27-66	43.6	160.4	102			2-07-67	4.5	127.3	
		11-29-66	39.1	164.9				2-14-67	3.6	128.2	
		12-29-66	30.1	173.9				2-21-67	3.9	127.9	
		1-30-67	23.3	180.7				2-28-67	4.2	127.6	
		2-27-67	24.8	179.2				3-07-67	4.6	127.2	
		3-30-67	23.9	180.1				3-14-67	3.9	127.9	
		4-26-67	25.3	178.7				3-21-67	4.2	127.6	
		5-31-67	22.3	181.7				3-28-67	3.5	128.3	
		6-29-67	25.0	179.0				4-04-67	3.5	128.3	
		7-27-67	29.0	175.0				4-18-67	4.2	127.6	
		8-30-67	29.9	174.1				4-25-67	3.6	128.2	
		9-28-67	30.5	173.5				5-02-67	3.4	128.4	
07S/08W-25N02S	204.0	10-27-66	42.5	161.5	102	08S/07W-05B01S	130.0	10-28-66	21.5	108.5	102
		11-29-66	36.7	167.3				11-30-66	10.4	119.6	
		12-29-66	26.2	177.8				12-20-66	5.2	124.8	
		1-30-67	20.9	183.1				1-31-67	4.9	125.1	
		2-27-67	22.7	181.3				2-28-67	5.1	124.9	
		3-30-67	20.9	183.1				4-04-67	5.8	124.2	
		4-26-67	21.9	182.1				4-27-67	5.9	124.1	
		5-31-67	19.0	185.0				6-30-67	6.0	124.0	
		6-29-67	22.4	181.6				9-29-67	10.3	119.7	
		8-30-67	28.6	175.4							
		9-28-67	28.8	175.2		08S/07W-05C01S	132.0	10-28-66	18.3	113.7	102
								11-30-66	13.1	118.9	
07S/08W-25P02S	213.0	10-27-66	48.2	164.8	102			12-30-66	6.8	125.2	
		11-29-66	43.7	169.3				1-31-67	5.6	126.4	
		12-29-66	31.4	181.6				2-28-67	5.8	126.2	
		1-30-67	26.8	186.2				4-27-67	5.8	126.2	
		2-27-67	28.5	184.5				6-01-67	6.5	125.5	
		3-30-67	26.4	186.6				6-30-67	6.2	125.8	
		4-26-67	27.7	185.3				7-28-67	6.5	125.5	
		5-31-67	24.4	188.6				9-01-67	9.4 (2)	122.6	
		6-29-67	27.7	185.3				9-29-67	9.5	122.5	
		7-27-67	32.2	180.8		08S/07W-05C02S	128.0	10-28-66	17.8	110.2	102
		9-28-67	35.8	177.2				11-30-66	11.1	116.9	
07S/08W-36C03S	200.4	11-29-66	38.4	162.0	102			12-30-66	4.1	123.9	
		12-29-66	29.7	170.7				1-31-67	3.4	124.6	
		1-30-67	24.1	176.3				2-28-67	3.5	124.5	
		3-30-67	24.7	175.7				4-04-67	3.7	124.3	
		4-26-67	26.0	174.4				4-27-67	3.7	124.3	
		5-31-67	23.2	177.2				6-01-67	5.2	122.8	
		6-29-67	26.5	173.9				6-30-67	4.0	124.0	
		8-30-67	30.8	169.6				7-28-67	5.4	122.6	
		9-28-67	31.2	169.2				9-01-67	7.3	120.7	
07S/08W-36L01S	171.3	10-27-66	31.7	139.6	102			9-29-67	9.5	118.5	
		11-29-66	27.3	144.0		08S/07W-06H01S	120.0	10-28-66	12.5	107.5	102
		12-29-66	22.1	149.2				11-30-66	13.7	106.3	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYDRO UNIT						Z-01.00					
SAN JUAN HYDRO SUBUNIT			Z-01.80			SAN JUAN HYDRO SUBUNIT			Z-01.80		
08S/07W-06H01S	120.0	12-30-66	8.2	111.8	102	08S/07W-07C03S	86.0	9-27-67	10.1	75.9	102
(CONT.)		1-31-67	7.3	112.7		(CONT.)					
		2-28-67	7.4	112.6							
		4-04-67	7.6	112.4		08S/08W-01F01S	137.0	11-29-66	30.6	106.4	102
		4-27-67	9.6	110.4				12-29-66	23.0	114.0	
		6-01-67	8.8	111.2				1-30-67	21.7	115.3	
		6-30-67	7.6	112.4				2-27-67	22.4	114.6	
		7-28-67	9.1	110.9				3-30-67	24.0	113.0	
		9-01-67	8.6	111.4				4-26-67	21.1	115.9	
		9-29-67	9.1	110.9				5-31-67	26.6	110.4	
08S/07W-06H02S	113.0	10-28-66	14.4	98.6	102			6-29-67	27.4	109.6	
		11-30-66	15.1	97.9				7-27-67	27.8	109.2	
		12-30-66	9.5	103.5				8-30-67	31.2	105.8	
		1-31-67	8.6	104.4				9-28-67	25.7	111.3	
		2-28-67	8.7	104.3		08S/08W-01K01S	110.0	10-27-66	38.2	71.8	102
		4-04-67	9.3	103.7				11-29-66	21.5	88.5	
		4-27-67	9.8	103.2				12-29-66	14.3	95.7	
		6-01-67	10.8	102.2				1-30-67	13.5	96.5	
		6-30-67	8.9	104.1				2-27-67	15.4	94.6	
		7-28-67	9.0	104.0				3-30-67	14.0	96.0	
		9-01-67	10.2	102.8				4-26-67	11.6	98.4	
		9-29-67	10.8	102.2				5-31-67	26.6	83.4	
08S/07W-06K02S	100.0	1-31-67	4.6	95.4	102			6-29-67	30.9	79.1	
		4-04-67	4.7	95.3				7-27-67	28.7	81.3	
		9-29-67	7.7	92.3				8-30-67	29.3	80.7	
08S/07W-06K03S	106.0	11-30-66	20.5	85.5	102	08S/08W-01K02S	105.0	10-27-66	34.5	70.5	102
		12-30-66	14.1	91.9				11-29-66	14.7	90.3	
		1-31-67	12.7	93.3				12-29-66	7.2	97.8	
		2-28-67	13.2	92.8				1-30-67	6.5	98.5	
		4-04-67	12.9	93.1				2-27-67	7.1	97.9	
		4-27-67	13.2	92.8				3-30-67	7.6	97.4	
		6-01-67	13.8	92.2				4-26-67	6.4	98.6	
		6-30-67	15.2	90.8				5-31-67	19.5	85.5	
		7-28-67	15.0	91.0				6-29-67	22.5	82.5	
		9-01-67	17.2	88.8				7-27-67	20.6	84.4	
		9-29-67	17.7	88.3				8-30-67	21.6	83.4	
08S/07W-06P02S	88.0	10-28-66	12.1	75.9	102	08S/08W-01L01S	100.0	11-29-66	15.0	85.0	102
		11-30-66	10.7	77.3				12-29-66	7.2	92.8	
		12-30-66	4.8	83.2				1-30-67	69.6	30.4	
		1-31-67	4.3	83.7				2-27-67	7.2	92.8	
		2-28-67	4.8	83.2				3-30-67	9.2 (2)	90.8	
		4-04-67	5.1	82.9				4-26-67	6.6	93.4	
		4-27-67	5.3	82.7				7-27-67	18.1	81.9	
		6-01-67	6.0	82.0				8-30-67	19.2	80.8	
		6-30-67	9.7 (2)	78.3				9-28-67	14.3	85.7	
		7-28-67	6.7	81.3		08S/08W-01Q01S	90.4	10-27-66	18.9	71.5	102
		9-01-67	12.2 (2)	75.8				11-29-66	12.8	77.6	
		9-29-67	8.8	79.2				12-29-66	7.9	82.5	
08S/07W-07C03S	86.0	10-04-66	12.0	74.0	102			1-30-67	6.9	83.5	
		10-11-66	11.7	74.3				2-27-67	8.0	82.4	
		10-18-66	13.8	72.2				3-30-67	7.4	83.0	
		10-25-66	12.9	73.1				4-26-67	5.0	85.4	
		11-01-66	14.0	72.0				5-31-67	12.2	78.2	
		11-15-66	12.3	73.7				6-29-67	13.8	76.6	
		11-22-66	12.1	73.9				7-27-67	15.2	75.2	
		11-29-66	11.4	74.6				8-30-67	16.0	74.4	
		12-20-66	6.8	79.2				9-28-67	15.9	74.5	
		12-27-66	6.8	79.2		08S/08W-01Q04S	103.0	10-27-66	31.9	71.1	102
		1-03-67	6.5	79.5				11-29-66	23.9	79.1	
		1-10-67	6.4	79.6				12-29-66	19.0	84.0	
		1-17-67	10.4	75.6				1-30-67	18.4	84.6	
		1-25-67	5.8	80.2				2-27-67	19.0	84.0	
		1-31-67	5.9	80.1				3-30-67	19.2	83.8	
		2-07-67	5.9	80.1				4-26-67	17.3	85.7	
		2-14-67	5.9	80.1				5-31-67	14.9	88.1	
		2-21-67	6.0	80.0				6-29-67	27.0	76.0	
		2-28-67	6.1	79.9				7-27-67	32.0	71.0	
		3-07-67	6.3	79.7				8-30-67	34.8	68.2	
		3-14-67	6.2	79.8				9-28-67	30.4	72.6	
		3-21-67	6.3	79.7		08S/08W-01Q07S	95.0	10-27-66	28.9	66.1	102
		3-28-67	6.4	79.6				11-29-66	23.2	71.8	
		4-18-67	6.3	79.7				12-29-66	18.5	76.5	
		4-25-67	6.3	79.7				1-30-67	17.6	77.4	
		5-02-67	6.3	79.7				2-27-67	18.0	77.0	
		5-09-67	6.7	79.3				3-30-67	17.9	77.1	
		5-20-67	6.8	79.2				4-26-67	17.4	77.6	
		5-23-67	7.1	78.9				5-31-67	21.5	73.5	
		5-31-67	7.4	78.6				6-29-67	23.2	71.8	
		6-06-67	7.2	78.8				7-27-67	28.6	66.4	
		6-13-67	7.3	78.7				8-30-67	29.1	65.9	
		6-20-67	7.2	78.8				9-28-67	27.6	67.4	
		6-27-67	7.0	79.0		08S/08W-12B01S	85.5	10-27-66	20.1	65.4	102
		7-11-67	7.5	78.5				11-29-66	15.0	70.5	
		7-18-67	7.7	78.3				12-29-66	11.1	74.4	
		7-25-67	8.0	78.0				1-30-67	10.4	75.1	
		8-01-67	8.3	77.7				2-27-67	11.2	74.3	
		8-08-67	8.2	77.8				3-30-67	11.3	74.2	
		8-15-67	8.5	77.5				4-26-67	10.5	75.0	
		8-22-67	10.2	75.8				5-31-67	14.8	70.7	
		8-29-67	10.2	75.8				6-29-67	16.4	69.1	
		9-05-67	10.8	75.2							
		9-13-67	10.2	75.8							
		9-20-67	10.3	75.7							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA									
SAN JUAN HYDRO UNIT						Z-01.00														
SAN JUAN HYDRO SUBUNIT						SAN JUAN HYDRO SUBUNIT														
Z-01.80						Z-01.80														
085/08W-12B035	85.0	10-11-66	22.8	62.2	102	085/08W-14H045 (CONT.)	40.0	5-31-67	16.5	23.5	102									
		11-01-66	23.1	61.9				6-29-67	18.0	22.0										
		11-15-66	18.4	66.6				9-28-67	17.7	22.3		085/08W-14Q015	18.0	10-27-66	8.5	9.5	102			
		11-29-66	17.5	67.5		11-29-66	8.4	9.6												
		12-13-66	13.7	71.3		12-29-66	6.5	11.5												
		12-20-66	13.7	71.3		1-30-67	5.8	12.2												
		12-27-66	13.9	71.1		2-27-67	6.4	11.6												
		1-03-67	13.5	71.5		3-30-67	6.6	11.4												
		1-10-67	14.0	71.0		5-31-67	6.6	11.4												
		1-31-67	13.0	72.0		6-29-67	6.7	11.3												
		2-07-67	13.4	71.6		7-27-67	7.9	10.1												
		2-14-67	13.6	71.4		8-30-67	7.1	10.9												
		2-21-67	13.6	71.4		9-28-67	7.7	10.3	085/08W-14Q025	20.0	10-27-66			6.9	13.1	102				
		2-28-67	13.7	71.3		11-29-66	6.6	13.4												
		3-07-67	13.5	71.5		12-29-66	5.3	14.7												
		3-14-67	13.4	71.6		1-30-67	4.9	15.1												
		3-21-67	13.4	71.6		2-27-67	5.2	14.8												
		3-28-67	14.0	71.0		3-30-67	5.5	14.5												
		4-04-67	13.6	71.4		5-31-67	5.7	14.3												
		4-18-67	13.9	71.1		6-29-67	6.5	13.5												
		4-25-67	13.6	71.4		7-27-67	3.8	16.2												
		5-02-67	13.0	72.0		8-30-67	3.8	16.2												
		5-09-67	13.6	71.4		9-28-67	3.3	16.7			085/08W-23A045	24.5	10-27-66	15.2	9.3		102			
		5-16-67	14.6	70.4		11-29-66	15.1	9.4												
		5-31-67	17.5	67.5		12-29-66	14.6	9.9												
		6-27-67	19.5	65.5		1-31-67	14.2	10.3												
		7-11-67	17.3	67.7		2-27-67	14.6	9.9												
		9-13-67	20.7	64.3		4-04-67	14.7	9.8												
		9-20-67	21.2	63.8		6-01-67	16.0	8.5												
085/08W-12L015	62.0	10-27-66	19.0	43.0	102			6-30-67	16.4	8.1										
		12-29-66	10.2	51.8				7-28-67	14.6	9.9										
		1-17-67	14.9	47.1				9-01-67	14.7	9.8										
		1-30-67	12.0	50.0				9-28-67	14.5	10.0										
		2-28-67	10.9(1)	51.1				085/08W-23A055	19.3	10-27-66	11.7	7.6	102							
		3-30-67	10.9	51.1						11-29-66	11.6	7.7								
		4-26-67	10.3	51.7						12-29-66	11.1	8.2								
		5-31-67	10.1	51.9	1-30-67	10.8	8.5													
085/08W-12P035	54.4	10-27-66	21.3	33.1	102					2-27-67	11.1	8.2								
		11-29-66	10.2	44.2						4-04-67	11.3	8.0								
		12-29-66	7.7	46.7						4-26-67	11.0	8.3								
		1-17-67	17.8	36.6						6-01-67	12.7	6.6								
		1-30-67	8.1	46.3						6-30-67	11.1	8.2								
		2-27-67	9.1	45.3						7-28-67	11.0	8.3								
		3-30-67	8.5	45.9						9-01-67	11.2	8.1								
		4-26-67	7.7	46.7						9-28-67	11.3	8.0								
		5-31-67	14.2(2)	40.2				085/08W-13D015	46.4	10-27-66	13.5	102								
		6-29-67	20.6(2)	33.8						12-30-66	9.6									
7-27-67	22.7(2)	31.7	1-31-67	8.7																
8-30-67	23.1	31.3	2-27-67	9.6																
9-28-67	14.0	40.4	4-04-67	9.4																
085/08W-12P055	48.0	10-27-66	17.1	30.9	102					4-27-67	9.2									
		11-30-66	4.6	43.4						6-01-67	10.1									
		1-31-67	2.5	45.5						7-28-67	14.2									
		2-27-67	3.2	44.8						9-01-67	15.0									
		4-04-67	2.9	45.1						9-28-67	14.4									
		6-01-67	4.1	43.9						085/08W-13E015	49.0		10-27-66	10.5	102					
		7-28-67	5.4	42.6									11-29-66	8.1						
		085/08W-130015	46.4	10-27-66									13.5	32.9		102			12-30-66	6.7
				12-30-66									9.6	36.8					1-31-67	6.5
				1-31-67									8.7	37.7					2-27-67	7.0
2-27-67	9.6			36.8	4-04-67	7.6														
4-04-67	9.4			37.0	4-27-67	7.0														
4-27-67	9.2			37.2	6-01-67	7.2														
6-01-67	10.1			36.3	6-30-67	8.3														
7-28-67	14.2			32.2	7-28-67	9.7														
9-01-67	15.0			31.4	9-01-67	10.0														
9-28-67	14.4			32.0	9-28-67	9.8														
085/08W-14H025	36.5	11-29-66	12.3	24.2	102			085/08W-14H045	40.0	10-27-66	18.2	102								
		12-29-66	11.1	25.4						11-29-66	17.8									
		1-30-67	10.0	26.5						12-29-66	16.3									
		2-27-67	9.3	27.2						1-30-67	15.8									
		3-30-67	13.7	22.8						2-27-67	16.0									
		4-26-67	10.2	26.3						4-26-67	15.7									

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYDRO UNIT						Z-01.00					
SAN MATED HYDRO SUBUNIT			Z-01.D0			SAN ONOFRE HYDRO SUBUNIT			Z-01.E0		
						SAN ONOFRE HYDRO SUBAREA			Z-01.E1		
08S/07W-36D01S	130.0	5-24-67	11.9	118.1	010	09S/06W-16J01S	200.0	5-24-67	5.0	195.0	010
08S/07W-36E01S	121.3	10-31-66	19.2	102.1	010	09S/06W-17H01S	149.2	10-31-66	14.4	134.8	010
		11-30-66	20.4	100.9				11-30-66	16.3	132.9	
		12-30-66	5.5	115.8				12-30-66	8.9	140.3	
		5-24-67	6.7	114.6				5-24-67	9.0	140.2	
09S/06W-05N01S	142.1	10-31-66	10.9	131.2	010	09S/06W-18N01S	62.2	10-31-66	35.4	26.8	010
		11-30-66	12.9	129.2				11-30-66	35.4	26.8	
		12-30-66	2.9	139.2				5-24-67	23.6	38.6	
		5-24-67	2.6	139.5							
09S/06W-06P01S	120.3	5-24-67	7.2	113.1	010	09S/06W-18Q01S	84.6	10-31-66	15.5	69.1	010
09S/07W-01E01S	76.8	10-31-66	15.9	60.9	010			11-30-66	15.4	69.2	
		11-30-66	15.9	60.9				12-30-66	5.7	78.9	
		12-30-66	9.4	67.4				5-24-67	5.8	78.8	
		5-24-67	10.1	66.7		09S/06W-19C01S	68.0	5-24-67	24.3	43.7	010
09S/07W-01F02S	88.0	5-24-67	5.5(1)	82.5	010	09S/06W-19D01S	58.0	5-24-67	19.5	38.5	010
09S/07W-01J02S	105.0	5-24-67	9.5	95.5	010	09S/06W-19D02S	62.4	5-24-67	26.3	36.1	010
09S/07W-02R02S	59.1	5-24-67	10.6	48.5	010	09S/06W-19D03S	60.0	5-24-67	22.8	37.2	010
09S/07W-11A01S	57.0	5-24-67	17.9(1)	39.1	010	09S/07W-13P01S	35.3	5-24-67	11.8	23.5	010
09S/07W-11A03S	56.2	5-24-67	11.9	44.3	010	09S/07W-13R01S	51.0	10-31-66	28.5	22.5	010
09S/07W-11B01S	54.0	5-24-67	7.5	46.5	010			11-30-66	28.5	22.5	
09S/07W-11F01S	102.1	5-24-67	71.3	30.8	010			12-30-66	25.7	25.3	
09S/07W-11G01S	51.0	5-24-67	15.3	35.7	010			5-24-67	20.9	30.1	
09S/07W-11H02S	51.0	5-24-67	15.6	35.4	010	09S/07W-14R02S	21.7	5-24-67	9.4	12.3	010
09S/07W-11K01S	44.0	5-24-67	35.0(1)	9.0	010	09S/07W-14R03S	18.5	10-31-66	7.7	10.8	010
09S/07W-11P01S	38.0	5-24-67	94.0(1)	-56.0	010			11-30-66	7.9	10.6	
09S/07W-11P03S	42.6	5-24-67	16.7	25.9	010			12-30-66	6.5	12.0	
09S/07W-11P04S	37.4	5-24-67	14.7	22.7	010			5-24-67	6.4	12.1	
09S/07W-14B01S	36.0	5-24-67	9.1	26.9	010	09S/07W-23A01S	27.0	5-24-67	(6)		010
09S/07W-14E01S	23.4	10-31-66	10.3	13.1	010	09S/07W-24A01S	105.0	5-24-67	78.3	26.7	010
		11-30-66	10.3	13.1		09S/07W-24C01S	34.7	10-31-66	24.0	10.7	010
		12-30-66	10.2	13.2				11-30-66	24.1	10.6	
		5-24-67	9.5	13.9				12-30-66	22.5	12.2	
09S/07W-14F01S	18.0	5-24-67	4.1	13.9	010	09S/07W-24D01S	37.2	5-24-67	27.4	9.8	010
09S/07W-14L01S	15.1	5-24-67	3.2	11.9	010	09S/07W-24H01S	92.1	5-24-67	84.2	7.9	010
09S/07W-14M01S	11.9	11-30-66	2.9	9.0	010	10S/06W-03P01S	179.0	5-25-67	(6)		010
		5-25-67	(6)			10S/06W-13Q01S	74.6	5-25-67	29.6	45.0	010
						10S/06W-13Q02S	65.2	5-25-67	21.6	43.6	010
						LAS PULGAS HYDRO SUBAREA			Z-01.E2		
						10S/05W-18E01S	111.9	5-25-67	68.9	43.0	010
						10S/05W-18E02S	100.0	5-25-67	74.3(1)	25.7	010
						10S/05W-18G01S	84.1	5-25-67	28.2	55.9	010
						10S/05W-18L01S	73.2	10-31-66	29.1	44.1	010
								11-30-66	29.3	43.9	
								12-30-66	23.0	50.2	
								5-25-67	25.0	48.2	
						10S/05W-18M01S	73.3	5-25-67	28.6	44.7	010
						10S/05W-18M02S	92.5	5-25-67	48.2	44.3	010
						10S/05W-18M04S	71.7	5-25-67	27.3	44.4	010
						10S/05W-19E01S	49.0	5-25-67	6.4	42.6	010
						STUART HYDRO SUBAREA			Z-01.E3		
						10S/05W-29L01S	54.6	10-31-66	15.7	38.9	010
								11-30-66	15.7	38.9	
								12-30-66	15.2	39.4	
								5-25-67	14.9	39.7	
						10S/05W-31A01S	21.0	5-25-67	5.5	15.5	010

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRO UNIT						Z-02.00					
YSIDORA HYDRO SUBUNIT			Z-02.A0			DE LUZ HYDRO SUBUNIT			Z-02.B0		
YSIDORA HYDRO SUBAREA			Z-02.A1			DE LUZ HYDRO SUBAREA			Z-02.B1		
10S/05W-35K01S	27.4	5-25-67	5.7	21.7	010	09S/04W-29L01S	142.0	10-31-66 11-30-66 12-30-66 5-25-67	(1) 7.0 (1) 2.1	135.0 139.9	010
10S/05W-35K05S	27.2	10-31-66 11-30-66 12-30-66 5-25-67	9.1 8.5 5.5 4.9	18.1 18.7 21.7 22.3	010						
10S/05W-35R01S	24.0	5-25-67	4.0	20.0	010						
10S/05W-35R03S	23.0	5-25-67	7.2	15.8	010						
11S/05W-01E01S	21.0	5-25-67	1.7	19.3	010						
11S/05W-02A01S	23.1	5-25-67	2.1	21.0	010						
11S/05W-02A05S	22.0	5-25-67	8.1	13.9	010						
11S/05W-02B01S	22.9	5-25-67	3.7	19.2	010						
11S/05W-02B02S	22.7	5-25-67	5.0	17.7	010						
11S/05W-02D01S	23.4	5-25-67	4.9	18.5	010						
11S/05W-02F03S	19.0	5-25-67	2.1	16.9	010						
11S/05W-02K01S	16.5	5-25-67	FLOW		010						
11S/05W-02K02S	24.1	5-25-67	5.4	18.7	010						
11S/05W-02N04S	16.2	10-31-66 11-30-66 12-30-66 1-03-67 3-01-67 5-25-67	5.8 5.6 3.6 3.5 3.6 3.0	10.4 10.6 12.6 12.7 12.6 13.2	010						
11S/05W-02N05S	14.3	5-25-67	2.3	12.0	010						
11S/05W-10B01S	9.6	5-25-67	2.9	6.7	010						
CHAPPO HYDRO SUBAREA			Z-02.A2								
10S/04W-18E01S	75.0	5-25-67	6.8	68.2	010						
10S/04W-18L01S	72.9	10-31-66 11-30-66 12-30-66 5-25-67	16.1 16.5 15.6 10.2	56.8 56.4 57.3 62.7	010						
10S/04W-18M02S	72.0	5-25-67	9.6	62.4	010						
10S/05W-13G01S	121.0	5-25-67	55.0	66.0	010						
10S/05W-13J01S	67.1	5-25-67	2.8	64.3	010						
10S/05W-14P01S	54.5	5-25-67	1.5	53.0	010						
10S/05W-23J03S	52.3	5-25-67	6.9	45.4	010						
10S/05W-24H01S	64.9	10-31-66 11-30-66 12-30-66 5-25-67	17.0 16.2 12.2 7.3	47.9 48.7 52.7 57.6	010						
10S/05W-24N01S	56.8	5-25-67	4.3	52.5	010						
UPPER YSIDORA HYDRO SUBAREA			Z-02.A3								
10S/04W-05D01S	110.0	5-25-67	10.9(1)	99.1	010						
10S/04W-07A02S	102.0	5-25-67	19.0(1)	83.0	010						
10S/04W-07H01S	98.0	5-25-67	7.1	90.9	010						
10S/04W-07H02S	98.0	5-25-67	4.4	93.6	010						
10S/04W-07J01S	91.8	10-31-66 11-30-66 12-30-66 5-25-67	6.3 5.2 3.5 3.4	85.5 86.6 88.3 88.4	010						
10S/04W-07R02S	90.0	5-25-67	3.6	86.4	010						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRO UNIT						Z-02.00					
MURRIETA HYDRO SUBUNIT			Z-02.C0			MURRIETA HYDRO SUBUNIT			Z-02.C0		
WILDOMAR HYDRO SUBAREA			Z-02.C1			MURRIETA HYDRO SUBAREA			Z-02.C2		
06S/04W-26M01S	1350.0	10-06-66 11-02-66 12-15-66 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 9-07-67	46.7 46.1 41.2 39.6 (1) 38.7 37.7 38.7 (1) (1)	1303.3 1303.9 1308.8 1310.4 1311.3 1312.3 1311.3	103	07S/03W-17P08S (CONT.)	1093.8	9-07-67	80.0	1013.8	103
06S/04W-27N01S	1290.0	10-04-66 3-28-67	122.3 117.4	1167.7 1172.6	010	07S/03W-18B01S	1150.0	3-28-67	185.1	964.9	010
06S/04W-27N02S	1290.9	11-02-66 4-03-67	(7) (7)		103	07S/03W-18Q05S	1108.0	3-28-67	55.8	1052.2	010
06S/04W-33B01S	1310.0	11-02-66 4-03-67	60.2 59.5	1249.8 1250.5	103	07S/03W-20A09S	1090.0	3-28-67	49.5	1040.5	010
06S/04W-35C01S	1299.0	10-05-66 3-28-67	97.7 96.5	1201.3 1202.5	010	07S/03W-20L03S	1100.0	3-28-67	68.6	1031.4	010
06S/04W-35F02S	1279.6	11-02-66 11-02-66 12-15-66 12-15-66 1-10-67 1-10-67 2-06-67 3-03-67 5-04-67 6-01-67 9-07-67	105.7 105.7 84.9 84.9 82.5 82.5 81.2 81.5 81.7 (3) (1)	1173.9 1173.9 1194.7 1194.7 1197.1 1197.1 1198.4 1198.1 1197.9	103	07S/03W-20N01S	1160.0	3-28-67	117.9	1042.1	010
06S/04W-35M04S	1255.5	3-28-67	48.3	1207.2	010	07S/03W-21K04S	1051.0	3-30-67	67.1	983.9	010
07S/04W-01A01S	1298.0	3-30-67	65.9	1232.1	010	07S/03W-21P01S	1054.6	3-28-67 8-17-67	34.9 35.0	1019.7 1019.6	010
07S/04W-02F03S	1237.0	10-04-66 3-28-67	38.2 34.5	1198.8 1202.5	010	07S/03W-27L02S	1030.0	3-28-67	8.4	1021.6	010
07S/04W-02H02S	1205.0	3-28-67	35.3	1169.7	010	07S/03W-27M01S	1036.3	3-28-67	29.5	1006.8	010
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	07S/03W-34B01S	1028.0	10-25-66 11-21-66 1-12-67 2-15-67 3-16-67 3-28-67 5-03-67 5-07-67 6-07-67 7-07-67 8-09-67 9-18-67	4.1 4.1 4.8 3.4 3.4 18.3 3.2 3.3 3.2 3.2 3.6 3.7	1023.9 1023.9 1023.2 1024.6 1024.6 1009.7 1024.8 1024.7 1024.8 1024.4 1024.3	412 010 412
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	07S/03W-34G01S	1025.0	12-01-66 3-28-67	62.1(1) 23.0	962.9 1002.0	010
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	07S/03W-35P01S	1016.8	3-28-67 8-17-67	12.2 14.6	1004.6 1002.2	010
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	07S/03W-35P02S	1011.0	3-28-67	19.9	991.1	010
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	07S/04W-12H03S	1176.0	3-28-67	36.2	1139.8	010
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	08S/02W-07A01S	1143.0	3-28-67	93.1	1049.9	010
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	08S/03W-01P02S	1066.0	3-28-67	38.3	1027.7	010
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	08S/03W-12C01S	1060.0	3-29-67	37.6	1022.4	010
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	08S/03W-12M06S	1009.1	10-06-66 11-02-66 12-15-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-01-67 7-07-67 8-07-67 9-07-67	23.9 24.1 23.1 23.0 22.7 22.8 22.6 22.4 22.9 23.4 23.8 24.2	985.2 985.0 986.0 986.1 986.4 986.3 986.5 986.7 986.2 985.7 985.3 984.9	103
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	08S/03W-12P08S	1002.5	10-06-66 11-02-66 12-15-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-01-67 7-07-67 8-07-67 9-07-67	19.1 19.1 17.8 17.9 17.7 18.3(1) 18.3(1) 17.8 18.2 17.9 18.3 (9) 19.5	983.4 983.4 984.7 984.6 984.8 984.2 984.2 984.7 984.3 984.6 984.2 983.0	103
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	08S/03W-12Q02S	1067.0	3-28-67	77.0(4)	990.0	010
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	08S/03W-13K01S	992.6	10-06-66 11-02-66 12-15-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	13.7(2) 13.6 13.2 13.4 13.2 13.4 13.4 13.5 13.7 13.9 13.9	978.9 979.0 979.4 979.2 979.4 979.2 979.2 979.1 978.9 978.7 978.7	103
07S/04W-03B01S	1284.0	12-20-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	68.2 68.2 68.0 68.1 68.0 67.9 67.8 67.8 67.7 67.8	1215.8 1215.8 1216.0 1215.9 1216.0 1216.1 1216.2 1216.2 1216.3 1216.2	103	08S/03W-13K02S	992.0	10-06-66 11-02-66 12-15-66 1-10-67 2-06-67 3-03-67 4-03-67 5-04-67 6-02-67 7-07-67 8-07-67 9-07-67	13.8(4) 13.6 13.2(4) 13.5 13.2(4) 13.4 13.4 13.5 13.7 13.9 13.9	978.2 978.4 978.8 978.5 978.8 978.2 978.2 978.1 978.9 978.7 978.7	103

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRO UNIT						Z-02.00					
MURRIETA HYDRO SUBUNIT			Z-02.C0			AULO HYDRO SUBUNIT			Z-02.00		
MURRIETA HYDRO SUBAREA			Z-02.C2			AULO HYDRO SUBAREA			Z-02.D1		
08S/03W-13K02S	992.0	3-03-67	13.4	978.6	103	06S/01W-31N01S	1475.0	10-05-66	21.5	1453.5	412
(CONT.)		3-28-67	13.3	978.7	010			11-07-66	19.6	1455.4	
		4-03-67	13.4	978.6	103			12-02-66	21.4	1453.6	
		5-04-67	13.4	978.6				2-01-67	21.5	1453.5	
		6-01-67	13.5	978.5				2-06-67	21.6	1453.4	
		7-07-67	13.7	978.3				5-03-67	21.4	1453.6	
		8-07-67	13.8	978.2				6-07-67	22.9	1452.1	
		9-07-67	14.0	978.0				7-07-67	22.6	1452.4	
FRENCH HYDRO SUBAREA			Z-02.C3			07S/02W-01N01S	1430.0	10-25-66	33.6	1396.4	412
06S/02W-32A01S	1376.6	1-10-67	19.8	1356.8	412			11-21-66	33.7	1396.3	
06S/02W-32H01S	1375.8	1-12-67	24.4	1351.4	412			1-11-67	33.7	1396.3	
06S/02W-32L01S	1356.0	1-12-67	12.6	1343.4	412			2-15-67	33.6	1396.4	
06S/02W-32R01S	1368.7	1-12-67	33.8	1334.9	412			3-16-67	33.5	1396.5	
06S/02W-33E01S	1378.0	1-12-67	25.8	1352.2	412			5-03-67	33.5	1396.5	
06S/02W-34801S	1655.3	1-10-67	107.0	1548.3	412			6-07-67	33.4	1396.6	
06S/02W-34F01S	1425.0	1-10-67	46.2	1378.8	412			7-07-67	33.3	1396.7	
07S/02W-04D01S	1388.4	1-12-67	44.8	1343.6	412	07S/02W-02P03S	1413.9	1-11-67	36.5	1377.4	412
07S/02W-05C01S	1359.0	1-12-67	28.4	1330.6	412	07S/02W-02R01S	1422.0	10-25-66	42.1	1379.9	412
07S/02W-05H01S	1369.8	1-11-67	33.3	1336.5	412			11-21-66	42.0	1380.0	
07S/02W-05J01S	1369.0	1-12-67	37.1	1331.9	412			1-11-67	41.9	1380.1	
07S/02W-05M01S	1358.4	10-25-66	29.6	1328.8	412			2-15-67	42.5	1379.5	
		11-21-66	29.7	1328.7				3-16-67	42.5	1379.5	
		1-11-67	29.6	1328.8				5-03-67	42.2	1379.8	
		2-15-67	29.5	1328.9				6-07-67	42.3	1379.7	
		3-16-67	29.4	1329.0				7-07-67	42.4	1379.6	
		5-03-67	29.0	1329.4				8-09-67	42.5	1379.5	
		6-06-67	29.4	1329.0				9-18-67	42.6	1379.4	
		7-07-67	29.6	1328.8		07S/02W-03J01S	1434.7	1-11-67	66.4	1368.3	412
		8-09-67	29.8	1328.6		07S/02W-03L01S	1476.0	10-25-66	117.9	1358.1	412
		9-18-67	30.0	1328.4				11-21-66	117.6	1358.4	
07S/02W-06Q02S	1330.0	1-12-67	14.0	1316.0	412			1-11-67	117.1	1358.9	
07S/03W-12H01S	1323.0	1-12-67	47.7	1275.3	412			2-15-67	116.7	1359.3	
07S/03W-12P02S	1298.8	1-12-67	41.2	1257.6	412			3-16-67	116.5	1359.5	
07S/03W-14J01S	1150.0	1-12-67	9.5	1140.5	412			5-03-67	116.3	1359.7	
07S/03W-14N01S	1105.0	1-10-67	69.3	1035.7	412			6-07-67	116.5	1359.5	
07S/03W-14N02S	1100.0	1-12-67	61.7	1038.3	412	07S/02W-04J03S	1403.0	10-25-66	52.6	1350.4	412
07S/03W-15Q03S	1170.0	3-29-67	22.2	1147.8	010			11-21-66	52.6	1350.4	
07S/03W-22H01S	1078.0	10-05-66	43.6	1034.4	010			1-11-67	52.5	1350.5	
		3-29-67	33.8	1044.2				2-15-67	52.4	1350.6	
07S/03W-22K01S	1095.0	10-05-66	51.4	1043.6	010			3-16-67	52.3	1350.7	
		3-29-67	48.4	1046.6				5-03-67	52.1	1350.9	
07S/03W-23A02S	1132.0	1-10-67	83.5	1048.5	412	07S/02W-04K01S	1399.2	10-25-66	52.0	1347.2	412
07S/03W-23A03S	1134.8	1-10-67	81.5	1053.3	412			11-21-66	52.1	1347.1	
		3-29-67	82.8	1052.0	010			1-11-67	52.7	1346.5	
07S/03W-23D03S	1083.0	1-10-67	42.0	1041.0	412			2-15-67	52.9	1346.3	
07S/03W-23D04S	1086.0	3-29-67	44.7	1041.3	010			3-16-67	52.7	1346.5	
07S/03W-23K01S	1117.6	1-10-67	90.8	1026.8	412			5-03-67	52.8	1346.4	
		3-24-67	82.9	1034.7	010			6-02-67	52.8	1346.4	
07S/03W-24D01S	1145.0	1-10-67	91.2	1053.8	412	07S/02W-07H01S	1328.2	1-12-67	11.0	1317.2	412
07S/03W-26N01S	1058.5	1-12-67	25.0	1033.5	412	07S/02W-07J01S	1295.1	1-12-67	4.0	1291.1	412
						07S/02W-07R01S	1281.0	11-20-66	18.6	1262.4	412
								1-12-67	6.7	1274.3	
						07S/02W-08A01S	1345.5	10-25-66	22.0	1323.5	412
								11-21-66	21.8	1323.7	
								1-11-67	21.8	1323.7	
								2-15-67	21.8	1323.7	
								3-16-67	21.7	1323.8	
								5-03-67	21.5	1324.0	
								6-07-67	21.4	1324.1	
								7-07-67	21.5	1324.0	
								8-09-67	21.5	1324.0	
								9-18-67	21.5	1324.0	
						07S/02W-08E01S	1332.3	1-12-67	10.2	1322.1	412
						07S/02W-08H01S	1345.0	1-11-67	20.8	1324.2	412
						07S/02W-08M01S	1305.0	10-25-66	48.3	1256.7	412
								11-21-66	44.0	1261.0	
								1-12-67	44.8	1260.2	
								2-15-67	44.9	1260.1	
								3-16-67	45.0	1260.0	
								5-03-67	39.6	1265.4	
								6-07-67	45.5	1259.5	
								7-07-67	49.6	1255.4	
								8-09-67	52.2	1252.8	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRO UNIT						Z-02.00					
AULD HYDRO SUBUNIT			Z-02.D0			AULD HYDRO SUBUNIT			Z-02.D0		
AULD HYDRO SUBAREA			Z-02.D1			GERTRUDIS HYDRO SUBAREA			Z-02.D2		
07S/02W-08M01S (CONT.)	1305.0	9-18-67	51.7	1253.3	412	07S/03W-24Q02S (CONT.)	1070.0	9-18-67	68.6	1001.4	412
07S/02W-08M02S	1292.7	1-12-67	48.0	1244.7	412	07S/03W-24R01S	1100.0	3-29-67	57.4	1042.6	010
07S/02W-08N01S	1300.0	10-25-66	6.6	1293.4	412	07S/03W-25A01S	1110.0	1-12-67	66.2	1043.8	412
		11-21-66	6.5	1293.5		07S/03W-25E01S	1072.0	3-29-67	(7)		010
		1-12-67	6.1	1293.9		07S/03W-25F01S	1140.0	1-12-67	76.6	1063.4	412
		2-15-67	5.9	1294.1		07S/03W-25M01S	1104.6	9-23-66	67.9	1036.7	412
		3-16-67	5.9	1294.1				10-25-66	68.6	1036.0	
		5-03-67	5.8	1294.2				11-21-66	68.7	1035.9	
		6-07-67	6.1	1293.9				1-12-67	68.6	1036.0	
		7-07-67	6.4	1293.6				2-15-67	68.6	1036.0	
		8-09-67	6.8	1293.2				3-16-67	68.6	1036.0	
		9-18-67	7.1	1292.9				3-29-67	67.6	1037.0	010
07S/02W-08N02S	1332.0	10-25-66	13.0	1319.0	412			5-03-67	67.8	1036.8	412
		11-21-66	12.8	1319.2				6-07-67	68.4	1036.2	
		1-12-67	12.1	1319.9		07S/03W-25R01S	1105.0	1-12-67	73.3	1031.7	412
		2-15-67	12.0	1320.0				3-29-67	80.5(4)	1024.5	010
		3-16-67	13.0	1319.0		07S/03W-26Q01S	1050.0	1-12-67	33.0	1017.0	412
		5-03-67	10.0	1322.0				3-29-67	19.9	1030.1	010
		6-07-67	11.6	1320.4		07S/03W-26R01S	1061.7	1-12-67	30.5	1031.2	412
		7-07-67	12.3	1319.7		07S/03W-35A01S	1060.0	3-29-67	30.8	1029.2	010
		8-09-67	12.5	1319.5		07S/03W-35B02S	1052.0	10-25-66	32.4	1019.6	412
		9-18-67	13.2	1318.8				11-22-66	26.9	1025.1	
07S/02W-09F01S	1329.5	10-25-66	6.4	1323.1	412			1-12-67	25.1	1026.9	
		11-21-66	5.7	1323.8				2-15-67	25.0	1027.0	
		1-11-67	4.8	1324.7				3-16-67	23.4	1028.6	
		2-15-67	4.7	1324.8				5-03-67	22.8	1029.2	
		3-16-67	4.7	1324.8				6-07-67	28.5	1023.5	
		5-03-67	2.6	1326.9				7-07-67	30.7	1021.3	
		6-07-67	3.2	1326.3				8-09-67	33.3	1018.7	
		7-07-67	4.1	1325.4				9-18-67	30.2	1021.8	
		8-09-67	5.6	1323.9		07S/03W-35C01S	1048.0	1-12-67	32.5	1015.5	412
		9-18-67	6.1	1323.4				3-28-67	16.3	1031.7	010
07S/02W-09K01S	1330.0	1-11-67	6.2	1323.8	412	07S/03W-35F02S	1045.0	1-12-67	16.9	1028.1	412
		9-18-67	7.0	1323.0							
		10-13-67	7.5	1322.5							
GERTRUDIS HYDRO SUBAREA			Z-02.D2								
07S/01W-18M01S	1570.3	1-10-67	29.5	1540.8	412						
07S/01W-18Q02S	1570.2	1-11-67	2.9	1567.3	412						
07S/02W-13G01S	1520.0	1-11-67	9.2	1510.8	412						
07S/02W-13R01S	1520.0	1-10-67	24.1	1495.9	412						
07S/02W-14Q01S	1458.0	1-10-67	45.6	1412.4	412						
07S/02W-20L01S	1160.0	3-29-67	74.7	1085.3	010						
07S/02W-21E02S	1200.0	3-29-67	54.7	1145.3	010						
07S/02W-25C01S	1478.0	3-29-67	67.4	1410.6	010						
07S/02W-26G01S	1440.0	3-29-67	249.5	1190.5	010						
07S/02W-26N01S	1308.0	3-29-67	165.4	1142.6	010						
07S/02W-27J01S	1300.0	3-29-67	176.4	1123.6	010						
07S/02W-27R01S	1298.0	3-29-67	172.4	1125.6	010						
07S/02W-28J01S	1370.0	3-29-67	243.2	1126.8	010						
07S/02W-30D02S	1108.0	3-29-67	57.3	1050.7	010						
07S/02W-33E01S	1229.0	3-29-67	85.1(4)	1143.9	010						
07S/03W-24A01S	1105.0	10-25-66	70.9	1034.1	412						
		11-21-66	62.1	1042.9							
		2-15-67	63.9	1041.1							
		3-29-67	68.2	1036.8	010						
		5-03-67	56.5	1048.5	412						
		6-07-67	64.8	1040.2							
		7-07-67	77.3	1027.7							
		8-09-67	73.4	1031.6							
		9-18-67	82.5	1022.5							
07S/03W-24A02S	1100.0	1-12-67	47.6	1052.4	412						
		3-29-67	(7)		010						
07S/03W-24Q02S	1070.0	10-25-66	60.5	1009.5	412						
		11-21-66	56.3	1013.7							
		1-12-67	53.7	1016.3							
		2-15-67	52.4	1017.6							
		3-16-67	52.2	1017.8							
		5-03-67	50.1	1019.9							
		6-07-67	53.8	1016.2							
		7-07-67	62.5	1007.5							
		8-09-67	65.5	1004.5							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRO UNIT						Z-02.00					
PECHANGA HYDRO SUBUNIT		Z-02.E0		Z-02.E1							
PAUBA HYDRO SUBAREA											
07S/02W-34N01S	1280.0	3-29-67	163.4(4)	1116.6	010						
07S/02W-36J01S	1490.0	3-29-67	362.9	1127.1	010						
08S/01W-06P01S	1237.0	3-29-67	130.1	1106.9	010						
08S/02W-11J02S	1182.3	3-29-67	62.3	1120.0	010						
08S/02W-11L01S	1163.0	3-29-67	48.8	1114.2	010						
08S/02W-12H01S	1216.0	3-29-67	90.6	1125.4	010						
08S/02W-12J01S	1209.0	3-29-67	87.5	1121.5	010						
08S/02W-12K01S	1207.0	3-29-67	85.1	1121.9	010						
08S/02W-15C01S	1117.0	3-28-67	1.9	1115.1	010						
08S/02W-15D01S	1092.0	3-28-67	12.8	1079.2	010						
08S/02W-20B02S	1035.0	3-28-67	3.5	1031.5	010						
08S/02W-20C01S	1030.0	3-28-67	8.5	1021.5	010						
PECHANGA HYDRO SUBAREA		Z-02.E2									
08S/02W-19J02S	1030.0	3-28-67	23.9	1006.1	010						
08S/02W-20L01S	1052.0	3-28-67	49.7(2)	1002.3	010						
08S/02W-28M01S	1126.0	3-29-67 9-14-67	66.9 84.4	1059.1 1041.6	010						
08S/02W-29C01S	1070.8	3-28-67	1.9	1068.9	010						
08S/02W-29G01S	1091.1	3-28-67	37.5	1053.6	010						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT						Z-03.00					
BONSALL HYDRO SUBUNIT			Z-03.A0			BONSALL HYDRO SUBUNIT			Z-03.A0		
MISSION HYDRO SUBAREA			Z-03.A1			MISSION HYDRO SUBAREA			Z-03.A1		
115/04W-09E01S	64.6	10-11-66 11-09-66 12-06-66 1-05-67 2-07-67 3-07-67 4-04-67 5-04-67 6-07-67 7-06-67 8-08-67	57.7 57.0 56.4 53.0 51.2 50.5 49.7 48.4 48.3 47.5 48.2	6.9 7.6 8.2 11.6 13.4 14.1 14.9 16.2 16.3 17.1 16.4	202	115/04W-18G02S (CONT.)	38.8	5-04-67 6-07-67 7-06-67 8-08-67	16.8 17.7 17.2 17.1	22.0 21.1 21.6 21.7	202
115/04W-09F01S	63.0	10-03-66 11-07-66 12-05-66 1-03-67 2-06-67 3-06-67 4-03-67 5-01-67 7-03-67 8-07-67 9-05-67	57.2 56.6 56.0 52.6 50.7 50.1 49.3 48.0 47.1 47.8 48.0	5.8 6.4 7.0 10.4 12.3 12.9 13.7 15.0 15.9 15.2 15.0	010	115/04W-18L03S	38.0	10-11-66 11-09-66 12-06-66 1-05-67 2-07-67 3-07-67 4-04-67 5-04-67 6-07-67 7-06-67 8-08-67	24.7 23.4 23.6 20.7 17.7 69.2(1) 16.8 16.2 17.5 16.8 16.7	13.3 14.6 14.4 17.3 20.3 -31.2 21.2 21.8 20.5 21.2 21.3	202
115/04W-18C04S	35.0	10-04-66 11-23-66 12-31-66 1-14-67 2-17-67 4-03-67 5-23-67 6-12-67 7-10-67 8-10-67 9-07-67	24.2 21.8 18.6 18.2 15.7 16.1 16.7 15.3 15.5 16.2 15.4	10.8 13.2 16.4 16.8 19.3 18.9 18.3 19.7 19.5 18.8 19.6	205	115/04W-18L19S	31.0	10-04-66 11-23-66 12-31-66 1-14-67 2-17-67 4-03-67 5-23-67 6-12-67 7-10-67 8-10-67 9-07-67	23.1 22.3 20.0 19.9 19.1 18.1 16.7 17.6 17.7 17.9 16.8	7.9 8.7 11.0 11.1 11.9 12.9 14.3 13.4 13.3 13.1 14.2	205
115/04W-18C05S	36.0	10-04-66 11-23-66 12-31-66 1-14-67 2-17-67 4-03-67 5-23-67 6-12-67 7-10-67 8-10-67 9-07-67	23.3 21.1 17.8 17.4 16.3 15.3 15.8 15.8 14.7 15.5 14.8	12.7 14.9 18.2 18.6 19.7 20.7 20.2 20.2 21.3 20.5 21.2	205	115/05W-13N01S	16.3	10-03-66 11-07-66 12-05-66 1-03-67 2-06-67 3-06-67 4-03-67 5-01-67 7-03-67 8-07-67 9-05-67	6.7 6.8 6.5 3.6 3.5 4.0 3.5 3.2 4.1 4.3 4.5	9.6 9.5 9.8 12.7 12.8 12.3 12.8 13.1 12.2 12.0 11.8	010
115/04W-18C06S	30.0	2-17-67 4-03-67	17.8 11.3	12.2 18.7	205	115/05W-13N02S	17.7	10-11-66 11-09-66 12-06-66 1-05-67 2-07-67 3-07-67 4-04-67 5-04-67 6-07-67 7-06-67 8-08-67	8.2 8.3 8.0 5.2 5.1 5.6 5.1 4.7 5.4 5.7 5.8	9.5 9.4 9.7 12.5 12.6 12.1 12.6 13.0 12.3 12.0 11.9	202
115/04W-18C08S	37.0	10-04-66 11-23-66 1-14-67	24.9 23.6 (6)	12.1 13.4	205	115/05W-13P02S	21.5	10-11-66 11-09-66 12-06-66 1-05-67 2-07-67 3-07-67 4-04-67 5-04-67 6-07-67 7-06-67 8-08-67	11.2 12.2 11.9 9.2 8.4 9.1 6.7 6.2 4.7 8.7 8.8	10.3 9.3 9.6 12.3 13.1 12.4 14.8 15.3 16.8 12.8 12.7	202
115/04W-18C09S	32.0	10-04-66 11-23-66 12-31-66 1-14-67 2-17-67 4-03-67 5-23-67 6-12-67 7-10-67 8-10-67 9-07-67	22.5 20.6 17.0 16.7 16.8 14.7 15.2 15.5 14.2 16.6 14.4	9.5 11.4 15.0 15.3 15.2 17.3 16.8 16.5 17.8 15.4 17.6	205	115/05W-24801S	23.6	10-11-66 11-09-66 12-06-66 1-05-67 2-07-67 3-07-67 4-04-67 5-04-67 6-07-67 7-06-67 8-08-67	13.0 12.7 12.6 10.2 8.7 12.0 8.3 7.8 8.5 8.6 8.6	10.6 10.9 11.0 13.4 14.9 11.6 15.3 15.8 15.1 15.0 15.0	202
115/04W-18E01S	33.0	10-04-66 11-23-66 12-31-66 1-14-67 2-17-67 5-23-67 6-12-67 7-10-67 8-10-67 9-07-67	19.6 18.4 20.3 12.4 11.4 10.7 11.3 11.6 11.5 10.4	13.4 14.6 12.7 20.6 21.6 22.3 21.7 21.4 21.5 22.6	205	BONSALL HYDRO SUBAREA			Z-03.A2		
115/04W-18F01S	30.0	10-04-66 11-23-66 12-31-66 1-14-67 2-17-67 4-03-67 5-23-67 6-12-67 7-10-67 8-10-67 9-07-67	25.2 25.0 25.4 18.8 15.7 14.3 15.3 15.2 16.4 17.0 11.1	4.8 5.0 4.6 11.2 14.3 15.7 14.7 14.8 13.6 13.0 18.9	205	105/03W-11G01S	237.1	10-27-66 4-26-67	54.0 39.1	183.1 198.0	050
115/04W-18G02S	38.8	10-11-66 11-09-66 12-06-66 1-05-67 2-07-67 3-07-67 4-04-67	25.1 23.7 24.1 20.9 18.0 72.7(1) 17.2	13.7 15.1 14.7 17.9 20.8 -33.9 21.6	202	105/03W-11N01S	222.0	10-27-66 11-15-66 12-16-66 2-03-67 3-24-67 4-18-67 4-26-67 5-18-67 7-31-67 8-21-67 9-19-67	47.0 43.9 39.7 37.6 36.2 35.7 37.5 35.0 35.5 35.7 35.9	175.0 178.1 182.3 184.4 185.8 186.3 184.5 187.0 186.5 186.3 186.1	050 408
						105/03W-11N04S	222.0	11-15-66 12-16-66	DRY DRY		408

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT						Z-03.00					
BONSALL HYDRO SUBUNIT			Z-03.A0			BONSALL HYDRO SUBUNIT			Z-03.A0		
BONSALL HYDRO SUBAREA			Z-03.A2			BONSALL HYDRO SUBAREA			Z-03.A2		
10S/03W-11N04S (CONT.)	222.0	2-03-67	35.1	186.9	408	10S/03W-30K01S (CONT.)	149.8	12-16-66	13.1	136.7	408
		2-24-67	35.0	187.0				12-23-66	9.0	140.8	010
		4-18-67	35.0	187.0				2-03-67	11.4	138.4	408
		5-18-67	32.7	189.3				2-10-67	8.5	141.3	010
		6-18-67	33.3	188.7				3-24-67	12.3	137.5	408
		7-31-67	33.8	188.2				4-18-67	12.7	137.1	
		8-21-67	33.8	188.2				5-15-67	10.1	139.7	010
		9-19-67	32.8	189.2				5-18-67	13.2	136.6	408
								6-20-67	13.3	136.5	
10S/03W-15A01S	224.0	10-27-66	44.2	179.8	050			7-31-67	13.7	136.1	
		4-26-67	34.0	190.0				8-21-67	13.8	136.0	
10S/03W-15B01S	211.0	10-27-66	44.8	166.2	050			9-19-67	14.2	135.6	
		4-26-67	33.3	177.7							
10S/03W-15B02S	215.0	10-27-66	44.6	170.4	050						
		4-26-67	36.5	178.5							
10S/03W-15C01S	204.6	11-15-66	DRY		408						
		12-16-66	DRY								
		2-03-67	25.4	179.2							
		3-24-67	25.1	179.5							
		4-18-67	23.6	181.0							
		5-18-67	22.8	181.8							
		6-20-67	23.1	181.5							
		7-31-67	22.4	182.2							
		8-21-67	22.5	182.1							
		9-19-67	22.5	182.1							
10S/03W-15C02S	209.9	11-15-66	DRY		408						
		12-16-66	DRY								
		2-03-67	35.6	174.3							
		3-24-67	35.5	174.4							
		4-18-67	32.3	177.6							
		5-18-67	33.3	176.6							
		6-20-67	34.0	175.9							
		7-31-67	33.1	176.8							
		8-21-67	33.2	176.7							
		9-19-67	33.4	176.5							
10S/03W-15E01S	206.0	10-27-66	53.5(2)	152.5	050						
		4-26-67	36.2	169.8							
10S/03W-15F01S	210.0	10-27-66	45.6	164.4	050						
		4-26-67	35.5	174.5							
10S/03W-15F02S	207.5	11-15-66	44.7	162.8	408						
		12-16-66	40.3	167.2							
		2-03-67	48.2	159.3							
		3-24-67	35.1	172.4							
		4-18-67	34.1	173.4							
		8-21-67	35.2	172.3							
		9-19-67	36.6	170.9							
10S/03W-16F01S	190.0	10-27-66	29.0(2)	161.0	050						
		4-26-67	11.2	178.8							
10S/03W-16J01S	200.0	10-27-66	35.7	164.3	050						
		4-26-67	26.2	173.8							
10S/03W-16L01S	190.0	10-27-66	32.8	157.2	050						
		4-26-67	17.5	172.5							
10S/03W-20B01S	176.2	10-27-66	10.7	165.5	050						
		11-15-66	9.0	167.2	408						
		12-16-66	6.7	169.5							
		2-03-67	5.5	170.7							
		3-24-67	5.5	170.7							
		4-18-67	4.8	171.4							
		4-26-67	6.2	170.0	050						
		5-18-67	4.8	171.4	408						
		6-20-67	4.7	171.5							
		6-31-67	4.7	171.5							
		8-21-67	5.0	171.2							
		9-19-67	5.4	170.8							
10S/03W-20E01S	170.0	10-27-66	6.0	164.0	050						
		4-26-67	5.6	164.4							
10S/03W-29E01S	156.7	10-27-66	19.5	137.2	050						
		11-15-66	16.5	140.2	408						
		12-16-66	10.8	145.9							
		2-03-67	10.9	145.8							
		3-24-67	13.2	143.5							
		4-18-67	13.2	143.5							
		4-26-67	15.9	140.8	050						
		5-18-67	13.4	143.3	408						
		6-20-67	13.4	143.3							
		7-21-67	13.6	143.1							
		8-21-67	13.9	142.8							
		9-19-67	14.5	142.2							
10S/03W-30J01S	150.1	10-27-66	13.6	136.5	050						
		4-26-67	10.2	139.9							
10S/03W-30K01S	149.8	10-05-66	12.8	137.0	010						
		11-14-66	13.1	136.7							
		11-15-66	15.1	134.7	408						

See page I17 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS KEY HYDRO UNIT						Z-03.00					
MONSERATE HYDRO SUBUNIT			Z-03.B0			WARNER HYDRO SUBUNIT			Z-03.C0		
PALA HYDRO SUBAREA			Z-03.B1			WARNER HYDRO SUBAREA			Z-03.C1		
08S/02W-14B01S	1190.0	3-28-67	70.9	1119.1	010	10S/02E-24D01S	2726.2	10-31-66	41.0	2685.2	405
09S/02W-26M01S	425.0	11-14-66	59.4	365.6	010			11-30-66	40.0	2686.2	
		2-10-67	51.2	373.8				12-31-66	40.0	2686.2	
		5-15-67	46.1 (4)	378.9				1-31-67	80.0 (5)	2646.2	
09S/02W-28K01S	357.0	11-14-66	18.4	338.6	010			2-28-67	36.0	2690.2	
		2-10-67	13.7	343.3				3-31-67	35.0	2691.2	
		2-15-67	10.6	346.4				4-30-67	34.0	2692.2	
		5-15-67	12.2 (2)	344.8				5-31-67	33.0	2693.2	
10S/02W-06F02S	282.4	10-05-66	33.0	249.4	010			6-30-67	33.0	2693.2	
		11-14-66	30.1	252.3				7-31-67	31.0	2695.2	
		2-10-67	19.1	263.3				8-31-67	31.0	2695.2	
		5-15-67	14.0	268.4		10S/02E-24J01S	2770.0	9-30-67	30.0	2696.2	
PAUMA HYDRO SUBAREA			Z-03.B2					10-31-66	77.0	2693.0	405
09S/02W-36H01S	520.0	2-10-67	16.1	503.9	010			11-30-66	77.0	2693.0	
		5-15-67	16.2	503.8				12-31-66	76.0	2694.0	
10S/01W-05L01S	706.0	11-14-66	68.2	637.8	010			1-31-67	76.0	2694.0	
		2-10-67	50.1	655.9				2-28-67	76.0	2694.0	
		5-15-67	41.0	665.0				3-31-67	75.0	2695.0	
10S/01W-08P01S	725.0	3-08-67	38.0	687.0	010			4-30-67	75.0	2695.0	
		5-15-67	(1)					5-31-67	75.0	2695.0	
10S/01W-08P02S	725.0	11-14-66	67.5	657.5	010			6-30-67	73.0	2697.0	
		2-10-67	32.9	692.1				7-31-67	73.0	2697.0	
10S/01W-09A01S	1070.0	11-14-66	113.6	956.4	010	10S/02E-24Q01S	2749.2	8-31-67	72.0	2698.0	
		2-10-67	75.3	994.7				9-28-67	72.0	2698.0	
		3-09-67	77.1	992.9				10-31-66	66.0	2683.2	405
		5-19-67	72.7	997.3				11-30-66	67.0	2682.2	
10S/01W-09B01S	970.0	3-09-67	42.4	927.6	010			12-31-66	66.0	2683.2	
		5-19-67	42.1 (2)	927.9				1-31-67	60.0	2689.2	
10S/01W-15P01S	835.0	11-14-66	141.3	693.7	010			2-28-67	63.0	2686.2	
		2-10-67	136.9	698.1				3-31-67	61.2	2688.0	
		3-02-67	135.6	699.4				4-30-67	62.0	2687.2	
		5-19-67	131.3	703.7				5-31-67	60.0	2689.2	
10S/01W-16B02S	899.0	11-14-66	267.6 (2)	631.4	010			6-30-67	59.0	2690.2	
		2-10-67	238.3	660.7				7-31-67	59.0	2690.2	
		3-22-67	233.7	665.3				8-31-67	59.0	2690.2	
		5-19-67	230.3	668.7				9-28-67	58.0	2691.2	
10S/01W-22K01S	835.0	11-14-66	107.4	727.6	010	10S/02E-24R01S	2763.6	10-31-66	66.8	2696.8	405
		2-10-67	83.7	751.3				11-30-66	66.8	2696.8	
		3-22-67	83.5	751.5				12-31-66	65.8	2697.8	
		5-19-67	83.7	751.3				1-31-67	66.8	2696.8	
10S/01W-22Q01S	853.0	11-14-66	106.1	746.9	010			2-28-67	65.8	2697.8	
		2-10-67	90.4	762.6				3-31-67	65.8	2697.8	
		3-22-67	92.3	760.7				4-30-67	65.8	2697.8	
		5-19-67	93.1	759.9				5-31-67	65.8	2697.8	
10S/01W-23N03S	1030.0	11-14-66	218.7	811.3	010			6-30-67	64.8	2698.8	
		2-10-67	219.1	810.9				7-31-67	63.8	2699.8	
		3-28-67	218.7	811.3				8-31-67	62.8	2700.8	
		5-19-67	218.3	811.7				9-28-67	62.8	2700.8	
10S/01W-35B01S	858.0	11-14-66	54.0	804.0	010	10S/02E-25A01S	2741.2	10-31-66	56.4	2684.8	405
		2-10-67	48.8	809.2				11-30-66	56.4	2684.8	
		3-30-67	44.4	813.6				12-31-66	55.4	2685.8	
		5-19-67	43.9	814.1				1-31-67	54.4	2686.8	
								2-28-67	54.4	2686.8	
								3-31-67	52.4	2688.8	
								4-30-67	51.4	2689.8	
								5-31-67	51.4	2689.8	
								6-30-67	50.4	2690.8	
								7-31-67	50.4	2690.8	
								8-31-67	49.4	2691.8	
								9-28-67	48.4	2692.8	
						10S/02E-25C01S	2733.2	10-31-66	50.6	2682.6	405
								11-30-66	49.6	2683.6	
								12-31-66	48.6	2684.6	
								1-31-67	47.6	2685.6	
								2-28-67	46.6	2686.6	
								3-31-67	38.6	2694.6	
								4-30-67	44.6	2688.6	
								5-31-67	42.6	2690.6	
								6-30-67	41.6	2691.6	
								7-31-67	41.6	2691.6	
								8-31-67	40.6	2692.6	
								9-29-67	40.6	2692.6	
						10S/02E-25E01S	2730.0	10-31-66	24.0	2706.0	405
								11-30-66	24.0	2706.0	
								12-31-66	21.0	2709.0	
								1-31-67	21.0	2709.0	
								2-28-67	74.0 (6)	2656.0	
								3-31-67	19.0	2711.0	
								4-30-67	18.0	2712.0	
								5-31-67	18.0	2712.0	
								6-30-67	18.0	2712.0	
								7-31-67	18.0	2712.0	
								8-30-67	18.0	2712.0	
								9-28-67	18.0	2712.0	
						10S/02E-25G01S	2732.0	10-31-66	40.0	2692.0	405
								11-30-66	40.0	2692.0	
								12-31-66	37.0	2695.0	
								1-31-67	35.0	2697.0	
								2-28-67	33.0	2699.0	
								3-31-67	34.0	2698.0	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT						Z-03.00					
WARNER HYDRO SUBUNIT			Z-03.C0			WARNER HYDRO SUBUNIT			Z-03.C0		
WARNER HYDRO SUBAREA			Z-03.C1			WARNER HYDRO SUBAREA			Z-03.C1		
10S/02E-25G01S (CONT.)	2732.0	4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-29-67	34.0 33.0 33.0 33.0 33.0 35.0	2698.0 2699.0 2699.0 2699.0 2699.0 2697.0	405	10S/03E-19Q01S	2781.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-28-67	75.0 75.0 73.0 72.0 73.0 71.0 71.0 70.0 69.0 68.0 67.0 68.0	2706.0 2706.0 2708.0 2709.0 2708.0 2710.0 2710.0 2711.0 2712.0 2713.0 2714.0 2713.0	405
10S/02E-25H01S	2755.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-29-67	44.0 44.0 44.0 43.0 43.0 42.0 42.0 42.0 41.0 40.0 41.0 41.0	2711.0 2711.0 2711.0 2712.0 2712.0 2713.0 2713.0 2713.0 2714.0 2715.0 2714.0 2714.0	405	10S/03E-19R01S	2792.6	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-30-67	83.8 82.8 82.8 82.8 80.8 80.8 79.8 78.8 75.8 75.8 69.8 74.8	2708.8 2709.8 2709.8 2709.8 2711.8 2711.8 2712.8 2713.8 2716.8 2716.8 2722.8 2717.8	405
10S/02E-26A01S	2723.7	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-28-67	27.0 26.0 25.0 24.0 23.0 22.0 20.0 19.0 18.0 17.0 17.0 17.0	2696.7 2697.7 2698.7 2699.7 2700.7 2701.7 2703.7 2704.7 2705.7 2706.7 2706.7 2706.7	405	10S/03E-20P01S	2800.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-28-67	76.2 76.2 74.2 74.2 73.2 73.2 72.2 71.2 70.2 70.2 68.2 68.2	2723.8 2723.8 2725.8 2725.8 2726.8 2726.8 2727.8 2728.8 2729.8 2729.8 2731.8 2731.8	405
10S/03E-08R01S	2950.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-28-67	112.0(1) 113.0(1) 118.0(1) 122.0(1) 122.0(1) 121.0(1) 119.0(1) 114.0(1) 110.0(1) 110.0(1) 90.0 107.0(1)	2838.0 2837.0 2832.0 2828.0 2828.0 2829.0 2831.0 2836.0 2840.0 2840.0 2860.0 2843.0	405	10S/03E-20Q01S	2816.6	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-28-67	60.0 61.0 60.0 60.0 59.0 59.0 59.0 59.0 59.0 59.0 59.0 59.0	2756.6 2755.6 2756.6 2756.6 2757.6 2757.6 2757.6 2757.6 2757.6 2757.6 2757.6 2757.6	405
10S/03E-16E01S	2940.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-29-67	99.0 100.0 95.0 99.0 96.0 97.0 95.0 94.0 92.0 94.0 91.0 90.0	2841.0 2840.0 2845.0 2841.0 2844.0 2843.0 2845.0 2846.0 2848.0 2846.0 2849.0 2850.0	405	10S/03E-25J02S	2755.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-28-67	43.0 43.0 43.0 43.0 42.0 41.0 41.0 41.0 40.0 38.0 39.0 39.0	2712.0 2712.0 2712.0 2712.0 2713.0 2714.0 2714.0 2714.0 2715.0 2717.0 2716.0 2716.0	405
10S/03E-17H01S	2920.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-28-67	89.0 87.0 85.0 84.0 83.0 82.0 81.0 79.0 78.0 77.0 77.0 76.0	2831.0 2833.0 2835.0 2836.0 2837.0 2838.0 2839.0 2841.0 2842.0 2843.0 2843.0 2844.0	405	10S/03E-28P01S	2885.8	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-28-67	108.2 107.2 107.2 107.2 105.2 105.2 105.2 104.2 103.2 103.2 102.2 102.2	2777.6 2778.6 2778.6 2778.6 2780.6 2780.6 2780.6 2781.6 2782.6 2782.6 2783.6 2783.6	405
10S/03E-19N01S	2769.9	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-28-67	72.6 71.6 74.6 71.6 71.6 69.6 70.6 70.6 68.6 68.6 68.6 68.6	2697.3 2698.3 2695.3 2698.3 2698.3 2700.3 2699.3 2699.3 2701.3 2701.3 2701.3 2701.3	405	10S/03E-29E01S	2794.0	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-28-67	70.7 70.7 70.7 70.7 69.7 67.7 67.7 66.7 65.7 65.7 65.7 65.7	2723.3 2723.3 2723.3 2723.3 2724.3 2726.3 2726.3 2727.3 2728.3 2728.3 2728.3 2728.3	405
10S/03E-19P01S	2777.7	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67 5-31-67 6-30-67 7-31-67 8-31-67 9-29-67	79.2 79.2 78.2 77.2 78.2 77.2 76.2 75.2 75.2 74.2 74.2 73.2	2698.5 2698.5 2699.5 2700.5 2699.5 2700.5 2701.5 2702.5 2702.5 2703.5 2703.5 2704.5	405	10S/03E-29J01S	2810.7	10-31-66 11-30-66 12-31-66 1-31-67 2-28-67 3-31-67 4-30-67	0039.4 0039.4 0038.4 0037.4 0036.4 0035.4 0035.4	2771.3 2771.3 2772.3 2773.3 2774.3 2775.3 2775.3	405

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT						Z-03.00					
WARNER HYDRO SUBUNIT			Z-03.C0			WARNER HYDRO SUBUNIT			Z-03.C0		
WARNER HYDRO SUBAREA			Z-03.C1			WARNER HYDRO SUBAREA			Z-03.C1		
105/03E-29J01S (CONT.)	2810.7	5-31-67 0034.4 6-30-67 0033.4 7-31-67 0032.4 8-31-67 0031.4 9-28-67 0031.4	2776.3 2777.3 2778.3 2779.3 2779.3	405		105/03E-31C01S (CONT.)	2760.0	2-28-67 64.0 3-31-67 61.0 4-30-67 61.0 5-31-67 59.0 6-30-67 59.0 7-31-67 58.0 8-31-67 57.0 9-29-67 59.0	2696.0 2699.0 2699.0 2701.0 2701.0 2702.0 2703.0 2701.0	405	
105/03E-29J02S	2815.5	1-31-67 53.0 2-28-67 52.0 3-31-67 52.0 4-30-67 52.0 5-31-67 50.0 6-30-67 50.0 7-31-67 48.0 8-31-67 48.0 9-28-67 47.0	2762.5 2763.5 2763.5 2763.5 2765.5 2765.5 2767.5 2767.5 2768.5	405		105/03E-31C02S	2760.0	10-31-66 0050.0 11-30-66 0050.0 12-31-66 0049.0 1-31-67 0049.0 2-28-67 0050.0 3-31-67 0050.0 4-30-67 0050.0 5-31-67 0049.0 6-30-67 0050.0 7-31-67 0049.0 8-31-67 0050.0 9-29-67 0051.0	2710.0 2710.0 2711.0 2711.0 2710.0 2710.0 2710.0 2711.0 2710.0 2710.0 2710.0 2709.0	405	
105/03E-29L01S	2798.5	10-31-66 63.0 11-30-66 64.0 12-31-66 62.0 1-31-67 52.0 2-28-67 51.0 3-31-67 51.0 4-30-67 50.0 5-31-67 50.0 6-30-67 48.0 7-31-67 48.0 8-31-67 47.0 9-28-67 47.0	2735.5 2734.5 2736.5 2746.5 2747.5 2747.5 2748.5 2748.5 2750.5 2750.5 2751.5 2751.5	405		105/03E-31C05S	2780.0	10-31-66 52.0 11-30-66 52.0 12-31-66 51.0 1-31-67 51.0 2-28-67 52.0 3-31-67 52.0 4-30-67 52.0 5-31-67 51.0 6-30-67 51.0 7-31-67 51.0 8-31-67 51.0 9-29-67 52.0	2728.0 2728.0 2729.0 2729.0 2728.0 2728.0 2728.0 2729.0 2729.0 2729.0 2729.0 2728.0	405	
105/03E-29M01S	2766.0	10-31-66 75.0 11-30-66 73.0 12-31-66 73.0 1-31-67 72.0 2-28-67 72.0 3-31-67 71.0 4-30-67 71.0 5-31-67 70.0 6-30-67 70.0 7-31-67 68.0 8-31-67 69.0 9-30-67 69.0	2691.0 2693.0 2693.0 2694.0 2694.0 2695.0 2695.0 2696.0 2696.0 2698.0 2697.0 2697.0	405		105/03E-31G01S	2778.0	10-31-66 90.0 11-30-66 100.0 12-31-66 98.0 1-31-67 115.0 (6) 2-28-67 114.0 (6) 3-31-67 86.0 5-31-67 49.0 6-30-67 49.0 7-31-67 47.0 8-29-67 47.0 9-29-67 69.0	2688.0 2678.0 2680.0 2663.0 2664.0 2692.0 2729.0 2729.0 2731.0 2731.0 2709.0	405	
105/03E-30A01S	2779.7	10-31-66 73.1 11-30-66 72.1 12-31-66 71.1 1-31-67 71.1 2-28-67 71.1 3-31-67 69.1 4-30-67 68.1 5-31-67 67.1 6-30-67 66.1 7-31-67 66.1 8-31-67 65.1 9-28-67 64.1	2706.6 2707.6 2708.6 2708.6 2708.6 2710.6 2711.6 2712.6 2713.6 2713.6 2714.6 2715.6	405		105/03E-32C01S	2784.6	10-31-66 34.0 11-30-66 34.0 12-31-66 33.0 1-31-67 33.0 2-28-67 33.0 3-31-67 33.0 4-30-67 33.0 5-31-67 32.0 6-30-67 33.0 7-31-67 32.0 8-30-67 33.0 9-28-67 32.0	2750.6 2750.6 2751.6 2751.6 2751.6 2751.6 2751.6 2752.6 2751.6 2752.6 2751.6 2752.6	405	
105/03E-30B01S	2775.0	10-31-66 74.0 11-30-66 74.0 12-31-66 74.0 1-31-67 74.0 2-28-67 74.0 3-31-67 71.0 4-30-67 72.0 5-31-67 69.0 6-30-67 69.0 7-31-67 68.0 8-31-67 67.0 9-29-67 67.0	2701.0 2701.0 2701.0 2701.0 2701.0 2704.0 2703.0 2706.0 2706.0 2707.0 2708.0 2708.0	405		105/03E-32H01S	2810.7	10-31-66 0041.0 11-30-66 0041.0 12-31-66 0040.0 1-31-67 0041.0 2-28-67 0040.0 3-31-67 0040.0 4-30-67 0038.0 5-31-67 0038.0 6-30-67 0038.0 7-31-67 0038.0 8-31-67 0037.0 9-28-67 0038.0	2769.7 2769.7 2770.7 2769.7 2770.7 2770.7 2772.7 2772.7 2772.7 2772.7 2773.7 2772.7	405	
105/03E-30C01S	2750.0	10-31-66 0070.0 11-30-66 0070.0 12-31-66 0069.0 1-31-67 0070.0 2-28-67 0069.0 3-31-67 0068.0 4-30-67 0066.0 5-31-67 0066.0 6-30-67 0065.0 7-31-67 0065.0 8-31-67 0064.0 9-29-67 0063.0	2680.0 2680.0 2681.0 2680.0 2681.0 2682.0 2684.0 2684.0 2685.0 2685.0 2686.0 2687.0	405		105/03E-33B01S	2927.4	10-31-66 138.3 11-30-66 136.3 12-31-66 137.3 1-31-67 137.3 2-28-67 136.3 3-31-67 136.3 4-30-67 136.3 5-31-67 135.3 6-30-67 134.3 7-31-67 135.3 8-31-67 135.3 9-28-67 134.3	2789.1 2791.1 2790.1 2790.1 2791.1 2791.1 2791.1 2792.1 2793.1 2792.1 2792.1 2793.1	405	
105/03E-30H01S	2779.6	10-31-66 72.0 11-30-66 72.0 12-31-66 71.0 1-31-67 72.0 2-28-67 71.0 3-31-67 70.0 4-30-67 71.0 5-31-67 70.0 6-30-67 70.0 7-31-67 69.0 8-31-67 69.0 9-28-67 70.0	2707.6 2707.6 2708.6 2707.6 2708.6 2709.6 2708.6 2709.6 2709.6 2710.6 2710.6 2709.6	405		105/03E-33C01S	2872.9	10-31-66 96.2 11-30-66 96.2 12-31-66 95.2 1-31-67 95.2 2-28-67 94.2 3-31-67 93.2 4-30-67 93.2 5-31-67 92.2 6-30-67 91.2 7-31-67 91.2 8-31-67 90.2 9-28-67 91.2	2776.7 2776.7 2777.7 2777.7 2778.7 2779.7 2779.7 2780.7 2781.7 2781.7 2782.7 2781.7	405	
105/03E-31C01S	2760.0	10-31-66 70.0 11-30-66 77.0 12-31-66 68.0 1-31-67 66.0	2690.0 2683.0 2692.0 2694.0	405							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT						Z-03.00					
WARNER HYDRO SUBUNIT			Z-03.C0			WARNER HYDRO SUBUNIT			Z-03.C0		
WARNER HYDRO SUBAREA			Z-03.C1			WARNER HYDRO SUBAREA			Z-03.C1		
105/03E-33D01S	2865.9	10-31-66	91.2	2774.7	405	115/03E-04A01S (CONT.)	2856.4	4-30-67	137.3	2719.1	405
		11-30-66	91.2	2774.7				5-31-67	135.3	2721.1	
		12-31-66	90.2	2775.7				6-30-67	133.3	2723.1	
		1-31-67	89.2	2776.7				7-31-67	131.3	2725.1	
		2-28-67	89.2	2776.7				8-31-67	129.3	2727.1	
		3-31-67	89.2	2776.7				9-28-67	127.3	2729.1	
		4-30-67	88.2	2777.7		115/03E-06F01S	2750.0	10-31-66	106.0	2644.0	405
		5-31-67	86.2	2779.7				11-30-66	143.0	2607.0	
		6-30-67	86.2	2779.7				12-31-66	142.0	2608.0	
		7-31-67	95.2 (6)	2770.7				1-31-67	111.0	2639.0	
		8-31-67	85.2	2780.7				2-28-67	109.0	2641.0	
		9-28-67	85.2	2780.7				3-31-67	107.0	2643.0	
								4-30-67	107.0	2643.0	
								5-31-67	104.0	2646.0	
								6-30-67	103.0	2647.0	
								7-31-67	102.0	2648.0	
								8-31-67	101.0	2649.0	
								9-29-67	101.0	2649.0	
105/03E-33D02S	2848.3	10-31-66	75.6	2772.7	405	115/03E-06Q01S	2750.0	10-31-66	138.0 (1)	2612.0	405
		11-30-66	75.6	2772.7				11-30-66	138.0 (1)	2612.0	
		12-31-66	74.6	2773.7				12-31-66	137.0 (1)	2613.0	
		1-31-67	73.6	2774.7				1-31-67	136.0 (1)	2614.0	
		2-28-67	73.6	2774.7				2-28-67	135.0 (1)	2615.0	
		3-31-67	73.6	2774.7				3-31-67	133.0 (1)	2617.0	
		4-30-67	70.6	2777.7				4-30-67	133.0 (1)	2617.0	
		5-31-67	70.6	2777.7				5-31-67	132.0 (1)	2618.0	
		6-30-67	70.6	2777.7				6-30-67	118.0	2632.0	
		7-31-67	68.6	2779.7				7-31-67	113.0	2637.0	
		8-31-67	68.6	2779.7				8-31-67	116.0	2634.0	
		9-28-67	69.6	2778.7				9-29-67	118.0 (1)	2632.0	
105/03E-33F01S	2883.4	10-31-66	162.7	2720.7	405	115/03E-07A01S	2730.0	10-31-66	64.0	2666.0	405
		11-30-66	157.7	2725.7				11-30-66	64.0	2666.0	
		12-31-66	154.7	2728.7				12-31-66	64.0	2666.0	
		1-31-67	151.7	2731.7				1-31-67	60.0	2670.0	
		2-28-67	149.7	2733.7				2-28-67	60.0	2670.0	
		3-31-67	145.7	2737.7				3-31-67	57.0	2673.0	
		4-30-67	145.7	2737.7				4-30-67	58.0	2672.0	
		5-31-67	142.7	2740.7				5-31-67	57.6	2672.4	
		6-30-67	140.7	2742.7				6-30-67	56.0	2674.0	
		7-31-67	138.7	2744.7				7-31-67	56.0	2674.0	
		8-31-67	136.7	2746.7				8-29-67	55.0	2675.0	
		9-28-67	135.7	2747.7				9-29-67	54.0	2676.0	
105/03E-33H01S	2902.2	10-31-66	120.9	2781.3	405	115/03E-07O01S	2728.0	10-31-66	77.0	2651.0	405
		11-30-66	119.9	2782.3				11-30-66	77.0	2651.0	
		12-31-66	119.9	2782.3				12-31-66	76.0	2652.0	
		1-31-67	119.9	2782.3				1-31-67	66.0	2662.0	
		2-28-67	118.9	2783.3				2-28-67	66.0	2662.0	
		3-31-67	117.9	2784.3				3-31-67	64.0	2664.0	
		4-30-67	148.9 (6)	2753.3				4-30-67	64.0	2664.0	
		5-31-67	116.9	2785.3				5-31-67	62.0	2666.0	
		6-30-67	115.9	2786.3				6-30-67	62.0	2666.0	
		7-31-67	115.9	2786.3				7-31-67	61.0	2667.0	
		8-31-67	114.9	2787.3				8-29-67	60.0	2668.0	
		9-28-67	99.9	2802.3				9-29-67	60.0	2668.0	
105/03E-33P02S	2845.7	10-31-66	140.0	2705.7	405	115/03E-07K01S	2739.0	10-31-66	64.0	2675.0	405
		11-30-66	142.0	2703.7				11-30-66	64.0	2675.0	
		12-31-66	141.0	2704.7				12-31-66	63.0	2676.0	
		1-31-67	150.0 (5)	2695.7				1-31-67	62.0	2677.0	
		2-28-67	150.0 (5)	2695.7				2-28-67	62.0	2677.0	
		3-31-67	120.0	2725.7				3-31-67	60.0	2679.0	
		4-30-67	122.0	2723.7				4-30-67	61.0	2678.0	
		5-31-67	121.0	2724.7				5-31-67	60.0	2679.0	
		6-30-67	113.0	2732.7				6-30-67	59.0	2680.0	
		7-31-67	111.0	2734.7				7-31-67	58.0	2681.0	
		8-31-67	110.0	2735.7				8-31-67	58.0	2681.0	
		9-28-67	85.0	2760.7				9-29-67	57.0	2682.0	
105/03E-33R01S	2882.8	10-31-66	170.2	2712.6	405						
		11-30-66	168.2	2714.6							
		12-31-66	167.2	2715.6							
		1-31-67	153.2 (5)	2729.6							
		2-28-67	154.2	2728.6							
		3-31-67	88.2 (6)	2794.6							
		4-30-67	145.2	2737.6							
		5-31-67	142.2	2740.6							
		6-30-67	138.2	2744.6							
		7-31-67	147.2 (5)	2735.6							
		8-31-67	139.2	2743.6							
		9-28-67	114.2	2768.6							
115/03E-03J01S	2970.0	10-31-66	90.0 (1)	2880.0	405						
		11-30-66	91.0 (1)	2879.0							
		12-31-66	87.0 (1)	2883.0							
		1-31-67	87.0 (1)	2883.0							
		2-28-67	85.0	2885.0							
		3-31-67	83.0 (1)	2887.0							
		4-30-67	82.0 (1)	2888.0							
		5-31-67	80.0 (1)	2890.0							
		6-30-67	80.0	2890.0							
		7-31-67	77.0	2893.0							
		8-31-67	73.0 (1)	2897.0							
		9-29-67	77.0	2893.0							
115/03E-04A01S	2856.4	10-31-66	148.3	2708.1	405						
		11-30-66	148.3	2708.1							
		12-31-66	144.3	2712.1							
		1-31-67	142.3	2714.1							
		2-28-67	141.3	2715.1							
		3-31-67	139.3	2717.1							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CARLSBAD HYDRO UNIT						Z-04.00					
ESCONDIDO HYDRO SUBUNIT						Z-04.F0					
ESCONDIDO HYDRO SUBAREA						Z-04.F2					
12S/02W-22A02S	720.0	10-25-66 4-26-67	33.9 26.0	686.1 694.0	050						
12S/02W-22J01S	697.0	10-25-66 4-26-67	34.0(1) 4.9	663.0 692.1	050						
12S/02W-27H02S	690.0	10-25-66 4-25-67	28.4 24.5	661.6 665.5	050						

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
SAN DIEGUITO HYDRO SUBUNIT			Z-05.A0			HODGES HYDRO SUBUNIT			Z-05.B0		
SAN DIEGUITO HYDRO SUBAREA			Z-05.A1			HODGES HYDRO SUBAREA			Z-05.B1		
135/03W-33C01S	43.1	4-28-67	45.8	-2.7	050	125/02W-35K01S	420.0	3-07-67	17.1	402.9	710
135/03W-33C03S	40.8	4-28-67	55.2	-14.4	050			10-13-66	35.2(1)	384.8	
135/03W-33M01S	37.2	10-26-66	79.2	-42.0	010			11-09-66	17.7	402.3	
		1-18-67	79.0	-41.8				12-15-66	25.1(1)	394.9	
		3-24-67	79.1	-41.9				1-04-67	14.0	406.0	
		4-28-67	78.1	-40.9	050			2-09-67	13.8	406.2	
145/03W-05F01S	23.4	4-28-67	30.3	-6.9	050			4-05-67	14.0	406.0	
145/03W-07C07S	14.6	4-28-67	17.9	-3.3	050			5-03-67	25.8	394.2	
145/03W-07M01S	19.3	4-28-67	18.9	.4	050			6-05-67	29.4(1)	390.6	
145/04W-01R02S	18.0	4-28-67	20.2	-2.2	050			7-03-67	17.7(1)	402.3	
145/04W-01R04S	11.0	4-28-67	13.3	-2.3	050	125/02W-35P01S	395.0	8-02-67	33.5(1)	386.5	
145/04W-11J02S	5.0	4-28-67	2.5	2.5	050			9-11-67	39.8(1)	380.2	
								10-13-66	11.6(1)	383.4	710
								11-09-66	13.3	381.7	
								12-15-66	3.3	391.7	
								1-04-67	3.6	391.4	
								2-08-67	3.6	391.4	
								3-07-67	3.7	391.3	
								4-05-67	3.7	391.3	
								5-03-67	4.0	391.0	
								6-05-67	4.9	390.1	
								7-05-67	12.6(1)	382.4	
								8-02-67	22.6(1)	372.4	
								9-11-67	18.6(1)	376.4	
						125/02W-35Q04S	395.0	10-13-66	33.4(1)	361.6	710
								11-09-66	11.8	383.2	
								12-15-66	2.8	392.2	
								1-04-67	3.0	392.0	
								2-08-67	3.5	391.5	
								3-07-67	4.0	391.0	
								4-05-67	3.8	391.2	
								5-03-67	3.4	391.6	
								6-05-67	23.4	371.6	
								7-05-67	7.3	387.7	
								8-02-67	14.3	380.7	
								9-11-67	19.9	375.1	
						135/01W-07E01S	330.8	10-21-66	25.2	305.6	229
								11-28-66	23.3	307.5	
								12-26-66	16.3	314.5	
								1-24-67	17.7	313.1	
								2-21-67	18.5	312.3	
								3-21-67	18.7	312.1	
								4-20-67	18.9	311.9	
								5-19-67	18.9	311.9	
								6-23-67	18.6	312.2	
								7-20-67	18.8	312.0	
								8-17-67	18.1	312.7	
								9-21-67	18.6	312.2	
						135/01W-07E02S	330.8	10-26-66	23.2	307.6	050
								4-25-67	19.0	311.8	
						135/02W-02B02S	390.0	10-25-66	22.4(4)	367.6	050
								4-25-67	14.3	375.7	
						135/02W-02C02S	371.8	10-13-66	35.7	336.1	710
								10-25-66	14.1	357.7	050
								11-09-66	19.8	352.0	710
								12-15-66	6.4	365.4	
								1-04-67	6.3	365.5	
								2-08-67	6.3	365.5	
								3-07-67	5.6	366.2	
								4-15-67	6.3	365.5	
								4-25-67	.2	371.6	050
								5-03-67	5.2	366.6	710
								6-05-67	5.7	366.1	
								7-06-67	8.3	363.5	
								8-02-67	25.5(1)	346.3	
								9-11-67	33.8(1)	338.0	
						135/02W-02C03S	383.0	10-13-66	13.4	369.6	710
								11-09-66	12.5	370.5	
								12-15-66	3.5	379.5	
								1-04-67	4.3	378.7	
								2-08-67	2.4	380.6	
								3-07-67	1.8	381.2	
								4-05-67	FLOW		
								5-03-67	FLOW		
								6-05-67	FLOW		
								7-05-67	4.5	378.5	
								8-02-67	7.0	376.0	
								9-11-67	10.7	372.3	
						135/02W-02C04S	390.0	10-13-66	20.6(1)	369.4	710
								11-09-66	14.5	375.5	
								12-15-66	4.9	385.1	
								1-04-67	5.3	384.7	
								2-09-67	5.1	384.9	
								3-07-67	4.5	385.5	
								4-08-67	4.8	385.2	
								5-05-67	4.3	385.7	
								6-05-67	13.4(1)	376.6	
								7-05-67	12.7(1)	377.3	
								8-02-67	14.9(1)	375.1	

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
HODGES HYDRO SUBUNIT			Z-05.80			HODGES HYDRO SUBUNIT			Z-05.80		
HODGES HYDRO SUBAREA			Z-05.81			HODGES HYDRO SUBAREA			Z-05.81		
135/02W-02D015	390.0	10-13-66 11-09-66 12-15-66 2-09-67 3-07-67 4-15-67 5-03-67 6-05-67 7-05-67 8-02-67 8-10-67 9-11-67	14.0 13.6 10.0 12.1 10.9 11.6 8.7 22.7 27.2 28.4 25.3 16.8	376.0 376.4 380.0 377.9 379.1 378.4 381.3 367.3 362.8 361.6 364.7 373.2	710	135/02W-12G015 (CONT.)	326.0	8-17-67 9-21-67	23.0 22.5	303.0 303.5	229
135/02W-02D035	390.0	10-13-66 11-09-66 12-15-66 1-04-67 2-06-67 3-07-67 4-15-67 5-03-67 6-05-67 7-06-67 8-02-67 8-15-67 9-11-67	7.8 6.7 4.0 4.3 4.3 5.1 5.6 5.3 9.3 7.3 45.5 48.0(1) 16.0(1)	382.2 383.3 386.0 385.7 385.7 384.9 384.4 384.7 380.7 382.7 344.5 342.0 374.0	710	135/02W-12N015	315.6	10-25-66 4-25-67	26.4(1) 18.4	289.2 297.2	050
135/02W-02F015	375.0	10-13-66 11-09-66 12-15-66 1-04-67 2-08-67 3-07-67 4-05-67 5-03-67 6-05-67 7-05-67 8-02-67 9-11-67	28.0 29.5 24.9 20.2 18.3 17.5 16.5 15.9 31.7(1) 34.4(1) 19.7 40.2(1)	347.0 345.5 350.1 354.8 356.7 357.5 358.5 359.1 343.3 340.6 355.3 334.8	710	135/02W-12N025	318.0	10-21-66 10-25-66 11-28-66 12-26-66 1-24-67 2-21-67 3-21-67 4-20-67 5-19-67 6-23-67 7-20-67 8-17-67 9-21-67	34.4 29.9 33.2 28.9 23.0 22.2 21.3 20.6 19.9 19.8 19.0 18.6 19.7	283.6 288.1 284.8 289.1 295.0 295.8 296.7 297.4 298.1 298.2 299.0 299.4 298.3	229 050 229
135/02W-02F025	365.0	10-13-66 11-09-66 12-15-66 1-04-67 2-08-67 3-07-67 4-05-67 5-03-67 6-05-67 7-05-67 8-02-67 9-11-67	28.0 29.5 24.9 20.2 18.3 17.5 16.5 15.9 31.7(1) 34.4(1) 19.7 40.2(1)	347.0 345.5 350.1 354.8 356.7 357.5 358.5 359.1 343.3 340.6 355.3 334.8	710	135/02W-13C015	331.6	10-21-66 11-28-66 12-26-66 1-24-67 2-21-67 3-21-67 4-20-67 5-19-67 6-23-67 7-20-67 8-17-67 9-21-67	26.9 26.4 8.9 8.6 6.8 6.6 6.5 6.1 7.9 9.1 9.8 11.1	304.7 305.2 322.7 323.0 324.8 325.0 325.1 325.5 323.7 322.5 321.8 320.5	229
135/02W-02J015	430.0	10-25-66 4-25-67	28.0 24.3	402.0 405.7	050	GREEN HYDRO SUBAREA			Z-05.82		
135/02W-02M015	358.4	10-13-66 10-26-66 11-09-66 12-15-66 1-04-67 2-08-67 3-07-67 4-05-67 4-25-67 5-03-67 6-05-67 7-05-67 8-07-67 9-11-67	24.6 76.2(1) 33.5 13.9 10.6 9.5 9.5 8.5 8.8 8.9 8.7 52.7(1) 56.6(1) 60.0	333.8 282.2 324.9 344.5 347.8 348.9 348.9 349.9 349.6 349.5 349.7 305.7 301.8 298.4	710 050 710 050 710	135/02W-23G015	500.0	10-25-66 4-25-67	44.8 41.9	455.2 458.1	050
135/02W-03R035	335.0	10-25-66 4-25-67	14.0 8.9	321.0 326.1	050	FELICITA HYDRO SUBAREA			Z-05.83		
135/02W-11R015	315.6	4-20-67 7-20-67 8-17-67 9-21-67 5-19-67 6-23-67 2-21-67 3-21-67 1-24-67 12-26-66 11-28-66 10-21-66	19.9 13.4 13.7 17.6 14.6 13.5 21.8 21.7 18.8 20.9 28.5 29.7	295.7 302.2 301.9 298.0 301.0 302.1 293.8 293.9 296.8 294.7 287.1 285.9	229	125/02W-27F015	670.0	10-25-66 4-25-67	38.9 35.7	631.1 634.3	050
135/02W-12G015	326.0	10-21-66 11-28-66 12-26-66 1-24-67 2-21-67 3-21-67 4-20-67 5-19-67 6-23-67 7-20-67	43.3(2) 44.2(2) 33.6 30.5 25.2 24.1 23.2 39.2(2) 33.2 27.3(2)	282.7 281.8 292.4 295.5 300.8 301.9 302.8 286.8 292.8 298.7	229	125/02W-27K015	622.0	10-25-66 4-25-67	9.8 9.0	612.2 613.0	050
						125/02W-27P025	650.0	10-25-66 4-25-67	20.3 15.9	629.7 634.1	050
						125/02W-28P015	700.0	10-25-66 4-25-67	88.2 69.2	611.8 630.8	050
						125/02W-33A015	635.0	10-25-66 4-25-67	(1) (1)		050
						125/02W-33G035	635.0	10-25-66 4-25-67	37.0 38.1	598.0 596.9	050
						125/02W-33R015	596.0	10-25-66 4-25-67	17.1 11.6	578.9 584.4	050
						125/02W-34B015	609.0	10-25-66 4-25-67	11.0 5.1	598.0 603.9	050
						125/02W-34M025	610.0	10-25-66 4-25-67	31.1 22.1	578.9 587.9	050
						135/02W-03E015	520.0	10-25-66 4-25-67	36.2 34.4	483.8 485.6	050
						BEAR HYDRO SUBAREA			Z-05.84		
						125/02W-23K025	710.0	10-25-66 4-25-67	29.7 17.3	680.3 692.7	050
						125/02W-23L015	715.0	10-25-66	36.8	678.2	050
						125/02W-24D015	728.0	10-25-66	25.3	702.7	050
						125/02W-24E015	701.0	10-25-66 4-25-67	14.5 5.6	686.5 695.4	050
						125/02W-24F025	694.0	10-25-66 4-25-67	10.8(1) 1.8	683.2 692.2	050
						125/02W-24F035	698.0	10-25-66	40.0(1)	658.0	050
						125/02W-24L065	670.0	10-25-66	15.0	655.0	050
						125/02W-24M025	675.0	10-25-66 4-25-67	45.1(1) 4.1	629.9 670.9	050

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
HOOGES HYDRO SUBUNIT						SAN PASQUAL HYDRO SUBUNIT					
BEAR HYDRO SUBAREA						HIGHLAND HYDRO SUBAREA					
Z-05.80						Z-05.C0					
Z-05.84						Z-05.C1					
12S/02W-24M03S	655.0	4-25-67	(1)(1)		050	13S/01W-05L01S	780.0	10-26-66 4-25-67	37.1 9.3	742.9 770.7	050
12S/02W-24N01S	660.0	10-25-66 4-25-67	9.8 5.1	650.2 654.9	050	13S/01W-05M01S	758.0	10-26-66 4-25-67	32.4 13.1	725.6 744.9	050
12S/02W-24R01S	720.0	10-25-66 4-25-67	.9 .2	719.1 719.8	050	SAN PASQUAL HYDRO SUBAREA					
12S/02W-24R03S	765.0	10-25-66 4-25-67	3.6(1) .8	761.4 764.2	050	Z-05.C2					
12S/02W-24D01S	728.0	4-25-67	19.4	708.6	050	12S/01W-18R01S	434.8	10-24-66	(9)		050
12S/02W-25F01S	660.0	10-24-66 4-25-67	9.8(1) .3	650.2 659.7	050	12S/01W-20D01S	418.4	10-24-66 4-25-67	(1) 6.9	411.5	050
12S/02W-26C01S	698.0	10-25-66 4-25-67	6.2 2.0	691.8 696.0	050	12S/01W-20F01S	408.4	10-24-66	33.2	375.2	050
12S/02W-26C02S	700.0	10-25-66	7.7	692.3	050	12S/01W-20L01S	403.6	10-24-66 4-25-67	17.7 3.9	385.9 399.7	050
12S/02W-26H01S	622.0	10-25-66 4-25-67	14.8 11.6	607.2 610.4	050	12S/01W-20L02S	406.9	10-24-66 4-25-67	38.0(4) 22.0(4)	368.9 384.9	050
12S/02W-26L01S	610.0	10-25-66 4-25-67	6.7 4.3	603.3 605.7	050	12S/01W-25N02S	440.8	10-19-66 11-28-66 12-22-66 1-17-67 2-16-67 3-20-67 4-18-67 5-18-67 6-20-67 7-19-67 8-16-67 9-19-67	51.7 52.1(1) 36.2 55.7(1) 28.7 26.8 26.6 30.5 11.5 32.6(1) 17.9 35.7(1)	389.1 388.7 404.6 385.1 412.1 414.0 414.2 410.3 429.3 408.2 422.9 405.1	229
12S/02W-26P01S	575.0	10-25-66	(1)		050	12S/01W-26C01S	451.8	10-24-66 4-25-67	41.1 12.4	410.7 439.4	050
						12S/01W-29N01S	347.0	10-20-66 1-24-67	67.2(1) 5.1	279.8 341.9	229
						12S/01W-30A01S	375.7	10-21-66 11-28-66 12-26-66 1-23-67 2-21-67 3-21-67 4-20-67 5-19-67 6-22-67 7-20-67 8-17-67 9-20-67	14.3 13.1 4.2 4.6 4.0 2.8 3.9 4.6 4.8 5.9 6.4 6.8	361.4 362.6 371.5 371.1 371.7 372.9 371.8 371.1 370.9 369.8 369.3 368.9	229
						12S/01W-30A05S	398.1	10-21-66 11-28-66 12-26-66 1-23-67 1-23-67 2-21-67 2-21-67 3-21-67 4-20-67 4-20-67 5-19-67 5-19-67 6-22-67 6-22-67 8-15-67 8-17-67	34.6 33.4 25.1 32.0(1) 25.4 30.5 24.5 29.8(1) 23.9 30.2(1) 24.5 30.5 25.6 31.3 26.0 27.0 29.5 27.9	363.5 364.7 373.0 366.1 372.7 367.6 373.6 368.3 374.2 367.9 373.6 367.6 372.5 366.8 372.1 371.1 368.6 370.2	229
						12S/01W-30J01S	366.3	10-21-66 11-28-66 12-26-66 1-23-67 2-21-67 3-21-67 4-19-67 5-19-67 6-22-67 7-20-67 8-17-67 9-20-67	20.1(1) 12.2 3.0 2.1 2.5 3.4 2.0 6.3(1) 6.4(1) 10.1(1) 10.8(1) 12.7(1)	346.2 354.1 363.3 364.2 363.8 362.9 364.3 360.0 359.9 356.2 355.5 353.6	229
						12S/01W-30Q01S	383.9	10-24-66 4-25-67	19.4 13.0	364.5 370.9	050
						12S/01W-30R01S	358.8	10-20-66 11-28-66 2-17-67 3-21-67 4-19-67 5-19-67 6-22-67	19.8 19.7 (1) 8.8 7.2 8.3 9.2	339.0 339.1 350.0 351.6 350.5 349.6	229

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
SAN DIEGUITO HYDRO UNIT						Z-05.00							
SAN PASQUAL HYDRO SUBUNIT			Z-05.C0			SAN PASQUAL HYDRO SUBUNIT			Z-05.C0				
SAN PASQUAL HYDRO SUBAREA			Z-05.C2			SAN PASQUAL HYDRO SUBAREA			Z-05.C2				
12S/01W-30R015	358.8	7-19-67	10.0(1)	348.8	229	12S/01W-32R015	373.0	10-20-66	42.3	330.7	229		
(CONT.)		8-17-67	11.6(1)	347.2				11-28-66	51.3(1)	321.7			
		9-20-67	11.1	347.7				12-23-66	31.5	341.5			
12S/01W-31R025	382.9	10-24-66	23.9	359.0	050			1-23-67	26.9	346.1			
12S/01W-31H015	358.5	10-20-66	48.0(1)	310.5	229			2-17-67	26.2	346.8			
		11-28-66	47.8(1)	310.7			3-20-67	28.2	344.8				
		12-23-66	37.4(1)	321.1			4-19-67	28.9	344.1				
		1-23-67	33.1(1)	325.4			5-18-67	30.2	342.8				
		2-17-67	31.0	327.5			6-20-67	30.4(1)	342.6				
		3-21-67	30.3(1)	328.2			7-19-67	38.4(1)	334.6				
		4-19-67	30.2(1)	328.3			8-16-67	35.3(1)	337.7				
		5-18-67	29.2(1)	329.3			9-20-67	39.0(1)	334.0				
		6-20-67	31.9(1)	326.6									
		7-19-67	31.2	327.3		12S/01W-33N015	378.0	10-18-66	45.8	332.2	229		
8-16-67	34.1	324.4			11-18-66	44.1	333.9						
9-20-67	35.6	322.9			12-16-66	41.0	337.0						
12S/01W-31H025	357.4	10-27-66	48.6(1)	308.8	010		1-17-67	29.5	348.5				
		1-18-67	33.5(1)	323.9		2-15-67	29.0	349.0					
		3-24-67	30.8(1)	326.6		3-17-67	29.9	348.1					
						4-18-67	29.2	348.8					
						5-17-67	53.5(1)	324.5					
12S/01W-31J015	353.0	10-20-66	82.6(1)	270.4	229		6-20-67	52.0(1)	326.0				
		11-28-66	59.5	293.5		7-18-67	54.2(1)	323.8					
		12-26-66	46.6	306.4		8-15-67	41.4	336.6					
		1-23-67	40.8	312.2		9-18-67	42.0	336.0					
		2-17-67	39.4	313.6		12S/01W-34J015	414.0	10-19-66	48.7	365.3	229		
		3-21-67	36.4	316.6				11-23-66	45.4	368.6			
		4-19-67	34.2	318.8				12-16-66	44.1	369.9			
		5-19-67	34.0	319.0				1-17-67	39.9	374.1			
		6-22-67	36.0	317.0				2-16-67	38.5	375.5			
		7-20-67	39.3(1)	313.7				3-17-67	36.9	377.1			
		8-17-67	41.9(1)	311.1				4-18-67	37.9	376.1			
		9-20-67	46.8	306.2				5-17-67	39.9	374.1			
								6-20-67	29.9	384.1			
12S/01W-31L035	353.0	10-21-66	58.0	295.0	229			7-15-67	29.4	384.6			
		11-28-66	58.3	294.7				8-15-67	28.7	385.3			
		12-23-66	41.7	311.3				9-19-67	27.6	386.4			
		1-24-67	42.1	310.9		12S/01W-34K025	408.8	10-19-66	50.1	358.7	229		
		2-17-67	41.0	312.0				12-16-66	46.8	362.0			
		3-21-67	37.8	315.2				1-17-67	58.6(1)	350.2			
		4-19-67	39.6	313.4				2-16-67	39.9	368.9			
		5-19-67	38.5	314.5				3-17-67	39.5	369.3			
		6-22-67	39.2	313.8				4-18-67	37.0	371.8			
		7-20-67	41.8	311.2				5-17-67	33.8	375.0			
8-16-67	42.7	310.3			6-20-67		35.8	373.0					
9-20-67	44.6	308.4			7-18-67		37.7(1)	371.1					
12S/01W-32R015	372.9	10-20-66	27.0(1)	345.9	229			9-19-67	34.9	373.9			
		11-28-66	26.4	346.5			12S/01W-34O015	404.3	10-19-66	41.7	362.6	229	
		12-23-66	21.4(1)	351.5					11-23-66	41.7	362.6		
		1-23-67	23.7(1)	349.2				12-16-66	39.1	365.2			
		2-17-67	23.0	349.9				2-16-67	36.1	368.2			
		3-20-67	21.7	351.2				3-17-67	37.5	366.8			
		4-19-67	23.0	349.9				4-18-67	38.1	366.2			
		5-18-67	23.6(1)	349.3				5-17-67	38.8	365.5			
		6-20-67	24.7(1)	348.2				6-20-67	38.8	365.5			
		7-19-67	23.2	349.7				7-18-67	39.5	364.8			
		8-16-67	25.3(1)	347.6				8-15-67	(7)				
		9-20-67	25.2	347.7				9-19-67	14.6	389.7			
12S/01W-32Q015	366.4	10-20-66	51.4(1)	315.0	229	12S/01W-35A015		443.4	10-19-66	59.2	384.2	229	
		11-28-66	45.2	321.2				11-28-66	58.7	384.7			
		12-23-66	30.1	336.3				12-22-66	45.8(1)	397.6			
		1-23-67	28.7	337.7				1-17-67	40.0	403.4			
		2-17-67	32.4(1)	334.0				2-16-67	32.5	410.9			
		3-20-67	29.4	337.0				3-20-67	31.2	412.2			
		4-19-67	30.8	335.6				4-18-67	25.5	417.9			
		5-18-67	36.5(1)	329.9				5-18-67	15.9	427.5			
		6-20-67	36.4(1)	330.0				6-20-67	33.6(1)	409.8			
		7-19-67	42.8(1)	323.6				7-19-67	34.0(1)	409.4			
		8-15-67	47.5(1)	318.9				9-16-67	34.2(1)	409.2			
9-20-67	46.4(1)	320.0			9-19-67		24.2	419.2					
12S/01W-32Q025	367.0	10-19-66	44.8	322.2	229	12S/01W-35C015	426.5	10-20-66	DRY		229		
		11-18-66	42.8	324.2				11-28-66	DRY				
		12-16-66	30.4	336.6				12-22-66	DRY				
		1-17-67	28.5	338.5				1-20-67	37.1	389.4			
		2-15-67	28.3	338.7				2-17-67	35.7	390.8			
		3-17-67	28.2	338.8				3-20-67	34.1	392.4			
		4-18-67	27.7	339.3				4-19-67	31.4	395.1			
		5-18-67	44.0(1)	323.0				5-18-67	20.2	406.3			
		6-20-67	36.3	330.7				6-20-67	21.2	405.3			
		7-18-67	42.8(1)	324.2				7-19-67	22.5	404.0			
		8-15-67	45.3(1)	321.7				8-16-67	22.6	403.9			
		9-18-67	46.1(1)	320.9				9-20-67	22.6	403.9			
		12S/01W-32Q035	367.0	10-20-66	43.9(1)	323.1	229	12S/01W-35C055	429.0	10-18-66	DRY		229
				11-28-66	38.9	328.1				11-28-66	DRY		
12-23-66	30.7			336.3			12-22-66		45.1	383.9			
1-23-67	28.3			338.7			1-20-67		41.8	387.2			
3-20-67	29.7			337.3			2-16-67		39.6	389.4			
4-19-67	30.4			336.6			3-20-67		38.3	390.7			
6-20-67	(1)						4-19-67		33.3	395.7			
7-19-67	(1)						5-18-67		25.3	403.7			
8-16-67	48.2(1)			318.8			6-20-67		24.4	404.6			
9-20-67	48.5(1)			318.5									

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
SAN PASQUAL HYDRO SUBUNIT			Z-05.C0			SAN PASQUAL HYDRO SUBUNIT			Z-05.C0		
SAN PASQUAL HYDRO SUBAREA			Z-05.C2			SAN PASQUAL HYDRO SUBAREA			Z-05.C2		
12S/01W-35C05S (CONT.)	429.0	7-19-67 8-16-67 9-19-67	25.1 24.7 24.4	403.9 404.3 404.6	229	12S/01W-36D03S (CONT.)	444.5	1-17-67 2-16-67 3-20-67 4-18-67 5-18-67 6-20-67 7-18-67 8-16-67	39.6 28.5 64.2(1) 30.2 22.6 21.6 (1) 24.2	404.9 416.0 380.3 414.3 421.9 422.9 420.3	229
12S/01W-35D02S	419.3	10-20-66 4-19-67 11-28-66 12-22-66 1-20-67 2-17-67 3-20-67 5-18-67 6-20-67 7-19-67 8-16-67 9-20-67	56.7 26.9 55.8 44.3 34.7 36.3 34.3 17.6 26.2(1) 28.2(1) 25.7(1) 19.5	362.6 392.4 363.5 375.0 384.6 383.0 385.0 401.7 393.1 391.1 393.6 399.8	229	12S/01W-36F01S	458.5	10-19-66 11-23-66 12-22-66 1-17-67 2-16-67 3-17-67 4-18-67 5-18-67 6-20-67 7-18-67 8-15-67 9-18-67	46.0 43.9 25.0 23.8 11.1 11.0 10.9 8.5 8.3 8.3 10.8 11.9	412.5 414.6 433.5 434.7 447.4 447.5 447.6 450.0 450.2 450.2 447.7 446.6	229
12S/01W-35F01S	429.6	10-19-66 11-23-66 12-22-66 1-17-67 2-16-67 3-17-67 4-18-67 5-18-67 6-20-67 7-18-67 8-15-67 9-18-67	52.9 58.6 39.6 40.8 37.8 35.6 30.6 24.4 23.8 21.9 22.7 22.3	376.7 371.0 390.0 388.8 391.8 394.0 399.0 405.2 405.8 407.7 406.9 407.3	229	12S/01W-36H01S	467.1	10-19-66 11-23-66 12-22-66 1-17-67 2-16-67 3-17-67 4-18-67 5-18-67 6-20-67 7-18-67 8-15-67 9-18-67	38.8 37.1 13.6 13.1 12.9 12.0 12.9 12.2 12.2 12.3 16.5 19.4	428.3 430.0 453.5 454.0 454.2 455.1 454.2 454.9 454.9 454.8 450.6 447.7	229
12S/01W-35F02S	429.5	10-19-66 11-18-66 12-22-66 1-17-67 2-16-67 3-17-67 4-18-67 5-18-67 6-20-67 7-18-67 8-15-67 9-18-67	53.0 50.4 45.0 41.5 37.6 36.9 34.8 25.5 23.5 22.9 23.5 22.8	376.5 379.1 384.5 388.0 391.9 392.6 394.7 404.0 406.0 406.6 406.0 406.7	229	13S/01W-03E01S	399.2	10-19-66 10-24-66 11-18-66 12-16-66 1-17-67 2-15-67 3-17-67 4-18-67 4-25-67 5-17-67 6-20-67 7-18-67 8-15-67 9-18-67	42.1(1) 76.6(1) 39.6(1) 28.1 21.4 17.3 16.7 15.1 14.2 14.9 16.6 18.7 20.0 22.2	357.1 322.6 359.6 371.1 377.8 381.9 382.5 384.1 385.0 384.3 382.6 380.5 379.2 377.0	229 050 229
12S/01W-35G02S	434.7	10-18-66 11-28-66 12-22-66 1-20-67 2-16-67 3-20-67 4-19-67 5-18-67 6-20-67 7-19-67 8-16-67 9-19-67	52.4 50.9 46.6 41.8 37.4 40.5 29.7 23.9 22.3(1) 20.2 20.8 21.7	382.3 383.8 388.1 392.9 397.3 394.2 405.0 410.8 412.4 414.5 413.9 413.0	229	13S/01W-05A02S	372.6	10-19-66 11-18-66 12-16-66 1-17-67 2-15-67 3-17-67 4-18-67 5-18-67 6-20-67 7-18-67 8-15-67 9-18-67	56.4 53.9 43.9 41.1 49.7(1) 40.7 37.1 52.7(1) 49.0 48.9 51.3(1) 42.9	316.2 318.7 328.7 331.5 322.9 331.9 335.5 319.9 323.6 323.7 321.3 329.7	229
12S/01W-35H02S	444.3	10-19-66 11-23-66 12-22-66 1-20-67 2-16-67 3-17-67 4-18-67 5-18-67 6-20-67 7-18-67 8-15-67 9-19-67	58.3 57.5 47.7 43.5 37.2 40.7 34.5 22.3 20.7 23.2 25.7 27.5	386.0 386.8 396.6 400.8 407.1 403.6 409.8 422.0 423.6 421.1 418.6 416.8	229	13S/01W-06M01S	335.0	10-21-66 10-27-66 11-28-66 12-26-66 1-18-67 1-24-67 2-21-67 3-21-67 3-24-67 4-20-67 4-25-67 5-19-67 6-22-67 7-26-67 8-17-67 9-20-67	54.4 53.5 53.5 37.7 34.9 34.7 33.2 32.0 31.6 31.2 31.6 32.3 36.0 37.9 31.8 38.0	280.6 281.5 281.5 297.3 300.1 300.3 301.8 303.0 303.4 303.8 303.4 302.7 299.0 297.1 303.2 297.0	229 010 229 010 229 010 229 050
12S/01W-35L04S	430.0	10-19-66 11-18-66 12-22-66 1-17-67 2-16-67 3-17-67 4-18-67 5-18-67 6-20-67 7-18-67 8-15-67 9-18-67	56.2 53.5 49.7 45.8 41.5 41.3 39.1 21.0 23.3 24.0 17.9(7) 22.2	373.8 376.5 380.3 384.2 388.5 388.7 390.9 409.0 406.7 406.0 412.1 407.8	229	13S/01W-06M02S	336.0	10-26-66 4-25-67	61.0(1) (9)	275.0	050
12S/01W-36D01S	448.1	10-19-66 11-28-66 12-22-66 1-17-67 2-16-67 3-20-67 4-18-67 5-18-67 6-20-67 7-19-67 8-16-67 9-19-67	55.7 54.1 38.0 28.2 29.6 26.7 20.7 14.9 15.3 17.7(2) 22.6 24.3	392.4 394.0 410.1 419.9 418.5 421.4 427.4 433.2 432.8 430.4 425.5 423.8	229	13S/02W-01J01S	332.7	10-26-66 4-25-67	51.9(2) 29.1	280.8 303.6	050
12S/01W-36D03S	444.5	10-19-66 11-28-66 12-22-66	58.6 57.5 40.6	385.9 387.0 403.9	229						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
SANTA MARIA VALLEY HYDRO SUBUNIT			Z-05.00			SANTA MARIA VALLEY HYDRO SUBUNIT			Z-05.00		
RAMONA HYDRO SUBAREA			Z-05.01			RAMONA HYDRO SUBAREA			Z-05.01		
12S/01E-34R01S	1570.0	10-26-66 4-27-67	33.2 28.0	1536.8 1542.0	050	13S/01E-15B02S	1435.0	10-24-66 11-22-66 12-22-66	17.8 18.5 12.9	1417.2 1416.5 1422.1	402
13S/01E-02R01S	1520.0	10-26-66	25.5	1494.5	050			1-31-67 2-28-67	12.6 12.8	1422.4 1422.2	
13S/01E-02R02S	1518.0	10-26-66 4-27-67	26.6 24.0	1491.4 1494.0	050			3-31-67 4-30-67	13.2 13.6	1421.8 1421.4	
13S/01E-03K01S	1515.0	10-26-66 4-27-67	40.7 40.1	1474.3 1474.9	050			5-31-67 6-30-67	14.5 15.2	1420.5 1419.8	
13S/01E-10J01S	1465.0	10-24-66 10-26-66 11-22-66 12-22-66	19.5 39.2 20.8 15.8	1445.5 1425.8 1444.2 1449.2	402 050 402	13S/01E-15E02S	1421.0	10-26-66 4-27-67	13.4 9.5	1407.6 1411.5	050
		1-31-67 2-28-67	16.0 15.9	1449.0 1449.1		13S/01E-15M01S	1410.0	10-24-66 11-22-66 12-22-66	19.4 17.5 8.5	1390.6 1392.5 1401.5	402
		3-31-67 4-27-67	16.5 (1)	1448.5	050			1-31-67 2-28-67	9.0 9.3	1401.0 1400.7	
		4-30-67 6-30-67	16.6 18.2	1448.4 1446.8	402			3-31-67 4-30-67	8.8 7.7	1401.2 1402.3	
		7-31-67 8-31-67 9-30-67	20.0 20.5 20.4	1445.0 1444.5 1444.6				5-31-67 6-30-67	8.3 9.9	1401.7 1400.1	
13S/01E-10J02S	1465.0	10-26-66 4-27-67	15.0 3.9	1450.0 1461.1	050			7-31-67 8-30-67 9-30-67	9.3 10.6 10.7	1400.7 1399.4 1399.3	
13S/01E-10R01S	1450.0	10-24-66 11-22-66 12-22-66	18.8 19.4 14.4	1431.2 1430.6 1435.6	402	13S/01E-16P01S	1405.0	4-27-67	9.8	1395.2	050
		1-31-67 2-28-67	14.0 14.1	1436.0 1435.9		13S/01E-16P03S	1399.0	10-26-66	13.8(4)	1385.2	050
		3-31-67 4-30-67	14.4 15.0	1435.6 1435.0		13S/01E-17Q02S	1390.0	10-26-66 4-27-67	18.2 19.0(1)	1371.8 1371.0	050
		5-31-67 6-30-67	16.5 16.4	1433.5 1433.6		13S/01E-19J01S	1360.0	10-26-66 4-27-67	8.6 3.3	1351.4 1356.7	050
		7-31-67 8-31-67 9-30-67	18.7 19.6 19.3	1431.3 1430.4 1430.7		13S/01E-22D01S	1423.0	10-26-66 4-27-67	26.8(1) 23.1	1396.2 1399.9	050
13S/01E-11M01S	1465.0	10-24-66 11-22-66 12-22-66	21.3 20.9 18.1	1443.7 1444.1 1446.9	402	13S/01E-23K01S	1520.0	10-26-66 4-27-67	73.2 62.6	1446.8 1457.4	050
		1-31-67 2-28-67	17.3 17.0	1447.7 1448.0		13S/01E-27B01S	1455.0	10-26-66 4-27-67	26.5 21.4	1428.5 1433.6	050
		3-31-67 4-30-67	18.0 17.0	1447.0 1448.0		13S/01E-28C01S	1420.0	10-26-66 4-27-67	19.7 13.9	1400.3 1406.1	050
		5-31-67 6-30-67	17.1 18.3	1447.9 1446.7		13S/01E-29P01S	1435.0	10-26-66 4-27-67	80.3 39.1	1354.7 1395.9	050
		7-31-67 8-31-67 9-30-67	20.4 21.5 18.8	1444.6 1443.5 1446.2		13S/01W-13H01S	1370.0	10-26-66 4-27-67	14.7 (9)	1355.3	050
13S/01E-11M02S	1455.5	10-24-66 11-22-66 12-22-66	21.0 21.3 17.8	1434.5 1434.2 1437.7	402	13S/01W-24G01S	1340.0	10-26-66	10.1	1329.9	050
		1-31-67 2-28-67	17.0 16.7	1438.5 1438.8		13S/01W-24K01S	1360.0	10-26-66 4-27-67	13.1 2.3	1346.9 1357.7	050
		3-31-67 4-30-67	18.7 17.5	1436.8 1438.0		LOWER HATFIELD HYDRO SUBAREA					Z-05.02
		5-31-67 6-30-67	18.4 19.3	1437.1 1436.2		13S/02E-17C01S	1820.0	10-26-66 4-27-67	22.8 16.4	1797.2 1803.6	050
		7-31-67 8-31-67 9-30-67	22.3 20.3 20.4	1433.2 1435.2 1435.1		WASH MOLLOW HYDRO SUBAREA					Z-05.03
13S/01E-11M03S	1465.0	11-22-66 12-22-66 1-31-67	20.8 18.8 17.5	1444.2 1446.2 1447.5	402	13S/02E-15E01S	2070.0	10-26-66 4-27-67	19.0 3.9	2051.0 2066.1	050
		2-28-67 3-31-67	16.9 17.6	1448.1 1447.4		UPPER HATFIELD HYDRO SUBAREA					Z-05.04
		4-30-67 5-31-67	17.1 17.5	1447.9 1447.5		13S/02E-09H01S	2318.0	10-26-66 4-27-67	10.2 6.8	2307.8 2311.2	050
		6-30-67 7-31-67	17.6 18.5	1447.4 1446.5		BALLENA HYDRO SUBAREA					Z-05.05
		8-21-67 9-30-67	19.0 19.4	1446.0 1445.6		13S/02E-10K01S	2460.0	10-26-66 4-27-67	16.0 8.4	2444.0 2451.6	050
13S/01E-11O02S	1480.0	10-26-66 4-27-67	(1) 11.0		050	13S/02E-11C01S	2490.0	10-26-66 4-27-67	15.9 11.6	2474.1 2478.4	050
13S/01E-14A02S	1500.0	10-26-66 4-27-67	9.2 5.1	1490.8 1494.9	050						
13S/01E-15B01S	1425.0	10-24-66 11-22-66 12-22-66	22.3 21.4 12.1	1402.7 1403.6 1412.9	402						
		1-31-67 2-28-67	12.5 12.8	1412.5 1412.2							
		3-31-67 4-30-67	13.3 14.5	1411.7 1410.5							
		5-31-67 6-30-67	15.3 16.8	1409.7 1408.2							
		7-31-67 8-31-67 9-30-67	17.8 19.8 19.4	1407.2 1405.2 1405.6							

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
SANTA MARIA VALLEY HYDRO SUBUNIT			Z-05.D0			SANTA YSABEL HYDRO SUBUNIT			Z-05.E0		
EAST SANTA TERESA HYDRO SUBAREA			Z-05.06			80DEN HYDRO SUBAREA			Z-05.E1		
135/02E-03E015	2520.0	4-27-67	17.9	2502.1	050	125/01E-340015	1595.0	10-26-66 4-27-67	67.2 67.2	1527.8 1527.8	050
WEST SANTA TERESA HYDRO SUBAREA			Z-05.07			135/01E-03P015	1497.0	10-26-66 4-27-67	40.0 39.0	1457.0 1458.0	050
125/02E-32H015	2345.0	10-26-66 4-27-67	22.6 14.7	2322.4 2330.3	050	PAMO HYDRO SUBAREA			Z-05.E2		
						115/01E-35P02S	1060.0	10-26-66 4-27-67	15.3 10.9	1044.7 1049.1	050
						115/01E-35P03S	1058.0	10-26-66 4-27-67	13.6 9.0	1044.4 1049.0	050
						125/01E-02L01S	1040.0	10-26-66 4-27-67	17.7 14.5	1022.3 1025.5	050
						125/01E-02P01S	1030.0	10-26-66 4-27-67	11.9 6.6	1018.1 1023.4	050
						125/01E-02P02S	1030.0	10-26-66	12.0	1018.0	050
						125/01E-11L02S	1002.0	10-26-66 4-27-67	14.0 9.5	988.0 992.5	050
						SANTA YSABEL HYDRO SUBAREA			Z-05.E4		
						125/03E-16C01S	2960.0	10-25-66 4-27-67	9.2 (1) 5.0	2950.8 2955.0	050
						125/03E-28C01S	2960.0	10-26-66 4-27-67	13.1 5.3	2946.9 2954.7	050

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
PENASQUITO HYDRO UNIT						Z-06.00					
POWAY HYDRO SUBUNIT						Z-06.80					
35/02W-35001S	625.0	10-25-66 4-25-67	8.1 5.3	616.9 619.7	050						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGO HYDRO UNIT						Z-07.00					
LOWER SAN DIEGO HYDRO SUBUNIT			Z-07.A0			LOWER SAN DIEGO HYDRO SUBUNIT			Z-07.A0		
MISSION SAN DIEGO HYDRO SUBAREA			Z-07.A1			EL MONTE HYDRO SUBAREA			Z-07.A5		
16S/02W-19001S	47.2	10-27-66 1-18-67 3-24-67	18.1 15.6 16.3	29.1 31.6 30.9	010	15S/01E-09002S (CONT.)	460.0	5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	61.6 61.6 61.6 61.7 61.8	398.4 398.4 398.4 398.3 398.2	420
SANTEE HYDRO SUBAREA			Z-07.A2			15S/01E-09R01S	450.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	61.0 61.2 61.3 58.3 58.5 58.5 58.4 58.4 58.3 58.4 58.5 58.7	389.0 388.8 388.7 391.7 391.5 391.5 391.6 391.6 391.7 391.6 391.5 391.3	420
15S/01E-17B01S	430.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	52.4 52.5 52.6 52.0 51.7 51.6 51.5 51.2 51.2 51.2 51.2 51.2	377.6 377.5 377.4 378.0 378.3 378.4 378.5 378.8 378.8 378.8 378.8 378.8	420	15S/01E-10N01S	450.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	62.4 62.5 62.5 60.8 60.5 60.2 60.0 59.6 59.6 59.6 59.7 59.9	387.6 387.5 387.5 389.2 389.5 389.8 390.0 390.4 390.4 390.4 390.3 390.1	420
15S/01E-17B02S	425.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	49.8 49.8 49.7 49.4 49.5 48.8 48.7 48.5 48.5 48.5 48.5 48.5	375.2 375.2 375.3 375.6 375.5 376.2 376.3 376.5 376.5 376.5 376.5 376.5	420	15S/01E-16B01S	451.5	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	62.4 62.5 62.6 60.6 60.1 59.9 59.9 59.9 60.0 60.0 60.2 60.3	389.1 389.0 388.9 390.9 391.4 391.6 391.6 391.6 391.5 391.5 391.3 391.2	420
15S/01E-17H02S	430.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	57.1 57.0 57.2 55.7 55.7 55.7 55.7 55.7 55.7 55.7 55.7 55.7	372.9 373.0 372.8 374.3 374.3 374.3 374.3 374.3 374.3 374.3 374.3 374.3	420	15S/01E-16C02S	440.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	55.6 55.6 55.6 53.2 53.3 53.3 53.6 53.6 53.6 53.7 54.9	384.4 384.4 384.4 386.8 386.7 386.7 386.5 386.4 386.4 386.3 385.1	420
15S/01E-17H07S	435.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	55.2 55.2 55.2 54.3 54.0 54.0 54.0 53.9 53.9 53.9 53.9 53.9	379.8 379.8 379.8 380.7 381.0 381.0 381.0 381.1 381.1 381.1 381.1 381.1	420	15S/01E-16C03S	448.5	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	61.5 61.5 61.6 59.4 59.3 59.0 59.0 59.0 59.2 59.2 59.3 59.4	387.0 387.0 386.9 389.1 389.2 389.5 389.5 389.5 389.3 389.3 389.2 389.1	420
15S/01E-20B04S	476.6	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	6.6 24.6 26.4 25.3 23.6 15.6 37.6 27.6 41.6 42.2 38.2 27.1	470.0 452.0 450.2 451.3 453.0 461.0 439.0 449.0 435.0 434.4 438.4 449.5	420	15S/01E-16C04S	445.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	61.0 61.1 61.2 59.5 59.4 59.1 58.7 58.7 58.7 58.8 58.9 59.0	384.0 383.9 383.8 385.5 385.6 385.9 386.3 386.3 386.2 386.1 386.0	420
EL MONTE HYDRO SUBAREA			Z-07.A5			15S/01E-16E01S	435.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	55.7 55.7 55.7 53.5 53.7 53.9 53.9 53.9 53.9 53.9 54.1	379.3 379.3 379.3 381.5 381.3 381.1 381.1 381.1 381.1 381.1 380.9	420
15S/01E-09P01S	445.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67 5-01-67 6-01-67 7-01-67 8-01-67 9-01-67	61.5 61.6 61.6 59.8 59.3 58.6 59.2 59.2 59.2 59.4 59.5	383.5 383.4 383.4 385.2 385.7 386.4 385.8 385.8 385.8 385.6 385.5	420	15S/01E-17H06S	434.4	10-27-66	53.8	380.6	010
15S/01E-09Q02S	460.0	10-01-66 11-01-66 12-01-66 1-01-67 2-01-67 3-01-67 4-01-67	64.1 64.2 64.2 61.9 61.6 61.6 61.6	395.9 395.8 395.8 398.1 398.4 398.4 398.4	420						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGO HYDRO UNIT						Z-07.00					
LOWER SAN DIEGO HYDRO SUBUNIT						Z-07.A0					
EL MONTE HYDRO SUBAREA						Z-07.A5					
155/01E-17H065	434.4	1-18-67	52.3	382.1	010						
(CONT.)		3-24-67	52.3	382.1							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SWEETWATER HYDRO UNIT						Z-09.00					
LOWER SWEETWATER HYDRO SUBUNIT			Z-09.A0			MIDDLE SWEETWATER HYDRO SUBUNIT			Z-09.80		
SWEETWATER HYDRO SUBAREA			Z-09.A2			JAMACHA HYDRO SUBAREA			Z-09.B1		
17S/01W-19J01S	96.4	2-08-67 3-15-67 6-05-67 9-07-67	9.7 10.0 2.6 9.8	86.7 86.4 93.8 86.6	703	16S/01E-21H01S	414.3	2-08-67 3-15-67 6-05-67 9-07-67	3.1 4.9 6.9 2.6	411.2 409.4 407.4 411.7	703
17S/01W-19K01S	91.0	2-08-67	9.0	82.0	703	16S/01E-31C03S	335.9	2-08-67 3-15-67 6-05-67	3.8 4.6 (6)	332.1 331.3	703
17S/01W-19O01S	86.8	2-08-67 6-05-67 9-07-67	6.3 .1 -2.1	80.5 86.7 88.9	703	16S/01E-31D02S	326.0	2-08-67 3-15-67	10.4 (6)	315.6	703
17S/01W-20E01S	99.7	2-08-67 3-15-67 6-05-67 9-07-67	10.2 10.4 4.2 1.9	89.5 89.3 95.5 97.8	703	16S/01E-31D03S	325.8	2-08-67 6-05-67 9-07-67	3.0 13.4 13.2	322.8 312.4 312.6	703
17S/01W-30E01S	71.6	2-08-67 3-15-67 6-05-67 9-07-67	3.8 3.7 .6 -1.7	67.8 67.9 71.0 73.3	703	17S/01W-01D02S	295.6	2-08-67 3-15-67 6-05-67 9-07-67	5.1 5.6 .0 -.4	290.5 290.0 295.6 296.0	703
17S/01W-30F01S	80.1	2-08-67 3-15-67 6-05-67 9-07-67	7.4 7.4 .6 -.5	72.7 72.7 79.5 80.6	703						
17S/01W-30M01S	70.9	2-08-67 3-15-67 6-05-67 9-07-67	9.3 8.8 .3 -.2	61.6 62.1 70.6 71.1	703						
17S/01W-30M02S	71.3	2-08-67 3-15-67 6-05-67 9-07-67	4.7 4.5 .4 -2.1	66.6 66.8 70.9 73.4	703						
17S/02W-25P04S	55.0	3-15-67	3.5	51.5	703						

See page 117 for key to terms & abbreviations

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
OTAY HYDRO UNIT						Z-10.00					
OTAY HYDRO SUBUNIT						Z-10.80					
18S/02W-22F01S	40.0	10-27-66	31.3	8.7	010						
		1-18-67	30.3	9.7							
		3-24-67	30.2	9.8							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
TIA JUANA HYDRO UNIT						Z-11.00					
TIA JUANA HYDRO SUBUNIT			Z-11.A0			MONUMENT HYDRO SUBUNIT			Z-11.00		
TIA JUANA HYDRO SUBAREA			Z-11.A1			PINE HYDRO SUBAREA			Z-11.01		
17S/02W-35E01S	35.0	10-27-66	14.3	20.7	010	15S/04E-26J01S	3851.0	10-02-66	260.0(5)	3591.0	723
		1-18-67	10.2	24.8				11-01-66	258.0(5)	3593.0	
		3-24-67	10.1	24.9				12-03-66	258.0(5)	3593.0	
								1-08-67	264.0(5)	3587.0	
18S/02W-32H01S	12.6	10-25-66	11.3(6)	1.3	050			2-01-67	270.0(5)	3581.0	
		4-25-67	10.5	2.1				3-04-67	270.0(5)	3581.0	
								4-06-67	270.0(5)	3581.0	
19S/02W-01E01S	45.5	10-25-66	35.6	9.9	050			5-01-67	268.0(5)	3583.0	
		4-25-67	30.9	14.6				6-01-67	268.0(5)	3583.0	
								7-03-67	264.0(5)	3587.0	
19S/02W-01N01S	50.0	10-27-66	41.8(2)	8.2	010			8-04-67	263.0(5)	3588.0	
		1-18-67	38.6	11.4				9-01-67	260.0(5)	3591.0	
		3-24-67	35.9	14.1							
19S/02W-02D01S	39.5	10-25-66	39.2	.3	050	15S/04E-36E01S	4000.0	10-04-66	26.5	3973.5	723
		4-25-67	32.7	6.8				11-01-66	25.5	3974.5	
								12-01-66	25.5	3974.5	
19S/02W-04A06S	25.0	10-27-66	29.1(2)	-4.1	010			1-04-67	24.5	3975.5	
		1-16-67	23.6(2)	1.4				2-02-67	23.5	3976.5	
		3-24-67	22.7	2.3				3-01-67	23.5	3976.5	
								4-06-67	22.5	3977.5	
19S/02W-05J01S	13.0	10-25-66	12.8	.2	050			5-01-67	22.5	3977.5	
		4-25-67	11.0	2.0				6-01-67	24.5	3975.5	
								7-02-67	26.5	3973.5	
								8-01-67	28.5	3971.5	
								9-07-67	27.5	3972.5	
						15S/04E-36K01S	4061.0	10-02-66	135.9(5)	3925.1	723
								11-01-66	135.9(5)	3925.1	
								12-03-66	133.9(5)	3927.1	
								1-08-67	132.9(5)	3928.1	
								2-01-67	131.9(5)	3929.1	
								3-04-67	131.9(5)	3929.1	
								4-06-67	130.9(5)	3930.1	
								5-01-67	132.9(5)	3928.1	
								6-01-67	132.9(5)	3928.1	
								7-03-67	134.9(5)	3926.1	
								8-04-67	135.9(5)	3925.1	
								9-01-67	135.9(5)	3925.1	

See page 117 for key to terms & abbreviations

TABLE C - 2
GROUND WATER REPLENISHMENT IN SOUTHERN CALIFORNIA
DURING THE 1966 - 67 WATER YEAR

Areal Designation Code No.	Project	Agency* conducting spreading operation	Source of recharge water	Amount spread, in acre-feet												
				Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Total
U-03.A1	El Rio	UWCD	Local	0	3,195	4,715	4,394	7,192	7,742	2,451	8,004	3,502	240	0	1,974	43,409
U-03.A1	Saticoy	UWCD	Local	118	428	2,966	2,892	2,960	4,889	6,612	8,546	2,287	1,213	2,522	6,623	39,056
U-03.D1	Piru	UWCD	Local	118	139	853	1,468	1,538	1,087	345	1,183	1,643	1,595	1,188	997	12,122
U-05.A2	Dominguez	LACFCD	Local	-17	119	107	104	-12	64	4	2	2	+	10	0	373
U-05.A2	Walteria	LACFCD	Local	+	182	95	57	-28	68	105	0	-12	-12	+	+	436
U-05.A2	West Coast Basin Barrier	LACFCD	Local	3,352	3,583	4,219	4,584	3,612	3,411	3,279	3,400	3,307	3,388	3,530	3,484	43,059
U-05.A5	Rio Hondo Combined	LACFCD	Local	370	1,481	10,187	3,972	906	3,428	4,110	769	491	625	1,031	1,604	28,854
U-05.A5	San Gabriel Spreading Ground	LACFCD	Imported	9,492	3,997	1,684	3,161	3,788	2,574	8,834	9,261	4,121	1,437	2,353	10,588	69,290
			Local	0	0	1,248	348	543	32	226	728	0	0	0	0	3,123
U-05.B1	Branford	LACFCD	Local	1,365	1,102	0	0	0	281	1,794	0	0	0	0	0	4,542
			Imported	0	146	100	115	1	124	100	5	+	+	0	32	623
U-05.B1	Headworks, Los Angeles River	LADW&P	Imported	2,241	455	0	0	16	1,131	333	1,291	759	926	968	750	8,870
U-05.B1	Big Tujunga	LADW&P	Imported	0	0	0	0	0	0	900	850	0	0	0	0	1,750
U-05.B1	Pacoima	LACFCD	Local	0	154	3,837	1,854	1,668	3,175	3,526	3,602	1,218	1,734	2,035	9	22,800
U-05.B3	Hansen	LACFCD	Local	0	0	5,032	3,141	1,188	5,445	5,822	5,729	2,942	0	2,084	0	31,383
U-05.B3	Lopez	LACFCD	Local	0	0	214	0	229	171	165	350	182	0	161	0	1,472
U-05.C1	Eaton Spreading Grounds	LACFCD	Local	0	0	651	288	0	274	0	0	237	0	0	0	1,450
U-05.C1	Arroyo Seco	LACFCD	Local	0	0	318	125	89	442	495	379	0	0	0	0	1,828
U-05.C3	Santa Anita	LACFCD	Local	49	40	246	200	164	173	122	88	10	0	331	150	1,563
U-05.C3	Sierra Madre	CSMWD	Local	144	195	631	532	802	661	385	270	352	270	7	487	4,735
U-05.D1	Ben Lomond	LACFCD	Local	116	40	9	309	626	729	772	865	641	643	774	920	8,444
U-05.D1	Big Dalton	LACFCD	Local	0	0	481	367	400	473	432	438	456	402	220	97	3,766
U-05.D1	Buena Vista	LACFCD	Local	0	62	359	216	0	68	293	811	372	0	0	11	2,192
U-05.D1	Citrus	LACFCD	Local	574	316	174	0	0	0	0	0	0	0	0	0	1,064
U-05.D1	Eaton Spreading Basin	LACFCD	Local	0	162	289	160	+	108	244	31	49	+	+	3	1,046
U-05.D1	Irwindale	LACFCD	Local	0	264	1,314	874	387	555	1,511	774	165	0	399	549	6,792
U-05.D1	Little Dalton	LACFCD	Local	0	2	291	269	220	221	278	236	183	85	35	26	1,846
U-05.D1	Peck Road	LACFCD	Local	19	375	6,053	2,283	114	2,604	4,051	2,872	1,026	186	-827	-812	17,914
U-05.D1	San Dimas Lower	LACFCD	Local	0	0	0	0	0	0	0	504	341	354	0	0	1,199
U-05.D1	San Dimas Upper	LACFCD	Local	44	76	171	147	325	330	270	193	145	315	78	5	2,099
U-05.D1	Santa Fe	LACFCD	Local	7	16	3,193	5,504	6,658	8,297	15,072	13,056	10,534	9,880	1,664	39	73,910
U-05.D1	Sawpit	LACFCD	Local	0	35	243	210	200	309	578	296	308	85	114	80	2,458
U-05.D1	Walnut	LACFCD	Local	185	178	257	180	99	249	376	225	102	77	131	88	2,147
U-05.D3	Eastside Mouth Canyon Basin	SGRSC	Local	1,867	973	1,653	3,100	2,304	2,503	2,487	1,722	1,996	1,622	1,200	1,191	22,618
U-05.D3	San Gabriel River**	CAWC	Imported	1,738		1,297		2,157		2,216		1,541		2,199		11,148
U-05.E3	Live Oak	LACFCD	Local	0	0	64	42	39	26	72	87	0	0	0	0	330
U-05.F1	Alamitos Barrier	LACFCD	Imported	387	360	336	269	190	294	265	294	292	375	424	394	3,880
U-05.F1	Carbon Creek System	OCFCD	Local	0	320	390	275	0	175	300	0	0	0	0	0	1,400
U-05.F1	Crill Memorial Pit	OCWD	Imported	3,500	2,400	260	1,060	2,050	1,350	1,210	2,340	3,210	56	0	0	17,440
			Local	4,974	6,627	4,010	3,481	3,015	2,146	3,161	140	-36	73	0	105	27,697
U-05.F1	Gomber & Hazard	AUWC	Local	0	0	0	0	0	483	317	491	206	0	0	0	1,497
U-05.F1	Growther	AUWC	Local	53	71	52	44	51	16	0	0	2	0	0	0	289
U-05.F3	Yorba	AUWC	Local	0	33	0	0	0	0	0	0	0	0	0	0	33
Y-01.A1	Irvine	OCWD	Imported	447	399	73	116	0	0	0	0	0	0	0	2	1,037
Y-01.A1	Santa Ana River	OCWD	Imported	14,113	7,121	622	3,307	6,162	5,944	6,397	29	6,425	1,663	1,715	3,354	56,852
Y-01.A1	Shorb	AUWC	Local	59	15	0	0	0	0	0	0	0	0	0	0	74
Y-01.A3	Batavia-Fletcher	SAVIC	Local	53	0	0	0	0	0	0	240	145	0	26	37	500
Y-01.B1	Day Canyon	EWC	Local	0	117	120	253	305	352	383	566	390	346	285	234	3,352
Y-01.B1	Day Creek	SBCFCD	Local	51	97	600	215	245	919	720	653	314	165	150	116	4,245
Y-01.B1	Eighth Street	SBCFCD	Local	0	27	80	37	0	25	33	0	0	0	0	0	202
Y-01.B1	Montclair	SBCFCD	Local	0	2	111	26	0	5	1	0	0	0	450***	245***	840
Y-01.B1	San Seavine	SBCFCD	Local	0	0	84	34	0	0	1	0	0	0	0	0	119
Y-01.B3	City of Pomona	CPWD	Local	0	12	350	20	25	37	200	82	40	40	30	20	856
Y-01.B4	Nineteenth Street & Cucamonga	SAWC	Local	0	301	1,058	1,051	1,200	1,140	1,365	1,401	892	661	233	69	9,381
Y-01.B4	Red Hill	SBCFCD	Local	0	3	589	45	0	8	5	0	0	0	0	0	650
Y-01.B6	Arlington Gravel Pits	RCFC&WCD	Local	20	8	4	3	0	4	21	28	44	54	31	0	217
Y-01.C1	Mayhew Wash	TWC	Local	0	3	1,637	241	113	27	196	0	0	0	0	0	2,218
Y-01.C4	Indian Creek	TWC	Local	0	0	1,393	178	60	21	152	0	0	0	0	0	1,805
Y-01.C4	Horsethief Creek	TWC	Local	0	2	26	9	13	1	40	0	0	0	0	0	92
Y-01.C4	Cow Creek	TWC	Local	0	0	18	4	6	9	14	0	0	0	0	0	51
Y-01.E2	City Creek	SBCFCD	Local	9	57	-	-	606	1,084	2,845	2,050	968	440	132	85	8,276
Y-01.E2	Devil Canyon	SBCFCD	Local	0	12	862	281	176	442	704	441	199	56	28	25	3,226
Y-01.E2	Patton	SBCFCD	Local	0	0	22	8	0	0	4	0	0	0	0	8	42
Y-01.E2	Twin Creek	SBCFCD	Local	41	86	2,680	551	300	448	845	706	401	245	165	152	6,620
Y-01.E2	Waterman Canyon	SBCFCD	Local	19	49	1,070	352	244	391	508	372	268	146	84	78	3,579
Y-01.E3	Santa Ana River	SBVWCD	Local	0	0	2,591	1,972	1,139	1,379	2,115	0	0	210	0	0	9,406
Y-01.E4	Mill Creek (Lower)	SBVWCD	Local	0	15	1,311	1,686	662	513	825	1,043	512	110	0	0	6,677
Y-01.E9	Lytle Creek	FUWC	Local	0	307	758	998	1,707	1,308	2,030	1,580	1,561	1,233	1,975	1,649	15,106
Y-01.F9	Little San Geronio	RCFC&WCD	Local	0	0	150	0	0	0	0	0	0	0	0	0	150
Y-02.B1	Bautista Creek	RCFC&WCD	Local	0	0	384	37	0	1	73	0	0	0	8	45	548
Y-02.B1	San Jacinto	FMWC	Local	0	0	283	192	0	194	88	117	0	0	0	0	874

*Abbreviation of agencies conducting spreading operations are presented in alphabetical order:


CAWC, California-American Water Company; CPWD, City of Pomona Water Department; CSMWD, City of Sierra Madre Water Department; EWC, Etiwanda Water Company; FMWC, Fruitvial Mutual Water Company; FUWC, Fontana Union Water Company; LACFCD, Los Angeles County Flood Control District; LADW&P, Los Angeles Department of Water and Power; OCFCD, Orange County Flood Control District; OCWD, Orange County Water District; RCFC&WCD, Riverside County Flood Control and Water Conservation District; SAVIC, Santa Ana Valley Irrigation Company; SAWC, San Antonio Water Company; SBCFCD, San Bernardino County Flood Control District; SBVWCD, San Bernardino Valley Water Conservation District; SGRSC, San Gabriel River Spreading Corporation; TWC, Temescal Water Company; UWCD, United Water Conservation District.

**Bimonthly amounts.

***Imported amounts.

perfect bond

1 9646



**THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW**

**RENEWED BOOKS ARE SUBJECT TO IMMEDIATE
RECALL**

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-50m-9,'70 (N9877s8)458—A-31/5,6

Nº 744905

California. Dept. of
Water Resources.
Bulletin.

PHYSICAL
SCIENCES
LIBRARY

TC824
C2
A2
no.130:67
v.5
appx.A-C
c.2

LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS



3 1175 02468 6696

Call Number:

744905

California. Dept. of
Water Resources.
Bulletin.

TC824
C2
A2
no.130:67
v.5

